# betterplace.org

# Crashing and uncrashing a social startup

RailsWayCon Berlin June 1st, 2010

Till Behnke, co-founder, CEO Phillip Oertel, CTO

1. What's your Rails version?

- 1. What's your Rails version?
- 2. Do you look into the Rails source?

- 1. What's your Rails version?
- 2. Do you look into the Rails source?
- 3. What's your team size?

- 1. What's your Rails version?
- 2. Do you look into the Rails source?
- 3. What's your team size?
- 4. Why do you attend the talk?


# Take-Aways

- 1. An approach to do Rails updates, and project recoveries in general
- 2. Typical issues during Rails updates
- 3. How to prevent history from repeating itself

## What we do

Introducing betterplace.org

















# "OPEN IT UP"





# betterplace.org

100% of your donations are forwarded.



PROJECTS

Browse Projects Browse Needs

COMMUNITY

DIALOGUE

Spread the Word!

Sign Up . Log in . Language

VISITORS

**BLOG POSTS** 

#### Drinking Water for the Primary School Ndokbagna



Location:

PORT SHEPSTONE, KwaZulu-Natal, South

Africa

Category: Health

Published: 03 September 2007

Progress:

Rating:

28% funded

\*\*\* 16 Ratings

By constructing a well in the school compound one can assure that 260 children will get drinking water during their long school hours. The children come to the school from their neighbouring villages which are within a radius of eight km and stay between eigt to nine hours at th ...more

#### view photos ask a question

SUPPORTERS

13

**ADVOCATES** 

#### NEEDS

#### electromagnetic measurement

430 Euro, \* Still needed: 300 Euro \* Published 03 September 2007

Looking for the groundwater layer by doodlebugs gives rarely a viable result, therefore we have to opt for an electromagnetic measurement by a geologist in order to find the right location for the well.



30% funded

#### construction workers

2000 Euro. • Still needed: 1990 Euro • Published 04 September 2007

The excavation work has to be done by qualified workers. How much time it will take depends on the soil and the depth of the well. The members of the G.I.C.s. (villagers) will assist the hired workers during their excavation work.



0% funded

#### cement and sand

Not yet activated



#### WEB OF TRUST Project Responsible and Carrier

! recommend this project

become an advocate become a visitor



A. Kon

#### **Project Supporters**



G. Mueller



H. Knott






Z Pecur-Medinger

e enom

Project Advocates

## LONG TAIL CHART





# How we got there.

## The beginning: Business & IT





### A growing organisation...

## betterplace.org\*\*

...without funding.






#### A growing organisation...

## betterplace.org\*\*


## ...without funding.





#### Fluctuation of staff.








>20 thousand lines of code...

#### First time funding...



...and a team.



#### Starting point:



#### betterplace in January

- Original developers were long gone
- 15.000 LOC, 16.000 LOT, 72 controllers, 160 models
- Running Rails 2.0.2, released December 2007
- Running mongrels, beanstalk 0.7, hyperestraier
- Code sometimes over-engineered, hard to understand, or hackish
- Lots of leftover code from one-time campaigns and features that never went live

~3 developers, 3 months time

# Before you start

Some precautions

#### Convince



- there's no point in arguing if your organisation doesn't feel the pain itself
- don't just complain; developers complain all the time
- instead, show how the technical improvements will help your organisation to reach its goals

#### Manage expectations:



#### You certainly won't fix everything.

- Your own
- Your team's
- Your organisation's

#### For the team:



#### make a list of tech debt

#### Betterplace Technical Debt 🌽 Bearbeiten 🔓 Sperren 🧨 Umbenennen 🗑 Löschen 🐖 Historie this is an unprioritized, non-exhaustive list of everything that should and could be improved Rails 2.0.2 (2 Years old) · missing tests: donation UNIT DONE o INTEGRATION show (fulfilled) project needs o UNIT routing DONE lots of integration tests · deployment o to live only from staging server remove no more used features Mozilla Day DONE Ballon Day (?) DONE Daimler DONE o crazy egg DONE duplicate tiny\_mce editor DONE o teaming campaigns DONE facebook api stuff DONE \*\* redirect all facebook app requests to a page which says "FB App is sleeping, why don't you try the real thing(link to bp.org)". iphone api stuff DONE kicktipps DONE

### Watch team morale



### Watch team morale





http://www.flickr.com/photos/e-ality

#### Watch team morale



- Work in pairs, extensively
- Remove the uncertainty of what you will need to do
- Show progress and remaining time on big visible charts
- Do retrospectives

# The approach

A lot more than coding

## The approach





4. Do the actual update



4. Do the actual update

6. Release



1. Reduce app to the min

4. Do the actual update

6. Release



- 1. Reduce app to the min
- 2. Bring test coverage up
- 4. Do the actual update
- 6. Release



- 1. Reduce app to the min
- 2. Bring test coverage up
- 3. Do a spike
- 4. Do the actual update
- 6. Release



- 1. Reduce app to the min
- 2. Bring test coverage up
- 3. Do a spike
- 4. Do the actual update
- 5. Throw a test party
- 6. Release



- 1. Reduce app to the min
- 2. Bring test coverage up
- 3. Do a spike
- 4. Do the actual update
- 5. Throw a test party
- 6. Release
- 7. Fix missed bugs

### 1. Reduce app to the minimum



- throw out non- or hardly used features
- throw out commented out code
- get rid of unused plugins, gems, other files

# 2. Bring test coverage up

# betterplace.org\*\*

# Make a list of all features

#### Liste der Features

Funktion	Priorität	Testen	Kommentar
Registrierung			
Besucher legt User-Account an	2	2	2 Mails
User registriert Organisation	3	2	Mail
User registriert Projekt	1	1	Mail
User registriert Unternehmen	3	3	Mail
User registriert Team	1	1	Mail

### Cucumber is your friend.



```
Feature: Login and out to betterplace
 In order to see personalized content on betterplace and access some prote
 As a betterplace website visitor-
 I want to be able to login to betterplace-
 Scenario: Normal user login at betterplace-
   Given user "Fritz" exists-
   And I am logged in as this user-
   Then I should see "Fritz's betterplace"-
 Scenario: Normal user logout at betterplace-
   Given user "Fritz" exists-
   And I am logged in as this user-
   When I follow "Log Out"-
   And I should see "Already a User? Login here: "-
```

# 3. Do a spike





# When spiking, you have the license to make a mess.





# 4. Do the actual update



- work off your list made during the spike
- run rake rails:update

### Rails internals



- i18n
- CGI => Rack in 2.3: review sessions, cookies, uploads, JSON/XML APIs
- review new rails defaults:ActiveRecord::Base.include\_root\_in\_json, ...
- order of observer/callback firing has changed

# Plugins



- attachment\_fu
- active\_merchant
- cucumber
- find\_by\_param
- haml
- rspec
- typus

# 5. Throw a party with the whole

# betterplace.org\*\*

team, and test



#### 6. Release it!



#### 0 0

#### po@dev01:/var/apps/betterplace/current

triggering start callbacks for `deploy:migrations'

- \* executing `multistage:ensure'
- \* executing `deploy:migrations'
- \* executing `deploy:update\_code'
   updating the cached checkout on all servers
   executing locally: "git ls-remote git@git.dmz.betterplace.org:betterplace.
  aster"
- \* executing "if [ -d /var/apps/betterplace/shared/cached-copy ]; then cd /vas/betterplace/shared/cached-copy && git fetch origin && git reset --hard c29 ade88b929b9a1ac5f4e59a5050228130; else git clone --depth 1 git@git.dmz.better.org:betterplace.git /var/apps/betterplace/shared/cached-copy && cd /var/apps/rplace/shared/cached-copy && git checkout -b deploy c2947793ade88b929b9a1ac5f5050228130; fi"

servers: ["web05.dmz.betterplace.org", "web01.dmz.betterplace.org", "web02
betterplace.org", "web03.dmz.betterplace.org", "web04.dmz.betterplace.org"]
 [web05.dmz.betterplace.org] executing command

# 7. Fix the bugs you missed,



# immediately

All u	All unresolved errors						
	PROJECT	MESSAGE & LOCATION	LATEST				
S	betterplace.org	NoMethodError: undefined method `donations' for nil:Nilicirake task: recurring donations#	about 4 ho				
P	betterplace.org	NoMethodError: undefined method `donations' for nil:Nilconake task: recurring donations#	about 4 ho				
P	betterplace.org	ActionView::MissingTemplate: Missing template projects/projects#show	about 5 ho				
P	betterplace.org	NoMethodError: undefined method `project' for # <active blogs#index<="" td=""><td>about 5 ho</td></active>	about 5 ho				
P	betterplace.org	ActionView::MissingTemplate: Missing template blogs/sh blogs#show	about 13 h				

# Declare victory!





http://www.flickr.com/photos/annieinbeziers/1504067303/

# Done. Done?

### Start using new Rails features



```
class Project < ActiveRecord::Base

named_scope :completed,
    :conditions => 'projects.completed_at IS NOT NULL',
    :order => 'projects.completed_at DESC'
named_scope :featured, :conditions => 'projects.featured != 0'
named_scope :visible, :conditions => { :hidden => 0 }
named_scope :lang, lambda { !lang! %w(en de).include?(lang) ...
...
```

```
# app/views/groups/new_groups/_section_header.haml

#amount_donors.fl
    %span.label=t(".amount_donors")
    %span.amount=@group.members.size
...
```

### But if you just do this,



# history will probably repeat itself.

- "Always leave the campsite cleaner than you found it"
- Schedule larger improvements
- Build a team, distribute knowledge: "If you want to go fast, go alone. If you want to go far, go together."
- Build trust: be transparent, measure.
- Bring in new people.
- Establish a pull-based software development process

# Q & A

# Work for us!

Here in Berlin, Kreuzberg.

jobs@betterplace.org

#### Vielen Dank.

# betterplace.org

betterplace gemeinnützige Stiftungs-GmbH Till Behnke, Phillip Oertel

Schlesische Strasse 26 10997 Berlin Tel +49 30 76 76 44 88-0 Fax +49 30 76 76 44 88-40 change@betterplace.org

## Stub example



```
gettext_stub.rb
1 class ActiveRecord::Base
      DEBUG = false-
50
      class << self-
60
        def untranslate(*args)-
          puts "untranslate stub called with #{args.inspect}" if DEBUG-
8 🖾
        end⊸
10 0
        def bindtextdomain(*args)-
          puts "bindtextdomain stub called with #{args.inspect}" if DEBU
11
12
        end⊸
13
        def N_(*args)-
14 0
          puts "N_ stub called with #{args.inspect}" if DEBUG-
15
```