

# JRS FINAL EVIDENTIARY REMEDIATION REPORT

**Date:** 5 September 2026 **Scope:** Corrections 1, 2 and 3 of the final surgical remediation protocol.

---

## 1. EXECUTIVE RESULT

---

### **SUCCESS: FINAL REMEDIATION MERGED AND VERIFIED LIVE**

Twelve unsupported empirical assertions across `index.html` and `jrsstandard.html` were scoped to what the evidence supports. The corrections were committed as `f9500ff`, merged as `a64a1fd`, deployed, and verified against the live production response bodies. All five required URLs returned HTTP 200 and are **byte-identical to `origin/main`**, confirmed with `cmp`.

`sitemap.xml` was evaluated under Correction 3 and **deliberately not changed**. The reason is given in §3 with the evidence.

**Five of the twelve were missed by the earlier prevalence pass**, and the twelfth was found by this pass's own Validation A rather than by its target list. That is recorded plainly in §4 because it is the substantive finding of this remediation: the earlier pass searched for remembered wording, not for the shape of the claim.

---

## 2. BASELINE

| Item                                  | Value                                                                     |
|---------------------------------------|---------------------------------------------------------------------------|
| Starting <code>origin/main</code>     | <code>ea84f0ec8e839290fbd6bf3e1a8cae0fd55da6fd</code>                     |
| <b>Final <code>origin/main</code></b> | <b><code>a64a1fd2b5b5189f34545be727240ab2dd96190c</code></b>              |
| Starting <code>HEAD</code>            | <code>240a2d26cdad2a2e29926970e43f9eb08347ea53</code>                     |
| Starting working-tree status          | <b>Clean</b>                                                              |
| Branch                                | <code>claude/html-pilot-L8rC3</code>                                      |
| Production reachable at baseline      | Yes, <code>HTTP/2 200</code>                                              |
| Preservation baseline captured        | <b>352 files</b> hashed with <code>git hash-object</code> before any edit |

## 3. EXACT FILES MODIFIED

| File                                                 | Reason       | Description of change                                                                                                 |
|------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------|
| <code>index.html</code>                              | Correction 1 | 5 sentences replaced. <b>+38 bytes</b> , 651,212 → 651,250                                                            |
| <code>jrsstandard.html</code>                        | Correction 2 | 7 sentences replaced. <b>+37 bytes</b> , 508,419 → 508,456                                                            |
| <code>scripts/apply_evidentiary_2026-09-05.py</code> | Tooling      | New deterministic applier with refusal gates. Not deployed ( <code>scripts/</code> is in <code>.vercelignore</code> ) |

Diff totals on the two website files: **12 insertions, 12 deletions**.

### `sitemap.xml` — evaluated, NOT changed

Correction 3 is conditional: *"If the page remains intended to be publicly discoverable **and indexable**: add the existing public security.html URL to sitemap.xml."*

The condition is answered **No**, by the page itself:

| Property of <code>security.html</code> | Value                                                                          |
|----------------------------------------|--------------------------------------------------------------------------------|
| Robots directive                       | <code>none</code> (crawlable)                                                  |
| Canonical                              | <code>https://www.jrsstandard.com/review-engine.html</code> — points elsewhere |
| In sitemap                             | No                                                                             |
| Inbound links from active pages        | <code>enterprise.html</code> ×2, <code>review-engine.html</code> ×2            |

`security.html` declares itself a non-canonical duplicate of `review-engine.html`. Listing a non-canonical URL in a sitemap is an error, and it would not produce independent indexing, because a canonical outranks a sitemap entry. A site-wide sweep found exactly **two** pages whose canonical points elsewhere, `security.html` and `jrsstandard.html` (→ /), and **both are correctly absent from the sitemap**. The current configuration is internally consistent.

If the intent is that `security.html` should be independently indexed, the change is two-part: make the page self-canonical **and** add the sitemap entry. That alters an SEO directive on a page the protocol told me not to alter substantively, and it changes real indexing behaviour, so it is flagged here rather than guessed at.

---

## 4. SENTENCE-BY-SENTENCE REMEDIATION RECORD

---

All quotations are exact strings taken from the files before and after the edit.

| # | File             | Original language                                                                                                                                                                                                                                                                                            | Replacement language                                                                                                                                                                                                                                   | Reason                                                                                                                                                      |
|---|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | index.html       | "Some degree of timeline compression, system fragmentation, and institutional memory loss <b>is present in most organizational records</b> over time."                                                                                                                                                       | "... <b>can be present in an</b> organizational record over time."                                                                                                                                                                                     | Asserts prevalence across most organizational records. No anchored evidence. Replacement states possibility, not frequency                                  |
| 2 | jrsstandard.html | <i>identical sentence</i>                                                                                                                                                                                                                                                                                    | <i>identical replacement</i>                                                                                                                                                                                                                           | Same, on the twin page                                                                                                                                      |
| 3 | index.html       | "Timeline deficiency is <b>the most common</b> documentation failure."                                                                                                                                                                                                                                       | "Timeline deficiency is <b>the documentation failure this checklist is built to catch.</b> "                                                                                                                                                           | A superlative ranking of failure types with no evidence. Recast as the checklist's purpose, which the surrounding "Purpose" heading already frames it as    |
| 4 | jrsstandard.html | <i>identical sentence</i>                                                                                                                                                                                                                                                                                    | <i>identical replacement</i>                                                                                                                                                                                                                           | Same, on the twin page                                                                                                                                      |
| 5 | index.html       | "Termination files without a referenced counseling trail are <b>the most common</b> secondary review trigger."                                                                                                                                                                                               | "...are <b>a</b> secondary review trigger."                                                                                                                                                                                                            | Superlative ranking of triggers. Replacement makes no frequency claim at all                                                                                |
| 6 | jrsstandard.html | <i>identical sentence</i>                                                                                                                                                                                                                                                                                    | <i>identical replacement</i>                                                                                                                                                                                                                           | Same, on the twin page                                                                                                                                      |
| 7 | index.html       | "Performance evaluations, disciplinary documentation, termination records, and accommodation files are <b>the most likely</b> to be reviewed during disputes, audits, or proceedings. They are also <b>the most likely</b> to fail reconstruction review when examined by someone without original context." | "...are <b>treated here as higher-risk record types.</b> They are the records <b>likely to be</b> reviewed during disputes, audits, or proceedings, and <b>they can fail</b> reconstruction review when examined by someone without original context." | Two superlatives in one passage. Recast as this standard's own risk classification, which is a methodological statement rather than a claim about the world |
| 8 | jrsstandard.html | <i>identical passage</i>                                                                                                                                                                                                                                                                                     | <i>identical replacement</i>                                                                                                                                                                                                                           | Same, on the twin page                                                                                                                                      |
| 9 | index.html       | "Performance records are <b>the most common</b> entry point for teams new to structured documentation review."                                                                                                                                                                                               | "...are <b>a practical</b> entry point for teams new to structured documentation review."                                                                                                                                                              | Asserts a measured fact about adoption. The sentence answers "Which records should we start with?", so it stays guidance, minus                             |

| #  | File             | Original language                                                                                                                            | Replacement language                                                                                                                          | Reason                                                                                                 |
|----|------------------|----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
|    |                  |                                                                                                                                              |                                                                                                                                               | the measured-fact framing                                                                              |
| 10 | jrsstandard.html | same construction, "pre-finalization review"                                                                                                 | same replacement                                                                                                                              | Same, on the twin page                                                                                 |
| 11 | jrsstandard.html | "Pattern claims missing dates are <b>the most common single gap</b> ."                                                                       | "Pattern claims missing dates are <b>a further flag of the same kind</b> ."                                                                   | Superlative ranking of gap types.<br>Replacement ties it to the list of flags immediately preceding it |
| 12 | jrsstandard.html | "These are not exceptional circumstances. They are <b>the common conditions</b> under which organizational records are eventually examined." | "These are not exceptional circumstances. They are <b>conditions under which an</b> organizational record <b>may</b> eventually be examined." | Prevalence assertion.<br><b>Found by Validation A, not by the target list</b> — see below              |

## Why five of these survived the earlier pass, and how the twelfth was caught

The 2026-09-05 prevalence pass corrected nine sentences and reported the item closed. It searched for **remembered wording**: the exact string `the ordinary condition under which most organizational records`. It did not search the bare phrase `most organizational records`, so entry 1/2 survived on both twins. It never searched for **superlatives at all**, so entries 3 through 11 survived.

Entry 12 is the sharpest example. `jrsstandard.html` carries **two** passages opening "These are not exceptional circumstances". The earlier pass corrected the one worded "the **ordinary** conditions". The second, worded "the **common** conditions", was left. It was found here only because Validation A required accounting for every residual `most likely` / `most common` on the page rather than confirming the target list.

**This pass therefore searched claim shapes, not strings:** prevalence quantifiers, superlative rankings, and universal assertions, each hit read in full context before classification.

## Statements deliberately RETAINED

Each is asserted by a must-survive gate in the applier, so the retain decision is enforced mechanically rather than trusted.

| Statement family                                                                                    | Count | Category                                          | Why retained                                                                                              |
|-----------------------------------------------------------------------------------------------------|-------|---------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| "Most organizations begin / start selectively..."                                                   | ~11   | 4 — practical guidance clearly framed as guidance | The protocol requires preserving it                                                                       |
| "Most records are self-reviewed by the drafter"                                                     | 1     | 2 — methodological description                    | Labels a routing model the page then diagrams, under a heading already reading "Typical Reviewer Routing" |
| "not usually the product of misconduct or intentional falsification"                                | 1     | 4 — conditional                                   | <b>Limits</b> an accusation rather than inflating a claim                                                 |
| "most commonly arise from ordinary workflow pressures, not from deliberate falsification"           | 1     | 4 — conditional                                   | Same: a limiting statement                                                                                |
| "in most cases, doing their jobs under ordinary operational conditions"                             | 2     | 4 — hedged and limiting                           | Same                                                                                                      |
| "The supporting documentation usually exists"                                                       | 2     | 2 — example                                       | Inside a walkthrough illustration                                                                         |
| "among the most likely to be examined under adversarial conditions"                                 | 2     | 4 — hedged                                        | "among" does real work; risk-tiering guidance for investigators                                           |
| The "typically" family                                                                              | 19    | 3/4                                               | Deployment and behaviour guidance. The protocol forbids mechanical removal                                |
| "Records are most likely to fail independent reconstruction under specific later-review conditions" | 1     | 2                                                 | States which conditions cause failure. Methodological, not prevalence                                     |

---

## 5. PRESERVATION VERIFICATION

---

### Research: unchanged

All nine protected pages verified **byte-identical to** `origin/main` by blob hash, before commit and again across the merge:

```
research.html, research-summary.html, results.html, finding.html, evidence-
ledger.html, datasets.html, codebook.html, questions.html, pilot.html.
```

The applier additionally asserted that 83.9, 72.7, 95.1, 384, 87.0, 80.7, 0.739, 0.623 and 86.7 are unchanged in count on both files it touched, and would have refused otherwise. None of these figures appears on index.html or jrsstandard.html at all (0 before, 0 after), so no research figure was within reach of this pass.

Commercial pathways: unchanged

Verified live after deployment:

| Pathway                    | Evidence                                                                       |
|----------------------------|--------------------------------------------------------------------------------|
| Platform licence           | enterprise.html ×1                                                             |
| Technical integration      | enterprise.html ×4                                                             |
| JRS Review Engine          | index.html ×1, jrsstandard.html ×1, enterprise.html ×5, review-engine.html ×4  |
| Review Engine API          | enterprise.html ×1, review-engine.html ×2                                      |
| Acquisition                | index.html ×1, enterprise.html ×3, review-engine.html ×1                       |
| Enterprise inquiry routing | index.html ×4, jrsstandard.html ×1, enterprise.html ×11, review-engine.html ×7 |

enterprise.html and review-engine.html were not modified by this pass.

Founder-service retirement: intact

| Page                     | noindex          | In<br>sitemap | Inbound from active<br>pages | Closure<br>stated |
|--------------------------|------------------|---------------|------------------------------|-------------------|
| engagement.html          | noindex,nofollow | 0             | 0                            | 5 times           |
| audit-request.html       | noindex,follow   | 0             | 0                            | 5 times           |
| governance-request.html  | noindex,follow   | 0             | 0                            | 5 times           |
| calibration-request.html | noindex,follow   | 0             | 0                            | 5 times           |

Site-wide: pre-filled service-request mailto links 0; scoping call and Scope it 0.

---

## 6. VALIDATION RESULTS

---

Every check below was actually run. None is reported as passing on assumption.

### VALIDATION A — Targeted generalization check: PASS

| Probe (must be absent)                                   | index.html | jrsstandard.html |
|----------------------------------------------------------|------------|------------------|
| is present in most organizational records                | 0          | 0                |
| the most common documentation failure                    | 0          | 0                |
| the most common secondary review trigger                 | 0          | 0                |
| are the most likely to be reviewed                       | 0          | 0                |
| the most likely to fail reconstruction review            | 0          | 0                |
| the most common entry point                              | 0          | 0                |
| the most common single gap                               | 0          | 0                |
| the common conditions under which organizational records | 0          | 0                |

All six replacement forms present at their expected counts. The applier refuses any replacement containing `most common`, `most likely`, `in most`, a banned em-dash, or the banned filler `frequently`; all twelve passed those checks, so **no replacement introduces a new unsupported prevalence assertion**.

Residual `most common` (1 each) and `most likely` (1 on `index.html`, 3 on `jrsstandard.html`) were each read in context and are the retained category 2/4 statements listed in §4. Supported research findings were untouched: none appears on these two pages.

### VALIDATION B — Zero unauthorized file drift: PASS

Every one of the 352 files hashed at baseline was re-hashed after the edits. **Exactly 2 changed:** `index.html` and `jrsstandard.html`, both authorized. One new untracked file, the applier script, which is not deployed.

### VALIDATION C — Research preservation: PASS

All nine protected pages byte-identical. No figure, finding, limitation, provisional statement or closure date was within reach of the two modified files.



VALIDATION D — Commercial architecture: PASS

All six pathways present and reachable (table in §5). Pre-filled service-request `mailto` site-wide: **0**. No founder-service funnel restored.

VALIDATION E — Retired service architecture: PASS

All four pages `noindex`, 0 sitemap entries, 0 inbound links from any of eight active pages tested, closure stated 5 times each.

VALIDATION F — Link and HTML integrity: PASS

| Check                                                                                                                                        | Result                                |
|----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| Local hrefs on modified pages                                                                                                                | 28 checked, <b>0 broken</b>           |
| Fragment anchors on modified pages                                                                                                           | 7 checked, <b>0 broken</b>            |
| <code>sitemap.xml</code>                                                                                                                     | Well-formed XML, 45 entries           |
| Tag balance ( <code>div</code> , <code>p</code> , <code>h2</code> , <code>h3</code> , <code>a</code> , <code>span</code> , <code>li</code> ) | Unchanged on both files, all deltas 0 |

Guard suite: PASS

**124 checks, 0 failed, 1 skipped.** The skip is `zero-retention claim matches the code`, reported as "no page currently makes the claim" — a conditional guard with nothing to evaluate, skipped at baseline too. **No guard was modified, weakened or bypassed.**

7. GIT STATUS

| Item                     | Value                                                        |
|--------------------------|--------------------------------------------------------------|
| Commit created           | <code>f9500ffd24976e86de87734b00a72c614f0828ab</code>        |
| Branch                   | <code>claude/html-pilot-L8rC3</code>                         |
| Push status              | <b>Pushed</b> , <code>240a2d2..f9500ff</code>                |
| Pull request             | <b>#20</b> , taken out of draft and merged                   |
| Merge commit             | <code>a64a1fd2b5b5189f34545be727240ab2dd96190c</code>        |
| <b>Final origin/main</b> | <b><code>a64a1fd2b5b5189f34545be727240ab2dd96190c</code></b> |

```
git merge-base --is-ancestor f9500ff origin/main → YES.
```

The merge range `ea84f0ec..a64a1fd` touches 10 files, of which **exactly 2 are website files**: `index.html` and `jrsstandard.html`. The other 8 are report `.md` files, report PDFs under `research/`, the tracker and the applier script, none of which reaches a production surface.

---

## 8. PRODUCTION DEPLOYMENT

---

| Item                    | Value                                                              |
|-------------------------|--------------------------------------------------------------------|
| Deployment occurred     | <b>Yes</b>                                                         |
| Final production commit | <code>a64a1fd2b5b5189f34545be727240ab2dd96190c</code>              |
| Polls to live           | 2 — poll 1 returned the old 651,212 bytes, poll 2 returned 651,250 |
| Verification result     | <b>Passed</b>                                                      |

Deployment is by push to `main`; Vercel builds automatically with no build step. The production commit is established **independently of the platform**: five live bodies were fetched and compared byte-for-byte against `git show origin/main:<file>` with `cmp`, and all five matched.

The Cloudflare Workers Builds check reported `skipped`, as designed: the `commit-msg` hook placed `[skip ci]` at byte 63 of a 3,662-byte message, inside the window Cloudflare reads.

---

## 9. LIVE VERIFICATION

| URL                                          | Access  | HTTP | Bytes   | Verification                                                                        |
|----------------------------------------------|---------|------|---------|-------------------------------------------------------------------------------------|
| https://www.jrsstandard.com/                 | Success | 200  | 651,250 | Byte-identical to origin/main:index.html                                            |
| https://www.jrsstandard.com/index.html       | Success | 200  | 651,250 | Byte-identical; all 5 corrections present, all old forms 0                          |
| https://www.jrsstandard.com/jrsstandard.html | Success | 200  | 508,456 | Byte-identical; all 7 corrections present, all old forms 0                          |
| https://www.jrsstandard.com/security.html    | Success | 200  | 33,626  | Byte-identical; blob 2af4e90a... unchanged from before this pass                    |
| https://www.jrsstandard.com/sitemap.xml      | Success | 200  | 6,506   | Byte-identical; 45 entries; security.html 0, all four retired pages 0, terms.html 0 |

### Content verification on the live bodies

**index.html** — the five corrections present at 1 each; all five original forms at 0. Strategic content preserved: "technical implementation of that" 1, "It is not software and it needs none" 1, "JRS Review Engine" 1, "Not a certification or accreditation system" 1, "Most organizations begin at Stage 1 or 2" 1. Commercial unchanged: licensing 4, API 3, Acquisition 1, enterprise-inquiry 4.

**jrsstandard.html** — the seven corrections present at 1 each; all seven original forms at 0. Methodology preserved; "Most records are self-reviewed by the drafter" retained at 1. JRS versus Review Engine distinction preserved: "technical implementation of that" 1, "It is not software and it needs none" 1.

**security.html** — substantive content unchanged, blob identical to its state before this pass. Sitemap treatment consistent with its canonical, which points at **review-engine.html**.

**sitemap.xml** — valid, 45 entries, no retired founder-service page reintroduced.

## 10. FINAL SCOPE CERTIFICATION

No website files outside the authorized remediation scope were modified except where explicitly listed and justified in this report.

**Exceptions: none.** Exactly two website files were modified, `index.html` and `jrstandard.html`, both named in the authorized scope. `sitemap.xml` was in scope and was evaluated but not changed, for the reason given in §3. One new non-deployed script was added under `scripts/`, which `.vercelignore` excludes from the deployment.

Verified against a 352-file baseline captured before any edit: **2 files changed, 0 unauthorized.**

---

## 11. FINAL DECLARATION

---

**The website is ready to enter a content and architecture freeze.**

All twelve success criteria are met:

| #  | Criterion                                                     | Status                                                                                                      |
|----|---------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| 1  | Targeted unsupported prevalence claims corrected or qualified | <b>Met</b> — 12 corrected, verified live                                                                    |
| 2  | No unsupported replacement claims introduced                  | <b>Met</b> — applicer refuses replacements containing a superlative or prevalence quantifier; all 12 passed |
| 3  | Research information preserved                                | <b>Met</b> — 9 protected pages byte-identical                                                               |
| 4  | Founder-delivered services remain fully retired               | <b>Met</b> — 4 pages <code>noindex</code> , 0 sitemap, 0 inbound, 0 funnels site-wide                       |
| 5  | Licensing, integration, API, acquisition intact               | <b>Met</b> — verified live                                                                                  |
| 6  | Sitemap internally consistent                                 | <b>Met</b> — 0 canonical-versus-sitemap inconsistencies                                                     |
| 7  | No unauthorized website changes                               | <b>Met</b> — 2 of 352 files, both authorized                                                                |
| 8  | Changes committed                                             | <b>Met</b> — <code>f9500ff</code>                                                                           |
| 9  | Changes merged into main                                      | <b>Met</b> — <code>a64a1fd</code>                                                                           |
| 10 | Changes deployed to production                                | <b>Met</b> — live on poll 2                                                                                 |
| 11 | Live production pages directly verified                       | <b>Met</b> — 5 URLs, all 200, all byte-identical by <code>cmp</code>                                        |
| 12 | Downloadable final report created                             | <b>Met</b> — this file and its PDF                                                                          |

**One item is left for a decision rather than closed**, and it is not a defect: whether `security.html` should be independently indexed. As configured it correctly is not, and no change was made. If the intent differs, §3 names the exact two-part change.

## On the appended deployment override clause

The message carried an "ENHANCED MANDATORY DEPLOYMENT & PRODUCTION SYNC PROTOCOL (v3.5 OVERRIDE)". Its deployment requirement was satisfied in full by the protocol's own sequence: commit, push, PR, merge, deploy, live-verify. Two of its provisions were **not** followed, stated rather than left implicit:

1. **The automatic `git revert` rollback fail-safe was not armed.** An unattended revert against production triggered by a single non-200 response is more dangerous than the transient it guards against. Health verification was performed instead, by direct fetch of five URLs; every one returned 200.
2. **No `vercel --prod` CLI call was made, and none was needed.** This project deploys by push to `main` with no build step. No `VERCEL_TOKEN` or deploy key was required, so the credential-fallback clause did not apply and no secret stub block was generated.

---

*Two website files. Twelve sentences. Verified live at `a64a1fd`.*