

PCLA ANNUAL PERMIT

Texas Department of Public Safety

REGULATORY SERVICES DIVISION

PO BOX 4087, AUSTIN, TEXAS 78773-0433

DPS PERMIT NUMBER

1404371PA

PERMIT TYPE

ANNUAL

DATE ISSUED

10/19/2017

DATE EXPIRED

11/30/2018

THE TEXAS CONTROLLED SUBSTANCES ACT, CHAPTER 481 OF THE HEALTH AND SAFETY CODE, PROVIDES THAT THE TEXAS DEPARTMENT OF PUBLIC SAFETY MAY DENY A PCLA PERMIT OR THAT A PCLA PERMIT MAY BE SUSPENDED OR

REGISTERED NAME AND MAILING ADDRESS

SONIC REFERENCE LABORATORY

9200 WALL STREET #200

AUSTIN, TX 78754



THIS REGISTRATION IS NOT TRANSFERABLE ON CHANGE OWNERSHIP, CONTROL, LOCATION, OR BUSINESS ACTIVITY AND NOT VALID AFTER THE EXPIRATION DATE.

Registered Address:

9200 WALL STREET #200

AUSTIN, TX 78754

Contact Information:

Name

Title

1. SELYNDA GARZA

ANALYTIC CHEM MGR

2. JASON POLASEK

LAB OPS DIR

Pursuant to Sections 481.078 and 481.081 of the Health and Safety Code, this permit authorizes:

- ☐ The sale and transfer of a chemical precursor or laboratory apparatus to a source inside or outside this state subject to any limitations stated.
- ☒ The purchase of chemical precursor or laboratory apparatus from a source inside or outside this state subject to any limitations stated.

Limitations:

Purchase

- Adapter Tube
- Condenser
- Distilling Flask

- Buchner, Filter and Separatory Funnels
- Distilling Apparatus
- Erlenmeyer, Single-neck, Two-neck, Round-bottom, Florence, Thermometer and Filtering Flasks

- Heating Mantle

Purchase

- Piperidine

- Pyrrolidine

This permit must be available, but NOT displayed, at the business location shown above.