# Six Hour React Native Study Plan

*A focused route through the core skills*

Independently prepared study materials based on the ten supplied Autumn 2026 lecture decks. Sources checked 6 November 2026. The practice questions and rubrics are original and are not official assessments.

This route totals 360 minutes including 45 minutes of breaks. Pause the study clock during classes and travel. The long guide and workbook are references, not cover-to-cover reading. Open index.html for direct links and the editable day planner.

Class times are confirmed. Morning preparation is estimated at 15 minutes, class transitions at 10 and five minutes, interview travel at 15 minutes, and arrival preparation at 15 minutes. The schedule has no spare time. If travel or meals need longer, use the five-hour fallback or shorten the optional breadth block; preserve core practice, breaks, and arrival time.

| Clock time | Action |
|---|---|
| 07:00-07:15 | Morning preparation. Prepare breakfast, laptop, and the study environment. |
| 07:15-07:30 | Diagnose. Attempt the core checks with answers closed. E01, E02, E04, E07. |
| 07:30-08:10 | Arrow functions and map. Write both callback forms and rebuild a visible list. E01, E02. |
| 08:10-08:20 | Break. Step away from the screen. |
| 08:20-09:05 | Array state and setters. Practice immutable append and both valid setter forms. E04. |
| 09:05-09:55 | Parent and child callbacks. Build the child-to-parent action flow; then pass an object draft. E07. |
| 09:55-10:05 | Break. Rest, move, and prepare to switch to types. |
| 10:05-10:20 | TypeScript part 1. Work on inferred state, empty arrays, null, and callback types. E08. |
| 10:20-10:30 | Transition to class. Estimated 10 minutes. Save a one-sentence next-step note. |
| 10:30-11:30 | Math 51. Class time; do not count it as study time. |
| 11:30-11:40 | TypeScript part 2. Resume E08 and explain which types inference supplies. E08. |
| 11:40-12:10 | Minimum menu flow. Build only the form, parent state, and mapped cards. E10. |
| 12:10-12:25 | Lunch and break. Use this scheduled break for food and a screen-free pause. |
| 12:25-12:30 | Transition to class. Estimated five minutes; adjust if the route needs longer. |
| 12:30-13:30 | CS106B. Class time; leave the practice timer stopped. |
| 13:30-13:55 | Core mock interview. Run M01 from a blank file, without hints. M01. |
| 13:55-14:20 | Targeted repair. Score, repair the first broken step, and rebuild with changed data. E02, E04, E07, E08. |
| 14:20-14:30 | Break. Rest before the final transfer attempt. |
| 14:30-14:55 | Optional breadth or core repair. Briefly check layout, imports, effects, Promises, and platforms. Use for core repair if needed. Q16, Q19, Q22, Q23, Q24. |

| Clock time | Action |
|---|---|
| 14:55-15:20 | Transfer mock interview. Run M02 with new data and requirements. M02. |
| 15:20-15:30 | Final recall. Recall for five minutes, check for two, explain for three. Cheat sheet. |
| 15:30-15:45 | Travel to interview. Estimated 15 minutes. Leave earlier if the journey is longer. |
| 15:45-16:00 | Arrival preparation. Arrive, settle, and check the laptop. No new material. |

## If only five hours fit

Save exactly 60 minutes: shorten the diagnostic by 5, arrows/map by 10, callbacks by 10, and integration by 10; omit the 25-minute breadth check. Preserve breaks, mocks, repair, and final recall. If less time fits, prioritize core drills, one mock, repair, and recall.

## Explain these five skills without looking

- Write both arrow forms from memory, return an object correctly, and explain the input and return value.
- Render a small list in both arrow styles, explain item versus items, and fix a missing return without guessing.
- Append without push, show both valid setter forms, and distinguish array spread from object spread and a function block.
- Build the parent and child from a blank file. Explain press -> child handler -> parent callback -> setter -> new render. Then adapt the string argument to a { name, popular } object.
- Explain why one state call can infer its type while useState<MenuItem[]>([]) and useState<MenuItem | null>(null) need guidance.

A setter accepts a new value OR a pure updater. In setMenu(previous => [...previous, item]), React supplies the previous queued state. The brackets create a new array; the callback returns it. A map callback, event handler, callback prop, and state updater have different contracts.

After each class, read a one-sentence note naming your next step and resume the unfinished block. Each mock needs 25 uninterrupted minutes. Finish with recall and travel preparation, not a new topic.