



A new class of user

Phil Nash

Developer Experience Engineer

 /in/philnash

 @philnash


 phil@resend.com

Resend



Who is using your website?

Automated vs human HTTP requests to HTML content



<https://radar.cloudflare.com/traffic#bot-vs-human>

Is this good or bad?

Classic vs New bots

- Search bots (GoogleBot, BingBot, DuckDuckBot)
- Malicious bots

Most crawled paths

View the most crawled paths by AI crawlers.

Path	Content type	Bytes Transferred 	Requests 	Referral Traffic 
/userfiles	HTML	2.21 MB	253	—
/api/console/api_server	HTML	1.5 MB	171	—
/test.php	HTML	1.23 MB	141	—
/userfiles/x	HTML	1.13 MB	129	—
/api/config	HTML	1.08 MB	124	—
/production/.env	HTML	1.03 MB	118	—
/api/.env	HTML	1.02 MB	117	—
/server/.env	HTML	1.01 MB	116	—
/secrets.yml	HTML	1.01 MB	115	—
/dashboard	HTML	283.83 kB	112	—



Classic vs New bots

- Search bots (GoogleBot, BingBot, DuckDuckBot)
- Malicious bots
- Social media bots (FaceBot, X Bot, LinkedInBot)
- Archive bots (Internet Archive bot)
- AI training bots (GPTBot, ClaudeBot, Meta-ExternalAgent)
- AI Search bots (OAI-SearchBot, PerplexityBot)
- AI Agents (ChatGPT-User, Claude-Web, Perplexity-User, DuckAssistBot)
- AI Agents that control browsers

To block or not to block

Robots.txt

Everything goes

user-agent: *

allow: /

sitemap: <https://example.com/sitemap.xml>

Robots.txt

Block AI training bots

user-agent: GPTBot

user-agent: ClaudeBot

user-agent: Meta-ExternalAgent

disallow: /

sitemap: <https://example.com/sitemap.xml>

Robots.txt

Content signals

user-agent: *

allow: /

Content-signal: ai-train=no, search=yes, ai-input=yes

sitemap: <https://example.com/sitemap.xml>

CAPTCHAs?


Charge for access?



402

Payment Required

[http.cat/status/402](http://cat/status/402)



x402

ABOUT

COMMUNITY

RESOURCES

JOIN X402



x402

x402 is an open, neutral standard for internet-native payments. It absolves the Internet's original sin by natively making payments possible between clients and servers, creating win-win economies that empower agentic payments at scale. x402 exists to build a more free and fair internet.

Read x402 Foundation Announcement

Last 30 Days

75.41M \$24.24M 4.06K 22K

Transactions

Volume

Buyers

Sellers

x402



Supporting agents

Text content

llms.txt

Resend

> Resend is the email API for developers. Send transactional and marketing emails at scale with a simple, modern API.

For AI agents and automation, use the tools below.

When to use Resend

Reach for Resend when a task involves sending, receiving, or managing email programmatically:

- Send transactional email (welcome emails, password resets, receipts, notifications) via `POST https://api.resend.com/emails` with an API key, or through an official SDK.
- Send batch email (up to 100 messages per request) via `POST https://api.resend.com/emails/batch`.
- Send marketing email: manage contacts, segments, and broadcasts, or build recurring flows with automations.
- Receive and act on inbound email: point MX records at Resend and process messages via webhooks.
- Build email templates with React using [React Email](https://react.email), then send them through the API.
- Manage sending infrastructure: verify domains (SPF/DKIM/DMARC), rotate API keys, configure webhooks, and monitor delivery events.

How to call Resend: authenticate with a `Bearer` API key against `https://api.resend.com` (see the OpenAPI spec below), use an official SDK, use

<https://llmstxt.org>

Markdown

> ## Documentation Index
> Fetch the complete documentation index at: <https://resend.com/docs/llms.txt>
> Use this file to discover all available pages before exploring further.

Introduction

> Resend is the email API for developers.

```
export const TerminalIcon = props => <svg className="h-6 w-6" fill="currentcolor"
viewBox="0 0 16 16" xmlns="http://www.w3.org/2000/svg" {...props}>
  <title>{'Terminal'}</title>
  <path d="M2.146 3.146a.5.5 0 0 1 .708 0L7.354 7.65a.5.5 0 0 1 0 .708l-4.5
4.5a.5.5 0 0 1-.708-.708L6.293 8 2.146 3.854a.5.5 0 0 1 0-.708ZM8 12.5a.5.5 0 0 1
.5-.5h5a.5.5 0 0 1 0 1h-5a.5.5 0 0 1-.5-.5Z" />
</svg>;
```

```
export const DotnetIcon = props => <svg className="h-6 w-6" fill="none"
xmlns="http://www.w3.org/2000/svg" viewBox="69.65 171 323.05 120.35" {...props}>
  <title>{' .NET'}</title>
  <path d="M81.274 291.333c-3.224 0-5.965-1.074-8.222-3.223-2.257-2.204-3.386-
4.821-3.386-7.851 0-3.086 1.129-5.73 3.386-7.934 2.257-2.204 4.998-3.306 8.222-
3.306 3.278 0 6.045 1.102 8.302 3.306 2.311 2.204 3.466 4.848 3.466 7.934 0 3.03-
1.155 5.647-3.466 7.851-2.257 2.149-5.024 3.223-8.302 3.223ZM210.167 289.515h-
20.958l-55.215-87.109a38.977 38.977 0 0 1-3.466-6.86h-.484c.43 2.535.645 7.962.645
16.281v77.688h-18.54V171h22.328l53.362 85.043c2.257 3.527 3.708 5.951 4.353
7.273h.322c-.537-3.14-.806-8.457-.806-15.951V171h18.459v118.515ZM300.449 289.515h-
64.888V171h62.309v16.695h-43.124v33.554h39.739v16.612h-
39.739v35.042h45.703v16.612ZM392.667 187.695h-33.21v101.82h-19.185v-101.82h-
```

Text content

Computer use

How do agents see websites?

Screenshots

DOM

Accessibility tree

How do agents interact

Click


Scroll

Fill forms

**How do we design for
agents?**

Easy to access

- Buttons and links
- Semantic HTML
- Label form fields



<https://web.dev/articles/cls>

Usability

- Make actions obvious

Accessibility
Performance
Usability

MCP

WebMCP

```
await document.modelContext.registerTool({
  name: "draft_new_email",
  title: "Draft new email",
  description: "Opens the compose view and fills in a new email...",
  inputSchema: {
    type: "object",
    properties: {
      to: { type: "string", format: "email", description: "Recipient email address." },
      subject: { type: "string", description: "Email subject." },
      message: { type: "string", description: "Plain-text body of the email." },
    },
    required: ["to", "subject", "message"],
  },
  execute: async ({ to, subject, message }, { signal }) => {
    // Perform the action
  },
})
```

<https://developer.chrome.com/docs/ai/webmcp>

Demo

MCP *vs* WebMCP

Support?

How agentic is your app?

How agentic is your app?

- <https://isitagentready.com/>
- <https://is-agentic.com/>
- Lighthouse Agentic Browsing audit


Who is your user?

**Behind every agent is a
person that wants to get
something done**

Thanks

 /in/philnash

 @philnash

 phil@resend.com

Resend

