Analytical Plan for Association between leadership commitment and telework satisfaction at NASA (2020): sex-adjusted stratified analysis

DOCUMENT: SAP-2022-007-GJ-v01

From: Felipe Figueiredo **To:** techsavvy32 (fiverr.com)

2022-01-30

TABLE OF CONTENTS

FF Consultoria em Bioestatística e Epidemiologia

CNPJ: 42.154.074/0001-22

https://philsf-biostat.github.io/

SAP

Version	Year	Page
1	2022	1 / 5

Analytical Plan for Association between leadership commitment and telework satisfaction at NASA (2020): sex-adjusted stratified analysis

Document version

Version	Alterations
01	Initial version

1   ABBREVIATIONS
- CI: confidence interval
- FEVS: Federal Employee Viewpoint Survey
- OPM: U.S. Office of Personnel Management

2   CONTEXT

The Federal Employee Viewpoint Survey (FEVS) addressed leadership commitment, professional development, and telework satisfaction while accounting for gender (OPM, 2020). This analysis addresses a subset of the FEVS survey reflecting NASA employees.

2.1   Objectives

Test if there is an association between leadership commitment and telework employee satisfaction at NASA from the 2020 Federal Employee Viewpoint Survey.

2.2   Hypotheses

There is a statistically significant correlation between leadership commitment and telework satisfaction among NASA's employees in a telework environment after accounting for gender (men and women).

2.3   Study design

Survey, with sampling weights accounting for sampling uncertainty.

FF Consultoria em Bioestatística e Epidemiologia
CNPJ: 42.154.074/0001-22
https://philsf-biostat.github.io/

SAP

Version	Year	Page
1	2022	2 / 5

3   DATA

3.1   Raw data

3.2   Analytical dataset

All variables in the analytical set were labeled according to the raw data provided and values were labeled according to the data dictionary for the preparation of production-quality results tables and figures.

After the cleaning process 5 variables were included in the analysis with 9493 observations. Table 1 shows the structure of the analytical dataset. Raw data was collected as a census of the eligible population (OPM, 2020), and statistical weighting was applied at the data collection to adjust for non-responses in in the census attempt. These survey weights allow for the estimation of the association under study in the source population. The raw data is expected to reflect a total employee population at NASA at 16809 employees but after cleaning procedures the observations in the analytical data represents a total of 15054 NASA employees.

Table 1 *Analytical dataset structure after variable selection and cleaning.*

id	dsex	q29	q58	postwt
1				
2				
3				
…				
9493				

The analytical dataset will be included in the private version of the report, and will be omitted from the public version of the report.

4   STUDY VARIABLES

4.1   Primary and secondary outcomes

Specification of outcome measures (Zarin, 2011):

1.   (Domain) telework employee satisfaction
2.   (Specific measurement) N/A
3.   (Specific metric) N/A
4.   (Method of aggregation) N/A

FF Consultoria em Bioestatística e Epidemiologia
CNPJ: 42.154.074/0001-22

https://philsf-biostat.github.io/

SAP

Version	Year	Page
1	2022	3 / 5

Primary outcome

This analysis does not evaluate an outcome variable, but instead tests whether or not the distributions of answers from two questions are independent from one another.

4.2 Covariates

The association will be stratified by the sex of survey respondents.

5 STATISTICAL METHODS

5.1 Statistical analyses

5.1.1 Descriptive analyses

The epidemiological profile of the study participants will be described. Demographic (sex, age and BMI) will be described as mean (SD) or as counts and proportions (%), as appropriate. The distributions of participants' characteristics will be summarized in tables and visualized in exploratory plots.

5.1.2 Inferential analyses

All comparisons between groups will be performed as univariate analyses. Differences in distribution of categorical variables will be assessed with the chi-square test with the Rao correction for weighted survey data.

5.1.3 Statistical modeling

N/A

5.1.4 Missing data

No missing data imputation will be performed. All evaluations will be performed as complete case analyses.

5.2 Significance and Confidence Intervals

All analyses will be performed using the significance level of 5%. All significance hypothesis tests and confidence intervals computed will be two-tailed.

5.3 Study size and Power

N/A

FF Consultoria em Bioestatística e Epidemiologia
CNPJ: 42.154.074/0001-22
https://philsf-biostat.github.io/

SAP

Version	Year	Page
1	2022	4 / 5

5.4 Statistical packages

This analysis will be performed using statistical software R version 4.1.2.

6 OBSERVATIONS AND LIMITATIONS

N/A

7 REFERENCES

- **SAR-2022-007-GJ-v01** – Association between leadership commitment and telework satisfaction at NASA (2020): sex-adjusted stratified analysis
- OPM (2020). 2020 Federal Employee Viewpoint Survey – Technical report (https://www.opm.gov/fevs/reports/technical-reports/).
- Zarin DA, et al. The ClinicalTrials.gov results database — update and key issues. N Engl J Med 2011;364:852-60 (https://doi.org/10.1056/NEJMsa1012065).
- Gamble C, et al. Guidelines for the Content of Statistical Analysis Plans in Clinical Trials. JAMA. 2017;318(23):2337–2343 (https://doi.org/10.1001/jama.2017.18556).

8 APPENDIX

This document was elaborated following recommendations on the structure for Statistical Analysis Plans (Gamble, 2017) for better transparency and clarity.

8.1 Availability

Both this analytical plan and the corresponding analysis report (**SAR-2022-007-GJ-v01**) can be downloaded in the following address:

https://philsf-biostat.github.io/SAR-2022-007-GJ/

FF Consultoria em Bioestatística e Epidemiologia
CNPJ: 42.154.074/0001-22

https://philsf-biostat.github.io/

SAP

Version	Year	Page
1	2022	5 / 5