

ENGLISH FOR WORK / SEPTEMBER 2026

Electricians' Workplace English



Conversation lab

8 complete workplace dialogues, followed by eight additional role-play cases. Study the exchanges, then make the conversation your own.

PRACTICE THAT TRANSFERS TO WORK

Read a realistic case. Study complete conversations. Find the right language, speak, get feedback, and try again.

Eight lessons | Intermediate to advanced | Independent or classroom study

For Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators.

Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

All scenarios, figures, and model responses are fictional teaching material. Use invented details in practice.

[Open this course on English Ladder](#)

Inside this conversation lab

Original fictional training conversations in professional English. These are realistic scripts, not transcripts of actual people. The professional roles are the speaker labels; all figures, incidents, and organizations are invented.

- 01 One booking, two different concerns
- 02 A sample looks different in the showroom
- 03 The screen bracket changes the wall layout
- 04 The corridor cannot serve every crew at once
- 05 A notice reaches the wrong tenant group
- 06 The client wants a single cause for three events
- 07 The client wants a fixed price from an incomplete list
- 08 The incoming caretaker needs the limits too

Then try eight independent role-play cases, followed by feedback criteria and references.

Read it. Hear it. Make it yours.

1. Read the setting. Identify the roles, the immediate problem, and what each speaker needs.
2. Read the whole conversation aloud with a partner. In a group, give a third person the observer role. For three-speaker scripts, assign each professional a separate voice.
3. Notice how the speakers ask a specific question, qualify a claim, disagree, explain a technical point, or agree on a next step. Underline language you would actually use.
4. Cover the script. Recreate the exchange using the situation and professional roles. Keep the meaning, but change the wording.
5. Switch roles and introduce a complication: a missing record, a different priority, an unavailable colleague, or a changed assumption. End with a clear outcome or unresolved question.

Register and terminology

These colleagues use concise professional language. In an internal technical meeting, familiar abbreviations can be natural. With a new colleague or a client, expand unfamiliar terms and check understanding. Keep disagreement directed at the evidence or proposal, and match the degree of certainty to what is known.

Independent study

Speak each role aloud. Pause before the reply and supply your own response before revealing the next line. Record a second version using invented details, then compare its clarity and tone with the script.

Professional context

Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

FULL DIALOGUE 01 / 12 SPEAKING TURNS

One booking, two different concerns

An electrician and office manager separate two items in a service request.

Roles: Electrician / Office manager

Electrician: The booking lists a loose-looking wall plate and lights that dim occasionally. Are those in the same room?

Office manager: No. The plate is in the meeting room, while the lighting report concerns the reception area.

Electrician: I'll separate the locations. When you say loose-looking, is that a visual impression or a previous electrician's finding?

Office manager: It's my visual impression. I haven't touched it, and nobody has assessed it for this booking.

Electrician: Thank you. I'll preserve that wording rather than record a confirmed defect or ask you to check it.

Office manager: The receptionist mentioned the lighting. I assumed both concerns must belong to the same circuit.

Electrician: That relationship isn't established. The circuit references will need verification as part of the electrician's assessment.

Office manager: Should I combine the two items under reception so the appointment form is easier to complete?

Electrician: Please keep them separate. Accurate locations help the visiting electrician understand the actual scope of the request.

Office manager: All right. I'll give the meeting room its own entry and attribute the lighting report to reception.

Electrician: Can you also identify the person who can provide access to each space during the visit?

Office manager: I'll meet the electrician at reception and arrange the meeting-room access with our bookings coordinator.

Notice the professional language

'Loose-looking' reports an appearance without claiming a completed assessment.

'That relationship isn't established' separates coinciding complaints from a verified shared circuit.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 02 / 12 SPEAKING TURNS

A sample looks different in the showroom

An electrician and client discuss why a lighting sample is not a complete specification.

Roles: Electrician / Client

Electrician: The enquiry gives the housing color and model family, not the full specification.

Client: It looked warm and comfortable there. I assumed every version of that fitting would look the same.

Electrician: The family may include different light sources and drivers. We need the exact variant you viewed.

Client: I have the showroom label in a photograph. It includes a code and a kelvin figure.

Electrician: That is useful. Please send the label so we can compare it with the proposed lighting schedule.

Client: Could you simply specify the warmest version if the showroom cannot identify the original sample for us?

Electrician: That would be a new preference, not a confirmed match. Let's first establish what the label actually identifies.

Client: Fair point. I also want the reception and corridor to feel consistent, although their fittings are different.

Electrician: Then the designer needs both locations in the comparison; matching one figure may not produce identical appearance.

Client: I'll ask for that review and avoid telling the supplier that my showroom comment approved every variant.

Electrician: I'll coordinate the product references and ask for compatibility information without treating a sample preference as technical acceptance.

Client: Once that information is available, we can make a specific selection instead of ordering from a memory.

Notice the professional language

'A new preference, not a confirmed match' distinguishes a fallback choice from evidence.

'Exact variant' requests the particular product within a broader model family.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 03 / 12 SPEAKING TURNS

The screen bracket changes the wall layout

An electrician and audiovisual coordinator discuss a device-position conflict on a meeting-room wall.

Roles: Electrician / Audiovisual coordinator

Electrician: The latest screen bracket overlaps the proposed wall-device location on our elevation. Is that bracket drawing current?

Audiovisual coordinator: Yes, revision D replaces the earlier bracket, but the screen centerline has not moved on the wall.

Electrician: That helps. The changed bracket extent, rather than the screen centerline, appears to be the new conflict.

Audiovisual coordinator: Correct. Could your device simply move a little lower so we can retain our current bracket position?

Electrician: We need the designer to review a specific position, including access and the adjoining joinery, before agreeing.

Audiovisual coordinator: I'll send the bracket dimensions and identify the access space our equipment supplier describes in its documentation.

Electrician: Please include the viewing direction. Our elevation and your detail currently show the wall from different sides.

Audiovisual coordinator: I can align the presentation so the overlap is clear, without altering either trade's design myself.

Electrician: The client wants to know who delayed the room. We haven't established a schedule impact from this yet.

Audiovisual coordinator: Then let's report a coordination conflict and a requested review, not blame or a confirmed completion delay.

Electrician: I'll send that update and ask when the designer can return one coordinated location.

Audiovisual coordinator: I'll attend the review with the bracket information so the response addresses both trades' actual requirements.

Notice the professional language

'Rather than the screen centerline' isolates what actually changed.

'A specific position' turns a vague relocation request into an answerable design question.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 04 / 12 SPEAKING TURNS

The corridor cannot serve every crew at once

An electrician and building representative discuss an occupied-office coordination plan.

Roles: Electrician / Building representative

Electrician: The lookahead gives corridor access Wednesday, but no time or affected section.

Building representative: We can offer the east section after the morning deliveries, provided the site coordinator confirms the arrangement.

Electrician: Which period should we ask them to review? Our crew schedule currently says morning without further detail.

Building representative: Eleven until one is the proposed window. The west corridor must remain available for the tenant meeting.

Electrician: I'll state those boundaries. The planned containment review concerns the east ceiling bays, not the west corridor.

Building representative: Will that mean the east corridor is closed to everyone throughout the proposed period on Wednesday?

Electrician: The access and protection arrangements need specific site review; I shouldn't infer a closure from the booking.

Building representative: Thank you. Please also include the decorator, who has requested the same east section for a finish review.

Electrician: I'll ask the coordinator to reconcile both requests and identify what can actually be scheduled in that space.

Building representative: Can you provide a plain-language update to the tenant contact once the window and arrangements are confirmed?

Electrician: Yes. It will name the affected section, agreed timing, and contact, without describing technical work as already approved.

Building representative: That gives us enough to plan around the visit while keeping the unresolved site arrangements visible.

Notice the professional language

'Proposed window' prevents a offered time from sounding like a confirmed booking.

'I shouldn't infer a closure' distinguishes work access from a settled occupancy arrangement.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 05 / 12 SPEAKING TURNS

A notice reaches the wrong tenant group

An electrician and property coordinator correct an interruption communication.

Roles: Electrician / Property coordinator

Electrician: The notice went to the east-wing tenants, but the approved planning scope identifies the west reception area.

Property coordinator: You're right. Our mailing list label was wrong, although the body of the notice names west reception.

Electrician: We should correct the recipients and clarify the earlier message, not assume everyone noticed that distinction.

Property coordinator: I'll send a correction to the east group and the agreed notice to the west contact.

Electrician: Please retain the actual timing and affected-service description; only the distribution error is established at present.

Property coordinator: Should I call the west tenants to confirm they received it before the coordination meeting this afternoon?

Electrician: Yes. Ask them to acknowledge the notice and raise access or business conflicts with the facilities contact.

Property coordinator: One tenant may ask whether receiving the notice confirms that all electrical preparations have been completed.

Electrician: It doesn't. The notice communicates the agreed plan; technical readiness and isolation status require their separate confirmation.

Property coordinator: I'll keep that explanation clear and avoid describing the corrected email as permission to start work.

Electrician: Thank you. Please identify which west contact acknowledged it so we know the communication reached someone responsible.

Property coordinator: I will confirm the recipient and any questions raised, with technical status left to the electrical lead.

Notice the professional language

isolation status - The verified or unverified condition of separation from energy sources, as determined by the responsible qualified personnel.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 06 / 12 SPEAKING TURNS

The client wants a single cause for three events

An electrician and facilities client discuss a service-history summary.

Roles: Electrician / Facilities client

Electrician: Your summary groups three lighting events under driver failure, but the available reports don't confirm that common cause.

Facilities client: The events sounded similar, so I used one heading to make the history easier to understand.

Electrician: We can group similar reports while keeping their locations and dates separate from a proposed explanation.

Facilities client: Would reported flickering be a more accurate heading than driver failure for that combined history?

Electrician: Yes. It describes the symptom without claiming a diagnosis, and each report can retain its own details.

Facilities client: One report says no abnormality observed. Should I remove that event from the history altogether?

Electrician: No. Keep both the client's account and the visit finding, with their different observation periods clearly identified.

Facilities client: The consultant can then see that a visit finding isn't the same as disproving the earlier report.

Electrician: Exactly. Also retain any stated report limitations, rather than reducing every outcome to passed or failed.

Facilities client: I'll revise the heading and separate the reports before asking for the consultant's interpretation of the pattern.

Electrician: Please ask whether any shared cause is established, and what remains uncertain, without suggesting a predetermined replacement.

Facilities client: That will give us a defensible summary and a focused review question instead of an assumed solution.

Notice the professional language

'A common cause' means one explanation shared by several events, which similarity alone does not establish.

'Reported flickering' attributes the symptom without converting it into a diagnosis.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 07 / 12 SPEAKING TURNS

The client wants a fixed price from an incomplete list

An electrician and workshop owner clarify the basis of a proposed expansion quotation.

Roles: Electrician / Workshop owner

Electrician: Your equipment list omits two manufacturers' references and two proposed locations.

Workshop owner: I hoped you could quote a standard electrical package now and adjust the details when they arrive.

Electrician: We can discuss the enquiry, but a fixed scope needs enough information for the required technical assessment.

Workshop owner: The supplier has data sheets. Would those and a marked layout give you a useful starting point?

Electrician: Yes, together with the intended equipment use. The reviewer can identify any further information needed from there.

Workshop owner: Could we call the figure an allowance until the equipment information and the assessment are complete?

Electrician: The estimator can describe a provisional budget basis, but it must not be presented as a confirmed installation price.

Workshop owner: Understood. I want a planning figure, not a surprise claim that I approved a fully defined package.

Electrician: I'll ask for the assumptions and exclusions to be explicit, with the unresolved equipment references listed separately.

Workshop owner: Please also distinguish supply availability from the date your crew could complete the additional work on site.

Electrician: I will request both, while leaving capacity and circuit requirements to the technical review rather than guessing.

Workshop owner: I'll obtain the data and layout today, then review the stated basis before accepting any change quotation.

Notice the professional language

change quotation - A priced proposal for an alteration to the agreed electrical work, with its stated inclusions and conditions.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 08 / 12 SPEAKING TURNS

The incoming caretaker needs the limits too

An electrician and incoming caretaker review the handover register together.

Roles: Electrician / Caretaker

Electrician: Two handover entries need follow-up by the electrical project lead.

Caretaker: I can see the directory query, but I thought the commissioning document was already in the folder.

Electrician: It is received. Its equipment reference still needs reconciliation, so receipt hasn't closed that particular document requirement.

Caretaker: Thank you. I need to explain that distinction when the outgoing caretaker transfers the building records to me.

Electrician: Please retain the original references and the pending status rather than editing the documents to make them agree.

Caretaker: I will. Who has accepted the follow-up, and when should I expect the next report on it?

Electrician: Omar has accepted both document queries and will call Friday. That is an update commitment, not a completion guarantee.

Caretaker: I'll give him my contact details and ask that the outgoing caretaker remains copied during this transition.

Electrician: That will preserve the history. The current pack should also identify which later issue replaces any corrected document.

Caretaker: Then I won't have to guess which attachment is current when someone asks next month.

Electrician: Omar will follow up the records. Please ask the electrical lead separately about the system's operating status.

Caretaker: Understood. I'll keep those matters separate and track the two open queries until their verified responses arrive.

Notice the professional language

'Receipt hasn't closed' distinguishes having a file from satisfying its review requirement.

'Which later issue replaces' requests a clear version history for corrected records.

Rehearse this dialogue with an AI partner

Eight more situations to make your own

The following cases are open role plays. They give you facts, contrasting roles, useful expressions, and a short model response. Use what you learned from the complete dialogues to create a longer exchange.

Preparation: two minutes. Conversation: three to five minutes. Feedback: one minute. Switch roles and repeat with the second-round challenge.

ROLE-PLAY CASE 01

Taking a precise electrical service request

SHARED CASE

A client reports that the office sockets are dead. Their account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel directory says office, but its accuracy has not been verified. Clarify the service request without asking the client to test or operate anything.

Role A | Responding professional

Turn a broad complaint into an accurate service-call description. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. You noticed the issue at 08:30 but have not investigated other rooms.

Useful expressions

Which ___ are you referring to?

You noticed ___ at ___; is that right?

That label suggests ___, but identification remains ___.

Cover this until after your first attempt

When you say the office sockets, do you mean the two desk receptacles in Room 204? I will record that you noticed the issue at 08:30. The directory's office label does not yet confirm which circuit serves them. Please describe what you already observed; the electrician will assess the circuit identification and condition.

Second round

A manager calls this a floor-wide outage. Restate the known scope without ruling out unassessed areas.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 02

Clarifying lighting specifications

SHARED CASE

A client selects two fictional luminaires, both listed at 1,200 lumens. One is 3,000 kelvins and the other 4,000 kelvins. The client assumes the larger kelvin number means more light. No product substitution is approved; driver compatibility remains for specialist review.

Role A | Responding professional

Explain lighting units without converting them into an unsupported design recommendation. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. Ask why equal lumens can accompany different kelvin figures.

Useful expressions

___ describes ___, not ___.

Both are rated at ___, while ___ differs.

That figure alone does not confirm ___.

Cover this until after your first attempt

Both examples are listed at 1,200 lumens, so their stated light output is the same. The kelvin number describes the light's warm or cool appearance, not how much light it emits. The 4,000-kelvin option appears cooler than the 3,000-kelvin option. Product and driver compatibility still need review before either is confirmed.

Second round

The client asks whether equal lumens guarantee identical lighting on the desk. Explain why the supplied data do not establish that.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 03

Agreeing device positions and drawing references

SHARED CASE

A reception elevation shows a device at 1,100 millimeters above finished floor level but does not say whether this is its centerline or lower edge. The joinery drawing uses a centerline. No position has been approved for installation.

Role A | Responding professional

Clarify vertical and horizontal references before accepting a device position. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the designer. Ask whether the uncertainty concerns units, floor level, or the device point.

Useful expressions

Is ___ measured to the centerline or ___?

The floor reference is ___; the device reference is ___.

These drawings agree on ___ but differ on ___.

Cover this until after your first attempt

The reception elevation gives 1,100 millimeters above finished floor level, but it does not identify the point on the device being measured. The joinery drawing uses a centerline reference. Could the designer confirm whether the electrical dimension uses the same reference? We need one coordinated location before treating the position as agreed.

Second round

The client says a matching number proves alignment. Explain the unresolved reference.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 04

Coordinating containment and shared work areas

SHARED CASE

Electrical drawing E6 shows a cable tray in ceiling bay C3 where the mechanical layout shows a duct. Neither trade has agreed a revised route. The ceiling coordinator's meeting is at 13:00; the electrician needs both drawings reviewed together.

Role A | Responding professional

Identify the conflict and the people needed to resolve it. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the mechanical lead. Bring your current layout and ask which bay is affected.

Useful expressions

At ___, our route conflicts with ___.

Could both ___ and ___ review ___?

The decision needed is ___, not simply ___.

Cover this until after your first attempt

Could we review ceiling bay C3 at the 13:00 coordination meeting? Drawing E6 places the cable tray in the same space as the duct on the mechanical layout. Please have both trade leads bring their current drawings. We need a coordinated route decision; I am not proposing an on-site rerouting instruction.

Second round

The meeting chair offers only ten minutes. State the conflict and required decision concisely.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 05

Communicating outage plans and status

SHARED CASE

An outage request proposes 18:00-19:00 for reception lighting only. Facilities has not approved it. A draft tenant notice incorrectly says the whole floor will be unavailable. No isolation status is supplied and no operational instruction is requested.

Role A | Responding professional

Give an accurate interruption update without implying equipment is safe to work on. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the facilities representative. Ask whether the time and affected area are agreed.

Useful expressions

The requested window is ____; approval is ____.

The notice covers ____ only.

That planning status does not establish ____.

Cover this until after your first attempt

The request proposes 18:00 to 19:00 for reception lighting only; facilities approval is still pending. The draft notice incorrectly extends that to the whole floor. Please correct the affected area and mark the timing as proposed. This planning update does not establish isolation status or permission to carry out electrical work.

Second round

Facilities approves the requested period. State the planning change without declaring electrical isolation or completion.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 06

Reporting findings and uncertainty

SHARED CASE

A client reported occasional flickering in display bay 2. The electrician's visit note states that flickering was not observed during the visit. No cause is established, and the technical report is pending review. The client asks whether the installation is now fault-free.

Role A | Responding professional

Explain what a visit did and did not establish. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. Ask whether an absent symptom proves the fault has disappeared.

Useful expressions

During ___, ___ was not observed.

That finding does not rule out ___.

The report remains ___, so ___ is not confirmed.

Cover this until after your first attempt

Flickering was not observed during this visit, but that does not establish that an intermittent fault is absent. Your report about display bay 2 remains part of the service history. The technical report is awaiting review, so I cannot confirm a cause or describe the installation as fault-free from this visit note alone.

Second round

The client asks whether a driver replacement is certain to solve it. Preserve the unconfirmed cause and remedy.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 07

Assessing added equipment and substitutions

SHARED CASE

A cafe adds a second espresso machine after electrical scope agreement. Its equipment data are unavailable. The client asks to include it at the original price and date. The electrician can request the data and arrange a revised assessment and quotation, but capacity and installation requirements are not established.

Role A | Responding professional

Respond to added equipment with a defined information request and conditional quotation. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the cafe client. You can obtain machine data but want a definite opening date.

Useful expressions

The addition changes ___, so we need ___.

We can assess ___ once ___ is available.

A quoted option is not yet ___.

Cover this until after your first attempt

The second machine changes the equipment information behind the agreed scope. Could you provide its manufacturer's data and proposed location? We can then assess the additional requirements and prepare a change quotation. I cannot confirm capacity, the original price, or unchanged timing before that review, even if the machine looks similar to the first one.

Second round

The supplier offers an alternate model tomorrow. Ask for its complete reference and data without approving the substitution.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 08

Handing over electrical records

SHARED CASE

At a fictional office handover, the as-built drawings are received. One circuit-directory entry still says old store although the room is now archive. The identification needs verification, not relabeling by assumption. Electrical lead Priya accepts follow-up and will report Thursday. No operational clearance is inferred.

Role A | Responding professional

Hand over documents and follow-up responsibilities without implying all checks are complete. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the facilities client. Repeat back the unresolved entry, owner, and update day.

Useful expressions

We have received ____; ____ remains unresolved.

____ will verify ____ and report ____.

Please confirm your understanding of ____.

Cover this until after your first attempt

The as-built drawings have been received, but the directory entry marked old store still needs reconciliation with the archive-room reference. Priya has accepted that follow-up and will report Thursday. Please keep the discrepancy visible in the handover record. Receipt of the drawings does not resolve the directory question or establish any separate operational clearance.

Second round

Priya reports that source-record review is still pending Thursday. Keep the issue open and clarify the next update.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

Lesson conversations and speaking practice

The following sections match 05 and 06 on the industry webpage and in the learner workbook. Each lesson has three ten-turn conversations and two bounded speaking scenarios. These are original fictional teaching scripts, not transcripts of real people.

LESSON 01 / 05 • CONVERSATIONS / 1 OF 3

Which office sockets?

An electrician clarifies the fictional Room 204 service call by phone.

01 • Electrician: This service call says office sockets. Which room and devices do you mean?

02 • Client: The two desk receptacles in Room 204. I noticed the problem at eight thirty.

03 • Electrician: Thank you. Have you already observed anything elsewhere, without doing any further checks?

04 • Client: No, I only know about those two. Someone mentioned the whole floor.

05 • Electrician: I'll keep that broader suggestion separate from what you actually reported to us.

06 • Client: The distribution board's directory says office. Doesn't that confirm the circuit identifier?

07 • Electrician: It gives us a reference, but the circuit identification still needs verification.

08 • Client: Should I send you a photograph of the room label from the corridor?

09 • Electrician: Yes, if it's available without approaching equipment; no electrical investigation is needed from you.

10 • Client: I'll send that existing photograph and leave the service description limited to my observations.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 2 OF 3

Outlet means different things to different people

An electrician clarifies a shop manager's request about a wall device.

01 • Electrician: You asked us to relocate an outlet. Which item on this elevation do you mean?

02 • Shop manager: The round fitting above the display, where the light comes out near the sign.

03 • Electrician: That's a light fitting rather than a receptacle. Are you requesting a position change?

04 • Shop manager: Yes, the new sign would cover it. I used outlet because I couldn't name it.

05 • Electrician: No problem. We'll identify the fitting by its drawing tag so the request is clear.

06 • Shop manager: The tag is L7, and the sign company has a revised elevation available.

07 • Electrician: Please send that elevation with the request; a photograph alone won't define the new position.

08 • Shop manager: Can you price it now, or do you need the proposed location first?

09 • Electrician: We need the location and a review of the affected work before quoting.

10 • Shop manager: Then I'll obtain the elevation and describe this as relocating fitting L7, not a socket.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 3 OF 3

Yesterday's account is secondhand

An electrician checks the source of an intermittent complaint with a caretaker.

01 • Electrician: The service note says the lobby lights flickered yesterday. Did you see that yourself?

02 • Caretaker: No, the evening receptionist told me. I wasn't on site during that shift.

03 • Electrician: Do you know the time or which fittings they were describing in the lobby?

04 • Caretaker: They said around six, near the reception counter, but I don't have exact identifiers.

05 • Electrician: I'll record those details as their report and keep the locations approximate for now.

06 • Caretaker: Would it help if I asked them to clarify what they already noticed?

07 • Electrician: Yes, ask about the time and location, not for them to reproduce the issue.

08 • Caretaker: Understood. I'll also check whether there is an earlier service reference for those fittings.

09 • Electrician: That would help connect the history without assuming the same cause has returned.

10 • Caretaker: I'll send the reference if I find it, clearly separate from yesterday's secondhand account.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Taking a precise electrical service request

A client reports that the office sockets are dead. Their account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel directory says office, but its accuracy has not been verified. Clarify the service request without asking the client to test or operate anything.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You noticed the issue at 08:30 but have not investigated other rooms.

Second round: A manager calls this a floor-wide outage. Restate the known scope without ruling out unassessed areas.

Scenario 2 | Two Room 12s

A business has Room 12 in both buildings A and B. A service request names Room 12 and a desk receptacle; the client confirms building B and a west-facing window. No circuit is identified.

Role A: Electrician: clarify the building and room without inventing a circuit assignment.

Role B: Client: confirm building B, Room 12 beside the west-facing window, and reception contact Dana.

Possible opening: Which building contains the Room 12 in your request?

Success checks

- Confirm building B and the room.
- Correct the appointment location verbally.
- Keep circuit identity unverified.

Add a complication: The appointment email still names building A.

LESSON 02 / 05 • CONVERSATIONS / 1 OF 3

Kelvins are not lumens

An electrician compares the client's two proposed luminaires.

01 • Electrician: Both luminaires are listed at twelve hundred lumens. Their color temperatures are different.

02 • Client: I thought the four-thousand-kelvin one would give us more light than the three-thousand one.

03 • Electrician: The kelvin figure describes warm or cool appearance, not the amount of light emitted.

04 • Client: So the four-thousand option looks cooler, while their stated output is the same?

05 • Electrician: Yes. That's the comparison these figures support, without settling the room's lighting design.

06 • Client: Will equal lumens guarantee that the desk looks equally bright under either fitting?

07 • Electrician: No, the fitting's distribution and the room arrangement also matter to that assessment.

08 • Client: Then I'd like the designer to compare their appearance and suitability for this desk.

09 • Electrician: I'll include both data sheets and keep driver compatibility as a separate review point.

10 • Client: Good. My preference is cooler light, but that isn't approval of an unchecked substitution.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 2 OF 3

The fitting code has a suffix

An electrician checks a supplier's proposed lighting delivery.

01 • Electrician: The delivery note lists Lumenia forty B, while our approved schedule says forty D.

02 • Supplier: The main model name matches. Does the final letter matter on this order?

03 • Electrician: It may identify a different variant. Please compare the complete codes, not just the name.

04 • Supplier: I can ask the manufacturer what each suffix means and send the matching data sheets.

05 • Electrician: Please include the driver information too; the visible housing isn't the whole specification.

06 • Supplier: Understood. Should I dispatch B now and leave the paperwork review until it arrives?

07 • Electrician: No substitution is agreed. Keep the order pending while we resolve the variant.

08 • Supplier: I'll retain the original requirement and label B as a proposed alternative only.

09 • Electrician: Thank you. A clear comparison will help the reviewer decide without guessing from product photographs.

10 • Supplier: I'll return with the full-code comparison and a separate availability update for the specified version.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 3 OF 3

Dimmable does not identify the control

An electrician explains a product-description limit to an interior designer.

01 • Electrician: This catalogue calls the luminaire dimmable, but it doesn't identify the proposed control arrangement.

02 • Interior designer: The client thought dimmable meant it would work with any control already in the room.

03 • Electrician: That description alone doesn't confirm compatibility between the light source, driver, and control.

04 • Interior designer: Could we ask the supplier for confirmation against the actual equipment references in our schedule?

05 • Electrician: Yes, please include all those references rather than only the luminaire's marketing name.

06 • Interior designer: I'll also ask whether the proposed alternate uses the same driver as the approved fitting.

07 • Electrician: Good. We should compare documented combinations, not infer compatibility from the same appearance.

08 • Interior designer: The client wants a simple explanation. How should I describe why selection remains pending?

09 • Electrician: Say the light can be dimmed in a suitable arrangement, but this combination is unconfirmed.

10 • Interior designer: I'll use that wording and keep the product preference separate from technical acceptance.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Clarifying lighting specifications

A client selects two fictional luminaires, both listed at 1,200 lumens. One is 3,000 kelvins and the other 4,000 kelvins. The client assumes the larger kelvin number means more light. No product substitution is approved; driver compatibility remains for specialist review.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask why equal lumens can accompany different kelvin figures.

Second round: The client asks whether equal lumens guarantee identical lighting on the desk. Explain why the supplied data do not establish that.

Scenario 2 | Watts on one sheet, lumens on another

One fictional quotation emphasizes 18 watts; another states 1,500 lumens. The client asks which produces more light. Neither provides both figures.

Role A: Electrician: distinguish electrical power from light output and request comparable data.

Role B: Client: you care about useful light and operating cost but have no additional data.

Possible opening: These quotations emphasize different properties, so we cannot compare light output from those two numbers alone.

Success checks

- Name the different units.
- Ask for comparable product information.
- Avoid predicting room performance or costs from incomplete data.

Add a complication: The client suggests choosing the larger number regardless of units.

LESSON 03 / 05 • CONVERSATIONS / 1 OF 3

Eleven hundred to which point?

An electrician and designer resolve the question to be answered for reception.

01 • Electrician: The mounting height is eleven hundred millimeters, but which device point is measured?

02 • Designer: Is the uncertainty about the floor level or about the device itself?

03 • Electrician: The device point. Finished floor level is named, but centerline or lower edge isn't.

04 • Designer: The joinery detail uses the centerline. I need to reconcile the electrical note with that.

05 • Electrician: Thank you. The client assumed identical numbers guaranteed the two components would align.

06 • Designer: They don't if the reference points differ. I'll issue a coordinated note for that location.

07 • Electrician: Should I keep the current position marked as proposed until the clarification comes back?

08 • Designer: Yes. Don't describe it as an agreed installation location while the point remains unresolved.

09 • Electrician: I'll explain the difference to the client and identify both drawing references in the query.

10 • Designer: That will let us answer the actual positioning question instead of debating the number alone.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 2 OF 3

The ceiling plan and the table move

An electrician and project coordinator discuss a revised meeting-room layout.

01 • Electrician: The furniture plan moved the meeting table, but the reflected ceiling plan hasn't changed.

02 • Project coordinator: The client wants the pendant centered above the table in the new layout.

03 • Electrician: Then we need a coordinated lighting position rather than assuming the old centerline still applies.

04 • Project coordinator: Could you tell the crew to follow the table when the furniture arrives?

05 • Electrician: The table's final position isn't a documented installation reference. Let's ask the designer for dimensions.

06 • Project coordinator: I can send both plans and identify which furniture revision the client has selected.

07 • Electrician: Please include the pendant tag so the response refers to this fitting specifically.

08 • Project coordinator: The client also moved the credenza. Should that be part of the same coordination review?

09 • Electrician: Yes, flag it as a separate changed element, not an assumed instruction about nearby devices.

10 • Project coordinator: I'll request a revised coordinated layout and keep both affected positions pending that response.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 3 OF 3

Left as viewed from where?

An electrician clarifies a client's description of a proposed wall control position.

01 • Electrician: You requested the control on the left of the doorway. From which viewpoint?

02 • Client: I meant standing inside the room and looking toward the corridor through the doorway.

03 • Electrician: Thanks. The supplier's sketch looks from the corridor, so left refers to the opposite side.

04 • Client: That explains why their marked position looked wrong when I reviewed it yesterday.

05 • Electrician: Could we identify the wall and dimension reference instead of relying on left alone?

06 • Client: Yes, the wall beside the storage cupboard is the side I actually mean.

07 • Electrician: I'll mark that proposed location on the room elevation for the designer's review.

08 • Client: Please label the viewing direction as well, because the plan is hard for me to visualize.

09 • Electrician: I will, and the final position will remain subject to the coordinated design confirmation.

10 • Client: Good. My preference is now clear without either of us guessing from a mirrored viewpoint.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Agreeing device positions and drawing references

A reception elevation shows a device at 1,100 millimeters above finished floor level but does not say whether this is its centerline or lower edge. The joinery drawing uses a centerline. No position has been approved for installation.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the designer. Ask whether the uncertainty concerns units, floor level, or the device point.

Second round: The client says a matching number proves alignment. Explain the unresolved reference.

Scenario 2 | Dimensions in two unit systems

A client's equipment sketch gives a control height in inches. The project elevation uses millimeters and a centerline reference. The sketch does not identify a measurement point.

Role A: Electrician: request explicit units and device reference on a coordinated detail.

Role B: Client: you can obtain the manufacturer's dimensional drawing.

Possible opening: Can we confirm both the units and the point on the control that this dimension refers to?

Success checks

- Distinguish conversion from reference-point clarification.
- Request the dimensional drawing.
- Leave the final position unconfirmed.

Add a complication: The client offers a rounded verbal conversion instead of the drawing.

LESSON 04 / 05 • CONVERSATIONS / 1 OF 3

Two services in bay C3

An electrician asks the ceiling coordinator for a joint review.

01 • Electrician: Drawing E6 puts our cable tray, not conduit, in the duct space shown for C3.

02 • Ceiling coordinator: Are both layouts current, or might one be an older issue in the folder?

03 • Electrician: I've checked our current issue; the mechanical lead needs to confirm their layout status.

04 • Ceiling coordinator: Bring both references to the one o'clock meeting so we can establish that first.

05 • Electrician: Please include both trade leads. This needs a coordinated route decision, not a verbal guess.

06 • Ceiling coordinator: I agree. Can you mark the affected bay without proposing an installation change yourself?

07 • Electrician: Yes, I'll highlight the overlap and identify the drawing references for everyone attending.

08 • Ceiling coordinator: The client is asking whether the electrical team has already changed its route on site.

09 • Electrician: No change is agreed. Please describe this as a drawing conflict awaiting joint review.

10 • Ceiling coordinator: I will, and the meeting record will identify the decision needed and whoever accepts follow-up.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 2 OF 3

Access is shared, not assumed

An electrician and site manager discuss access above a shop counter.

01 • Electrician: We requested the counter area tomorrow morning. Has that access window been confirmed?

02 • Site manager: The shop manager offered nine until eleven, but another contractor has the same window.

03 • Electrician: Then both crews need a coordinated arrangement before either treats the area as available.

04 • Site manager: Could you accept eleven until one if the shop manager agrees to that change?

05 • Electrician: Possibly, but I'll check crew availability before committing to the revised period.

06 • Site manager: Please also say whether your visit needs the whole counter area or a defined section.

07 • Electrician: I'll identify the planned work area for review, without assuming another crew can work alongside.

08 • Site manager: That will help the shop manager understand the disruption instead of hearing electrical work all day.

09 • Electrician: Once the boundaries and timing are agreed, I'll repeat them back to our crew.

10 • Site manager: I'll coordinate the two requests and confirm one shared access plan with the shop manager.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 3 OF 3

A route on paper is not an opening approval

An electrician responds to a builder's interpretation of a containment drawing.

01 • Electrician: The proposed containment route passes near this wall, but no opening detail is agreed.

02 • Builder: I thought the route line meant the opening location and size were already settled.

03 • Electrician: It identifies a proposed path, not every structural or construction detail along that path.

04 • Builder: Who needs the question so we avoid passing an incomplete instruction between crews?

05 • Electrician: The designer and relevant building specialist need the location and current containment information.

06 • Builder: I'll assemble those references and ask the site coordinator to arrange the review.

07 • Electrician: Please keep the drawing label proposed visible until a coordinated response is received.

08 • Builder: Understood. I'll tell our supervisor that route coordination remains open at this wall.

09 • Electrician: Thank you. That preserves the distinction between identifying a path and approving associated building work.

10 • Builder: I'll use that wording in the coordination discussion instead of saying the electrician approved an opening.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Coordinating containment and shared work areas

Electrical drawing E6 shows a cable tray in ceiling bay C3 where the mechanical layout shows a duct. Neither trade has agreed a revised route. The ceiling coordinator's meeting is at 13:00; the electrician needs both drawings reviewed together.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the mechanical lead. Bring your current layout and ask which bay is affected.

Second round: The meeting chair offers only ten minutes. State the conflict and required decision concisely.

Scenario 2 | The route label names the wrong floor

A marked containment query is titled Level 3, but drawing E12 and its bay B4 label identify Level 2. No route change is approved. The electrical and mechanical leads for Level 2 need the corrected meeting invitation.

Role A: Electrician: correct the location and ask the coordinator to repeat it back.

Role B: Coordinator: you have already invited the Level 3 supervisor but can correct the invitation.

Possible opening: The query title has the wrong floor; the conflict is in Level 2, bay B4.

Success checks

- Correct the floor and bay explicitly.
- Identify the earlier copy as superseded.
- Confirm the right trade representatives receive the correction.

Add a complication: A participant has printed the earlier query.

LESSON 05 / 05 • CONVERSATIONS / 1 OF 3

Correcting the tenant notice

An electrician and facilities representative review the draft outage notice.

01 • Electrician: The draft says whole floor, but our request covers reception lighting only.

02 • Facilities representative: Thank you. Is the six-to-seven period confirmed, or still awaiting our approval?

03 • Electrician: The outage window remains proposed. Please preserve that status in the revised shutdown notice.

04 • Facilities representative: We can approve that period now, provided the described affected services remain unchanged.

05 • Electrician: I'll record that planning approval and correct the area before the notice is issued.

06 • Facilities representative: Does this mean the equipment is isolated and the crew can begin work?

07 • Electrician: No. This conversation confirms a booking, not technical status or permission to proceed.

08 • Facilities representative: Understood. The responsible electrical lead will communicate those matters through the site arrangements.

09 • Electrician: Please have the tenant contact repeat back the affected area when they receive the notice.

10 • Facilities representative: I'll confirm reception lighting and the agreed hour, without making any broader electrical-status claim.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 2 OF 3

The tenant names an overlooked dependency

An electrician discusses a proposed interruption with an office contact.

01 • Electrician: The proposed notice names the lobby lighting. Do you have any operational concerns to raise?

02 • Office contact: Our evening training group uses the lobby for registration at the proposed time.

03 • Electrician: That's useful scheduling information. Has the facilities coordinator received that conflict from you?

04 • Office contact: Not yet. I thought an electrical notice meant the date couldn't be discussed.

05 • Electrician: This one is proposed. Let's take the registration conflict to the coordinator before confirming.

06 • Office contact: Could we request a later window, after the group moves into its room?

07 • Electrician: We can request it, but crew availability and the revised site plan still need checking.

08 • Office contact: I'll provide the registration time rather than simply saying the whole evening is impossible.

09 • Electrician: I'll include that specific constraint when asking the coordinator to review the proposed period.

10 • Office contact: Thank you. Please send the confirmed arrangement before we change the training invitation.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 3 OF 3

No restoration time has been confirmed

An electrician relays a status update to a building manager.

01 • Electrician: The electrical lead's update says the review is continuing; no restoration time is confirmed.

02 • Building manager: The tenant remembers seven o'clock from the earlier planned window and expects that deadline.

03 • Electrician: We need to distinguish the earlier plan from the current status they have reported.

04 • Building manager: Can you promise another half hour so I have something definite to tell them?

05 • Electrician: I can't invent that estimate. I can ask when the next status update is due.

06 • Building manager: Please do. The tenants need a contact and a clear account of what remains unknown.

07 • Electrician: The lead has agreed to another update at seven fifteen, without promising restoration then.

08 • Building manager: I'll tell them seven fifteen is the update time, not the service-return time.

09 • Electrician: Exactly. That preserves the distinction and avoids replacing one expectation with another unsupported promise.

10 • Building manager: I'll relay the current status now and keep the tenant contact available for that update.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Communicating outage plans and status

An outage request proposes 18:00-19:00 for reception lighting only. Facilities has not approved it. A draft tenant notice incorrectly says the whole floor will be unavailable. No isolation status is supplied and no operational instruction is requested.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the facilities representative. Ask whether the time and affected area are agreed.

Second round: Facilities approves the requested period. State the planning change without declaring electrical isolation or completion.

Scenario 2 | The approved notice is for a different date

A reception-lighting notice approved for Tuesday 18:00-19:00 is reused in a draft for Wednesday at the same time. Wednesday's access and outage window are not confirmed. The proposed affected services remain reception lighting only.

Role A: Electrician: distinguish scope continuity from timing approval.

Role B: Facilities coordinator: you can seek Wednesday confirmation but cannot assume it.

Possible opening: The area is unchanged, but Tuesday's approval does not confirm Wednesday's window.

Success checks

- Identify the changed date.
- Keep Wednesday pending.
- Request a correctly dated confirmed notice.

Add a complication: The tenant says the old notice looks official enough.

LESSON 06 / 05 • CONVERSATIONS / 1 OF 3

Not observed is not ruled out

An electrician explains the display-bay visit note to the client.

01 • Electrician: We didn't observe flickering during the visit to display bay two today.

02 • Client: Does that mean the problem has gone away and we can close the request?

03 • Electrician: Not necessarily. An intermittent fault may not appear during a particular observation period.

04 • Client: I was worried you thought I imagined it because it wasn't happening then.

05 • Electrician: Your report remains in the service history, with its location and timing clearly attributed.

06 • Client: Have you decided whether the driver is causing it and needs replacing?

07 • Electrician: No cause is confirmed, and the technical report is still awaiting review.

08 • Client: Please keep the request open until the reviewer explains what the findings actually establish.

09 • Electrician: I'll ask for that interpretation and relay the outcome without promising a particular repair.

10 • Client: Thank you. That addresses my concern without turning today's quiet visit into proof of no fault.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 2 OF 3

A result without a matching reference

An electrician queries a report identifier with a test-report coordinator.

01 • Electrician: This test report lists C12, but our enquiry concerns the display-bay circuit C21.

02 • Report coordinator: The digits may have been transposed. Can you simply correct the report label?

03 • Electrician: We need the report author to verify the tested reference before changing the record.

04 • Report coordinator: You're right. A plausible typing error doesn't establish which circuit the results belong to.

05 • Electrician: Please ask the author to reconcile the source record and issue any correction themselves.

06 • Report coordinator: I'll preserve the received report and identify the reference mismatch in the query.

07 • Electrician: The client is asking whether the listed insulation resistance result proves their concern is resolved.

08 • Report coordinator: That result can't be attributed to their circuit until the reference and interpretation are verified.

09 • Electrician: I'll explain that the report linkage is pending, without interpreting the measurement myself.

10 • Report coordinator: I'll contact the author and return the corrected or confirmed record with its review status.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 3 OF 3

The symptom returned after the visit

An electrician takes a follow-up account from a shop supervisor.

01 • Electrician: You reported the display flickered again after our visit. When did you notice it?

02 • Shop supervisor: At about five thirty, near the same display bay as before yesterday's appointment.

03 • Electrician: I'll add that account to the existing service history as a later report.

04 • Shop supervisor: Does the recurrence mean the earlier electrician's report was necessarily wrong about the visit?

05 • Electrician: No. A later event doesn't change what was observed during that earlier period.

06 • Shop supervisor: That makes sense. I want the new information considered, not the old record erased.

07 • Electrician: I'll link both accounts and ask the technical reviewer to assess the updated history.

08 • Shop supervisor: Should we describe the cause as confirmed now that the symptom happened twice?

09 • Electrician: Repeated reports establish recurrence, not a particular cause. That conclusion still needs technical assessment.

10 • Shop supervisor: I'll use recurrence in my update and leave the diagnosis to the reviewer.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Reporting findings and uncertainty

A client reported occasional flickering in display bay 2. The electrician's visit note states that flickering was not observed during the visit. No cause is established, and the technical report is pending review. The client asks whether the installation is now fault-free.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask whether an absent symptom proves the fault has disappeared.

Second round: The client asks whether a driver replacement is certain to solve it. Preserve the unconfirmed cause and remedy.

Scenario 2 | The report includes an exception

A report summary says review complete but retains an unresolved directory-description mismatch for circuit D4: the directory says store, while the project room plan says archive. The correct identification has not been verified. A manager wants the handover described as no open items.

Role A: Electrician: identify the exception and request its follow-up owner.

Role B: Manager: you can assign report follow-up to the project engineer.

Possible opening: The review is complete, but the D4 observation is still open.

Success checks

- Separate review completion from issue resolution.
- Name D4.
- Confirm who will obtain the next technical response.

Add a complication: The manager argues that complete must mean everything is resolved.

LESSON 07 / 05 • CONVERSATIONS / 1 OF 3

A second machine changes the enquiry

An electrician discusses an added espresso machine with a cafe owner.

01 • Electrician: The second machine wasn't included in the equipment information for our agreed scope.

02 • Cafe owner: It looks like the first one. Can we keep the same price and opening date?

03 • Electrician: We need its manufacturer's data and proposed location to assess the added connected load.

04 • Cafe owner: I'll ask the supplier for those. Does its similar appearance tell you anything useful?

05 • Electrician: It identifies a possible model family, but doesn't establish demand or compatibility here.

06 • Cafe owner: Could you prepare a change quotation once the technical review has enough information?

07 • Electrician: Yes, with the proposed work and timing stated, rather than silently extending the existing scope.

08 • Cafe owner: Please show the difference clearly so I can decide whether to keep one machine initially.

09 • Electrician: I'll include that comparison without recommending an unassessed circuit arrangement for either option.

10 • Cafe owner: Then obtain the data first; my request for a price is not approval to proceed.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 2 OF 3

The alternate enclosure has different details

An electrician and supplier discuss a proposed product substitution.

01 • Electrician: Your alternate enclosure has the same external size, but the specification details differ.

02 • Supplier: It's available tomorrow, while the specified model is on a longer lead time.

03 • Electrician: Availability is useful, but it doesn't establish suitability. Please provide the full comparison.

04 • Supplier: Which details should I include so the reviewer can evaluate the proposed alternative?

05 • Electrician: Use the stated project requirements and both manufacturers' data, rather than a same-size description.

06 • Supplier: I can show each requirement against the offered product and identify any unconfirmed points.

07 • Electrician: Please retain the original model on the order until the substitution decision is recorded.

08 • Supplier: Understood. I won't treat the request for comparison as approval to dispatch the alternate.

09 • Electrician: The client also needs the quoted delivery difference separated from any installation-date prediction.

10 • Supplier: I'll provide the supply dates as quotations, with technical acceptance and site timing still separate.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 3 OF 3

A dedicated circuit is not spare capacity

An electrician explains terminology in a proposal to a facilities client.

01 • Electrician: The proposal mentions a dedicated circuit for the identified equipment in the reviewed design.

02 • Facilities client: Does dedicated mean we can add other appliances there whenever the office expands?

03 • Electrician: No. It describes an intended specific use, not a promise of spare capacity.

04 • Facilities client: I was reading it as an extra circuit reserved for any future equipment.

05 • Electrician: Then we should clarify the intended equipment reference in the proposal before you approve it.

06 • Facilities client: Please do. Our equipment schedule may change when the new tenant gives us its list.

07 • Electrician: That change needs review; we shouldn't assume the original assessment covers an unknown future list.

08 • Facilities client: Can the quotation identify which equipment information it was based on for that assessment?

09 • Electrician: Yes, I'll request that reference and keep future additions outside the current confirmation.

10 • Facilities client: That gives us a clear basis for discussing changes when the tenant's actual requirements arrive.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Assessing added equipment and substitutions

A cafe adds a second espresso machine after electrical scope agreement. Its equipment data are unavailable. The client asks to include it at the original price and date. The electrician can request the data and arrange a revised assessment and quotation, but capacity and installation requirements are not established.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the cafe client. You can obtain machine data but want a definite opening date.

Second round: The supplier offers an alternate model tomorrow. Ask for its complete reference and data without approving the substitution.

Scenario 2 | One quotation includes controls

Two fictional lighting-change quotations cover six luminaires. Only quotation A explicitly includes the specified controls; B says fittings only. The client compares totals as equivalent.

Role A: Electrician: explain the scope difference without choosing a product.

Role B: Client: you can request a revised comparable quotation.

Possible opening: Before comparing totals, can we confirm whether both prices include the same controls?

Success checks

- Identify the missing inclusion.
- Request a comparable scope.
- Avoid calling either total better value from incomplete information.

Add a complication: The cheaper supplier says controls can be discussed later.

LESSON 08 / 05 • CONVERSATIONS / 1 OF 3

The archive still says old store

An electrician hands over documents to the facilities client.

01 • Electrician: The as-built drawings are received, but the circuit directory's old-store entry remains unresolved.

02 • Facilities client: That room is now the archive. Can we assume it's just the old name?

03 • Electrician: It may be, but the circuit identification needs verification before that conclusion is recorded.

04 • Facilities client: Who will handle that question after your crew leaves this part of the project?

05 • Electrician: Priya has accepted the follow-up and will report Thursday, with the query still visible.

06 • Facilities client: Please distinguish that from a promise that the directory will be corrected by Thursday.

07 • Electrician: Yes, Thursday is the report date; the outcome depends on the verification.

08 • Facilities client: Does receiving the drawings establish that every other technical check is complete?

09 • Electrician: No. Document receipt and technical verification have separate statuses in the handover record.

10 • Facilities client: I'll retain that distinction and expect Priya's report on the unresolved archive reference.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 2 OF 3

A record belongs to another asset

An electrician checks a commissioning document with a building representative.

01 • Electrician: This commissioning record identifies board B, but the handover folder is labeled board D.

02 • Building representative: Could the folder name simply be wrong, or does the report need reissuing?

03 • Electrician: We need to reconcile the references before deciding which record or label is incorrect.

04 • Building representative: Please don't remove either reference yet; our consultant may need to compare the originals.

05 • Electrician: Agreed. I'll flag the mismatch and request confirmation from the document author.

06 • Building representative: Is the document's presence enough to mark board D's record requirement as complete?

07 • Electrician: Not while its applicability remains unresolved. Received and matched are different statuses.

08 • Building representative: I'll keep the document item open and name the reconciliation owner in the register.

09 • Electrician: The author can respond Tuesday. I'll ask for a confirmed reference, not an informal guess.

10 • Building representative: Please include that response in the final pack so future readers understand the correction.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 3 OF 3

Handover does not replace user orientation

An electrician clarifies a client's request for a building-team briefing.

01 • Electrician: The document handover is booked Monday. You also mentioned a briefing for the building team.

02 • Client: Yes, but the team cannot attend Monday. Can the paperwork stand in for the briefing?

03 • Electrician: The pack gives reference information; it doesn't confirm that a requested orientation has happened.

04 • Client: Then let's keep the briefing as an outstanding item rather than mark everything delivered.

05 • Electrician: Which staff need the session, and who can confirm a suitable time for them?

06 • Client: Our facilities supervisor can coordinate attendance. Please discuss dates with her directly this afternoon.

07 • Electrician: I'll ask the appropriate lead to agree the session scope and timing with her.

08 • Client: Please avoid giving operating instructions through an informal call to whoever answers the phone.

09 • Electrician: Agreed. This handover will identify the documents and the arranged briefing, not improvise technical training.

10 • Client: That gives us an honest record of what's received and what still needs scheduling.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Handing over electrical records

At a fictional office handover, the as-built drawings are received. One circuit-directory entry still says old store although the room is now archive. The identification needs verification, not relabeling by assumption. Electrical lead Priya accepts follow-up and will report Thursday. No operational clearance is inferred.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the facilities client. Repeat back the unresolved entry, owner, and update day.

Second round: Priya reports that source-record review is still pending Thursday. Keep the issue open and clarify the next update.

Scenario 2 | A contact change before closeout

Priya leaves before the directory query is resolved: row 7 says old store, while the current room plan names archive. The circuit relationship is unverified. Omar agrees to take document follow-up, with a status call Friday; technical findings remain pending.

Role A: Outgoing electrician: give the entry reference and confirm Omar's acceptance.

Role B: Omar: repeat the query and distinguish the Friday update from completion.

Possible opening: Can you accept follow-up on the unresolved archive-room directory entry?

Success checks

- Transfer the exact query.
- Confirm Omar's acceptance.
- Preserve the pending technical status.

Add a complication: The client thinks a new owner means a new technical finding.

Give feedback that helps

Score each criterion 0, 1, or 2. This is a practice rubric, not a professional qualification or CEFR test. Do not award or remove points for a particular accent.

Meaning and accuracy

Keeps the case facts accurate; clearly separates confirmed and unknown information.

Clarity and language

Uses understandable sentences and explains specialist terms when the listener needs it.

Interaction and tone

Responds to the other person's question, checks understanding, and uses an appropriate tone.

Task completion

Makes the requested action or unresolved question clear without inventing authority or facts.

Use the same scale for each criterion

0 - Not yet: The reader or listener cannot yet recover the intended meaning or action.

1 - With support: The message works after a prompt, clarification, or revision.

2 - Independently: The message is clear and accurate without a prompt.

Feedback sequence

First, identify a successful phrase. Next, identify one point where meaning or accuracy needs work. Offer one useful language correction, allow a repeat, and compare the two attempts. A total out of eight describes this performance only; do not translate it into a proficiency level.

Final challenge

Choose a case not rehearsed today. The learner gives a one-minute response, answers two follow-up questions, and switches roles and repeats the exchange. Add the lesson's second-round challenge. Compare the result with an earlier attempt using the four criteria.

Use the language responsibly

Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Meaning before performance

Use specialist terms only when they help the listener. Explain unfamiliar words, preserve uncertainty, and ask when an instruction or responsibility is unclear. The model responses illustrate language; they do not authorize professional actions.

Sources and further reading

The cases, workshops, and explanations are original teaching material. These references provide language frameworks and selected professional context. References were checked in September 2026; consult current local guidance for actual work.

Digital.gov: plain-language guidance

<https://digital.gov/guides/plain-language>

Council of Europe: CEFR descriptors

<https://www.coe.int/en/web/common-european-framework-reference-languages/cefr-descriptors>

U.S. Bureau of Labor Statistics: Electricians

<https://www.bls.gov/ooh/construction-and-extraction/electricians.htm>

O*NET OnLine: Electricians (47-2111.00), U.S. Department of Labor-sponsored occupational profile

<https://www.onetonline.org/link/summary/47-2111.00>

Your next step

Choose one expression you can use in a genuine work situation. Rehearse it with fictional details, then adapt the wording to your role and audience.

Extend your practice with AI

Use the next two prompts after your own first attempt. Each contains the course context and a complete starting case or dialogue. Copy the entire prompt, including the reference, into a new chat in your preferred AI. You can also use the links to copy it from the website.

Choose the right kind of help

A role-play prompt makes the AI wait for your replies. A new-dialogue prompt asks for a complete professional script. Guided message practice gives four choices with explained feedback. Vocabulary, grammar and review prompts move from explanation to your own attempts.

Choose any lesson or dialogue online

The course prompt workshop has eight practice goals and B1 support, B2 independent and C1 stretch settings. These are practice choices, not assessed proficiency levels. Select the same lesson number or dialogue title you used in this guide.

[Open this course's AI prompt workshop](#)

Keep practice useful

Use fictional or anonymized details. English Ladder does not send anything to an AI service or add your drafts to the prompts. Your chosen service's terms and any usage charges apply. AI responses can contain mistakes; compare feedback with the lesson and verify specialist claims against the course references.

The two starter prompts use B2 practice. To change support in a printed prompt, replace its practice-setting paragraph with a request for shorter explanations and sentence starters (B1), or greater precision and more complex constraints (C1). Keep the professional facts unchanged.

Changing the example

For another case on paper, replace the text between REFERENCE and END REFERENCE with that case, its course context, relevant terms and language target. Include the full exchange if practicing a dialogue. Do not assume your AI can access this PDF or a link. The website makes this substitution for you.

Prompt edition: 2026-09-28. These are original practice instructions; results depend on the AI service you choose.

Rehearse with an AI colleague

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Electricians' Workplace English

Professional audience: Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators

Scope: Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Dialogue 01: One booking, two different concerns

Original fictional setting: An electrician and office manager separate two items in a service request.

Professional roles: Electrician / Office manager

Published dialogue (reference script, not my own performance):

Electrician: The booking lists a loose-looking wall plate and lights that dim occasionally. Are those in the same room?

Office manager: No. The plate is in the meeting room, while the lighting report concerns the reception area.

Electrician: I'll separate the locations. When you say loose-looking, is that a visual impression or a previous electrician's finding?

Office manager: It's my visual impression. I haven't touched it, and nobody has assessed it for this booking.

Electrician: Thank you. I'll preserve that wording rather than record a confirmed defect or ask you to check it.

Office manager: The receptionist mentioned the lighting. I assumed both concerns must belong to the same circuit.

Electrician: That relationship isn't established. The circuit references will need verification as part of the electrician's assessment.

Office manager: Should I combine the two items under reception so the appointment form is easier to complete?

Electrician: Please keep them separate. Accurate locations help the visiting electrician understand the actual scope of the request.

Office manager: All right. I'll give the meeting room its own entry and attribute the lighting report to reception.

Electrician: Can you also identify the person who can provide access to each space during the visit?

Office manager: I'll meet the electrician at reception and arrange the meeting-room access with our bookings coordinator.

END REFERENCE

TASK: Interactive workplace role-play

1. Use the supplied case or dialogue as the starting situation. Give a two-sentence briefing and offer two relevant professional roles for me to choose from. For a supplied dialogue, use its actual roles. Ask which role I want, then stop and wait. Do not write my replies.
 2. After I choose, identify who you will play and the immediate communication goal. Play the other professional; where a meeting requires a third person, label each of your speakers clearly. Start with one natural workplace turn and wait for my reply. Keep most turns to one to three sentences and ask no more than one question at a time.
 3. Let the exchange develop across six to ten learner turns, or end earlier if I type "feedback". Respond to what I actually say. Include a plausible clarification, disagreement or tradeoff without silently changing the starting facts. Mark any added constraint as a fictional second-round variation. Do not resolve approvals, evidence or commitments that remain uncertain.
 4. Stay in role during the exchange. If my meaning is unclear, ask for clarification naturally. Give a hint only if I ask or cannot proceed. Do not deliver a model conversation in advance.
 5. At the debrief, quote two of my phrases: one successful choice and one worth improving. Check factual accuracy, language, register and whether the next step was clear. Give up to three focused suggestions. Ask me to retry the weakest turn; wait. Only then offer an alternative wording and a harder replay.
- Use voice replies when available. If I prefer selections, offer four plausible spoken replies and explain my choice before continuing. Do not require written compositions.

END PROMPT

Create more scenario dialogues

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Electricians' Workplace English

Professional audience: Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators

Scope: Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Dialogue 01: One booking, two different concerns

Original fictional setting: An electrician and office manager separate two items in a service request.

Professional roles: Electrician / Office manager

Published dialogue (reference script, not my own performance):

Electrician: The booking lists a loose-looking wall plate and lights that dim occasionally. Are those in the same room?

Office manager: No. The plate is in the meeting room, while the lighting report concerns the reception area.

Electrician: I'll separate the locations. When you say loose-looking, is that a visual impression or a previous electrician's finding?

Office manager: It's my visual impression. I haven't touched it, and nobody has assessed it for this booking.

Electrician: Thank you. I'll preserve that wording rather than record a confirmed defect or ask you to check it.

Office manager: The receptionist mentioned the lighting. I assumed both concerns must belong to the same circuit.

Electrician: That relationship isn't established. The circuit references will need verification as part of the electrician's assessment.

Office manager: Should I combine the two items under reception so the appointment form is easier to complete?

Electrician: Please keep them separate. Accurate locations help the visiting electrician understand the actual scope of the request.

Office manager: All right. I'll give the meeting room its own entry and attribute the lighting report to reception.

Electrician: Can you also identify the person who can provide access to each space during the visit?

Office manager: I'll meet the electrician at reception and arrange the meeting-room access with our bookings coordinator.

END REFERENCE

TASK: Extend the conversation library

1. Propose six distinct, common scenarios in this field beyond the supplied case or script. For each, name the setting, two or more professional roles, the communication problem and one useful terminology focus. Include routine coordination, clarification, a complication, disagreement, handoff and follow-up where relevant. Choose scenarios that fit this profession, rather than forcing unsuitable situations into it.
2. Ask me to choose one scenario, or request all six in sequence. Stop and wait. Do not write all the scripts before I choose.
3. For the selected scenario, write an original fictional dialogue of 12-18 substantial speaking turns between two or three professionals. Name each role, establish an actual work problem, and let the exchange progress through questions, clarification, competing constraints and a credible next step or explicitly unresolved issue. Use the occupation's natural nomenclature and register. Avoid an interview between a teacher and a learner, generic small talk, and inserting a glossary definition into every reply. Explain specialist terms outside the dialogue instead.
4. After the script, explain five useful expressions in context, identify two grammar or register choices and ask three questions about the speakers' reasoning. Withhold the answers until I attempt them. Add one role-switch challenge.
5. Before presenting a script, check names, numbers, chronology, roles and terminology for consistency. Label invented facts and acknowledge uncertain specialist usage. If I requested all six, deliver one complete script at a time and wait for "next". Make each scenario materially different.

END PROMPT