

ENGLISH FOR WORK / SEPTEMBER 2026

Electricians' Workplace English



Vocabulary & phrasebook

Keep precise meanings and useful expressions close. Retrieve the words, then use them in a complete message.

PRACTICE THAT TRANSFERS TO WORK

Read a realistic case. Study complete conversations. Find the right language, speak, get feedback, and try again.

Eight lessons | Intermediate to advanced | Independent or classroom study

For Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators.

Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

All scenarios, figures, and model responses are fictional teaching material. Use invented details in practice.

[Open this course on English Ladder](#)

Make vocabulary usable

Knowing a definition is a start. To use a term well, explain it in plain English, connect it to a case, and choose a natural sentence around it.

- Read five terms, cover their definitions, and recall the meanings.
- Sort a pair you might confuse and explain the difference.
- Use one term in a sentence about a fictional case.
- Ask a partner to explain the sentence without repeating the specialist word.
- Return to the same terms on another day and test recall again.

Abbreviations need context

Expand an abbreviation on first use when the listener needs it. Some abbreviations have different meanings across professions: API can refer to an application programming interface or an active pharmaceutical ingredient. The course context determines the meaning.

Definitions have limits

These are concise language-learning explanations, not complete legal, clinical, or technical specifications. Use the applicable authoritative definition for regulated or operational decisions.

Field vocabulary A-Z

access window

An agreed period for a crew to enter and work in a specified area.

affected area

The specifically identified location or group of services included in a stated interruption or concern.

as-built drawing

A drawing intended to record the electrical installation as completed, including documented changes.

cable tray

A supporting system used to carry cables along an identified route.

centerline

An imaginary line through a component's center used as a positioning reference.

change quotation

A priced proposal for an alteration to the agreed electrical work, with its stated inclusions and conditions.

circuit directory

A labeled list intended to identify circuits and the areas or equipment they serve.

circuit identifier

A label or reference used to distinguish a particular electrical circuit in project records.

color temperature

A description, expressed in kelvins, of how warm or cool a light source appears.

commissioning record

A record of specified verification activities and results associated with bringing an installation into its intended service.

conduit

A tube or enclosed channel intended to contain and protect electrical wiring.

connected load

The total rated electrical demand of connected equipment, distinct from any assessed simultaneous demand.

containment route

The planned path of the systems carrying or enclosing cables.

dedicated circuit

A circuit intended to serve specified equipment or a particular purpose rather than general shared use.

distribution board

An assembly containing devices that distribute and protect electrical circuits; also called a panelboard in some settings.

driver

An electronic component that supplies and controls electrical power for a compatible light source, commonly an LED.

finished floor level

The level of the completed floor surface used as a reference for stated heights.

insulation resistance

An electrical property describing resistance to current leakage through insulation, assessed by qualified personnel using suitable methods.

intermittent fault

A fault that occurs inconsistently rather than being continuously present.

isolation status

The verified or unverified condition of separation from energy sources, as determined by the responsible qualified personnel.

lumen

A unit expressing the amount of visible light emitted by a source.

luminaire

A complete lighting unit, including its light source or sources and associated components.

mounting height

The specified vertical position of a device, requiring a stated measurement reference.

outage window

A planned period during which an identified electrical service is expected to be unavailable.

outstanding item

A specific unresolved task, observation, or document requirement retained for follow-up.

provisional diagnosis

A tentative explanation of an electrical problem that remains subject to confirmation.

receptacle

The electrical contact device into which a plug is inserted; commonly called a socket or outlet.

reflected ceiling plan

A drawing representing the ceiling layout as if viewed in a mirror below it.

service call

A visit requested to assess or address a reported electrical issue.

shutdown notice

A communication describing a planned interruption, its stated extent, timing, and contacts.

substitution

A proposed replacement for a specified product or component, requiring the relevant review.

test report

A record of specified electrical checks, their conditions, results, and stated limitations.

Expressions for this course

Complete the frames with the facts of your case. A frame helps organize meaning; it should not replace an actual explanation.

Locate the report without expanding it

Which ___ are you referring to?

You noticed ___ at ___; is that right?

That label suggests ___, but identification remains ___.

Ask about existing observations, room labels, and timing. A client report is not a verified circuit finding. Do not direct the client to operate equipment, repeat a fault, open an enclosure, or perform electrical checks.

Word combinations in this lesson

locate the reported issue: identify the room and device concerned

confirm the circuit reference: distinguish a label from a verified identification

describe the symptom: state what was noticed without diagnosing it

take a service history: ask when the issue occurred and what was reported

Separate appearance from light output

___ describes ___, not ___.

Both are rated at ___, while ___ differs.

That figure alone does not confirm ___.

Lumens describe emitted light; kelvins describe appearance. Neither figure alone establishes suitability, installed brightness, or compatibility. Explain the supplied comparison and leave selection and technical review distinct.

Word combinations in this lesson

compare the lighting schedule: check listed fitting requirements

confirm the color temperature: specify the requested warm or cool appearance

check the light output: distinguish emitted light from electrical power consumption

verify driver compatibility: obtain confirmation that the specified components work together

Ask for the point as well as the number

Is ___ measured to the centerline or ___?

The floor reference is ___; the device reference is ___.

These drawings agree on ___ but differ on ___.

A height can refer to the center, edge, or another identified point. State the floor reference and device point separately. Drawings used in an exercise are not placement rules or accessibility standards.

Word combinations in this lesson

confirm the height reference: identify the datum and measured point

coordinate with the joinery elevation: compare device positions with cabinet details

mark the intended location: identify a proposed position for review

reconcile the ceiling layout: resolve conflicting fitting positions on drawings

Request a joint answer to an interface problem

At ___, our route conflicts with ___.

Could both ___ and ___ review ___?

The decision needed is ___, not simply ___.

Describe the overlapping space without declaring which trade must move. A containment-route discussion coordinates design information; it does not teach cable installation, structural penetrations, or service-clearance rules.

Word combinations in this lesson

flag a route conflict: identify overlapping planned services

coordinate ceiling space: resolve competing spatial requirements between trades

reserve an access window: obtain agreement on a work period

identify the affected bay: locate an issue within the building grid

Separate planning from electrical status

The requested window is ____; approval is ____.

The notice covers ____ only.

That planning status does not establish ____.

An agreed booking, issued notice, or client approval does not establish isolation. Refer technical status to the responsible qualified person. This lesson practices status reporting, not switching, isolation verification, or restoration.

Word combinations in this lesson

confirm the affected services: establish the stated interruption scope

issue a shutdown notice: communicate an agreed interruption plan

distinguish planned from confirmed: label the actual status of an arrangement

relay the verified status: pass on confirmed information without extending its meaning

Keep a negative observation in its proper scope

During ____, ____ was not observed.

That finding does not rule out ____.

The report remains ____, so ____ is not confirmed.

Not observed is different from disproved. Identify the observation period and preserve the client's account. Do not interpret measurements, assign pass criteria, or prescribe tests from a language-practice case.

Word combinations in this lesson

attribute the reported symptom: name who observed the issue

quote the report status: retain the record's actual finding or limitation

avoid ruling out an intermittent fault: do not treat one absent symptom as conclusive

request technical interpretation: ask a qualified reviewer what a result establishes

Offer assessment without promising capacity

The addition changes ___, so we need ___ .

We can assess ___ once ___ is available.

A quoted option is not yet ___.

Appearance and socket shape do not establish electrical suitability. Ask for manufacturer information and intended use, then separate technical assessment, price, and approval. Do not calculate capacities or prescribe circuit arrangements.

Word combinations in this lesson

obtain the equipment schedule: request a list of proposed equipment and ratings

review the added demand: ask for assessment of the proposed equipment's electrical needs

price a scope change: quote defined additional work

compare the full specification: examine more than appearance or model family

Transfer an unresolved record accurately

We have received ___; ___ remains unresolved.

___ will verify ___ and report ___ .

Please confirm your understanding of ___.

Separate received, reviewed, and reconciled. A room-name change may expose a documentation mismatch without proving the underlying circuit identity. Do not instruct clients to relabel, operate, or investigate electrical equipment.

Word combinations in this lesson

reconcile the circuit directory: check the list against confirmed installation records

match the equipment reference: link a document to the correct asset

identify outstanding documents: name records still missing or incomplete

accept the follow-up: confirm who will obtain and report the unresolved information

Model responses in context

Read the situation first. Cover the model, say your own response, and compare the two for meaning and tone.

01 | Taking a precise electrical service request

A client reports that the office sockets are dead. Their account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel directory says office, but its accuracy has not been verified. Clarify the service request without asking the client to test or operate anything.

When you say the office sockets, do you mean the two desk receptacles in Room 204? I will record that you noticed the issue at 08:30. The directory's office label does not yet confirm which circuit serves them. Please describe what you already observed; the electrician will assess the circuit identification and condition.

Try it again: A manager calls this a floor-wide outage. Restate the known scope without ruling out unassessed areas.

AI extension: build and retrieve vocabulary from this case.

02 | Clarifying lighting specifications

A client selects two fictional luminaires, both listed at 1,200 lumens. One is 3,000 kelvins and the other 4,000 kelvins. The client assumes the larger kelvin number means more light. No product substitution is approved; driver compatibility remains for specialist review.

Both examples are listed at 1,200 lumens, so their stated light output is the same. The kelvin number describes the light's warm or cool appearance, not how much light it emits. The 4,000-kelvin option appears cooler than the 3,000-kelvin option. Product and driver compatibility still need review before either is confirmed.

Try it again: The client asks whether equal lumens guarantee identical lighting on the desk. Explain why the supplied data do not establish that.

AI extension: build and retrieve vocabulary from this case.

03 | Agreeing device positions and drawing references

A reception elevation shows a device at 1,100 millimeters above finished floor level but does not say whether this is its centerline or lower edge. The joinery drawing uses a centerline. No position has been approved for installation.

The reception elevation gives 1,100 millimeters above finished floor level, but it does not identify the point on the device being measured. The joinery drawing uses a centerline reference. Could the designer confirm whether the electrical dimension uses the same reference? We need one coordinated location before treating the position as agreed.

Try it again: The client says a matching number proves alignment. Explain the unresolved reference.

AI extension: build and retrieve vocabulary from this case.

04 | Coordinating containment and shared work areas

Electrical drawing E6 shows a cable tray in ceiling bay C3 where the mechanical layout shows a duct. Neither trade has agreed a revised route. The ceiling coordinator's meeting is at 13:00; the electrician needs both drawings reviewed together.

Could we review ceiling bay C3 at the 13:00 coordination meeting? Drawing E6 places the cable tray in the same space as the duct on the mechanical layout. Please have both trade leads bring their current drawings. We need a coordinated route decision; I am not proposing an on-site rerouting instruction.

Try it again: The meeting chair offers only ten minutes. State the conflict and required decision concisely.

AI extension: build and retrieve vocabulary from this case.

05 | Communicating outage plans and status

An outage request proposes 18:00-19:00 for reception lighting only. Facilities has not approved it. A draft tenant notice incorrectly says the whole floor will be unavailable. No isolation status is supplied and no operational instruction is requested.

The request proposes 18:00 to 19:00 for reception lighting only; facilities approval is still pending. The draft notice incorrectly extends that to the whole floor. Please correct the affected area and mark the timing as proposed. This planning update does not establish isolation status or permission to carry out electrical work.

Try it again: Facilities approves the requested period. State the planning change without declaring electrical isolation or completion.

AI extension: build and retrieve vocabulary from this case.

06 | Reporting findings and uncertainty

A client reported occasional flickering in display bay 2. The electrician's visit note states that flickering was not observed during the visit. No cause is established, and the technical report is pending review. The client asks whether the installation is now fault-free.

Flickering was not observed during this visit, but that does not establish that an intermittent fault is absent. Your report about display bay 2 remains part of the service history. The technical report is awaiting review, so I cannot confirm a cause or describe the installation as fault-free from this visit note alone.

Try it again: The client asks whether a driver replacement is certain to solve it. Preserve the unconfirmed cause and remedy.

AI extension: build and retrieve vocabulary from this case.

07 | Assessing added equipment and substitutions

A cafe adds a second espresso machine after electrical scope agreement. Its equipment data are unavailable. The client asks to include it at the original price and date. The electrician can request the data and arrange a revised assessment and quotation, but capacity and installation requirements are not established.

The second machine changes the equipment information behind the agreed scope. Could you provide its manufacturer's data and proposed location? We can then assess the additional requirements and prepare a change quotation. I cannot confirm capacity, the original price, or unchanged timing before that review, even if the machine looks similar to the first one.

Try it again: The supplier offers an alternate model tomorrow. Ask for its complete reference and data without approving the substitution.

AI extension: build and retrieve vocabulary from this case.

08 | Handing over electrical records

At a fictional office handover, the as-built drawings are received. One circuit-directory entry still says old store although the room is now archive. The identification needs verification, not relabeling by assumption. Electrical lead Priya accepts follow-up and will report Thursday. No operational clearance is inferred.

The as-built drawings have been received, but the directory entry marked old store still needs reconciliation with the archive-room reference. Priya has accepted that follow-up and will report Thursday. Please keep the discrepancy visible in the handover record. Receipt of the drawings does not resolve the directory question or establish any separate operational clearance.

Try it again: Priya reports that source-record review is still pending Thursday. Keep the issue open and clarify the next update.

AI extension: build and retrieve vocabulary from this case.

Use the language responsibly

Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Meaning before performance

Use specialist terms only when they help the listener. Explain unfamiliar words, preserve uncertainty, and ask when an instruction or responsibility is unclear. The model responses illustrate language; they do not authorize professional actions.

Sources and further reading

The cases, workshops, and explanations are original teaching material. These references provide language frameworks and selected professional context. References were checked in September 2026; consult current local guidance for actual work.

Digital.gov: plain-language guidance

<https://digital.gov/guides/plain-language>

Council of Europe: CEFR descriptors

<https://www.coe.int/en/web/common-european-framework-reference-languages/cefr-descriptors>

U.S. Bureau of Labor Statistics: Electricians

<https://www.bls.gov/ooh/construction-and-extraction/electricians.htm>

O*NET OnLine: Electricians (47-2111.00), U.S. Department of Labor-sponsored occupational profile

<https://www.onetonline.org/link/summary/47-2111.00>

Your next step

Choose one expression you can use in a genuine work situation. Rehearse it with fictional details, then adapt the wording to your role and audience.

Extend your practice with AI

Use the next two prompts after your own first attempt. Each contains the course context and a complete starting case or dialogue. Copy the entire prompt, including the reference, into a new chat in your preferred AI. You can also use the links to copy it from the website.

Choose the right kind of help

A role-play prompt makes the AI wait for your replies. A new-dialogue prompt asks for a complete professional script. Guided message practice gives four choices with explained feedback. Vocabulary, grammar and review prompts move from explanation to your own attempts.

Choose any lesson or dialogue online

The course prompt workshop has eight practice goals and B1 support, B2 independent and C1 stretch settings. These are practice choices, not assessed proficiency levels. Select the same lesson number or dialogue title you used in this guide.

[Open this course's AI prompt workshop](#)

Keep practice useful

Use fictional or anonymized details. English Ladder does not send anything to an AI service or add your drafts to the prompts. Your chosen service's terms and any usage charges apply. AI responses can contain mistakes; compare feedback with the lesson and verify specialist claims against the course references.

The two starter prompts use B2 practice. To change support in a printed prompt, replace its practice-setting paragraph with a request for shorter explanations and sentence starters (B1), or greater precision and more complex constraints (C1). Keep the professional facts unchanged.

Changing the example

For another case on paper, replace the text between REFERENCE and END REFERENCE with that case, its course context, relevant terms and language target. Include the full exchange if practicing a dialogue. Do not assume your AI can access this PDF or a link. The website makes this substitution for you.

Prompt edition: 2026-09-28. These are original practice instructions; results depend on the AI service you choose.

Build vocabulary and collocations

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Electricians' Workplace English

Professional audience: Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators

Scope: Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Lesson 01: Taking a precise electrical service request

Original fictional case: A client reports that the office sockets are dead. Their account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel directory says office, but its accuracy has not been verified. Clarify the service request without asking the client to test or operate anything.

Language workshop: Locate the report without expanding it

Communication goal: Turn a broad complaint into an accurate service-call description.

Language guidance: Ask about existing observations, room labels, and timing. A client report is not a verified circuit finding. Do not direct the client to operate equipment, repeat a fault, open an enclosure, or perform electrical checks.

Useful frames (complete the gaps with case facts): Which ___ are you referring to? / You noticed ___ at ___; is that right? / That label suggests ___, but identification remains ___.

Vocabulary: service call: A visit requested to assess or address a reported electrical issue. / receptacle: The electrical contact device into which a plug is inserted; commonly called a socket or outlet. / distribution board: An assembly containing devices that distribute and protect electrical circuits; also called a

panelboard in some settings. / circuit identifier: A label or reference used to distinguish a particular electrical circuit in project records.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You noticed the issue at 08:30 but have not investigated other rooms.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: A manager calls this a floor-wide outage. Restate the known scope without ruling out unassessed areas.

Model for comparison AFTER my attempt, not a response to give me first: When you say the office sockets, do you mean the two desk receptacles in Room 204? I will record that you noticed the issue at 08:30. The directory's office label does not yet confirm which circuit serves them. Please describe what you already observed; the electrician will assess the circuit identification and condition.

END REFERENCE

TASK: Retrieve occupational vocabulary

1. Select four terms from the reference. Explain each in plain English, give two natural collocations and quote or create a short workplace example. Label invented examples. Contrast each term with a plausible confusable term; acknowledge regional variation.
2. Present one role-labelled exchange with one missing word or phrase and four choices A-D. Exactly one choice must fit the stated facts and grammar. Stop and wait for my answer before revealing it.
3. Explain all four options, then invite me to read the completed exchange aloud. Offer a sentence frame for optional spoken practice, never an open-ended writing assignment.
4. Repeat for the other three terms, one question at a time. Vary the correct letter and the situation; preserve the reference facts. If a choice is ambiguous, replace the item.
5. Finish with two new four-choice collocation questions for later review, with a clearly separate answer key. Do not claim to schedule a reminder.

END PROMPT

Test recall and transfer

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Electricians' Workplace English

Professional audience: Electricians, electrical apprentices in supervised communication roles, electrical crew leads, and service coordinators

Scope: Fictional occupational English practice, not electrical training or advice on design, testing, isolation, switching, energizing, repairs, or installation. All case facts, ratings, dimensions, schedules, and incidents are invented. Do not operate or investigate equipment to enact a scenario. Technical decisions and safety status belong to qualified personnel using applicable site arrangements; no universal code, permit, or licensing rules are asserted. Occupational sources inform context, not the invented technical cases.

Lesson 01: Taking a precise electrical service request

Original fictional case: A client reports that the office sockets are dead. Their account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel directory says office, but its accuracy has not been verified. Clarify the service request without asking the client to test or operate anything.

Language workshop: Locate the report without expanding it

Communication goal: Turn a broad complaint into an accurate service-call description.

Language guidance: Ask about existing observations, room labels, and timing. A client report is not a verified circuit finding. Do not direct the client to operate equipment, repeat a fault, open an enclosure, or perform electrical checks.

Useful frames (complete the gaps with case facts): Which ___ are you referring to? / You noticed ___ at ___; is that right? / That label suggests ___, but identification remains ___.

Vocabulary: service call: A visit requested to assess or address a reported electrical issue. / receptacle: The electrical contact device into which a plug is inserted; commonly called a socket or outlet. / distribution board: An assembly containing devices that distribute and protect electrical circuits; also called a

panelboard in some settings. / circuit identifier: A label or reference used to distinguish a particular electrical circuit in project records.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You noticed the issue at 08:30 but have not investigated other rooms.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: A manager calls this a floor-wide outage. Restate the known scope without ruling out unassessed areas.

Model for comparison AFTER my attempt, not a response to give me first: When you say the office sockets, do you mean the two desk receptacles in Room 204? I will record that you noticed the issue at 08:30. The directory's office label does not yet confirm which circuit serves them. Please describe what you already observed; the electrician will assess the circuit identification and condition.

END REFERENCE

TASK: Review with supported choices and speaking

1. Ask me to close my notes. Prepare six four-choice questions: two vocabulary gaps, one grammar contrast, one confirmed-versus-unknown distinction, one choice of reply, and one transfer to a clearly labelled fictional variation.
2. Show only the first question. Use a short role-labelled exchange or a concrete scenario, four plausible choices A-D, and exactly one defensible answer. Stop and wait.
3. After each answer explain all options, offer one hint for a retry if needed, and invite me to say the completed exchange aloud. Only then move on. Do not request an original written response.
4. Track whether I answered independently or with a hint, not a certified proficiency score. Do not assess pronunciation from typed text. Replace ambiguous questions and accept valid spoken alternatives.
5. Give a compact review card with three four-choice recall items and a separate answer section. Summarize two specific successes and two points to revisit. Do not claim to remember or schedule future sessions.

END PROMPT