


ENGLISH FOR WORK / SEPTEMBER 2026

HVAC & Refrigeration English



Learner workbook

Work with realistic cases, develop your own response, and use the answer section after you have tried the tasks.

PRACTICE THAT TRANSFERS TO WORK

Read a realistic case. Study complete conversations. Find the right language, speak, get feedback, and try again.

Eight lessons | Intermediate to advanced | Independent or classroom study

For Heating, ventilation, air-conditioning, and refrigeration technicians, supervised apprentices, service coordinators, and mechanical crew leads.

Fictional workplace-language practice, not heating, ventilation, air-conditioning, or refrigeration (HVACR) training, equipment-operation advice, food-safety advice, or warranty interpretation. All case facts, products, readings, ratings, incidents, and schedules are invented. No refrigerant handling, charging, recovery, electrical operation, diagnostic testing, repair, installation, or control-adjustment procedures are taught. Qualified specialists and applicable site procedures govern technical decisions; product-safety and stock decisions remain with the responsible site lead. No universal code or permit requirements are asserted. Sources establish occupational context, not endorsement of the invented cases.

All scenarios, figures, and model responses are fictional teaching material. Use invented details in practice.

[Open this course on English Ladder](#)

Your course at a glance

Use the lesson numbers to match this document with the website and the other guides.

01 Clarifying comfort complaints and thermostat readings

Separate a control target, a temperature observation, and a comfort complaint.

02 Identifying equipment and linked components

Resolve equipment identity using existing records and clear references.

03 Explaining airflow and distribution reports

Explain air-distribution terms without inferring performance from a label.

04 Checking equipment ratings and refrigerant references

Explain why matching numbers or component labels do not establish equivalent systems.

05 Reporting moisture, symptoms, and service findings

Distinguish a new report, an earlier finding, and a tentative diagnosis.

06 Discussing refrigeration alarms and temperature records

Explain a refrigeration record without issuing food-safety advice.

07 Coordinating ductwork, access, and changes

Negotiate a relocation without assuming the visible component is the whole job.

08 Handing over commissioning and maintenance information

Hand over records without making deferred work or mismatched manuals disappear.

Choose your pace

Quick practice: spend 15 minutes reading one conversation and rehearsing one scenario. Full lesson: allow 45-60 minutes for language work, three conversations, two speaking scenarios, and feedback.

Level support

B1 learners can use the frames and a partner. B2 learners can try a response before reading the model. C1 learners can add the harder follow-up and reduce preparation time. These are teaching suggestions, not certified CEFR level ratings.

After practicing: open the AI prompt workshop, or use the prompts at the end of this guide.

LESSON 01 / READ AND NOTICE

Clarifying comfort complaints and thermostat readings

Separate a control target, a temperature observation, and a comfort complaint.

SITUATION

An office manager says the meeting room is 22 degrees Celsius. The number is the thermostat setpoint, not a confirmed ambient-temperature reading. Staff report feeling warm there after 14:00. No cause or equipment fault has been established.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

thermostat - A device that senses temperature and requests heating or cooling according to its configured controls.

setpoint - The target value requested by a control, distinct from a measured condition.

ambient temperature - The temperature of the surrounding air at an identified place and time.

thermal zone - An area treated as a unit for heating or cooling control or assessment.

Useful word combinations

identify the occupied zone: name the area where people report discomfort

distinguish target from reading: separate a requested value from a measured one

record the complaint pattern: note when and where the concern occurs

clarify the display label: establish what a displayed number represents

LESSON 01 / LANGUAGE AND PRACTICE

Ask which number is being reported

3. Notice the language

A thermostat display may show different values. Ask what the existing label says rather than directing control changes. Comfort descriptions are useful information, but they do not by themselves identify a system fault.

Does that display show ___ or ___?

The complaint concerns ___ after ___.

The target is ___; the measured condition remains ___.

Compare this wording: The room is twenty-two because that's the setting.

Clearer: Twenty-two is the setpoint; the actual room temperature has not been confirmed.

The revision avoids treating a requested value as a measurement.

4. Check the language

1. Manager: The label says target, not room temperature.

Technician: Then 22 degrees is the ____.

- A. supply-air reading
- B. setpoint
- C. ambient temperature
- D. temperature difference

2. Dispatcher: When do staff report discomfort?

Technician: Their report concerns the meeting room ____ two in the afternoon.

- A. after
- B. by
- C. until
- D. throughout

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 01 / 05 • CONVERSATIONS / 1 OF 3

Twenty-two is the target

A technician clarifies the fictional meeting-room complaint with the office manager.

01 • Technician: Your request says the room is twenty-two degrees. Which display value is that?

02 • Office manager: The thermostat says target twenty-two Celsius. Staff still feel warm after two.

03 • Technician: Then twenty-two is the setpoint, not a confirmed ambient-temperature reading in the room.

04 • Office manager: I hadn't distinguished those. Does that make the staff complaint less useful?

05 • Technician: No, its location and timing are useful. We'll record the meeting-room thermal zone.

06 • Office manager: Should I report a failed cooling system because the target isn't what people feel?

07 • Technician: The complaint doesn't establish that cause. We need the relevant assessment and measurements.

08 • Office manager: I'll describe feeling warm after two, with the target clearly labeled as a setpoint.

09 • Technician: Please include whether that pattern comes from your observation or reports from colleagues.

10 • Office manager: It's from the afternoon meeting team. I'll attribute it to them in the request.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 2 OF 3

Warm at one desk, not the whole floor

A technician checks a comfort report with a facilities contact.

01 • Technician: The request says the floor is too warm. Which occupied area prompted it?

02 • Facilities contact: Three staff near the west windows reported discomfort during yesterday's afternoon meeting period.

03 • Technician: Have other areas reported the same concern, or is that not yet known?

04 • Facilities contact: We haven't gathered other reports. I shouldn't describe the whole floor as affected.

05 • Technician: Let's identify those desks and the time without assuming the same thermal zone everywhere.

06 • Facilities contact: I can provide the seating plan, but I don't know the actual zone boundaries.

07 • Technician: That's useful background. The system records can establish how the areas are grouped.

08 • Facilities contact: Should I move people around to test whether the complaint follows their seats?

09 • Technician: No experiment is needed for this conversation. Please provide their existing accounts only.

10 • Facilities contact: I'll send those accounts and the plan, keeping the wider-floor condition unconfirmed.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 3 OF 3

The guest says stuffy

A technician clarifies a hotel's comfort wording with its duty manager.

01 • Technician: The guest described the room as stuffy. What did they mean by that?

02 • Duty manager: They mentioned feeling warm and a noticeable odor, not a specific temperature reading.

03 • Technician: Those are distinct reports. Let's retain both without translating stuffy into one technical diagnosis.

04 • Duty manager: The booking form only has a cooling-problem category. Is that too narrow?

05 • Technician: It can route the request, but the description should preserve the guest's actual concerns.

06 • Duty manager: I'll include the room, evening timing, warmth, and odor, with no confirmed cause.

07 • Technician: Please note whether the guest reported this once or on several evenings.

08 • Duty manager: They mentioned two evenings, but I don't have dates for both yet.

09 • Technician: Record that uncertainty rather than inventing dates; the history can be clarified at the visit.

10 • Duty manager: I'll arrange room access and keep the report separate from any proposed remedy.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Clarifying comfort complaints and thermostat readings

An office manager says the meeting room is 22 degrees Celsius. The number is the thermostat setpoint, not a confirmed ambient-temperature reading. Staff report feeling warm there after 14:00. No cause or equipment fault has been established.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the manager. The display says target 22 degrees Celsius, and staff feel warm after 14:00.

Second round: The manager asks whether lowering the setting will solve the complaint. Keep the exchange to information gathering, not operating advice.

Scenario 2 | Celsius or Fahrenheit?

A hotel report for Room 215 records a displayed target of 72 without units. The guest's existing photo shows degrees Fahrenheit and labels the value target, with no actual room-temperature reading. The service record otherwise uses Celsius.

Role A: Technician: clarify units and target versus measurement without adjusting controls.

Role B: Duty manager: provide the existing photo and the room number.

Possible opening: Does the photo identify the units and whether this is the target or room reading?

Success checks

- Identify Fahrenheit.
- Preserve target status.
- Keep units explicit when relaying the number.

Add a complication: The manager wants the unit label omitted because everyone will know.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 02 / READ AND NOTICE

Identifying equipment and linked components

Resolve equipment identity using existing records and clear references.

SITUATION

A school request names AC-4, but the roof plan labels outdoor unit CU-4 and the indoor equipment register labels air handler AH-4. Their relationship is not confirmed. The facilities manager has the equipment register; learners must not access a roof or inspect equipment to obtain information.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

air handler - Equipment that conditions or circulates air through a building system using components such as fans and coils.

condensing unit - An assembly containing components that reject heat as refrigerant condenses, commonly located separately from the indoor equipment.

evaporator - A component where refrigerant absorbs heat as it evaporates.

asset tag - A site-assigned identifier linking a particular equipment item to its location and records.

Useful word combinations

read back the asset tag: repeat the site's equipment identifier

match the indoor and outdoor records: verify the documented component relationship

distinguish model from serial number: separate a product type from an individual unit identifier

locate the service history: find records for the identified equipment

LESSON 02 / LANGUAGE AND PRACTICE

Verify the asset rather than trusting a similar label

3. Notice the language

Site asset tags, manufacturer model numbers, and serial numbers identify different things. Similar suffixes do not prove components are paired. Work from supplied records; do not ask learners to access plant, roofs, or enclosed machinery.

The request says ____; the register identifies ____.

Is that an asset tag or a ____?

The component relationship remains ____.

Compare this wording: Four goes with four.

Clearer: Matching tag numbers suggest a possible link but do not verify the component relationship.

The revision keeps a convenient naming pattern from becoming a technical finding.

4. Check the language

1. Manager: AH-4 is our site's label, not the manufacturer's model.

Technician: Then AH-4 is the ____.

- A. asset tag
- B. model number
- C. serial number
- D. refrigerant designation

2. Planner: Do CU-4 and AH-4 definitely form a pair?

Technician: Their matching numbers ____ that relationship.

- A. have already verified
- B. are proof of
- C. have certified
- D. do not establish

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 02 / 05 • CONVERSATIONS / 1 OF 3

Which number belongs to which unit?

A technician reviews the school's AC-4 request with the facilities manager.

01 • Technician: Your request names AC-4, but the register uses AH-4 and CU-4 separately.

02 • Facilities manager: AH-4 is the air handler. CU-4 is listed as the outdoor condensing unit.

03 • Technician: Does the register explicitly link them, or are you matching their final numbers?

04 • Facilities manager: I'm matching the numbers. I don't see a documented relationship on this page.

05 • Technician: Then let's keep the pairing unverified and request the relevant system record.

06 • Facilities manager: I can obtain that from the building archive without anyone visiting the roof.

07 • Technician: Good. We also need to attach the service history to the correct asset.

08 • Facilities manager: The previous contractor's invoice says unit four, which may be equally ambiguous.

09 • Technician: Please retain that wording and its source rather than assigning it to either component.

10 • Facilities manager: I'll request the detailed job record and give you the two confirmed tag entries.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 2 OF 3

The model repeats, the serial does not

A technician checks a parts enquiry with a service coordinator.

01 • Technician: Both units share the model number, but the parts enquiry identifies only one serial number.

02 • Service coordinator: I assumed the same model meant we could use either unit's service history.

03 • Technician: A model identifies a product type; the serial distinguishes the individual manufactured unit.

04 • Service coordinator: Then the earlier repair record might belong to the neighboring unit rather than this one.

05 • Technician: Exactly. Let's reconcile the asset tag and serial before applying that history to this enquiry.

06 • Service coordinator: The register includes both. I can provide their entries without changing any labels.

07 • Technician: Please do, and preserve any mismatch for review instead of selecting the most convenient number.

08 • Service coordinator: I'll identify which record came from the old invoice and which from the register.

09 • Technician: That will let the service lead assess the linkage using actual sources.

10 • Service coordinator: I'll keep the parts request pending until its intended equipment identity is clear.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 3 OF 3

The evaporator is not the whole system

A technician explains a refrigerator service record to a cafe manager.

01 • Technician: The earlier invoice mentions an evaporator. It doesn't say the entire refrigeration system was replaced.

02 • Cafe manager: I thought evaporator was another name for the complete cabinet and cooling equipment.

03 • Technician: It's a component where refrigerant absorbs heat, not the whole assembled system.

04 • Cafe manager: That helps. The owner asked whether we bought a completely new machine last year.

05 • Technician: This invoice alone doesn't establish that. We should compare its scope with the asset record.

06 • Cafe manager: I'll retrieve the original purchase record and keep the component invoice separate.

07 • Technician: Please include the cabinet's asset reference so we don't confuse it with the adjacent unit.

08 • Cafe manager: Both cabinets look identical, but their labels in our register are FR-1 and FR-2.

09 • Technician: Use those references in the enquiry; identical appearance doesn't connect their histories.

10 • Cafe manager: I'll ask about FR-2 specifically and avoid describing component work as a full replacement.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Identifying equipment and linked components

A school request names AC-4, but the roof plan labels outdoor unit CU-4 and the indoor equipment register labels air handler AH-4. Their relationship is not confirmed. The facilities manager has the equipment register; learners must not access a roof or inspect equipment to obtain information.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the facilities manager. You have register entries but no confirmed component pairing.

Second round: The manager says a photograph of a different site's unit looks identical. Explain why appearance is not an asset reference.

Scenario 2 | The removed unit still appears in the register

The register lists removed asset AH-2, but a handover note records its replacement AH-2A, fictional model Air-Q40, serial AQ-0618. The service booking still names AH-2. The facilities contact has the note; no equipment inspection is needed for this conversation.

Role A: Technician: reconcile the booking with the documented replacement.

Role B: Facilities contact: provide the handover note without guessing that both labels are current.

Possible opening: Does this booking concern the removed AH-2 or the replacement identified as AH-2A?

Success checks

- Identify the replacement clearly.
- Retain the old asset history separately.
- Confirm the service booking references the current item.

Add a complication: The scheduler wants to erase the old asset history.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 03 / READ AND NOTICE

Explaining airflow and distribution reports

Explain air-distribution terms without inferring performance from a label.

SITUATION

A client calls both ceiling openings air-conditioning outlets. The current drawing identifies S3 as supply air and R2 as return air. The client reports discomfort below S3 but provides no airflow measurements. The technician must explain the labels without diagnosing poor performance or prescribing adjustments.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

supply air - Air delivered by a system into the space it serves.

return air - Air drawn from a served space back toward the system for recirculation or treatment.

airflow - The quantity of air moving through a point or system over time, stated with its measurement basis.

static pressure - Pressure exerted by air in a duct apart from its velocity pressure, stated relative to a reference and interpreted with the measurement location and conditions.

Useful word combinations

distinguish supply from return: identify air delivered to and drawn from a space

compare reported readings: use matching units, locations, and conditions

describe uneven distribution: state where the comfort difference is reported

request the balancing report: obtain the record of specified air-distribution assessment

LESSON 03 / LANGUAGE AND PRACTICE

Use direction and measurement context

3. Notice the language

Supply and return describe direction and function. Airflow and static pressure are different quantities requiring stated measurement context. Do not teach damper adjustment, testing steps, or conclusions from invented limits.

___ delivers air; ___ draws air back.

The report gives ___, not ___.

A valid comparison needs the same ___.

Compare this wording: Both openings blow cold air.

Clearer: The drawing identifies S3 as supply and R2 as return; their functions differ.

The correction uses the documented functions rather than treating every opening alike.

4. Check the language

1. Client: Which label means air drawn back from the room?

Technician: That is ___.

- A. supply air
- B. outdoor air intake
- C. discharge air to outside
- D. return air

2. Reviewer: Can we compare these values directly?

Technician: Only if the units and measurement conditions are ___.

- A. comparison
- B. compare
- C. comparable
- D. interchangeably

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 03 / 05 • CONVERSATIONS / 1 OF 3

Supply S3 and return R2

A technician explains two ceiling references to a client.

01 • Technician: The drawing identifies S3 as supply air and R2 as return air.

02 • Client: I called both outlets because they look similar from the meeting table.

03 • Technician: Their functions differ: S3 delivers air, while R2 draws air back toward the system.

04 • Client: The seat below S3 feels uncomfortable. Does that prove there's too much airflow?

05 • Technician: It locates the complaint, but it doesn't establish a measured airflow or its cause.

06 • Client: Then please give the reviewer that seat location rather than just saying the room is uncomfortable.

07 • Technician: I will include S3 and the occupied position, with your report clearly attributed.

08 • Client: Can the earlier balancing report help them compare the intended distribution with the records?

09 • Technician: Yes, if its locations and scope match; we'll request it for the review.

10 • Client: I'll provide the seating plan so the report refers to the place people actually use.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 2 OF 3

Different units on the two reports

A technician checks a comparison with a facilities analyst.

01 • Technician: These airflow reports use different units, and their measurement locations aren't the same.

02 • Facilities analyst: I compared the numbers directly and concluded the new value was much lower.

03 • Technician: That comparison isn't established without reconciling units, locations, and the stated test conditions.

04 • Facilities analyst: I'll withdraw the conclusion and ask the report author for a comparable summary.

05 • Technician: Please keep the original values and units intact rather than changing them informally.

06 • Facilities analyst: One report also lists static pressure. Can I use that instead of missing airflow?

07 • Technician: They describe different quantities; a pressure figure isn't a substitute for an airflow reading.

08 • Facilities analyst: Understood. I'll identify the missing airflow information and keep pressure in its own field.

09 • Technician: The technical reviewer can interpret the relationship using the complete records and their limitations.

10 • Facilities analyst: I'll send the corrected comparison request without treating unlike numbers as evidence of declining performance.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 3 OF 3

The return opening is missing from the furniture plan

A technician and interior coordinator review a new office arrangement.

01 • Technician: The mechanical drawing identifies a return-air opening where the furniture plan shows a tall cabinet.

02 • Interior coordinator: The furniture team treated that wall as empty because the opening wasn't on their elevation.

03 • Technician: We need the two layouts reviewed together before confirming the cabinet position.

04 • Interior coordinator: Can we describe this as a coordination conflict rather than an instruction to move the opening?

05 • Technician: Yes. Identify the return reference and proposed cabinet dimensions for the design team.

06 • Interior coordinator: I'll ask them to assess the relationship, with access and airflow requirements considered specifically.

07 • Technician: Please avoid saying a decorative grille elsewhere would automatically provide an equivalent arrangement.

08 • Interior coordinator: I won't. Similar appearance doesn't establish the same system function or performance.

09 • Technician: The client can still express an appearance preference while the technical layout remains under review.

10 • Interior coordinator: I'll request a coordinated option that addresses both requirements before the cabinet order is released.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Explaining airflow and distribution reports

A client calls both ceiling openings air-conditioning outlets. The current drawing identifies S3 as supply air and R2 as return air. The client reports discomfort below S3 but provides no airflow measurements. The technician must explain the labels without diagnosing poor performance or prescribing adjustments.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask whether discomfort below S3 proves excessive airflow.

Second round: The client wants a control adjustment immediately. Keep the response to the documented labels and the need for assessment.

Scenario 2 | One reading has no location

A report lists 120 and 150 liters per second but omits the measured terminal references, meaning the room openings measured. The client attributes 150 to complaint location S5 without evidence. The original measurement points and conditions remain unverified.

Role A: Technician: ask the report author to identify the measurement point.

Role B: Client: you have the report but no marked plan.

Possible opening: Which terminal does this reading belong to, and where is that recorded?

Success checks

- Keep the reading unassigned until verified.
- Separate perceived draught from measured quantity.
- Request the matching point reference and units.

Add a complication: The client assumes the largest listed value must be S5 because it feels draughty.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 04 / READ AND NOTICE

Checking equipment ratings and refrigerant references

Explain why matching numbers or component labels do not establish equivalent systems.

SITUATION

Two fictional proposals both say 5 kilowatts, but proposal A labels that cooling capacity and proposal B labels it electrical input. The client calls them equal-size systems. Full data sheets and equipment pairings are not supplied. No selection is approved.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

nameplate - The manufacturer's equipment label showing identification and specified ratings or other product information.

cooling capacity - The rate at which equipment is rated to remove heat under stated conditions.

refrigerant designation - The standardized identifier for the working fluid specified for a refrigeration system or component.

matched system - A combination of equipment components identified as compatible for the specified application and rating basis.

Useful word combinations

check the complete rating: include the stated conditions and units

verify the equipment pairing: confirm the specified indoor and outdoor combination

compare capacity on the same basis: avoid unlike rating conditions

confirm the refrigerant reference: identify the documented fluid designation without handling it

LESSON 04 / LANGUAGE AND PRACTICE

Compare like quantities and complete combinations

3. Notice the language

Capacity and electrical input can use the same unit while describing different quantities. A refrigerant designation is an identifier, not a handling instruction or proof of interchangeability. Use complete product information for specialist review.

Both numbers use ___, but one describes ___ .

The rating applies under ___ .

Compatibility of the proposed combination remains ___.

Compare this wording: They are both five kilowatts, so they're equivalent.

Clearer: One figure is cooling capacity and the other electrical input; equivalent capacity is not established.

The correction distinguishes quantities before comparing values.

4. Check the language

1. Client: Which figure describes the rate of heat removal?

Technician: That is the stated ___.

A. refrigerant charge quantity

B. airflow rate

C. cooling capacity

D. electrical input

2. Buyer: Which term names the relationship between the proposed indoor and outdoor components?

Technician: That is their ___.

A. electrical-input rating

B. equipment pairing

C. cooling-capacity rating

D. refrigerant designation

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 04 / 05 • CONVERSATIONS / 1 OF 3

Five kilowatts of what?

A technician compares two incomplete proposals with a client.

01 • Technician: Proposal A lists five kilowatts of cooling capacity; B lists five kilowatts electrical input.

02 • Client: I thought the matching numbers meant both systems had the same cooling output.

03 • Technician: They describe different quantities, even though both use kilowatts as the unit.

04 • Client: Then we need B's cooling-capacity rating before making that particular comparison.

05 • Technician: Yes, with the rating conditions and the complete proposed indoor and outdoor components.

06 • Client: The seller says both use the same refrigerant designation. Does that settle compatibility?

07 • Technician: No, the fluid identifier alone doesn't establish a matched system or equivalent performance.

08 • Client: I'll request the complete data sheets rather than repeat the equal-size claim.

09 • Technician: Please also separate the equipment comparison from any prediction about this building's cooling demand.

10 • Client: Understood. We can review the actual ratings first, with selection and suitability still open.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 2 OF 3

A missing suffix on the nameplate record

A technician clarifies a replacement enquiry with a parts coordinator.

01 • Technician: The equipment record omits the model suffix shown in the existing nameplate photograph.

02 • Parts coordinator: I shortened the reference because the supplier's search found several similar models.

03 • Technician: That suffix may identify a different variant, so the complete reference belongs in the enquiry.

04 • Parts coordinator: I'll use the photograph already in the records, without asking anyone to access equipment.

05 • Technician: Please retain the serial number too, clearly separated from the model and asset tag.

06 • Parts coordinator: The supplier asked for the refrigerant designation. Is that another serial-number field?

07 • Technician: No, it identifies the specified working fluid. Copy the documented label accurately without inferring compatibility.

08 • Parts coordinator: I'll send the complete recorded information and flag any unreadable field instead of guessing.

09 • Technician: That lets the supplier assess the correct equipment rather than a nearby catalog match.

10 • Parts coordinator: I'll keep the proposed replacement pending until its exact applicability is confirmed.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 3 OF 3

The outdoor unit alone has a quoted rating

A technician and purchaser discuss an incomplete equipment quotation.

01 • Technician: This quotation identifies the outdoor unit, but the indoor component reference is missing.

02 • Purchaser: The salesperson gave us an efficiency claim and said the indoor unit was standard.

03 • Technician: We need the actual combination and its rating basis before treating that claim as applicable.

04 • Purchaser: I'll ask for the complete matched-system reference rather than a generic indoor-unit description.

05 • Technician: Please include the conditions associated with any stated capacity or efficiency figure.

06 • Purchaser: The client wants to compare running costs. Can we use the catalog headline directly?

07 • Technician: A headline rating alone doesn't establish this site's energy use or costs.

08 • Purchaser: Then I'll present it as product information, not a guaranteed saving for the building.

09 • Technician: That keeps the comparison honest while the specialist reviews the complete proposed equipment combination.

10 • Purchaser: I'll request the missing references and preserve the original quotation as incomplete pending clarification.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Checking equipment ratings and refrigerant references

Two fictional proposals both say 5 kilowatts, but proposal A labels that cooling capacity and proposal B labels it electrical input. The client calls them equal-size systems. Full data sheets and equipment pairings are not supplied. No selection is approved.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask why two values in kilowatts can be different properties.

Second round: The seller says the refrigerant designation matches. Explain why that alone does not establish a matched system.

Scenario 2 | A bigger rating is treated as a design decision

A client compares fictional catalog options rated at 6 and 8 kilowatts cooling capacity and prefers 8 because bigger sounds better. Rating conditions have not been reconciled. No cooling-load assessment, meaning assessment of the building's cooling demand, is supplied.

Role A: Technician: separate rated capacity from suitability for the building.

Role B: Client: you can arrange a qualified assessment before selecting equipment.

Possible opening: The larger rating describes the unit, but what assessment establishes this building's requirement?

Success checks

- Keep capacity and building demand distinct.
- Avoid recommending a size from catalog numbers.
- State that the discount does not establish suitability.

Add a complication: The seller offers a discount that expires soon.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 05 / READ AND NOTICE

Reporting moisture, symptoms, and service findings

Distinguish a new report, an earlier finding, and a tentative diagnosis.

SITUATION

A client reports water near air handler AH-6 at 15:00 yesterday. Today's supplied visit note says the nearby floor is dry and the source was not identified. An earlier log mentions a drain-pan concern but does not establish a link. No learner is asked to inspect equipment.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

condensate - Liquid water formed when moisture in air condenses, commonly associated with cooling equipment.

drain pan - A component intended to collect condensate or other specified drainage beneath equipment.

service log - A dated record of equipment visits, reported symptoms, observations, and work performed.

provisional diagnosis - A tentative explanation of a heating, cooling, or refrigeration issue that remains subject to confirmation.

Useful word combinations

describe the observed moisture: state its location and time without naming a source

preserve the visit limits: retain what the technician did and did not establish

link the service entry: connect a report to the correct equipment and date

qualify the suspected cause: label a possible explanation as unconfirmed

LESSON 05 / LANGUAGE AND PRACTICE

Use the service log without assuming recurrence

3. Notice the language

A previous drain-pan concern does not prove a new wet-floor report shares its cause. Condensate is a type of moisture, not a diagnosis of every puddle. Discuss supplied observations without teaching investigation or repair.

The earlier entry records ____, while today's note says ____.

That may be relevant, but it doesn't establish ____.

The diagnosis remains provisional because ____.

Compare this wording: It's the same drain-pan fault again.

Clearer: The earlier log mentions the pan; the current moisture source is not confirmed.

The revision links the history without inventing a repeated cause.

4. Check the language

1. Client: Has the cause been confirmed?

Technician: No, the explanation remains a ____.

- A. verified recurrence
- B. provisional diagnosis
- C. confirmed diagnosis
- D. completed repair finding

2. Reviewer: What does today's note establish?

Technician: The nearby floor was ____ during today's visit.

- A. dry
- B. leaking continuously
- C. repaired
- D. the confirmed source

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 05 / 05 • CONVERSATIONS / 1 OF 3

Yesterday's water and today's dry floor

A technician explains the supplied AH-6 notes to the client.

01 • Technician: Today's note records a dry floor near AH-6, not a confirmed resolution of yesterday's report.

02 • Client: I noticed water there at three. The old service log mentions the drain pan.

03 • Technician: That earlier entry is relevant history, but it doesn't establish the source of this report.

04 • Client: Could it have been condensate from the equipment, rather than another source of water?

05 • Technician: That's a possibility for technical assessment, not a confirmed diagnosis from these notes.

06 • Client: Please link the older entry so the reviewer knows the pan was discussed before.

07 • Technician: I'll retain the dates and describe any suspected explanation as a provisional diagnosis.

08 • Client: Does a dry floor mean we should mark the service request resolved for the owner?

09 • Technician: Not on this observation alone. The source question remains open for the reviewer.

10 • Client: I'll tell the owner what was reported, what today's note says, and what remains unknown.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 2 OF 3

An old repair appears under the wrong tag

A technician queries a service-log entry with a coordinator.

01 • Technician: The drain-pan entry is filed under AH-7, but its attached photograph is labeled AH-8.

02 • Coordinator: Those units sit beside each other. The technician may have selected the wrong tag.

03 • Technician: We need the author to verify the reference rather than deciding from that possibility.

04 • Coordinator: I'll retain both labels and request clarification from the original visit record.

05 • Technician: The client has asked whether AH-7 has had three repeated pan-related visits.

06 • Coordinator: We shouldn't count this entry toward that history until the equipment link is confirmed.

07 • Technician: Exactly. An uncertain filing reference could create a misleading pattern of repeat faults.

08 • Coordinator: I'll distinguish the two confirmed AH-7 entries from this third unresolved record.

09 • Technician: Please include that limitation when asking the reviewer about the current reported moisture.

10 • Coordinator: I will send the records with their actual status, not a simplified three-fault claim.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 3 OF 3

Noise reported only during the morning meeting

A technician gathers an existing noise account from a workplace manager.

01 • Technician: The request says constant rattling. When have people actually noticed the sound?

02 • Workplace manager: They mentioned it during Monday's morning meeting and again at Tuesday's briefing.

03 • Technician: Then constant may overstate the report. We have two reported periods, not continuous observation.

04 • Workplace manager: You're right. I used constant because the complaints kept coming to my inbox.

05 • Technician: Let's preserve the repeated reports but identify their times and the room.

06 • Workplace manager: Both concern Meeting Room C, near the ceiling opening closest to the screen.

07 • Technician: I'll record that location without identifying a fan or duct as the confirmed source.

08 • Workplace manager: Should I ask the team to change the controls to see whether the sound returns?

09 • Technician: No reproduction is needed for this language task. Their existing accounts are sufficient to relay.

10 • Workplace manager: I'll correct the description to recurring reported noise and arrange the technical assessment separately.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Reporting moisture, symptoms, and service findings

A client reports water near air handler AH-6 at 15:00 yesterday. Today's supplied visit note says the nearby floor is dry and the source was not identified. An earlier log mentions a drain-pan concern but does not establish a link. No learner is asked to inspect equipment.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask whether the earlier drain-pan entry proves the same fault has returned.

Second round: The client suggests replacing the unit immediately. Explain the difference between a concern requiring assessment and an established replacement need.

Scenario 2 | A stain is noticed after a service visit

A client notices a ceiling mark above the corridor outside Meeting Room C on Friday after Wednesday's visit to air handler AH-9. No earlier photograph covers that area. The visit record identifies no moisture finding, and the cause is unknown.

Role A: Technician: acknowledge timing while distinguishing it from proven cause.

Role B: Client: you want a factual review, not an unsupported blame statement.

Possible opening: You noticed the mark Friday; can we identify its location and preserve that timing accurately?

Success checks

- Acknowledge the concern.
- Separate discovery date from cause.
- Agree a review using the available records.

Add a complication: The client asks you to state that Wednesday's service caused it.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 06 / READ AND NOTICE

Discussing refrigeration alarms and temperature records

Explain a refrigeration record without issuing food-safety advice.

SITUATION

A fictional cafe cabinet display recorded 8 degrees Celsius at 06:10. Product temperatures were not supplied. An alarm-history entry has the same time as a scheduled defrost entry, but the cause and duration are unconfirmed. The cafe manager asks whether the food is safe. The responsible food-safety lead must decide under the site's procedures.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

defrost cycle - A specified operating phase intended to remove accumulated frost from relevant refrigeration surfaces.

cabinet temperature - A temperature associated with air or a sensor location in a refrigerated cabinet, distinct from the temperature of stored products.

product temperature - The temperature of a stored item, measured and interpreted under the relevant product-specific procedures.

alarm history - A record of equipment alarm events, including their identifiers, times, and available status information.

Useful word combinations

identify the sensor location: establish what the recorded value represents

align the timestamps: compare records using a consistent time basis

preserve the alarm history: retain events rather than erase inconvenient entries

refer stock decisions: direct product-safety or disposition questions to the responsible person

LESSON 06 / LANGUAGE AND PRACTICE

Separate equipment evidence from product decisions

3. Notice the language

An air or sensor reading is not automatically a product-temperature result. A defrost entry does not make an alarm harmless by definition. Preserve records and refer stock decisions promptly to the responsible site specialist; do not supply temperature thresholds or operating changes.

This value comes from ___, not ___.

The entries coincide, but ___ remains unconfirmed.

The equipment enquiry is ___; the product decision belongs with ___.

Compare this wording: That's just defrost, so the stock is fine.

Clearer: The records coincide in time; the cause and product condition are not established.

The revision removes an unsupported cause and food-safety assurance.

4. Check the language

1. Manager: Does the cabinet display prove the stored items were at that temperature?

Technician: No, it is not a supplied ___ result.

A. product-temperature

B. cabinet-display

C. air-sensor

D. controller-reading

2. Manager: Did defrost definitely cause the alarm?

Technician: The times coincide, ___ causation is unconfirmed.

A. therefore

B. because

C. so that

D. but

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 06 / 05 • CONVERSATIONS / 1 OF 3

The cabinet reading is not the product reading

A refrigeration technician discusses the fictional cafe log with its manager.

01 • Technician: The cabinet temperature display logged eight degrees Celsius at six ten, not a product temperature.

02 • Cafe manager: Can you tell me from that whether the stored food is safe to sell?

03 • Technician: No. We have no supplied product-temperature result, and that decision needs your food-safety lead.

04 • Cafe manager: The alarm and scheduled defrost cycle have the same timestamp. Doesn't that explain it?

05 • Technician: The coincidence is relevant, but it doesn't establish cause, duration, or product condition.

06 • Cafe manager: I'll involve the food-safety lead now rather than wait for an equipment explanation.

07 • Technician: Please retain the alarm history and identify which cabinet and display produced this value.

08 • Cafe manager: It's cabinet FR-3. I'll send the existing record with its timestamp and units.

09 • Technician: We'll ask the technical reviewer to clarify the equipment event without treating that as stock clearance.

10 • Cafe manager: Understood. Equipment assessment and the product decision will remain separate, with both concerns followed up.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 2 OF 3

Two clocks disagree

A technician clarifies refrigeration event times with a shop supervisor.

01 • Technician: The cabinet alarm says six ten, while the staff log records the concern at seven ten.

02 • Shop supervisor: I assumed there were two separate events, exactly an hour apart from each other.

03 • Technician: Do both records use the same time basis? The equipment clock setting isn't identified here.

04 • Shop supervisor: I don't know. The staff log uses the wall clock in the office.

05 • Technician: Then we should verify the timestamps before describing a repeated event or its duration.

06 • Shop supervisor: I'll ask the service coordinator to confirm the record's time basis, without changing either original entry.

07 • Technician: Please preserve the recorded values and identify any later correction as a correction.

08 • Shop supervisor: The stock lead also needs the timeline. Should I give them only the earlier time?

09 • Technician: Give both sources with the unresolved difference; don't choose one as confirmed without evidence.

10 • Shop supervisor: I'll send that qualified timeline so they know exactly what remains uncertain.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 3 OF 3

An acknowledged alarm is not a resolved condition

A technician explains an alarm-history label to a facilities client.

01 • Technician: The history marks the alarm acknowledged, but it doesn't show a confirmed resolution.

02 • Facilities client: I thought acknowledged meant the cause had been corrected and the cabinet was fine.

03 • Technician: It records recognition of the alarm, not necessarily resolution of the underlying condition.

04 • Facilities client: Then our report should not say fault cleared based on that status alone.

05 • Technician: Correct. We need the actual event history and technical findings to establish the outcome.

06 • Facilities client: The food-safety lead asked whether an acknowledgment clears the product for use.

07 • Technician: That status cannot establish product suitability. They need the relevant product information and site procedures.

08 • Facilities client: I'll preserve acknowledged as the equipment-log status, with the condition and stock decisions separate.

09 • Technician: Please include the event identifier so the reviewer can locate the specific alarm.

10 • Facilities client: I will ask for its verified outcome rather than infer it from the acknowledgment label.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Discussing refrigeration alarms and temperature records

A fictional cafe cabinet display recorded 8 degrees Celsius at 06:10. Product temperatures were not supplied. An alarm-history entry has the same time as a scheduled defrost entry, but the cause and duration are unconfirmed. The cafe manager asks whether the food is safe. The responsible food-safety lead must decide under the site's procedures.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the cafe manager. You have the display log but no product-temperature record.

Second round: The manager asks for a guarantee that the stock can be sold. Decline that judgment and identify the food-safety lead while preserving the equipment enquiry.

Scenario 2 | The minimum and maximum lack a period

A summary for cabinet C6 gives a minimum of 2 and maximum of 8 degrees Celsius but omits the recording period and sensor location. No product temperatures are supplied. The stock lead asks how long products were outside their required conditions; this summary cannot establish that.

Role A: Technician: identify what the equipment summary can and cannot establish.

Role B: Manager: retrieve the full existing log and involve the stock lead.

Possible opening: What period and sensor location do these minimum and maximum values cover?

Success checks

- Request the missing context.
- Do not infer product temperature or duration.
- Keep the stock decision with the responsible lead.

Add a complication: The manager wants to treat the maximum as the temperature of every stored item.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 07 / READ AND NOTICE

Coordinating ductwork, access, and changes

Negotiate a relocation without assuming the visible component is the whole job.

SITUATION

An office client wants a supply grille moved because it conflicts visually with a pendant light. The proposal has not assessed ductwork, ceiling restoration, service access, price, or timing. The client can retain the current reviewed layout or request a coordinated change proposal.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

ductwork - The network of passages carrying air between equipment and served locations.

grille - A covering with openings through which air passes, typically at a room or duct opening.

service clearance - Space specified for access to equipment during inspection, maintenance, or other service activity.

change proposal - A defined suggested alteration to agreed work, with its cost, timing, and approval status stated for review.

Useful word combinations

coordinate the ceiling layout: reconcile equipment, air openings, and other ceiling elements

preserve the stated service clearance: account for the manufacturer's or design review's access requirement

define the relocation scope: specify which items a proposed move includes

compare restoration responsibilities: identify who repairs finishes affected by a change

LESSON 07 / LANGUAGE AND PRACTICE

Discuss the visible request and its wider scope

3. Notice the language

A small visible change can affect concealed work and another trade's finishes. Name those possible dependencies without inventing their extent. Service clearance is project- and equipment-specific; do not offer universal dimensions.

The visible request is ____; the wider review includes ____.

We can retain ____ or assess ____.

Please distinguish ____ from ____ in the proposal.

Compare this wording: It's only a grille, so moving it is simple.

Clearer: The grille move needs a coordinated scope review, including ductwork and ceiling finishes.

The revision avoids claiming simplicity from the visible part alone.

4. Check the language

1. Client: What do we call the connected passages carrying air between the equipment and this grille?

Technician: That network is the ____.

A. refrigerant pipework

B. condensate drainage

C. control cabling

D. ductwork

2. Client: Has the designer considered the relocation yet?

Technician: No. It remains a proposal ____ review.

A. after completion of

B. on the basis of

C. pending

D. following

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 07 / 05 • CONVERSATIONS / 1 OF 3

The grille is only the visible part

A technician discusses a proposed ceiling change with the office client.

01 • Technician: You want the supply grille moved because it visually conflicts with the pendant light.

02 • Office client: Yes. It looks like a small cover, so I hoped the change would be simple.

03 • Technician: The connected ductwork and ceiling finishes may be affected; the extent hasn't been assessed.

04 • Office client: Could we obtain a coordinated change proposal rather than alter the agreed layout immediately?

05 • Technician: Yes. Please provide the revised lighting position so both teams review the same arrangement.

06 • Office client: I'd like the current layout kept as an option if the change is disruptive.

07 • Technician: We'll compare the proposed scope, restoration responsibility, price, and timing against that retained option.

08 • Office client: Please include any service-access implications rather than leave those until the ceiling is finished.

09 • Technician: I'll ask the design team to address them explicitly, without prescribing a new route myself.

10 • Office client: Then proceed with the review request, not the physical relocation or an assumed extra order.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 2 OF 3

The new cabinet occupies service space

A technician and facilities planner review furniture near equipment.

01 • Technician: The proposed storage cabinet overlaps the service-clearance area shown in the equipment detail.

02 • Facilities planner: It's a shallow cabinet. Could we describe it as outside the equipment footprint?

03 • Technician: The footprint and service clearance are different; the access requirement extends beyond the unit itself.

04 • Facilities planner: I see. We need to compare the actual cabinet dimensions with the referenced clearance area.

05 • Technician: Yes, and ask the designer to review the relationship using the correct equipment documentation.

06 • Facilities planner: Would making the cabinet movable automatically resolve the service-access question for this room?

07 • Technician: Not automatically. The revised arrangement still needs review rather than a different label.

08 • Facilities planner: I'll request an alternative storage position and keep the current proposal unapproved.

09 • Technician: Please show the service area on the furniture layout so the reason is visible.

10 • Facilities planner: That will make the coordination issue clearer than telling the client their cabinet simply doesn't fit.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 3 OF 3

The ceiling contractor's scope is separate

A technician clarifies a relocation estimate with a project coordinator.

01 • Technician: The mechanical estimate covers the proposed ductwork change, but excludes reinstating the ceiling finish.

02 • Project coordinator: The client thought one relocation price included all work associated with moving the opening.

03 • Technician: Then the comparison needs a separate ceiling-restoration item or a clearly coordinated combined proposal.

04 • Project coordinator: I'll ask the ceiling contractor for the same affected area and finish reference.

05 • Technician: Please keep access dates aligned so neither trade assumes the other has already completed preparation.

06 • Project coordinator: The client also wants the pendant moved. That belongs with the electrical team, not this estimate.

07 • Technician: Exactly. We should identify it as another coordinated item rather than hide it under relocation.

08 • Project coordinator: I'll present the inclusions and exclusions plainly, with each responsible team named.

09 • Technician: That lets the client assess the whole requested change without inferring a complete package from one price.

10 • Project coordinator: I'll keep the original reviewed layout available until the revised package is actually accepted.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Coordinating ductwork, access, and changes

An office client wants a supply grille moved because it conflicts visually with a pendant light. The proposal has not assessed ductwork, ceiling restoration, service access, price, or timing. The client can retain the current reviewed layout or request a coordinated change proposal.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Appearance matters, but you want the existing layout retained if the change is disruptive.

Second round: The decorator quotes ceiling restoration separately. Explain the combined comparison without assuming the original mechanical price includes it.

Scenario 2 | A maintenance visit meets a ceiling closure

A service visit is proposed for Thursday, but the ceiling contractor plans to close the relevant area Wednesday. Access arrangements have not been coordinated; neither date is final.

Role A: Technician: identify the dependency and request a joint scheduling decision.

Role B: Coordinator: you can speak to both contractors and the occupier.

Possible opening: Can we reconcile the service visit with the proposed ceiling closure before confirming either date?

Success checks

- Name both proposed activities and dates.
- Keep the access question explicit.
- Agree who obtains a coordinated sequence.

Add a complication: The coordinator says the service team can work out access on arrival.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 08 / READ AND NOTICE

Handing over commissioning and maintenance information

Hand over records without making deferred work or mismatched manuals disappear.

SITUATION

A fictional office system's commissioning report is received but lists a deferred seasonal check. The maintenance sheet names the wrong model. Coordinator Nia accepts document correction and will update the client Friday. The seasonal-check date is not booked, and responsibility for scheduling it has not yet been confirmed. Who will arrange the check remains an open question. No overall performance or warranty conclusion is supplied.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

commissioning report - A record of specified verification activities, results, and limitations associated with confirming intended system performance.

maintenance interval - The stated period or condition between maintenance activities for particular equipment or tasks.

warranty exclusion - A condition or circumstance expressly outside the coverage described in a warranty document.

outstanding item - A specific unresolved work, record, or review requirement retained for follow-up.

Useful word combinations

match the manual to the equipment: verify the document reference against the supplied unit

separate completed from deferred: identify work done and work still outstanding

confirm the maintenance basis: identify the source of the stated interval

transfer the follow-up: agree who owns the unresolved item and next update

LESSON 08 / LANGUAGE AND PRACTICE

Explain the remaining obligations precisely

3. Notice the language

A report may contain completed activities and explicit limitations. Match maintenance information to the actual equipment and its stated source. Do not invent intervals, interpret warranty rights, or turn a status call into a service booking.

The report is received, but ___ is deferred.

The maintenance information applies to ___, not ___.

___ owns ___; the separate visit remains ___.

Compare this wording: The report is here, so commissioning is entirely finished.

Clearer: The report is received; its seasonal check remains deferred and unbooked.

The revision retains the report's stated limitation.

4. Check the language

1. Client: Is the seasonal check complete?

Technician: The report lists it as ___.

A. completed

B. superseded by the manual

C. deferred

D. accepted without review

2. Client: Does Friday mean a technician is attending?

Coordinator: It is an update call, ___ a booked service visit.

A. because of

B. not

C. including

D. therefore

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 08 / 05 • CONVERSATIONS / 1 OF 3

The report includes a deferred check

A technician hands over the fictional commissioning information to the client.

01 • Technician: The commissioning report is received, but it explicitly lists a deferred seasonal check.

02 • Client: I thought receiving the report meant every verification activity had already been completed.

03 • Technician: Not this one. It remains an outstanding item, with no date booked.

04 • Client: The maintenance sheet also names another model. Who will obtain the correct information?

05 • Technician: Nia has accepted that document follow-up and will update you Friday.

06 • Client: Please distinguish that call from the seasonal visit so our facilities team can plan.

07 • Technician: I will. The report item and the model-specific maintenance information are separate follow-ups.

08 • Client: Can you simply give us a standard maintenance interval while the correct sheet is pending?

09 • Technician: I shouldn't invent an interval. We need the applicable equipment guidance and review.

10 • Client: Then keep both items open, with Friday as the document update rather than an attendance promise.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 2 OF 3

A generic manual needs an applicability check

A technician discusses a received manual with a facilities assistant.

01 • Technician: The supplier sent a family manual, but our exact model isn't obvious on the cover.

02 • Facilities assistant: The filename matches our unit nickname. Is that enough to file it as confirmed?

03 • Technician: No. We need its applicability checked against the complete equipment reference in the asset record.

04 • Facilities assistant: I'll ask the supplier to identify the section or document covering the supplied model.

05 • Technician: Please preserve the received file, marked pending verification, rather than deleting or relabeling it.

06 • Facilities assistant: The client also asks which maintenance interval applies to the installed configuration.

07 • Technician: That needs the applicable guidance; a generic interval from another model may not transfer.

08 • Facilities assistant: I'll keep the source and configuration references with the confirmed information when it arrives.

09 • Technician: Good. That makes future maintenance enquiries traceable to the actual equipment and document.

10 • Facilities assistant: I'll update the handover status only after the document's applicability is established.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 3 OF 3

A warranty exclusion is not a diagnosis

A technician clarifies a client's question about a warranty document.

01 • Technician: A warranty exclusion doesn't settle your case; the terms and circumstances still need review.

02 • Client: Does the mention of maintenance mean the supplier will definitely reject every future claim?

03 • Technician: That doesn't follow from a heading alone. The actual terms and circumstances need review.

04 • Client: I don't want a broad promise of coverage either, because that could be misleading.

05 • Technician: Agreed. We can identify the relevant document and pass your question to the appropriate contact.

06 • Client: Please keep the equipment reference with that enquiry so they consider the right product.

07 • Technician: I will, and the current service concern will remain separate from a coverage decision.

08 • Client: Can the technician still report observations without deciding what the supplier must pay for?

09 • Technician: Yes. Technical findings and warranty interpretation have different purposes and should be distinguished.

10 • Client: Then obtain the factual report and the specific warranty response as separate items.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Handing over commissioning and maintenance information

A fictional office system's commissioning report is received but lists a deferred seasonal check. The maintenance sheet names the wrong model. Coordinator Nia accepts document correction and will update the client Friday. The seasonal-check date is not booked, and responsibility for scheduling it has not yet been confirmed. Who will arrange the check remains an open question. No overall performance or warranty conclusion is supplied.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask who corrects the model-specific maintenance sheet and who arranges the seasonal check.

Second round: The supplier sends a generic family manual. Keep applicability pending verification rather than closing the correction merely because a file arrived.

Scenario 2 | The follow-up owner changes

Nia is leaving before a maintenance-sheet mismatch is resolved. Installed asset AH-12 is fictional model Air-Q50; the received sheet names Air-Q30. Applicability has not been confirmed. Ellis accepts the supplier query and can update the client Tuesday. The separate seasonal check remains unbooked.

Role A: Outgoing technician: transfer the mismatch between installed AH-12, model Air-Q50, and the sheet naming Air-Q30.

Role B: Ellis: repeat asset AH-12 and model Air-Q50, accept the supplier follow-up, and distinguish it from booking the seasonal check.

Possible opening: Can you accept the maintenance-sheet query and keep the seasonal-check booking separate?

Success checks

- Confirm Ellis accepts the maintenance-document query.
- Repeat installed model Air-Q50 and distinguish the sheet's Air-Q30 reference.
- State that Tuesday is an update and the seasonal visit remains unbooked.

Add a complication: The client assumes the new contact has also booked the seasonal visit.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

Answer workshop

Try the tasks first. The model is one acceptable response to scenario 1, not a script to memorize. Assess your spoken version using the four criteria at the end.

01 | Clarifying comfort complaints and thermostat readings

Editing example: Twenty-two is the setpoint; the actual room temperature has not been confirmed.

The revision avoids treating a requested value as a measurement.

Check 1: B - setpoint

A: A supply-air reading concerns delivered air rather than the control target.

B: Correct. Setpoint identifies the target requested by the control.

C: Ambient temperature would describe surrounding air measured at a location.

D: A temperature difference compares two values, not one target.

Check 2: A - after

A: Correct. The report begins after the stated time.

B: 'By' would establish a latest time, not the reported period.

C: 'Until' would reverse the reported timing relationship.

D: 'Throughout' needs a period, not this single time expression.

Model response: Is 22 degrees the target shown on the thermostat, or a measured room-temperature reading? I will record it as the setpoint if that is the display label. The staff's report concerns feeling warm in the meeting-room zone after 14:00. We still need to distinguish that comfort report from measured conditions and any technical finding.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

02 | Identifying equipment and linked components

Editing example: Matching tag numbers suggest a possible link but do not verify the component relationship.

The revision keeps a convenient naming pattern from becoming a technical finding.

Check 1: A - asset tag

A: Correct. An asset tag is the site's equipment identifier.

B: A model number identifies a manufacturer product type.

C: A serial number identifies an individual manufactured unit.

D: A refrigerant designation identifies the working fluid type, not this site label.

Check 2: D - do not establish

A: No verification is supplied in the case.

B: The naming similarity is not proof of the relationship.

C: Certification is not established by matching labels.

D: Correct. Similar identifiers do not confirm the actual pairing.

Model response: Could you confirm which asset AC-4 refers to in the request? The records list outdoor unit CU-4 and air handler AH-4, but their matching numbers do not establish that they serve the same system. Please provide the relevant equipment-register entries so we can verify the relationship before attaching the service history.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

03 | Explaining airflow and distribution reports

Editing example: The drawing identifies S3 as supply and R2 as return; their functions differ.

The correction uses the documented functions rather than treating every opening alike.

Check 1: D - return air

A: Supply air is delivered into the room.

B: Outdoor air intake draws air from outside rather than identifying return from this room.

C: Discharge to outside is a different direction and destination.

D: Correct. Return air is drawn back from the served room.

Check 2: C - comparable

A: The noun does not describe the conditions grammatically here.

B: The base verb does not form the required adjective phrase.

C: Correct. 'Comparable' describes conditions suitable for a fair comparison.

D: The adverb does not fit after 'are' as the required description.

Model response: On this drawing, S3 delivers supply air into the room, while R2 draws return air back toward the system. They are not interchangeable outlet labels. Your discomfort below S3 is useful location information, but it does not by itself establish an airflow value or a cause. We can refer the report with those references clearly identified.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

04 | Checking equipment ratings and refrigerant references

Editing example: One figure is cooling capacity and the other electrical input; equivalent capacity is not established.

The correction distinguishes quantities before comparing values.

Check 1: C - cooling capacity

A: Charge quantity is an amount of refrigerant, not a heat-removal rate.

B: Airflow rate describes moving air quantity rather than thermal capacity directly.

C: Correct. Cooling capacity describes the rate of heat removal under stated conditions.

D: Electrical input describes consumed electrical power rather than heat removal capacity.

Check 2: B - equipment pairing

A: Electrical input describes a power quantity rather than the paired component relationship.

B: Correct. Equipment pairing identifies the component combination requiring compatibility verification.

C: Cooling capacity describes a performance quantity, not the component relationship.

D: The refrigerant designation identifies a fluid, not the complete equipment combination.

Model response: The two 5-kilowatt figures describe different quantities. Proposal A states cooling capacity, while proposal B states electrical input. We cannot treat them as equal-capacity systems from those numbers. Please obtain the full data sheets, rating conditions, and proposed component pairings so the reviewer can compare like for like before we discuss a selection.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

05 | Reporting moisture, symptoms, and service findings

Editing example: The earlier log mentions the pan; the current moisture source is not confirmed.

The revision links the history without inventing a repeated cause.

Check 1: B - provisional diagnosis

A: The history does not verify that the same cause recurred.

B: Correct. Provisional identifies an explanation still awaiting confirmation.

C: A confirmed diagnosis would overstate the supplied evidence.

D: No completed repair finding is provided here.

Check 2: A - dry

A: Correct. Dry is the observed condition recorded in the note.

B: Continuous leakage contradicts the supplied observation.

C: A dry observation does not establish a repair.

D: The source was expressly not identified.

Model response: The supplied visit note records a dry floor today, not a confirmed resolution of yesterday's report. The earlier drain-pan entry may be relevant history, but it does not establish the current source. I will link the dated reports to AH-6 and keep any explanation provisional until the technical reviewer confirms what the evidence supports.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

06 | Discussing refrigeration alarms and temperature records

Editing example: The records coincide in time; the cause and product condition are not established.

The revision removes an unsupported cause and food-safety assurance.

Check 1: A - product-temperature

A: Correct. No product-temperature result has been supplied.

B: The value is expressly a cabinet-display reading.

C: An air-sensor result is a different evidence type from product temperature.

D: A controller reading is what the supplied display value represents, not the missing product result.

Check 2: D - but

A: 'Therefore' would suggest coincidence establishes the conclusion.

B: 'Because' would make uncertainty the reason for coinciding times.

C: 'So that' normally introduces a purpose or result, not this contrast.

D: Correct. 'But' preserves the distinction between timing and cause.

Model response: The 8-degree value is a cabinet reading at 06:10, not a supplied product-temperature result. The alarm and scheduled defrost entries share a timestamp, but that does not establish the cause or duration. I cannot decide food safety from this record. Please involve your food-safety lead while we clarify the equipment history.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

07 | Coordinating ductwork, access, and changes

Editing example: The grille move needs a coordinated scope review, including ductwork and ceiling finishes.

The revision avoids claiming simplicity from the visible part alone.

Check 1: D - ductwork

A: Refrigerant pipework carries the refrigeration working fluid rather than room air.

B: Condensate drainage carries collected water rather than the supplied air.

C: Control cabling carries signals or electrical connections rather than air.

D: Correct. Ductwork carries air between equipment and served spaces.

Check 2: C - pending

A: This would say the review was complete, which the technician has denied.

B: This would make a review the proposal's basis although the designer has not considered it.

C: Correct. Pending review means the review has not yet been completed.

D: Following review would place the proposal after a review, contrary to the answer.

Model response: We can retain the current reviewed layout or request a coordinated proposal for the grille relocation. The visible grille is only part of the change; ductwork, ceiling restoration, access, cost, and timing may also need review. Could you provide the revised lighting position so both layouts can be assessed together before any change is agreed?

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

08 | Handing over commissioning and maintenance information

Editing example: The report is received; its seasonal check remains deferred and unbooked.

The revision retains the report's stated limitation.

Check 1: C - deferred

A: The supplied report explicitly leaves the check incomplete.

B: A manual does not replace the deferred check stated in the report.

C: Correct. Deferred means postponed rather than completed.

D: No acceptance without review is recorded in the case.

Check 2: B - not

A: 'Because of' would need an established causal explanation, not this contrast.

B: Correct. 'Not' preserves the distinction between call and attendance.

C: 'Including' would add an attendance commitment not supplied.

D: 'Therefore' incorrectly presents a call as proving a visit.

Model response: Nia has accepted follow-up on the maintenance sheet, which names the wrong model, and will update you Friday. We haven't confirmed who will book the seasonal check; that question remains open. Could we confirm who will take responsibility for booking it? The commissioning report is received, but the check remains deferred and no date is booked.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

Give feedback that helps

Score each criterion 0, 1, or 2. This is a practice rubric, not a professional qualification or CEFR test. Do not award or remove points for a particular accent.

Meaning and accuracy

Keeps the case facts accurate; clearly separates confirmed and unknown information.

Clarity and language

Uses understandable sentences and explains specialist terms when the listener needs it.

Interaction and tone

Responds to the other person's question, checks understanding, and uses an appropriate tone.

Task completion

Makes the requested action or unresolved question clear without inventing authority or facts.

Use the same scale for each criterion

0 - Not yet: The reader or listener cannot yet recover the intended meaning or action.

1 - With support: The message works after a prompt, clarification, or revision.

2 - Independently: The message is clear and accurate without a prompt.

Feedback sequence

First, identify a successful phrase. Next, identify one point where meaning or accuracy needs work. Offer one useful language correction, allow a repeat, and compare the two attempts. A total out of eight describes this performance only; do not translate it into a proficiency level.

Final challenge

Choose a case not rehearsed today. The learner gives a one-minute response, answers two follow-up questions, and switches roles and repeats the exchange. Add the lesson's second-round challenge. Compare the result with an earlier attempt using the four criteria.

Use the language responsibly

Fictional workplace-language practice, not heating, ventilation, air-conditioning, or refrigeration (HVACR) training, equipment-operation advice, food-safety advice, or warranty interpretation. All case facts, products, readings, ratings, incidents, and schedules are invented. No refrigerant handling, charging, recovery, electrical operation, diagnostic testing, repair, installation, or control-adjustment procedures are taught. Qualified specialists and applicable site procedures govern technical decisions; product-safety and stock decisions remain with the responsible site lead. No universal code or permit requirements are asserted. Sources establish occupational context, not endorsement of the invented cases.

Meaning before performance

Use specialist terms only when they help the listener. Explain unfamiliar words, preserve uncertainty, and ask when an instruction or responsibility is unclear. The model responses illustrate language; they do not authorize professional actions.

Sources and further reading

The cases, workshops, and explanations are original teaching material. These references provide language frameworks and selected professional context. References were checked in September 2026; consult current local guidance for actual work.

Digital.gov: plain-language guidance

<https://digital.gov/guides/plain-language>

Council of Europe: CEFR descriptors

<https://www.coe.int/en/web/common-european-framework-reference-languages/cefr-descriptors>

U.S. Bureau of Labor Statistics: Heating, Air Conditioning, and Refrigeration Mechanics and Installers

<https://www.bls.gov/ooh/installation-maintenance-and-repair/heating-air-conditioning-and-refrigeration-mechanics-and-installers.htm>

O*NET OnLine: Heating, Air Conditioning, and Refrigeration Mechanics and Installers (49-9021.00), U.S. Department of Labor-sponsored occupational profile

<https://www.onetonline.org/link/summary/49-9021.00>

Your next step

Choose one expression you can use in a genuine work situation. Rehearse it with fictional details, then adapt the wording to your role and audience.

Extend your practice with AI

Use the next two prompts after your own first attempt. Each contains the course context and a complete starting case or dialogue. Copy the entire prompt, including the reference, into a new chat in your preferred AI. You can also use the links to copy it from the website.

Choose the right kind of help

A role-play prompt makes the AI wait for your replies. A new-dialogue prompt asks for a complete professional script. Guided message practice gives four choices with explained feedback. Vocabulary, grammar and review prompts move from explanation to your own attempts.

Choose any lesson or dialogue online

The course prompt workshop has eight practice goals and B1 support, B2 independent and C1 stretch settings. These are practice choices, not assessed proficiency levels. Select the same lesson number or dialogue title you used in this guide.

[Open this course's AI prompt workshop](#)

Keep practice useful

Use fictional or anonymized details. English Ladder does not send anything to an AI service or add your drafts to the prompts. Your chosen service's terms and any usage charges apply. AI responses can contain mistakes; compare feedback with the lesson and verify specialist claims against the course references.

The two starter prompts use B2 practice. To change support in a printed prompt, replace its practice-setting paragraph with a request for shorter explanations and sentence starters (B1), or greater precision and more complex constraints (C1). Keep the professional facts unchanged.

Changing the example

For another case on paper, replace the text between REFERENCE and END REFERENCE with that case, its course context, relevant terms and language target. Include the full exchange if practicing a dialogue. Do not assume your AI can access this PDF or a link. The website makes this substitution for you.

Prompt edition: 2026-09-28. These are original practice instructions; results depend on the AI service you choose.

Practice grammar in context

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: HVAC & Refrigeration English

Professional audience: Heating, ventilation, air-conditioning, and refrigeration technicians, supervised apprentices, service coordinators, and mechanical crew leads

Scope: Fictional workplace-language practice, not heating, ventilation, air-conditioning, or refrigeration (HVACR) training, equipment-operation advice, food-safety advice, or warranty interpretation. All case facts, products, readings, ratings, incidents, and schedules are invented. No refrigerant handling, charging, recovery, electrical operation, diagnostic testing, repair, installation, or control-adjustment procedures are taught. Qualified specialists and applicable site procedures govern technical decisions; product-safety and stock decisions remain with the responsible site lead. No universal code or permit requirements are asserted. Sources establish occupational context, not endorsement of the invented cases.

Lesson 01: Clarifying comfort complaints and thermostat readings

Original fictional case: An office manager says the meeting room is 22 degrees Celsius. The number is the thermostat setpoint, not a confirmed ambient-temperature reading. Staff report feeling warm there after 14:00. No cause or equipment fault has been established.

Language workshop: Ask which number is being reported

Communication goal: Separate a control target, a temperature observation, and a comfort complaint.

Language guidance: A thermostat display may show different values. Ask what the existing label says rather than directing control changes. Comfort descriptions are useful information, but they do not by themselves identify a system fault.

Useful frames (complete the gaps with case facts): Does that display show ___ or ___? / The complaint concerns ___ after ___. / The target is ___; the measured condition remains ___.

Vocabulary: thermostat: A device that senses temperature and requests heating or cooling according to its configured controls. / setpoint: The target value requested by a control, distinct from a measured condition.

/ ambient temperature: The temperature of the surrounding air at an identified place and time. / thermal zone: An area treated as a unit for heating or cooling control or assessment.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the manager. The display says target 22 degrees Celsius, and staff feel warm after 14:00.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: The manager asks whether lowering the setting will solve the complaint. Keep the exchange to information gathering, not operating advice.

Model for comparison AFTER my attempt, not a response to give me first: Is 22 degrees the target shown on the thermostat, or a measured room-temperature reading? I will record it as the setpoint if that is the display label. The staff's report concerns feeling warm in the meeting-room zone after 14:00. We still need to distinguish that comfort report from measured conditions and any technical finding.

END REFERENCE

TASK: Choose grammar that preserves the meaning

1. Use the lesson's language workshop, or one actual sentence from the dialogue, to explain a single grammar distinction in no more than 90 words. Show how it affects timing, certainty, responsibility or politeness.
2. Give one brief occupational exchange containing a gap and four complete options A-D. Supply enough context for exactly one answer. Keep distractors plausible; distinguish grammar errors from wording that changes the facts. Stop and wait.
3. Explain why each choice fits or fails, then ask me to read the completed exchange aloud. Do not request a draft, original written sentence or essay.
4. Repeat with three new exchanges, one at a time, moving from recognition to a more subtle meaning contrast. Do not copy the published checks. Label invented variations and do not turn uncertainty into a promise.
5. End with a short contrast table and two supported spoken turns using supplied frames. Accept accurate alternatives in oral practice; acknowledge and replace ambiguous multiple-choice items.

END PROMPT

Choose a clear message

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: HVAC & Refrigeration English

Professional audience: Heating, ventilation, air-conditioning, and refrigeration technicians, supervised apprentices, service coordinators, and mechanical crew leads

Scope: Fictional workplace-language practice, not heating, ventilation, air-conditioning, or refrigeration (HVACR) training, equipment-operation advice, food-safety advice, or warranty interpretation. All case facts, products, readings, ratings, incidents, and schedules are invented. No refrigerant handling, charging, recovery, electrical operation, diagnostic testing, repair, installation, or control-adjustment procedures are taught. Qualified specialists and applicable site procedures govern technical decisions; product-safety and stock decisions remain with the responsible site lead. No universal code or permit requirements are asserted. Sources establish occupational context, not endorsement of the invented cases.

Lesson 01: Clarifying comfort complaints and thermostat readings

Original fictional case: An office manager says the meeting room is 22 degrees Celsius. The number is the thermostat setpoint, not a confirmed ambient-temperature reading. Staff report feeling warm there after 14:00. No cause or equipment fault has been established.

Language workshop: Ask which number is being reported

Communication goal: Separate a control target, a temperature observation, and a comfort complaint.

Language guidance: A thermostat display may show different values. Ask what the existing label says rather than directing control changes. Comfort descriptions are useful information, but they do not by themselves identify a system fault.

Useful frames (complete the gaps with case facts): Does that display show ___ or ___? / The complaint concerns ___ after ___. / The target is ___; the measured condition remains ___.

Vocabulary: thermostat: A device that senses temperature and requests heating or cooling according to its configured controls. / setpoint: The target value requested by a control, distinct from a measured condition.

/ ambient temperature: The temperature of the surrounding air at an identified place and time. / thermal zone: An area treated as a unit for heating or cooling control or assessment.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the manager. The display says target 22 degrees Celsius, and staff feel warm after 14:00.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: The manager asks whether lowering the setting will solve the complaint. Keep the exchange to information gathering, not operating advice.

Model for comparison AFTER my attempt, not a response to give me first: Is 22 degrees the target shown on the thermostat, or a measured room-temperature reading? I will record it as the setpoint if that is the display label. The staff's report concerns feeling warm in the meeting-room zone after 14:00. We still need to distinguish that comfort report from measured conditions and any technical finding.

END REFERENCE

TASK: Coach guided workplace message choices

1. Use only the supplied reference and create one short, realistic dialogue with professional role labels and exactly one missing word or phrase. Supply four distinct options labelled A-D. Ensure that exactly one option fits both the grammar and the stated facts. Do not request a draft, an essay, or any open-ended writing. Stop and wait for my choice.
2. Use plausible distractors based on word combinations, certainty, timing, responsibility, or register. Avoid obviously absurd options. Do not introduce an unverified diagnosis, approval, deadline, charge, or legal rule. If extra fictional facts are necessary, state them explicitly before asking the question.
3. After I choose, identify the correct option and explain briefly why each of the other three options does not fit this exchange. Quote the relevant case fact or wording. Invite me to read both roles aloud; do not claim to assess pronunciation from a typed response.
4. Offer another four-choice exchange that practices a different expression. Present only one question at a time, wait for my answer, and vary the correct letter. If more than one answer is defensible, acknowledge the ambiguity and replace the question rather than marking a reasonable choice wrong.
5. After four exchanges, recap two useful word combinations and one distinction I should revisit. Ask which supported scenario I want to rehearse next, then stop and wait.

END PROMPT