

ENGLISH FOR WORK / SEPTEMBER 2026

Plumbing Workplace English



Conversation lab

8 complete workplace dialogues, followed by eight additional role-play cases. Study the exchanges, then make the conversation your own.

PRACTICE THAT TRANSFERS TO WORK

Read a realistic case. Study complete conversations. Find the right language, speak, get feedback, and try again.

Eight lessons | Intermediate to advanced | Independent or classroom study

For Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads.

Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

All scenarios, figures, and model responses are fictional teaching material. Use invented details in practice.

[Open this course on English Ladder](#)

Inside this conversation lab

Original fictional training conversations in professional English. These are realistic scripts, not transcripts of actual people. The professional roles are the speaker labels; all figures, incidents, and organizations are invented.

- 01 A history contains two different units
- 02 The distributor quotes an equivalent
- 03 The accessible-room label is not a dimensional answer
- 04 The insurer's question exceeds the observation
- 05 An odor report becomes a design question
- 06 One notice combines unrelated service areas
- 07 The wall finish becomes part of the discussion
- 08 A warranty question needs the actual document

Then try eight independent role-play cases, followed by feedback criteria and references.

Read it. Hear it. Make it yours.

1. Read the setting. Identify the roles, the immediate problem, and what each speaker needs.
2. Read the whole conversation aloud with a partner. In a group, give a third person the observer role. For three-speaker scripts, assign each professional a separate voice.
3. Notice how the speakers ask a specific question, qualify a claim, disagree, explain a technical point, or agree on a next step. Underline language you would actually use.
4. Cover the script. Recreate the exchange using the situation and professional roles. Keep the meaning, but change the wording.
5. Switch roles and introduce a complication: a missing record, a different priority, an unavailable colleague, or a changed assumption. End with a clear outcome or unresolved question.

Register and terminology

These colleagues use concise professional language. In an internal technical meeting, familiar abbreviations can be natural. With a new colleague or a client, expand unfamiliar terms and check understanding. Keep disagreement directed at the evidence or proposal, and match the degree of certainty to what is known.

Independent study

Speak each role aloud. Pause before the reply and supply your own response before revealing the next line. Record a second version using invented details, then compare its clarity and tone with the script.

Professional context

Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

FULL DIALOGUE 01 / 12 SPEAKING TURNS

A history contains two different units

A plumber and property manager reconcile an ambiguous maintenance history.

Roles: Plumber / Property manager

Plumber: Three entries say upstairs bathroom; the building contains Units 2A and 2B.

Property manager: The current report is from 2B, where the tenant noticed a wet basin cabinet.

Plumber: Which older entries explicitly identify 2B? We should not assume that all upstairs references describe this fixture.

Property manager: Only one gives 2B. The others mention a bath and a utility sink without a unit number.

Plumber: Then we can attach the confirmed 2B entry and retain the others as unassigned background requiring clarification.

Property manager: Will that make it look as though the earlier work records have disappeared from the maintenance history?

Plumber: No. They remain available, but we won't attribute their findings to this basin without a reliable location.

Property manager: That distinction helps. The owner wants to know whether the same problem has been repaired three times already.

Plumber: The records don't establish that. We can explain the location gap and request the original job sheets.

Property manager: I'll ask the service office for those sheets and any fixture references recorded at the earlier visits.

Plumber: Please keep today's observation separate: water on the 2B basin cabinet, with the source not yet confirmed.

Property manager: I will. The owner will receive the confirmed history and the unresolved references, not a guessed recurrence count.

Notice the professional language

'Unassigned background' preserves information without attaching it to the wrong fixture.

'A guessed recurrence count' names why inaccurate record linkage could mislead the owner.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 02 / 12 SPEAKING TURNS

The distributor quotes an equivalent

A plumber and project buyer examine an alternative component offer.

Roles: Plumber / Project buyer

Plumber: The distributor calls this component equivalent, but compares only its size and finish.

Project buyer: They say it's commonly used on similar projects, and it could arrive sooner than the original selection.

Plumber: That is useful availability information, but similar use doesn't establish that it meets this project's complete specification.

Project buyer: What comparison should I request so the technical reviewer receives enough information to make a decision?

Plumber: Ask for both complete product references, material specifications, connection descriptions, and clearly identified differences or missing information.

Project buyer: I can place those side by side without trying to decide the technical suitability myself as buyer.

Plumber: Please do. Also keep the delivery offer separate from approval so receiving doesn't expect an accepted replacement.

Project buyer: The client asked whether equivalent means identical. How can I answer without creating another misunderstanding?

Plumber: Say it is the distributor's proposed alternative; its match to the stated requirements has not yet been confirmed.

Project buyer: I'll use that wording and preserve the original order reference while the alternate goes through the review.

Plumber: Once the comparison arrives, the reviewer can resolve specific differences rather than interpreting a broad sales description.

Project buyer: Then I'll request a decision against the exact offered product, with any remaining conditions visible before purchase.

Notice the professional language

'The distributor's proposed alternative' attributes a claim instead of adopting it as fact.

'Against the exact offered product' ties review to a specific item rather than a product family.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 03 / 12 SPEAKING TURNS

The accessible-room label is not a dimensional answer

A plumber and architect discuss an incomplete fixture layout.

Roles: Plumber / Architect

Plumber: This room is labeled accessible, but the basin connection reference is missing.

Architect: The label communicates the room's intended requirements, but you're right that it doesn't supply the missing dimension.

Plumber: Could you issue the specific fixture detail with the selected product and measurement surfaces clearly identified?

Architect: Yes. I'll coordinate those requirements through the project's design review rather than ask you to infer them onsite.

Plumber: The cabinetmaker has a typical detail from another building. They asked whether we could reuse it here.

Architect: That might be background for comparison, but it doesn't establish suitability or compliance for this particular room.

Plumber: I'll explain that without quoting a universal height or suggesting the label itself settles the fixture position.

Architect: Thank you. Please identify any conflict between the current cabinet drawing and the selected basin data sheet.

Plumber: The cabinet shows a different bowl reference. I'll include that mismatch with the missing connection dimension.

Architect: I'll address both in the coordinated response and identify which drawings are replaced by the revised issue.

Plumber: Then purchasing can see the current selection and the remaining release conditions together instead of reconciling separate messages.

Architect: Keep the status pending the coordinated detail, without presenting the delay as the plumber's technical decision.

Notice the professional language

'The label ... doesn't supply the missing dimension' distinguishes a design intention from a usable detail.

'For this particular room' avoids treating another project's layout as a universal rule.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 04 / 12 SPEAKING TURNS

The insurer's question exceeds the observation

A plumber and property client discuss a factual visit summary without giving insurance advice.

Roles: Plumber / Property client

Plumber: The visit summary describes visible ceiling staining, with its source unconfirmed.

Property client: The claim form asks when the damage began. Could you put last Tuesday because that's when I noticed it?

Plumber: I can record Tuesday as the date you first noticed the mark, but not as the proven start.

Property client: That seems an important distinction. I don't know whether moisture was present before the mark became visible.

Plumber: Exactly. The observation date and the underlying event date aren't necessarily the same piece of information.

Property client: Could the summary say the upstairs basin caused it, since the mark is beneath that bathroom?

Plumber: It can identify the location, but proximity doesn't establish the source. That conclusion needs an appropriate assessment.

Property client: I don't want the summary to sound as though you're saying nothing happened or doubting my report.

Plumber: It will acknowledge your account clearly, describe what was visible at the visit, and identify what remains unknown.

Property client: Thank you. I'll handle any coverage questions with the insurer rather than ask you to interpret the policy.

Plumber: I'll provide the factual summary with the reported date attributed to you and no unsupported causal statement.

Property client: That gives me an accurate record without turning a first-noticed date into a technical finding.

Notice the professional language

'First noticed' distinguishes discovery from the unknown start of an event.

'Proximity doesn't establish the source' prevents location alone from becoming a causal conclusion.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 05 / 12 SPEAKING TURNS

An odor report becomes a design question

A plumber and building manager discuss conflicting descriptions in a service request.

Roles: Plumber / Building manager

Plumber: The request says replace the trap, but the tenant's original message describes an odor near the utility room.

Building manager: Our caretaker suggested replacement because they suspected the trap.

Plumber: That is a proposed explanation, not a confirmed finding. We should separate it from the tenant's actual report.

Building manager: Can you briefly explain trap and vent so I don't keep using those terms as though they were synonyms?

Plumber: A trap retains a liquid seal. Vent pipework supports air movement and pressure management within the drainage arrangement.

Building manager: That helps me understand the names, but I assume neither explanation diagnoses this particular odor report.

Plumber: Exactly. We can identify the reported location and ask for an assessment without suggesting a repair in advance.

Building manager: The service drawing also shows an access panel that the tenant says is hidden behind stored boxes.

Plumber: Please relay that access information to the site contact so they can arrange the visit appropriately.

Building manager: I won't tell the tenant to open anything or try to reproduce the smell before the appointment.

Plumber: The booking can distinguish the concern, access information, and suspected cause.

Building manager: I'll revise it that way, keeping the caretaker's suggestion attributed rather than turning it into the work instruction.

Notice the professional language

access panel - A removable or openable building panel provided to reach concealed services.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 06 / 12 SPEAKING TURNS

One notice combines unrelated service areas

A plumber and facilities coordinator correct a draft building notice.

Roles: Plumber / Facilities coordinator

Plumber: This notice combines east-washroom work with the pantry visit, although their arrangements differ.

Facilities coordinator: I grouped them under plumbing works to reduce the number of messages going to staff this month.

Plumber: A shared heading is possible, but the areas, dates, and confirmation status need to remain distinct for each.

Facilities coordinator: The east washroom window is approved. The pantry visit is only an assessment, with no interruption arranged.

Plumber: Then say that explicitly. Staff shouldn't infer that a pantry assessment means a scheduled loss of service.

Facilities coordinator: I'll give each location its own entry and identify the correct contact for access questions in that area.

Plumber: Please also distinguish any planned interruption from an instruction to occupants about operating fixtures or valves.

Facilities coordinator: Agreed. This is an information notice, not a technical procedure or a request for occupants to prepare equipment.

Plumber: The pantry manager offered Tuesday access but hasn't confirmed who will meet the visiting plumber at reception.

Facilities coordinator: I'll ask for a named contact and keep that access detail open until someone accepts the responsibility.

Plumber: Once that's confirmed, the visit information can be updated without altering the separate east-washroom notice.

Facilities coordinator: I'll issue the two clearly labeled entries so each group knows which facts actually apply to them.

Notice the professional language

'A shared heading is possible, but...' accepts a formatting aim while preserving essential distinctions.

'An assessment means' is challenged to prevent an appointment being mistaken for an interruption.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 07 / 12 SPEAKING TURNS

The wall finish becomes part of the discussion

A plumber and apartment owner review a proposed change near a tiled wall.

Roles: Plumber / Apartment owner

Plumber: The new fixture changes the layout, but the estimate doesn't define wall-finish restoration.

Apartment owner: I expected the tiled wall to look exactly as it does now when the plumbing work is complete.

Plumber: That appearance expectation needs discussion with the building team, especially because the existing tile reference hasn't been identified.

Apartment owner: Could the plumbing estimate simply include making good and leave the detail to whoever repairs the surface later?

Plumber: That phrase alone would leave the extent and finish unclear. We should define the surfaces and the restoration responsibility.

Apartment owner: I can ask the original tile supplier whether the product is still available, without assuming an exact match.

Plumber: That helps the comparison. The plumbing scope and finish proposal should remain separately described.

Apartment owner: Please show the original fixture option too; I may prefer it if the broader change becomes more disruptive.

Plumber: I'll request both options on comparable terms, with unresolved access and restoration questions clearly identified beside the estimates.

Apartment owner: Does choosing an option today mean I have accepted an unknown finish match or every possible concealed condition?

Plumber: No. The proposal needs explicit conditions and appropriate review of unresolved terms.

Apartment owner: Then let's complete the comparison first and make the actual decision from a clearly described package.

Notice the professional language

concealed condition - An existing condition hidden from view during the initial assessment that may affect later work.

making good - Repairing or restoring building finishes disturbed by the plumbing work, to an agreed extent and standard.

Rehearse this dialogue with an AI partner

FULL DIALOGUE 08 / 12 SPEAKING TURNS

A warranty question needs the actual document

A plumber and building client review an incomplete handover record.

Roles: Plumber / Building client

Plumber: The asset register identifies the faucet, but its warranty reference names the earlier model.

Building client: Does that mean the installed faucet has no warranty, or that the handover is invalid?

Plumber: Neither conclusion follows from the reference mismatch. We need the supplier to confirm the applicable document for this model.

Building client: Please don't copy the previous model's terms under a different title.

Plumber: I won't. The received documents will remain identified while the supplier provides or confirms the correct reference.

Building client: Can the service office own that query, since your site team is moving to another project next week?

Plumber: Yes. Leo has accepted the document follow-up and will report Wednesday, even if the supplier's answer is still pending.

Building client: I'd like the facilities assistant copied so they can maintain the asset register once the reference is verified.

Plumber: Please give Leo the agreed contact details. The register can retain the unresolved document status during that transfer.

Building client: Should I promise the tenant that any future problem with the faucet will be covered once this is corrected?

Plumber: No broad coverage promise is established here. The actual terms and the particular circumstances need appropriate review.

Building client: I'll call this a document-reference correction, keeping coverage questions separate from the mismatch.

Notice the professional language

warranty reference - The product or document identifier used to locate applicable warranty terms for an item.

asset register - A list linking plumbing equipment or fixtures to their locations, identifiers, and relevant records.

Rehearse this dialogue with an AI partner

Eight more situations to make your own

The following cases are open role plays. They give you facts, contrasting roles, useful expressions, and a short model response. Use what you learned from the complete dialogues to create a longer exchange.

Preparation: two minutes. Conversation: three to five minutes. Feedback: one minute. Switch roles and repeat with the second-round challenge.

ROLE-PLAY CASE 01

Identifying fixtures and service history

SHARED CASE

A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

Role A | Responding professional

Clarify everyday fixture names and record the source of an account. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the tenant. Clarify the fixture and when you noticed the water.

Useful expressions

Do you mean the ___ or the ___?

Where did you notice ___?

I will record ___ as your observation, not ___.

Cover this until after your first attempt

Could you confirm whether you mean the bathroom basin or the utility sink beside it? I will record water on the bathroom cabinet base at 07:00 as your observation. That identifies the affected location, not the source. We can link this visit to the correct fixture's service history without assuming which pipe is involved.

Second round

The manager calls it a riser leak. Preserve the tenant's observation without accepting the unverified pipe diagnosis.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 02

Clarifying pipe and component specifications

SHARED CASE

A client compares a pipe's nominal designation with a measured outside diameter and thinks the delivered item must be wrong because the numbers differ. The order identifies a product series but the delivery label is incomplete. No material or connection compatibility is verified.

Role A | Responding professional

Explain why two size numbers may describe different things. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. Ask why a catalog label can differ from a measured dimension.

Useful expressions

The designation is ____; the measured dimension is ____.

Those numbers describe different ____.

To confirm the match, we still need ____.

Cover this until after your first attempt

A nominal pipe size is a designation, not necessarily the measured outside diameter. Different numbers alone do not prove the delivery is wrong or correct. We need the complete product reference and material specification to compare the supplied item with the order. The connection type also needs confirmation before anyone treats it as a match.

Second round

The supplier offers the same nominal size in another material. Keep compatibility pending the full specification review.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 03

Reconciling fixture layouts and dimensions

SHARED CASE

The bathroom layout gives a basin centerline 450 millimeters from the finished wall face. The cabinet drawing gives 450 from the framing face. These are different references. The selected basin is B2; no coordinated rough-in detail has been confirmed.

Role A | Responding professional

Identify inconsistent reference surfaces even when the numbers match. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the designer. Ask for the fixture reference and both wall references.

Useful expressions

Both drawings say ___, but one starts at ___.

Please confirm the centerline relative to ___.

The selected fixture reference is ___.

Cover this until after your first attempt

Could the designer reconcile the B2 basin position before the layout is released? Both drawings show 450 millimeters, but one measures from the finished wall face and the other from the framing face. Please confirm the intended centerline reference and issue a coordinated detail. Matching numbers do not resolve different measurement origins.

Second round

The client changes basin B2 to B3 during the query. Explain why the new selection also needs coordination.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 04

Describing moisture without diagnosing its source

SHARED CASE

A shop owner reports a stain below an upstairs washroom. At the visit, the visible ceiling patch is dry. No pipework is visible and no source has been established. The owner asks whether the dry patch proves the leak has stopped.

Role A | Responding professional

Report moisture evidence without diagnosing a hidden system. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the owner. Ask whether the dry appearance means the issue is resolved.

Useful expressions

At the time of the visit, ____.

That observation does not establish ____.

The source remains ____; the visible condition is ____.

Cover this until after your first attempt

The ceiling patch is dry where we can see it during this visit. That does not establish whether there was a leak, whether one has stopped, or where the moisture came from. The concealed pipework has not been assessed. I will retain your timing report and ask for the source question to be reviewed separately.

Second round

The owner suggests condensation. Attribute it as a possibility rather than a diagnosis.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 05

Explaining drainage and access terminology

SHARED CASE

A cabinet drawing labels a small removable panel for access to a recorded cleanout. The client calls it an extra drain and wants the panel permanently covered. The plumber has not reviewed the enclosure change; the designer must coordinate the access detail.

Role A | Responding professional

Clarify component terminology while preserving unresolved access requirements. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. You prefer a continuous cabinet face but accept a reviewed access detail.

Useful expressions

___ is an access point, not ___.

The panel is shown for ___.

The proposed enclosure changes ___, which needs ___.

Cover this until after your first attempt

The recorded cleanout is an access point for drainage inspection or servicing, not an extra drain for everyday use. The cabinet panel is shown to provide access to it. Covering that panel changes the reviewed arrangement, so we need the designer and plumbing lead to assess the enclosure detail before treating the change as acceptable.

Second round

The cabinet supplier offers a different removable panel. Ask for the detail to be reviewed rather than approving it by appearance.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 06

Coordinating interruptions and room access

SHARED CASE

A plumber's visit is booked for 09:00, but a proposed water-service interruption from 10:00 to 11:00 awaits building-manager confirmation. The request concerns the east washroom only. A tenant thinks the entire building will be unavailable from 09:00. No operating instruction is supplied.

Role A | Responding professional

Distinguish attendance, access, and service-interruption arrangements. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the tenant contact. Repeat back the visit and proposed interruption separately.

Useful expressions

Our attendance is confirmed for ____.

The proposed interruption covers ____ and remains ____.

Please don't equate ____ with ____.

Cover this until after your first attempt

Our visit is booked for 09:00. The proposed interruption is a separate 10:00-to-11:00 request for the east washroom, still awaiting building-manager confirmation. It is not a confirmed whole-building interruption from 09:00. Please keep the appointment, proposed affected area, and pending interruption approval separate when updating the tenants.

Second round

The manager confirms ten to eleven for the east washroom. Explain what planning information changes without giving operating directions.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 07

Pricing changes and restoration boundaries

SHARED CASE

The agreed estimate covers replacing basin B1 with the specified model. The client now wants a wall-hung vanity and assumes the fixture allowance covers cabinet changes and redecoration. Those items are not in the estimate. Access requirements and revised plumbing scope have not been assessed.

Role A | Responding professional

Negotiate a revised package without making cost or timing assumptions. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. You can keep the original basin if the revised package is unsuitable.

Useful expressions

The allowance covers ___, not automatically ___.

The revised package would need ___.

Please show ___ separately from ___.

Cover this until after your first attempt

The allowance concerns the specified basin selection; it does not establish inclusion of a new vanity, cabinet changes, or redecoration. We can retain the current proposal or assess a revised package. For the revised option, we need the vanity details and access review before pricing plumbing and making good, meaning restoration of disturbed finishes, separately.

Second round

The client asks whether a cheaper fixture automatically offsets all cabinet costs. Explain why those are separate quoted items.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

ROLE-PLAY CASE 08

Handing over plumbing records and follow-up

SHARED CASE

Basin B1 is listed in the handover pack, but its care leaflet names the previous model. The supplier's replacement leaflet is pending. Service coordinator Leo accepts document follow-up and will call Monday. A separate cosmetic trim review needs a return visit; no date is booked.

Role A | Responding professional

Give usable records and separate document follow-up from site attendance. Use only the facts given. Choose two relevant terms and be ready to explain one of them in ordinary words.

Role B | Listener

You are the client. Ask for the leaflet owner and the separate return-visit status.

Useful expressions

The record identifies ____; the supplied item is ____.

____ owns the document follow-up.

The call is ____; the return visit is ____.

Cover this until after your first attempt

The pack lists basin B1, but the care leaflet refers to the previous model and should not be presented as its confirmed guidance. Leo has accepted supplier follow-up and will call Monday. The cosmetic trim review is a separate outstanding item with no return date booked yet. Please keep those two follow-ups distinct in the handover.

Second round

Leo receives the leaflet but its model suffix differs. Preserve the pending verification rather than declaring the document item closed.

Debrief and extend with AI

Which phrase helped the listener? Which case fact needed clarification? Say one better follow-up question, then repeat the exchange.

Lesson conversations and speaking practice

The following sections match 05 and 06 on the industry webpage and in the learner workbook. Each lesson has three ten-turn conversations and two bounded speaking scenarios. These are original fictional teaching scripts, not transcripts of real people.

LESSON 01 / 05 • CONVERSATIONS / 1 OF 3

Which sink in Unit 3B?

A plumber clarifies the fictional Unit 3B report with its tenant.

01 • Plumber: Your request says bathroom sink. Do you mean the basin or the utility sink nearby?

02 • Tenant: The basin inside the bathroom. There was water on its cabinet base at seven.

03 • Plumber: Thank you. That locates the observation, but it doesn't establish where the water came from.

04 • Tenant: The manager mentioned a riser leak. Is that the same thing as my basin?

05 • Plumber: A riser is vertical pipework; a branch line serves part of the system. Neither source is confirmed.

06 • Tenant: I can give you the earlier service number for the basin if that helps.

07 • Plumber: Please do. It will help us connect the history to the correct fixture.

08 • Tenant: Should I describe this as the same fault returning from the previous visit?

09 • Plumber: Say what you noticed today. Whether it shares the earlier cause still needs assessment.

10 • Tenant: I'll give the current observation and the old reference separately so neither is lost.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 2 OF 3

Two washrooms with identical basins

A plumber and office manager identify a service location.

01 • Plumber: The request names the rear washroom, but both corridors have a washroom at the rear.

02 • Office manager: I mean the one beyond the staff kitchen, not the one beside the loading entrance.

03 • Plumber: Could we use the room identifier from your floor plan to remove that ambiguity?

04 • Office manager: Yes, that's W14. The basin nearest the door is the one our cleaner reported.

05 • Plumber: I'll include W14 and nearest the door, with the cleaner identified as the reporter.

06 • Office manager: The other basin was serviced last month. Should I include that record as well?

07 • Plumber: You can provide it as background, but we shouldn't merge the two fixture histories.

08 • Office manager: Understood. I'll label last month's record with the other basin's location before sending it.

09 • Plumber: Who can arrange access to W14 during the service visit so the plumber isn't delayed?

10 • Office manager: Our caretaker will meet you at reception and confirm the room with you in person.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 3 OF 3

A complaint changes meaning in retelling

A plumber checks a hotel supervisor's summary of a guest report.

01 • Plumber: The booking says the shower is blocked. What did the guest actually report to reception?

02 • Hotel supervisor: They said water remained on the shower floor longer than usual after yesterday's use.

03 • Plumber: I'll retain that description. Blocked sounds like a diagnosis rather than the guest's observation.

04 • Hotel supervisor: That's fair. The receptionist shortened the message because the service form had limited space.

05 • Plumber: Do you have the room number and the time the guest noticed the issue?

06 • Hotel supervisor: Room 418, yesterday evening. I can ask reception for a more precise time if available.

07 • Plumber: Please also keep any earlier service reference separate from the current report of slow drainage.

08 • Hotel supervisor: Should we ask the guest to reproduce it before the plumber attends the room?

09 • Plumber: No additional operation is needed for this conversation. Their existing account gives us the enquiry.

10 • Hotel supervisor: I'll correct the description and arrange access through housekeeping, with the source still unconfirmed.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Identifying fixtures and service history

A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant. Clarify the fixture and when you noticed the water.

Second round: The manager calls it a riser leak. Preserve the tenant's observation without accepting the unverified pipe diagnosis.

Scenario 2 | Kitchen, pantry, or utility?

A hotel has a pantry sink and utility sink on Level 2. A request says kitchen sink. The reporter means the pantry sink beside the beverage counter; asset labels are not visible from the corridor.

Role A: Plumber: identify the location without asking anyone to investigate equipment.

Role B: Supervisor: confirm the pantry sink beside the beverage counter; caretaker Noor can arrange access. Earlier job U-17 belongs to the utility sink.

Possible opening: When you say kitchen sink, which room and counter are you referring to?

Success checks

- Name the pantry sink.
- Keep the earlier utility reference separate.
- Agree the access contact.

Add a complication: An earlier job reference belongs to the utility sink.

LESSON 02 / 05 • CONVERSATIONS / 1 OF 3

The nominal number is not a measurement

A plumber explains the incomplete delivery comparison to a client.

01 • Plumber: Nominal pipe size and measured outside diameter describe different types of information.

02 • Client: I thought any difference meant the supplier had sent the wrong pipe for our order.

03 • Plumber: Not necessarily. A nominal designation doesn't always equal the actual outside measurement.

04 • Client: Then can we accept it, now that we know the numbers may differ?

05 • Plumber: Not yet. The delivery label lacks the full reference needed to check the ordered series.

06 • Client: Please ask the supplier for that reference and the stated material specification.

07 • Plumber: I will, along with the connection type, so the comparison isn't based on diameter alone.

08 • Client: Could we keep the item identified while the supplier checks, rather than mixing it into stock?

09 • Plumber: Yes, I'll ask receiving to retain the delivery reference and its pending review status.

10 • Client: That gives us a clear question for the supplier without declaring the item right or wrong.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 2 OF 3

The same finish hides a different connection

A plumber checks a proposed faucet substitution with a supplier.

01 • Plumber: The alternate faucet looks similar, but the submitted data don't identify the same connection arrangement.

02 • Supplier: The finish and body shape match. Would the client accept that as an equivalent product?

03 • Plumber: Appearance is only one part of the review. We need the complete technical comparison.

04 • Supplier: I'll obtain the manufacturer's sheet for the exact alternate, not just the brochure photograph.

05 • Plumber: Please retain the original model reference beside it so any differences are visible.

06 • Supplier: Should I describe the alternate as approved if its finish matches the client's sample?

07 • Plumber: No. Finish acceptance doesn't establish component compatibility or approval of the whole substitution.

08 • Supplier: Understood. I'll mark it proposed and request confirmation of the specified connection details.

09 • Plumber: The delivery date matters too, but please show it separately from the compatibility question.

10 • Supplier: I'll provide both pieces of information without presenting early availability as proof of suitability.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 3 OF 3

A unit disappears in a phone order

A plumber clarifies an incomplete fitting request with a purchasing coordinator.

01 • Plumber: Your enquiry says twenty-two, but it doesn't identify units, series, or the complete fitting reference.

02 • Purchasing coordinator: I copied the number from a phone conversation and assumed the supplier would recognize it.

03 • Plumber: We need the specified component description so they don't choose between several plausible interpretations.

04 • Purchasing coordinator: I can retrieve the original material schedule. Should I send its item reference as well?

05 • Plumber: Yes, send that reference with the full description and the applicable project revision.

06 • Purchasing coordinator: There are two similar entries, one for each system. I shouldn't merge them, should I?

07 • Plumber: Correct. Keep the system references separate, even if their descriptions begin with the same size.

08 • Purchasing coordinator: I'll ask the supplier to quote against each complete line rather than my shortened note.

09 • Plumber: Please identify any deviation explicitly, so the reviewer can compare what is actually being offered.

10 • Purchasing coordinator: That will be more reliable than asking whether they have a twenty-two fitting in stock.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Clarifying pipe and component specifications

A client compares a pipe's nominal designation with a measured outside diameter and thinks the delivered item must be wrong because the numbers differ. The order identifies a product series but the delivery label is incomplete. No material or connection compatibility is verified.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask why a catalog label can differ from a measured dimension.

Second round: The supplier offers the same nominal size in another material. Keep compatibility pending the full specification review.

Scenario 2 | A replacement cartridge has a longer code

The installed fictional faucet reference is FX40. Its recorded cartridge reference is K40. The supplier offers K40-R, saying the suffix may indicate a revision, but has not confirmed its compatibility with faucet FX40.

Role A: Plumber: request manufacturer confirmation against the installed faucet reference.

Role B: Supplier: you can obtain the full cross-reference but do not yet have it.

Possible opening: What does the R suffix identify, and does the manufacturer confirm this exact replacement?

Success checks

- Use both complete references.
- Distinguish a proposed replacement from a verified match.
- Keep the order decision pending confirmation.

Add a complication: The client thinks a similar name proves interchangeability.

LESSON 03 / 05 • CONVERSATIONS / 1 OF 3

Four fifty from different walls

A plumber calls the designer about the B2 basin layout.

01 • Plumber: Both drawings say four hundred fifty millimeters, but they use different wall references.

02 • Designer: Which surfaces do they identify, and which fixture are you coordinating in this query?

03 • Plumber: The bathroom layout uses the finished wall face; the cabinet drawing uses framing. It's basin B2.

04 • Designer: Then matching numbers don't give the same centerline. I need to reconcile the detail.

05 • Plumber: Please identify the intended reference explicitly before the layout is released to the teams.

06 • Designer: I will. Has the client confirmed the fixture selection shown on the schedule?

07 • Plumber: B2 is the current selection. I'll flag any later change rather than assuming the dimensions transfer.

08 • Designer: Thank you. I'll issue a coordinated position tied to that fixture and the agreed wall face.

09 • Plumber: Should I tell the cabinetmaker the query concerns measurement origins, not an incorrect arithmetic calculation?

10 • Designer: Yes, that will focus the discussion on the actual mismatch between the two drawings.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 2 OF 3

The replacement basin is wider

A plumber and interior designer discuss a changed fixture selection.

01 • Plumber: The fixture schedule now shows a wider basin, but the cabinet elevation hasn't been revised.

02 • Interior designer: The client changed the model yesterday because they preferred the shape of the bowl.

03 • Plumber: We need the new model reviewed before retaining any earlier rough-in dimension.

04 • Interior designer: Can we assume the connections remain centered because the basin itself is centered?

05 • Plumber: The product dimensions need confirmation. Visual symmetry doesn't establish every connection position.

06 • Interior designer: I'll get the selected model's drawing and send it with the revised fixture schedule.

07 • Plumber: Please identify which older model it replaces so the cabinetmaker understands the change.

08 • Interior designer: Should the client regard yesterday's selection as approval of a fully coordinated installation detail?

09 • Plumber: No, it's a product choice that still needs the associated layout review.

10 • Interior designer: I'll make that distinction and keep the cabinet detail pending until both teams have agreed information.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 3 OF 3

The drawing is not to scale

A plumber responds to a project coordinator's suggested measurement.

01 • Plumber: This sketch says not to scale and doesn't give the required fixture offset.

02 • Project coordinator: Could you estimate the offset from the picture so purchasing can release the cabinet?

03 • Plumber: That would turn an illustration into an unsupported dimension. We need the stated reference.

04 • Project coordinator: The client thinks the sketch is precise because it shows the entire bathroom layout.

05 • Plumber: We can explain that it communicates arrangement without providing every fabrication or connection dimension.

06 • Project coordinator: I'll ask the designer for the missing offset, with its wall face and centerline identified.

07 • Plumber: Please include the fixture code so the reply cannot be mistaken for another basin.

08 • Project coordinator: The issue log has B4. I'll attach the current selection sheet to the question.

09 • Plumber: Good. Keep the cabinet release dependent on the coordinated detail rather than the picture alone.

10 • Project coordinator: I'll tell purchasing what information is missing and ask when the designer can respond.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Reconciling fixture layouts and dimensions

The bathroom layout gives a basin centerline 450 millimeters from the finished wall face. The cabinet drawing gives 450 from the framing face. These are different references. The selected basin is B2; no coordinated rough-in detail has been confirmed.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the designer. Ask for the fixture reference and both wall references.

Second round: The client changes basin B2 to B3 during the query. Explain why the new selection also needs coordination.

Scenario 2 | Above the floor, but which floor?

A vanity note gives a connection reference above floor without saying finished floor or structural slab. The floor finish build-up is not yet confirmed.

Role A: Plumber: ask the designer to identify the datum, meaning the reference level.

Role B: Designer: you can coordinate the floor information with the architect.

Possible opening: Does floor here mean the finished floor or the structural slab reference?

Success checks

- Name both possible references.
- Explain why the other room does not resolve this note.
- Request a room-specific coordinated dimension.

Add a complication: The coordinator offers a dimension copied from a different room.

LESSON 04 / 05 • CONVERSATIONS / 1 OF 3

Dry today does not explain yesterday

A plumber discusses the ceiling patch with the shop owner.

01 • Plumber: The water staining is dry today; its source and any active leak remain unconfirmed.

02 • Shop owner: Doesn't that mean the leak stopped and we can tell the decorator to cover it?

03 • Plumber: It doesn't establish that there was a leak, or that any cause has been resolved.

04 • Shop owner: The stain appeared after the upstairs washroom was busy yesterday. Could that be relevant?

05 • Plumber: Yes, I'll record your timing account without treating the coincidence as proof of a source.

06 • Shop owner: The building manager suggested condensation rather than a pipe leak. Is that confirmed?

07 • Plumber: No. It's a possible explanation they raised, not an assessment result we have.

08 • Shop owner: Please keep both my observation and that suggestion visible when arranging the review.

09 • Plumber: I will distinguish reported history, today's visible condition, and the unresolved source question.

10 • Shop owner: That gives the reviewer the information without promising the decorator that the issue is finished.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 2 OF 3

Wet beside the pipe is not from the pipe

A plumber clarifies an observation with a facilities supervisor.

01 • Plumber: Your photograph shows moisture beside the visible pipe, but not where it originated.

02 • Facilities supervisor: I described the pipe as leaking because the water was directly below it.

03 • Plumber: The location is useful evidence, but it doesn't establish the source by itself.

04 • Facilities supervisor: Then the report should say water below the pipe rather than confirmed pipe leak.

05 • Plumber: Yes, with the time and exact location so the assessor can understand what you noticed.

06 • Facilities supervisor: I took the photograph at nine twenty near the north utility cupboard.

07 • Plumber: I'll retain those details and identify the image as your observation from that time.

08 • Facilities supervisor: Should I add the neighboring room's service history in case the events are connected?

09 • Plumber: Provide it as separate background. We don't yet know whether there's a connection.

10 • Facilities supervisor: I'll keep the references distinct and avoid changing the source description before assessment.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 3 OF 3

The ceiling report needs attribution

A plumber discusses a complaint relayed by a property manager.

01 • Plumber: Your email says water was dripping yesterday. Who directly observed that event?

02 • Property manager: The downstairs tenant. I saw the stain today, but no dripping during my visit.

03 • Plumber: Those are two different observations. Let's preserve both sources and their times.

04 • Property manager: The tenant says it happened around midnight, although they cannot identify the exact minute.

05 • Plumber: Around midnight is useful if labeled approximate; we shouldn't turn it into a precise timestamp.

06 • Property manager: I'll record their account separately from my own daytime observation of the stain.

07 • Plumber: The source remains unknown, so neither statement should identify concealed pipework as the cause.

08 • Property manager: Understood. The owner asked me to blame the upstairs fixture because it's directly above.

09 • Plumber: We can identify that spatial relationship without treating it as a confirmed source finding.

10 • Property manager: I'll explain the distinction and request assessment using the observations rather than a predetermined conclusion.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Describing moisture without diagnosing its source

A shop owner reports a stain below an upstairs washroom. At the visit, the visible ceiling patch is dry. No pipework is visible and no source has been established. The owner asks whether the dry patch proves the leak has stopped.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the owner. Ask whether the dry appearance means the issue is resolved.

Second round: The owner suggests condensation. Attribute it as a possibility rather than a diagnosis.

Scenario 2 | A photograph has no date

A tenant sends a photo of water beneath a basin but later says it was taken last month. Today's condition is unknown; last month's job record is available.

Role A: Plumber: distinguish historical evidence from the current report.

Role B: Tenant: you want a repeat visit but have no current photograph.

Possible opening: When was this image taken, and what have you noticed today?

Success checks

- Correct the photo date.
- Keep today's condition unknown.
- Link the older image to the relevant history without inventing a cause.

Add a complication: The manager has already described the photo as today's active leak.

LESSON 05 / 05 • CONVERSATIONS / 1 OF 3

A cleanout is not an extra drain

A plumber explains the cabinet access label to a client.

01 • Plumber: The cabinet detail provides access to a cleanout, which is recorded behind this panel.

02 • Client: I thought it was an extra drain we don't use. Could we cover the panel permanently?

03 • Plumber: A cleanout gives service access to a drain line; it isn't an everyday drainage outlet.

04 • Client: I want a continuous cabinet face, but I didn't realize the panel had that purpose.

05 • Plumber: We can ask the designer to review an appearance option that addresses the access requirement.

06 • Client: Would a different removable panel solve it without involving the plumbing lead in the review?

07 • Plumber: We need a coordinated detail. Appearance alone won't establish whether the proposed access is suitable.

08 • Client: Then ask both teams to review it, rather than record my preference as approval.

09 • Plumber: I'll identify the cleanout reference and the cabinet change so they assess the same location.

10 • Client: Thank you. I can consider the visible finish once the access arrangement is properly described.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 2 OF 3

Trap and vent are not interchangeable labels

A plumber clarifies a maintenance note with a property coordinator.

01 • Plumber: The note calls this concern a vent problem, but the tenant reported an odor near a basin.

02 • Property coordinator: I thought vent and trap were different names for the same drainage fitting.

03 • Plumber: They aren't. A trap retains a liquid seal; vent pipework has air and pressure-management functions.

04 • Property coordinator: Thanks. That explains the terms, but it doesn't identify the source of the odor, does it?

05 • Plumber: Correct. We should preserve the tenant's location and timing without diagnosing either component.

06 • Property coordinator: I'll change the request to reported odor near the basin, with the tenant's exact account.

07 • Plumber: Please keep the old note in the history as an earlier unverified description.

08 • Property coordinator: Can the visiting plumber then assess the concern without being committed to that assumed cause?

09 • Plumber: Yes, the service request should describe the issue and leave the technical assessment open.

10 • Property coordinator: I'll arrange access through the caretaker and avoid offering the tenant a remedy by phone.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 3 OF 3

The cabinet photo hides the access detail

A plumber and cabinetmaker discuss an unclear drawing package.

01 • Plumber: The cabinet rendering looks continuous across the service area, but the detail shows an access panel.

02 • Cabinetmaker: The rendering was prepared for appearance review and doesn't show every construction joint.

03 • Plumber: That distinction needs to reach the client, who has approved the image as seamless.

04 • Cabinetmaker: I can explain that the approval concerns appearance intent, not every unresolved service-access detail.

05 • Plumber: Please provide a coordinated elevation showing the panel relationship for a specific review.

06 • Cabinetmaker: Should I label it an inspection hatch or use the access-panel term from your drawing?

07 • Plumber: Use the drawing term and reference so everyone can connect the same item across documents.

08 • Cabinetmaker: I'll also identify that the rendering is illustrative rather than a complete fabrication instruction.

09 • Plumber: Good. The client can then review an honest representation instead of discovering the panel at handover.

10 • Cabinetmaker: I'll arrange that review before releasing the affected cabinet component to production.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Explaining drainage and access terminology

A cabinet drawing labels a small removable panel for access to a recorded cleanout. The client calls it an extra drain and wants the panel permanently covered. The plumber has not reviewed the enclosure change; the designer must coordinate the access detail.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You prefer a continuous cabinet face but accept a reviewed access detail.

Second round: The cabinet supplier offers a different removable panel. Ask for the detail to be reviewed rather than approving it by appearance.

Scenario 2 | A storage plan obscures access

A storeroom layout places a fixed cupboard in front of a recorded drainage access panel. The panel is shown on the service drawing but omitted from the furniture plan.

Role A: Plumber: identify the drawing conflict without prescribing a clearance.

Role B: Facilities client: you can ask the furniture planner to review another location.

Possible opening: The cupboard proposal overlaps the recorded access location; can we review those drawings together?

Success checks

- Use the correct fixed-cupboard status.
- Explain the access conflict.
- Request a coordinated location rather than a nominal label change.

Add a complication: The client offers to label the cupboard as movable although it is specified fixed.

LESSON 06 / 05 • CONVERSATIONS / 1 OF 3

Nine o'clock is the arrival time

A plumber corrects a tenant's understanding of a planned visit.

01 • Plumber: Our visit is booked for nine, but the proposed interruption is a separate arrangement.

02 • Tenant contact: The tenant email says the whole building loses service from nine. Is that inaccurate?

03 • Plumber: Yes. The request concerns the east washroom from ten to eleven, pending manager confirmation.

04 • Tenant contact: I'll correct the interruption notice's area and timing, and mark the window proposed.

05 • Plumber: Thank you. Please don't present the booked attendance as approval of the service interruption.

06 • Tenant contact: The manager has now confirmed ten to eleven for the east washroom only.

07 • Plumber: Then that planning window can be described as confirmed, with its limited scope preserved.

08 • Tenant contact: Does that mean the work is complete or that service status has already changed?

09 • Plumber: No. It confirms the plan, not completion or a current technical operating status.

10 • Tenant contact: I'll issue the corrected notice and identify the manager as the contact for tenant questions.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 2 OF 3

The tenant works nights

A plumber and property coordinator discuss access to an occupied flat.

01 • Plumber: The tenant offered afternoon access because they work nights. Our booking still says eight thirty.

02 • Property coordinator: I copied the standard slot before reading their note. We should correct the appointment request.

03 • Plumber: Can you ask for a specific afternoon window rather than simply marking all afternoon available?

04 • Property coordinator: They can offer two until four, with the building caretaker present for shared-area access.

05 • Plumber: I'll check the crew schedule and confirm whether that period is workable before accepting it.

06 • Property coordinator: Please don't describe the tenant as refusing access; they have offered a reasonable alternative.

07 • Plumber: Agreed. I'll record their actual availability and the need to coordinate the caretaker's attendance.

08 • Property coordinator: The caretaker is available then. Does that settle the booking from your side?

09 • Plumber: Not until I confirm the crew. I'll return that answer before the tenant rearranges anything.

10 • Property coordinator: I'll keep two until four as proposed and let them know when both sides agree.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 3 OF 3

A wall opening is not part of the booking

A plumber discusses service access with a remodeling coordinator.

01 • Plumber: The visit request assumes an access panel exists, but the room drawing doesn't identify one.

02 • Remodeling coordinator: The owner thought your team would create whatever opening was needed during the appointment.

03 • Plumber: That changes the scope and involves building work we haven't coordinated in this booking.

04 • Remodeling coordinator: Could we ask the project lead to review the access arrangement before confirming attendance?

05 • Plumber: Yes. We need the location and responsibilities clarified, including who restores disturbed finishes afterward.

06 • Remodeling coordinator: I'll contact the building team and avoid describing an opening as a minor included task.

07 • Plumber: Please also tell the owner that access review is different from diagnosing the plumbing issue.

08 • Remodeling coordinator: They may still want an estimate. Can we identify the unanswered access item in it?

09 • Plumber: The estimator can state that dependency explicitly instead of silently assuming an unrestricted route.

10 • Remodeling coordinator: I'll obtain a coordinated access proposal, with building work and plumbing assessment kept distinct.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Coordinating interruptions and room access

A plumber's visit is booked for 09:00, but a proposed water-service interruption from 10:00 to 11:00 awaits building-manager confirmation. The request concerns the east washroom only. A tenant thinks the entire building will be unavailable from 09:00. No operating instruction is supplied.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant contact. Repeat back the visit and proposed interruption separately.

Second round: The manager confirms ten to eleven for the east washroom. Explain what planning information changes without giving operating directions.

Scenario 2 | The school event overlaps the proposed window

A school's proposed washroom interruption is 13:00-14:00. A parent event begins at 13:30. The facilities manager can review an earlier window; no change is confirmed.

Role A: Plumber: report the timing conflict and request a coordinated decision.

Role B: Facilities manager: you can speak to the event lead and service scheduler.

Possible opening: The proposed window overlaps the parent event; can we review the operational conflict before confirming it?

Success checks

- State both timings.
- Do not promise an unassessed completion time.
- Confirm who coordinates the revised proposal.

Add a complication: The event lead assumes the plumber can guarantee completion before guests arrive.

LESSON 07 / 05 • CONVERSATIONS / 1 OF 3

The allowance does not describe the whole vanity

A plumber discusses the changed basin package with a client.

01 • Plumber: The estimate covers the specified basin, but you've requested a wall-hung vanity instead.

02 • Client: I assumed the fixture allowance covered the cabinet changes and repainting around it too.

03 • Plumber: It covers the stated basin item; those additional elements aren't defined in this estimate.

04 • Client: Could you price a revised package so I can compare it with the original option?

05 • Plumber: Yes, after we obtain the vanity details and review the access and plumbing implications.

06 • Client: Please show making good separately. I may ask my decorator to handle those surfaces.

07 • Plumber: I'll describe that as restoration of disturbed finishes and clarify the boundary with your decorator.

08 • Client: Does requesting the revised price cancel the original basin proposal or approve the change?

09 • Plumber: Neither by itself. We'll keep the two options identified until you make a decision.

10 • Client: Then obtain the comparison first, with the open access questions clearly listed beside the price.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 2 OF 3

A lower fixture price is not a net saving yet

A plumber and homeowner discuss a proposed substitute basin.

01 • Plumber: The alternate basin costs less to buy, but the overall change hasn't been assessed.

02 • Homeowner: I thought the lower purchase price meant the entire bathroom package would cost less.

03 • Plumber: Other affected work may differ, so we need comparable scope before drawing that conclusion.

04 • Homeowner: Can the estimator show the fixture price and any changed plumbing or cabinet items separately?

05 • Plumber: Yes, that will make the comparison clearer than a single unexplained total.

06 • Homeowner: Please keep redecoration visible too; I don't want a cheaper basin to hide that cost.

07 • Plumber: I'll request the same restoration extent for both options or identify any difference.

08 • Homeowner: Then we can discuss the net change instead of treating the product price as everything.

09 • Plumber: Exactly. I'll ask for the assumptions and exclusions so you can understand the stated totals.

10 • Homeowner: I'll wait for that comparison before telling the supplier that the alternate is our final selection.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 3 OF 3

The estimate did not assess hidden pipework

A plumber and property client discuss a scope limit.

01 • Plumber: The repair estimate covers visible fixture work; concealed pipework wasn't assessed during the initial visit.

02 • Property client: The tenant says older pipes run behind the cabinet. Does your figure include replacing those?

03 • Plumber: Not as currently described. We first need to establish what additional work, if any, is required.

04 • Property client: I don't want the word concealed to become an automatic reason for a larger bill.

05 • Plumber: It shouldn't substitute for a defined finding and a clear proposal for any change.

06 • Property client: Please explain what information is missing before asking me to consider additional costs.

07 • Plumber: I'll state the access and assessment questions, then separate any resulting proposal from the original estimate.

08 • Property client: Can we also identify who restores the cabinet if that becomes part of a reviewed scope?

09 • Plumber: Yes, that responsibility and its extent should be explicit in the proposal.

10 • Property client: Then keep the original estimate visible and present any later change with its actual supporting information.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Pricing changes and restoration boundaries

The agreed estimate covers replacing basin B1 with the specified model. The client now wants a wall-hung vanity and assumes the fixture allowance covers cabinet changes and redecoration. Those items are not in the estimate. Access requirements and revised plumbing scope have not been assessed.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You can keep the original basin if the revised package is unsuitable.

Second round: The client asks whether a cheaper fixture automatically offsets all cabinet costs. Explain why those are separate quoted items.

Scenario 2 | The owner supplies the basin

A quotation includes fitting basin C2 but says client supply. The owner thought the plumber would order it. The supplier has not confirmed availability.

Role A: Plumber: clarify responsibility and the missing delivery information.

Role B: Owner: you can either place the order or request a supply-inclusive quotation.

Possible opening: This quotation includes fitting C2; shall we clarify who supplies the basin?

Success checks

- Separate supply from fitting.
- Offer the two clear next steps.
- Keep attendance timing dependent on confirmed supply and coordination.

Add a complication: The owner wants a guaranteed fitting date before ordering.

LESSON 08 / 05 • CONVERSATIONS / 1 OF 3

The leaflet and the trim are separate follow-ups

A plumber hands over a basin package to the client.

01 • Plumber: The pack lists basin B1, but the care leaflet still names the previous model.

02 • Client: Please obtain the matching leaflet. I don't want to guess which instructions apply.

03 • Plumber: Leo has accepted that supplier follow-up and will call you Monday with its status.

04 • Client: Does that call also confirm the visit for the cosmetic trim concern we discussed?

05 • Plumber: No. The trim review is a separate outstanding item, and attendance isn't booked yet.

06 • Client: Can you keep both items visible so the document call doesn't make the other disappear?

07 • Plumber: Yes, I'll identify the document query and the trim review on separate lines.

08 • Client: Please also give the coordinator my preferred afternoon availability for any proposed return visit.

09 • Plumber: I'll relay that preference without presenting an afternoon as booked until you both agree.

10 • Client: Thank you. I'll expect Monday's document update and a separate proposal for the trim appointment.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 2 OF 3

The test record covers only one area

A plumber clarifies a record's scope with a facilities representative.

01 • Plumber: This test record identifies the pantry work, not the entire floor's existing plumbing.

02 • Facilities representative: I was about to file it under whole-floor completion because the project name is broad.

03 • Plumber: The title can be broad while the actual checked scope is limited in the record.

04 • Facilities representative: I'll preserve the pantry reference. Does the document say anything about the unaltered washrooms?

05 • Plumber: Not in the scope shown here. We shouldn't extend its findings to those areas.

06 • Facilities representative: Understood. I'll ask the project lead about any separate records rather than assume they're included.

07 • Plumber: Please also keep the asset references attached so future enquiries reach the correct fixtures.

08 • Facilities representative: The incoming caretaker needs that distinction explained during the building-record handover next week.

09 • Plumber: I'll include the stated scope and any open document questions in the handover discussion.

10 • Facilities representative: That will prevent a single received record from being treated as evidence about every connected area.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 3 OF 3

The callback is a review, not a diagnosis

A plumber confirms a follow-up appointment with an owner.

01 • Plumber: The coordinator can offer Thursday afternoon to review your reported concern at the basin.

02 • Owner: Will that visit definitely replace the faucet? I want to tell the tenant what will happen.

03 • Plumber: The cause and remedy aren't confirmed, so the booking is for assessment of the report.

04 • Owner: Please say that clearly. The tenant thought a replacement had already been ordered.

05 • Plumber: I'll correct that expectation and keep the fixture reference B1 on the appointment.

06 • Owner: They can provide access between two and four. Is that the offered window?

07 • Plumber: Yes, the coordinator offered that window. Shall I record your acceptance of the review appointment?

08 • Owner: Please do, and include the tenant's contact for arranging entry to the room.

09 • Plumber: I'll confirm the time and review purpose, without adding a promised replacement to the notice.

10 • Owner: Then the tenant will know what is actually booked and which technical questions remain open.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Handing over plumbing records and follow-up

Basin B1 is listed in the handover pack, but its care leaflet names the previous model. The supplier's replacement leaflet is pending. Service coordinator Leo accepts document follow-up and will call Monday. A separate cosmetic trim review needs a return visit; no date is booked.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask for the leaflet owner and the separate return-visit status.

Second round: Leo receives the leaflet but its model suffix differs. Preserve the pending verification rather than declaring the document item closed.

Scenario 2 | The new caretaker receives an incomplete pack

The asset register identifies basin D2, fictional model Basin-Q24. Its model-matching leaflet link is broken, but the model reference and installation entry are present. The outgoing coordinator can request a replacement link from the supplier.

Role A: Plumber: distinguish missing access to the leaflet from missing installation information.

Role B: Caretaker: accept document-retrieval follow-up and repeat back asset D2, model Basin-Q24.

Possible opening: The register identifies D2, but its leaflet link doesn't open.

Success checks

- Preserve the known asset entry.
- Identify the broken document link.
- Agree who retrieves the matching leaflet.

Add a complication: A colleague suggests deleting D2 from the register because the link is broken.

Give feedback that helps

Score each criterion 0, 1, or 2. This is a practice rubric, not a professional qualification or CEFR test. Do not award or remove points for a particular accent.

Meaning and accuracy

Keeps the case facts accurate; clearly separates confirmed and unknown information.

Clarity and language

Uses understandable sentences and explains specialist terms when the listener needs it.

Interaction and tone

Responds to the other person's question, checks understanding, and uses an appropriate tone.

Task completion

Makes the requested action or unresolved question clear without inventing authority or facts.

Use the same scale for each criterion

0 - Not yet: The reader or listener cannot yet recover the intended meaning or action.

1 - With support: The message works after a prompt, clarification, or revision.

2 - Independently: The message is clear and accurate without a prompt.

Feedback sequence

First, identify a successful phrase. Next, identify one point where meaning or accuracy needs work. Offer one useful language correction, allow a repeat, and compare the two attempts. A total out of eight describes this performance only; do not translate it into a proficiency level.

Final challenge

Choose a case not rehearsed today. The learner gives a one-minute response, answers two follow-up questions, and switches roles and repeats the exchange. Add the lesson's second-round challenge. Compare the result with an earlier attempt using the four criteria.

Use the language responsibly

Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Meaning before performance

Use specialist terms only when they help the listener. Explain unfamiliar words, preserve uncertainty, and ask when an instruction or responsibility is unclear. The model responses illustrate language; they do not authorize professional actions.

Sources and further reading

The cases, workshops, and explanations are original teaching material. These references provide language frameworks and selected professional context. References were checked in September 2026; consult current local guidance for actual work.

Digital.gov: plain-language guidance

<https://digital.gov/guides/plain-language>

Council of Europe: CEFR descriptors

<https://www.coe.int/en/web/common-european-framework-reference-languages/cefr-descriptors>

U.S. Bureau of Labor Statistics: Plumbers, Pipefitters, and Steamfitters

<https://www.bls.gov/ooh/construction-and-extraction/plumbers-pipefitters-and-steamfitters.htm>

O*NET OnLine: Plumbers, Pipefitters, and Steamfitters (47-2152.00), U.S. Department of Labor-sponsored occupational profile

<https://www.onetonline.org/link/summary/47-2152.00>

Your next step

Choose one expression you can use in a genuine work situation. Rehearse it with fictional details, then adapt the wording to your role and audience.

Extend your practice with AI

Use the next two prompts after your own first attempt. Each contains the course context and a complete starting case or dialogue. Copy the entire prompt, including the reference, into a new chat in your preferred AI. You can also use the links to copy it from the website.

Choose the right kind of help

A role-play prompt makes the AI wait for your replies. A new-dialogue prompt asks for a complete professional script. Guided message practice gives four choices with explained feedback. Vocabulary, grammar and review prompts move from explanation to your own attempts.

Choose any lesson or dialogue online

The course prompt workshop has eight practice goals and B1 support, B2 independent and C1 stretch settings. These are practice choices, not assessed proficiency levels. Select the same lesson number or dialogue title you used in this guide.

[Open this course's AI prompt workshop](#)

Keep practice useful

Use fictional or anonymized details. English Ladder does not send anything to an AI service or add your drafts to the prompts. Your chosen service's terms and any usage charges apply. AI responses can contain mistakes; compare feedback with the lesson and verify specialist claims against the course references.

The two starter prompts use B2 practice. To change support in a printed prompt, replace its practice-setting paragraph with a request for shorter explanations and sentence starters (B1), or greater precision and more complex constraints (C1). Keep the professional facts unchanged.

Changing the example

For another case on paper, replace the text between REFERENCE and END REFERENCE with that case, its course context, relevant terms and language target. Include the full exchange if practicing a dialogue. Do not assume your AI can access this PDF or a link. The website makes this substitution for you.

Prompt edition: 2026-09-28. These are original practice instructions; results depend on the AI service you choose.

Rehearse with an AI colleague

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Plumbing Workplace English

Professional audience: Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads

Scope: Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Dialogue 01: A history contains two different units

Original fictional setting: A plumber and property manager reconcile an ambiguous maintenance history.

Professional roles: Plumber / Property manager

Published dialogue (reference script, not my own performance):

Plumber: Three entries say upstairs bathroom; the building contains Units 2A and 2B.

Property manager: The current report is from 2B, where the tenant noticed a wet basin cabinet.

Plumber: Which older entries explicitly identify 2B? We should not assume that all upstairs references describe this fixture.

Property manager: Only one gives 2B. The others mention a bath and a utility sink without a unit number.

Plumber: Then we can attach the confirmed 2B entry and retain the others as unassigned background requiring clarification.

Property manager: Will that make it look as though the earlier work records have disappeared from the maintenance history?

Plumber: No. They remain available, but we won't attribute their findings to this basin without a reliable location.

Property manager: That distinction helps. The owner wants to know whether the same problem has been repaired three times already.

Plumber: The records don't establish that. We can explain the location gap and request the original job sheets.

Property manager: I'll ask the service office for those sheets and any fixture references recorded at the earlier visits.

Plumber: Please keep today's observation separate: water on the 2B basin cabinet, with the source not yet confirmed.

Property manager: I will. The owner will receive the confirmed history and the unresolved references, not a guessed recurrence count.

Vocabulary in this exchange: fixture: A plumbing-connected item such as a sink, basin, toilet, or shower that supplies or receives water.

END REFERENCE

TASK: Interactive workplace role-play

1. Use the supplied case or dialogue as the starting situation. Give a two-sentence briefing and offer two relevant professional roles for me to choose from. For a supplied dialogue, use its actual roles. Ask which role I want, then stop and wait. Do not write my replies.
 2. After I choose, identify who you will play and the immediate communication goal. Play the other professional; where a meeting requires a third person, label each of your speakers clearly. Start with one natural workplace turn and wait for my reply. Keep most turns to one to three sentences and ask no more than one question at a time.
 3. Let the exchange develop across six to ten learner turns, or end earlier if I type "feedback". Respond to what I actually say. Include a plausible clarification, disagreement or tradeoff without silently changing the starting facts. Mark any added constraint as a fictional second-round variation. Do not resolve approvals, evidence or commitments that remain uncertain.
 4. Stay in role during the exchange. If my meaning is unclear, ask for clarification naturally. Give a hint only if I ask or cannot proceed. Do not deliver a model conversation in advance.
 5. At the debrief, quote two of my phrases: one successful choice and one worth improving. Check factual accuracy, language, register and whether the next step was clear. Give up to three focused suggestions. Ask me to retry the weakest turn; wait. Only then offer an alternative wording and a harder replay.
- Use voice replies when available. If I prefer selections, offer four plausible spoken replies and explain my choice before continuing. Do not require written compositions.

END PROMPT

Create more scenario dialogues

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Plumbing Workplace English

Professional audience: Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads

Scope: Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Dialogue 01: A history contains two different units

Original fictional setting: A plumber and property manager reconcile an ambiguous maintenance history.

Professional roles: Plumber / Property manager

Published dialogue (reference script, not my own performance):

Plumber: Three entries say upstairs bathroom; the building contains Units 2A and 2B.

Property manager: The current report is from 2B, where the tenant noticed a wet basin cabinet.

Plumber: Which older entries explicitly identify 2B? We should not assume that all upstairs references describe this fixture.

Property manager: Only one gives 2B. The others mention a bath and a utility sink without a unit number.

Plumber: Then we can attach the confirmed 2B entry and retain the others as unassigned background requiring clarification.

Property manager: Will that make it look as though the earlier work records have disappeared from the maintenance history?

Plumber: No. They remain available, but we won't attribute their findings to this basin without a reliable location.

Property manager: That distinction helps. The owner wants to know whether the same problem has been repaired three times already.

Plumber: The records don't establish that. We can explain the location gap and request the original job sheets.

Property manager: I'll ask the service office for those sheets and any fixture references recorded at the earlier visits.

Plumber: Please keep today's observation separate: water on the 2B basin cabinet, with the source not yet confirmed.

Property manager: I will. The owner will receive the confirmed history and the unresolved references, not a guessed recurrence count.

Vocabulary in this exchange: fixture: A plumbing-connected item such as a sink, basin, toilet, or shower that supplies or receives water.

END REFERENCE

TASK: Extend the conversation library

1. Propose six distinct, common scenarios in this field beyond the supplied case or script. For each, name the setting, two or more professional roles, the communication problem and one useful terminology focus. Include routine coordination, clarification, a complication, disagreement, handoff and follow-up where relevant. Choose scenarios that fit this profession, rather than forcing unsuitable situations into it.
2. Ask me to choose one scenario, or request all six in sequence. Stop and wait. Do not write all the scripts before I choose.
3. For the selected scenario, write an original fictional dialogue of 12-18 substantial speaking turns between two or three professionals. Name each role, establish an actual work problem, and let the exchange progress through questions, clarification, competing constraints and a credible next step or explicitly unresolved issue. Use the occupation's natural nomenclature and register. Avoid an interview between a teacher and a learner, generic small talk, and inserting a glossary definition into every reply. Explain specialist terms outside the dialogue instead.
4. After the script, explain five useful expressions in context, identify two grammar or register choices and ask three questions about the speakers' reasoning. Withhold the answers until I attempt them. Add one role-switch challenge.
5. Before presenting a script, check names, numbers, chronology, roles and terminology for consistency. Label invented facts and acknowledge uncertain specialist usage. If I requested all six, deliver one complete script at a time and wait for "next". Make each scenario materially different.

END PROMPT