

ENGLISH FOR WORK / SEPTEMBER 2026

Plumbing Workplace English



Learner workbook

Work with realistic cases, develop your own response, and use the answer section after you have tried the tasks.

PRACTICE THAT TRANSFERS TO WORK

Read a realistic case. Study complete conversations. Find the right language, speak, get feedback, and try again.

Eight lessons | Intermediate to advanced | Independent or classroom study

For Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads.

Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

All scenarios, figures, and model responses are fictional teaching material. Use invented details in practice.

[Open this course on English Ladder](#)

Your course at a glance

Use the lesson numbers to match this document with the website and the other guides.

01 Identifying fixtures and service history

Clarify everyday fixture names and record the source of an account.

02 Clarifying pipe and component specifications

Explain why two size numbers may describe different things.

03 Reconciling fixture layouts and dimensions

Identify inconsistent reference surfaces even when the numbers match.

04 Describing moisture without diagnosing its source

Report moisture evidence without diagnosing a hidden system.

05 Explaining drainage and access terminology

Clarify component terminology while preserving unresolved access requirements.

06 Coordinating interruptions and room access

Distinguish attendance, access, and service-interruption arrangements.

07 Pricing changes and restoration boundaries

Negotiate a revised package without making cost or timing assumptions.

08 Handing over plumbing records and follow-up

Give usable records and separate document follow-up from site attendance.

Choose your pace

Quick practice: spend 15 minutes reading one conversation and rehearsing one scenario. Full lesson: allow 45-60 minutes for language work, three conversations, two speaking scenarios, and feedback.

Level support

B1 learners can use the frames and a partner. B2 learners can try a response before reading the model. C1 learners can add the harder follow-up and reduce preparation time. These are teaching suggestions, not certified CEFR level ratings.

After practicing: open the AI prompt workshop, or use the prompts at the end of this guide.

LESSON 01 / READ AND NOTICE

Identifying fixtures and service history

Clarify everyday fixture names and record the source of an account.

SITUATION

A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

fixture - A plumbing-connected item such as a sink, basin, toilet, or shower that supplies or receives water.

branch line - A smaller piping route that connects part of a system to a larger main or distribution line.

riser - A vertical pipe or group of pipes serving different levels of a building.

service history - The record of earlier reported plumbing issues, visits, findings, and work for an identified location or asset.

Useful word combinations

identify the affected fixture: name the item and its exact location

trace the service history: connect current reports with earlier records

distinguish a fixture from a pipe: separate the user-facing item from connecting pipework

attribute the tenant's report: say who noticed the issue

LESSON 01 / LANGUAGE AND PRACTICE

Locate the fixture before naming a cause

3. Notice the language

Clients may use sink for different fixtures. Ask for room, unit, and fixture references rather than inferring a pipe route. This is an information-gathering exercise, not a request to test, dismantle, or operate plumbing.

Do you mean the ___ or the ___?

Where did you notice ___?

I will record ___ as your observation, not ___.

Compare this wording: The bathroom branch is leaking.

Clearer: The tenant noticed water on the bathroom basin's cabinet base; the source is unknown.

The revision distinguishes a reported location from a diagnosed pipe fault.

4. Check the language

1. Tenant: I mean the washbasin inside the bathroom, not the utility sink.

Plumber: I'll identify that ___ on the service request.

- A. branch line
- B. water main
- C. fixture
- D. riser

2. Dispatcher: Did you see the water yourself?

Plumber: No, this is the ___ account.

- A. tenancy
- B. tenant's
- C. tenants
- D. tenant

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 01 / 05 • CONVERSATIONS / 1 OF 3

Which sink in Unit 3B?

A plumber clarifies the fictional Unit 3B report with its tenant.

01 • Plumber: Your request says bathroom sink. Do you mean the basin or the utility sink nearby?

02 • Tenant: The basin inside the bathroom. There was water on its cabinet base at seven.

03 • Plumber: Thank you. That locates the observation, but it doesn't establish where the water came from.

04 • Tenant: The manager mentioned a riser leak. Is that the same thing as my basin?

05 • Plumber: A riser is vertical pipework; a branch line serves part of the system. Neither source is confirmed.

06 • Tenant: I can give you the earlier service number for the basin if that helps.

07 • Plumber: Please do. It will help us connect the history to the correct fixture.

08 • Tenant: Should I describe this as the same fault returning from the previous visit?

09 • Plumber: Say what you noticed today. Whether it shares the earlier cause still needs assessment.

10 • Tenant: I'll give the current observation and the old reference separately so neither is lost.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 2 OF 3

Two washrooms with identical basins

A plumber and office manager identify a service location.

01 • Plumber: The request names the rear washroom, but both corridors have a washroom at the rear.

02 • Office manager: I mean the one beyond the staff kitchen, not the one beside the loading entrance.

03 • Plumber: Could we use the room identifier from your floor plan to remove that ambiguity?

04 • Office manager: Yes, that's W14. The basin nearest the door is the one our cleaner reported.

05 • Plumber: I'll include W14 and nearest the door, with the cleaner identified as the reporter.

06 • Office manager: The other basin was serviced last month. Should I include that record as well?

07 • Plumber: You can provide it as background, but we shouldn't merge the two fixture histories.

08 • Office manager: Understood. I'll label last month's record with the other basin's location before sending it.

09 • Plumber: Who can arrange access to W14 during the service visit so the plumber isn't delayed?

10 • Office manager: Our caretaker will meet you at reception and confirm the room with you in person.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 05 • CONVERSATIONS / 3 OF 3

A complaint changes meaning in retelling

A plumber checks a hotel supervisor's summary of a guest report.

01 • Plumber: The booking says the shower is blocked. What did the guest actually report to reception?

02 • Hotel supervisor: They said water remained on the shower floor longer than usual after yesterday's use.

03 • Plumber: I'll retain that description. Blocked sounds like a diagnosis rather than the guest's observation.

04 • Hotel supervisor: That's fair. The receptionist shortened the message because the service form had limited space.

05 • Plumber: Do you have the room number and the time the guest noticed the issue?

06 • Hotel supervisor: Room 418, yesterday evening. I can ask reception for a more precise time if available.

07 • Plumber: Please also keep any earlier service reference separate from the current report of slow drainage.

08 • Hotel supervisor: Should we ask the guest to reproduce it before the plumber attends the room?

09 • Plumber: No additional operation is needed for this conversation. Their existing account gives us the enquiry.

10 • Hotel supervisor: I'll correct the description and arrange access through housekeeping, with the source still unconfirmed.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 01 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Identifying fixtures and service history

A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant. Clarify the fixture and when you noticed the water.

Second round: The manager calls it a riser leak. Preserve the tenant's observation without accepting the unverified pipe diagnosis.

Scenario 2 | Kitchen, pantry, or utility?

A hotel has a pantry sink and utility sink on Level 2. A request says kitchen sink. The reporter means the pantry sink beside the beverage counter; asset labels are not visible from the corridor.

Role A: Plumber: identify the location without asking anyone to investigate equipment.

Role B: Supervisor: confirm the pantry sink beside the beverage counter; caretaker Noor can arrange access. Earlier job U-17 belongs to the utility sink.

Possible opening: When you say kitchen sink, which room and counter are you referring to?

Success checks

- Name the pantry sink.
- Keep the earlier utility reference separate.
- Agree the access contact.

Add a complication: An earlier job reference belongs to the utility sink.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 02 / READ AND NOTICE

Clarifying pipe and component specifications

Explain why two size numbers may describe different things.

SITUATION

A client compares a pipe's nominal designation with a measured outside diameter and thinks the delivered item must be wrong because the numbers differ. The order identifies a product series but the delivery label is incomplete. No material or connection compatibility is verified.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

nominal pipe size - A standardized size designation for pipe that is not necessarily its measured outside diameter.

outside diameter - The distance across the external surface of a round pipe, measured through its center.

connection type - The specified form of joint or interface between plumbing components.

material specification - The stated requirements identifying a component's material and relevant product properties.

Useful word combinations

confirm the nominal size: identify the specified size designation

state the measurement basis: distinguish an actual dimension from a product designation

match the connection description: compare the required component interfaces

request the exact product reference: obtain the complete manufacturer identifier

LESSON 02 / LANGUAGE AND PRACTICE

Distinguish a designation from a measurement

3. Notice the language

Avoid equating a nominal size with a measured diameter. Product series, material, and connection details matter to comparison. Do not teach joining methods or infer interchangeability from one number.

The designation is ____; the measured dimension is ____.

Those numbers describe different ____.

To confirm the match, we still need ____.

Compare this wording: The numbers differ, so the pipe is wrong.

Clearer: The numbers use different size descriptions; the product reference still needs checking.

The correction avoids declaring either a match or a mismatch prematurely.

4. Check the language

1. Client: Is the catalog size always the dimension across the outside?

Plumber: No, a ____ may differ from the measured outside diameter.

- A. recorded external dimension
- B. nominal pipe size
- C. measured external diameter
- D. verified outside measurement

2. Supplier: Besides size, what specifies the joint interface between these two components?

Plumber: That is the ____.

- A. connection type
- B. pressure class
- C. nominal pipe size
- D. material grade

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 02 / 05 • CONVERSATIONS / 1 OF 3

The nominal number is not a measurement

A plumber explains the incomplete delivery comparison to a client.

01 • Plumber: Nominal pipe size and measured outside diameter describe different types of information.

02 • Client: I thought any difference meant the supplier had sent the wrong pipe for our order.

03 • Plumber: Not necessarily. A nominal designation doesn't always equal the actual outside measurement.

04 • Client: Then can we accept it, now that we know the numbers may differ?

05 • Plumber: Not yet. The delivery label lacks the full reference needed to check the ordered series.

06 • Client: Please ask the supplier for that reference and the stated material specification.

07 • Plumber: I will, along with the connection type, so the comparison isn't based on diameter alone.

08 • Client: Could we keep the item identified while the supplier checks, rather than mixing it into stock?

09 • Plumber: Yes, I'll ask receiving to retain the delivery reference and its pending review status.

10 • Client: That gives us a clear question for the supplier without declaring the item right or wrong.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 2 OF 3

The same finish hides a different connection

A plumber checks a proposed faucet substitution with a supplier.

01 • Plumber: The alternate faucet looks similar, but the submitted data don't identify the same connection arrangement.

02 • Supplier: The finish and body shape match. Would the client accept that as an equivalent product?

03 • Plumber: Appearance is only one part of the review. We need the complete technical comparison.

04 • Supplier: I'll obtain the manufacturer's sheet for the exact alternate, not just the brochure photograph.

05 • Plumber: Please retain the original model reference beside it so any differences are visible.

06 • Supplier: Should I describe the alternate as approved if its finish matches the client's sample?

07 • Plumber: No. Finish acceptance doesn't establish component compatibility or approval of the whole substitution.

08 • Supplier: Understood. I'll mark it proposed and request confirmation of the specified connection details.

09 • Plumber: The delivery date matters too, but please show it separately from the compatibility question.

10 • Supplier: I'll provide both pieces of information without presenting early availability as proof of suitability.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 05 • CONVERSATIONS / 3 OF 3

A unit disappears in a phone order

A plumber clarifies an incomplete fitting request with a purchasing coordinator.

01 • Plumber: Your enquiry says twenty-two, but it doesn't identify units, series, or the complete fitting reference.

02 • Purchasing coordinator: I copied the number from a phone conversation and assumed the supplier would recognize it.

03 • Plumber: We need the specified component description so they don't choose between several plausible interpretations.

04 • Purchasing coordinator: I can retrieve the original material schedule. Should I send its item reference as well?

05 • Plumber: Yes, send that reference with the full description and the applicable project revision.

06 • Purchasing coordinator: There are two similar entries, one for each system. I shouldn't merge them, should I?

07 • Plumber: Correct. Keep the system references separate, even if their descriptions begin with the same size.

08 • Purchasing coordinator: I'll ask the supplier to quote against each complete line rather than my shortened note.

09 • Plumber: Please identify any deviation explicitly, so the reviewer can compare what is actually being offered.

10 • Purchasing coordinator: That will be more reliable than asking whether they have a twenty-two fitting in stock.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 02 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Clarifying pipe and component specifications

A client compares a pipe's nominal designation with a measured outside diameter and thinks the delivered item must be wrong because the numbers differ. The order identifies a product series but the delivery label is incomplete. No material or connection compatibility is verified.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask why a catalog label can differ from a measured dimension.

Second round: The supplier offers the same nominal size in another material. Keep compatibility pending the full specification review.

Scenario 2 | A replacement cartridge has a longer code

The installed fictional faucet reference is FX40. Its recorded cartridge reference is K40. The supplier offers K40-R, saying the suffix may indicate a revision, but has not confirmed its compatibility with faucet FX40.

Role A: Plumber: request manufacturer confirmation against the installed faucet reference.

Role B: Supplier: you can obtain the full cross-reference but do not yet have it.

Possible opening: What does the R suffix identify, and does the manufacturer confirm this exact replacement?

Success checks

- Use both complete references.
- Distinguish a proposed replacement from a verified match.
- Keep the order decision pending confirmation.

Add a complication: The client thinks a similar name proves interchangeability.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 03 / READ AND NOTICE

Reconciling fixture layouts and dimensions

Identify inconsistent reference surfaces even when the numbers match.

SITUATION

The bathroom layout gives a basin centerline 450 millimeters from the finished wall face. The cabinet drawing gives 450 from the framing face. These are different references. The selected basin is B2; no coordinated rough-in detail has been confirmed.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

fixture schedule - A list identifying specified plumbing fixtures and their associated product or location references.

rough-in dimension - A specified position for preparatory plumbing connections, defined from stated reference points.

centerline - A reference line through the center of a fixture, connection, or drawing feature.

finished wall face - The surface of the completed wall, used as a stated reference for dimensions.

Useful word combinations

check the fixture schedule: confirm the selected product and location

confirm the wall reference: distinguish framing from the completed wall face

coordinate with the cabinet layout: reconcile fixture and joinery positions

query a dimension conflict: request clarification of inconsistent measurements

LESSON 03 / LANGUAGE AND PRACTICE

Ask where the dimension starts

3. Notice the language

A dimension needs both a starting reference and an endpoint. A fixture selection can also affect the layout. Ask for a coordinated detail rather than choosing whichever drawing seems easier to follow.

Both drawings say ___, but one starts at ___.

Please confirm the centerline relative to ___.

The selected fixture reference is ___.

Compare this wording: They both say four fifty, so they agree.

Clearer: Both say 450 millimeters, but their wall reference surfaces differ.

The revised statement makes the actual coordination issue visible.

4. Check the language

1. Designer: Which surface does the bathroom layout name?

Plumber: It measures from the ____.

A. finished wall face

B. framing face

C. cabinet centerline

D. basin rim

2. Cabinetmaker: Do equal numbers settle the position?

Plumber: Not ____ the reference surfaces are also reconciled.

A. during

B. despite

C. whereas

D. until

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 03 / 05 • CONVERSATIONS / 1 OF 3

Four fifty from different walls

A plumber calls the designer about the B2 basin layout.

01 • Plumber: Both drawings say four hundred fifty millimeters, but they use different wall references.

02 • Designer: Which surfaces do they identify, and which fixture are you coordinating in this query?

03 • Plumber: The bathroom layout uses the finished wall face; the cabinet drawing uses framing. It's basin B2.

04 • Designer: Then matching numbers don't give the same centerline. I need to reconcile the detail.

05 • Plumber: Please identify the intended reference explicitly before the layout is released to the teams.

06 • Designer: I will. Has the client confirmed the fixture selection shown on the schedule?

07 • Plumber: B2 is the current selection. I'll flag any later change rather than assuming the dimensions transfer.

08 • Designer: Thank you. I'll issue a coordinated position tied to that fixture and the agreed wall face.

09 • Plumber: Should I tell the cabinetmaker the query concerns measurement origins, not an incorrect arithmetic calculation?

10 • Designer: Yes, that will focus the discussion on the actual mismatch between the two drawings.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 2 OF 3

The replacement basin is wider

A plumber and interior designer discuss a changed fixture selection.

01 • Plumber: The fixture schedule now shows a wider basin, but the cabinet elevation hasn't been revised.

02 • Interior designer: The client changed the model yesterday because they preferred the shape of the bowl.

03 • Plumber: We need the new model reviewed before retaining any earlier rough-in dimension.

04 • Interior designer: Can we assume the connections remain centered because the basin itself is centered?

05 • Plumber: The product dimensions need confirmation. Visual symmetry doesn't establish every connection position.

06 • Interior designer: I'll get the selected model's drawing and send it with the revised fixture schedule.

07 • Plumber: Please identify which older model it replaces so the cabinetmaker understands the change.

08 • Interior designer: Should the client regard yesterday's selection as approval of a fully coordinated installation detail?

09 • Plumber: No, it's a product choice that still needs the associated layout review.

10 • Interior designer: I'll make that distinction and keep the cabinet detail pending until both teams have agreed information.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 05 • CONVERSATIONS / 3 OF 3

The drawing is not to scale

A plumber responds to a project coordinator's suggested measurement.

01 • Plumber: This sketch says not to scale and doesn't give the required fixture offset.

02 • Project coordinator: Could you estimate the offset from the picture so purchasing can release the cabinet?

03 • Plumber: That would turn an illustration into an unsupported dimension. We need the stated reference.

04 • Project coordinator: The client thinks the sketch is precise because it shows the entire bathroom layout.

05 • Plumber: We can explain that it communicates arrangement without providing every fabrication or connection dimension.

06 • Project coordinator: I'll ask the designer for the missing offset, with its wall face and centerline identified.

07 • Plumber: Please include the fixture code so the reply cannot be mistaken for another basin.

08 • Project coordinator: The issue log has B4. I'll attach the current selection sheet to the question.

09 • Plumber: Good. Keep the cabinet release dependent on the coordinated detail rather than the picture alone.

10 • Project coordinator: I'll tell purchasing what information is missing and ask when the designer can respond.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 03 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Reconciling fixture layouts and dimensions

The bathroom layout gives a basin centerline 450 millimeters from the finished wall face. The cabinet drawing gives 450 from the framing face. These are different references. The selected basin is B2; no coordinated rough-in detail has been confirmed.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the designer. Ask for the fixture reference and both wall references.

Second round: The client changes basin B2 to B3 during the query. Explain why the new selection also needs coordination.

Scenario 2 | Above the floor, but which floor?

A vanity note gives a connection reference above floor without saying finished floor or structural slab. The floor finish build-up is not yet confirmed.

Role A: Plumber: ask the designer to identify the datum, meaning the reference level.

Role B: Designer: you can coordinate the floor information with the architect.

Possible opening: Does floor here mean the finished floor or the structural slab reference?

Success checks

- Name both possible references.
- Explain why the other room does not resolve this note.
- Request a room-specific coordinated dimension.

Add a complication: The coordinator offers a dimension copied from a different room.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 04 / READ AND NOTICE

Describing moisture without diagnosing its source

Report moisture evidence without diagnosing a hidden system.

SITUATION

A shop owner reports a stain below an upstairs washroom. At the visit, the visible ceiling patch is dry. No pipework is visible and no source has been established. The owner asks whether the dry patch proves the leak has stopped.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

active leak - Water or other fluid currently escaping from a system at an identified point, as confirmed by appropriate assessment.

water staining - Discoloration associated with past or present moisture exposure, which does not alone identify its source.

condensation - Liquid formed when water vapor cools on a surface; a possible moisture source requiring appropriate assessment.

concealed pipework - Pipes hidden behind or within building finishes or other enclosures.

Useful word combinations

describe the wet area: give its location and observed extent

separate stain from active leakage: distinguish an appearance from a current confirmed escape

record the reported timing: identify when moisture was noticed

refer the source question: ask for assessment without asserting a cause

LESSON 04 / LANGUAGE AND PRACTICE

Keep the observation separate from the explanation

3. Notice the language

A visible stain, a tenant's account, and a confirmed active leak are different kinds of information. Time and visibility limit conclusions. Do not direct learners to investigate concealed services or offer repair steps.

At the time of the visit, ____.

That observation does not establish ____.

The source remains ____; the visible condition is ____.

Compare this wording: It's dry, so the leak is fixed.

Clearer: The visible patch is dry today; the source and history remain unconfirmed.

The revision avoids turning one observation into a repair claim.

4. Check the language

1. Owner: Does a stain itself prove water is escaping right now?

Plumber: No, it does not by itself confirm an ____.

A. earlier moisture mark

B. old discoloration

C. historic stain

D. active leak

2. Manager: Did you identify the source?

Plumber: The source ____ unconfirmed after this observation.

A. remaining

B. has remaining

C. remains

D. remains to

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 04 / 05 • CONVERSATIONS / 1 OF 3

Dry today does not explain yesterday

A plumber discusses the ceiling patch with the shop owner.

01 • Plumber: The water staining is dry today; its source and any active leak remain unconfirmed.

02 • Shop owner: Doesn't that mean the leak stopped and we can tell the decorator to cover it?

03 • Plumber: It doesn't establish that there was a leak, or that any cause has been resolved.

04 • Shop owner: The stain appeared after the upstairs washroom was busy yesterday. Could that be relevant?

05 • Plumber: Yes, I'll record your timing account without treating the coincidence as proof of a source.

06 • Shop owner: The building manager suggested condensation rather than a pipe leak. Is that confirmed?

07 • Plumber: No. It's a possible explanation they raised, not an assessment result we have.

08 • Shop owner: Please keep both my observation and that suggestion visible when arranging the review.

09 • Plumber: I will distinguish reported history, today's visible condition, and the unresolved source question.

10 • Shop owner: That gives the reviewer the information without promising the decorator that the issue is finished.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 2 OF 3

Wet beside the pipe is not from the pipe

A plumber clarifies an observation with a facilities supervisor.

01 • Plumber: Your photograph shows moisture beside the visible pipe, but not where it originated.

02 • Facilities supervisor: I described the pipe as leaking because the water was directly below it.

03 • Plumber: The location is useful evidence, but it doesn't establish the source by itself.

04 • Facilities supervisor: Then the report should say water below the pipe rather than confirmed pipe leak.

05 • Plumber: Yes, with the time and exact location so the assessor can understand what you noticed.

06 • Facilities supervisor: I took the photograph at nine twenty near the north utility cupboard.

07 • Plumber: I'll retain those details and identify the image as your observation from that time.

08 • Facilities supervisor: Should I add the neighboring room's service history in case the events are connected?

09 • Plumber: Provide it as separate background. We don't yet know whether there's a connection.

10 • Facilities supervisor: I'll keep the references distinct and avoid changing the source description before assessment.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 05 • CONVERSATIONS / 3 OF 3

The ceiling report needs attribution

A plumber discusses a complaint relayed by a property manager.

01 • Plumber: Your email says water was dripping yesterday. Who directly observed that event?

02 • Property manager: The downstairs tenant. I saw the stain today, but no dripping during my visit.

03 • Plumber: Those are two different observations. Let's preserve both sources and their times.

04 • Property manager: The tenant says it happened around midnight, although they cannot identify the exact minute.

05 • Plumber: Around midnight is useful if labeled approximate; we shouldn't turn it into a precise timestamp.

06 • Property manager: I'll record their account separately from my own daytime observation of the stain.

07 • Plumber: The source remains unknown, so neither statement should identify concealed pipework as the cause.

08 • Property manager: Understood. The owner asked me to blame the upstairs fixture because it's directly above.

09 • Plumber: We can identify that spatial relationship without treating it as a confirmed source finding.

10 • Property manager: I'll explain the distinction and request assessment using the observations rather than a predetermined conclusion.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 04 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Describing moisture without diagnosing its source

A shop owner reports a stain below an upstairs washroom. At the visit, the visible ceiling patch is dry. No pipework is visible and no source has been established. The owner asks whether the dry patch proves the leak has stopped.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the owner. Ask whether the dry appearance means the issue is resolved.

Second round: The owner suggests condensation. Attribute it as a possibility rather than a diagnosis.

Scenario 2 | A photograph has no date

A tenant sends a photo of water beneath a basin but later says it was taken last month. Today's condition is unknown; last month's job record is available.

Role A: Plumber: distinguish historical evidence from the current report.

Role B: Tenant: you want a repeat visit but have no current photograph.

Possible opening: When was this image taken, and what have you noticed today?

Success checks

- Correct the photo date.
- Keep today's condition unknown.
- Link the older image to the relevant history without inventing a cause.

Add a complication: The manager has already described the photo as today's active leak.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 05 / READ AND NOTICE

Explaining drainage and access terminology

Clarify component terminology while preserving unresolved access requirements.

SITUATION

A cabinet drawing labels a small removable panel for access to a recorded cleanout. The client calls it an extra drain and wants the panel permanently covered. The plumber has not reviewed the enclosure change; the designer must coordinate the access detail.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

trap - A fitting designed to retain a liquid seal that limits passage of drainage-system gases into occupied space.

vent - Pipework that serves pressure-management and air-movement functions in a drainage system.

cleanout - A designated access point provided for inspection or servicing of drainage pipework.

drain line - Pipework carrying wastewater away from a fixture or connected drainage area.

Useful word combinations

identify the access point: locate the item described in the records

distinguish access from drainage: explain what a fitting is for without operating it

retain service access: preserve the reviewed ability to reach a component

coordinate the enclosure detail: resolve how building finishes relate to service access

LESSON 05 / LANGUAGE AND PRACTICE

Explain purpose without giving operating steps

3. Notice the language

Explain what a component is, then relate it to the drawing question. Do not describe how to open, clear, dismantle, test, or use drainage components. A client's appearance preference still needs coordinated review.

___ is an access point, not ___ .

The panel is shown for ___ .

The proposed enclosure changes ___, which needs ___.

Compare this wording: That is just another drain.

Clearer: The cleanout provides service access; it is not an everyday drainage outlet.

The revised explanation gives the component's purpose without an operating instruction.

4. Check the language

1. Client: Is the labeled cleanout another place to pour wastewater?

Plumber: No, it is a ____.

- A. basin overflow opening
- B. floor drainage inlet
- C. drainage service access point
- D. fixture waste outlet

2. Designer: Why does the enclosure need review?

Plumber: It changes access ____ the recorded cleanout.

- A. during
- B. to
- C. by
- D. from

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 05 / 05 • CONVERSATIONS / 1 OF 3

A cleanout is not an extra drain

A plumber explains the cabinet access label to a client.

01 • Plumber: The cabinet detail provides access to a cleanout, which is recorded behind this panel.

02 • Client: I thought it was an extra drain we don't use. Could we cover the panel permanently?

03 • Plumber: A cleanout gives service access to a drain line; it isn't an everyday drainage outlet.

04 • Client: I want a continuous cabinet face, but I didn't realize the panel had that purpose.

05 • Plumber: We can ask the designer to review an appearance option that addresses the access requirement.

06 • Client: Would a different removable panel solve it without involving the plumbing lead in the review?

07 • Plumber: We need a coordinated detail. Appearance alone won't establish whether the proposed access is suitable.

08 • Client: Then ask both teams to review it, rather than record my preference as approval.

09 • Plumber: I'll identify the cleanout reference and the cabinet change so they assess the same location.

10 • Client: Thank you. I can consider the visible finish once the access arrangement is properly described.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 2 OF 3

Trap and vent are not interchangeable labels

A plumber clarifies a maintenance note with a property coordinator.

01 • Plumber: The note calls this concern a vent problem, but the tenant reported an odor near a basin.

02 • Property coordinator: I thought vent and trap were different names for the same drainage fitting.

03 • Plumber: They aren't. A trap retains a liquid seal; vent pipework has air and pressure-management functions.

04 • Property coordinator: Thanks. That explains the terms, but it doesn't identify the source of the odor, does it?

05 • Plumber: Correct. We should preserve the tenant's location and timing without diagnosing either component.

06 • Property coordinator: I'll change the request to reported odor near the basin, with the tenant's exact account.

07 • Plumber: Please keep the old note in the history as an earlier unverified description.

08 • Property coordinator: Can the visiting plumber then assess the concern without being committed to that assumed cause?

09 • Plumber: Yes, the service request should describe the issue and leave the technical assessment open.

10 • Property coordinator: I'll arrange access through the caretaker and avoid offering the tenant a remedy by phone.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 05 • CONVERSATIONS / 3 OF 3

The cabinet photo hides the access detail

A plumber and cabinetmaker discuss an unclear drawing package.

01 • Plumber: The cabinet rendering looks continuous across the service area, but the detail shows an access panel.

02 • Cabinetmaker: The rendering was prepared for appearance review and doesn't show every construction joint.

03 • Plumber: That distinction needs to reach the client, who has approved the image as seamless.

04 • Cabinetmaker: I can explain that the approval concerns appearance intent, not every unresolved service-access detail.

05 • Plumber: Please provide a coordinated elevation showing the panel relationship for a specific review.

06 • Cabinetmaker: Should I label it an inspection hatch or use the access-panel term from your drawing?

07 • Plumber: Use the drawing term and reference so everyone can connect the same item across documents.

08 • Cabinetmaker: I'll also identify that the rendering is illustrative rather than a complete fabrication instruction.

09 • Plumber: Good. The client can then review an honest representation instead of discovering the panel at handover.

10 • Cabinetmaker: I'll arrange that review before releasing the affected cabinet component to production.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 05 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Explaining drainage and access terminology

A cabinet drawing labels a small removable panel for access to a recorded cleanout. The client calls it an extra drain and wants the panel permanently covered. The plumber has not reviewed the enclosure change; the designer must coordinate the access detail.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You prefer a continuous cabinet face but accept a reviewed access detail.

Second round: The cabinet supplier offers a different removable panel. Ask for the detail to be reviewed rather than approving it by appearance.

Scenario 2 | A storage plan obscures access

A storeroom layout places a fixed cupboard in front of a recorded drainage access panel. The panel is shown on the service drawing but omitted from the furniture plan.

Role A: Plumber: identify the drawing conflict without prescribing a clearance.

Role B: Facilities client: you can ask the furniture planner to review another location.

Possible opening: The cupboard proposal overlaps the recorded access location; can we review those drawings together?

Success checks

- Use the correct fixed-cupboard status.
- Explain the access conflict.
- Request a coordinated location rather than a nominal label change.

Add a complication: The client offers to label the cupboard as movable although it is specified fixed.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 06 / READ AND NOTICE

Coordinating interruptions and room access

Distinguish attendance, access, and service-interruption arrangements.

SITUATION

A plumber's visit is booked for 09:00, but a proposed water-service interruption from 10:00 to 11:00 awaits building-manager confirmation. The request concerns the east washroom only. A tenant thinks the entire building will be unavailable from 09:00. No operating instruction is supplied.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

access panel - A removable or openable building panel provided to reach concealed services.

service interruption - A planned or unplanned period when an identified plumbing service is unavailable.

interruption notice - A communication stating the planned extent, timing, and contact for a service interruption.

affected fixture - A fixture specifically identified as included in a reported problem or planned work scope.

Useful word combinations

confirm the interruption scope: establish which services the plan includes

coordinate room access: agree entry arrangements with the occupier

notify the relevant occupants: communicate the agreed plan to those affected

separate an appointment from an interruption: distinguish attendance timing from service availability

LESSON 06 / LANGUAGE AND PRACTICE

State which part of the plan is confirmed

3. Notice the language

A booked visit does not automatically confirm interruption timing or technical readiness. State only the planned affected services; leave system operation and actual status confirmation to the responsible qualified staff.

Our attendance is confirmed for ____.

The proposed interruption covers ____ and remains ____.

Please don't equate ____ with ____.

Compare this wording: We're booked at nine, so water is off then.

Clearer: The visit is booked at nine; the proposed interruption is ten to eleven and unconfirmed.

The correction separates two different scheduling facts.

4. Check the language

1. Tenant: Is the interruption confirmed?

Plumber: It is ____ building-manager confirmation.

- A. replacing
- B. awaiting
- C. providing
- D. completing

2. Manager: Which event is booked for nine?

Plumber: The ____ is booked then.

- A. service visit
- B. water-service interruption
- C. restoration of service
- D. completion review

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 06 / 05 • CONVERSATIONS / 1 OF 3

Nine o'clock is the arrival time

A plumber corrects a tenant's understanding of a planned visit.

01 • Plumber: Our visit is booked for nine, but the proposed interruption is a separate arrangement.

02 • Tenant contact: The tenant email says the whole building loses service from nine. Is that inaccurate?

03 • Plumber: Yes. The request concerns the east washroom from ten to eleven, pending manager confirmation.

04 • Tenant contact: I'll correct the interruption notice's area and timing, and mark the window proposed.

05 • Plumber: Thank you. Please don't present the booked attendance as approval of the service interruption.

06 • Tenant contact: The manager has now confirmed ten to eleven for the east washroom only.

07 • Plumber: Then that planning window can be described as confirmed, with its limited scope preserved.

08 • Tenant contact: Does that mean the work is complete or that service status has already changed?

09 • Plumber: No. It confirms the plan, not completion or a current technical operating status.

10 • Tenant contact: I'll issue the corrected notice and identify the manager as the contact for tenant questions.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 2 OF 3

The tenant works nights

A plumber and property coordinator discuss access to an occupied flat.

01 • Plumber: The tenant offered afternoon access because they work nights. Our booking still says eight thirty.

02 • Property coordinator: I copied the standard slot before reading their note. We should correct the appointment request.

03 • Plumber: Can you ask for a specific afternoon window rather than simply marking all afternoon available?

04 • Property coordinator: They can offer two until four, with the building caretaker present for shared-area access.

05 • Plumber: I'll check the crew schedule and confirm whether that period is workable before accepting it.

06 • Property coordinator: Please don't describe the tenant as refusing access; they have offered a reasonable alternative.

07 • Plumber: Agreed. I'll record their actual availability and the need to coordinate the caretaker's attendance.

08 • Property coordinator: The caretaker is available then. Does that settle the booking from your side?

09 • Plumber: Not until I confirm the crew. I'll return that answer before the tenant rearranges anything.

10 • Property coordinator: I'll keep two until four as proposed and let them know when both sides agree.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 05 • CONVERSATIONS / 3 OF 3

A wall opening is not part of the booking

A plumber discusses service access with a remodeling coordinator.

01 • Plumber: The visit request assumes an access panel exists, but the room drawing doesn't identify one.

02 • Remodeling coordinator: The owner thought your team would create whatever opening was needed during the appointment.

03 • Plumber: That changes the scope and involves building work we haven't coordinated in this booking.

04 • Remodeling coordinator: Could we ask the project lead to review the access arrangement before confirming attendance?

05 • Plumber: Yes. We need the location and responsibilities clarified, including who restores disturbed finishes afterward.

06 • Remodeling coordinator: I'll contact the building team and avoid describing an opening as a minor included task.

07 • Plumber: Please also tell the owner that access review is different from diagnosing the plumbing issue.

08 • Remodeling coordinator: They may still want an estimate. Can we identify the unanswered access item in it?

09 • Plumber: The estimator can state that dependency explicitly instead of silently assuming an unrestricted route.

10 • Remodeling coordinator: I'll obtain a coordinated access proposal, with building work and plumbing assessment kept distinct.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 06 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Coordinating interruptions and room access

A plumber's visit is booked for 09:00, but a proposed water-service interruption from 10:00 to 11:00 awaits building-manager confirmation. The request concerns the east washroom only. A tenant thinks the entire building will be unavailable from 09:00. No operating instruction is supplied.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant contact. Repeat back the visit and proposed interruption separately.

Second round: The manager confirms ten to eleven for the east washroom. Explain what planning information changes without giving operating directions.

Scenario 2 | The school event overlaps the proposed window

A school's proposed washroom interruption is 13:00-14:00. A parent event begins at 13:30. The facilities manager can review an earlier window; no change is confirmed.

Role A: Plumber: report the timing conflict and request a coordinated decision.

Role B: Facilities manager: you can speak to the event lead and service scheduler.

Possible opening: The proposed window overlaps the parent event; can we review the operational conflict before confirming it?

Success checks

- State both timings.
- Do not promise an unassessed completion time.
- Confirm who coordinates the revised proposal.

Add a complication: The event lead assumes the plumber can guarantee completion before guests arrive.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 07 / READ AND NOTICE

Pricing changes and restoration boundaries

Negotiate a revised package without making cost or timing assumptions.

SITUATION

The agreed estimate covers replacing basin B1 with the specified model. The client now wants a wall-hung vanity and assumes the fixture allowance covers cabinet changes and redecoration. Those items are not in the estimate. Access requirements and revised plumbing scope have not been assessed.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

repair estimate - A stated anticipated cost for defined repair work, based on identified information and assumptions.

fixture allowance - A budget provision for a fixture selection whose final cost or product is not yet settled.

concealed condition - An existing condition hidden from view during the initial assessment that may affect later work.

making good - Repairing or restoring building finishes disturbed by the plumbing work, to an agreed extent and standard.

Useful word combinations

define the repair scope: identify the work the estimate actually covers

separate supply from fitting: distinguish providing a fixture from installing it

clarify restoration responsibility: agree who handles affected building finishes

request a revised estimate: obtain pricing for a changed, defined proposal

LESSON 07 / LANGUAGE AND PRACTICE

Keep allowance, scope, and restoration distinct

3. Notice the language

A budget allowance applies to its stated item, not every related change. Define the requested fixture, cabinet work, plumbing assessment, and restoration boundaries. Leave contract interpretation and payment disputes to appropriate review.

The allowance covers ___, not automatically ___.

The revised package would need ___.

Please show ___ separately from ___.

Compare this wording: The allowance should cover the new vanity.

Clearer: The allowance is for the specified basin; the changed vanity package needs assessment and pricing.

The revision connects the budget provision to its actual stated scope.

4. Check the language

1. Client: Is repainting disturbed finishes included?

Plumber: We need to clarify the extent of ____.

A. making good

B. fixture supply

C. pipe sizing

D. flow testing

2. Estimator: What has the client requested, without authorizing extra work?

Plumber: They have requested ____ before deciding.

A. immediate release of the revised work

B. cancellation of the original proposal

C. acceptance of all additional charges

D. a price for the revised package

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 07 / 05 • CONVERSATIONS / 1 OF 3

The allowance does not describe the whole vanity

A plumber discusses the changed basin package with a client.

01 • Plumber: The estimate covers the specified basin, but you've requested a wall-hung vanity instead.

02 • Client: I assumed the fixture allowance covered the cabinet changes and repainting around it too.

03 • Plumber: It covers the stated basin item; those additional elements aren't defined in this estimate.

04 • Client: Could you price a revised package so I can compare it with the original option?

05 • Plumber: Yes, after we obtain the vanity details and review the access and plumbing implications.

06 • Client: Please show making good separately. I may ask my decorator to handle those surfaces.

07 • Plumber: I'll describe that as restoration of disturbed finishes and clarify the boundary with your decorator.

08 • Client: Does requesting the revised price cancel the original basin proposal or approve the change?

09 • Plumber: Neither by itself. We'll keep the two options identified until you make a decision.

10 • Client: Then obtain the comparison first, with the open access questions clearly listed beside the price.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 2 OF 3

A lower fixture price is not a net saving yet

A plumber and homeowner discuss a proposed substitute basin.

01 • Plumber: The alternate basin costs less to buy, but the overall change hasn't been assessed.

02 • Homeowner: I thought the lower purchase price meant the entire bathroom package would cost less.

03 • Plumber: Other affected work may differ, so we need comparable scope before drawing that conclusion.

04 • Homeowner: Can the estimator show the fixture price and any changed plumbing or cabinet items separately?

05 • Plumber: Yes, that will make the comparison clearer than a single unexplained total.

06 • Homeowner: Please keep redecoration visible too; I don't want a cheaper basin to hide that cost.

07 • Plumber: I'll request the same restoration extent for both options or identify any difference.

08 • Homeowner: Then we can discuss the net change instead of treating the product price as everything.

09 • Plumber: Exactly. I'll ask for the assumptions and exclusions so you can understand the stated totals.

10 • Homeowner: I'll wait for that comparison before telling the supplier that the alternate is our final selection.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 05 • CONVERSATIONS / 3 OF 3

The estimate did not assess hidden pipework

A plumber and property client discuss a scope limit.

01 • Plumber: The repair estimate covers visible fixture work; concealed pipework wasn't assessed during the initial visit.

02 • Property client: The tenant says older pipes run behind the cabinet. Does your figure include replacing those?

03 • Plumber: Not as currently described. We first need to establish what additional work, if any, is required.

04 • Property client: I don't want the word concealed to become an automatic reason for a larger bill.

05 • Plumber: It shouldn't substitute for a defined finding and a clear proposal for any change.

06 • Property client: Please explain what information is missing before asking me to consider additional costs.

07 • Plumber: I'll state the access and assessment questions, then separate any resulting proposal from the original estimate.

08 • Property client: Can we also identify who restores the cabinet if that becomes part of a reviewed scope?

09 • Plumber: Yes, that responsibility and its extent should be explicit in the proposal.

10 • Property client: Then keep the original estimate visible and present any later change with its actual supporting information.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 07 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Pricing changes and restoration boundaries

The agreed estimate covers replacing basin B1 with the specified model. The client now wants a wall-hung vanity and assumes the fixture allowance covers cabinet changes and redecoration. Those items are not in the estimate. Access requirements and revised plumbing scope have not been assessed.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. You can keep the original basin if the revised package is unsuitable.

Second round: The client asks whether a cheaper fixture automatically offsets all cabinet costs. Explain why those are separate quoted items.

Scenario 2 | The owner supplies the basin

A quotation includes fitting basin C2 but says client supply. The owner thought the plumber would order it. The supplier has not confirmed availability.

Role A: Plumber: clarify responsibility and the missing delivery information.

Role B: Owner: you can either place the order or request a supply-inclusive quotation.

Possible opening: This quotation includes fitting C2; shall we clarify who supplies the basin?

Success checks

- Separate supply from fitting.
- Offer the two clear next steps.
- Keep attendance timing dependent on confirmed supply and coordination.

Add a complication: The owner wants a guaranteed fitting date before ordering.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

LESSON 08 / READ AND NOTICE

Handing over plumbing records and follow-up

Give usable records and separate document follow-up from site attendance.

SITUATION

Basin B1 is listed in the handover pack, but its care leaflet names the previous model. The supplier's replacement leaflet is pending. Service coordinator Leo accepts document follow-up and will call Monday. A separate cosmetic trim review needs a return visit; no date is booked.

1. Understand the situation

Identify two confirmed facts, one missing detail, and the person who needs your response. Do not fill gaps with invented facts.

2. Find the words

test record - A record of specified plumbing checks and their results, with the tested scope and conditions identified.

asset register - A list linking plumbing equipment or fixtures to their locations, identifiers, and relevant records.

warranty reference - The product or document identifier used to locate applicable warranty terms for an item.

return visit - A later agreed attendance for a defined unresolved task or review.

Useful word combinations

match the record to the fixture: verify that the document concerns the actual item

retain the pending status: keep an unresolved matter visible

agree a follow-up owner: name who will obtain the missing information

confirm the visit purpose: distinguish assessment from completion or repair

LESSON 08 / LANGUAGE AND PRACTICE

Transfer the exact unresolved items

3. Notice the language

A document can be present but wrong for the supplied fixture. Identify the mismatch, owner, and promised update. An update call is not a visit booking, and a warranty reference is not a guarantee of coverage.

The record identifies ____; the supplied item is ____.

____ owns the document follow-up.

The call is ____; the return visit is ____.

Compare this wording: Leo will finish it Monday.

Clearer: Leo will call Monday about the leaflet; the separate trim review is not booked.

The revision identifies the task and avoids converting a call into completion.

4. Check the language

1. Client: Does Monday mean the trim will be repaired then?

Plumber: Monday is the ____ commitment.

- A. confirmed repair visit
- B. supplier delivery
- C. completed trim review
- D. document-update call

2. Coordinator: Which leaflet should the client rely on?

Plumber: The one ____ the actual supplied model, once confirmed.

- A. match
- B. matches
- C. matching
- D. matched with by

05 • Conversations

The next three pages contain original fictional conversations for this lesson. Each numbered line is one speaking turn. Read the setting before assigning roles.

LESSON 08 / 05 • CONVERSATIONS / 1 OF 3

The leaflet and the trim are separate follow-ups

A plumber hands over a basin package to the client.

01 • Plumber: The pack lists basin B1, but the care leaflet still names the previous model.

02 • Client: Please obtain the matching leaflet. I don't want to guess which instructions apply.

03 • Plumber: Leo has accepted that supplier follow-up and will call you Monday with its status.

04 • Client: Does that call also confirm the visit for the cosmetic trim concern we discussed?

05 • Plumber: No. The trim review is a separate outstanding item, and attendance isn't booked yet.

06 • Client: Can you keep both items visible so the document call doesn't make the other disappear?

07 • Plumber: Yes, I'll identify the document query and the trim review on separate lines.

08 • Client: Please also give the coordinator my preferred afternoon availability for any proposed return visit.

09 • Plumber: I'll relay that preference without presenting an afternoon as booked until you both agree.

10 • Client: Thank you. I'll expect Monday's document update and a separate proposal for the trim appointment.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 2 OF 3

The test record covers only one area

A plumber clarifies a record's scope with a facilities representative.

01 • Plumber: This test record identifies the pantry work, not the entire floor's existing plumbing.

02 • Facilities representative: I was about to file it under whole-floor completion because the project name is broad.

03 • Plumber: The title can be broad while the actual checked scope is limited in the record.

04 • Facilities representative: I'll preserve the pantry reference. Does the document say anything about the unaltered washrooms?

05 • Plumber: Not in the scope shown here. We shouldn't extend its findings to those areas.

06 • Facilities representative: Understood. I'll ask the project lead about any separate records rather than assume they're included.

07 • Plumber: Please also keep the asset references attached so future enquiries reach the correct fixtures.

08 • Facilities representative: The incoming caretaker needs that distinction explained during the building-record handover next week.

09 • Plumber: I'll include the stated scope and any open document questions in the handover discussion.

10 • Facilities representative: That will prevent a single received record from being treated as evidence about every connected area.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 05 • CONVERSATIONS / 3 OF 3

The callback is a review, not a diagnosis

A plumber confirms a follow-up appointment with an owner.

01 • Plumber: The coordinator can offer Thursday afternoon to review your reported concern at the basin.

02 • Owner: Will that visit definitely replace the faucet? I want to tell the tenant what will happen.

03 • Plumber: The cause and remedy aren't confirmed, so the booking is for assessment of the report.

04 • Owner: Please say that clearly. The tenant thought a replacement had already been ordered.

05 • Plumber: I'll correct that expectation and keep the fixture reference B1 on the appointment.

06 • Owner: They can provide access between two and four. Is that the offered window?

07 • Plumber: Yes, the coordinator offered that window. Shall I record your acceptance of the review appointment?

08 • Owner: Please do, and include the tenant's contact for arranging entry to the room.

09 • Plumber: I'll confirm the time and review purpose, without adding a promised replacement to the notice.

10 • Owner: Then the tenant will know what is actually booked and which technical questions remain open.

Notice, then rehearse

Name each speaker's purpose. Identify one useful expression and the next step or unresolved question. Read the roles aloud, then switch roles.

LESSON 08 / 06 • SAY IT

Two scenarios to practice

Use only the supplied facts. Prepare for two minutes, speak for one minute, then respond to a follow-up. Switch roles and repeat. For solo study, speak both roles aloud.

Scenario 1 | Handing over plumbing records and follow-up

Basin B1 is listed in the handover pack, but its care leaflet names the previous model. The supplier's replacement leaflet is pending. Service coordinator Leo accepts document follow-up and will call Monday. A separate cosmetic trim review needs a return visit; no date is booked.

Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the client. Ask for the leaflet owner and the separate return-visit status.

Second round: Leo receives the leaflet but its model suffix differs. Preserve the pending verification rather than declaring the document item closed.

Scenario 2 | The new caretaker receives an incomplete pack

The asset register identifies basin D2, fictional model Basin-Q24. Its model-matching leaflet link is broken, but the model reference and installation entry are present. The outgoing coordinator can request a replacement link from the supplier.

Role A: Plumber: distinguish missing access to the leaflet from missing installation information.

Role B: Caretaker: accept document-retrieval follow-up and repeat back asset D2, model Basin-Q24.

Possible opening: The register identifies D2, but its leaflet link doesn't open.

Success checks

- Preserve the known asset entry.
- Identify the broken document link.
- Agree who retrieves the matching leaflet.

Add a complication: A colleague suggests deleting D2 from the register because the link is broken.

Check: facts accurate | meaning clear | tone appropriate | next action or question explicit

Continue scenario 1 with an AI partner.

Answer workshop

Try the tasks first. The model is one acceptable response to scenario 1, not a script to memorize. Assess your spoken version using the four criteria at the end.

01 | Identifying fixtures and service history

Editing example: The tenant noticed water on the bathroom basin's cabinet base; the source is unknown.

The revision distinguishes a reported location from a diagnosed pipe fault.

Check 1: C - fixture

A: A branch line is connecting pipework, not the user-facing basin.

B: A water main is not the basin identified in this report.

C: Correct. The basin itself is the identified fixture.

D: A riser is vertical pipework, not the basin the tenant named.

Check 2: B - tenant's

A: Tenancy describes an occupancy arrangement, not the reporting person.

B: Correct. The possessive 'tenant's' identifies whose account it is.

C: The plural 'tenants' without an apostrophe does not show possession here.

D: The bare noun does not naturally identify possession before 'account' here.

Model response: Could you confirm whether you mean the bathroom basin or the utility sink beside it? I will record water on the bathroom cabinet base at 07:00 as your observation. That identifies the affected location, not the source. We can link this visit to the correct fixture's service history without assuming which pipe is involved.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

02 | Clarifying pipe and component specifications

Editing example: The numbers use different size descriptions; the product reference still needs checking.

The correction avoids declaring either a match or a mismatch prematurely.

Check 1: B - nominal pipe size

A: An external dimension is not the nominal designation being distinguished here.

B: Correct. A nominal designation need not equal the outside diameter.

C: This restates an actual outside measurement rather than a different designation.

D: A verified outside measurement describes the same physical dimension.

Check 2: A - connection type

A: Correct. Connection type identifies the joint interface between components.

B: Pressure class describes a rating, not the form of joint interface.

C: Nominal size identifies a size designation, not the connection form by itself.

D: Material grade describes material properties, not the joint interface itself.

Model response: A nominal pipe size is a designation, not necessarily the measured outside diameter. Different numbers alone do not prove the delivery is wrong or correct. We need the complete product reference and material specification to compare the supplied item with the order. The connection type also needs confirmation before anyone treats it as a match.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

03 | Reconciling fixture layouts and dimensions

Editing example: Both say 450 millimeters, but their wall reference surfaces differ.

The revised statement makes the actual coordination issue visible.

Check 1: A - finished wall face

A: Correct. The layout explicitly names the completed wall surface.

B: The framing face belongs to the conflicting cabinet reference.

C: The cabinet centerline is not the given measurement origin.

D: The basin rim is not the starting wall reference.

Check 2: D - until

A: 'During' requires a time expression rather than this clause.

B: 'Despite' does not introduce this full clause in this form.

C: 'Whereas' expresses contrast, not the condition needed to settle the position.

D: Correct. 'Not until' identifies the condition still required.

Model response: Could the designer reconcile the B2 basin position before the layout is released? Both drawings show 450 millimeters, but one measures from the finished wall face and the other from the framing face. Please confirm the intended centerline reference and issue a coordinated detail. Matching numbers do not resolve different measurement origins.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

04 | Describing moisture without diagnosing its source

Editing example: The visible patch is dry today; the source and history remain unconfirmed.

The revision avoids turning one observation into a repair claim.

Check 1: D - active leak

A: A stain may itself be an earlier moisture mark, so this does not answer the current-escape question.

B: Old discoloration describes appearance, not a current escape.

C: A historic stain is not the present leakage the owner is asking about.

D: Correct. A current escape requires evidence beyond the mere stain.

Check 2: C - remains

A: 'Remaining' alone does not supply the finite verb here.

B: The form 'has remaining' is not the required verb construction.

C: Correct. 'Remains unconfirmed' states the continuing uncertainty.

D: 'Remains to' needs a verb phrase such as 'be confirmed'.

Model response: The ceiling patch is dry where we can see it during this visit. That does not establish whether there was a leak, whether one has stopped, or where the moisture came from. The concealed pipework has not been assessed. I will retain your timing report and ask for the source question to be reviewed separately.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

05 | Explaining drainage and access terminology

Editing example: The cleanout provides service access; it is not an everyday drainage outlet.

The revised explanation gives the component's purpose without an operating instruction.

Check 1: C - drainage service access point

A: A basin overflow opening serves a different fixture function.

B: A floor drainage inlet receives drainage rather than naming this service access point.

C: Correct. A cleanout provides access for drainage inspection or servicing.

D: A fixture waste outlet carries wastewater away from a fixture.

Check 2: B - to

A: 'During' introduces time, not the component accessed.

B: Correct. 'Access to' identifies the component to be reached.

C: 'Access by' would identify who accesses something, not the destination here.

D: 'Access from' names an origin rather than the component being reached.

Model response: The recorded cleanout is an access point for drainage inspection or servicing, not an extra drain for everyday use. The cabinet panel is shown to provide access to it.

Covering that panel changes the reviewed arrangement, so we need the designer and plumbing lead to assess the enclosure detail before treating the change as acceptable.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

06 | Coordinating interruptions and room access

Editing example: The visit is booked at nine; the proposed interruption is ten to eleven and unconfirmed.

The correction separates two different scheduling facts.

Check 1: B - awaiting

A: The request does not replace the needed confirmation.

B: Correct. Awaiting describes the pending approval accurately.

C: The request is not providing confirmation itself.

D: The request is not completing the manager's confirmation.

Check 2: A - service visit

A: Correct. The plumber's attendance is the confirmed nine-o'clock event.

B: The proposed interruption is later and unconfirmed.

C: No restoration event at nine is established.

D: A completion review is not scheduled for nine in the case.

Model response: Our visit is booked for 09:00. The proposed interruption is a separate 10:00-to-11:00 request for the east washroom, still awaiting building-manager confirmation. It is not a confirmed whole-building interruption from 09:00. Please keep the appointment, proposed affected area, and pending interruption approval separate when updating the tenants.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

07 | Pricing changes and restoration boundaries

Editing example: The allowance is for the specified basin; the changed vanity package needs assessment and pricing.

The revision connects the budget provision to its actual stated scope.

Check 1: A - making good

A: Correct. Making good concerns repair or restoration of disturbed finishes.

B: Fixture supply concerns providing the product, not restoring surrounding surfaces.

C: Pipe sizing concerns design dimensions rather than finish restoration.

D: Flow testing concerns assessment of performance, not repainting disturbed finishes.

Check 2: D - a price for the revised package

A: Immediate release would authorize work, which has not happened.

B: The case does not establish cancellation of the existing option.

C: The client has not accepted unassessed additional charges.

D: Correct. The client wants pricing to compare before deciding whether to approve.

Model response: The allowance concerns the specified basin selection; it does not establish inclusion of a new vanity, cabinet changes, or redecoration. We can retain the current proposal or assess a revised package. For the revised option, we need the vanity details and access review before pricing plumbing and making good, meaning restoration of disturbed finishes, separately.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

08 | Handing over plumbing records and follow-up

Editing example: Leo will call Monday about the leaflet; the separate trim review is not booked.

The revision identifies the task and avoids converting a call into completion.

Check 1: D - document-update call

A: No repair visit has been confirmed for Monday.

B: The supplier's document delivery is still pending.

C: A completed review is not established by this call commitment.

D: Correct. Leo has committed to a call about the document.

Check 2: C - matching

A: The bare verb does not modify 'one' in this construction.

B: 'Matches' would require a relative clause such as 'that matches'.

C: Correct. 'Matching' modifies the leaflet and links it to the actual model.

D: This sequence of prepositions does not form a natural modifying phrase.

Model response: The pack lists basin B1, but the care leaflet refers to the previous model and should not be presented as its confirmed guidance. Leo has accepted supplier follow-up and will call Monday. The cosmetic trim review is a separate outstanding item with no return date booked yet. Please keep those two follow-ups distinct in the handover.

Case check: underline the confirmed information and circle a limitation, question, or next step in the response.

Give feedback that helps

Score each criterion 0, 1, or 2. This is a practice rubric, not a professional qualification or CEFR test. Do not award or remove points for a particular accent.

Meaning and accuracy

Keeps the case facts accurate; clearly separates confirmed and unknown information.

Clarity and language

Uses understandable sentences and explains specialist terms when the listener needs it.

Interaction and tone

Responds to the other person's question, checks understanding, and uses an appropriate tone.

Task completion

Makes the requested action or unresolved question clear without inventing authority or facts.

Use the same scale for each criterion

0 - Not yet: The reader or listener cannot yet recover the intended meaning or action.

1 - With support: The message works after a prompt, clarification, or revision.

2 - Independently: The message is clear and accurate without a prompt.

Feedback sequence

First, identify a successful phrase. Next, identify one point where meaning or accuracy needs work. Offer one useful language correction, allow a repeat, and compare the two attempts. A total out of eight describes this performance only; do not translate it into a proficiency level.

Final challenge

Choose a case not rehearsed today. The learner gives a one-minute response, answers two follow-up questions, and switches roles and repeats the exchange. Add the lesson's second-round challenge. Compare the result with an earlier attempt using the four criteria.

Use the language responsibly

Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Meaning before performance

Use specialist terms only when they help the listener. Explain unfamiliar words, preserve uncertainty, and ask when an instruction or responsibility is unclear. The model responses illustrate language; they do not authorize professional actions.

Sources and further reading

The cases, workshops, and explanations are original teaching material. These references provide language frameworks and selected professional context. References were checked in September 2026; consult current local guidance for actual work.

Digital.gov: plain-language guidance

<https://digital.gov/guides/plain-language>

Council of Europe: CEFR descriptors

<https://www.coe.int/en/web/common-european-framework-reference-languages/cefr-descriptors>

U.S. Bureau of Labor Statistics: Plumbers, Pipefitters, and Steamfitters

<https://www.bls.gov/ooh/construction-and-extraction/plumbers-pipefitters-and-steamfitters.htm>

O*NET OnLine: Plumbers, Pipefitters, and Steamfitters (47-2152.00), U.S. Department of Labor-sponsored occupational profile

<https://www.onetonline.org/link/summary/47-2152.00>

Your next step

Choose one expression you can use in a genuine work situation. Rehearse it with fictional details, then adapt the wording to your role and audience.

Extend your practice with AI

Use the next two prompts after your own first attempt. Each contains the course context and a complete starting case or dialogue. Copy the entire prompt, including the reference, into a new chat in your preferred AI. You can also use the links to copy it from the website.

Choose the right kind of help

A role-play prompt makes the AI wait for your replies. A new-dialogue prompt asks for a complete professional script. Guided message practice gives four choices with explained feedback. Vocabulary, grammar and review prompts move from explanation to your own attempts.

Choose any lesson or dialogue online

The course prompt workshop has eight practice goals and B1 support, B2 independent and C1 stretch settings. These are practice choices, not assessed proficiency levels. Select the same lesson number or dialogue title you used in this guide.

[Open this course's AI prompt workshop](#)

Keep practice useful

Use fictional or anonymized details. English Ladder does not send anything to an AI service or add your drafts to the prompts. Your chosen service's terms and any usage charges apply. AI responses can contain mistakes; compare feedback with the lesson and verify specialist claims against the course references.

The two starter prompts use B2 practice. To change support in a printed prompt, replace its practice-setting paragraph with a request for shorter explanations and sentence starters (B1), or greater precision and more complex constraints (C1). Keep the professional facts unchanged.

Changing the example

For another case on paper, replace the text between REFERENCE and END REFERENCE with that case, its course context, relevant terms and language target. Include the full exchange if practicing a dialogue. Do not assume your AI can access this PDF or a link. The website makes this substitution for you.

Prompt edition: 2026-09-28. These are original practice instructions; results depend on the AI service you choose.

Practice grammar in context

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Plumbing Workplace English

Professional audience: Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads

Scope: Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Lesson 01: Identifying fixtures and service history

Original fictional case: A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

Language workshop: Locate the fixture before naming a cause

Communication goal: Clarify everyday fixture names and record the source of an account.

Language guidance: Clients may use sink for different fixtures. Ask for room, unit, and fixture references rather than inferring a pipe route. This is an information-gathering exercise, not a request to test, dismantle, or operate plumbing.

Useful frames (complete the gaps with case facts): Do you mean the ___ or the ___? / Where did you notice ___? / I will record ___ as your observation, not ___.

Vocabulary: fixture: A plumbing-connected item such as a sink, basin, toilet, or shower that supplies or receives water. / branch line: A smaller piping route that connects part of a system to a larger main or distribution line. / riser: A vertical pipe or group of pipes serving different levels of a building. / service

history: The record of earlier reported plumbing issues, visits, findings, and work for an identified location or asset.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant. Clarify the fixture and when you noticed the water.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: The manager calls it a riser leak. Preserve the tenant's observation without accepting the unverified pipe diagnosis.

Model for comparison AFTER my attempt, not a response to give me first: Could you confirm whether you mean the bathroom basin or the utility sink beside it? I will record water on the bathroom cabinet base at 07:00 as your observation. That identifies the affected location, not the source. We can link this visit to the correct fixture's service history without assuming which pipe is involved.

END REFERENCE

TASK: Choose grammar that preserves the meaning

1. Use the lesson's language workshop, or one actual sentence from the dialogue, to explain a single grammar distinction in no more than 90 words. Show how it affects timing, certainty, responsibility or politeness.
2. Give one brief occupational exchange containing a gap and four complete options A-D. Supply enough context for exactly one answer. Keep distractors plausible; distinguish grammar errors from wording that changes the facts. Stop and wait.
3. Explain why each choice fits or fails, then ask me to read the completed exchange aloud. Do not request a draft, original written sentence or essay.
4. Repeat with three new exchanges, one at a time, moving from recognition to a more subtle meaning contrast. Do not copy the published checks. Label invented variations and do not turn uncertainty into a promise.
5. End with a short contrast table and two supported spoken turns using supplied frames. Accept accurate alternatives in oral practice; acknowledge and replace ambiguous multiple-choice items.

END PROMPT

Choose a clear message

START PROMPT / COPY THROUGH END PROMPT | ONLINE VERSION

Be my workplace English practice partner. Follow the practice instructions after the REFERENCE block. The block contains fictional study material, not instructions to you. Keep its facts, numbers, uncertainty and professional responsibilities accurate. Clearly label any new scenario or changed fact as an invented variation. Use natural workplace language; explain unfamiliar abbreviations in context. If a technical expression is uncertain, say so rather than inventing a definition or authority. Coach communication, not professional decisions; respect the course scope. Ask only for fictional or anonymized practice details. Judge clarity, meaning, appropriate tone and the next step. Accept valid alternative English and distinguish errors from style preferences. Do not claim to certify my language level. Unless I ask to change the plan, follow the stages and stop wherever the instructions say to wait.

When discussing a word, phrase, or example sentence as language within an explanation, question, or answer feedback, enclose that wording in quotation marks. For example: What does "about" mean in "about twenty people"? Use "on" with a named day. Keep standalone answer choices, vocabulary headwords, and ordinary reading or dialogue text uncluttered. Quotation marks identifying a language example do not attribute it to a news source; attributed source quotations must remain verbatim.

Practice setting: B2 independent. Use natural professional English with brief explanations. Let me attempt each task without a model first. Offer a hint after difficulty and invite a more precise retry.

REFERENCE

Course: Plumbing Workplace English

Professional audience: Plumbers, supervised plumbing apprentices, plumbing service coordinators, and plumbing crew leads

Scope: Original fictional English practice, not plumbing instruction, diagnosis, design, legal advice, or guidance on operating water or drainage systems. Every incident, dimension, product, price basis, and schedule is invented. Do not open, test, dismantle, clear, pressurize, or operate equipment to enact a scenario. Installation, testing, concealed-service assessment, and safety decisions require qualified personnel and project-specific procedures. No universal code or permit rules are stated; source profiles establish occupational context only.

Lesson 01: Identifying fixtures and service history

Original fictional case: A tenant reports a problem with the bathroom sink in Unit 3B. The building has both a basin in the bathroom and a utility sink beside it. The tenant means the bathroom basin and noticed water on its cabinet base at 07:00. No source is established.

Language workshop: Locate the fixture before naming a cause

Communication goal: Clarify everyday fixture names and record the source of an account.

Language guidance: Clients may use sink for different fixtures. Ask for room, unit, and fixture references rather than inferring a pipe route. This is an information-gathering exercise, not a request to test, dismantle, or operate plumbing.

Useful frames (complete the gaps with case facts): Do you mean the ___ or the ___? / Where did you notice ___? / I will record ___ as your observation, not ___.

Vocabulary: fixture: A plumbing-connected item such as a sink, basin, toilet, or shower that supplies or receives water. / branch line: A smaller piping route that connects part of a system to a larger main or distribution line. / riser: A vertical pipe or group of pipes serving different levels of a building. / service

history: The record of earlier reported plumbing issues, visits, findings, and work for an identified location or asset.

Speaking task: Prepare for two minutes. Speak for 45-60 seconds using the case facts, then respond to your partner's question. Switch roles and repeat without reading the model response.

Partner: You are the tenant. Clarify the fixture and when you noticed the water.

Guided response task: Complete a workplace dialogue by selecting one of four supplied options. Compare the feedback and say the completed exchange aloud. Do not write an open-ended message.

Optional second-round challenge: The manager calls it a riser leak. Preserve the tenant's observation without accepting the unverified pipe diagnosis.

Model for comparison AFTER my attempt, not a response to give me first: Could you confirm whether you mean the bathroom basin or the utility sink beside it? I will record water on the bathroom cabinet base at 07:00 as your observation. That identifies the affected location, not the source. We can link this visit to the correct fixture's service history without assuming which pipe is involved.

END REFERENCE

TASK: Coach guided workplace message choices

1. Use only the supplied reference and create one short, realistic dialogue with professional role labels and exactly one missing word or phrase. Supply four distinct options labelled A-D. Ensure that exactly one option fits both the grammar and the stated facts. Do not request a draft, an essay, or any open-ended writing. Stop and wait for my choice.
2. Use plausible distractors based on word combinations, certainty, timing, responsibility, or register. Avoid obviously absurd options. Do not introduce an unverified diagnosis, approval, deadline, charge, or legal rule. If extra fictional facts are necessary, state them explicitly before asking the question.
3. After I choose, identify the correct option and explain briefly why each of the other three options does not fit this exchange. Quote the relevant case fact or wording. Invite me to read both roles aloud; do not claim to assess pronunciation from a typed response.
4. Offer another four-choice exchange that practices a different expression. Present only one question at a time, wait for my answer, and vary the correct letter. If more than one answer is defensible, acknowledge the ambiguity and replace the question rather than marking a reasonable choice wrong.
5. After four exchanges, recap two useful word combinations and one distinction I should revisit. Ask which supported scenario I want to rehearse next, then stop and wait.

END PROMPT