ENGLISH FOR LOCALIZATION QUALITY ASSURANCE

Localization QA English

Turn language findings into clear, reproducible product improvements.



Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.

Eight lessons. Eleven extended conversations.

INSIDE THE BOOK

192 vocabulary entries / 128 reusable phrases
220 extended-dialogue turns / 11 transfer exchanges
Word banks and explained answer keys

Upper-intermediate to advanced (B2-C1). For localization quality assurance testers, linguistic reviewers, and software, game, and VR specialists collaborating with English-speaking development teams.

2026 edition

Eight scenarios. Eight skills.

Eight development-team situations connect linguistic reasoning with reproducible evidence. Explain what users see, why it changes meaning, and how the corrected behavior will be checked.

01 Reporting a contextual mistranslation 4

Charge means an attack here, not a fee | Explain a semantic error through reproducible scene context and an English gloss.

02 Protecting placeholders while changing word order 13

A fluent sentence can still break the runtime contract | Distinguish translatable wording from functional arguments and explain reordering needs.

03 Explaining plural categories to engineers 22

Two and five cannot share every grammatical form | Use a small test matrix to explain locale-dependent plural selection without equating categories with numbers.

04 Diagnosing layout without weakening the translation 31

The short preview passed but the real button clips | Distinguish text expansion, clipping, font support, and layout constraints using a visual test report.

05 Explaining mixed-direction text defects 40

The Arabic sentence must not reverse the order ID | Separate paragraph direction, embedded text direction, and stored data when reporting a bidirectional defect.

06 Discussing cultural adaptation without stereotypes 49

The victory gesture reads as a taunt to some testers | Present cultural feedback as scoped evidence and compare adaptations against the intended player experience.

07 Reporting VR subtitle and audio mismatches 58

The caption ends before the localized line does | Explain timing and speaker attribution in an interactive scene without treating a recording as a static text resource.

08 Negotiating localization release decisions 67

Merged is not verified in the release package | Separate impact, scheduling priority, fix status, and locale-specific verification during release triage.

Communication field notes 3

Three more workplace conversations 76

Answers and explanations 85

Fast-access phrase pages 104

Vocabulary index 106

Sources and publication notes 114

A language bug needs product context.

A grammatically possible translation can still describe the wrong action. Effective localization QA explains the intended meaning, identifies the exact resource and build, and distinguishes a content correction from a rendering or implementation defect.

Show the trigger

Include the locale, build, screen or scene, relevant state, and exact steps. A screenshot documents the result but may not explain how to reach it.

"This string appears after the player equips the shield, not on the purchase screen."

Explain the linguistic distinction

Use a gloss or back-translation to explain the issue to colleagues who do not read the target language. Treat that explanation as evidence, not as a replacement for target-language review.

"The current word means a fee; this action means rushing forward."

Preserve the contract

Variable names, markup, and message syntax may have runtime requirements. Localize the surrounding language without casually changing functional tokens.

"The word order changes, but the placeholder identifier must remain intact."

Define verified scope

A corrected resource, a merged change, and a tested release package are different states. Name the actual build and affected locales when reporting verification.

"The fix passed in this package; the other platform is still untested."

PROFESSIONAL BOUNDARIES

All people, organizations, cases, figures, and documents in the exercises are fictional. Professional English practice, not a universal localization specification or a substitute for qualified target-language, accessibility, cultural, legal, or engineering review. Product rules, timings, test data, and release policies in the cases are fictional. Actual behavior depends on the supported locales, platform, framework, version, and approved style guide. Do not infer cultural preferences from nationality or reverse stored text to imitate a writing direction.

Charge means an attack here, not a fee

A Read the situation

Explain a semantic error through reproducible scene context and an English gloss.

In fictional game build 420, Japanese locale ja-JP, the shield tutorial uses resource action.charge. The target text means a monetary fee, but the button makes the character rush forward with a shield. The same English source word appears in the store. Tester Emi has reproduced the issue three times after equipping the shield. Developer Sam needs the intended meaning and resource context, not a guess about which translator caused it.

PEOPLE / Emi: Localization QA tester | Sam: Gameplay developer

TRANSLATE THE REASONING FOR THE ENGINEERING TEAM

A colleague who does not read the target language can still act on an exact resource, a concise meaning explanation, and a reproducible behavior. Avoid turning the report into criticism of the translator.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the tutorial action actually do?

A Rush forward with a shield
B Collect a monetary fee
C Purchase a shield
D Open a billing form

2. What does the current target text mean?

A A network recharge
B A monetary fee
C A confirmed attack command
D A shield durability value

3. Which evidence makes the report reproducible?

A A store screenshot alone
B Build, locale, resource, and shield-equipping steps
C A complaint that the language feels bad
D The translator's presumed nationality

Answers and explanations: page 85.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

localization QA

Quality assurance focused on localized language and product behavior.

IN USE conduct localization QA

linguistic defect

Language error affecting meaning, grammar, or approved usage.

IN USE report a linguistic defect

source string

Text provided as the basis for localization.

IN USE inspect the source string

target string

Localized text in the destination language or locale.

IN USE review the target string

string ID

Identifier linking a text resource to its use.

IN USE include the string ID

in-context review

Inspection of language where it actually appears in the product.

IN USE perform an in-context review

reproduction steps

Ordered actions that produce the observed behavior.

IN USE supply reproduction steps

build number

Identifier for the tested software package or version.

IN USE record the build number

locale tag

Identifier for a language and optional regional or other locale distinctions.

IN USE specify the locale tag

expected behavior

Product result required by the agreed specification or context.

IN USE describe expected behavior

actual behavior

Result observed in the tested environment.

IN USE capture actual behavior

English gloss

Brief English explanation of a target expression's meaning.

IN USE provide an English gloss

Precision check

The fee meaning is wrong in the shield tutorial. The English word charge alone does not reveal whether one resource is suitable for both the store and combat.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

back-translation

Rendering of translated content back into the source language for explanation.

IN USE attach a back-translation

semantic mismatch

Difference between intended meaning and the meaning conveyed.

IN USE isolate the semantic mismatch

context screenshot

Image showing the relevant text and surrounding product state.

IN USE attach a context screenshot

resource reuse

Use of one text resource in multiple product contexts.

IN USE investigate resource reuse

developer comment

Context note attached to a resource for implementation or translation.

IN USE add a developer comment

reproducibility

Ability to produce the finding again under stated conditions.

IN USE confirm reproducibility

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

A back-translation explains a meaning to the team; it is not proof that the revised target text is natural or correct. Verify the actual localized product.

Phrases you can actually use

C Notice the language / 1 of 2

LOCATE THE DEFECT

"This appears in the shield tutorial after equipping the shield."

STATE THE CONTRAST

"The target text means a fee, but the action is a forward attack."

SUPPLY CONTEXT

"The affected string ID is action.charge in build 420."

EXPLAIN THE GLOSS

"This is an English explanation of the target meaning, not the proposed final translation."

AVOID BLAME

"We need to check what context accompanied the resource."

REQUEST SEPARATION

"Can these distinct meanings use separate resources?"

SCOPE THE EVIDENCE

"I reproduced this three times in ja-JP."

DEFINE VERIFICATION

"Retest the tutorial and the store after the resources change."

Means versus sounds like

Means identifies the semantic problem; sounds like can leave the developer unsure whether the issue is style or meaning.

Here versus everywhere

Here ties the finding to a context without claiming the word is wrong in every use.

Reproduced versus caused by

Reproduced reports a repeatable result without proving who or what introduced it.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which bug title is most useful?

A Japanese is wrong everywhere
B Translator does not understand games
C Store button looks fine
D ja-JP shield tutorial uses fee meaning for attack in build 420

2. What should be checked before editing a shared resource?

A Every context that uses it
B Only the longest word
C The developer's first language
D Whether the screenshot has a border

3. Which explanation helps an English-speaking engineer?

A The target is obviously strange
B Trust my opinion without context
C Delete all Japanese resources
D The target means fee; the button triggers a forward attack

4. What establishes correction?

A Assuming three reproductions mean three separate bugs
B Target-language review and in-product retest
C Editing a spreadsheet alone
D Renaming the ticket

Answers and explanations: page 85.

Charge means an attack here, not a fee

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

English gloss / semantic mismatch / string ID / build number / reproduction steps / in-context review / expected behavior / resource reuse / developer comment / context screenshot

01 **Sam:** I see the screenshot, but I cannot read the Japanese text. What is wrong with the tutorial button?

02 **Emi:** The [1] _____ is a monetary fee. Here, pressing the button makes the character rush forward with a shield.

03 **Sam:** So this is not just a preference between two natural ways of describing the same move?

04 **Emi:** Right. It is a [2] _____ between the label and the action the player performs.

05 **Sam:** Which environment should I use? I tried the store on yesterday's package and did not see an obvious problem.

06 **Emi:** Use [3] _____ 420 and ja-JP. Start the shield tutorial, equip the shield, and open its action prompt.

07 **Sam:** I can follow that. The store result would not tell me whether the combat use is correct.

08 **Emi:** Exactly. Those [4] _____ produced the same label on all three runs.

09 **Sam:** Do you have the resource identifier, or are we searching for every occurrence of the English word charge?

10 **Emi:** The [5] _____ is action.charge. The screenshot includes the surrounding prompt and the equipped shield.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 10.

11 **Sam:** That resource is also used in the store. We reused the source word because the English label was identical.

12 **Emi:** That [6] _____ may explain the context problem, but the actual resource history still needs checking.

13 **Sam:** We could separate the combat and payment resources and give each one a note about what the player is doing.

14 **Emi:** A [7] _____ would help, especially if it states whether the label names an action or a cost.

15 **Sam:** Once the localized combat text is updated, can we close this from the translation sheet?

16 **Emi:** We still need [8] _____ in the built tutorial and a check that the store remains correct.

17 **Sam:** I will split the resources and attach the updated package when it is ready for testing.

18 **Emi:** I will compare [9] _____ with the displayed target text and record the tested package.

19 **Sam:** Good. The ticket can describe the exact meaning problem without guessing which person introduced it.

20 **Emi:** Yes. The [10] _____ and steps give us a clear shared reference for the fix.

ANSWERS / EXPLANATIONS: PAGE 86

1. English gloss | 2. semantic mismatch | 3. build number | 4. reproduction steps | 5. string ID | 6. resource reuse | 7. developer comment | 8. in-context review | 9. expected behavior | 10. context screenshot

A different context uses the same source word

F Say it

The store uses charge for a payment. The tutorial uses charge for a forward attack. A single resource currently serves both.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

attack / resources / contexts / payment

Tester: "The store meaning concerns a [1] _____."

Developer: "The tutorial meaning concerns an [2] _____."

Tester: "The contexts need separate [3] _____."

Developer: "Retest both product [4] _____."

ANSWERS / EXPLANATIONS: PAGE 86

1. payment | 2. attack | 3. resources | 4. contexts

Rehearse with a fixed script

1. Read the corrected exchange and stress the contrast between fee and forward attack.

2. Switch roles and repeat the build, locale, resource, and reproduction steps exactly as printed.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A fluent sentence can still break the runtime contract

A Read the situation

Distinguish translatable wording from functional arguments and explain reordering needs.

A fictional gift notification has named placeholders {sender} and {item}. The approved target-language sentence places the item before the sender. A reviewer changed {sender} to a translated variable name, which the runtime does not recognize. The English source was previously assembled from separate fragments. Tester Noura and engineer Alex need a complete localizable message, intact named arguments, and checks using long names and item labels.

PEOPLE / Noura: Localization tester | Alex: UI engineer

DESCRIBE GRAMMAR AS A PRODUCT REQUIREMENT

Different word order is not a request to make the target language imitate English. Explain the relationship the sentence must express and the functional tokens the system expects.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Which change broke the supplied runtime contract?

A Placing the item earlier in the sentence
B Reviewing the complete message
C Testing a long sender name
D Translating the placeholder name

2. What does the target sentence require?

A Replacing every name with English text
B Item before sender
C English word order in every locale
D Removing the item entirely

3. What should replace assembled fragments?

A A complete localizable message
B A longer hard-coded English fragment
C A screenshot-only label
D An untranslated error message

Answers and explanations: page 87.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

placeholder

Token replaced by a runtime value.

IN USE preserve the placeholder

named argument

Runtime value referenced by a stable name.

IN USE pass the named argument

interpolation

Insertion of values into a message pattern.

IN USE test interpolation

message pattern

Structured template used to format a complete message.

IN USE review the message pattern

string concatenation

Joining fragments to form text.

IN USE avoid brittle string concatenation

word order

Arrangement of words and phrases in a sentence.

IN USE support target-language word order

grammatical agreement

Required matching of grammatical features between related words.

IN USE check grammatical agreement

inflection

Change in word form expressing grammatical information.

IN USE account for inflection

token integrity

Preservation of required functional tokens through processing.

IN USE validate token integrity

escape sequence

Syntax representing characters that need special handling.

IN USE preserve the escape sequence

markup tag

Structured marker controlling text or presentation.

IN USE validate the markup tag

runtime value

Data inserted while the product executes.

IN USE test realistic runtime values

Precision check

Reordering intact named placeholders can support target grammar. Renaming a required argument changes the runtime contract in this case.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

argument type

Expected kind of value supplied to a message.

IN USE verify the argument type

parser error

Failure to interpret structured syntax.

IN USE investigate the parser error

literal text

Content displayed as written rather than interpreted as a token.

IN USE distinguish literal text

translator instruction

Note defining context and handling requirements.

IN USE add translator instructions

round-trip test

Check that content survives export and reimport correctly.

IN USE run a round-trip test

resource schema

Defined structure and constraints for localization data.

IN USE validate the resource schema

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Different message systems have different syntax. Validate the actual formatter and resource schema instead of treating every brace or tag as ordinary punctuation.

Phrases you can actually use

C Notice the language / 1 of 2

SEPARATE WORDING AND SYNTAX

"Translate the surrounding words, but preserve the argument names."

EXPLAIN ORDERING

"The item needs to precede the sender in this sentence."

IDENTIFY THE FAILURE

"The runtime no longer recognizes the renamed placeholder."

REQUEST A FULL MESSAGE

"Can we localize this as one complete message?"

CHECK THE VALUE

"Is this argument a display name or an internal identifier?"

PRESERVE FORMATTING

"This tag is functional markup, not text for the user."

TEST REALISTIC DATA

"Include long names and multiword item labels."

VERIFY THE PIPELINE

"Check the exported and reimported resource, not only the editor preview."

Reorder versus rename

Reorder changes position; rename changes the identifier the system may require.

Sentence versus fragments

A sentence has a complete grammatical relationship that separately translated fragments may not preserve.

Rendered versus stored

Rendered describes the displayed result; stored describes the underlying resource or value.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which instruction preserves the supplied contract?

A Keep {sender} intact while moving it to the required position
B Translate {sender} into a different variable name
C Remove the sender value
D Hard-code the test user's name

2. What can fragment assembly prevent?

A All screenshot capture
B Natural target-language structure
C Any possible English display
D Every runtime value

3. What should a test name represent?

A A permanent replacement for the argument
B A new locale code
C A translation approval
D A realistic runtime value

4. Which check catches export damage?

A Testing only the source screenshot
B Counting the reviewers
C A round-trip test
D A ticket title change

Answers and explanations: page 87.

A fluent sentence can still break the runtime contract

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

parser error / named argument / word order / translator instruction / round-trip test / token integrity / placeholder / string concatenation / Inflection / interpolation

01 **Alex:** The revised sentence reads naturally according to the reviewer, but the notification now shows an unresolved token.

02 **Noura:** The [1] _____ for the sender was renamed during translation. The runtime still supplies the original identifier.

03 **Alex:** Does preserving that identifier mean we also have to keep the sender at the start of the sentence?

04 **Noura:** No. The [2] _____ must remain intact, but its position can follow the target sentence structure.

05 **Alex:** In this approved wording, the item appears before the sender. Our old implementation joins several English fragments.

06 **Noura:** That [3] _____ is the structural problem. Give the translator the full message and its intended meaning.

07 **Alex:** I can expose one message with the two arguments instead of expecting every language to use the same fragment sequence.

08 **Noura:** Good. The [4] _____ can then change without changing which value each argument represents.

09 **Alex:** Are the argument values already display text, or should the translation alter their grammatical form?

10 **Noura:** We need that contract documented. [5] _____ is not something we can safely invent for arbitrary names and item labels.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 19.

11 **Alex:** I will describe the value types and provide examples so the reviewer knows what can appear in each slot.

12 **Noura:** Add a [6] _____ identifying the protected arguments and the relationship the message must express.

13 **Alex:** The resource also includes presentation tags. A reviewer thought one tag was an English word that needed translation.

14 **Noura:** Then validate [7] _____ for both arguments and markup, using the actual resource schema.

15 **Alex:** The editor preview looks correct after my change. Is that enough to send it for final review?

16 **Noura:** Run a [8] _____ through export and import, then inspect the built notification with realistic values.

17 **Alex:** I will include a long sender name and a multiword item label instead of testing only A and B.

18 **Noura:** That tests [9] _____ and gives the language reviewer a meaningful sentence to inspect.

19 **Alex:** If the formatter rejects the pattern, I will report the syntax error separately from the wording question.

20 **Noura:** Exactly. A [10] _____ needs engineering evidence; a language concern needs its own contextual explanation. Test both in the target build.

ANSWERS / EXPLANATIONS: PAGE 88

1. placeholder | 2. named argument | 3. string concatenation | 4. word order | 5. Inflection | 6. translator instruction | 7. token integrity | 8. round-trip test | 9. interpolation | 10. parser error

The variable moved but kept its name

F Say it

The target message moves {sender} after {item}. Both identifiers remain intact and the supported formatter resolves both values.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

resolved / intact / sentence / position

Engineer: "The argument names remain [1] _____."

Tester: "Their [2] _____ has changed."

Engineer: "Both values are [3] _____ by the formatter."

Tester: "Now verify the complete target [4] _____."

ANSWERS / EXPLANATIONS: PAGE 88

1. intact | 2. position | 3. resolved | 4. sentence

Rehearse with a fixed script

1. Read the corrected exchange and stress reorder, rename, and preserve.

2. Switch roles and repeat the printed distinction between complete-message grammar and protected runtime tokens.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Two and five cannot share every grammatical form

A Read the situation

Use a small test matrix to explain locale-dependent plural selection without equating categories with numbers.

A fictional Russian item counter is wired to English-style one-versus-other logic. For the integer test values in this lesson, the expected Russian cardinal categories are 1 and 21: one; 2 and 22: few; 5 and 11: many. The current build sends all values except 1 to other. Tester Pavel and engineer Zoe must test category selection separately from the target wording. Decimal cases and other locales are outside this small matrix, not implicitly passed.

PEOPLE / Pavel: Localization QA tester | Zoe: Application engineer

MAKE A GRAMMAR RULE TESTABLE

Show the developer a minimal contrast and expected category rather than asking for a vague more natural plural. A category name is a technical label, not an English translation of the number.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Which category is expected for 22 in this matrix?

A many
B The English singular category
C few
D one

2. Which tested value uses one besides 1?

A 11
B 5
C 2
D 21

3. What has not been covered by this matrix?

A The expected category for eleven
B Decimal cases and other locales
C The six listed integers
D The current one-versus-other defect

Answers and explanations: page 89.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

cardinal number

Number expressing quantity rather than position.

IN USE test cardinal numbers

ordinal number

Number expressing position in a sequence.

IN USE distinguish ordinal numbers

plural category

Locale-dependent label selecting an appropriate grammatical message form.

IN USE select the plural category

CLDR

Unicode Common Locale Data Repository supplying locale conventions and data.

IN USE check the CLDR data

minimal pair

Contrast where a controlled change reveals a required linguistic distinction.

IN USE provide a minimal pair

message branch

Alternative selected within a structured message.

IN USE exercise each message branch

fallback branch

Alternative used when the specified selection rules direct to it.

IN USE verify the fallback branch

exact-value selector

Message condition matching a specified numeric value.

IN USE distinguish an exact-value selector

integer test case

Test using a whole-number value.

IN USE add integer test cases

decimal operand

Numeric information used by a plural rule for decimal values.

IN USE inspect decimal operands

visible fraction digits

Written fractional digits that may affect locale rule selection.

IN USE preserve visible fraction digits

boundary value

Input near a rule transition or limit.

IN USE test boundary values

Precision check

For the supplied integer matrix, 21 selects one and 11 selects many. The label one therefore does not universally mean the exact numeric value 1.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

selection logic

Rules choosing which message alternative is used.

IN USE inspect selection logic

locale data version

Version of the locale rules bundled with the runtime.

IN USE record the locale data version

test matrix

Organized set of inputs and expected results.

IN USE build a plural test matrix

category coverage

Extent to which required grammatical categories are exercised.

IN USE report category coverage

grammatical number

Linguistic distinction related to quantity in word forms or agreement.

IN USE explain grammatical number

hard-coded plural

Fixed plural behavior that ignores required locale variation.

IN USE replace hard-coded plurals

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Cardinal and ordinal rules are different. Decimal representation and runtime locale-data versions can matter; passing six integer cases is not complete plural coverage.

Phrases you can actually use

C Notice the language / 1 of 2

SHOW THE CONTRAST

"Two and five require different branches in this locale."

SEPARATE LABEL AND VALUE

"The category one is not an exact-value test for one."

STATE THE MATRIX

"Twenty-one selects one; eleven selects many in this integer case."

LOCATE THE LOGIC

"The build is applying the English-style split."

TEST BOTH LAYERS

"Check branch selection and the wording inside each branch."

LIMIT COVERAGE

"This matrix does not cover decimals or every supported locale."

CHECK THE RUNTIME

"Which locale-data version is bundled in this package?"

EXPLAIN THE FALLBACK

"The fallback branch is required, but it does not replace the other needed forms."

One versus equals one

One can name a grammatical category; equals one specifies an exact number.

Cardinal versus ordinal

Two items expresses quantity; second item expresses position.

Covered versus supported

A tested case is covered; a product's broader support claim requires its full stated scope.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which explanation corrects the engineer's assumption?

A Few always means the numbers two through four
B Other is never needed
C One is a locale category, not always the exact value 1
D Every language has only singular and plural

2. Which pair exposes the supplied English-style defect?

A 1 and 21
B 1 and 1
C Two identical screenshots at 1
D Two English source labels

3. What needs checking after category routing is fixed?

A The translator's keyboard layout
B The target wording in each branch
C Only the source language
D Whether the ticket number is even

4. Which verification claim is supported after these six tests pass?

A All languages and decimals passed
B Ordinal formatting passed everywhere
C Every runtime version is equivalent
D The listed integer matrix passed

Answers and explanations: page 89.

Two and five cannot share every grammatical form

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

plural category / Visible fraction digits / cardinal number / category coverage / test matrix / minimal pair / locale data version / exact-value selector / integer test case / selection logic

01 **Zoe:** The counter works for one item and more than one item in English. Why do we need extra alternatives?

02 **Pavel:** The target locale uses different [1] _____ selections. Our six integer examples make the difference visible.

03 **Zoe:** Walk me through the expected result without assuming that I can judge the Russian endings myself.

04 **Pavel:** The [2] _____ assigns one and twenty-one to one, two and twenty-two to few, and five and eleven to many.

05 **Zoe:** I thought the category called one meant only the exact numeric value one. Twenty-one currently goes to other.

06 **Pavel:** That confuses a category with an [3] _____. The category name is not a universal numeric definition.

07 **Zoe:** Then the defect is in how we choose the alternative, not necessarily in the words stored inside it.

08 **Pavel:** Correct. Test the [4] _____ first, then have the target-language reviewer check each resulting message.

09 **Zoe:** I will log the selected category for each value so we can see whether the counter is routing correctly.

10 **Pavel:** That gives us [5] _____ for this matrix. Keep the expected and actual categories next to each other.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 28.

11 **Zoe:** Should we delete other because none of these six expected results uses it?

12 **Pavel:** No. This is a limited [6] _____ set, not a reason to remove required fallback structure.

13 **Zoe:** We also display fractional quantities elsewhere, but those screens are not part of this counter test.

14 **Pavel:** Track them separately. [7] _____ can matter, so a decimal check is not simply another integer screenshot.

15 **Zoe:** I will record the formatting library and the locale rules packaged with this build before comparing environments.

16 **Pavel:** Include the [8] _____ so we are testing the actual product rather than an assumed rule set.

17 **Zoe:** What should I tell the team when these six cases pass? I do not want the report to overstate the result.

18 **Pavel:** Say the listed [9] _____ cases passed in this build. Do not include ordinal or decimal coverage that we have not run.

19 **Zoe:** Understood. The counter needs locale-aware selection and a separate linguistic check of the selected text.

20 **Pavel:** Exactly. A clear [10] _____ explains the requirement, and the matrix turns that explanation into repeatable evidence.

ANSWERS / EXPLANATIONS: PAGE 90

1. plural category | 2. test matrix | 3. exact-value selector | 4. selection logic | 5. category coverage | 6. integer test case | 7. Visible fraction digits | 8. locale data version | 9. cardinal number | 10. minimal pair

The category label was read as an equality test

F Say it

Use the supplied Russian integer matrix: 21 selects one, 22 selects few, and 11 selects many. No decimal test result is supplied.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

one / untested / few / many

Tester: "Twenty-one selects [1] _____."

Engineer: "Twenty-two selects [2] _____."

Tester: "Eleven selects [3] _____."

Engineer: "Decimal coverage remains [4] _____."

ANSWERS / EXPLANATIONS: PAGE 90

1. one | 2. few | 3. many | 4. untested

Rehearse with a fixed script

1. Read the corrected exchange, then read the six supplied number-category pairs aloud in order.

2. Switch roles and distinguish exact numeric value, plural category, and tested coverage.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The short preview passed but the real button clips

A Read the situation

Distinguish text expansion, clipping, font support, and layout constraints using a visual test report.

A fictional settings button fits its English label and a pseudolocalized sample. The approved German translation clips its final word at the supported narrow viewport. Its complete meaning is required, and the current design allows two lines. A separate label displays missing-glyph boxes. Tester Lena and UI engineer Chris must distinguish the width problem from font coverage and retest the actual target build.

PEOPLE / Lena: Localization QA tester | Chris: UI engineer

DISCUSS CONSTRAINTS WITHOUT BLAMING THE LANGUAGE

A longer translation is not automatically bad writing. Identify what the user must understand and which layout limits are actually required before requesting a shorter phrase.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the approved design allow?

A Only one line in every locale
B Removing the final word
C An unsupported font size
D Two lines in the button

2. What does a pseudolocalized pass establish here?

A Every real translation fits
B German wording is too long by definition
C The font contains every glyph
D Only that the tested sample fit

3. Which separate issue do boxes indicate in this case?

A Missing glyphs
B A required two-line layout
C A successful translation review
D A confirmed spelling error

Answers and explanations: page 91.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

pseudolocalization

Artificial transformation of source text to expose internationalization issues.

IN USE run pseudolocalization

text expansion

Increase in space needed by a localized expression.

IN USE allow for text expansion

truncation

Loss of displayed text because it exceeds a limit.

IN USE report truncation

clipping

Hiding text or graphics outside a rendering boundary.

IN USE inspect text clipping

overflow

Content extending beyond its allocated space.

IN USE test overflow behavior

line wrapping

Movement of text onto additional lines.

IN USE permit line wrapping

viewport

Visible area available for rendering content.

IN USE record the viewport

glyph

Visual form used to display a character or character sequence.

IN USE inspect the missing glyph

font fallback

Use of another font when the selected font lacks required support.

IN USE verify font fallback

font coverage

Set of characters or scripts supported by a font.

IN USE check font coverage

shaping

Conversion of characters into appropriate contextual glyph forms and positions.

IN USE test text shaping

line height

Vertical space allocated to each line of text.

IN USE adjust line height

Precision check

A pseudo sample is a useful stress test, not a guarantee for every real string. The approved German text must be checked in the supported viewport.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

ellipsis

Omission marker used when displayed content is shortened.

IN USE inspect the ellipsis

safe area

Region reserved to keep content clear of constrained or obstructed display zones.

IN USE respect the safe area

responsive layout

Arrangement that adapts to available display dimensions.

IN USE validate the responsive layout

text scaling

User or system adjustment of displayed text size.

IN USE test text scaling

visual regression

Unintended visual change relative to an established result.

IN USE capture a visual regression

layout constraint

Rule limiting content size or placement.

IN USE review the layout constraint

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Width, glyph coverage, shaping, and line height are different concerns. Shortening the sentence does not repair a font that cannot display a required character.

Phrases you can actually use

C Notice the language / 1 of 2

DESCRIBE THE LOSS

"The final word is clipped at the supported narrow viewport."

PRESERVE MEANING

"That word distinguishes saving locally from syncing online."

CHECK THE CONSTRAINT

"Does the approved design allow this label to wrap?"

SEPARATE DEFECTS

"The boxes are a font-coverage issue, not the same width defect."

LIMIT THE PSEUDO CLAIM

"The pseudo sample passed; the real target string did not."

TEST SCALING

"Please include the supported text-size settings."

DEFINE THE RESULT

"The full label must remain legible without overlapping the adjacent control."

COMPARE BUILDS

"Capture the same viewport and state before and after the change."

Fits versus reads correctly

Fits concerns available space; reads correctly also concerns complete meaning and legibility.

Shorter versus clearer

A shorter label can remove a necessary distinction rather than improve the wording.

Font versus language

A rendering failure does not establish that the target-language text is linguistically wrong.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which first request follows the design facts?

A Allow the approved two-line wrap and retest
B Delete the final word immediately
C Shrink every locale to unreadable text
D Declare German unsupported

2. Which test distinguishes the two findings?

A Check width behavior and font coverage separately
B Count only English characters
C Compare ticket priorities
D Rename the font file without rendering

3. Which result is sufficient for this button's visual check?

A A passing source-language screenshot only
B An ellipsis hiding the required distinction
C A reviewer saying longer languages are difficult
D Complete legible text without overlap in the supported states

4. What should a before-and-after comparison keep consistent?

A An arbitrary different screen
B Viewport, state, and text-size settings
C Only the file name
D The number of people in the meeting

Answers and explanations: page 91.

The short preview passed but the real button clips

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

Font fallback / Text expansion / layout constraint / line wrapping / font coverage / clipping / viewport / visual regression / Pseudolocalization / text scaling

01 **Chris:** The pseudolocalized build passed last week. Why is the German settings button still reported as a layout defect?

02 **Lena:** [1] _____ gave us a useful sample, but the approved real translation needs more space in this control.

03 **Chris:** Could the reviewer just shorten the phrase? The English version fits comfortably on one line.

04 **Lena:** The last word carries a required distinction. [2] _____ is not evidence that the translation is wrong.

05 **Chris:** Which supported screen size shows the problem? I need the exact dimensions for the comparison.

06 **Lena:** I recorded the [3] _____ in the ticket and attached the same settings state from both builds.

07 **Chris:** I can see the final word disappearing at the right edge. It is not intentionally replaced with three dots.

08 **Lena:** Correct. That is [4] _____, and the hidden word changes what the user can understand.

09 **Chris:** The design file allows two lines. The component seems to have inherited a no-wrap rule from a different button.

10 **Lena:** Then test [5] _____ within that approved design before asking the language team to remove meaning.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 37.

11 **Chris:** I will also check that the second line does not collide with the neighboring control at larger supported text settings.

12 **Lena:** Yes. Include [6] _____ in the retest and keep the full label legible.

13 **Chris:** The screenshot below shows boxes in another label. Will the wider button solve that too?

14 **Lena:** No. That is a separate [7] _____ finding. The selected font does not provide the required glyphs there.

15 **Chris:** We need to inspect the fallback font and verify its actual rendering on the target platform.

16 **Lena:** Exactly. [8] _____ can affect appearance and spacing, so check the result rather than only the configuration.

17 **Chris:** I will keep the width and missing-glyph issues in separate linked tickets because their fixes and checks differ.

18 **Lena:** That makes the [9] _____ comparison easier to interpret when the next package arrives.

19 **Chris:** We will compare the full German label at the same viewport and supported text sizes, then inspect the other label's glyphs.

20 **Lena:** Good. The [10] _____ should reflect the approved design and complete meaning, not an accidental English-only limit.

ANSWERS / EXPLANATIONS: PAGE 92

1. Pseudolocalization | 2. Text expansion | 3. viewport | 4. clipping | 5. line wrapping | 6. text scaling | 7. font coverage | 8. Font fallback | 9. visual regression | 10. layout constraint

The width fix did not repair the font

F Say it

The button now wraps completely on two lines. Another label still contains missing-glyph boxes.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

lines / glyphs / open / verification

Engineer: "The button now uses two [1] _____."

Tester: "Its width-related finding is ready for [2] _____."

Engineer: "The other label still has missing [3] _____."

Tester: "Keep the font ticket [4] _____."

ANSWERS / EXPLANATIONS: PAGE 92

1. lines | 2. verification | 3. glyphs | 4. open

Rehearse with a fixed script

1. Read the corrected exchange and distinguish clipping, expansion, and missing glyphs.

2. Switch roles and repeat the printed retest conditions without deleting any required label meaning.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The Arabic sentence must not reverse the order ID

A Read the situation

Separate paragraph direction, embedded text direction, and stored data when reporting a bidirectional defect.

In a fictional Arabic order-confirmation screen, the stored identifier is AB-123. The surrounding sentence reads right to left, while this identifier must retain its left-to-right order. Punctuation appears in the wrong visual position when the identifier is inserted. Developer Owen proposes reversing the stored identifier. Tester Salma must explain why directional handling and isolation need investigation instead. The order data itself is correct.

PEOPLE / Salma: Localization tester | Owen: Frontend engineer

USE THE RIGHT LEVEL OF EXPLANATION

Explain the mixed directions with the exact identifier and surrounding context. Do not require every engineer to become a linguist, but do distinguish data order from visual presentation.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is the correct stored identifier?

A A translated order number
B An unspecified replacement
C AB-123
D 321-BA

2. What should not be done to imitate the screen direction?

A Reverse the stored identifier
B Inspect surrounding directional handling
C Preserve the actual order data
D Test punctuation with embedded text

3. Which part reads right to left?

A Every identifier in every context
B The stored Latin identifier by definition
C The file's bytes in reverse
D The surrounding Arabic sentence

Answers and explanations: page 93.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

right-to-left

Writing direction progressing primarily from right to left.

IN USE test a right-to-left interface

left-to-right

Writing direction progressing primarily from left to right.

IN USE preserve a left-to-right identifier

bidirectional text

Text combining runs with different writing directions.

IN USE inspect bidirectional text

base direction

Direction established for the containing text context.

IN USE set the base direction

directional run

Consecutive text with a shared directional behavior.

IN USE isolate the directional run

logical order

Sequence in which text is stored and interpreted as content.

IN USE preserve logical order

visual order

Sequence or placement in which text appears on screen.

IN USE inspect visual order

directional isolation

Separation of an embedded text run's directional effects from its surroundings.

IN USE apply directional isolation

neutral punctuation

Punctuation whose display behavior depends on surrounding directional context.

IN USE test neutral punctuation

mirroring

Direction-sensitive change in presentation or layout.

IN USE review interface mirroring

Unicode bidi algorithm

Unicode rules for displaying mixed-direction text.

IN USE use the Unicode bidi algorithm

direction attribute

Markup setting that supplies text-direction information.

IN USE inspect the direction attribute

Precision check

Right-to-left surrounding prose does not mean every embedded identifier should be reversed. Preserve AB-123 and investigate how the renderer handles the mixed-direction boundary.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

embedded identifier

Code or label inserted within surrounding prose.

IN USE preserve the embedded identifier

directional control

Character affecting directional interpretation of text.

IN USE inspect directional controls

caret movement

Behavior of the insertion point while navigating text.

IN USE test caret movement

selection range

Portion of text selected by a user or program.

IN USE verify the selection range

copy-paste fidelity

Preservation of intended content when copying and pasting.

IN USE check copy-paste fidelity

layout mirroring

Reversal of appropriate interface arrangement for directional conventions.

IN USE validate layout mirroring

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Text direction, language, and alignment are different properties. Check the actual platform and supported bidirectional behavior, including copy and selection.

Phrases you can actually use

C Notice the language / 1 of 2

NAME THE DATA

"The stored identifier is correct: AB-123."

LOCATE THE BOUNDARY

"The punctuation moves when this left-to-right value enters the Arabic sentence."

REJECT DATA REVERSAL

"Reversing the stored characters would change the identifier."

SEPARATE PROPERTIES

"Right alignment alone does not define text direction."

REQUEST ISOLATION

"Can we isolate the embedded run from the surrounding prose?"

CHECK INTERACTION

"Copy the identifier and verify that its logical order is unchanged."

SCOPE MIRRORING

"Mirror appropriate layout elements, not every asset or data value."

RETEST VARIANTS

"Include identifiers, numbers, and punctuation in the same surrounding context."

Direction versus alignment

Direction affects text ordering; alignment positions a block within available space.

Logical versus visual

Logical order concerns stored content; visual order concerns presentation.

Reverse versus mirror

Reversing characters changes their sequence; directional mirroring is a presentation behavior with context-specific rules.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which proposed fix would corrupt the supplied identifier?

A Store 321-BA instead of AB-123
B Investigate directional isolation
C Preserve the existing data
D Test the same sentence on the target platform

2. Which evidence should accompany the report?

A Stored identifier, surrounding text context, and screenshot
B Only a claim that Arabic is difficult
C A reversed database export
D A different English-only screen

3. Which check goes beyond a screenshot?

A Remove every number
B Translate the internal identifier
C Copy and paste the identifier to verify content
D Rename the screenshot file

4. Which statement is accurate?

A A right-aligned block can still have incorrect directional handling
B Right alignment automatically solves every bidi issue
C Every arrow must always be mirrored
D All punctuation has a fixed direction independent of context

Answers and explanations: page 93.

The Arabic sentence must not reverse the order ID

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

bidirectional text / layout mirroring / neutral punctuation / Caret movement / embedded identifier / visual order / copy-paste fidelity / Directional isolation / logical order / base direction

01 **Owen:** The Arabic confirmation puts punctuation in the wrong place. Would reversing the order ID before display fix it?

02 **Salma:** The [1] _____ is already correct. Reversing AB-123 would create a different identifier.

03 **Owen:** I was treating the whole sentence as though every character should run in the same direction.

04 **Salma:** It is [2] _____. The Arabic prose and the embedded identifier do not share one uniform direction.

05 **Owen:** The container is right-aligned. I assumed that also told the browser how to handle the characters.

06 **Salma:** Alignment is not the [3] _____. We need to inspect the actual directional information and rendering context.

07 **Owen:** The identifier itself should still read A, B, hyphen, one, two, three when copied out.

08 **Salma:** Yes. Preserve that [4] _____ and investigate the boundary around it.

09 **Owen:** The punctuation seems to move when the identifier is followed by another number in the sentence.

10 **Salma:** That is useful evidence about [5] _____. Include the full context rather than cropping out the adjacent number.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 46.

11 **Owen:** We should check whether the inserted run is isolated so its directional behavior does not affect neighboring content.

12 **Salma:** Exactly. [6] _____ is a rendering concern; it does not require rewriting the order data.

13 **Owen:** I will use the platform's supported directional handling and test the result instead of adding arbitrary reversed strings.

14 **Salma:** Record the [7] _____ in screenshots, then check the interactive behavior as well.

15 **Owen:** Which interactions are most useful for this confirmation screen besides reading the label?

16 **Salma:** Check [8] _____, selection, and any editable field that reuses the same component.

17 **Owen:** The selection highlight can cover the right characters while keyboard navigation still feels wrong, so those need distinct observations.

18 **Salma:** Yes. [9] _____ belongs in the interaction report, not an assumption from the static image.

19 **Owen:** I will keep the identifier unchanged and attach the mixed-direction examples to the component ticket.

20 **Salma:** Good. Also keep [10] _____ separate. A right-to-left interface does not mean every asset or data value should be reversed.

ANSWERS / EXPLANATIONS: PAGE 94

1. logical order | 2. bidirectional text | 3. base direction | 4. embedded identifier | 5. neutral punctuation | 6. Directional isolation | 7. visual order | 8. copy-paste fidelity | 9. Caret movement | 10. layout mirroring

The screenshot looked right but copying changed the ID

F Say it

The expected identifier is AB-123. A proposed workaround displays it plausibly but copies 321-BA.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

workaround / 321-BA / content / AB-123

Tester: "The expected identifier is [1] _____."

Engineer: "Copying produces [2] _____."

Tester: "That changes the underlying [3] _____."

Engineer: "Reject the reversal [4] _____."

ANSWERS / EXPLANATIONS: PAGE 94

1. AB-123 | 2. 321-BA | 3. content | 4. workaround

Rehearse with a fixed script

1. Read the corrected exchange and distinguish logical order, visual order, and alignment.

2. Switch roles and read back AB-123 exactly, then repeat the printed verification steps.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The victory gesture reads as a taunt to some testers

A Read the situation

Present cultural feedback as scoped evidence and compare adaptations against the intended player experience.

In a fictional cooperative game tutorial, a character celebrates teamwork with a hand gesture. Four of six target-locale reviewers interpret it as taunting another player; two do not. The narrative brief requires encouragement, not humiliation. The team has an approved neutral celebration animation available, but replacing the asset still needs product review. Tester Inez must describe the observed interpretation without claiming every person in the locale reacts identically.

PEOPLE / Inez: Culturalization tester | Mason: Narrative designer

REPORT AUDIENCE EVIDENCE, NOT NATIONAL CHARACTER

A review panel can identify a risk without representing every member of a culture. Explain the intended effect, the observed interpretation, and the scope of the evidence.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is the intended narrative effect?

A Encourage teamwork
B Humiliate another player
C Teach a payment rule
D Signal a game crash

2. What does the review establish?

A Everyone in the locale is offended
B No reviewer noticed a problem
C The product change is already approved
D Four of six reviewers read the gesture as taunting

3. What alternative is available for review?

A A new untested insult
B An automatic global ban on gestures
C An approved neutral celebration asset
D Deleting the whole tutorial without review

Answers and explanations: page 95.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

culturalization

Adaptation of content with attention to cultural context and interpretation.

IN USE review culturalization findings

cultural nuance

Context-dependent meaning or association relevant to an audience.

IN USE explain the cultural nuance

audience segment

Defined group within the intended audience.

IN USE identify the audience segment

target market

Market for which a product version is intended.

IN USE specify the target market

pragmatic meaning

Meaning conveyed through use and context beyond literal words.

IN USE explain pragmatic meaning

register

Level or style of language appropriate to a situation.

IN USE match the register

tone of voice

Consistent manner in which a product or character communicates.

IN USE preserve the tone of voice

transcreation

Creative adaptation preserving intended effect rather than literal wording.

IN USE evaluate transcreation

narrative intent

Purpose or effect intended by a story element.

IN USE preserve narrative intent

character voice

Distinctive manner of speech associated with a fictional character.

IN USE maintain character voice

sensitivity review

Review of potentially harmful or inappropriate audience implications.

IN USE request sensitivity review

cultural reference

Element relying on shared contextual knowledge.

IN USE explain the cultural reference

Precision check

Four of six reviewers interpreting the gesture as a taunt is a scoped finding. It supports review of an encouragement mismatch, not a claim about every person in the locale.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

idiomatic expression

Phrase whose natural meaning may not follow word-for-word translation.

IN USE review the idiomatic expression

literal rendering

Translation closely following surface wording rather than contextual effect.

IN USE avoid misleading literal rendering

reviewer sample

Group of reviewers whose observations provide the stated evidence.

IN USE describe the reviewer sample

interpretation risk

Possibility that content conveys an unintended meaning to users.

IN USE document interpretation risk

asset substitution

Replacement of a visual or audio resource with another.

IN USE propose asset substitution

content approval

Authorization for specified product content.

IN USE record content approval

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

A proposed adaptation should preserve the actual narrative purpose and go through the relevant review. Tester preference alone is not product approval.

Phrases you can actually use

C Notice the language / 1 of 2

STATE THE EVIDENCE

"Four of the six reviewers read this as a taunt."

AVOID UNIVERSALS

"I am describing this panel, not every player in the market."

CONNECT THE INTENT

"The scene is meant to encourage cooperation."

EXPLAIN THE EFFECT

"The gesture can make the character seem to mock a teammate."

COMPARE ALTERNATIVES

"The neutral celebration preserves the intended positive response."

SEPARATE PREFERENCE

"This is an interpretation risk, not merely my preferred animation."

REQUEST REVIEW

"Can narrative and product review the scoped substitution?"

PRESERVE THE RECORD

"Keep the original finding and the approved replacement decision linked."

Can imply versus always means

Can imply identifies a possible contextual reading; always means makes a much stronger universal claim.

Adapt versus censor

Adapt describes a content change for an intended effect without presuming its ethical or editorial judgment.

Sample versus population

A reviewer sample provides limited evidence and should not be described as every possible user.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which report preserves the evidence accurately?

A This nationality dislikes every gesture
B Every player will abandon the game
C The animation is objectively illegal everywhere
D Four of six reviewers interpreted the gesture as taunting

2. What makes the finding relevant to the scene?

A The English dialogue has ten words
B Taunting conflicts with the encouragement brief
C The tester prefers a different color
D The file name is long

3. Which comparison should guide the alternative review?

A Whether the ticket can close without testing
B Whether the neutral asset preserves encouragement
C Whether all reviewers share a nationality
D Whether the new asset is larger

4. What remains necessary before reporting implementation complete?

A Product review, implementation, and verification
B A tester suggestion alone
C Deleting the panel result
D Assuming available means deployed

Answers and explanations: page 95.

The victory gesture reads as a taunt to some testers

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

interpretation risk / narrative intent / reviewer sample / character voice / content approval / pragmatic meaning / transcreation / asset substitution / tone of voice / sensitivity review

01 **Mason:** The report says the celebration may read as a taunt. Are you saying players in this market always interpret it that way?

02 **Inez:** No. The [1] _____ was six people, and four gave that interpretation. Two did not.

03 **Mason:** That is more specific than the headline I heard. What does the interpretation change in the tutorial?

04 **Inez:** It conflicts with the [2] _____. The character is meant to encourage teamwork, not mock another player.

05 **Mason:** The animation contains no spoken insult, so I initially treated it as outside the language review.

06 **Inez:** Its [3] _____ comes from the scene and gesture together, not only the subtitle.

07 **Mason:** Can you describe the risk without turning the observation into a fixed rule about the whole culture?

08 **Inez:** Yes. I will state the [4] _____ and the exact panel result, with the tutorial context attached.

09 **Mason:** We have a neutral celebration animation that was already approved as an asset. It might preserve the positive response.

10 **Inez:** That is a concrete [5] _____ to review. Availability does not by itself approve replacing it in this scene.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 55.

11 **Mason:** Narrative should compare the alternatives and check whether the character still sounds and behaves like the same person.

12 **Inez:** Exactly. Preserve the [6] _____ rather than flattening every localized moment into the same generic response.

13 **Mason:** We may also need a different line if the new animation changes the timing or emotional emphasis.

14 **Inez:** Then review the [7] _____ with the target-language text and the actual animation together.

15 **Mason:** Would you call this transcreation, or is it simply correcting a mistranslated word?

16 **Inez:** It is closer to [8] _____ because we are preserving an intended effect across contexts, not replacing one misspelled word.

17 **Mason:** I will bring the panel evidence and the alternative to product and narrative review without claiming we already have a final decision.

18 **Inez:** Keep the [9] _____ linked to the finding so later reviewers know exactly what was authorized.

19 **Mason:** After implementation, we can review the complete scene again rather than judge the asset in isolation.

20 **Inez:** Good. That [10] _____ should retain the sample limits and check whether the adaptation achieves the intended encouragement.

ANSWERS / EXPLANATIONS: PAGE 96

1. reviewer sample | 2. narrative intent | 3. pragmatic meaning | 4. interpretation risk | 5. asset substitution | 6. character voice | 7. tone of voice | 8. transcreation | 9. content approval | 10. sensitivity review

A panel result became a universal claim

F Say it

Four of six reviewers interpret a gesture as a taunt. The scene is intended to encourage teamwork.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

encouragement / taunt / sample / universal

Tester: "Four of six reviewers perceived a [1] _____."

Designer: "The intended effect is [2] _____."

Tester: "Our evidence comes from a reviewer [3] _____."

Designer: "Avoid a [4] _____ claim about every player."

ANSWERS / EXPLANATIONS: PAGE 96

1. taunt | 2. encouragement | 3. sample | 4. universal

Rehearse with a fixed script

1. Read the corrected exchange and stress four of six, may, and intended effect.

2. Switch roles and compare the two supplied animations using only the narrative brief and panel result.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The caption ends before the localized line does

A Read the situation

Explain timing and speaker attribution in an interactive scene without treating a recording as a static text resource.

In a fictional VR training scene, the localized spoken line lasts 4.2 seconds. Its subtitle uses the old 2.4-second end cue and disappears 1.8 seconds before the speech ends. The voice belongs to instructor Mara, who is behind the learner, but the subtitle labels another character. Tester Jae and audio implementer Priya must separate timing, speaker attribution, and in-headset readability. No universal reading-speed limit or comfort threshold is supplied.

PEOPLE / Jae: Localization QA tester | Priya: Audio implementer

REPORT WHAT THE LEARNER EXPERIENCES

An asset can be correct in a file viewer but wrong during head movement or branching playback. Include the actual scene trigger and distinguish observed usability from unmeasured assumptions.

Briefing checks

Circle one answer in each item. Use the briefing.

1. How early does the subtitle disappear?

A 2.4 seconds after speech begins and ends together

B Exactly zero seconds early

C 1.8 seconds before the speech ends

D 4.2 seconds after speech ends

2. Who is the actual speaker?

A Mara

B The incorrectly labeled other character

C The tester

D An unidentified narrator by default

3. What remains a separate check?

A A universal threshold invented from the numbers

B In-headset readability

C Only whether the audio file exists

D Whether the English filename is short

Answers and explanations: page 97.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

voice-over

Recorded speech used within a media or interactive experience.

IN USE review the localized voice-over

subtitle cue

Timed instruction controlling a subtitle's display.

IN USE inspect the subtitle cue

cue-in

Time at which a subtitle or media event begins.

IN USE verify the cue-in

cue-out

Time at which a subtitle or media event ends.

IN USE correct the cue-out

timecode

Time reference identifying a point in media.

IN USE record the timecode

speaker attribution

Identification of who is speaking.

IN USE verify speaker attribution

off-screen speaker

Speaker outside the current visible scene or view.

IN USE identify the off-screen speaker

spatial audio

Sound presented with directional or positional information.

IN USE test spatial audio

head-locked display

Display element that remains positioned relative to the viewer's head.

IN USE review the head-locked display

world-locked display

Display element anchored to the virtual environment.

IN USE test the world-locked display

field of view

Portion of the environment visible to the viewer.

IN USE check the field of view

occlusion

Blocking of content by another object or layer.

IN USE report subtitle occlusion

Precision check

The early disappearance is 4.2 minus 2.4, or 1.8 seconds. Correcting that timing does not automatically correct the wrong speaker label or establish headset readability.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

reading speed

Rate needed to read displayed text within its available duration.

IN USE evaluate reading speed

speaker label

Text identifying the source of a spoken line.

IN USE correct the speaker label

audio-text mismatch

Inconsistency between recorded speech and displayed text.

IN USE report an audio-text mismatch

branching dialogue

Conversation with different paths triggered by choices or state.

IN USE test branching dialogue

subtitle segmentation

Division of a line into displayed subtitle units.

IN USE review subtitle segmentation

closed caption

Optional text conveying speech and relevant non-speech audio information.

IN USE verify closed captions

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Subtitles and captions can overlap in product terminology, but accessibility requirements may include speaker and non-speech information. Use the actual specification; do not invent a universal words-per-second or comfort rule.

Phrases you can actually use

C Notice the language / 1 of 2

LOCATE THE TIMING

"The cue-out still uses the old 2.4-second endpoint."

STATE THE DIFFERENCE

"The subtitle disappears 1.8 seconds before the localized line ends."

IDENTIFY THE SPEAKER

"This voice belongs to Mara, behind the learner."

SEPARATE THE DEFECTS

"Timing and speaker attribution need separate verification."

USE THE REAL ENVIRONMENT

"The desktop preview does not establish in-headset readability."

CHECK THE TRIGGER

"This happens on the retry branch after the learner selects help."

PRESERVE FULL MEANING

"Segment the line without dropping the instruction."

SCOPE THE RESULT

"The tested headset and branch passed; other paths remain in the test plan."

Lasts versus ends at

Lasts gives duration; ends at gives a point on a specified timeline.

Behind versus invisible

Behind describes a spatial relation; invisible may have a different rendering cause.

Synchronized versus readable

Synchronized concerns timing; readable also depends on text, placement, size, and viewing conditions.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which calculation describes the supplied timing defect?

A No comparison is possible
B 4.2 minus 2.4 equals 1.8 seconds early
C 4.2 plus 2.4 equals 1.8 seconds
D The subtitle is always 4.2 seconds late

2. Which fix addresses attribution?

A Reverse the subtitle text
B Label the line with Mara's identity
C Extend the duration only
D Lower the audio volume

3. Why test in the headset?

A Localized lines have universal fixed timing
B Viewing direction and placement affect the experienced result
C A desktop screenshot proves every VR state
D Headsets cannot display text

4. What should not be claimed from this brief?

A A 1.8-second early disappearance
B The need to correct the speaker label
C The presence of an off-screen speaker
D A universal reading-speed limit

Answers and explanations: page 97.

The caption ends before the localized line does

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

speaker label / off-screen speaker / occlusion / Reading speed / timecode / subtitle segmentation / Speaker attribution / cue-out / branching dialogue / field of view

01 **Priya:** The localized recording plays correctly in the audio editor. What is the problem in the headset scene?

02 **Jae:** The [1] _____ still uses the old two-point-four-second endpoint. The new line lasts four-point-two seconds.

03 **Priya:** So the subtitle disappears one-point-eight seconds before the speaker finishes, rather than staying with the complete instruction.

04 **Jae:** Correct. I captured the [2] _____ and scene trigger so you can compare the same playback event.

05 **Priya:** I can update the timing from the localized asset. Did you notice anything else that should be tracked separately?

06 **Jae:** The [3] _____ names another character. The voice is Mara, the instructor behind the learner.

07 **Priya:** The label may have been copied from the previous branch. Extending the cue would leave that wrong identity visible for longer.

08 **Jae:** Exactly. [4] _____ is a separate finding, especially when the learner cannot see the person speaking.

09 **Priya:** I will verify the branch mapping and the recorded asset identifier before changing the label.

10 **Jae:** Good. The [5] _____ is behind the learner at this moment, not a new narrator.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 64.

11 **Priya:** The desktop preview shows the subtitle clearly after I adjust the endpoint. Do we still need another headset pass?

12 **Jae:** Yes. The [6] _____ and viewing direction change the experienced placement.

13 **Priya:** We should inspect whether the panel stays visible and whether objects obscure it when the learner turns.

14 **Jae:** Record any [7] _____ separately from the timing fix. A complete line is not useful if it is hidden.

15 **Priya:** The localized sentence is also longer. We may need a better division into subtitle units rather than forcing it into one block.

16 **Jae:** Review the [8] _____ with the language reviewer and preserve the whole instruction.

17 **Priya:** We will use the product's actual readability requirements instead of declaring a universal rate from this one recording.

18 **Jae:** Exactly. [9] _____ needs the actual text, duration, and viewing conditions.

19 **Priya:** I will attach the revised package with both the cue and speaker mapping changes for the retry path.

20 **Jae:** Then I will retest that [10] _____ path in the headset and report the tested scope without marking every other path passed.

ANSWERS / EXPLANATIONS: PAGE 98

1. cue-out | 2. timecode | 3. speaker label | 4. Speaker attribution | 5. off-screen speaker | 6. field of view | 7. occlusion | 8. subtitle segmentation | 9. Reading speed | 10. branching dialogue

The timing passed but the label is still wrong

F Say it

The subtitle now lasts the full 4.2 seconds. The label still names someone other than Mara.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

incorrect / Mara / line / correction

Implementer: "The timing now covers the full [1] _____."

Tester: "The actual speaker is [2] _____."

Implementer: "The speaker label remains [3] _____."

Tester: "Keep attribution open for [4] _____."

ANSWERS / EXPLANATIONS: PAGE 98

1. line | 2. Mara | 3. incorrect | 4. correction

Rehearse with a fixed script

1. Read the corrected exchange and state the 4.2 minus 2.4 calculation aloud.

2. Switch roles and distinguish timing, speaker attribution, and in-headset readability using the printed facts.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Merged is not verified in the release package

A Read the situation

Separate impact, scheduling priority, fix status, and locale-specific verification during release triage.

A fictional release candidate contains a mistranslated destructive-action button: it reads Keep files but actually deletes them. The corrected resource has been merged, but the packaged release candidate has not been rebuilt or retested. A second ticket concerns optional punctuation in a help paragraph. Tester Ana and producer Ben need impact-based triage, an explicit affected-locale scope, and verification of the actual release package. No tester has authority to waive the release criteria.

PEOPLE / Ana: Localization QA lead | Ben: Release producer

MAKE PUSHBACK SPECIFIC AND PROPORTIONATE

Describe the user consequence and the missing evidence rather than saying everything is a blocker. Separate a serious meaning reversal from a stylistic preference and name who can decide release exceptions.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is the serious user consequence?

A A help paragraph contains optional punctuation
B A build number has four digits
C A translation sheet has a comment
D A button says Keep files but deletes them

2. What has actually happened to the correction?

A The release criteria were waived
B It has been merged into the resource source
C The release package has passed retesting
D Every locale has been approved

3. Who can waive the criteria in this case?

A Any person who closes a ticket
B The translator automatically
C The person who takes a screenshot
D No authority is supplied for the tester

Answers and explanations: page 99.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

release candidate

Package proposed for final release validation.

IN USE test the release candidate

string freeze

Controlled point after which text changes follow an agreed process.

IN USE manage the string freeze

late string change

Text modification introduced after the usual content cutoff.

IN USE assess a late string change

severity

Degree of impact caused by a defect.

IN USE assign defect severity

priority

Relative urgency or scheduling order for action.

IN USE agree fixing priority

release blocker

Issue preventing release under the actual release criteria.

IN USE identify a release blocker

waiver

Authorized exception to a stated requirement.

IN USE request a documented waiver

risk acceptance

Explicit authorized decision to proceed with a stated residual risk.

IN USE record risk acceptance

fix verification

Check that the implemented correction resolves the reported issue.

IN USE complete fix verification

regression scope

Set of related behavior checked for unintended effects.

IN USE define regression scope

merge status

State of a change entering the relevant source branch.

IN USE report merge status

package manifest

Record identifying the resources included in a built package.

IN USE inspect the package manifest

Precision check

The merged resource is not proof that the release candidate contains the fix. Verify the packaged button behavior and wording before claiming the affected locale passed.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

locale coverage

Supported or tested locale scope, as explicitly defined.

IN USE report tested locale coverage

test evidence

Recorded results supporting a verification claim.

IN USE attach test evidence

linguistic sign-off

Documented language approval for a defined scope.

IN USE obtain linguistic sign-off

known issue

Documented unresolved problem with stated status and impact.

IN USE maintain the known-issue record

rollback plan

Defined approach for restoring an earlier acceptable state if needed.

IN USE review the rollback plan

release notes

Communication describing the delivered changes and known limitations.

IN USE prepare accurate release notes

clarification request

Question that resolves an unclear meaning or instruction.

IN USE make a targeted clarification request

source attribution

Identification of where information came from.

IN USE preserve source attribution

working assumption

Provisional premise used while information is incomplete.

IN USE challenge a working assumption

scope boundary

Limit of the work or authority being discussed.

IN USE state the scope boundary

action owner

Named person responsible for a specified next step.

IN USE confirm the action owner

check-back

Restatement used to verify that a message was understood.

IN USE complete a check-back

Precision check

Severity describes impact; priority describes scheduling. Release blocking and exceptions depend on the actual agreed criteria and decision authority.

Phrases you can actually use

C Notice the language / 1 of 2

STATE THE CONSEQUENCE

"The label promises to keep files, but the action deletes them."

SEPARATE THE ISSUES

"That meaning reversal is not equivalent to optional punctuation."

REPORT THE ACTUAL STATE

"The resource is merged; package verification is still pending."

REQUEST EVIDENCE

"Which release candidate contains the corrected resource?"

LIMIT SIGN-OFF

"My sign-off covers only the tested build and locale."

NAME AUTHORITY

"Any exception needs the designated release decision owner."

DEFINE REGRESSION

"Retest the destructive action and related confirmation flow."

CLOSE PRECISELY

"Mark verified only after the actual package passes the stated checks."

Severe versus urgent

Severe describes impact; urgent describes timing pressure, and neither alone states the release authority.

Merged versus shipped

Merged concerns source integration; shipped concerns the actual delivered package.

Accepted risk versus fixed

Accepted risk remains a known risk under an authorized decision; fixed claims the defect was corrected.

Phrases you can actually use

C Notice the language / 2 of 2

CLARIFY THE QUESTION

"Are you asking about the finding or the next step?"

INVITE CORRECTION

"Please correct me if I have misunderstood that detail."

ATTRIBUTE INFORMATION

"That is what the current record says; it has not been independently confirmed."

SEPARATE POSSIBILITY

"That is a possibility, not an agreed outcome."

CHECK SCOPE

"That decision sits outside my authority."

PIN DOWN RESPONSIBILITY

"Who is responsible for that specific next step?"

REPAIR MISUNDERSTANDING

"Let me restate the distinction more clearly."

CLOSE AN EXCHANGE

"We agree on the action, the owner, and the point for review."

Reported versus verified

Reported attributes information to a source; verified indicates it has been checked. Do not use the words interchangeably.

Could versus will

Could introduces a possibility. Will commits to an action or predicts an outcome; check whether that certainty is justified.

By versus at

By gives a latest time; at identifies a scheduled moment. State the time zone when people work across locations.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which triage comparison is justified?

A Every linguistic issue is harmless
B Meaning reversal and optional punctuation have different user impacts
C Both are identical because both involve text
D Punctuation is automatically more dangerous

2. Which claim overstates the fix status?

A The package still needs rebuilding
B The affected locale needs retesting
C The release candidate is verified because the resource was merged
D The source change has been merged

3. What should linguistic sign-off identify?

A Only the reviewer's first name
B Every future release automatically
C A guarantee that no bug can exist
D Build, locale, and verified scope

4. What distinguishes a waiver from a correction?

A A waiver is the same as a screenshot
B A waiver accepts an exception without making the defect disappear
C A waiver rewrites the resource automatically
D A waiver proves every test passed

Answers and explanations: page 99.

Merged is not verified in the release package

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

regression scope / waiver / Risk acceptance / package manifest / Priority / linguistic sign-off / test evidence / severity / release candidate / Merge status

01 **Ben:** The release meeting is in an hour. The translation change is merged, so can we mark the deletion-label ticket verified?

02 **Ana:** Not yet. The [1] _____ has not been rebuilt or retested. We need evidence from the package we intend to release.

03 **Ben:** The source change is small. It replaces the phrase Keep files with the correct destructive-action wording.

04 **Ana:** The [2] _____ comes from the consequence, not the number of words changed.

05 **Ben:** We also have a punctuation preference in help. I do not want every language ticket presented as equally critical.

06 **Ana:** Agreed. [3] _____ should reflect impact and the actual schedule. These two findings are not equivalent.

07 **Ben:** What do you need from engineering to establish whether the next candidate includes the corrected resource?

08 **Ana:** A build identifier and the [4] _____, followed by a direct check of the affected flow.

09 **Ben:** The merge record can tell us when the source changed, but not prove the package was created from that version.

10 **Ana:** Exactly. [5] _____ is one step in the chain, not the final test result.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 73.

11 **Ben:** Once the package is ready, can you retest just the label and leave the rest of the flow alone?

12 **Ana:** The [6] _____ should include the destructive action and confirmation flow, because wording and behavior must agree.

13 **Ben:** We can prioritize that check and keep the optional punctuation decision separate from the release-critical discussion.

14 **Ana:** Good. I will attach [7] _____ with the locale, package, steps, and observed result.

15 **Ben:** If the package cannot be retested before the meeting, can you accept the remaining risk on behalf of QA?

16 **Ana:** I do not have that [8] _____ authority. The designated decision owner needs the actual impact and missing evidence.

17 **Ben:** Understood. We should not describe an accepted exception as though the defect itself had been fixed.

18 **Ana:** Correct. [9] _____ must remain distinct from verified correction.

19 **Ben:** Your report can say the resource is merged, the candidate needs verification, and the punctuation issue has its own status.

20 **Ana:** Yes. My [10] _____ will name the tested build and locale rather than imply approval of untested packages.

ANSWERS / EXPLANATIONS: PAGE 100

1. release candidate | 2. severity | 3. Priority | 4. package manifest | 5. Merge status | 6. regression scope | 7. test evidence | 8. waiver | 9. Risk acceptance | 10. linguistic sign-off

The source fix is not yet in a tested package

F Say it

The correction is merged. A new release candidate has not been tested. The tester cannot waive the release criteria.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

merged / pending / fixed / owner

Producer: "The resource correction is [1] _____."

Tester: "Package verification remains [2] _____."

Producer: "An exception requires the designated decision [3] _____."

Tester: "Do not describe accepted risk as [4] _____."

ANSWERS / EXPLANATIONS: PAGE 100

1. merged | 2. pending | 3. owner | 4. fixed

Rehearse with a fixed script

1. Read the corrected exchange and stress merged, packaged, verified, and accepted.

2. Switch roles and deliver the printed release status without claiming a waiver or untested locale approval.

3. Complete the four-line follow-up with the supplied choices. Check the explanations, then read the corrected exchange twice, changing roles.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Changing the interface language does not convert the currency

E More workplace conversations / 1-10

Distinguish language, regional presentation, underlying values, and transaction currency.

A fictional travel app switches its interface language from English to French. An order remains denominated in USD 120. No currency conversion is requested or performed, but a display change incorrectly replaces the dollar label with EUR while leaving 120 unchanged. A separate date label reads 03/04/2026 without specifying the intended date. Tester Claire and engineer Dev must preserve the actual currency and request an unambiguous date reference.

PEOPLE / Claire: Localization tester | Dev: Product engineer

Use each bank entry once, without changing its form. Answers follow turn 20.

WORD + PHRASE BANK

test environment / currency conversion / unambiguous reference / regional format / date interpretation / currency code

01 **Dev:** Switching to French changes the button text correctly. The price now says one hundred twenty euros, which seems appropriate for the language.

02 **Claire:** The order is still denominated in US dollars. Changing the interface language does not perform a [1] _____.

03 **Dev:** Then we changed the currency label without changing the actual transaction, creating a false statement about the price.

04 **Claire:** Exactly. Preserve the [2] _____ from the order. French-language presentation can still describe a US-dollar amount.

05 **Dev:** We need to separate language selection from the transaction currency instead of deriving one automatically from the other.

06 **Claire:** Yes. The [3] _____ may change how an amount is presented, but not what currency the customer is charged.

07 **Dev:** I will compare the underlying value and currency with the displayed result before and after the language switch.

08 **Claire:** Good. That separates a formatting defect from an actual change in the transaction data.

09 **Dev:** The date label also says zero-three slash zero-four slash twenty-twenty-six. Can you tell me which date the customer will read?

10 **Claire:** Not reliably without the [4] _____ and expected locale behavior. We need the actual underlying date and product rule.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 76.

11 **Dev:** I should not assume March fourth or April third based only on my own usual date order.

12 **Claire:** Correct. Ask for an [5] _____ before recording an expected result.

13 **Dev:** Once the intended date is confirmed, we can test the supported display and input behavior against it.

14 **Claire:** Include the input path as well. A screen can display one convention while parsing the customer's entry using another.

15 **Dev:** I will record language, regional settings, currency, and date behavior as separate configuration details.

16 **Claire:** That makes the [6] _____ reproducible and avoids treating a language name as the whole configuration.

17 **Dev:** The currency correction should show the same USD order using the appropriate presentation, not invent an exchange rate.

18 **Claire:** Exactly. No conversion is requested in this case, so no converted amount or euro charge should be claimed.

19 **Dev:** I will correct the currency mapping and obtain the date reference before building the expected-result comparison.

20 **Claire:** Then we can verify both findings against actual data rather than a plausible-looking localized screen.

ANSWERS / EXPLANATIONS: PAGE 101

1. currency conversion | 2. currency code | 3. regional format | 4. date interpretation | 5. unambiguous reference | 6. test environment

A French screen still contains a US-dollar order

F Say it in a new situation

The order is USD 120 before and after the language switch. No conversion occurs.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

USD / language / conversion / 120

Tester: "The transaction currency remains [1] _____."

Engineer: "The numerical amount remains [2] _____."

Tester: "The interface [3] _____ changes."

Engineer: "Do not invent a currency [4] _____."

ANSWERS / EXPLANATIONS: PAGE 101

1. USD | 2. 120 | 3. language | 4. conversion

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.

2. Switch roles. Read it again with the word bank covered.

3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

Enter confirms an input candidate instead of sending the message

E More workplace conversations / 1-10

Explain an input-method composition defect without treating every key press as completed text entry.

In a fictional support chat, a tester uses a Japanese input method editor. Pressing Enter while selecting a conversion candidate should confirm the candidate in this tested configuration. Instead, the app sends the unfinished message. Engineer Kai and tester Yuna need to document the input method, platform, composition state, and actual event behavior. The case does not prescribe one universal event-order fix for every browser.

PEOPLE / Yuna: Localization QA tester | Kai: Chat engineer

Use each bank entry once, without changing its form. Answers follow turn 20.

WORD + PHRASE BANK

committed text / input method editor / submit action / candidate selection / event trace / composition session

01 **Kai:** The ticket says Enter sends the message too early, but Enter is our normal send shortcut. What action did the user intend?

02 **Yuna:** In this configuration, the user was confirming a candidate in the [1] _____, not asking the chat app to send.

03 **Kai:** Then the key press has a different role while text is still being composed.

04 **Yuna:** Correct. The [2] _____ had not been handled correctly when the app submitted the message.

05 **Kai:** We need the exact platform and input method, because I cannot reproduce this by typing ordinary Latin letters.

06 **Yuna:** I recorded those details, the [3] _____, and the sequence that produces the early send.

07 **Kai:** A screenshot of the final message would show the damage but not explain the interaction that caused it.

08 **Yuna:** Exactly. The recording and [4] _____ show the observed sequence in this environment.

09 **Kai:** I should inspect our shortcut handling alongside the composition state rather than assume every Enter means send.

10 **Yuna:** Yes. Keep the [5] _____ distinct from the unfinished candidate the user is still selecting.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 79.

11 **Kai:** We also need to test cancellation and another input path so the fix does not trap people in the composer.

12 **Yuna:** Agreed. Follow the actual supported environments; the event ordering and available signals can vary.

13 **Kai:** I will not promise that one key-code check solves every input method or browser combination.

14 **Yuna:** That is important. We need a tested implementation, not a universal rule inferred from one recording.

15 **Kai:** The expected result is that confirming the candidate does not accidentally submit the unfinished chat message.

16 **Yuna:** Correct. Then test the normal [6] _____ after composition has completed under the product's intended interaction.

17 **Kai:** I will attach the updated build with the environment details and the shortcut behavior for retesting.

18 **Yuna:** I will repeat candidate confirmation, cancellation, and intentional sending on the supported configurations in the test plan.

19 **Kai:** The report can state which combinations passed instead of marking all international input complete.

20 **Yuna:** Exactly. The fix should respect the input process while preserving the deliberate send action.

ANSWERS / EXPLANATIONS: PAGE 102

1. input method editor | 2. composition session | 3. candidate selection | 4. event trace | 5. committed text | 6. submit action

The key was used to confirm a candidate

F Say it in a new situation

In the tested configuration, Enter confirms the selected input candidate. The user has not requested message submission.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

complete / submitted / candidate / method

Tester: "The user is confirming a [1] _____."

Engineer: "The message should not be [2] _____ yet."

Tester: "Record the active input [3] _____."

Engineer: "Retest intentional sending after composition is [4] _____."

ANSWERS / EXPLANATIONS: PAGE 102

1. candidate | 2. submitted | 3. method | 4. complete

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.

2. Switch roles. Read it again with the word bank covered.

3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

Counting visible characters correctly

E More workplace conversations / 1-10

Explain a Unicode text-boundary defect using visible content, stored sequences, and the product limit.

A fictional profile field promises ten user-perceived characters. It rejects nine simple letters plus one accented letter represented by a base and combining mark, counting that last visible letter twice. Ravi and Morgan must align the counting policy with the promise without stripping accents from names.

PEOPLE / Ravi: Localization tester | Morgan: Profile engineer

Use each bank entry once, without changing its form. Answers follow turn 20.

WORD + PHRASE BANK

code point / display name / grapheme clusters / text segmentation / combining mark / normalization policy

01 **Morgan:** The field rejects this profile value at ten visible characters. Our counter says eleven, so is the tester counting incorrectly?

02 **Ravi:** The last visible letter uses a base letter and a [1] _____. The two counts are measuring different things.

03 **Morgan:** Then the stored sequence contains more than one code point for the final letter that the user perceives as one.

04 **Ravi:** Exactly. A [2] _____ is not automatically the same as a user-perceived character.

05 **Morgan:** We should define the unit behind the product's promised limit before changing the counter.

06 **Ravi:** Yes. The current promise concerns [3] _____ or an explicitly defined equivalent policy, not an unexplained low-level length.

07 **Morgan:** We need to use the supported segmentation behavior and test the actual boundary cases instead of inventing a rule from this one name.

08 **Ravi:** Correct. The [4] _____ policy should match the product requirement and actual runtime.

09 **Morgan:** Could we just remove accents before counting so the current implementation accepts the value?

10 **Ravi:** No. That would alter the person's [5] _____ rather than fix the mismatch between the promised limit and the implementation.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 82.

11 **Morgan:** We should also check deletion and cursor movement so an edit does not leave a detached mark.

12 **Ravi:** Yes. The same boundary assumptions can affect interaction even if the initial length check is corrected.

13 **Morgan:** Some visually similar text can have different stored representations. Our tests should identify the actual sequence being used.

14 **Ravi:** Record the representation and the [6] _____ without assuming that normalization means removing meaningful accents.

15 **Morgan:** We can preserve the user's content while applying the actual validated rules for storage and display.

16 **Ravi:** Exactly. The expected result is not simply a green counter; the name must remain intact and editable.

17 **Morgan:** I will review the limit wording, segmentation implementation, and supported boundary behavior together.

18 **Ravi:** I will include the ten-character case and adjacent lengths so the retest checks the limit rather than one isolated example.

19 **Morgan:** We should report the exact tested representations and avoid claiming every Unicode sequence is covered.

20 **Ravi:** Good. Clear units and scoped evidence will make the fix understandable without turning the name itself into the problem.

ANSWERS / EXPLANATIONS: PAGE 103

1. combining mark | 2. code point | 3. grapheme clusters | 4. text segmentation | 5. display name | 6. normalization policy

The accent must remain part of the name

F Say it in a new situation

The field promises ten user-perceived characters. The supplied ten-character value contains a base-plus-combining-mark representation of its final letter.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

ten / policy / accent / mark

Tester: "The visible value contains [1] _____ user-perceived characters."

Engineer: "The last letter includes a combining [2] _____."

Tester: "Do not strip the [3] _____ to hide the defect."

Engineer: "Match the counter to the defined segmentation [4] _____."

ANSWERS / EXPLANATIONS: PAGE 103

1. ten | 2. mark | 3. accent | 4. policy

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.

2. Switch roles. Read it again with the word bank covered.

3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

01 Briefing and language checks

Reporting a contextual mistranslation

A Briefing checks / page 4

1. What does the tutorial action actually do?

A. Rush forward with a shield
The brief identifies a movement action rather than a store payment.

2. What does the current target text mean?

B. A monetary fee
The supplied gloss identifies the financial meaning as the contextual error.

3. Which evidence makes the report reproducible?

B. Build, locale, resource, and shield-equipping steps
These details identify the environment and trigger for the tutorial defect.

D Language checks / page 9

1. Which bug title is most useful?

D. ja-JP shield tutorial uses fee meaning for attack in build 420
The precise title identifies the locale, context, meaning error, and tested build.

2. What should be checked before editing a shared resource?

A. Every context that uses it
A shared resource can affect both tutorial and store contexts.

3. Which explanation helps an English-speaking engineer?

D. The target means fee; the button triggers a forward attack
The semantic contrast connects language evidence with observed product behavior.

4. What establishes correction?

B. Target-language review and in-product retest
A resource edit still needs linguistic and product verification.

01 Conversation answers

Reporting a contextual mistranslation

E Dialogue gaps 1-5

Pages 10-11

1. English gloss. Turn 2. The English gloss explains that the target expression conveys a monetary fee, allowing the engineer to understand the semantic contrast.

2. semantic mismatch. Turn 4. The semantic mismatch changes the action's meaning from a combat move to a financial charge, rather than merely changing style.

3. build number. Turn 6. The build number identifies the tested package, here 420, rather than assuming another package has the same resources.

4. reproduction steps. Turn 8. The reproduction steps identify the tutorial state that triggers the finding, unlike testing an unrelated store context.

5. string ID. Turn 10. The string ID identifies action.charge as the affected resource, making the report traceable without searching by an ambiguous English word alone.

F Transfer answers 1-2

Page 12

1. payment

Tester: "The store meaning concerns a payment."

The supplied store context uses charge in its financial sense.

2. attack

Developer: "The tutorial meaning concerns an attack."

The supplied tutorial context uses charge for forward combat movement.

E Dialogue gaps 6-10

Pages 10-11

6. resource reuse. Turn 12. Resource reuse can conceal distinct meanings when identical English wording is shared across contexts that require different target expressions.

7. developer comment. Turn 14. A developer comment supplies context for the resource so the target-language reviewer can distinguish the intended combat action from payment.

8. in-context review. Turn 16. In-context review verifies the localized wording where the player actually encounters it, rather than treating a spreadsheet change as completed product verification.

9. expected behavior. Turn 18. Expected behavior is the agreed attack meaning in this tutorial, which the revised label must convey in the actual product.

10. context screenshot. Turn 20. The context screenshot preserves the visible tutorial state and surrounding language as evidence, without substituting for the reproducible steps.

F Transfer answers 3-4

Page 12

3. resources

Tester: "The contexts need separate resources."

Separate resources can express different meanings that share one English word.

4. contexts

Developer: "Retest both product contexts."

The change must preserve correct language in both the store and tutorial.

02 Briefing and language checks

Protecting placeholders while changing word order

A Briefing checks / page 13

1. Which change broke the supplied runtime contract?

D. Translating the placeholder name
The runtime expects the exact named argument and does not recognize its translated replacement.

2. What does the target sentence require?

B. Item before sender
The brief explicitly states the approved target-language order.

3. What should replace assembled fragments?

A. A complete localizable message
A complete message allows the target language to express its required structure.

D Language checks / page 18

1. Which instruction preserves the supplied contract?

A. Keep {sender} intact while moving it to the required position
The exact argument name must survive even when its position changes.

2. What can fragment assembly prevent?

B. Natural target-language structure
Separately assembled fragments can constrain word order and grammatical relationships.

3. What should a test name represent?

D. A realistic runtime value
Realistic values reveal issues hidden by short editor placeholders.

4. Which check catches export damage?

C. A round-trip test
Exporting and reimporting can reveal altered tokens or syntax in the resource pipeline.

02 Conversation answers

Protecting placeholders while changing word order

E Dialogue gaps 1-5

Pages 19-20

1. placeholder. Turn 2. The placeholder is the functional token replaced by runtime data; changing its expected name can leave it unresolved.

2. named argument. Turn 4. A named argument identifies the value independently of its position in the message, allowing the supported formatter to place it where the target sentence needs it.

3. string concatenation. Turn 6. String concatenation joins fragments whose English sequence can prevent the target language from forming the required complete sentence.

4. word order. Turn 8. Word order concerns the placement of the item and sender in the target sentence, not permission to change their functional identifiers.

5. Inflection. Turn 10. Inflection changes word forms for grammatical purposes and cannot be assumed safe for arbitrary names or supplied labels without a defined message design.

F Transfer answers 1-2

Page 21

1. intact

Engineer: "The argument names remain intact."

The brief preserves both exact identifiers required by the runtime.

2. position

Tester: "Their position has changed."

The target message changes where the arguments appear, not their names.

E Dialogue gaps 6-10

Pages 19-20

6. translator instruction. Turn 12. A translator instruction explains the resource context and token requirements so reviewers can distinguish localizable language from functional syntax.

7. token integrity. Turn 14. Token integrity means required arguments and markup survive localization and processing without being renamed, deleted, or malformed.

8. round-trip test. Turn 16. A round-trip test checks the exported and reimported resource, where processing can alter tokens even if the editor preview was correct.

9. interpolation. Turn 18. Interpolation inserts actual values into the message, so realistic names and labels reveal behavior that placeholder-only previews can miss.

10. parser error. Turn 20. A parser error means the message syntax could not be interpreted and should be distinguished from a fluent but semantically incorrect sentence.

F Transfer answers 3-4

Page 21

3. resolved

Engineer: "Both values are resolved by the formatter."

The supplied formatter successfully replaces both identifiers with their values.

4. sentence

Tester: "Now verify the complete target sentence."

Functional resolution does not replace a review of the full localized sentence.

03 Briefing and language checks

Explaining plural categories to engineers

A Briefing checks / page 22

1. Which category is expected for 22 in this matrix?

C. few
The supplied Russian integer matrix places twenty-two in few.

2. Which tested value uses one besides 1?

D. 21
The case explicitly lists twenty-one with one, unlike English-style singular selection.

3. What has not been covered by this matrix?

B. Decimal cases and other locales
The brief limits coverage to the stated integer cases in this locale.

D Language checks / page 27

1. Which explanation corrects the engineer's assumption?

C. One is a locale category, not always the exact value 1
Category labels follow locale rules rather than universal English numeric ranges.

2. Which pair exposes the supplied English-style defect?

A. 1 and 21
Both values require one here, but the current build sends twenty-one to other.

3. What needs checking after category routing is fixed?

B. The target wording in each branch
Correct selection does not prove that the chosen target message is linguistically correct.

4. Which verification claim is supported after these six tests pass?

D. The listed integer matrix passed
Passing the stated cases supports only their defined test scope.

03 Conversation answers

Explaining plural categories to engineers

E Dialogue gaps 1-5

Pages 28-29

1. plural category. Turn 2. A plural category selects a grammatical form under locale-specific rules, so an English one-versus-other split is insufficient for this Russian integer matrix.

2. test matrix. Turn 4. The test matrix pairs each supplied integer with its expected category, allowing the engineer to verify routing independently of reading the target wording.

3. exact-value selector. Turn 6. An exact-value selector matches a particular number, while a plural category can include other values under the locale's grammatical rules.

4. selection logic. Turn 8. Selection logic determines which branch receives each input, a separate question from whether the text inside that branch is correct.

5. category coverage. Turn 10. Category coverage identifies which required categories have actually been exercised, rather than treating one passing count as proof of all forms.

E Dialogue gaps 6-10

Pages 28-29

6. integer test case. Turn 12. An integer test case uses a whole-number input; this limited set does not justify removing branches needed by the message system or other numeric forms.

7. Visible fraction digits. Turn 14. Visible fraction digits can affect locale rule selection, so fractional representations need deliberate tests rather than an assumption from integer results.

8. locale data version. Turn 16. The locale data version identifies the actual rules used by the tested runtime and helps explain differences between environments.

9. cardinal number. Turn 18. Cardinal numbers express quantity, so passing these counter cases does not establish ordinal formatting or untested locale coverage.

10. minimal pair. Turn 20. A minimal pair or controlled contrast demonstrates the required linguistic distinction, helping the engineer understand why apparently similar counts need different behavior.

F Transfer answers 1-2

Page 30

1. one

Tester: "Twenty-one selects one."

The supplied locale matrix places twenty-one in the one category.

2. few

Engineer: "Twenty-two selects few."

The supplied locale matrix places twenty-two in the few category.

F Transfer answers 3-4

Page 30

3. many

Tester: "Eleven selects many."

The supplied locale matrix places eleven in the many category.

4. untested

Engineer: "Decimal coverage remains untested."

No decimal result is supplied, so integer success cannot establish decimal coverage.

04 Briefing and language checks

Diagnosing layout without weakening the translation

A Briefing checks / page 31

1. What does the approved design allow?

D. Two lines in the button
The brief explicitly allows two lines, so the existing clipping is not an unavoidable design requirement.

2. What does a pseudolocalized pass establish here?

D. Only that the tested sample fit
The actual target translation still clips despite the sample passing.

3. Which separate issue do boxes indicate in this case?

A. Missing glyphs
The brief distinguishes missing-glyph boxes from the button's width problem.

D Language checks / page 36

1. Which first request follows the design facts?

A. Allow the approved two-line wrap and retest
The design permits two lines and the complete approved meaning is required.

2. Which test distinguishes the two findings?

A. Check width behavior and font coverage separately
The case contains a layout issue and a separate missing-glyph issue.

3. Which result is sufficient for this button's visual check?

D. Complete legible text without overlap in the supported states
The expected result preserves the full meaning in the supported layout.

4. What should a before-and-after comparison keep consistent?

B. Viewport, state, and text-size settings
Comparable conditions are needed to attribute the visual difference to the fix.

04 Conversation answers

Diagnosing layout without weakening the translation

E Dialogue gaps 1-5

Pages 37-38

1. Pseudolocalization. Turn 2. Pseudolocalization tests artificial text and can expose structural issues, but a passing sample does not guarantee that every real translation fits.

2. Text expansion. Turn 4. Text expansion changes the space needed for a localized expression and is not by itself evidence that the translation is unnecessarily wordy.

3. viewport. Turn 6. The viewport identifies the available rendering area so the engineer can reproduce the narrow-layout result under the same conditions.

4. clipping. Turn 8. Clipping hides part of the rendered label at its boundary, distinct from a deliberate and acceptable shortening rule.

5. line wrapping. Turn 10. Line wrapping can use the two lines permitted by this design while preserving the complete label, rather than deleting required meaning.

E Dialogue gaps 6-10

Pages 37-38

6. text scaling. Turn 12. Text scaling changes the space required by the displayed text, so a fix at one default size does not establish all supported visual states.

7. font coverage. Turn 14. Font coverage concerns whether the font can display the required characters, so widening a button does not repair missing glyph support.

8. Font fallback. Turn 16. Font fallback can provide missing character support, but its actual appearance and metrics still need verification in the target environment.

9. visual regression. Turn 18. A visual regression comparison should use consistent conditions and distinguish separate layout or rendering changes rather than conflating their causes.

10. layout constraint. Turn 20. The layout constraint is the actual approved space and wrapping behavior, not an assumed English-only one-line limit.

F Transfer answers 1-2

Page 39

1. lines

Engineer: "The button now uses two lines."

The supplied fix displays the complete button label across two lines.

2. verification

Tester: "Its width-related finding is ready for verification."

The changed behavior should be checked against the defined supported conditions.

F Transfer answers 3-4

Page 39

3. glyphs

Engineer: "The other label still has missing glyphs."

The remaining boxes indicate the separate supplied character-rendering issue.

4. open

Tester: "Keep the font ticket open."

The width change does not resolve the still-present font problem.

05 Briefing and language checks

Explaining mixed-direction text defects

A Briefing checks / page 40

1. What is the correct stored identifier?

C. AB-123
The brief explicitly identifies AB-123 as the correct underlying data.

2. What should not be done to imitate the screen direction?

A. Reverse the stored identifier
Reversing correct data would create a new error rather than address the display problem.

3. Which part reads right to left?

D. The surrounding Arabic sentence
The brief distinguishes the surrounding sentence from the embedded left-to-right identifier.

D Language checks / page 45

1. Which proposed fix would corrupt the supplied identifier?

A. Store 321-BA instead of AB-123
The proposed reversal changes the correct identifier instead of fixing its presentation.

2. Which evidence should accompany the report?

A. Stored identifier, surrounding text context, and screenshot
These items distinguish correct source data from the faulty mixed-direction display.

3. Which check goes beyond a screenshot?

C. Copy and paste the identifier to verify content
Copy-paste testing can reveal content-order problems not established by a visual check alone.

4. Which statement is accurate?

A. A right-aligned block can still have incorrect directional handling
Alignment and text-direction behavior are distinct and require separate inspection.

05 Conversation answers

Explaining mixed-direction text defects

E Dialogue gaps 1-5

Pages 46-47

1. logical order. Turn 2. Logical order is the stored content sequence, which is already correct as AB-123 and must not be reversed to imitate the surrounding writing direction.

2. bidirectional text. Turn 4. Bidirectional text combines differently directed runs, here Arabic prose and a left-to-right Latin identifier within one sentence.

3. base direction. Turn 6. Base direction supplies the directional context for text, which is distinct from positioning a block against the right margin.

4. embedded identifier. Turn 8. The embedded identifier is the intact left-to-right code inserted into surrounding prose, not text whose characters should be translated or reversed.

5. neutral punctuation. Turn 10. Neutral punctuation can be affected by surrounding directional runs, so its position must be tested in the full mixed-direction context.

F Transfer answers 1-2

Page 48

1. AB-123

Tester: "The expected identifier is AB-123."

The brief supplies AB-123 as the correct identifier.

2. 321-BA

Engineer: "Copying produces 321-BA."

The copied result is the reversed sequence described in the case.

E Dialogue gaps 6-10

Pages 46-47

6. Directional isolation. Turn 12. Directional isolation separates the embedded run's directional effects from the surrounding prose, addressing presentation without changing the underlying identifier.

7. visual order. Turn 14. Visual order is the displayed arrangement, which should be inspected separately from the correct stored character sequence.

8. copy-paste fidelity. Turn 16. Copy-paste fidelity confirms that the copied identifier retains its intended content and order rather than merely looking acceptable on screen.

9. Caret movement. Turn 18. Caret movement concerns the insertion point's navigation behavior, which requires an interaction test rather than a screenshot-only judgment.

10. layout mirroring. Turn 20. Layout mirroring concerns appropriate interface arrangement and is distinct from reversing identifiers or every visual asset indiscriminately.

F Transfer answers 3-4

Page 48

3. content

Tester: "That changes the underlying content."

A different copied sequence is a data-content problem, not merely alignment.

4. workaround

Engineer: "Reject the reversal workaround."

The workaround fails to preserve the required identifier during interaction.

06 Briefing and language checks

Discussing cultural adaptation without stereotypes

A Briefing checks / page 49

1. What is the intended narrative effect?

A. Encourage teamwork
The brief explicitly defines encouragement as the intended effect.

2. What does the review establish?

D. Four of six reviewers read the gesture as taunting
The supplied evidence is the stated panel result, not a universal cultural claim.

3. What alternative is available for review?

C. An approved neutral celebration asset
The case supplies a neutral asset while retaining the product-review requirement.

D Language checks / page 54

1. Which report preserves the evidence accurately?

D. Four of six reviewers interpreted the gesture as taunting
The accurate report states the actual sample result without unsupported universal or legal claims.

2. What makes the finding relevant to the scene?

B. Taunting conflicts with the encouragement brief
The observed interpretation conflicts with the supplied narrative purpose.

3. Which comparison should guide the alternative review?

B. Whether the neutral asset preserves encouragement
The substitution needs to preserve the intended effect in the actual product context.

4. What remains necessary before reporting implementation complete?

A. Product review, implementation, and verification
An available alternative is not evidence that the change has been authorized and verified.

06 Conversation answers

Discussing cultural adaptation without stereotypes

E Dialogue gaps 1-5

Pages 55-56

1. reviewer sample. Turn 2. The reviewer sample is the six people who supplied the stated observations, not every member of the target audience.

2. narrative intent. Turn 4. Narrative intent is the scene's stated purpose of encouraging cooperation, which differs from humiliating or mocking a teammate.

3. pragmatic meaning. Turn 6. Pragmatic meaning includes the effect conveyed in context, so a gesture can communicate a taunt even without an explicitly insulting line.

4. interpretation risk. Turn 8. Interpretation risk identifies a possible unintended audience reading supported by the panel, without claiming that every user must respond identically.

5. asset substitution. Turn 10. Asset substitution replaces the relevant resource with an available alternative, but its use in this scene still requires the specified product review.

F Transfer answers 1-2

Page 57

1. taunt

Tester: "Four of six reviewers perceived a taunt."

The supplied panel result identifies taunting as the reported interpretation.

2. encouragement

Designer: "The intended effect is encouragement."

The narrative brief explicitly requires a positive teamwork response.

E Dialogue gaps 6-10

Pages 55-56

6. character voice. Turn 12. Character voice is the distinctive communication style of the fictional character, which should remain coherent when content is adapted.

7. tone of voice. Turn 14. Tone of voice concerns how the character or product communicates, including emotional emphasis rather than only literal word equivalence.

8. transcreation. Turn 16. Transcreation adapts an expression or creative element to preserve its intended effect, rather than limiting the task to word-for-word substitution.

9. content approval. Turn 18. Content approval is the actual authorization for the specified change, which is separate from the tester's finding or the existence of an alternative asset.

10. sensitivity review. Turn 20. Sensitivity review checks the relevant audience implications in context and should retain the limits of the evidence rather than asserting universal cultural reactions.

F Transfer answers 3-4

Page 57

3. sample

Tester: "Our evidence comes from a reviewer sample."

Six reviewers are a limited observed group, not the entire audience.

4. universal

Designer: "Avoid a universal claim about every player."

The supplied evidence does not establish that every player shares the interpretation.

07 Briefing and language checks

Reporting VR subtitle and audio mismatches

A Briefing checks / page 58

1. How early does the subtitle disappear?

C. 1.8 seconds before the speech ends
The difference between the 4.2-second line and 2.4-second end cue is 1.8 seconds.

2. Who is the actual speaker?

A. Mara
The brief identifies instructor Mara as the voice heard behind the learner.

3. What remains a separate check?

B. In-headset readability
The case requires a real headset check and supplies no universal usability threshold.

D Language checks / page 63

1. Which calculation describes the supplied timing defect?

B. 4.2 minus 2.4 equals 1.8 seconds early
The supplied line duration and old cue endpoint share the described start, leaving a 1.8-second gap.

2. Which fix addresses attribution?

B. Label the line with Mara's identity
The wrong character label requires a speaker-identity correction, separate from duration.

3. Why test in the headset?

B. Viewing direction and placement affect the experienced result
The actual viewing environment adds conditions not established by a flat preview.

4. What should not be claimed from this brief?

D. A universal reading-speed limit
The scenario explicitly supplies no universal readability or comfort threshold.

07 Conversation answers

Reporting VR subtitle and audio mismatches

E Dialogue gaps 1-5

Pages 64-65

1. cue-out. Turn 2. The cue-out still ends the subtitle at the old 2.4-second point even though the localized line lasts 4.2 seconds from the same start.

2. timecode. Turn 4. The timecode identifies the observed media position and lets the implementer compare the subtitle endpoint with the actual localized recording.

3. speaker label. Turn 6. The speaker label names the wrong character, which requires an identity correction rather than only a longer subtitle duration.

4. Speaker attribution. Turn 8. Speaker attribution tells the learner who is speaking and must be checked independently from whether the subtitle appears for the right duration.

5. off-screen speaker. Turn 10. The off-screen speaker is outside the learner's current view, making clear attribution useful rather than assuming visual recognition of the character.

F Transfer answers 1-2

Page 66

1. line

Implementer: "The timing now covers the full line."

The supplied update keeps the subtitle visible through the full spoken line.

2. Mara

Tester: "The actual speaker is Mara."

The case explicitly identifies Mara as the recorded speaker.

E Dialogue gaps 6-10

Pages 64-65

6. field of view. Turn 12. The field of view and actual viewing direction affect what the learner can see, so a desktop preview does not establish the in-headset result.

7. occlusion. Turn 14. Occlusion occurs when another object or layer blocks the subtitle, which is a separate presentation issue from correct text and timing.

8. subtitle segmentation. Turn 16. Subtitle segmentation divides the line into readable units while preserving the full instruction, rather than deleting content to fit an old timing pattern.

9. Reading speed. Turn 18. Reading speed depends on the displayed text and available duration within the actual usability requirements, which this case does not replace with a universal threshold.

10. branching dialogue. Turn 20. Branching dialogue can use different assets and mappings on different paths, so verification must identify the path actually exercised.

F Transfer answers 3-4

Page 66

3. incorrect

Implementer: "The speaker label remains incorrect."

The displayed label still names another character after the timing change.

4. correction

Tester: "Keep attribution open for correction."

A successful timing change does not resolve the remaining identity error.

08 Briefing and language checks

Negotiating localization release decisions

A Briefing checks / page 67

1. What is the serious user consequence?

D. A button says Keep files but deletes them
The button reverses the meaning of a destructive action and can mislead users.

2. What has actually happened to the correction?

B. It has been merged into the resource source
The brief states only the merge, not a rebuilt or verified release candidate.

3. Who can waive the criteria in this case?

D. No authority is supplied for the tester
The scenario expressly says the tester has no waiver authority.

D Language checks / page 72

1. Which triage comparison is justified?

B. Meaning reversal and optional punctuation have different user impacts
The destructive-action label can mislead users in a materially different way from optional punctuation.

2. Which claim overstates the fix status?

C. The release candidate is verified because the resource was merged
Merge status does not establish what the package contains or how it behaves.

3. What should linguistic sign-off identify?

D. Build, locale, and verified scope
A scoped approval must identify the actual material and conditions reviewed.

4. What distinguishes a waiver from a correction?

B. A waiver accepts an exception without making the defect disappear
An authorized exception changes the release decision, not the underlying observed defect.

08 Conversation answers

Negotiating localization release decisions

E Dialogue gaps 1-5

Pages 73-74

1. release candidate. Turn 2. The release candidate is the actual package being evaluated, which has not yet been rebuilt or retested with the corrected resource.

2. severity. Turn 4. Severity concerns the user impact, here a label promising preservation while the action deletes files, rather than the size of the text edit.

3. Priority. Turn 6. Priority concerns the relative order and urgency of work and can distinguish the meaning reversal from an optional punctuation change.

4. package manifest. Turn 8. The package manifest identifies what resources the built package contains, helping verify inclusion instead of inferring it from source merge status.

5. Merge status. Turn 10. Merge status describes source integration and must remain separate from the actual built package and its verification result.

E Dialogue gaps 6-10

Pages 73-74

6. regression scope. Turn 12. Regression scope identifies related behavior that should be checked, here the destructive action and its confirmation flow rather than the label in isolation.

7. test evidence. Turn 14. Test evidence records the actual conditions and results supporting verification, rather than substituting a verbal assurance that the change is small.

8. waiver. Turn 16. A waiver is an authorized exception to a requirement, and the case gives the tester no authority to grant one.

9. Risk acceptance. Turn 18. Risk acceptance is an explicit authorized decision about remaining risk, not a technical correction or proof that a failed condition has disappeared.

10. linguistic sign-off. Turn 20. Linguistic sign-off applies to a defined reviewed scope, not every locale or package merely because one source resource was edited.

F Transfer answers 1-2

Page 75

1. merged

Producer: "The resource correction is merged."

The source change has entered the relevant branch in the supplied case.

2. pending

Tester: "Package verification remains pending."

No new release-candidate test result is supplied in this case.

F Transfer answers 3-4

Page 75

3. owner

Producer: "An exception requires the designated decision owner."

The tester lacks waiver authority, so the actual authorized role must decide.

4. fixed

Tester: "Do not describe accepted risk as fixed."

An exception decision does not itself correct the underlying defect.

09 Conversation answers

Changing the interface language does not convert the currency

E Extended conversation

Pages 76-77

1. currency conversion. Turn 2. Currency conversion changes an amount between currencies under an actual conversion process, which the case explicitly says has not occurred.

2. currency code. Turn 4. The currency code identifies USD as the transaction currency and must not be replaced merely because the interface language changed.

3. regional format. Turn 6. Regional format affects presentation conventions and should not silently alter the underlying currency or economic amount.

4. date interpretation. Turn 10. Date interpretation is ambiguous when a short numeric date lacks a stated ordering convention or an unambiguous underlying reference.

5. unambiguous reference. Turn 12. An unambiguous reference establishes the intended date independently of a short display whose month and day order can be read differently.

6. test environment. Turn 16. The test environment identifies the actual configuration needed to reproduce the result instead of treating a language name as a complete locale or transaction specification.

F Transfer exchange

Page 78

1. USD

Tester: "The transaction currency remains USD."

The supplied order retains its US-dollar denomination after the language switch.

2. 120

Engineer: "The numerical amount remains 120."

No conversion or other amount change occurs in the case.

3. language

Tester: "The interface language changes."

The supplied change concerns the interface wording rather than the transaction currency.

4. conversion

Engineer: "Do not invent a currency conversion."

The scenario explicitly states that no conversion was requested or performed.

Background reading: Microsoft. Globalize date, time, and number formats.. The conversation is an original fictional teaching case.

10 Conversation answers

Enter confirms an input candidate instead of sending the message

E Extended conversation

Pages 79-80

1. input method editor. Turn 2. The input method editor mediates composition and candidate selection, so a key can serve an input function before the message is ready to send.

2. composition session. Turn 4. The composition session is the active process of building or choosing input text, which must be distinguished from completed message entry.

3. candidate selection. Turn 6. Candidate selection is the user's choice among possible input conversions and is distinct from submitting the completed chat message.

4. event trace. Turn 8. The event trace records the observed input and composition events so the engineer can investigate the real sequence in the tested environment.

5. committed text. Turn 10. Committed text is the accepted input result, which differs from an unfinished composition candidate still being selected.

6. submit action. Turn 16. The submit action is the separate request to send the completed message, which must still work after the composition-related defect is corrected.

F Transfer exchange

Page 81

1. candidate

Tester: "The user is confirming a candidate."

The supplied action selects the intended input conversion, not a send command.

2. submitted

Engineer: "The message should not be submitted yet."

The user has not requested submission in this composition interaction.

3. method

Tester: "Record the active input method."

The actual input configuration is necessary to reproduce and investigate the behavior.

4. complete

Engineer: "Retest intentional sending after composition is complete."

The normal send action still needs verification after input composition finishes.

Background reading: W3C. UI Events: composition events and input method editors.. The conversation is an original fictional teaching case.

11 Conversation answers

Counting visible characters correctly

E Extended conversation

Pages 82-83

1. combining mark. Turn 2. The combining mark joins the base letter in this supplied representation, so two code points can contribute to one user-perceived character.

2. code point. Turn 4. A code point is a Unicode value in the stored sequence and does not necessarily correspond one-to-one with a user-perceived character.

3. grapheme clusters. Turn 6. Grapheme clusters provide a text-segmentation model for user-perceived characters, unlike simply counting every code point separately.

4. text segmentation. Turn 8. Text segmentation identifies appropriate text boundaries under a defined model, which is needed for a limit described in user-perceived characters.

5. display name. Turn 10. The display name is user content whose meaningful accents must not be stripped merely to hide an implementation mismatch.

6. normalization policy. Turn 14. The normalization policy concerns how equivalent text representations are handled and should be explicit rather than silently used to erase meaningful content.

F Transfer exchange

Page 84

1. ten

Tester: "The visible value contains ten user-perceived characters."

The case explicitly supplies a ten-character value under the stated user-facing count.

2. mark

Engineer: "The last letter includes a combining mark."

The final visible letter is represented by a base character plus a combining mark.

3. accent

Tester: "Do not strip the accent to hide the defect."

Removing meaningful name content would not repair the implementation-policy mismatch.

4. policy

Engineer: "Match the counter to the defined segmentation policy."

The implementation must follow the stated counting unit and validated segmentation behavior.

Background reading: Unicode. Standard Annex 29: Unicode text segmentation.. The conversation is an original fictional teaching case.

Find the move you need

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

01 Reporting a contextual mistranslation

Locate the defect: This appears in the shield tutorial after equipping the shield.

Explain the gloss: This is an English explanation of the target meaning, not the proposed final translation.

Define verification: Retest the tutorial and the store after the resources change.

Full phrase set: pages 7-8 | Dialogue: pages 10-11

02 Protecting placeholders while changing word order

Separate wording and syntax: Translate the surrounding words, but preserve the argument names.

Request a full message: Can we localize this as one complete message?

Verify the pipeline: Check the exported and reimported resource, not only the editor preview.

Full phrase set: pages 16-17 | Dialogue: pages 19-20

03 Explaining plural categories to engineers

Show the contrast: Two and five require different branches in this locale.

Locate the logic: The build is applying the English-style split.

Explain the fallback: The fallback branch is required, but it does not replace the other needed forms.

Full phrase set: pages 25-26 | Dialogue: pages 28-29

04 Diagnosing layout without weakening the translation

Describe the loss: The final word is clipped at the supported narrow viewport.

Separate defects: The boxes are a font-coverage issue, not the same width defect.

Compare builds: Capture the same viewport and state before and after the change.

Full phrase set: pages 34-35 | Dialogue: pages 37-38

Keep the conversation productive

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

05 Explaining mixed-direction text defects

Name the data: The stored identifier is correct: AB-123.

Separate properties: Right alignment alone does not define text direction.

Retest variants: Include identifiers, numbers, and punctuation in the same surrounding context.

Full phrase set: pages 43-44 | Dialogue: pages 46-47

06 Discussing cultural adaptation without stereotypes

State the evidence: Four of the six reviewers read this as a taunt.

Explain the effect: The gesture can make the character seem to mock a teammate.

Preserve the record: Keep the original finding and the approved replacement decision linked.

Full phrase set: pages 52-53 | Dialogue: pages 55-56

07 Reporting VR subtitle and audio mismatches

Locate the timing: The cue-out still uses the old 2.4-second endpoint.

Separate the defects: Timing and speaker attribution need separate verification.

Scope the result: The tested headset and branch passed; other paths remain in the test plan.

Full phrase set: pages 61-62 | Dialogue: pages 64-65

08 Negotiating localization release decisions

State the consequence: The label promises to keep files, but the action deletes them.

Request evidence: Which release candidate contains the corrected resource?

Close precisely: Mark verified only after the actual package passes the stated checks.

Full phrase set: pages 70-71 | Dialogue: pages 73-74

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

action owner confirm the action owner 6
action owner confirm the action owner 15
action owner confirm the action owner 24
action owner confirm the action owner 33
action owner confirm the action owner 42
action owner confirm the action owner 51
action owner confirm the action owner 60
action owner confirm the action owner 69
actual behavior capture actual behavior 5
argument type verify the argument type 15
asset substitution propose asset substitution 51
audience segment identify the audience segment 50
audio-text mismatch report an audio-text mismatch 60
back-translation attach a back-translation 6
base direction set the base direction 41
bidirectional text inspect bidirectional text 41
boundary value test boundary values 23
branching dialogue test branching dialogue 60
build number record the build number 5
cardinal number test cardinal numbers 23
caret movement test caret movement 42
category coverage report category coverage 24
character voice maintain character voice 50
check-back complete a check-back 6

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

check-back complete a check-back 15
check-back complete a check-back 24
check-back complete a check-back 33
check-back complete a check-back 42
check-back complete a check-back 51
check-back complete a check-back 60
check-back complete a check-back 69
clarification request make a targeted clarification request 6
clarification request make a targeted clarification request 15
clarification request make a targeted clarification request 24
clarification request make a targeted clarification request 33
clarification request make a targeted clarification request 42
clarification request make a targeted clarification request 51
clarification request make a targeted clarification request 60
clarification request make a targeted clarification request 69
CLDR check the CLDR data 23
clipping inspect text clipping 32
closed caption verify closed captions 60
content approval record content approval 51
context screenshot attach a context screenshot 6
copy-paste fidelity check copy-paste fidelity 42
cue-in verify the cue-in 59
cue-out correct the cue-out 59
cultural nuance explain the cultural nuance 50

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

cultural reference explain the cultural reference 50

culturalization review culturalization findings 50

decimal operand inspect decimal operands 23

developer comment add a developer comment 6

direction attribute inspect the direction attribute 41

directional control inspect directional controls 42

directional isolation apply directional isolation 41

directional run isolate the directional run 41

ellipsis inspect the ellipsis 33

embedded identifier preserve the embedded identifier 42

English gloss provide an English gloss 5

escape sequence preserve the escape sequence 14

exact-value selector distinguish an exact-value selector 23

expected behavior describe expected behavior 5

fallback branch verify the fallback branch 23

field of view check the field of view 59

fix verification complete fix verification 68

font coverage check font coverage 32

font fallback verify font fallback 32

glyph inspect the missing glyph 32

grammatical agreement check grammatical agreement 14

grammatical number explain grammatical number 24

hard-coded plural replace hard-coded plurals 24

head-locked display review the head-locked display 59

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

idiomatic expression review the idiomatic expression 51

in-context review perform an in-context review 5

inflection account for inflection 14

integer test case add integer test cases 23

interpolation test interpolation 14

interpretation risk document interpretation risk 51

known issue maintain the known-issue record 69

late string change assess a late string change 68

layout constraint review the layout constraint 33

layout mirroring validate layout mirroring 42

left-to-right preserve a left-to-right identifier 41

line height adjust line height 32

line wrapping permit line wrapping 32

linguistic defect report a linguistic defect 5

linguistic sign-off obtain linguistic sign-off 69

literal rendering avoid misleading literal rendering 51

literal text distinguish literal text 15

locale coverage report tested locale coverage 69

locale data version record the locale data version 24

locale tag specify the locale tag 5

localization QA conduct localization QA 5

logical order preserve logical order 41

markup tag validate the markup tag 14

merge status report merge status 68

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

message branch exercise each message branch 23
message pattern review the message pattern 14
minimal pair provide a minimal pair 23
mirroring review interface mirroring 41
named argument pass the named argument 14
narrative intent preserve narrative intent 50
neutral punctuation test neutral punctuation 41
occlusion report subtitle occlusion 59
off-screen speaker identify the off-screen speaker 59
ordinal number distinguish ordinal numbers 23
overflow test overflow behavior 32
package manifest inspect the package manifest 68
parser error investigate the parser error 15
placeholder preserve the placeholder 14
plural category select the plural category 23
pragmatic meaning explain pragmatic meaning 50
priority agree fixing priority 68
pseudolocalization run pseudolocalization 32
reading speed evaluate reading speed 60
register match the register 50
regression scope define regression scope 68
release blocker identify a release blocker 68
release candidate test the release candidate 68
release notes prepare accurate release notes 69

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

reproducibility confirm reproducibility 6
reproduction steps supply reproduction steps 5
resource reuse investigate resource reuse 6
resource schema validate the resource schema 15
responsive layout validate the responsive layout 33
reviewer sample describe the reviewer sample 51
right-to-left test a right-to-left interface 41
risk acceptance record risk acceptance 68
rollback plan review the rollback plan 69
round-trip test run a round-trip test 15
runtime value test realistic runtime values 14
safe area respect the safe area 33
scope boundary state the scope boundary 6
scope boundary state the scope boundary 15
scope boundary state the scope boundary 24
scope boundary state the scope boundary 33
scope boundary state the scope boundary 42
scope boundary state the scope boundary 51
scope boundary state the scope boundary 60
scope boundary state the scope boundary 69
selection logic inspect selection logic 24
selection range verify the selection range 42
semantic mismatch isolate the semantic mismatch 6
sensitivity review request sensitivity review 50

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

severity assign defect severity 68
shaping test text shaping 32
source attribution preserve source attribution 6
source attribution preserve source attribution 15
source attribution preserve source attribution 24
source attribution preserve source attribution 33
source attribution preserve source attribution 42
source attribution preserve source attribution 51
source attribution preserve source attribution 60
source attribution preserve source attribution 69
source string inspect the source string 5
spatial audio test spatial audio 59
speaker attribution verify speaker attribution 59
speaker label correct the speaker label 60
string concatenation avoid brittle string concatenation 14
string freeze manage the string freeze 68
string ID include the string ID 5
subtitle cue inspect the subtitle cue 59
subtitle segmentation review subtitle segmentation 60
target market specify the target market 50
target string review the target string 5
test evidence attach test evidence 69
test matrix build a plural test matrix 24
text expansion allow for text expansion 32

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

text scaling test text scaling 33
timecode record the timecode 59
token integrity validate token integrity 14
tone of voice preserve the tone of voice 50
transcreation evaluate transcreation 50
translator instruction add translator instructions 15
truncation report truncation 32
Unicode bidi algorithm use the Unicode bidi algorithm 41
viewport record the viewport 32
visible fraction digits preserve visible fraction digits 23
visual order inspect visual order 41
visual regression capture a visual regression 33
voice-over review the localized voice-over 59
waiver request a documented waiver 68
word order support target-language word order 14
working assumption challenge a working assumption 6
working assumption challenge a working assumption 15
working assumption challenge a working assumption 24
working assumption challenge a working assumption 33
working assumption challenge a working assumption 42
working assumption challenge a working assumption 51
working assumption challenge a working assumption 60
working assumption challenge a working assumption 69
world-locked display test the world-locked display 59

Original cases. Clear boundaries.

These are original fictional teaching conversations, not transcripts of real workers. Names, figures, organizations, and incidents are invented. Sources support terminology and communication aims, not the fictional results or an endorsement of this book.

[1] Microsoft. How to perform localization testing.

Open the original source

Context for linguistic, visual, and functional validation; all cases and dialogue are original. Checked 11 October 2026.

[2] Unicode CLDR. Plural rules.

Open the original source

Plural categories are locale-dependent grammatical selections, not universal numeric ranges. Check the actual runtime data. Checked 11 October 2026.

[3] ICU. Formatting messages.

Open the original source

Context for complete messages, arguments, and locale-aware selection; no framework-specific implementation is prescribed. Checked 11 October 2026.

[4] W3C. Inline markup and bidirectional text.

Open the original source

Distinguishes surrounding direction, embedded runs, and isolation from manually reversing stored content. Checked 11 October 2026.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.

All people, organizations, cases, figures, and documents in the exercises are fictional. Professional English practice, not a universal localization specification or a substitute for qualified target-language, accessibility, cultural, legal, or engineering review. Product rules, timings, test data, and release policies in the cases are fictional. Actual behavior depends on the supported locales, platform, framework, version, and approved style guide. Do not infer cultural preferences from nationality or reverse stored text to imitate a writing direction.

English Ladder | English for Work | 2026 edition. The B2-C1 range is an editorial study recommendation, not a proficiency certification.

Open the matching English Ladder course