

ENGLISH FOR PLUMBING PROJECTS AND CUSTOMER COMMUNICATION

Plumbing Workplace English

Precise descriptions. Clear agreements.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.



Eight lessons. Eleven extended conversations.

INSIDE THE BOOK

192 vocabulary entries / 128 reusable phrases
220 extended-dialogue turns / 11 transfer exchanges
Word banks and explained answer keys

Upper-intermediate to advanced (B2-C1). For plumbers, plumbing service coordinators, and project staff working with customers, suppliers, and other trades.

2026 edition

Eight scenarios. Eight skills.

Eight practical conversations move from a first service call to a final handover: identify fixtures, compare component descriptions, reconcile drawing references, report moisture, explain access, coordinate interruptions, price changes, and close document gaps.

01 Identifying fixtures and service history

4

Which sink in Unit 3B? | Clarify a customer report using fixture, location, and observation time without turning a symptom into a diagnosis.

02 Clarifying pipe and component specifications

13

A designation is not a measurement | Distinguish nominal size from measured outside diameter and request complete product identification before judging a delivery.

03 Reconciling fixture layouts and dimensions

22

The same 450, two different origins | Explain a dimension conflict by naming both reference surfaces and requesting a coordinated detail without inventing an offset.

04 Describing moisture without diagnosing its source

31

A dry patch is not a diagnosis | Report the observed condition with a time limit, acknowledge a customer concern, and avoid unsupported cause or repair claims.

05 Explaining drainage and access terminology

40

The panel is not an extra drain | Explain a technical term in ordinary language and distinguish a design request from an approved change to service access.

06 Coordinating interruptions and room access

49

Arrival at nine, proposed interruption at ten | Correct a notice by separating attendance time, affected area, proposed interruption window, and pending approval.

07 Pricing changes and restoration boundaries

58

A fixture allowance is not a vanity package | Explain the limits of an estimate, separate a product allowance from related work, and request a revised scope before confirming terms.

08 Handing over plumbing records and follow-up

67

The wrong leaflet and an unbooked visit | Acknowledge received records, identify a model mismatch, and separate a promised update from an unconfirmed return appointment.

Communication field notes

3

Three more workplace conversations

76

Answers and explanations

85

Fast-access phrase pages

104

Vocabulary index

106

Sources and publication notes

114

Name the fixture. Preserve the detail.

Plumbing conversations connect everyday descriptions with technical records. Practice narrowing a report, comparing like quantities, explaining a limitation, and giving a clear next step.

Ask which fixture

Sink can mean a bathroom basin, kitchen sink, or utility sink. Repeat the room, unit, and fixture description before summarizing a customer report. Keep the observation separate from a diagnosis.

"You mean the bathroom basin in Unit 3B, not the utility sink beside it."

Compare matching references

A nominal pipe designation is not necessarily its measured outside diameter. Drawing dimensions also need a datum and endpoint. Confirm the product series and reference before treating different numbers as an error.

"The number alone does not establish whether the delivered component matches the order."

Separate access from drainage

An access panel and a cleanout serve different purposes. Explain the terms in plain language, then keep an unreviewed enclosure change open for coordination rather than approving it conversationally.

"The removable panel provides access; it is not an extra drain."

Commit only to what is agreed

Arrival time, interruption time, estimate scope, and follow-up date are different commitments. State which is booked, proposed, included, or still awaiting review.

"The visit is booked for 09:00; the proposed interruption still needs approval."

PROFESSIONAL BOUNDARIES

The cases, products, and project records are fictional. This book teaches English, not plumbing diagnosis, installation, testing, repair, valve operation, or code compliance. Follow actual training, authorization, manufacturer instructions, site procedures, and applicable requirements. A reported symptom, dry surface, drawing, or handover document does not establish system condition or authorize work. The conversations do not instruct clients to test, dismantle, or operate plumbing equipment.

Which sink in Unit 3B?

A Read the situation

Clarify a customer report using fixture, location, and observation time without turning a symptom into a diagnosis.

Tenant Mina reports a sink problem in Unit 3B. A bathroom basin and a utility sink stand beside one another. She means the bathroom basin and noticed water on the cabinet base at 07:00. The source of the water has not been established. Service coordinator Ellis needs an accurate description for the plumber, using what Mina has already observed. No earlier repair history is supplied, and no instruction to operate or dismantle equipment is needed.

PEOPLE / Mina: Tenant | Ellis: Service coordinator

CLARIFY WITHOUT MAKING THE CUSTOMER DEFEND A DIAGNOSIS

Customers may use one everyday name for several fixtures. Offer concrete alternatives, acknowledge the reported condition, and ask about existing observations. A precise service description helps the next person without requiring the customer to identify a failed component.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Which fixture does Mina mean?

- A The bathroom basin in Unit 3B
- C A kitchen sink elsewhere

- B The utility sink beside it
- D Both fixtures equally

2. What does 07:00 identify?

- A The time a repair finished
- C The proven start of a leak

- B When Mina noticed water
- D A booked arrival time

3. What is known about the source?

- A The basin trap has failed
- C The utility sink is responsible

- B A supply connection has failed
- D It has not been established

Answers and explanations: [page 85](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

fixture

Plumbing appliance such as a basin, sink, or toilet.

IN USE identify the fixture

bathroom basin

Bowl used for washing hands or face in a bathroom.

IN USE specify the bathroom basin

utility sink

Sink intended for cleaning or general utility tasks.

IN USE distinguish the utility sink

vanity unit

Bathroom cabinet assembly associated with a basin.

IN USE describe the vanity unit

cabinet base

Bottom surface within the cabinet.

IN USE report water on the cabinet base

service call

Request or attendance for a reported plumbing issue.

IN USE log a service call

tenant report

Account given by the person occupying the premises.

IN USE record the tenant report

unit number

Identifier of an individual apartment or premises.

IN USE confirm the unit number

fixture location

Position of the particular plumbing appliance.

IN USE state the fixture location

observation time

Time when someone noticed a condition.

IN USE record the observation time

onset

Point when a condition actually began.

IN USE distinguish onset from observation

source

Origin of the reported water or problem.

IN USE establish the source

Precision check

Water was noticed on the cabinet base at 07:00. This does not establish when it first appeared or which component caused it. Keep the fixture identity, observed location, and time together.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

supply connection

Connection associated with water delivery to a fixture.

IN USE identify a supply connection

waste connection

Connection associated with carrying used water away.

IN USE describe the waste connection

trap

Fitting designed to retain a liquid seal in a drainage system.

IN USE identify the basin trap

faucet

Fitting that controls delivery of water at a fixture.

IN USE name the faucet

tap

Common alternative term for a faucet.

IN USE clarify the tap description

visible moisture

Wetness that can be seen at the reported location.

IN USE describe visible moisture

service history

Record of earlier attendance or work.

IN USE check the service history

previous repair

Corrective work completed on an earlier occasion.

IN USE confirm a previous repair

reported symptom

Condition described by a customer before assessment.

IN USE retain the reported symptom

call summary

Concise record of information from the conversation.

IN USE read back the call summary

static pressure

In this plumbing report, pressure at a point with no flow.

IN USE distinguish static from flowing pressure

attendance

Visit by the relevant service person.

IN USE arrange attendance

Precision check

The bathroom basin and utility sink are different fixtures. Familiar terms such as tap and faucet can be clarified without correcting the customer unnecessarily. No previous repair or component failure is established here.

Phrases you can actually use

C Notice the language / 1 of 2

OFFER TWO CONCRETE CHOICES

"Do you mean the bathroom basin or the utility sink?"

SEPARATE ADJACENT FIXTURES

"The utility sink is beside it, but it is not the fixture you mean."

PRESERVE THE TIME

"You first noticed it at 07:00."

NAME THE SURFACE

"The water was on the cabinet base."

CONFIRM THE PREMISES

"I have the location as Unit 3B."

LOCATE THE OBSERVATION

"Where had you already noticed the water?"

AVOID CHANGING THE ONSET

"I will record that as the observation time."

KEEP THE REPORT ATTRIBUTED

"The tenant reports water beneath the bathroom basin."

Do you mean X or Y?

Offers bounded alternatives that resolve an ambiguous noun.

Noticed at

Records an observation without asserting when the problem began.

Reports

Attributes an account to its source.

Phrases you can actually use

C Notice the language / 2 of 2

KEEP THE CAUSE OPEN

"The source has not been established."

DISTINGUISH THE ROUTES

"A supply connection and a waste connection are different."

RECORD THE HISTORY LIMIT

"No earlier repair history has been supplied."

READ BACK THE DETAILS

"Bathroom basin, Unit 3B, cabinet base, noticed at 07:00."

AVOID NAMING A FAILED PART

"I cannot identify a failed connection from that description."

CLARIFY FAMILIAR WORDING

"By tap, do you mean the basin faucet?"

AVOID INVENTING REASSURANCE

"I cannot say the issue has been resolved."

CLOSE WITH THE RECORD

"I will pass that description to the plumber."

Beneath versus from

Beneath gives location; from asserts origin.

Has not been established

Leaves a cause open without denying the observation.

No history supplied

Does not mean that no earlier work ever occurred.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which question best clarifies the fixture?

- A** Which connection has failed?
- B** Why did the trap start leaking?
- C** Can you dismantle the cabinet connection?
- D** Do you mean the bathroom basin or the utility sink beside it?

2. Which summary preserves the time accurately?

- A** Leak began exactly at 07:00
- B** Repair completed at 07:00
- C** Plumber booked for 07:00
- D** Water noticed on the cabinet base at 07:00

3. Which statement wrongly converts location into cause?

- A** Water was seen on the cabinet base
- B** The bathroom basin is the reported fixture
- C** The source needs assessment
- D** The water must be coming from the trap

4. What should accompany the handoff?

- A** A guaranteed diagnosis
- B** Fixture, unit, observed surface, time, and unresolved source
- C** Only the word sink
- D** An invented previous repair

[Answers and explanations: page 85.](#)

Which sink in Unit 3B?

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

bathroom basin / service history / source / cabinet base / attendance / faucet / reported symptom / fixture / observation time / call summary

- 01 **Mina:** Hi, it's the sink in Unit 3B. There was water underneath it when I went into the bathroom this morning. Can you log a call?
- 02 **Ellis:** Of course. Which ¹ _____ do you mean: the bathroom basin where you wash your hands, or the utility sink beside it?
- 03 **Mina:** The bathroom one. The utility sink is next to the cabinet, so I can see why just saying sink isn't very helpful.
- 04 **Ellis:** I'll name the ² _____. When you say underneath, where was the water you had already seen: inside the cabinet or somewhere else?
- 05 **Mina:** Inside, on the bottom of the cabinet. I noticed it at seven. I don't know how long it had been there before that.
- 06 **Ellis:** Water on the ³ _____, noticed at 07:00. That's a useful location and time. Have you identified where it came from?
- 07 **Mina:** No. I almost said the pipe was leaking, but I haven't seen which part the water came from. Can you leave that open?
- 08 **Ellis:** Yes. I'll record the ⁴ _____ as unestablished. We won't turn water beneath a basin into a diagnosis of a failed pipe or connection.
- 09 **Mina:** The form has a box for when it started. Seven is when I noticed it, but I can't honestly say that was the start.
- 10 **Ellis:** I'll keep it as the ⁵ _____ and leave onset unconfirmed. That avoids giving the plumber a more precise history than you can support.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 10.

- 11 **Mina:** There's another box for earlier repairs. I don't have any records. Does leaving that blank mean the basin has never been repaired?
- 12 **Ellis:** No. I'll mark ⁶ _____ as not supplied. Missing information isn't evidence that there was never earlier work, so we shouldn't select no previous repairs.
- 13 **Mina:** One naming question: when I say tap, I mean the fitting above the basin. Is that what your form calls the faucet?
- 14 **Ellis:** Yes, ⁷ _____ is another common name for that water-delivery fitting. Mentioning it doesn't make it the source of the water you've reported.
- 15 **Mina:** Good. I don't want someone arriving with a note that says the tap is broken. I haven't established that at all.
- 16 **Ellis:** I'll retain your ⁸ _____ instead: water beneath the identified basin. The plumber can assess the cause; you don't need to dismantle anything for this call.
- 17 **Mina:** Could you read the request back? Especially the location. I don't want the two sinks mixed up when the plumber sees the job.
- 18 **Ellis:** The ⁹ _____ is Unit 3B, bathroom basin, water on the cabinet base, noticed at 07:00. Source unestablished; earlier repair history not supplied.
- 19 **Mina:** That's right. It includes what I saw and doesn't add a cause. I haven't been given a visit time yet, either.
- 20 **Ellis:** I'll pass it through to arrange ¹⁰ _____. I haven't confirmed a time in this conversation, so please don't treat seven as the plumber's arrival time.

ANSWERS / EXPLANATIONS: PAGE 86

1. fixture | 2. bathroom basin | 3. cabinet base | 4. source | 5. observation time | 6. service history | 7. faucet | 8. reported symptom | 9. call summary | 10. attendance

Give the plumber the precise report

F Say it

Complete the handoff using the tenant account. Keep the fixture, observed surface, time, and cause status distinct.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

basin / unestablished / 07:00 / base

Coordinator: "The tenant means the bathroom ¹ _____ in Unit 3B."

Plumber: "Water was seen on the cabinet ² _____."

Coordinator: "It was noticed at ³ _____."

Plumber: "The source remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 86

1. basin | 2. base | 3. 07:00 | 4. unestablished

Rehearse with a fixed script

1. Read turns 1-10 in pairs. Stress bathroom, cabinet base, and noticed at seven to keep fixture, location, and time distinct.

2. Switch roles for turns 11-20. Keep not supplied separate from never repaired, and arrange attendance separate from a booked time.

3. Complete and check the handoff exchange. Read it twice, preserving basin, base, 07:00, and unestablished.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A designation is not a measurement

A Read the situation

Distinguish nominal size from measured outside diameter and request complete product identification before judging a delivery.

Buyer Omar compares a nominal pipe designation on an order with a measured outside diameter and assumes the delivery is wrong because the numbers differ. The order names a product series, but the delivery label is incomplete. Supplier coordinator Leila must explain the two kinds of size information and request complete identification. Neither material compatibility nor connection compatibility has been verified. Explaining nominal size does not establish that the delivery is correct.

PEOPLE / Omar: Buyer | Leila: Supplier coordinator

CORRECT THE COMPARISON WITHOUT DISMISSING THE CONCERN

A customer can make an invalid comparison and still have a genuine delivery problem. Explain the terminology, then investigate the actual item identity. Avoid moving from the numbers are different to either the goods are wrong or the goods are definitely right.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is Omar comparing?

- | | |
|--|--|
| A Identical manufacturer part numbers | B A nominal designation and a measured outside diameter |
| C Two verified inside diameters | D Two complete product labels |

2. What information is incomplete?

- | | |
|---|--|
| A The delivery label | B The series named on the order |
| C Whether the measurement is an outside diameter | D Whether the compared numbers differ |

3. What remains unverified?

- | | |
|---|--|
| A That the measured number differs | B That the order lists a series |
| C That Omar has a question | D Product identity and relevant compatibility |

Answers and explanations: page 87.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

nominal size

Conventional size designation that may differ from a measured diameter.

IN USE confirm the nominal size

outside diameter

Measurement across the outer surface of a pipe.

IN USE compare the outside diameter

inside diameter

Measurement across the internal opening of a pipe.

IN USE distinguish inside diameter

wall thickness

Distance between the inner and outer pipe surfaces.

IN USE specify the wall thickness

size designation

Standard or commercial name used to identify a size.

IN USE read the size designation

flow rate

Volume passing in a stated time, such as liters per minute.

IN USE report the flow rate

product series

Named family of related products.

IN USE identify the product series

part number

Manufacturer identifier for a particular item.

IN USE verify the part number

delivery label

Identification attached to supplied goods.

IN USE check the delivery label

order line

Individual item entry in a purchase order.

IN USE reconcile the order line

material specification

Description of required material characteristics.

IN USE confirm the material specification

connection type

Form of interface used to join components.

IN USE identify the connection type

Precision check

A nominal designation and an outside diameter are different kinds of information. Different numerical values alone do not establish an incorrect delivery. The relevant product series and manufacturer data must be identified.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

fitting

Component used to connect, branch, or change a pipe run.

IN USE identify the fitting

coupling

Fitting used to join pipe sections or components.

IN USE specify the coupling

adapter

Fitting joining different connection forms or sizes as designed.

IN USE identify the adapter

elbow

Fitting that changes the direction of a pipe run.

IN USE identify the elbow

tee

Fitting with a branch connection.

IN USE specify the tee

reducer

Fitting connecting different nominal pipe sizes.

IN USE identify the reducer

product identification

Information establishing which item has been supplied.

IN USE complete product identification

compatibility

Suitability of components for use together under relevant conditions.

IN USE verify compatibility

substitution

Replacement of a specified product with another.

IN USE review a substitution

dimensional table

Manufacturer data listing defined dimensions.

IN USE consult the dimensional table

supply discrepancy

Difference between ordered and supplied goods or records.

IN USE investigate a supply discrepancy

acceptance status

Whether goods have been accepted through the applicable process.

IN USE preserve acceptance status

Precision check

Correcting the size comparison does not verify the delivered item. The label is incomplete, and material and connection compatibility remain unverified. Do not replace one unsupported conclusion with automatic acceptance.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE CONCERN

"I understand why those two numbers look inconsistent."

EXPLAIN NOMINAL

"Nominal size is a designation, not necessarily that measured diameter."

ASK FOR IDENTITY

"We need the complete product identification."

IDENTIFY THE MISSING RECORD

"The delivery label is incomplete."

NAME THE COMPARISON

"One is a nominal designation; the other is a measured outside diameter."

RETAIN THE MEASUREMENT

"We should keep your measurement in the record."

USE THE ORDER REFERENCE

"The order names a particular product series."

AVOID PREMATURE REJECTION

"The numerical difference alone does not prove the delivery is wrong."

Not necessarily

Rejects a universal assumption without asserting that the values always differ.

One ... the other

Contrasts two clearly identified quantities.

Alone

Limits what a single piece of evidence can establish.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID PREMATURE ACCEPTANCE

"That explanation does not confirm the delivery is correct."

REQUEST THE RIGHT DOCUMENT

"Please obtain the full label details through the supplier."

DISTINGUISH FITTING TYPES

"An adapter and a coupling are not interchangeable descriptions."

STATE THE NEXT STEP

"I will reconcile the item identity with the order."

SEPARATE COMPATIBILITY

"We still need to verify the material and connection requirements."

NAME THE DATA SOURCE

"The matching manufacturer table defines the relevant dimensions."

KEEP SUBSTITUTION SEPARATE

"We have not approved an alternative product."

GIVE A BALANCED SUMMARY

"The size comparison is clarified; the delivery remains unverified."

Still need to

Keeps a remaining verification step explicit.

Matches the designation

Does not by itself establish material or connection compatibility.

Unverified

Neither accepts nor rejects the product without evidence.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which response best corrects the comparison?

- A** The explanation proves all supplied goods are suitable
- B** Nominal size and outside diameter are different; we still need full item identification
- C** Different numbers always prove the wrong item
- D** Nominal always equals measured outside diameter

2. Which information should Leila request next?

- A** A substitution request before identifying the delivered item
- B** The dimensions of a similarly colored pipe from another range
- C** Complete label details and product identification
- D** A different measurement chosen to equal the nominal number

3. Which conclusion is unsupported?

- A** The order names a product series
- B** The label is incomplete
- C** The numerical comparison needs clarification
- D** The material and connection are compatible

4. What does a dimensional table need to match?

- A** The relevant identified product and series
- B** Any pipe with a similar color
- C** A different manufacturer's unrelated item
- D** The buyer's preferred number

Answers and explanations: page 87.

A designation is not a measurement

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

product identification / product series / acceptance status / dimensional table / part number / supply discrepancy / connection type / substitution / outside diameter / nominal size

- 01 **Omar:** Leila, the number on our order doesn't match the outside measurement of the delivered pipe. I think you've sent the wrong size.
- 02 **Leila:** Let's check what each number represents. The order gives a ¹ _____, which is a conventional designation, not necessarily the measured outer diameter.
- 03 **Omar:** I measured across the outside. Are you saying I should discard that measurement because it doesn't use the same kind of number as the order?
- 04 **Leila:** Keep it. The ² _____ is useful evidence, but it needs comparison with the correct manufacturer's dimensions, not automatic equality with the nominal designation.
- 05 **Omar:** Then perhaps there's no delivery problem after all. Can I tell the team the goods are correct and move on?
- 06 **Leila:** Not yet. The delivery label is incomplete, so ³ _____ is still missing. Explaining the size convention doesn't verify which item actually arrived.
- 07 **Omar:** Our order names the series. I can send that line, but the label doesn't give me enough to match the delivered item to it.
- 08 **Leila:** Send the ordered ⁴ _____ with the available label details. I'll use those references to request the missing identity information from the supplier.
- 09 **Omar:** Would a photograph of similar packaging settle it? Another delivery had the same color, and that one matched the order.
- 10 **Leila:** No. We need the actual item's ⁵ _____ and supporting identification. Similar packaging isn't a reliable substitute for the manufacturer's item reference.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 19.

- 11 **Omar:** Once we've identified it, how do we check the measurement without comparing it with an unrelated pipe from a different range?
- 12 **Leila:** Use the matching ⁶ _____ for that product and series. It defines what the nominal designation and measured dimensions mean in that specific range.
- 13 **Omar:** Suppose those dimensions check out. Does that settle whether it joins the components already specified for the project?
- 14 **Leila:** Not by itself. The ⁷ _____ and material requirements still need verification. Matching one size description doesn't establish that every joining interface is compatible.
- 15 **Omar:** The team suggested treating it as an alternative if the original item isn't available. That sounds like a separate decision.
- 16 **Leila:** It is. A ⁸ _____ needs the applicable review. We haven't approved a different product simply by explaining why two size numbers can differ.
- 17 **Omar:** I'll stop calling the delivery wrong on the strength of the measurement alone. What should the goods record say while you investigate?
- 18 **Leila:** Keep the ⁹ _____ unresolved pending identification and the relevant checks. Don't replace premature rejection with premature acceptance; both would overstate what we know.
- 19 **Omar:** I'll send the order line and the incomplete label details, keeping my outside measurement attached rather than changing it to the order's number.
- 20 **Leila:** Good. I'll investigate the possible ¹⁰ _____ against those records. Our next update should identify the actual product and outstanding checks, not just repeat the size explanation.

ANSWERS / EXPLANATIONS: PAGE 88

1. nominal size | 2. outside diameter | 3. product identification | 4. product series | 5. part number | 6. dimensional table | 7. connection type | 8. substitution | 9. acceptance status | 10. supply discrepancy

Clarify the comparison, retain the query

F Say it

Complete the supplier summary. Distinguish the designation from the measurement and preserve the missing identification.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

label / outside / nominal / unverified

Buyer: "The order gives a ¹ _____ size."

Coordinator: "Your measurement is the ² _____ diameter."

Buyer: "The delivery ³ _____ is incomplete."

Coordinator: "Compatibility remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 88

1. nominal | 2. outside | 3. label | 4. unverified

Rehearse with a fixed script

1. Read turns 1-10. Contrast nominal designation with measured outside diameter; do not change the reported measurement.
2. Switch roles for turns 11-20. Stress not by itself and unresolved when explaining compatibility and acceptance.
3. Complete and check the short exchange. Read the item-identification request without approving or rejecting the delivery.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The same 450, two different origins

A Read the situation

03

Explain a dimension conflict by naming both reference surfaces and requesting a coordinated detail without inventing an offset.

Plumber Nia and cabinet coordinator Ben compare a bathroom layout with a cabinet drawing. The layout places the basin centerline 450 millimeters from the finished wall face. The cabinet drawing uses 450 millimeters from the framing face. Basin B2 is selected, but no coordinated rough-in detail is confirmed. The two references are different; no wall-finish thickness is supplied. They need a design clarification, not an assumed conversion or permission to install.

PEOPLE / Nia: Plumber | Ben: Cabinet coordinator

SHOW THE DIFFERENCE BEFORE PROPOSING A REMEDY

Two drawings may contain the same number and still describe different positions. State the origin and endpoint on each. Cross-trade coordination works better when the question identifies the mismatch without blaming the other drawing or quietly inventing a correction.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What reference does the bathroom layout use?

A The room center

B The finished wall face

C The framing face

D The cabinet door face

2. Why do the two 450-millimeter dimensions conflict?

A They use different units

B The basin has not been selected

C One is a confirmed pipe diameter

D They start from different reference surfaces

3. What is not supplied?

A The selected basin identifier

B The layout's stated number

C The existence of the cabinet drawing

D A confirmed coordinated rough-in detail

Answers and explanations: [page 89](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

basin centerline

Reference line through the center of the basin.

IN USE locate the basin centerline

finished wall face

Exposed wall surface after the finish is applied.

IN USE measure from the finished wall face

framing face

Surface of the structural framing used as a reference.

IN USE reference the framing face

datum

Defined reference from which a dimension is taken.

IN USE identify the datum

dimension origin

Starting reference for a measurement.

IN USE confirm the dimension origin

dimension endpoint

Point to which a measurement extends.

IN USE identify the dimension endpoint

rough-in

Early provision of services before final fixtures or finishes.

IN USE coordinate the rough-in

rough-in detail

Drawing information defining relevant preliminary service positions.

IN USE confirm the rough-in detail

fixture schedule

List identifying specified fixtures and relevant information.

IN USE consult the fixture schedule

selected model

Product chosen for the project.

IN USE verify the selected model

layout drawing

Drawing showing intended arrangement of elements.

IN USE review the layout drawing

cabinet drawing

Drawing describing the cabinetry arrangement.

IN USE compare the cabinet drawing

Precision check

Both drawings use 450 millimeters, and both concern the basin centerline. The conflict is the origin: finished wall face versus framing face. The shared number does not remove that difference.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

wall build-up

Layers forming the wall assembly and its finish.

IN USE establish the wall build-up

finish thickness

Dimension occupied by the finishing layer or layers.

IN USE confirm the finish thickness

offset

Distance between two defined reference positions.

IN USE calculate a verified offset

gradient

Vertical rise or fall divided by horizontal run.

IN USE distinguish gradient from an angle

interface

Meeting point between related building elements or trades.

IN USE resolve the cabinet interface

clearance

Required space between or around components.

IN USE verify the relevant clearance

design query

Request to clarify design information.

IN USE raise a design query

coordinated detail

Information reconciled across the relevant elements and trades.

IN USE issue a coordinated detail

drawing reference

Identifier of the drawing supporting a statement.

IN USE cite the drawing reference

invert level

Elevation of the inside bottom of a pipe, relative to a datum.

IN USE read back the invert level

installation position

Location authorized for the actual installed item.

IN USE confirm the installation position

dimension readback

Spoken repetition of a dimension and its references.

IN USE give a dimension readback

Precision check

Basin B2 is selected, but selection alone does not confirm its coordinated service positions. Without the wall build-up and an approved detail, do not invent an offset or turn a clarification into installation authorization.

Phrases you can actually use

C Notice the language / 1 of 2

03

STATE THE LAYOUT REFERENCE

"The layout measures from the finished wall face."

KEEP THE ENDPOINT

"Both dimensions run to the basin centerline."

IDENTIFY THE CONFLICT

"The origins differ even though the numbers match."

SEPARATE SELECTION FROM COORDINATION

"Basin B2 is selected; the rough-in detail is not confirmed."

STATE THE OTHER REFERENCE

"The cabinet drawing measures from the framing face."

PRESERVE THE NUMBER

"Both drawings state 450 millimeters."

AVOID AN ASSUMED OFFSET

"We do not have the wall-finish thickness."

ASK THE DESIGN QUESTION

"Which datum should the coordinated detail use?"

From ... to

Identifies both the origin and endpoint of a dimension.

Even though

Highlights why matching numbers do not settle the conflict.

Selected versus confirmed

Product choice and coordinated installation information are separate.

Phrases you can actually use

C Notice the language / 2 of 2

03

KEEP THE ISSUE BOUNDED

"We are clarifying the reference, not selecting another basin."

AVOID SILENT CORRECTION

"I will not adjust either dimension by assumption."

RETAIN BOTH RECORDS

"The query should cite both drawings."

AVOID PREMATURE INSTRUCTION

"This query is not permission to install."

NAME THE INTERFACE

"The basin and cabinetry need one coordinated position."

REQUEST THE DETAIL

"Please confirm a coordinated rough-in detail."

STATE WHAT IS UNCHANGED

"The selected basin remains B2."

READ BACK THE WHOLE DIMENSION

"450 millimeters to the basin centerline, with the origin unresolved."

By assumption

Flags an unsupported calculation or adjustment.

Which datum?

Requests a specific design clarification rather than a vague correction.

Remains

Preserves an established fact while another issue is resolved.

Choose the precise message

D Check your understanding

03

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which summary identifies the actual mismatch?

- A** One drawing uses inches and the other millimeters
- B** The client has selected two basins
- C** The drawings disagree about the centerline endpoint
- D** Both show 450 to the centerline, but one starts at the finished face and one at framing

2. Which proposed action is unsupported?

- A** Cite both drawing references in the query
- B** Retain B2 as the selected basin
- C** Ask for a coordinated rough-in detail
- D** Subtract an assumed finish thickness and release installation

3. What does selecting B2 establish?

- A** A verified wall build-up
- B** The chosen basin model, not a confirmed coordinated rough-in
- C** Every service position
- D** Approval of the cabinet datum

4. Which question is most precise?

- A** Why did the cabinet team choose the wrong basin?
- B** May we assume the two positions are identical?
- C** Which reference surface governs the coordinated centerline position?
- D** Can someone fix the drawings somehow?

Answers and explanations: [page 89](#).

The same 450, two different origins

E Conversations / turns 1-10

03

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

dimension readback / datum / fixture schedule / finish thickness / framing face / finished wall face / rough-in detail / coordinated detail / dimension origin / design query

- 01 **Nia:** Nia, both drawings say four hundred fifty to the basin centerline. I was about to tell the cabinet team they agree. Am I missing something?
- 02 **Ben:** I see that. The cabinet drawing starts at the ¹ _____. Does the bathroom layout use that same surface, or the completed wall surface?
- 03 **Nia:** The cabinet sheet starts at the framing face. I can see now that the bathroom sheet names a different surface, even though the number matches.
- 04 **Ben:** Then the ² _____ differs, even though the endpoint and the number appear to agree. We should make that explicit in the query.
- 05 **Nia:** So the bathroom layout isn't saying four hundred fifty from the exposed framing. I shouldn't shorten that reference to just the wall.
- 06 **Ben:** I will describe the layout as 450 millimeters from the ³ _____ to the basin centerline, then state the cabinet reference separately.
- 07 **Nia:** Can we use an assumed finish thickness to translate between them? The detail we've been given doesn't state what that thickness is.
- 08 **Ben:** Agreed. We do not have the ⁴ _____, so I cannot convert one dimension into the other and call the result confirmed.
- 09 **Nia:** B2 appears in the schedule as the selected basin. Does selecting that model settle the position of the plumbing connections as well?
- 10 **Ben:** I will preserve B2 in the ⁵ _____ reference. Product selection and the location of the preliminary service provisions are separate pieces of information.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 28.

- 11 **Nia:** Then I need a drawing response that brings the cabinet and plumbing references together. Choosing whichever sheet is easier wouldn't resolve the discrepancy.
- 12 **Ben:** Then we should request a ⁶ _____, with the datum clearly stated. The query should attach both drawing references so the designer can see the mismatch.
- 13 **Nia:** Please read back the two dimensions exactly. I'll compare the origins as well as the shared centerline endpoint before I send the query.
- 14 **Ben:** Yes. A complete ⁷ _____ needs the number, origin, and endpoint. Here, the origin is unresolved; the centerline endpoint is already identified.
- 15 **Nia:** The cabinet maker asked whether the rough-in can proceed. I can't point to matching four-hundred-fifty numbers as confirmation, can I?
- 16 **Ben:** Certainly. The ⁸ _____ is not confirmed. Asking for clarification does not authorize either team to use an assumed installation position.
- 17 **Nia:** Who needs to clarify the governing reference? I'd like the question to identify what's missing without prescribing a finish thickness myself.
- 18 **Ben:** Selected basin B2; both drawings show 450 millimeters to its centerline. Layout uses finished wall face; cabinet drawing uses framing face. Please resolve the ⁹ _____ and confirm the coordinated detail.
- 19 **Nia:** I'll leave the positions unconfirmed and submit the discrepancy. We need the origin and missing finish information resolved, not a guessed offset.
- 20 **Ben:** I will submit that ¹⁰ _____ and keep the rough-in information unconfirmed until the relevant response is received and accepted through the project process.

ANSWERS / EXPLANATIONS: PAGE 90

1. framing face | 2. dimension origin | 3. finished wall face | 4. finish thickness | 5. fixture schedule | 6. coordinated detail | 7. dimension readback | 8. rough-in detail | 9. datum | 10. design query

Read back both references

F Say it

Complete the coordination exchange. Keep the shared endpoint and number, but do not erase the different origins.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

framing / centerline / finished / unconfirmed

Plumber: "The layout starts at the ¹ _____ wall face."

Coordinator: "The cabinet drawing starts at the ² _____ face."

Plumber: "Both dimensions end at the basin ³ _____."

Coordinator: "The coordinated rough-in detail remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 90

1. finished | 2. framing | 3. centerline | 4. unconfirmed

Rehearse with a fixed script

1. Read turns 1-10 with the drawings' references visible. Stress from the framing face and from the finished wall face.
2. Switch roles for turns 11-20. Repeat four hundred fifty with its origin and basin-centerline endpoint every time.
3. Complete and check the readback. Keep the finish thickness missing and rough-in positions unconfirmed.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A dry patch is not a diagnosis

A Read the situation

Report the observed condition with a time limit, acknowledge a customer concern, and avoid unsupported cause or repair claims.

Shop owner Rosa asks plumber Arun about a ceiling stain below an upstairs washroom. The visible patch is dry during the visit. No pipework is visible, and the source of the staining has not been established. Rosa asks whether the dry surface proves a leak has stopped. Arun must distinguish the visible condition from a diagnosis, preserve the location in the record, and explain that the source still needs assessment. No completed repair or structural assessment is supplied.

PEOPLE / Rosa: Shop owner | Arun: Plumber

GIVE A USEFUL LIMIT, NOT A VAGUE REFUSAL

A customer asking whether a problem has stopped often wants reassurance. Acknowledge that need, state what was actually observed, and explain what the observation cannot establish. Precise limits can remain courteous without sounding dismissive or alarmist.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What was observed during the visit?

- A** A repair had stopped a leak
- B** The upstairs basin was the source
- C** The visible ceiling patch was dry
- D** All concealed pipework was sound

2. What is not visible?

- A** The upstairs washroom's position
- B** The pipework
- C** The ceiling stain
- D** The shop location

3. What remains unresolved?

- A** Whether a stain exists
- B** Whether the patch was dry during the visit
- C** Whether Rosa asked a question
- D** The source of the staining

Answers and explanations: page 91.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

ceiling stain

Discoloration on a ceiling surface.

IN USE record the ceiling stain

visible patch

Area of surface condition available to observation.

IN USE describe the visible patch

surface condition

State of the exposed material at a given time.

IN USE report the surface condition

concealed pipework

Pipes hidden from view behind building finishes.

IN USE distinguish concealed pipework

washroom

Room containing washing or toilet facilities.

IN USE locate the upstairs washroom

moisture source

Origin of water or dampness affecting a location.

IN USE investigate the moisture source

dry at the visit

Without observed surface wetness during that attendance.

IN USE state dry at the visit

historical staining

Discoloration remaining from an earlier event.

IN USE distinguish historical staining

active leak

Water escape occurring at the relevant time.

IN USE establish an active leak

intermittent condition

Problem that occurs at intervals rather than continuously.

IN USE describe an intermittent condition

recurrence

Return of a previously reported condition.

IN USE record a recurrence

observation scope

Extent of what was actually seen or assessed.

IN USE define the observation scope

Precision check

Dry during the visit describes a surface and a time. It does not prove that no leak exists, that a previous leak has stopped, or that a particular concealed pipe caused the stain.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

time qualifier

Wording limiting a statement to a specified period.

IN USE retain the time qualifier

causal claim

Statement identifying why something happened.

IN USE avoid an unsupported causal claim

diagnosis

Determination of the nature or cause of a problem.

IN USE distinguish observation from diagnosis

assessment

Relevant examination or evaluation of a condition.

IN USE arrange an assessment

inspection limitation

Boundary on what could be examined.

IN USE explain the inspection limitation

repair claim

Statement that corrective work has been completed.

IN USE verify a repair claim

resolution

Established correction or closure of the reported issue.

IN USE avoid premature resolution

qualified statement

Statement with explicit limits on its meaning.

IN USE make a qualified statement

evidence

Information supporting a conclusion.

IN USE distinguish evidence from assumption

attribution

Identification of who supplied an account.

IN USE preserve attribution

client concern

Customer's question or worry about the condition.

IN USE acknowledge the client concern

finding summary

Concise account of established observations and limits.

IN USE give a finding summary

Precision check

The stain is below a washroom, but that location does not identify its source. Preserve the visible observation, concealed-pipework limit, and unresolved cause. No repair result or structural conclusion follows from this account.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE CONCERN

"I understand why you want to know whether it has stopped."

KEEP THE TIME ATTACHED

"That statement applies to what is visible now."

AVOID A CAUSE CLAIM

"The source of the staining has not been established."

AVOID A REPAIR CLAIM

"I have no completed repair to report."

STATE THE OBSERVATION

"The visible patch is dry during this visit."

IDENTIFY THE LIMITATION

"No pipework is visible from this position."

SEPARATE LOCATION FROM ORIGIN

"Below the washroom describes location, not a proven source."

KEEP UNCERTAINTY SPECIFIC

"We cannot infer that a leak has stopped from this surface alone."

During this visit

Limits a statement in time rather than generalizing indefinitely.

Visible

Restricts the statement to what could be seen.

Below versus caused by

One describes position; the other assigns cause.

Phrases you can actually use

C Notice the language / 2 of 2

RETAIN THE CUSTOMER ACCOUNT

"I will keep your concern in the record."

NAME THE NEXT NEED

"The source still needs assessment."

AVOID A BLANKET ASSURANCE

"I cannot confirm the concealed pipework's condition from this view."

CORRECT AN OVERSTATEMENT

"Please replace leak stopped with patch dry during visit."

AVOID DISMISSING THE STAIN

"The dry surface does not make the stain irrelevant."

DISTINGUISH SYMPTOM AND DIAGNOSIS

"A stain is an observation, not a diagnosis."

USE A BOUNDED SUMMARY

"Visible patch dry at the visit; source unresolved."

CLOSE WITHOUT INVENTED CERTAINTY

"I can report the observation, but not a confirmed resolution."

Does not prove

Rejects an inference without asserting the opposite.

Still needs assessment

Identifies a remaining task without predicting its outcome.

Cannot confirm

Marks a specific evidence limit, not disbelief in the customer.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which statement is best supported?

- A** The leak has definitely stopped
- B** The upstairs basin caused the stain
- C** The concealed pipework is fault-free
- D** The visible patch was dry during the visit; source unresolved

2. What is wrong with saying leak stopped?

- A** It infers a change in a leak that has not been established
- B** It uses too few words
- C** It preserves the observation time too carefully
- D** It identifies the patch location

3. Which phrase best communicates the inspection limit?

- A** All pipework was inspected
- B** The washroom was proved unrelated
- C** The entire structure was assessed
- D** No pipework was visible from this position

4. What should the report avoid?

- A** The location of the stain
- B** The dry surface observation
- C** The unresolved-source statement
- D** A repair or structural conclusion unsupported by the visit

Answers and explanations: [page 91](#).

A dry patch is not a diagnosis

E Conversations / turns 1-10

04

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

surface condition / repair claim / observation scope / finding summary / time qualifier / moisture source / inspection limitation / qualified statement / visible patch / causal claim

- 01 **Rosa:** Arun, the ceiling patch under the washroom looks dry now. Can I tell the shop staff that the leak has stopped?
- 02 **Arun:** I can confirm the ¹ _____ we can see during this visit. I cannot turn that into confirmation that a leak has stopped.
- 03 **Rosa:** So your observation is about the surface during this visit. You aren't saying you've seen the pipework inside the ceiling.
- 04 **Arun:** Say the ² _____ is dry during the visit. Keep the time in the sentence, and add that the source of the staining has not been established.
- 05 **Rosa:** The washroom is directly above it. Wouldn't the basin there be the obvious source to put in the report?
- 06 **Arun:** It describes the location. It does not establish the ³ _____. No pipework is visible here, so we should not name a concealed component as responsible.
- 07 **Rosa:** I had written basin leak on the job record. That sounds more definite than what we've actually established about this stain.
- 08 **Arun:** That is right. It would be a ⁴ _____, not a description of the ceiling. We need to keep those two kinds of statement separate.
- 09 **Rosa:** What wording will give the owner something useful without making the dry patch sound like confirmation that everything above it is fine?
- 10 **Arun:** The ⁵ _____ is the visible surface during this attendance. It does not establish the condition of hidden pipework or prove that an issue cannot recur.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 37.

- 11 **Rosa:** The pipework wasn't visible. Should that limitation sit beside the observation, rather than disappear into another part of the report?
- 12 **Arun:** Exactly. That would erase the ⁶ _____. The accurate record should say no pipework was visible, rather than imply that every relevant component was examined.
- 13 **Rosa:** I also have a box marked repair completed. No repair is established by this account, so I shouldn't use that as the closing status.
- 14 **Arun:** Correct. There is no ⁷ _____ to make from these facts. We have an observation and an unresolved source, not a documented correction of the problem.
- 15 **Rosa:** Could you give me one concise sentence with both the observation and its limits? The staff need a clear update, not a vague reassurance.
- 16 **Arun:** Use a ⁸ _____: ceiling stain below the upstairs washroom; visible patch dry during the visit; source not established, with assessment still needed.
- 17 **Rosa:** Should I retain at the time of the visit? Removing it makes the sentence shorter but seems to broaden what it claims.
- 18 **Arun:** Good. The ⁹ _____ matters. Removing it could make a limited observation sound like a continuing assurance about the whole system.
- 19 **Rosa:** I'll record the dry surface and unresolved source. I won't describe the pipework as sound or the issue as repaired on that basis.
- 20 **Arun:** You are welcome. That ¹⁰ _____ is accurate and useful. It records the condition we can describe while leaving the cause for the appropriate assessment.

ANSWERS / EXPLANATIONS: PAGE 92

1. surface condition | 2. visible patch | 3. moisture source | 4. causal claim | 5. observation scope | 6. inspection limitation | 7. repair claim | 8. qualified statement | 9. time qualifier | 10. finding summary

Correct the manager update

F Say it

Complete the concise report. Preserve the surface observation and the missing source assessment without implying a repair.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

established / dry / pipework / assessment

Owner: "The visible patch was ¹ _____ during the visit."

Plumber: "No ² _____ was visible."

Owner: "The source is not ³ _____."

Plumber: "The source still needs ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 92

1. dry | 2. pipework | 3. established | 4. assessment

Rehearse with a fixed script

1. Read turns 1-10. Contrast a dry visible patch with an established moisture source.
2. Switch roles for turns 11-20. Keep the visit-time qualifier and concealed-pipework limitation in the report.
3. Complete and check the report exchange. Read it without changing dry into repaired or cause known.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The panel is not an extra drain

A Read the situation

Explain a technical term in ordinary language and distinguish a design request from an approved change to service access.

05

Client Hana reviews a cabinet drawing with plumbing coordinator Dev. The drawing shows a small removable panel for access to a recorded cleanout. Hana calls it an extra drain and asks for it to be permanently covered. The plumber has not reviewed that enclosure change. The designer needs to coordinate the access detail with the plumbing team. No approved panel dimensions, replacement arrangement, or permission to conceal the cleanout is supplied.

PEOPLE / Hana: Client | Dev: Plumbing coordinator

EXPLAIN FUNCTION BEFORE DEFENDING TERMINOLOGY

A client may object to something because the label suggests the wrong function. Explain what the component does in everyday language, then describe the actual design question. Correcting a term does not require belittling the client or approving the requested change.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the removable panel provide?

A Access to the recorded cleanout

C A new water supply

B A second basin drain

D A decorative plumbing fixture

2. What has Hana requested?

A Replacement of the basin model

C Permanent covering of the panel area

B A new drain location already accepted

D Approval of a completed access review

3. Who needs to coordinate the detail?

A The client alone without review

C No one because the panel is decorative

B Only the furniture delivery driver

D The designer with the plumbing team

Answers and explanations: [page 93](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

access panel

Removable or openable cover providing access behind a finish.

IN USE retain an access panel

cleanout

Fitting or opening provided for access to drainage piping for maintenance.

IN USE identify the recorded cleanout

drain

Opening or pipe carrying used water away.

IN USE distinguish the drain

drainage line

Pipe route conveying waste water or discharge.

IN USE locate the drainage line

waste outlet

Point through which used water leaves a fixture.

IN USE identify the waste outlet

service access

Means of reaching equipment or services for relevant work.

IN USE preserve service access

removable cover

Cover designed to be taken off through the proper procedure.

IN USE specify a removable cover

permanent enclosure

Construction intended to remain closed rather than provide removable access.

IN USE review a permanent enclosure

cabinet elevation

Drawing showing the vertical face of cabinetry.

IN USE read the cabinet elevation

access detail

Design information showing how services can be reached.

IN USE coordinate the access detail

maintenance

Work to preserve or restore a system's relevant condition.

IN USE allow for maintenance

clear opening

Unobstructed space available through an opening.

IN USE verify the clear opening

Precision check

The access panel is not a second drain. It provides a way to reach the recorded cleanout, which serves drainage-maintenance access. Explaining that function does not specify an acceptable panel size or enclosure arrangement.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

obstruction

Item that blocks a required route or space.

IN USE identify an obstruction

concealment

Covering that hides an element from view.

IN USE review proposed concealment

finish panel

Panel forming an exposed decorative surface.

IN USE coordinate the finish panel

fixed panel

Panel not intended to function as a removable access feature.

IN USE distinguish a fixed panel

hinged panel

Panel attached so that it can swing open.

IN USE identify a hinged panel

serviceable

Capable of receiving relevant maintenance under the required conditions.

IN USE verify a serviceable arrangement

design intent

Purpose or intended result of a design feature.

IN USE clarify the design intent

appearance request

Client preference about how something looks.

IN USE record the appearance request

enclosure change

Proposed alteration to the surrounding cover or construction.

IN USE review the enclosure change

access requirement

Condition that access must satisfy for the actual application.

IN USE establish the access requirement

review status

Stage of evaluation or acceptance.

IN USE confirm the review status

coordination response

Agreed answer from the relevant design and trade review.

IN USE await the coordination response

Precision check

Hana has requested permanent covering, but the plumber has not reviewed that change. Preserve the appearance preference as a request. Do not treat a small symbol on a drawing as proof that access can be removed.

Phrases you can actually use

C Notice the language / 1 of 2

CLARIFY THE LABEL

"That symbol identifies an access panel, not an extra drain."

DEFINE THE SECOND TERM

"A cleanout provides maintenance access to the drainage piping."

SEPARATE REQUEST AND APPROVAL

"I can record that preference, but it is not an approved change."

AVOID INVENTING DIMENSIONS

"We do not have approved access dimensions here."

EXPLAIN THE FUNCTION

"It provides access to the recorded cleanout."

ACKNOWLEDGE THE APPEARANCE CONCERN

"I understand that you want a continuous cabinet finish."

NAME THE UNREVIEWED ITEM

"The proposed permanent enclosure has not been reviewed by the plumber."

KEEP FUNCTION DISTINCT

"Hiding a component and preserving access are different questions."

Provides access to

Explains function without giving instructions to open or use the component.

Not an extra drain

Corrects the specific misunderstanding rather than criticizing the speaker.

Would like versus will

Separates preference from a confirmed design commitment.

Phrases you can actually use

C Notice the language / 2 of 2

NAME THE COORDINATOR

"The designer needs to coordinate this with the plumbing team."

AVOID A CASUAL ASSURANCE

"I cannot confirm that permanent covering is acceptable."

DISTINGUISH THE PANEL TYPES

"A fixed finish panel is not automatically an access panel."

PRESERVE THE STATUS

"The enclosure change remains unapproved."

ASK FOR THE ACTUAL DETAIL

"Please confirm how the required access will be provided."

KEEP ALTERNATIVES CONDITIONAL

"Any alternative arrangement needs the relevant review."

RECORD THE PREFERENCE

"The client requests a less visible panel arrangement."

CLOSE WITH THE NEXT STEP

"We will seek a coordinated access detail before confirming a change."

Has not been reviewed

States the missing evaluation, not an automatic rejection.

Any alternative

Keeps every proposed replacement subject to the relevant requirements.

Before confirming

Makes review a condition of a later commitment.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which explanation is clearest?

- A** A small panel never needs review
- B** The panel lets the relevant team reach the cleanout; it is not another drain
- C** The panel drains the cabinet
- D** The cleanout is merely decorative

2. What should Dev do with Hana's preference?

- A** Record it for design coordination without approving concealment
- B** Accept a fixed front once the cabinet maker agrees
- C** Specify a smaller opening before dimensions are reviewed
- D** Promise a concealed panel based on a different project

3. Which claim is unsupported?

- A** The plumber has not reviewed the change
- B** The drawn panel dimensions are approved and sufficient
- C** The drawing shows a removable panel
- D** The client wants a continuous finish

4. What is the appropriate next step?

- A** Assume all removable covers are interchangeable
- B** Coordinate the access detail with the designer and plumbing team
- C** Give the client instructions to dismantle the panel
- D** Approve a fixed cover based on appearance

Answers and explanations: [page 93](#).

The panel is not an extra drain

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

05

WORD + PHRASE BANK

access requirement / clear opening / cleanout / coordination response / design intent / fixed panel / access detail / access panel / appearance request / review status

- 01 **Hana:** Dev, there's a small panel in the cabinet drawing. Is that another drain? I'd rather have one clean surface without that extra piece.
- 02 **Dev:** The drawing shows an ¹ _____, not an extra drain. The removable cover allows the relevant maintenance point behind the cabinet to be reached.
- 03 **Hana:** Then what is the thing behind it? I thought every opening shown near the basin was another place for water to drain away.
- 04 **Dev:** It's a ² _____, a drainage-maintenance access point. It isn't the basin's waste outlet, and the cabinet cover isn't itself part of that drainage opening.
- 05 **Hana:** I understand the difference now. My concern is how the panel looks. Could the cabinet maker cover it permanently so the front stays uninterrupted?
- 06 **Dev:** I can record that as an ³ _____, but not approve it as a construction change. The access function needs to be preserved in the reviewed arrangement.
- 07 **Hana:** If the cabinet maker is happy with a fixed front, doesn't that settle it? The change would be to the cabinet rather than the pipe.
- 08 **Dev:** The ⁴ _____ crosses both trades. The plumber and designer need to review how the required point remains accessible within the proposed cabinet arrangement.
- 09 **Hana:** How large does the usable opening have to be? I don't see a dimension in the information we've been discussing.
- 10 **Dev:** We haven't been supplied an approved ⁵ _____ dimension. I shouldn't invent one or say a smaller opening works just because it looks less noticeable.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 46.

- 11 **Hana:** What if the front could eventually be removed with substantial cabinet work? Would that count as the same thing as the removable cover?
- 12 **Dev:** Don't assume a ⁶ _____ provides equivalent access. The reviewed detail must establish how the required access works, rather than relying on a future workaround.
- 13 **Hana:** I don't want a maintenance visit to turn into a cabinet replacement. Can you ask for an option that looks tidy and keeps the necessary access?
- 14 **Dev:** Yes. I'll pass on both the appearance preference and the ⁷ _____. The response needs to address them together; one doesn't cancel the other.
- 15 **Hana:** Should the request say remove the extra drain? That's what I wrote initially, but it now sounds as though I meant something quite different.
- 16 **Dev:** I'll correct it to preserve the ⁸ _____: access to the cleanout. Your request concerns the visible cabinet finish, not removal of a drainage feature.
- 17 **Hana:** Can you promise a concealed panel will solve it? I've seen those elsewhere, although I don't know whether this cabinet can use one.
- 18 **Dev:** I can't promise a panel type before the ⁹ _____. We'll ask for a suitable reviewed option, not assume another project's detail works here.
- 19 **Hana:** Then the record is a request for a cleaner appearance, with the access arrangement still awaiting review. It isn't permission to cover the point permanently.
- 20 **Dev:** Exactly. I'll keep that ¹⁰ _____ clear and return the response to you. We have clarified what you want without treating the revised cabinet detail as accepted.

ANSWERS / EXPLANATIONS: PAGE 94

1. access panel | 2. cleanout | 3. appearance request | 4. access detail | 5. clear opening | 6. fixed panel | 7. access requirement | 8. design intent | 9. coordination response | 10. review status

Explain the panel and the pending review

F Say it

Complete the client exchange. Name the access feature and preserve the approval boundary.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

drain / detail / cleanout / approved

Client: "The panel is not an extra ¹ _____."

Coordinator: "It provides access to a ² _____."

Client: "The designer will coordinate the access ³ _____."

Coordinator: "Permanent covering is not yet ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 94

1. drain | 2. cleanout | 3. detail | 4. approved

Rehearse with a fixed script

1. Read turns 1-10. Stress access panel, cleanout, and clear opening as three different descriptions.
2. Switch roles for turns 11-20. Keep the appearance request open while the access detail awaits coordination.
3. Complete and check the short exchange. Repeat the proposed cabinet change without granting approval.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Arrival at nine, proposed interruption at ten

A Read the situation

Correct a notice by separating attendance time, affected area, proposed interruption window, and pending approval.

06

Service coordinator Imani speaks with tenant representative Joel about a plumbing visit booked for 09:00. A water interruption is proposed for 10:00-11:00, pending building-manager approval. The stated affected area is the east washroom only. Joel thinks the whole building will be unavailable from 09:00. Imani must correct both the extent and the timing without presenting the proposed interruption as confirmed. The conversation supplies no instruction to operate valves or begin work.

PEOPLE / Imani: Service coordinator | Joel: Tenant representative

SEPARATE THE CLOCKS AND THE COMMITMENTS

A visit, an interruption, and a room-access arrangement can appear in one message but have different times and approval states. Give each its own sentence. Correcting one misunderstanding must not leave another in place or make a proposal sound booked.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is booked for 09:00?

- A A completed valve operation
- C A whole-building shutdown

- B The plumbing visit
- D The end of the interruption

2. What is the proposed interruption window?

- A 09:00-10:00 already approved
- C 09:00-11:00

- B 10:00-11:00
- D All day

3. What is the stated affected area?

- A The whole building
- C The west washroom only

- B Every washroom
- D The east washroom only

Answers and explanations: page 95.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

attendance time

Time scheduled for the service team to arrive.

IN USE confirm the attendance time

interruption window

Defined period proposed or agreed for a service interruption.

IN USE state the interruption window

affected area

Location included in the stated impact.

IN USE identify the affected area

east washroom

Particular room identified by its east-side location.

IN USE specify the east washroom

building manager

Person responsible for relevant building coordination.

IN USE seek building-manager approval

tenant representative

Person communicating on behalf of occupants.

IN USE brief the tenant representative

proposed interruption

Suggested service pause not yet confirmed.

IN USE describe the proposed interruption

approved interruption

Service pause accepted through the relevant approval process.

IN USE distinguish an approved interruption

booking confirmation

Record establishing an agreed appointment.

IN USE read the booking confirmation

notice wording

Text used to inform affected people.

IN USE correct the notice wording

impact scope

Extent of the service or area affected.

IN USE define the impact scope

pending approval

Awaiting a required acceptance decision.

IN USE retain pending-approval status

06

Precision check

The visit is booked for 09:00. The interruption is proposed for 10:00-11:00, with building-manager approval pending. Do not move the interruption to the arrival time or call the proposal confirmed.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

start time

Beginning of a defined event or period.

IN USE preserve the start time

end time

Finish of a defined event or period.

IN USE state the end time

room availability

Whether a room is available under stated conditions.

IN USE clarify room availability

access arrangement

Agreed means or conditions for reaching a work area.

IN USE coordinate the access arrangement

occupant communication

Information provided to people using the premises.

IN USE prepare occupant communication

whole-building claim

Statement that the entire premises is affected.

IN USE correct a whole-building claim

confirmed appointment

Visit that has been booked rather than merely suggested.

IN USE distinguish the confirmed appointment

operating instruction

Direction to act on equipment or a system.

IN USE distinguish an operating instruction

schedule readback

Repetition of times, scope, and status for confirmation.

IN USE give a schedule readback

status qualifier

Wording identifying certainty or approval stage.

IN USE preserve the status qualifier

notice release

Authorization to issue the relevant communication.

IN USE confirm notice release

coordination update

New information about arrangements and outstanding decisions.

IN USE provide a coordination update

06

Precision check

The east washroom is the stated affected area, not the whole building. The corrected wording must preserve both scope and status. This scheduling conversation is not authorization to operate valves or start an interruption.

Phrases you can actually use

C Notice the language / 1 of 2

SEPARATE THE APPOINTMENT

"The visit is booked for 09:00."

LIMIT THE AREA

"The stated affected area is the east washroom only."

CORRECT THE FIRST MISUNDERSTANDING

"Arrival at 09:00 does not mean interruption at 09:00."

KEEP THE PROPOSAL VISIBLE

"Please retain proposed in the notice."

STATE THE PROPOSED WINDOW

"The proposed interruption is 10:00-11:00."

NAME THE APPROVAL

"Building-manager approval is still pending."

CORRECT THE SECOND MISUNDERSTANDING

"The proposal does not cover the whole building."

AVOID OVERSTATING CERTAINTY

"We cannot describe that window as confirmed yet."

06

Booked versus proposed

Identifies two different levels of commitment.

Only

Restricts the stated impact to the named area.

From ... to

Supplies both endpoints of a time window.

Phrases you can actually use

C Notice the language / 2 of 2

GIVE SEPARATE SENTENCES

"Put the visit time and interruption window on separate lines."

PRESERVE THE BOOKED ITEM

"The attendance booking remains at 09:00."

DISTINGUISH NOTICE AND ACTION

"This message is not an operating instruction."

KEEP RELEASE SEPARATE

"The final notice still needs the relevant release process."

READ BACK BOTH ENDPOINTS

"The proposed start is 10:00 and the proposed end is 11:00."

AVOID INVENTED ACCESS TERMS

"Separate room-access arrangements still need their actual coordination."

NAME THE CORRECTION

"We need to correct timing, area, and approval status."

CLOSE WITH A PRECISE UPDATE

"Visit booked; east-washroom interruption proposed; approval pending."

06

Still pending

Makes the unresolved approval visible after other details are corrected.

Does not mean

Blocks an inference from arrival time to service interruption.

Separate lines

Helps readers avoid combining distinct events into one schedule.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

06

1. Which notice wording preserves all supplied facts?

- A** Visit proposed at 11:00, interruption approved
- B** Visit 09:00; east-washroom interruption proposed 10:00-11:00, pending approval
- C** Whole building closed from 09:00
- D** East washroom interruption confirmed from 09:00

2. What is wrong with only changing whole building to east washroom?

- A** It removes the correct building name
- B** It changes an approved interruption to a proposal
- C** It supplies too much technical detail
- D** Timing and approval status may still be wrong

3. Which item is already confirmed?

- A** The proposed interruption
- B** The whole-building effect
- C** Valve operating permission
- D** The 09:00 visit booking

4. What should Joel avoid treating the message as?

- A** Permission to operate valves or start an interruption
- B** A correction of the area
- C** A statement of the proposed window
- D** A clarification of attendance time

Answers and explanations: [page 95](#).

Arrival at nine, proposed interruption at ten

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

06

WORD + PHRASE BANK

affected area / building manager / access arrangement / status qualifier / coordination update / notice wording / schedule readback / operating instruction / interruption window / attendance time

- 01 **Joel:** Imani, I combined the visit and the water interruption in one notice: nine to eleven, east washroom. Have I accidentally made the interruption longer?
- 02 **Imani:** The ¹ _____ is 09:00, yes. But that is not the proposed start of the water interruption, and the proposal does not cover the whole building.
- 03 **Joel:** Then nine is the booked arrival. What are the start and end times of the separate interruption we are proposing?
- 04 **Imani:** The visit is booked for nine. The proposed ² _____ is 10:00-11:00. Those are separate events, and they also have different approval states.
- 05 **Joel:** I also wrote building water off. That would affect far more people than the east washroom named in our information.
- 06 **Imani:** The stated ³ _____ is the east washroom only. Please keep that room name attached to the proposed interruption rather than describing every area as unavailable.
- 07 **Joel:** If I correct the times and area, can I remove proposed? Ten to eleven sounds definite enough when it's written on a notice.
- 08 **Imani:** It still needs the ⁴ _____. The interruption is proposed, not confirmed, because building-manager approval is pending. Your revised sentence currently sounds like a firm arrangement.
- 09 **Joel:** Who still needs to approve that window? I don't want the visit booking mistaken for the missing decision.
- 10 **Imani:** Exactly. The ⁵ _____ has not approved that proposal yet. We need both the accurate details and the accurate level of certainty in the communication.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 55.

- 11 **Joel:** Please help me word the draft with the visit and interruption on separate lines. Both times need to stay attached to the right event.
- 12 **Imani:** Yes. That would improve the ⁶ _____ and make the distinction easier to scan. Keep 09:00 with attendance and 10:00-11:00 with the proposed east-washroom interruption.
- 13 **Joel:** Does booking the visit also confirm how the plumber will get access? I don't see a separate agreed arrangement in these notes.
- 14 **Imani:** Correct. We should not invent an ⁷ _____ in this correction. We are clarifying the supplied timing, impact, and approval status, not adding new permissions.
- 15 **Joel:** Let me read it back: visit booked for nine, interruption proposed ten to eleven, east washroom only, subject to the manager's approval.
- 16 **Imani:** That ⁸ _____ is accurate. It fixes the earlier whole-building claim without turning the interruption into a confirmed event.
- 17 **Joel:** One tenant asked which valve to use at ten. This draft doesn't authorize a tenant to operate anything, does it?
- 18 **Imani:** Precisely. It is not an ⁹ _____. Actual operations and the release of the final notice must follow their separate relevant processes.
- 19 **Joel:** I'll hold the notice for the required approval and keep the operating arrangements separate. Please update me when the pending decision is available.
- 20 **Imani:** Thank you. That gives us a clear ¹⁰ _____: booked visit, limited proposed interruption, and a named approval still outstanding. Those distinctions should remain in any later summary.

06

ANSWERS / EXPLANATIONS: PAGE 96

1. attendance time | 2. interruption window | 3. affected area | 4. status qualifier | 5. building manager | 6. notice wording | 7. access arrangement | 8. schedule readback | 9. operating instruction | 10. coordination update

Separate the two times

F Say it

Complete the corrected schedule notice. Preserve the room limit and the proposal status.

Complete the four gaps. Use each bank entry once.

06

WORD + PHRASE BANK

east / 10:00-11:00 / 09:00 / pending

Coordinator: "The visit is booked for ¹ _____."

Representative: "The interruption is proposed for ² _____."

Coordinator: "It concerns the ³ _____ washroom only."

Representative: "Building-manager approval remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 96

1. 09:00 | 2. 10:00-11:00 | 3. east | 4. pending

Rehearse with a fixed script

1. Read turns 1-10. Say nine for booked attendance and ten to eleven for the proposed interruption.
2. Switch roles for turns 11-20. Preserve east washroom only and the pending manager approval in the readback.
3. Complete and check the notice exchange. Keep the draft separate from an approved notice or operating instruction.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A fixture allowance is not a vanity package

A Read the situation

Explain the limits of an estimate, separate a product allowance from related work, and request a revised scope before confirming terms.

Client Ava discusses an estimate with plumbing estimator Luis. The estimate covers replacing basin B1 with the specified model. Ava now wants a wall-hung vanity and assumes the fixture allowance includes cabinet changes and redecoration, neither of which appears in the estimate. Access requirements and the revised plumbing scope have not been assessed. Luis must explain the original coverage, record the change request, and avoid quoting an unsupported extra cost or completion date.

PEOPLE / Ava: Client | Luis: Plumbing estimator

07

EXPLAIN THE DOCUMENT, NOT THE CUSTOMER FAULT

A customer may read an allowance as a complete package. Point to what the estimate actually includes, acknowledge the desired change, and distinguish the additional questions. Clear boundaries need not sound defensive or imply that every related cost has already been calculated.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the current estimate cover?

- | | |
|---|--|
| A Every possible access repair | B Replacing B1 with the specified basin model |
| C A complete wall-hung vanity installation package | D Cabinet changes and redecoration |

2. What is Ava assuming?

- | | |
|--|--|
| A Luis has supplied a new completion date | B The fixture allowance includes cabinet changes and redecoration |
| C The original model has no identifier | D A revised assessment is complete |

3. What remains unassessed?

- | | |
|---|---|
| A The existence of the original estimate | B Ava's request for a wall-hung vanity |
| C The fact that B1 is the original fixture | D Access requirements and revised plumbing scope |

Answers and explanations: [page 97](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

estimate

Stated assessment of expected cost for defined work.

IN USE review the estimate

fixture allowance

Amount allocated for a fixture within the stated estimate terms.

IN USE clarify the fixture allowance

specified model

Product identified in the agreed or proposed scope.

IN USE retain the specified model

basin replacement

Work to replace the identified basin.

IN USE define the basin replacement

wall-hung vanity

Vanity assembly supported from a wall rather than standing on the floor.

IN USE assess the wall-hung vanity request

cabinet alteration

Change to the cabinetry arrangement or construction.

IN USE price cabinet alterations

re-decoration

Renewal of decorative finishes.

IN USE distinguish redecoration

making good

Restoring affected surfaces after work, within an agreed scope.

IN USE define making good

access requirements

Conditions or provisions needed to reach the work.

IN USE assess access requirements

revised scope

Updated description of work after a change.

IN USE agree the revised scope

scope inclusion

Item expressly covered by the stated work.

IN USE identify scope inclusions

scope exclusion

Item expressly left outside the stated work.

IN USE check scope exclusions

Precision check

The estimate covers the specified replacement of B1. The fixture allowance does not establish that cabinet alterations and re-decoration are included. Explain the actual document instead of treating an allowance as a complete project package.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

unlisted work

Work not described in the current estimate.

IN USE identify unlisted work

change request

Proposal to alter the existing scope or selection.

IN USE record a change request

additional cost

Cost beyond the amount already stated.

IN USE assess additional cost

revised quotation

Updated price proposal for a defined changed scope.

IN USE prepare a revised quotation

commercial terms

Conditions concerning price, timing, and agreement.

IN USE confirm commercial terms

completion date

Date agreed or proposed for finishing defined work.

IN USE confirm the completion date

trade coordination

Alignment of work between the relevant specialists.

IN USE arrange trade coordination

scope boundary

Limit separating included work from other work.

IN USE explain the scope boundary

first-hour rating

Rated hot-water delivery in an hour beginning with a fully heated tank.

IN USE compare first-hour ratings

storage volume

Amount held in a tank, distinct from its rated first-hour delivery.

IN USE distinguish storage volume from delivery

client selection

Product or arrangement chosen by the customer.

IN USE record the client selection

approval to proceed

Authorization to carry out the agreed work.

IN USE obtain approval to proceed

Precision check

The wall-hung vanity request changes the arrangement. Access requirements and revised plumbing work remain unassessed. Do not invent the cost, required construction, restoration extent, or completion date before that assessment and agreement.

Phrases you can actually use

C Notice the language / 1 of 2

STATE THE ORIGINAL COVERAGE

"The estimate covers replacement of B1 with the specified model."

CLARIFY THE ALLOWANCE

"The fixture allowance has the scope stated in this estimate."

AVOID BLAME

"I can see why you read that as a complete package."

KEEP ACCESS OPEN

"We have not assessed the access requirements for the new arrangement."

IDENTIFY THE NEW REQUEST

"You are now asking for a wall-hung vanity."

NAME THE UNLISTED WORK

"Cabinet changes and redecoration are not listed here."

SEPARATE THE TASKS

"Product supply, plumbing work, and restoration need distinct scope descriptions."

KEEP THE PLUMBING SCOPE OPEN

"The revised plumbing scope also needs assessment."

Covers

Identifies the actual stated work, not everything associated with the room.

Not listed

Describes a document limit without inventing another contract term.

Now asking for

Marks a change from the original arrangement.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID AN INVENTED EXTRA

"I cannot give you a reliable additional figure yet."

RECORD THE REQUEST

"I will record the wall-hung vanity as a change request."

CLARIFY MAKING GOOD

"Any making-good work needs its own stated extent."

KEEP APPROVAL SEPARATE

"This discussion is not approval to proceed with extra work."

AVOID A DATE PROMISE

"We have not confirmed completion timing for the changed work."

ASK FOR THE REVISED BASIS

"We need a defined scope before confirming the revised price."

PRESERVE THE ORIGINAL REFERENCE

"The current estimate remains our reference for the original replacement."

CLOSE WITH THE NEXT STAGE

"We will assess the changed scope and then confirm revised terms."

Before confirming

Makes scope definition a condition of a reliable commitment.

Any making good

Avoids assuming all restoration is included or already priced.

Reliable figure

Explains why a price cannot responsibly be supplied before assessment.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which response best addresses Ava's assumption?

07

- A** Cabinet alterations will definitely be necessary and are already priced
- B** Making good includes all room redecoration because the estimate names a basin
- C** The estimate covers B1 replacement; cabinet changes and redecoration are not listed
- D** The allowance covers the vanity if its product price is unchanged

2. What must happen before revised terms can be confirmed?

- A** Treat the product preference as installation approval
- B** Assess access requirements and define the revised scope
- C** Reuse the original date automatically
- D** Assume all cabinet work is free

3. Which phrase overpromises?

- A** We need to define any making-good work
- B** The wall-hung vanity will cost exactly the same and finish on the original date
- C** I will record the change request
- D** Cabinet changes are not listed here

4. What does making good need in an agreement?

- A** An assumption that every surface is included
- B** A guessed repair method
- C** No connection to the scope
- D** A defined extent of restoration

[Answers and explanations: page 97.](#)

A fixture allowance is not a vanity package

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

additional cost / approval to proceed / making good / estimate / fixture allowance / completion date / revised quotation / change request / access requirements / cabinet alteration

07

- 01 **Ava:** Luis, I'd like to change B1 to a wall-hung vanity. The estimate already includes a basin allowance, so is this just a product-price difference?
- 02 **Luis:** The existing ¹ _____ is for replacing the specified B1 basin. We need to separate that original scope from the different arrangement you're now requesting.
- 03 **Ava:** I saw fixture allowance and assumed it included everything around the new basin. Are the cabinet changes and redecorating already covered by that line?
- 04 **Luis:** The ² _____ has the extent stated in the document. Cabinet changes and redecoration aren't listed as included; the allowance isn't a complete vanity package.
- 05 **Ava:** Then please price the wall-hung option before anyone orders it. I haven't agreed to a revised amount, and I don't know what other work it involves.
- 06 **Luis:** I'll log a ³ _____ for assessment and pricing. That records the option you want examined; it doesn't make the option agreed work or an approved order.
- 07 **Ava:** Can you tell from the product picture whether the existing connections can stay where they are? It would be helpful to avoid opening anything up.
- 08 **Luis:** The plumbing changes and ⁴ _____ haven't been assessed. A product picture doesn't establish the existing arrangement or what would be needed to reach the work.
- 09 **Ava:** So you aren't saying cabinet work is definitely necessary. You're saying it wasn't included and the changed arrangement hasn't been checked yet.
- 10 **Luis:** Exactly. A ⁵ _____ is a possible related scope item to assess, not a technical conclusion we've already reached. We need to define the actual work first.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 64.

- 11 **Ava:** Another phrase in these estimates puzzles me: making good. Would that mean repainting the whole room after any access work?
- 12 **Luis:** Not automatically. ⁶ _____ means the agreed restoration, with its extent specified. We should identify the affected finishes and included work rather than imply unlimited redecoration.
- 13 **Ava:** Could you at least give me a fixed extra price today? I'd prefer one number, but we haven't established what that number would cover.
- 14 **Luis:** A fixed ⁷ _____ would be premature before the changed scope and access are assessed. The price needs a defined basis so you can compare it meaningfully.
- 15 **Ava:** The original schedule was based on replacing B1. I shouldn't assume the wall-hung arrangement will be finished on the same date, then.
- 16 **Luis:** Correct. The changed work's ⁸ _____ is not confirmed by the original estimate. Availability, assessed work, and coordination need to be addressed in the revised proposal.
- 17 **Ava:** Please send something that distinguishes the fixture, the related work, and what's excluded. I don't want the same ambiguity when I review the option.
- 18 **Luis:** I'll request a ⁹ _____ with that scope and the relevant assumptions. You can then review the proposed price and timing against a clearly described change.
- 19 **Ava:** Until that comes back, I am asking for an assessment, not authorizing anyone to buy the vanity or start extra work.
- 20 **Luis:** Understood. This isn't ¹⁰ _____. We'll keep the original estimate and your change request distinct, and seek the appropriate decision after the revised proposal is available.

07

ANSWERS / EXPLANATIONS: PAGE 98

1. estimate | 2. fixture allowance | 3. change request | 4. access requirements | 5. cabinet alteration | 6. making good | 7. additional cost | 8. completion date | 9. revised quotation | 10. approval to proceed

State what is and is not priced

F Say it

Complete the estimate discussion. Preserve the original scope and the need to assess the changed arrangement.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

B1 / assessment / confirmed / redecoration

Estimator: "The estimate covers replacement of ¹ _____ with the specified model."

Client: "Cabinet changes and ² _____ are not listed."

Estimator: "The revised scope still needs ³ _____."

Client: "Price and timing are not yet ⁴ _____ for the change."

ANSWERS / EXPLANATIONS: PAGE 98

1. B1 | 2. redecoration | 3. assessment | 4. confirmed

Rehearse with a fixed script

1. Read turns 1-10. Separate the original B1 estimate from the requested wall-hung arrangement.
2. Switch roles for turns 11-20. Stress defined scope before price, completion date, and approval to proceed.
3. Complete and check the estimate exchange. Preserve the exclusions without claiming unassessed work is definitely required.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

The wrong leaflet and an unbooked visit

A Read the situation

Acknowledge received records, identify a model mismatch, and separate a promised update from an unconfirmed return appointment.

At handover, client Maya receives a pack for basin B1, but the care leaflet belongs to the previous model. Service lead Leo takes responsibility for obtaining the replacement leaflet and promises to call on Monday. A separate cosmetic-trim review requires a return visit, but no date is booked. Maya and Leo must keep the document correction and visit arrangement distinct. Receipt of the pack does not make its mismatched leaflet appropriate for the current model.

PEOPLE / Maya: Client | Leo: Service lead

08

CLOSE THE CONVERSATION WITHOUT CLOSING UNFINISHED WORK

A handover can include received documents and open items at the same time. Name each unfinished item, assign an owner, and distinguish a communication date from a visit date. A polite closing should not erase a remaining mismatch or imply everything is complete.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is wrong with the care leaflet?

- | | |
|---|---|
| A It books the return visit | B It changes the warranty terms |
| C It belongs to the previous model | D It is confirmed for B1's current model |

2. What does Leo promise for Monday?

- | | |
|--|-------------------------------------|
| A Completion of every open item | B A replacement installation |
| C A call about follow-up | D A confirmed return visit |

3. What remains unscheduled?

- | | |
|---|--|
| A The identification of Leo as owner | B The return visit for cosmetic-trim review |
| C The Monday call commitment | D The fact that the pack was received |

Answers and explanations: page 99.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

handover pack

Collection of records supplied when work is handed over.

IN USE receive the handover pack

care leaflet

Product information describing relevant care instructions.

IN USE obtain the correct care leaflet

model mismatch

Difference between the product identified and the document supplied.

IN USE record the model mismatch

previous model

Product version or selection used before the current one.

IN USE distinguish the previous model

current model

Product now relevant to the installation or record.

IN USE identify the current model

replacement document

Correct document supplied in place of an unsuitable one.

IN USE request the replacement document

product record

Information identifying the relevant supplied or installed item.

IN USE reconcile the product record

document receipt

Acknowledgment that records have been delivered.

IN USE confirm document receipt

document correction

Amendment or replacement needed to make records accurate.

IN USE track the document correction

care guidance

Instructions relevant to maintaining the specified product.

IN USE use model-specific care guidance

cosmetic trim

Finishing piece primarily associated with appearance at an interface.

IN USE review the cosmetic trim

return visit

Further attendance at the premises.

IN USE arrange the return visit

Precision check

The handover pack was received, but the care leaflet belongs to the previous model. Receiving documents does not verify that every document matches the installed product. Keep the model mismatch open until corrected.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

visit booking

Confirmed appointment for attendance.

IN USE distinguish a visit booking

follow-up owner

Person responsible for progressing the open item.

IN USE name the follow-up owner

callback

Return phone call to provide information or an update.

IN USE commit to a callback

update date

Date promised for further communication.

IN USE confirm the update date

outstanding item

Matter not yet completed or resolved.

IN USE retain an outstanding item

open-item list

Record of matters still requiring action.

IN USE maintain the open-item list

completion claim

Statement that relevant work is finished.

IN USE verify a completion claim

closeout

Process of resolving and documenting remaining project matters.

IN USE manage closeout

warranty record

Document stating relevant warranty information.

IN USE retain the warranty record

service record

Account of attendance and work performed.

IN USE update the service record

handover readback

Repetition of received records and outstanding actions.

IN USE give a handover readback

status update

Communication reporting progress or current position.

IN USE provide a status update

08

Precision check

Leo owns the leaflet follow-up and promises a Monday call. The separate cosmetic-trim review needs a return visit with no date booked. Monday is not a promised visit, repair completion, or change to warranty terms.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE RECEIPT

"You have received the handover pack for B1."

KEEP THE DOCUMENT SPECIFIC

"We need the leaflet for the current model."

NAME THE CORRECTION

"I will obtain the replacement care document."

COMMIT TO COMMUNICATION

"I will call you on Monday."

IDENTIFY THE MISMATCH

"The care leaflet belongs to the previous model."

AVOID APPLYING THE WRONG GUIDANCE

"I cannot treat that leaflet as confirmed guidance for this model."

ACCEPT OWNERSHIP

"I will take responsibility for the leaflet follow-up."

SEPARATE THE VISIT

"The cosmetic-trim review needs a return visit."

08

Received versus correct

Document delivery and document accuracy are different facts.

For the current model

Links care information to the actual product.

Will call

Commits to communication, not to completing all outstanding work.

Phrases you can actually use

C Notice the language / 2 of 2

STATE THE BOOKING LIMIT

"No return date is booked yet."

KEEP BOTH ITEMS VISIBLE

"The leaflet and the trim visit are separate open items."

PRESERVE THE RECORDS

"The service and warranty records retain their actual terms."

NAME THE REMAINING ARRANGEMENT

"The return visit still needs scheduling."

CORRECT THE INFERENCE

"Monday is the callback date, not a site appointment."

AVOID CLAIMING COMPLETION

"I cannot mark either item complete merely because we have discussed it."

READ BACK THE HANDOVER

"Pack received; leaflet mismatch open; Leo to call Monday."

CLOSE WITH A CLEAR COMMITMENT

"I will update you without promising an unconfirmed outcome."

08

Not yet booked

Describes the appointment status without inventing a date.

Separate open items

Prevents one follow-up action from hiding another.

Without promising

Preserves a useful commitment while limiting unsupported outcomes.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which handover summary is accurate?

- A** Pack received; wrong-model leaflet pending replacement; Leo calls Monday; trim visit unbooked
- B** All documents verified and all work complete
- C** Return visit confirmed for Monday
- D** Warranty extended automatically until a visit

2. What would turn the callback into an unsupported promise?

- A** Keeping the trim review on the open-item list
- B** Telling Maya the team will attend on Monday
- C** Confirming Leo will call Monday
- D** Recording the leaflet mismatch

3. Which action best handles the leaflet mismatch?

- A** Assume similar products use identical guidance
- B** Treat delivery as verification
- C** Replace the model identifier by guesswork
- D** Obtain the document for the current model

4. Which statement correctly addresses the warranty question?

- A** The Monday call extends the warranty until a return visit
- B** Receipt of the pack replaces the existing warranty terms
- C** The trim issue creates a new warranty period automatically
- D** The actual warranty terms are not revised by the callback promise

Answers and explanations: [page 99](#).

The wrong leaflet and an unbooked visit

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

handover readback / model mismatch / follow-up owner / completion claim / Document receipt / replacement document / open-item list / warranty record / callback / update date

08

- 01 **Maya:** Leo, I received the handover pack, but the B1 care leaflet names the previous model. Can you check that before I use it?
- 02 **Leo:** Yes. There is a ¹ _____ in that leaflet. The pack has been delivered, but we should not treat the wrong document as confirmed guidance for the current model.
- 03 **Maya:** So the pack arrived, but the care document needs correcting. Please don't mark the leaflet issue resolved just because I signed for the envelope.
- 04 **Leo:** That is the right distinction. I will obtain the ² _____ for the current model rather than ask you to rely on an unverified equivalent.
- 05 **Maya:** Who will chase the model-specific document? I need one contact so the request doesn't pass between the installer and the supplier without an answer.
- 06 **Leo:** I will be the ³ _____ for the leaflet. Please record me against it, and I will call you on Monday with an update.
- 07 **Maya:** You said you'd call on Monday. Is Monday the update date, or are you also confirming the separate visit to look at the cosmetic trim?
- 08 **Leo:** No. Monday is the ⁴ _____. The cosmetic-trim review needs a return visit, but we do not have a date booked for that attendance.
- 09 **Maya:** I had nearly put you in the site diary for Monday. I'll remove that assumption if you're promising a call rather than an appointment.
- 10 **Leo:** Please do. A ⁵ _____ is not a site appointment. I can commit to the Monday call without pretending the return visit has already been arranged.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 73.

- 11 **Maya:** Can you keep the leaflet correction and the trim visit as separate open items? One might be resolved before the other is arranged.
- 12 **Leo:** Give them separate entries on the ⁶ _____. One concerns the correct document; the other concerns a review requiring further attendance. Combining them could hide an unfinished action.
- 13 **Maya:** Does my acknowledgment of the pack mean I've accepted that every document matches the installation? That's not what I intended to confirm.
- 14 **Leo:** Exactly. ⁷ _____ and document accuracy are different. We can acknowledge delivery while keeping the care-leaflet mismatch open until the proper document is supplied.
- 15 **Maya:** The trim hasn't been reviewed on a return visit yet. Please don't write corrected when the outstanding task is still arranging that visit.
- 16 **Leo:** Agreed. That would be an unsupported ⁸ _____. The review remains outstanding, and there is no return date to report yet.
- 17 **Maya:** Do these open items change any warranty terms automatically? I want to avoid reading a new promise into the Monday callback.
- 18 **Leo:** Keep the ⁹ _____ and its actual terms. This conversation assigns follow-up and clarifies scheduling; it does not create a new warranty promise.
- 19 **Maya:** Please read back the pack status, document owner, Monday call, and unbooked trim visit. That will give me a reliable note of what we've agreed.
- 20 **Leo:** That ¹⁰ _____ is accurate. It lets us finish this discussion with clear responsibilities while keeping the remaining work visible, rather than describing the whole handover as complete.

08

ANSWERS / EXPLANATIONS: PAGE 100

1. model mismatch | 2. replacement document | 3. follow-up owner | 4. update date | 5. callback | 6. open-item list | 7. Document receipt | 8. completion claim | 9. warranty record | 10. handover readback

Keep the call and visit separate

F Say it

Complete the closing exchange. Identify the model mismatch, named owner, call date, and unbooked return attendance.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

Monday / booked / Leo / previous

08

Client: "The leaflet belongs to the ¹ _____ model."

Lead: "² _____ owns the replacement-leaflet follow-up."

Client: "The promised call is on ³ _____."

Lead: "The return visit is not yet ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 100

1. previous | 2. Leo | 3. Monday | 4. booked

Rehearse with a fixed script

1. Read turns 1-10. Distinguish pack received, leaflet mismatched, Monday callback, and return visit unbooked.
2. Switch roles for turns 11-20. Keep document correction and trim review as two separate open items.
3. Complete and check the handover exchange. Read the actual commitments without inventing an appointment or warranty change.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Pressure is not flow

E More workplace conversations / 1-10

Explain a completed water-supply report without confusing pressure, flow, and diagnosis.

Fictional completed report at point S1: no-flow pressure 4.0 bar; pressure during flow 2.6 bar; collected volume 6 liters in 30 seconds during that flow observation. For this report, static means no-flow pressure; flowing pressure means pressure while water is flowing. Use 1 bar = 100 kPa. No cause, minimum performance requirement, or remedial work is established.

PEOPLE / Rina: Customer | Adam: Plumbing coordinator

Use each bank entry once, without changing its form. Answers follow turn 20.

09

WORD + PHRASE BANK

operating conditions / liters per minute / flowing pressure / flow rate / kilopascals / static pressure

- 01 **Rina:** The report says four bar, which sounds strong. Why does the next line say two point six? Did the technician write down two different answers?
- 02 **Adam:** They describe different conditions. Four bar is the ¹ _____, with no water flowing at that point. Two point six was recorded during flow.
- 03 **Rina:** So neither number replaces the other. The report also says six liters in thirty seconds. Is that another way of stating the pressure?
- 04 **Adam:** No. Volume over time gives the ² _____. Pressure and flow are related in a system, but they aren't interchangeable measurements or units.
- 05 **Rina:** I nearly copied six into the liters-per-minute column. Thirty seconds is only half a minute, so the rate needs a conversion.
- 06 **Adam:** Right. Six liters in half a minute gives twelve ³ _____. It doesn't mean twelve liters were collected during those thirty seconds.
- 07 **Rina:** And if the form wants liters per second, six divided by thirty is zero point two. The units change, not the recorded delivery.
- 08 **Adam:** Exactly. Keep the ⁴ _____ beside that observation: two point six bar at the reported flow, not four bar under those conditions.
- 09 **Rina:** The other report uses kilopascals. I need comparable units before I send both to the reviewer. Four bar would be four hundred?
- 10 **Adam:** Yes, four hundred ⁵ _____. The flowing reading is two hundred sixty kilopascals, using one hundred kilopascals for each bar.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 76.

- 11 **Rina:** The difference is one point four bar, or one hundred forty kilopascals. Does that prove a blockage somewhere between the supply and the outlet?
- 12 **Adam:** No. It records a difference between ⁶ _____, not a diagnosis. These figures alone don't establish a blockage, leak, pump fault, or required remedy.
- 13 **Rina:** I was going to ask for a larger pump because the second pressure is lower. That would be jumping ahead of the assessment, then.
- 14 **Adam:** Yes. A pressure comparison doesn't select equipment. The system, intended use, relevant requirements, and causes need assessment before any recommendation is made.
- 15 **Rina:** The appliance leaflet asks for pressure during flow. Can I enter the higher static number because it gives us a more favorable comparison?
- 16 **Adam:** No. Compare the quantity and conditions the actual requirement specifies. Using a no-flow value for a flowing requirement would misrepresent the available evidence.
- 17 **Rina:** Could twelve liters per minute here tell us what every outlet would deliver with several taps running? The report only names S1.
- 18 **Adam:** It couldn't establish that. The point and conditions matter. Don't extend this single record into a whole-building performance claim.
- 19 **Rina:** I'll retain S1, four bar static, two point six bar during the stated flow, and twelve liters per minute, equivalent to zero point two liters per second.
- 20 **Adam:** That preserves the record. We're interpreting completed observations, not directing a new test, changing equipment, or promising that the supply meets an unspecified requirement.

09

ANSWERS / EXPLANATIONS: PAGE 101

1. static pressure | 2. flow rate | 3. liters per minute | 4. flowing pressure | 5. kilopascals | 6. operating conditions

Convert a second completed record

F Say it in a new situation

Completed fictional record at S2: 9 liters collected in 45 seconds; static pressure 3.2 bar and flowing pressure 2.1 bar. Use 1 bar = 100 kPa. Complete the arithmetic without diagnosing a fault.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

320 / 110 / 12 / 0.2

09

Customer: The reported flow rate is ¹ _____ liters per minute.

Coordinator: The same flow is ² _____ liters per second.

Customer: The static pressure is ³ _____ kilopascals.

Coordinator: The difference between the pressure readings is ⁴ _____ kilopascals.

ANSWERS / EXPLANATIONS: PAGE 101

1. 12 | 2. 0.2 | 3. 320 | 4. 110

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.
2. Switch roles. Read it again with the word bank covered.
3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

Tank size and first-hour delivery

E More workplace conversations / 1-10

Compare water-heater ratings while keeping storage, rated delivery, and installation approval separate.

Fictional storage-heater comparison under the same rating conditions: A has a 40-US-gallon tank and first-hour rating of 68 US gallons; B has a 50-US-gallon tank and first-hour rating of 62 US gallons. The supplied peak-hour hot-water target is 66 US gallons, not a mixed-water volume. Ratings begin with a fully heated tank. Suitability, installation, and running costs are not assessed.

PEOPLE / Nora: Customer | Eli: Plumbing estimator

Use each bank entry once, without changing its form. Answers follow turn 20.

10

WORD + PHRASE BANK

first-hour rating / double-count / peak-hour target / storage volumes / continuous delivery rate / comparison basis

- 01 **Nora:** I chose the fifty-gallon option because the tank is larger. That should make B the stronger choice for our sixty-six-gallon peak hour, shouldn't it?
- 02 **Eli:** Not on tank size alone. The forty and fifty are ¹ _____. The first-hour delivery figures are sixty-eight for A and sixty-two for B.
- 03 **Nora:** How can a forty-gallon tank have a sixty-eight-gallon delivery figure? I thought the specification couldn't offer more water than the tank holds.
- 04 **Eli:** The ² _____ covers an hour beginning with the tank fully heated. Reheating during that period contributes to the amount supplied.
- 05 **Nora:** Then sixty-eight doesn't mean the tank secretly holds sixty-eight gallons. Nor should I add forty to sixty-eight and call the result one hundred eight.
- 06 **Eli:** Correct. Adding the tank volume would ³ _____ part of that delivery. The stated first-hour figure is the quantity to compare with this target.
- 07 **Nora:** A is two gallons above sixty-six, while B is four below it. The smaller tank has the higher rating in the supplied comparison.
- 08 **Eli:** Yes. Against this ⁴ _____, A clears the arithmetic comparison and B doesn't. That conclusion depends on the supplied, like-for-like rating basis.
- 09 **Nora:** Does A then deliver sixty-eight gallons every hour indefinitely? I'd like to describe it that way when I send the options to the owner.
- 10 **Eli:** No. First-hour delivery is not a ⁵ _____. It starts with stored hot water already available, so it isn't an unlimited repeated-hour promise.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 79.

- 11 **Nora:** The owner gave us sixty-six gallons of hot-water demand, not total shower water after cold water is mixed in. That distinction needs to stay on the sheet.
- 12 **Eli:** Yes. Keep the ⁶ _____ consistent: US gallons, hot-water volume, and the stated rating conditions. Don't silently substitute mixed-water use.
- 13 **Nora:** Could I call A approved on that basis? I can see how the numbers work, but we haven't reviewed the actual installation.
- 14 **Eli:** Call it the option meeting this supplied numerical target. Available space, services, manufacturer requirements, applicable rules, and technical suitability still need review.
- 15 **Nora:** And a higher first-hour rating doesn't necessarily mean it costs less to run. That would require a different comparison.
- 16 **Eli:** Exactly. Efficiency, energy source, operating conditions, and tariff matter to cost. The two delivery figures don't establish an annual bill or a saving.
- 17 **Nora:** What if someone suggests changing the temperature setting to make a chosen model meet the target? That isn't part of this estimate, is it?
- 18 **Eli:** No. This is a rating comparison, not a setting adjustment or operating instruction. We use the actual supported specifications and the appropriate technical assessment.
- 19 **Nora:** I'll write A: forty-gallon tank, sixty-eight first-hour gallons, two above target. B: fifty-gallon tank, sixty-two first-hour gallons, four below.
- 20 **Eli:** Add that neither option is approved for installation by this worksheet. That keeps the useful comparison without turning a rating into a promise of performance in every condition.

10

ANSWERS / EXPLANATIONS: PAGE 102

1. storage volumes | 2. first-hour rating | 3. double-count | 4. peak-hour target | 5. continuous delivery rate | 6. comparison basis

Compare two more specifications

F Say it in a new situation

Fictional comparable ratings: C has a 40-US-gallon tank and 58-gallon first-hour rating; D has a 50-US-gallon tank and 72-gallon first-hour rating. The supplied peak-hour hot-water target is 70 US gallons. No installation assessment has been completed.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

D / unapproved / 50 / two

10

Customer: Option ¹ _____ meets this numerical target.

Estimator: That option's tank volume is ² _____ US gallons.

Customer: Its first-hour rating exceeds the target by ³ _____ gallons.

Estimator: Installation remains ⁴ _____ .

ANSWERS / EXPLANATIONS: PAGE 102

1. D | 2. 50 | 3. two | 4. unapproved

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.
2. Switch roles. Read it again with the word bank covered.
3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

A fall is not a rising level

E More workplace conversations / 1-10

Read back a drainage drawing with the correct direction, units, and elevation reference.

Fictional desk review only: a drainage drawing specifies a 12 m horizontal run falling 1 in 80 downstream, from upstream invert level 50.300 m on a common datum. Fall = horizontal run / 80; percent gradient = 100 / 80. A copied downstream label says 50.450 m. No pipe diameter, ground level, installation permission, or compliance decision is supplied.

PEOPLE / Tariq: Plumber | Lena: Drawing coordinator

Use each bank entry once, without changing its form. Answers follow turn 20.

WORD + PHRASE BANK

horizontal run / datum / rise / invert level / fall / gradient

11

- 01 **Tariq:** Lena, the copied downstream label is fifty point four five zero meters. That is higher than the upstream level, although the drawing says the drain falls.
- 02 **Lena:** Let's compare it with the stated ¹ _____ of twelve meters. The one-in-eighty notation means one unit of fall for eighty horizontal units.
- 03 **Tariq:** So I divide twelve meters by eighty and get zero point one five meters. That would be one hundred fifty millimeters, not eighty millimeters.
- 04 **Lena:** Yes. The ² _____ is also one point two five percent. It isn't eighty percent, and the percentage isn't an angle in degrees.
- 05 **Tariq:** The downstream level should be lower. Starting at fifty point three zero zero, I subtract zero point one five rather than add it.
- 06 **Lena:** That ³ _____ gives fifty point one five zero meters. The copied fifty point four five zero label goes in the opposite direction.
- 07 **Tariq:** Before I change the query, I need the right word for what those elevations describe. They're not the ground surface or the top of the pipe.
- 08 **Lena:** They're the ⁴ _____, meaning the inside bottom of the pipe at each endpoint. Keep that reference attached to both numbers.
- 09 **Tariq:** If one level came from a different site reference, subtraction might look tidy and still give us a misleading result.
- 10 **Lena:** Correct. The case supplies a common ⁵ _____. Actual records must use reconciled references. Don't combine elevations merely because both happen to be written in meters.

The conversation, continued

E More workplace conversations / 11-20

Continue with the word bank on page 82.

- 11 **Tariq:** Then the copied label represents a one-hundred-fifty-millimeter increase downstream. It is not just a different way of displaying the same fall.
- 12 **Lena:** Right, it's a ⁶ _____. Our query should show the supplied run and gradient, the calculated lower endpoint, and the conflicting copied label.
- 13 **Tariq:** At eight meters along a uniform one-in-eighty fall, the drop would be one hundred millimeters and the invert fifty point two zero zero.
- 14 **Lena:** Yes, within this stated uniform-gradient example. The remaining four meters contribute another fifty millimeters, giving the same total of one hundred fifty.
- 15 **Tariq:** Does the calculated endpoint also tell us how much ground cover there is over the pipe? The drawing extract doesn't show a ground level.
- 16 **Lena:** No. We lack the required ground and pipe geometry. Invert is the inside bottom, so it isn't itself a depth-of-cover figure.
- 17 **Tariq:** And confirming this arithmetic doesn't tell us whether one in eighty is suitable for the actual drain, its diameter, or the applicable requirements.
- 18 **Lena:** Exactly. The gradient was supplied for interpretation, not selected or approved here. Hydraulic design, coordination, and compliance remain separate checks.
- 19 **Tariq:** I'll flag the copied fifty point four five zero label and state that the supplied calculation gives fifty point one five zero on the common datum.
- 20 **Lena:** Send it as a drawing query for review, not an instruction to lay or alter pipework. Include meters and the downstream direction so the correction is unambiguous.

11

ANSWERS / EXPLANATIONS: PAGE 103

1. horizontal run | 2. gradient | 3. fall | 4. invert level | 5. datum | 6. rise

Read another supplied fall

F Say it in a new situation

Desk calculation: a 9 m horizontal run falls 1 in 60 downstream from invert 12.800 m. Use fall = $9/60$ m and percent gradient = $100/60$, rounded to two decimals. Both endpoints share a datum. This does not approve a design or instruct installation.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

1.67 / inside bottom / 12.650 / 150

Plumber: The fall over the run is ¹ _____ millimeters.

Coordinator: The downstream invert is ² _____ meters.

Plumber: The gradient is ³ _____ percent to two decimal places.

Coordinator: Invert identifies the pipe's ⁴ _____.

11

ANSWERS / EXPLANATIONS: PAGE 103

1. 150 | 2. 12.650 | 3. 1.67 | 4. inside bottom

Read, switch, repeat

1. Check the four answers and read the complete exchange aloud.

2. Switch roles. Read it again with the word bank covered.

3. Return to the extended conversation. Read turns 1-10, then switch roles for turns 11-20. Use the corrected expressions.

SOLO PRACTICE

Read both roles. Pause briefly at each change of speaker. Repeat any line that needed an answer check.

01 Briefing and language checks

Identifying fixtures and service history

A Briefing checks / page 4

1. Which fixture does Mina mean?

A. The bathroom basin in Unit 3B

The brief identifies the bathroom basin, not the nearby utility sink.

2. What does 07:00 identify?

B. When Mina noticed water

The supplied time is an observation time, not a verified onset.

3. What is known about the source?

D. It has not been established

Water location alone does not identify its source in this report.

D Language checks / page 9

1. Which question best clarifies the fixture?

D. Do you mean the bathroom basin or the utility sink beside it?

The alternatives identify the fixture without assuming a failure or requesting work.

2. Which summary preserves the time accurately?

D. Water noticed on the cabinet base at 07:00

Noticed records the tenant's observation rather than onset or scheduling.

3. Which statement wrongly converts location into cause?

D. The water must be coming from the trap

The trap is not identified as the source by the supplied facts.

4. What should accompany the handoff?

B. Fixture, unit, observed surface, time, and unresolved source

These details preserve the usable report without adding unsupported history or conclusions.

01 Conversation answers

Identifying fixtures and service history

E Dialogue gaps

Pages 10-11

- 1. fixture.** Turn 2. Fixture names the particular appliance; the room contains two different sinks.
- 2. bathroom basin.** Turn 4. Bathroom basin resolves the two-fixture ambiguity using Mina's explicit clarification.
- 3. cabinet base.** Turn 6. Cabinet base identifies the observed surface without asserting where the water originated.
- 4. source.** Turn 8. Source concerns origin, which Mina's observation has not established.
- 5. observation time.** Turn 10. Observation time preserves when Mina noticed water without inventing the onset.
- 6. service history.** Turn 12. Service history concerns earlier work; none has been supplied, not proven absent.
- 7. faucet.** Turn 14. Faucet is the alternative name for the water-delivery fitting, not a diagnosis.
- 8. reported symptom.** Turn 16. Reported symptom distinguishes Mina's account from a confirmed component failure.
- 9. call summary.** Turn 18. Call summary gathers fixture, location, observation, and uncertainty for the next person.
- 10. attendance.** Turn 20. Attendance means the service visit being arranged, without promising a diagnosis or time.

F Transfer conversation

Page 12

1. basin

Coordinator: "The tenant means the bathroom basin in Unit 3B."

Basin identifies the fixture Mina selected, not the adjacent utility sink.

2. base

Plumber: "Water was seen on the cabinet base."

Base names the observed surface without identifying the water source.

3. 07:00

Coordinator: "It was noticed at 07:00."

The time belongs to the observation, not a proven onset.

4. unestablished

Plumber: "The source remains unestablished."

The account supplies no assessment establishing which component caused the water.

02 Briefing and language checks

Clarifying pipe and component specifications

A Briefing checks / page 13

1. What is Omar comparing?

B. A nominal designation and a measured outside diameter

The comparison uses a size designation and a physical measurement of a different kind.

2. What information is incomplete?

A. The delivery label

The order names a series and the outer measurement is identified; the delivered item's label remains incomplete.

3. What remains unverified?

D. Product identity and relevant compatibility

The supplied facts do not verify the delivered product or its compatibility.

D Language checks / page 18

1. Which response best corrects the comparison?

B. Nominal size and outside diameter are different; we still need full item identification

The response corrects terminology while preserving the unresolved product check.

2. Which information should Leila request next?

C. Complete label details and product identification

Full identification is needed to reconcile the actual item with the order; altering measurements or using unrelated data would not settle identity.

3. Which conclusion is unsupported?

D. The material and connection are compatible

Compatibility has not been verified by the available information.

4. What does a dimensional table need to match?

A. The relevant identified product and series

Dimensions must be read in the context of the actual identified product.

02 Conversation answers

Clarifying pipe and component specifications

E Dialogue gaps

Pages 19-20

- 1. nominal size.** Turn 2. Nominal size is the designation on the order, not necessarily the measured outside diameter.
- 2. outside diameter.** Turn 4. Outside diameter names the measured outer dimension Omar is comparing with a designation.
- 3. product identification.** Turn 6. Product identification remains incomplete because the delivery label does not fully identify the goods.
- 4. product series.** Turn 8. Product series provides the ordered family against which full delivery identification must be checked.
- 5. part number.** Turn 10. Part number identifies a particular manufacturer item more precisely than packaging appearance.
- 6. dimensional table.** Turn 12. Dimensional table defines measurements for the identified product rather than an unrelated pipe.
- 7. connection type.** Turn 14. Connection type concerns the joining interface and cannot be inferred from nominal size alone.
- 8. substitution.** Turn 16. Substitution means replacing a specified product; no such replacement is approved by this discussion.
- 9. acceptance status.** Turn 18. Acceptance status must remain unresolved while identification and compatibility checks are incomplete.
- 10. supply discrepancy.** Turn 20. Supply discrepancy identifies the unresolved delivery question without assuming either rejection or acceptance.

F Transfer conversation

Page 21

1. nominal

Buyer: "The order gives a nominal size."

Nominal identifies a size designation rather than necessarily the measured diameter.

2. outside

Coordinator: "Your measurement is the outside diameter."

Outside names the physical dimension Omar compared with the designation.

3. label

Buyer: "The delivery label is incomplete."

The incomplete label prevents full identification of the supplied item.

4. unverified

Coordinator: "Compatibility remains unverified."

Neither material nor connection compatibility has been established by the facts.

03 Briefing and language checks

Reconciling fixture layouts and dimensions

03

A Briefing checks / page 22

1. What reference does the bathroom layout use?

B. The finished wall face

The layout explicitly measures from the finished wall face to the basin centerline.

2. Why do the two 450-millimeter dimensions conflict?

D. They start from different reference surfaces

Equal numbers do not produce equal positions when their reference surfaces differ.

3. What is not supplied?

D. A confirmed coordinated rough-in detail

The brief identifies basin B2 but leaves the coordinated rough-in detail unconfirmed.

D Language checks / page 27

1. Which summary identifies the actual mismatch?

D. Both show 450 to the centerline, but one starts at the finished face and one at framing

The mismatch concerns the origin, not the number, units, or endpoint.

2. Which proposed action is unsupported?

D. Subtract an assumed finish thickness and release installation

No finish thickness or approved adjustment is supplied for such a conversion.

3. What does selecting B2 establish?

B. The chosen basin model, not a confirmed coordinated rough-in

The selected model does not resolve the differing references or missing detail.

4. Which question is most precise?

C. Which reference surface governs the coordinated centerline position?

Naming the reference surface targets the actual unresolved design issue.

03 Conversation answers

Reconciling fixture layouts and dimensions

E Dialogue gaps

Pages 28-29

- 1. framing face.** Turn 2. Framing face is the origin on the cabinet drawing, distinct from the finished wall surface.
- 2. dimension origin.** Turn 4. Dimension origin is the starting reference, which differs between these two dimensions.
- 3. finished wall face.** Turn 6. Finished wall face preserves the bathroom layout's stated origin rather than substituting framing.
- 4. finish thickness.** Turn 8. Finish thickness is missing, so an offset between framing and finished faces cannot be invented.
- 5. fixture schedule.** Turn 10. Fixture schedule identifies the selected basin; it does not settle the coordinated service positions.
- 6. coordinated detail.** Turn 12. Coordinated detail reconciles the plumbing and cabinet information rather than favoring an unverified drawing.
- 7. dimension readback.** Turn 14. Dimension readback repeats the number, origin, and endpoint so the actual ambiguity remains visible.
- 8. rough-in detail.** Turn 16. Rough-in detail remains unconfirmed despite the selected basin and matching numerical dimensions.
- 9. datum.** Turn 18. Datum names the governing reference that the designer needs to clarify.
- 10. design query.** Turn 20. Design query requests clarification without creating an installation instruction or approving an assumed offset.

F Transfer conversation

Page 30

1. finished

Plumber: "The layout starts at the finished wall face."

Finished wall face is the origin explicitly stated on the bathroom layout.

2. framing

Coordinator: "The cabinet drawing starts at the framing face."

Framing face is the different origin used by the cabinet drawing.

3. centerline

Plumber: "Both dimensions end at the basin centerline."

Centerline is the shared endpoint, not the basin edge.

4. unconfirmed

Coordinator: "The coordinated rough-in detail remains unconfirmed."

Basin selection does not establish the missing coordinated rough-in detail.

04 Briefing and language checks

Describing moisture without diagnosing its source

04

A Briefing checks / page 31

1. What was observed during the visit?

C. The visible ceiling patch was dry

Only the visible patch condition during the visit is established.

2. What is not visible?

B. The pipework

The brief explicitly states that no pipework is visible.

3. What remains unresolved?

D. The source of the staining

The visible surface condition does not establish the origin of the staining.

D Language checks / page 36

1. Which statement is best supported?

D. The visible patch was dry during the visit; source unresolved

The supported wording preserves both the observation and the unresolved cause.

2. What is wrong with saying leak stopped?

A. It infers a change in a leak that has not been established

Dry surface condition does not establish an active leak's history or cessation.

3. Which phrase best communicates the inspection limit?

D. No pipework was visible from this position

The phrase states the actual visibility limit without inventing a broader examination.

4. What should the report avoid?

D. A repair or structural conclusion unsupported by the visit

Neither a completed repair nor structural assessment is supplied in the brief.

04 Conversation answers

Describing moisture without diagnosing its source

E Dialogue gaps

Pages 37-38

1. surface condition. Turn 2. Surface condition refers to the visible patch, not the state of concealed pipework.

2. visible patch. Turn 4. Visible patch limits the observation to the exposed stained area that Arun can see.

3. moisture source. Turn 6. Moisture source concerns origin, which the location below a washroom does not prove.

4. causal claim. Turn 8. Causal claim assigns the stain to the basin without evidence establishing that connection.

5. observation scope. Turn 10. Observation scope confines the statement to the visible surface during the visit.

6. inspection limitation. Turn 12. Inspection limitation identifies the concealed pipework that was not visible for assessment.

7. repair claim. Turn 14. Repair claim would assert completed corrective work, which this visit account does not establish.

8. qualified statement. Turn 16. Qualified statement provides explicit limits while still communicating a useful observation.

9. time qualifier. Turn 18. Time qualifier prevents a visit-specific observation from becoming a general assurance.

10. finding summary. Turn 20. Finding summary reports established observations and limits without claiming a diagnosis or resolution.

F Transfer conversation

Page 39

1. dry

Owner: "The visible patch was dry during the visit."

Dry is the observed surface condition during the stated attendance.

2. pipework

Plumber: "No pipework was visible."

The concealed pipework limits what this observation can establish.

3. established

Owner: "The source is not established."

The stain location and dry patch do not identify the source.

4. assessment

Plumber: "The source still needs assessment."

Further assessment is needed, without a promised diagnosis or outcome.

04

05 Briefing and language checks

Explaining drainage and access terminology

A Briefing checks / page 40

1. What does the removable panel provide?

A. Access to the recorded cleanout

The panel is an access feature, not an additional drainage fixture.

2. What has Hana requested?

C. Permanent covering of the panel area

The client requests permanent covering, but no approval is established.

3. Who needs to coordinate the detail?

D. The designer with the plumbing team

The supplied next step is design coordination with the plumbing team.

D Language checks / page 45

1. Which explanation is clearest?

B. The panel lets the relevant team reach the cleanout; it is not another drain

The explanation separates the access cover from the drainage-maintenance feature.

2. What should Dev do with Hana's preference?

A. Record it for design coordination without approving concealment

Recording a preference does not establish acceptable access; cabinet agreement, smaller dimensions, and another project's detail do not complete this review.

3. Which claim is unsupported?

B. The drawn panel dimensions are approved and sufficient

No approved dimensions or verified access arrangement are supplied.

4. What is the appropriate next step?

B. Coordinate the access detail with the designer and plumbing team

The case calls for design coordination, not client intervention or assumed equivalence.

05 Conversation answers

Explaining drainage and access terminology

E Dialogue gaps

Pages 46-47

- 1. access panel.** Turn 2. Access panel is the cover shown in the cabinet drawing, not another drain.
- 2. cleanout.** Turn 4. Cleanout identifies drainage-maintenance access, distinct from the basin's waste outlet.
- 3. appearance request.** Turn 6. Appearance request preserves Hana's preference without turning it into an approved enclosure change.
- 4. access detail.** Turn 8. Access detail determines how required access is provided within the proposed cabinet arrangement.
- 5. clear opening.** Turn 10. Clear opening is the usable access space, whose approved dimensions are not supplied here.
- 6. fixed panel.** Turn 12. Fixed panel does not automatically perform the access function of the removable panel it would replace.
- 7. access requirement.** Turn 14. Access requirement concerns the conditions the final arrangement must satisfy, independent of appearance preference.
- 8. design intent.** Turn 16. Design intent explains the access function that must not be lost through the client's earlier terminology.
- 9. coordination response.** Turn 18. Coordination response is the relevant combined review needed before the access arrangement can be confirmed.
- 10. review status.** Turn 20. Review status preserves the distinction between a client request and an accepted design change.

F Transfer conversation

Page 48

1. drain

Client: "The panel is not an extra drain."

The feature provides access rather than acting as an additional drain.

2. cleanout

Coordinator: "It provides access to a cleanout."

Cleanout is the recorded drainage-maintenance access feature behind the panel.

3. detail

Client: "The designer will coordinate the access detail."

The access detail must reconcile the cabinet arrangement with plumbing requirements.

4. approved

Coordinator: "Permanent covering is not yet approved."

The plumber has not reviewed the proposed enclosure change for acceptance.

05

06 Briefing and language checks

Coordinating interruptions and room access

A Briefing checks / page 49

1. What is booked for 09:00?

B. The plumbing visit

The booked time belongs to attendance, not to the proposed interruption.

2. What is the proposed interruption window?

B. 10:00-11:00

The proposal is specifically 10:00-11:00 and remains pending approval.

3. What is the stated affected area?

D. The east washroom only

The supplied scope is limited to the east washroom.

D Language checks / page 54

1. Which notice wording preserves all supplied facts?

B. Visit 09:00; east-washroom interruption proposed 10:00-11:00, pending approval

The correct wording separates the booked visit from the limited, unapproved interruption.

2. What is wrong with only changing whole building to east washroom?

D. Timing and approval status may still be wrong

Correcting the area alone does not correct the arrival-time confusion or pending approval.

3. Which item is already confirmed?

D. The 09:00 visit booking

The case confirms attendance only, not the proposed service interruption.

4. What should Joel avoid treating the message as?

A. Permission to operate valves or start an interruption

Scheduling language does not provide an operational instruction or authorization.

06 Conversation answers

Coordinating interruptions and room access

E Dialogue gaps

Pages 55-56

- 1. attendance time.** Turn 2. Attendance time belongs to the booked visit and does not establish the start of an interruption.
- 2. interruption window.** Turn 4. Interruption window identifies the separate proposed service pause from 10:00 to 11:00.
- 3. affected area.** Turn 6. Affected area is limited to the east washroom, not the entire building.
- 4. status qualifier.** Turn 8. Status qualifier retains proposed status and prevents the revised notice from implying approval.
- 5. building manager.** Turn 10. Building manager is the named approval role whose decision remains pending in the case.
- 6. notice wording.** Turn 12. Notice wording should distinguish the booked visit from the proposed, limited interruption.
- 7. access arrangement.** Turn 14. Access arrangement must come from actual coordination rather than being inferred from the visit booking.
- 8. schedule readback.** Turn 16. Schedule readback preserves both times, the limited area, and the unresolved approval in one accurate summary.
- 9. operating instruction.** Turn 18. Operating instruction would direct equipment action, which this scheduling conversation does not authorize.
- 10. coordination update.** Turn 20. Coordination update communicates the corrected arrangements while keeping the outstanding decision explicit.

F Transfer conversation

Page 57

1. 09:00

Coordinator: "The visit is booked for 09:00."

The confirmed booking concerns attendance at nine, not the service interruption.

2. 10:00-11:00

Representative: "The interruption is proposed for 10:00-11:00."

The proposed window starts at ten and ends at eleven.

3. east

Coordinator: "It concerns the east washroom only."

East washroom is the stated limited area in the proposal.

4. pending

Representative: "Building-manager approval remains pending."

Pending preserves the fact that the proposed interruption is not yet approved.

06

07 Briefing and language checks

Pricing changes and restoration boundaries

A Briefing checks / page 58

1. What does the current estimate cover?

B. Replacing B1 with the specified basin model

The stated estimate concerns replacement of B1 with the specified model.

2. What is Ava assuming?

B. The fixture allowance includes cabinet changes and redecoration

The brief names these related works as Ava's assumption, not quoted inclusions.

3. What remains unassessed?

D. Access requirements and revised plumbing scope

The changed arrangement still needs assessment before its scope or terms can be confirmed.

D Language checks / page 63

1. Which response best addresses Ava's assumption?

C. The estimate covers B1 replacement; cabinet changes and redecoration are not listed

The response identifies the actual coverage without treating a product allowance as a package or claiming unassessed cabinet work is certain.

2. What must happen before revised terms can be confirmed?

B. Assess access requirements and define the revised scope

The changed arrangement requires assessment before price and timing can be established.

3. Which phrase overpromises?

B. The wall-hung vanity will cost exactly the same and finish on the original date

Neither unchanged cost nor unchanged timing is supported for the unassessed change.

4. What does making good need in an agreement?

D. A defined extent of restoration

Restoration boundaries must be stated rather than inferred from a broad phrase.

07 Conversation answers

Pricing changes and restoration boundaries

E Dialogue gaps

Pages 64-65

- 1. estimate.** Turn 2. Estimate refers to the existing cost document for the specified B1 replacement.
- 2. fixture allowance.** Turn 4. Fixture allowance has the scope stated in the estimate and does not establish all related work as included.
- 3. change request.** Turn 6. Change request records the new arrangement without treating it as agreed scope or accepted price.
- 4. access requirements.** Turn 8. Access requirements concern reaching the changed work and remain unassessed in the case.
- 5. cabinet alteration.** Turn 10. Cabinet alteration is related work not listed in the original estimate, not a predetermined technical requirement.
- 6. making good.** Turn 12. Making good means agreed restoration and needs a defined extent rather than an unlimited assumption.
- 7. additional cost.** Turn 14. Additional cost cannot be fixed reliably while the changed work and access remain unassessed.
- 8. completion date.** Turn 16. Completion date for the changed work is not established by the original estimate.
- 9. revised quotation.** Turn 18. Revised quotation sets out a price proposal for a defined changed scope rather than merely restating the product allowance.
- 10. approval to proceed.** Turn 20. Approval to proceed with extra work has not been given by this assessment request.

F Transfer conversation

Page 66

1. B1

Estimator: "The estimate covers replacement of B1 with the specified model."

B1 identifies the fixture in the original stated estimate.

2. redecoration

Client: "Cabinet changes and redecoration are not listed."

Redecoration is one of the related works not listed in the estimate.

3. assessment

Estimator: "The revised scope still needs assessment."

The access requirements and changed plumbing scope have not yet been assessed.

4. confirmed

Client: "Price and timing are not yet confirmed for the change."

Revised terms cannot be treated as agreed while the changed scope remains unassessed.

08 Briefing and language checks

Handing over plumbing records and follow-up

A Briefing checks / page 67

1. What is wrong with the care leaflet?

C. It belongs to the previous model

The supplied leaflet does not match the current model in the handover pack.

2. What does Leo promise for Monday?

C. A call about follow-up

Monday is the promised communication date, not a booked site visit.

3. What remains unscheduled?

B. The return visit for cosmetic-trim review

The cosmetic-trim review needs a return visit, but no date is booked.

D Language checks / page 72

1. Which handover summary is accurate?

A. Pack received; wrong-model leaflet pending replacement; Leo calls Monday; trim visit unbooked

The summary preserves receipt, document correction, ownership, callback, and unbooked visit.

2. What would turn the callback into an unsupported promise?

B. Telling Maya the team will attend on Monday

The promise concerns a call; no return appointment has been booked.

3. Which action best handles the leaflet mismatch?

D. Obtain the document for the current model

The correct model-specific document is needed rather than an assumed equivalent.

4. Which statement correctly addresses the warranty question?

D. The actual warranty terms are not revised by the callback promise

A follow-up conversation does not itself revise the applicable warranty terms; the promised call and open items create no automatic extension.

08 Conversation answers

Handing over plumbing records and follow-up

E Dialogue gaps

Pages 73-74

- 1. model mismatch.** Turn 2. Model mismatch identifies the leaflet's previous-model reference rather than denying receipt of the pack.
- 2. replacement document.** Turn 4. Replacement document is the correct model-specific leaflet needed to resolve the mismatch.
- 3. follow-up owner.** Turn 6. Follow-up owner names Leo as the person responsible for progressing the leaflet correction.
- 4. update date.** Turn 8. Update date is the promised communication date, not an appointment for the separate trim review.
- 5. callback.** Turn 10. Callback means the promised phone communication and does not establish site attendance.
- 6. open-item list.** Turn 12. Open-item list should retain the document correction and visit arrangement as distinct unfinished matters.
- 7. Document receipt.** Turn 14. Document receipt acknowledges delivery without verifying the accuracy or suitability of each enclosed record.
- 8. completion claim.** Turn 16. Completion claim would wrongly describe the trim as corrected when only a future review is required.
- 9. warranty record.** Turn 18. Warranty record retains its actual terms; the callback and open items do not automatically revise them.
- 10. handover readback.** Turn 20. Handover readback preserves received records, open corrections, ownership, and the distinction between call and visit.

F Transfer conversation

Page 75

1. previous

Client: "The leaflet belongs to the previous model."

Previous identifies why the supplied leaflet does not match the current product.

2. Leo

Lead: "Leo owns the replacement-leaflet follow-up."

Leo explicitly accepts responsibility for obtaining the correct care leaflet.

3. Monday

Client: "The promised call is on Monday."

Monday is the communication commitment rather than the return-visit date.

4. booked

Lead: "The return visit is not yet booked."

The cosmetic-trim review requires attendance, but no appointment date is confirmed.

08

09 Conversation answers

Pressure is not flow

E Extended conversation

Pages 76-77

1. static pressure. Turn 2. The supplied static reading is the pressure with no flow at S1; it is not the pressure recorded during the flow observation.

2. flow rate. Turn 4. Flow rate describes volume per unit time; six liters over thirty seconds is a different quantity from pressure in bar.

3. liters per minute. Turn 6. Six divided by half a minute equals twelve liters per minute; copying the six-liter volume would halve the reported rate.

4. flowing pressure. Turn 8. The 2.6-bar value belongs to the same stated flow observation; retaining that condition prevents substitution of the four-bar no-flow reading.

5. kilopascals. Turn 10. At one hundred kilopascals per bar, four bar equals four hundred kPa and 2.6 bar equals 260 kPa.

6. operating conditions. Turn 12. The observations differ in flow condition; the numerical pressure difference alone does not identify a blockage, leak, pump fault, or required remedy.

F Transfer exchange

Page 78

1. 12

Customer: The reported flow rate is 12 liters per minute.

Nine liters in three-quarters of a minute equals twelve liters per minute.

2. 0.2

Coordinator: The same flow is 0.2 liters per second.

Nine divided by forty-five equals 0.2 liters per second.

3. 320

Customer: The static pressure is 320 kilopascals.
3.2 bar multiplied by one hundred equals 320 kPa.

4. 110

Coordinator: The difference between the pressure readings is 110 kilopascals.

3.2 minus 2.1 equals 1.1 bar, or 110 kPa; this difference does not diagnose a cause.

Background reading: [Salamander Pumps: Aquascan pressure and flow terminology](#). The conversation is an original fictional teaching case.

10 Conversation answers

Tank size and first-hour delivery

E Extended conversation

Pages 79-80

1. storage volumes. Turn 2. The forty- and fifty-gallon figures describe tank storage, not the separate amounts delivered during the rated first hour.

2. first-hour rating. Turn 4. First-hour rating describes rated hot-water delivery during an hour beginning with a fully heated tank, including delivery supported by reheating during that hour.

3. double-count. Turn 6. The first-hour figure already reflects delivery from the initially heated tank and reheating; adding its stored volume again overstates the rated amount.

4. peak-hour target. Turn 8. The fictional target is sixty-six US gallons of hot water in the peak hour; A exceeds it by two and B falls short by four.

5. continuous delivery rate. Turn 10. A first-hour rating includes an initially heated tank; it does not promise that the same volume can be supplied in every later hour indefinitely.

6. comparison basis. Turn 12. The case supplies hot-water demand and comparable rating conditions; substituting mixed-water demand or different units would change the comparison.

F Transfer exchange

Page 81

1. D

Customer: Option D meets this numerical target.

D's first-hour rating is seventy-two, above seventy; C's fifty-eight is below the target.

2. 50

Estimator: That option's tank volume is 50 US gallons.

D stores fifty gallons; seventy-two is its first-hour delivery rating, not tank volume.

3. two

Customer: Its first-hour rating exceeds the target by two gallons.

Seventy-two minus seventy equals two gallons on the supplied rating basis.

4. unapproved

Estimator: Installation remains unapproved .

Meeting this numerical target does not complete a technical assessment or authorize installation.

10

Background reading: [ENERGY STAR: first-hour rating and water-heater product criteria](#). The conversation is an original fictional teaching case.

11 Conversation answers

A fall is not a rising level

E Extended conversation

Pages 82-83

1. horizontal run. Turn 2. The twelve-meter dimension is the horizontal run used in the supplied fall calculation; it is not a vertical drop or an unspecified sloping length.

2. gradient. Turn 4. A one-in-eighty fall is one divided by eighty, or 1.25 percent; it is neither eighty percent nor an angle of 1.25 degrees.

3. fall. Turn 6. The required fall is 0.150 m; subtracting it from upstream invert 50.300 m gives downstream invert 50.150 m.

4. invert level. Turn 8. Invert level is the elevation of the inside bottom of the pipe, distinct from the ground, pipe crown, centerline, or outside bottom.

5. datum. Turn 10. A common datum is the shared elevation reference needed to compare the two levels; unrelated references cannot be subtracted without reconciliation.

6. rise. Turn 12. 50.450 m is 0.150 m above 50.300 m, so that copied label rises downstream rather than showing the specified fall.

F Transfer exchange

Page 84

1. 150

Plumber: The fall over the run is 150 millimeters. Nine divided by sixty equals 0.150 m, or 150 mm.

2. 12.650

Coordinator: The downstream invert is 12.650 meters.

Subtract the 0.150 m fall from upstream invert 12.800 m; adding would produce a rise.

3. 1.67

Plumber: The gradient is 1.67 percent to two decimal places.

One divided by sixty times one hundred equals 1.6667 percent, rounded to 1.67 percent.

4. inside bottom

Coordinator: Invert identifies the pipe's inside bottom .

Invert concerns the inside bottom elevation, not the ground surface, crown, or outside bottom.

11

Background reading: [Autodesk: pipe invert, crown, cover, and slope terminology](#). The conversation is an original fictional teaching case.

Find the move you need

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

01 Identifying fixtures and service history

Offer two concrete choices: Do you mean the bathroom basin or the utility sink?

Locate the observation: Where had you already noticed the water?

Keep the report attributed: The tenant reports water beneath the bathroom basin.

Full phrase set: pages 7-8 | Dialogue: pages 10-11

02 Clarifying pipe and component specifications

Acknowledge the concern: I understand why those two numbers look inconsistent.

Retain the measurement: We should keep your measurement in the record.

Avoid premature rejection: The numerical difference alone does not prove the delivery is wrong.

Full phrase set: pages 16-17 | Dialogue: pages 19-20

03 Reconciling fixture layouts and dimensions

State the layout reference: The layout measures from the finished wall face.

Preserve the number: Both drawings state 450 millimeters.

Ask the design question: Which datum should the coordinated detail use?

Full phrase set: pages 25-26 | Dialogue: pages 28-29

04 Describing moisture without diagnosing its source

Acknowledge the concern: I understand why you want to know whether it has stopped.

Identify the limitation: No pipework is visible from this position.

Keep uncertainty specific: We cannot infer that a leak has stopped from this surface alone.

Full phrase set: pages 34-35 | Dialogue: pages 37-38

Keep the conversation productive

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

05 Explaining drainage and access terminology

Clarify the label: That symbol identifies an access panel, not an extra drain.

Acknowledge the appearance concern: I understand that you want a continuous cabinet finish.

Keep function distinct: Hiding a component and preserving access are different questions.

Full phrase set: pages 43-44 | Dialogue: pages 46-47

06 Coordinating interruptions and room access

Separate the appointment: The visit is booked for 09:00.

Name the approval: Building-manager approval is still pending.

Avoid overstating certainty: We cannot describe that window as confirmed yet.

Full phrase set: pages 52-53 | Dialogue: pages 55-56

07 Pricing changes and restoration boundaries

State the original coverage: The estimate covers replacement of B1 with the specified model.

Name the unlisted work: Cabinet changes and redecoration are not listed here.

Keep the plumbing scope open: The revised plumbing scope also needs assessment.

Full phrase set: pages 61-62 | Dialogue: pages 64-65

08 Handing over plumbing records and follow-up

Acknowledge receipt: You have received the handover pack for B1.

Avoid applying the wrong guidance: I cannot treat that leaflet as confirmed guidance for this model.

Separate the visit: The cosmetic-trim review needs a return visit.

Full phrase set: pages 70-71 | Dialogue: pages 73-74

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

acceptance status	preserve acceptance status	15
access arrangement	coordinate the access arrangement	51
access detail	coordinate the access detail	41
access panel	retain an access panel	41
access requirement	establish the access requirement	42
access requirements	assess access requirements	59
active leak	establish an active leak	32
adapter	identify the adapter	15
additional cost	assess additional cost	60
affected area	identify the affected area	50
appearance request	record the appearance request	42
approval to proceed	obtain approval to proceed	60
approved interruption	distinguish an approved interruption	50
assessment	arrange an assessment	33
attendance	arrange attendance	6
attendance time	confirm the attendance time	50
attribution	preserve attribution	33
basin centerline	locate the basin centerline	23
basin replacement	define the basin replacement	59
bathroom basin	specify the bathroom basin	5
booking confirmation	read the booking confirmation	50
building manager	seek building-manager approval	50
cabinet alteration	price cabinet alterations	59
cabinet base	report water on the cabinet base	5

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

cabinet drawing compare the cabinet drawing	23
cabinet elevation read the cabinet elevation	41
call summary read back the call summary	6
callback commit to a callback	69
care guidance use model-specific care guidance	68
care leaflet obtain the correct care leaflet	68
causal claim avoid an unsupported causal claim	33
ceiling stain record the ceiling stain	32
change request record a change request	60
cleanout identify the recorded cleanout	41
clear opening verify the clear opening	41
clearance verify the relevant clearance	24
client concern acknowledge the client concern	33
client selection record the client selection	60
closeout manage closeout	69
commercial terms confirm commercial terms	60
compatibility verify compatibility	15
completion claim verify a completion claim	69
completion date confirm the completion date	60
concealed pipework distinguish concealed pipework	32
concealment review proposed concealment	42
confirmed appointment distinguish the confirmed appointment	51
connection type identify the connection type	14
coordinated detail issue a coordinated detail	24

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

coordination response await the coordination response	42
coordination update provide a coordination update	51
cosmetic trim review the cosmetic trim	68
coupling specify the coupling	15
current model identify the current model	68
datum identify the datum	23
delivery label check the delivery label	14
design intent clarify the design intent	42
design query raise a design query	24
diagnosis distinguish observation from diagnosis	33
dimension endpoint identify the dimension endpoint	23
dimension origin confirm the dimension origin	23
dimension readback give a dimension readback	24
dimensional table consult the dimensional table	15
document correction track the document correction	68
document receipt confirm document receipt	68
drain distinguish the drain	41
drainage line locate the drainage line	41
drawing reference cite the drawing reference	24
dry at the visit state dry at the visit	32
east washroom specify the east washroom	50
elbow identify the elbow	15
enclosure change review the enclosure change	42
end time state the end time	51

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

estimate review the estimate	59
evidence distinguish evidence from assumption	33
faucet name the faucet	6
finding summary give a finding summary	33
finish panel coordinate the finish panel	42
finish thickness confirm the finish thickness	24
finished wall face measure from the finished wall face	23
first-hour rating compare first-hour ratings	60
fitting identify the fitting	15
fixed panel distinguish a fixed panel	42
fixture identify the fixture	5
fixture allowance clarify the fixture allowance	59
fixture location state the fixture location	5
fixture schedule consult the fixture schedule	23
flow rate report the flow rate	14
follow-up owner name the follow-up owner	69
framing face reference the framing face	23
gradient distinguish gradient from an angle	24
handover pack receive the handover pack	68
handover readback give a handover readback	69
hinged panel identify a hinged panel	42
historical staining distinguish historical staining	32
impact scope define the impact scope	50
inside diameter distinguish inside diameter	14

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

inspection limitation	explain the inspection limitation	33
installation position	confirm the installation position	24
interface	resolve the cabinet interface	24
intermittent condition	describe an intermittent condition	32
interruption window	state the interruption window	50
invert level	read back the invert level	24
layout drawing	review the layout drawing	23
maintenance	allow for maintenance	41
making good	define making good	59
material specification	confirm the material specification	14
model mismatch	record the model mismatch	68
moisture source	investigate the moisture source	32
nominal size	confirm the nominal size	14
notice release	confirm notice release	51
notice wording	correct the notice wording	50
observation scope	define the observation scope	32
observation time	record the observation time	5
obstruction	identify an obstruction	42
occupant communication	prepare occupant communication	51
offset	calculate a verified offset	24
onset	distinguish onset from observation	5
open-item list	maintain the open-item list	69
operating instruction	distinguish an operating instruction	51
order line	reconcile the order line	14

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

outside diameter	compare the outside diameter	14
outstanding item	retain an outstanding item	69
part number	verify the part number	14
pending approval	retain pending-approval status	50
permanent enclosure	review a permanent enclosure	41
previous model	distinguish the previous model	68
previous repair	confirm a previous repair	6
product identification	complete product identification	15
product record	reconcile the product record	68
product series	identify the product series	14
proposed interruption	describe the proposed interruption	50
qualified statement	make a qualified statement	33
recurrence	record a recurrence	32
redcoration	distinguish redecoration	59
reducer	identify the reducer	15
removable cover	specify a removable cover	41
repair claim	verify a repair claim	33
replacement document	request the replacement document	68
reported symptom	retain the reported symptom	6
resolution	avoid premature resolution	33
return visit	arrange the return visit	68
review status	confirm the review status	42
revised quotation	prepare a revised quotation	60
revised scope	agree the revised scope	59

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

room availability clarify room availability	51
rough-in coordinate the rough-in	23
rough-in detail confirm the rough-in detail	23
schedule readback give a schedule readback	51
scope boundary explain the scope boundary	60
scope exclusion check scope exclusions	59
scope inclusion identify scope inclusions	59
selected model verify the selected model	23
service access preserve service access	41
service call log a service call	5
service history check the service history	6
service record update the service record	69
serviceable verify a serviceable arrangement	42
size designation read the size designation	14
source establish the source	5
specified model retain the specified model	59
start time preserve the start time	51
static pressure distinguish static from flowing pressure	6
status qualifier preserve the status qualifier	51
status update provide a status update	69
storage volume distinguish storage volume from delivery	60
substitution review a substitution	15
supply connection identify a supply connection	6
supply discrepancy investigate a supply discrepancy	15

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

surface condition report the surface condition	32
tap clarify the tap description	6
tee specify the tee	15
tenant report record the tenant report	5
tenant representative brief the tenant representative	50
time qualifier retain the time qualifier	33
trade coordination arrange trade coordination	60
trap identify the basin trap	6
unit number confirm the unit number	5
unlisted work identify unlisted work	60
update date confirm the update date	69
utility sink distinguish the utility sink	5
vanity unit describe the vanity unit	5
visible moisture describe visible moisture	6
visible patch describe the visible patch	32
visit booking distinguish a visit booking	69
wall build-up establish the wall build-up	24
wall thickness specify the wall thickness	14
wall-hung vanity assess the wall-hung vanity request	59
warranty record retain the warranty record	69
washroom locate the upstairs washroom	32
waste connection describe the waste connection	6
waste outlet identify the waste outlet	41
whole-building claim correct a whole-building claim	51

Original cases. Clear boundaries.

These are original fictional teaching conversations, not transcripts of real workers. Names, figures, organizations, and incidents are invented. Sources support terminology and communication aims, not the fictional results or an endorsement of this book.

[1] US Bureau of Labor Statistics. Plumbers, Pipefitters, and Steamfitters.

[Open the original source](#)

Occupational context for fixtures, project drawings, estimates, and coordination. No installation or repair procedures are reproduced. Checked 10 October 2026.

[2] Charlotte Pipe. ChemDrain Technical and Installation Manual.

[Open the original source](#)

Terminology reference distinguishing nominal size and outside diameter. The book gives no product sizing, compatibility, or installation decisions. Checked 10 October 2026.

[3] Oatey. Access Panels.

[Open the original source](#)

Background for describing access to concealed services. Examples do not specify compliant panel dimensions or approve enclosure changes. Checked 10 October 2026.

[4] Kohler. Product Support.

[Open the original source](#)

Context for model identification, technical documents, care information, and warranty records. Fictional cases do not reproduce product instructions. Checked 10 October 2026.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.

The cases, products, and project records are fictional. This book teaches English, not plumbing diagnosis, installation, testing, repair, valve operation, or code compliance. Follow actual training, authorization, manufacturer instructions, site procedures, and applicable requirements. A reported symptom, dry surface, drawing, or handover document does not establish system condition or authorize work. The conversations do not instruct clients to test, dismantle, or operate plumbing equipment.

English Ladder | English for Work | 2026 edition. The B2-C1 range is an editorial study recommendation, not a proficiency certification.

[Open the matching English Ladder course](#)