

Medical Devices English Participant Workbook

Practice pages for realistic field-specific meetings, pushback, documentation, and role-play preparation

Audience: medical device engineers, product managers, quality and regulatory staff, clinical specialists, manufacturing teams, field-service teams, and device-company leaders

Focus: A device-focused professional English curriculum for design controls, risk management, usability, verification and validation, regulatory pathways, complaint handling, quality systems, manufacturing, and clinical-user dialogue.

Designed for advanced ESL learners who already use professional English and need industry-specific terminology, realistic meetings, role-play pressure, careful pushback, and polished workplace outputs.

Teaching stance: this is language and workplace-communication training, not legal, medical, financial, safety, or regulatory advice. Instructors should connect every scenario to the learner's current company policies, local rules, and approved procedures.

How to Use This Workbook

For each module, read a workplace scenario and complete a bounded dialogue. Choose one of four options, then use the answer key to see why the selected phrase fits the evidence, risk, owner, and next step.

Module 1. User Needs and Design Inputs

Situation

A surgeon requests a feature after a product demo.

Stakeholder pressure: Add it to the roadmap as requested.

Constraint: User need, design input, intended use, and risk must be separated.

Terms to use

- user need
- design input
- intended use
- traceability

Guided dialogue completion

Situation

A surgeon requests a feature after a product demo.

Speaker	Line
Stakeholder	Add it to the roadmap as requested.
ESL learner	I understand the urgency. Before we commit, I need to confirm user need, design input, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	control
B	disclosure
C	risk-control rationale
D	design-input clarification

Module 2. Risk Management and Hazard Analysis

Situation

A team calls a rare use error acceptable.

Stakeholder pressure: Document that the risk is low and move on.

Constraint: Severity, probability, detectability, and mitigation evidence need review.

Terms to use

- hazard
- harm
- FMEA
- residual risk

Guided dialogue completion**Situation**

A team calls a rare use error acceptable.

Speaker	Line
Stakeholder	Document that the risk is low and move on.
ESL learner	I understand the urgency. Before we commit, I need to confirm hazard, harm, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	risk
B	owner
C	scope
D	risk-control rationale

Module 3. Verification, Validation, and Design Review**Situation**

Leadership asks whether testing is finished.

Stakeholder pressure: Say yes because verification passed.

Constraint: Validation, usability, clinical workflow, and traceability may still be open.

Terms to use

- verification
- validation
- design review

- acceptance criteria

Guided dialogue completion

Situation

Leadership asks whether testing is finished.

Speaker	Line
Stakeholder	Say yes because verification passed.
ESL learner	I understand the urgency. Before we commit, I need to confirm verification, validation, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	V&V readiness update
B	complaint intake summary
C	supplier quality update
D	label-safe training response

Module 4. Usability and Human Factors

Situation

A nurse repeatedly selects the wrong mode during formative testing.

Stakeholder pressure: Call it a training problem.

Constraint: Interface design, labeling, workflow, and risk controls need assessment.

Terms to use

- human factors
- use error
- formative study
- summative study

Guided dialogue completion

Situation

A nurse repeatedly selects the wrong mode during formative testing.

Speaker	Line
Stakeholder	Call it a training problem.
ESL learner	I understand the urgency. Before we commit, I need to confirm human factors, use error, the owner, and the evidence standard.

Speaker	Line
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	evidence
B	human-factors finding
C	supplier quality update
D	label-safe training response

Module 5. Regulatory Pathways and Submissions

Situation

Sales wants to say clearance is guaranteed because predicates exist.

Stakeholder pressure: Tell customers clearance is straightforward.

Constraint: Predicate comparison, indications, performance data, and agency review remain uncertain.

Terms to use

- 510(k)
- De Novo
- PMA
- predicate device

Guided dialogue completion

Situation

Sales wants to say clearance is guaranteed because predicates exist.

Speaker	Line
Stakeholder	Tell customers clearance is straightforward.
ESL learner	I understand the urgency. Before we commit, I need to confirm 510(k), De Novo, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	assumption
B	mitigation
C	approval

Option	Phrase
D	regulatory pathway caveat

Module 6. Complaints, MDRs, and Postmarket Signals

Situation

A field rep hears about a device malfunction during a case.

Stakeholder pressure: Handle it informally with the hospital.

Constraint: Complaint intake, adverse-event assessment, and reporting timelines may apply.

Terms to use

- complaint
- MDR
- malfunction
- postmarket surveillance

Guided dialogue completion

Situation

A field rep hears about a device malfunction during a case.

Speaker	Line
Stakeholder	Handle it informally with the hospital.
ESL learner	I understand the urgency. Before we commit, I need to confirm complaint, MDR, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	mitigation
B	complaint intake summary
C	timeline
D	assumption

Module 7. Manufacturing, Suppliers, and Nonconformance

Situation

A supplier change caused dimensional variation.

Stakeholder pressure: Use the parts to avoid backorder.

Constraint: Nonconformance, disposition, supplier CAPA, and process validation must be resolved.

Terms to use

- nonconformance
- supplier CAPA
- process validation
- lot traceability

Guided dialogue completion**Situation**

A supplier change caused dimensional variation.

Speaker	Line
Stakeholder	Use the parts to avoid backorder.
ESL learner	I understand the urgency. Before we commit, I need to confirm nonconformance, supplier CAPA, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	supplier quality update
B	design-input clarification
C	risk-control rationale
D	V&V readiness update

Module 8. Clinical Training and Labeling Boundaries**Situation**

A key opinion leader asks about an off-label technique.

Stakeholder pressure: Demonstrate the technique to build enthusiasm.

Constraint: Labeling, intended use, clinical evidence, and compliance boundaries control the response.

Terms to use

- labeling
- instructions for use
- off-label
- clinical evidence

Guided dialogue completion**Situation**

A key opinion leader asks about an off-label technique.

Speaker	Line
Stakeholder	Demonstrate the technique to build enthusiasm.
ESL learner	I understand the urgency. Before we commit, I need to confirm labeling, instructions for use, the owner, and the evidence standard.
Stakeholder	What would let us move forward responsibly?
ESL learner	Let's document the risk and prepare a _____ with facts, caveats, owner, and next step.

Choose the missing language

Option	Phrase
A	owner
B	label-safe training response
C	evidence
D	risk

Answer Key and Rationale

Check each answer after completing the dialogue. The rationale shows why the correct phrase is the strongest fit for the real workplace situation.

User Needs and Design Inputs

Correct answer	Why it fits
D. design-input clarification	A design-input clarification is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Risk Management and Hazard Analysis

Correct answer	Why it fits
D. risk-control rationale	A risk-control rationale is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Verification, Validation, and Design Review

Correct answer	Why it fits
A. V&V readiness update	A V&V readiness update is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Usability and Human Factors

Correct answer	Why it fits
B. human-factors finding	A human-factors finding is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Regulatory Pathways and Submissions

Correct answer	Why it fits
D. regulatory pathway caveat	A regulatory pathway caveat is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Complaints, MDRs, and Postmarket Signals

Correct answer	Why it fits
B. complaint intake summary	A complaint intake summary is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Manufacturing, Suppliers, and Nonconformance

Correct answer	Why it fits
A. supplier quality update	A supplier quality update is the bounded workplace output that captures the evidence, owner, and next action for this situation.

Clinical Training and Labeling Boundaries

Correct answer	Why it fits
B. label-safe training response	A label-safe training response is the bounded workplace output that captures the evidence, owner, and next action for this situation.