

ENGLISH FOR ELECTRICAL PROJECTS AND CLIENT COMMUNICATION

Electricians' Workplace English

Specific reports. Clear status.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.



Eight scenarios. Eight extended conversations.

INSIDE THE BOOK

192 vocabulary entries / 128 reusable phrases

160 dialogue turns / 80 numbered dialogue gaps

Word banks and explained answer keys

Upper-intermediate to advanced (B2-C1). For electricians, electrical project staff, service coordinators, and specialists communicating with clients and other trades.

2026 edition

Eight scenarios. Eight skills.

Eight electrical-work conversations: define a service report, distinguish lumens and color temperature, clarify a device datum, coordinate ceiling routes, correct an outage notice, report uncertainty, assess added equipment, and hand over an unverified directory entry.

01 Taking a precise electrical service request

4

Which sockets, where, and since when? | Narrow a broad client description to named devices, location, and observation time without inferring technical status or requesting tests.

02 Clarifying lighting specifications

13

More kelvins does not mean more light | Explain the difference between light output and color temperature while preserving unresolved compatibility and substitution decisions.

03 Agreeing device positions and drawing references

22

Centerline or lower edge? | Clarify the datum and device reference behind a mounting dimension without treating another trade drawing as installation approval.

04 Coordinating containment and shared work areas

31

A tray and a duct in bay C3 | Describe a cross-trade drawing conflict, request joint review, and preserve the distinction between a meeting and an approved route.

05 Communicating outage plans and status

40

Correcting the proposed outage notice | Preserve the proposed scope and time window, correct an overstated notice, and distinguish facilities approval from electrical status.

06 Reporting findings and uncertainty

49

Not seen today is not fault-free | Distinguish a reported intermittent symptom from a limited visit observation and avoid turning a pending report into an unsupported assurance.

07 Assessing added equipment and substitutions

58

A second machine changes the question | Request missing equipment information and explain the need for revised assessment and quotation without confirming capacity, price, or timing.

08 Handing over electrical records

67

An old room name needs verification | Confirm document receipt, record an identification discrepancy, and assign a dated follow-up without relabeling or implying operational clearance.

Communication field notes

3

Answers and explanations

76

Fast-access phrase pages

92

Vocabulary index

94

Sources and publication notes

102

Say exactly what the information establishes.

Precise electrical-work English separates client reports from verified conditions, lighting attributes from one another, and proposals from authorization. Practice accurate questions, comparisons, corrections, and handovers.

Keep a reported condition attributed

A client saying sockets are dead describes their experience; it is not verified electrical status. Capture the exact devices, location, and observation time without expanding the report to unassessed areas.

"The client reports two desk receptacles in Room 204, first noticed at 08:30."

Keep quantities attached to their units

Lumens describe light output, while kelvins describe color temperature. A mounting dimension also needs a reference point. A precise number alone does not settle a product comparison or an installation position.

"Both are listed at 1,200 lumens; the 3,000 K and 4,000 K values describe color temperature."

Separate proposals, approvals, and status

A requested outage window is not an approved outage or proof of isolation. Shared drawing review is not approval of a revised route. Use the exact stage established by the information.

"The proposed window is 18:00-19:00 for reception lighting only; facilities approval is pending."

Do not turn missing evidence into reassurance

A symptom not seen during one visit does not establish that a fault is absent. An outdated room label needs verification before identification is changed. State the limit and the named next step.

"Flickering was not observed during the visit; the cause is not established and report review is pending."

PROFESSIONAL BOUNDARIES

The cases and products are fictional. This book teaches English, not electrical testing, switching, isolation, diagnosis, installation, circuit identification, or code compliance. Follow actual training, authorization, procedures, manufacturer information, and applicable requirements. Client descriptions, labels, outage plans, and handover records do not prove equipment is de-energized or safe to use or work on. These dialogues authorize no electrical operation, relabeling, routing change, substitution, or added load.

Which sockets, where, and since when?

A Read the situation

Narrow a broad client description to named devices, location, and observation time without inferring technical status or requesting tests.

Client Rosa tells electrician Kai that the office sockets are dead. Her account concerns two desk receptacles in Room 204, noticed at 08:30. Other areas have not been assessed. A panel-directory entry says office, but its accuracy has not been verified. Kai must clarify the request from the information Rosa already has. He must not ask her to test or operate anything, expand the report to the whole office, or treat dead as proof of safe electrical status.

PEOPLE / Rosa: Client | Kai: Electrician

TRANSLATE BROAD WORDING INTO A PRECISE REPORT

Clients often use a general room name and an everyday word for a problem. Ask neutral questions about what they already observed. Keep their report attributed, preserve unassessed areas as unknown, and avoid turning an informal description into a technical finding.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does Rosa's account actually cover?

A Two desk receptacles in Room 204

C A verified whole-office outage

B Every circuit in the building

D A confirmed isolated panel

2. What does 08:30 represent?

A When Rosa noticed the problem

C A completed test time

B A verified fault start time

D A guaranteed repair appointment

3. What is the status of the panel-directory entry?

A It says office, but accuracy is unverified

C It authorizes the client to operate equipment

B It proves the relevant circuit identity

D It confirms the area is safe

Answers and explanations: [page 76](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

receptacle

Device providing contacts for a plug connection.

IN USE identify the reported receptacles

socket

Common term for a receptacle or plug-in connection point.

IN USE clarify which sockets are reported

outlet

Point where electrical energy is supplied to utilization equipment.

IN USE identify the outlet location

desk receptacle

Receptacle serving or located at a desk position.

IN USE specify the desk receptacle

service request

Report asking for attention to a stated issue.

IN USE clarify the service request

client account

Description supplied by the customer.

IN USE preserve the client account

reported symptom

Problem described by a person rather than established by a technical finding.

IN USE record the reported symptom

observation time

When a person noticed the described condition.

IN USE record the observation time

onset

Time when a condition began, if established.

IN USE distinguish observation from onset

affected location

Area named in the report as experiencing the issue.

IN USE specify the affected location

unassessed area

Location whose condition has not been evaluated.

IN USE identify unassessed areas

panel directory

List identifying circuits or areas associated with a panel.

IN USE verify the panel directory

Precision check

Dead is Rosa's informal description, not verified de-energized or isolated status. Her account identifies two desk receptacles in Room 204. Other areas are unassessed, so they must not be described as either working normally or affected.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

directory entry

Individual item in a panel or circuit list.

IN USE quote the directory entry

circuit identification

Establishing which circuit corresponds to a device or area.

IN USE refer circuit identification for verification

circuit

Electrical path or connected arrangement through which current may flow.

IN USE distinguish the circuit from the room name

distribution panel

Assembly distributing electrical supply to outgoing circuits.

IN USE identify the distribution panel

device count

Number of devices included in a report.

IN USE confirm the device count

room reference

Identifier locating a room in the building.

IN USE include the room reference

verified status

Condition established through the appropriate authorized process.

IN USE distinguish verified status

de-energized

In a state without energization, requiring appropriate verification before reliance.

IN USE avoid an unsupported de-energized claim

isolation status

Established state of separation from relevant energy sources under the actual procedure.

IN USE report only verified isolation status

technical finding

Conclusion supported by the relevant professional assessment.

IN USE distinguish a technical finding

scope of report

Extent of the issue actually described by the reporting person.

IN USE limit the scope of report

readback

Repetition of important information to confirm accuracy.

IN USE give a precise readback

Precision check

08:30 is the time the issue was noticed, not a proven onset time. The directory says office, but its accuracy is unverified. Clarify the report from known observations without asking the client to operate, open, switch, reset, or test any equipment.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE REPORT

"I will record what you have already observed."

CONFIRM THE DEVICES

"You mean the two desk receptacles in Room 204."

AVOID AN ONSET CLAIM

"We have not established exactly when it began."

PRESERVE UNKNOWN AREAS

"Other areas have not been assessed."

NARROW THE LOCATION

"Which room does your report concern?"

CLARIFY THE TIME

"Is 08:30 when you first noticed the issue?"

KEEP ATTRIBUTION

"The client reports that those two receptacles are not working as expected."

AVOID A WHOLE-OFFICE CLAIM

"I will not describe this as a verified office-wide outage."

The client reports

Attributes information rather than presenting it as a verified finding.

Noticed at

Describes observation time without proving when the issue began.

Two

Limits the device count instead of generalizing to a whole room or floor.

Phrases you can actually use

C Notice the language / 2 of 2

QUOTE THE LABEL ACCURATELY

"The directory entry says office."

SEPARATE WORDING AND STATUS

"Dead is your description, not verified electrical status."

USE EXISTING OBSERVATIONS

"You do not need to test or operate anything for this clarification."

READ BACK THE REQUEST

"Two desk receptacles, Room 204, noticed at 08:30, other areas unassessed."

KEEP IDENTIFICATION OPEN

"The directory's accuracy has not been verified."

AVOID A SAFETY INFERENCE

"I cannot infer that equipment is de-energized or safe from this report."

KEEP THE COUNT VISIBLE

"The report concerns two devices, not an unspecified number."

CLOSE THE INTAKE

"I will preserve the unverified directory entry separately from your device report."

Dead

Informal wording that must not become a technical statement of de-energization.

Unassessed

Means unknown, not unaffected and not necessarily faulty.

Says versus verifies

A directory label provides wording, not proof of correct circuit identification.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which service summary is accurate?

- A** Client reports two desk receptacles in Room 204, noticed at 08:30; other areas unassessed.
- B** Entire office verified dead since exactly 08:30.
- C** Panel isolated and safe because its label says office.
- D** All other areas confirmed normal.

2. Which question is appropriate?

- A** Which room does your existing report concern?
- B** Can you open the panel and test the circuit?
- C** Can you reset devices until something changes?
- D** Can you operate equipment to prove the label?

3. What does the label office establish?

- A** Only the wording of an unverified directory entry
- B** Verified circuit identity for the two devices
- C** Safe isolation of all office equipment
- D** A completed technical assessment

4. Which statement wrongly upgrades the evidence?

- A** The report concerns Room 204.
- B** The directory needs verification.
- C** The receptacles are confirmed de-energized because the client called them dead.
- D** The client used the word dead.

[Answers and explanations: page 76.](#)

Which sockets, where, and since when?

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

receptacles / observation time / unassessed areas / service request / readback / Circuit identification / room reference / reported symptom / verified status / directory entry

- 01 **Rosa:** The office sockets are dead. I need to report it, but I am not sure how much detail you want before someone looks at the issue.
- 02 **Kai:** Let us clarify the ¹ _____ using what you already know. Which room and which connection points does your report concern? You do not need to test or operate anything.
- 03 **Rosa:** It is Room 204, specifically the two receptacles at the desks. I used office because that is how we refer to that room.
- 04 **Kai:** I will use the ² _____ of 204 and name the two desk receptacles. I will not expand that to every connection point in the office.
- 05 **Rosa:** I noticed the issue at 08:30. I cannot say exactly when it started, because that was when I first became aware of it.
- 06 **Kai:** Then 08:30 is the ³ _____. I will keep that distinction and avoid saying the fault definitely began at that exact time.
- 07 **Rosa:** Nobody has assessed the other rooms as part of this report. I do not want my broad wording to make it sound as though they have.
- 08 **Kai:** I will describe those as ⁴ _____. That means their status is unknown here, not that they are definitely affected or definitely working normally.
- 09 **Rosa:** The panel directory has an entry saying office. I have that wording in the information we already hold, but I do not know whether it is accurate.
- 10 **Kai:** I will record the ⁵ _____ separately. Its wording is useful information, but it does not verify which circuit serves the devices in your report.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 10.

- 11 **Rosa:** Should I call them outlets or receptacles? I have heard both terms, and I want the person reading the request to recognize the same two points.
- 12 **Kai:** We can specify two desk ⁶ _____. The important detail is the exact devices and room, not replacing your wording with a broader claim about the electrical installation.
- 13 **Rosa:** And when I say dead, I only mean they were not working as I expected. I am not giving a technical statement about their condition.
- 14 **Kai:** I will preserve that as a ⁷ _____. Dead in a client account is not proof that equipment is de-energized, isolated, or safe to use or work on.
- 15 **Rosa:** Thank you. I would prefer the report to keep that limit explicit rather than have someone assume a check has already taken place because the wording sounds confident.
- 16 **Kai:** There is no ⁸ _____ established by this conversation. I am clarifying the information for the request, not reporting a completed electrical assessment.
- 17 **Rosa:** Could you read the description back before it goes further? The room, the two devices, and the time are the details I can confirm.
- 18 **Kai:** The ⁹ _____ is: client reports two desk receptacles in Room 204, noticed at 08:30; exact onset unknown; other areas unassessed; directory wording unverified.
- 19 **Rosa:** That is accurate. Please keep the directory wording attached as unverified information, not as proof that the circuit has already been identified.
- 20 **Kai:** I will. ¹⁰ _____ remains open for the appropriate process. The request will preserve your observations without asking you to carry out any electrical action or adding a technical finding.

ANSWERS / EXPLANATIONS: PAGE 77

1. service request | 2. room reference | 3. observation time | 4. unassessed areas | 5. directory entry | 6. receptacles | 7. reported symptom | 8. verified status | 9. readback | 10. Circuit identification

Keep the report attributed and specific

F Say it

Complete the intake readback from the client information. Do not turn the word dead or an unverified label into a technical conclusion.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

204 / 08:30 / two / unverified

Electrician: "Your report concerns ¹ _____ desk receptacles."

Client: "They are in Room ² _____."

Electrician: "You noticed the issue at ³ _____."

Client: "The directory entry remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 77

1. two | 2. 204 | 3. 08:30 | 4. unverified

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

More kelvins does not mean more light

A Read the situation

Explain the difference between light output and color temperature while preserving unresolved compatibility and substitution decisions.

Client Ben has selected two fictional luminaires for comparison with electrician Asha. Both are listed at 1,200 lumens. One is 3,000 kelvins and the other 4,000 kelvins. Ben assumes the larger kelvin number means more light. No substitution is approved, and driver compatibility remains for specialist review. Asha must explain the two attributes without promising identical illumination at a work surface or treating equal lumen output as proof that the products are interchangeable.

PEOPLE / Ben: Client | Asha: Electrician

CORRECT THE COMPARISON WITHOUT MAKING THE CLIENT FEEL FOOLISH

Lighting labels place several numbers close together, and a larger figure can seem like a simple improvement. Name what each unit describes, compare the supplied values, and keep separate questions such as distribution, compatibility, and approval visible.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What do both products list?

- | | |
|-------------------------------------|---|
| A An approved substitution | B 1,200 lumens |
| C The same color temperature | D Confirmed driver compatibility |

2. What differs between them?

- | | |
|---|---------------------------------------|
| A A confirmed installation position | B A supplied warranty duration |
| C The 3,000 K and 4,000 K color-temperature values | D The listed lumen output |

3. What remains for specialist review?

- | | |
|---|--|
| A Driver compatibility | B Whether 4,000 is greater than 3,000 |
| C Whether both labels say 1,200 lumens | D Whether Ben asked a question |

Answers and explanations: page 78.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

luminaire

Complete lighting unit with its relevant light source and supporting components.

IN USE compare the luminaires

lumen

Unit of luminous flux, describing visible light output.

IN USE compare lumen output

luminous flux

Total visible light output weighted for human visual sensitivity.

IN USE specify luminous flux

kelvin

Unit used to state correlated color temperature.

IN USE read the kelvin value

correlated color temperature

Description of a light source's color appearance relative to a reference, abbreviated CCT.

IN USE compare correlated color temperature

warm white

Description commonly used for a warmer white-light appearance.

IN USE describe warm-white light

cool white

Description commonly used for a cooler white-light appearance.

IN USE compare cool-white appearance

light output

Amount of light emitted, commonly stated in lumens.

IN USE distinguish light output

illuminance

Amount of light arriving on a surface per unit area.

IN USE assess illuminance at the work surface

lux

Unit of illuminance equal to one lumen per square meter.

IN USE state illuminance in lux

light distribution

Pattern in which a luminaire sends light into a space.

IN USE compare light distribution

beam angle

Angular spread used to describe a light beam under a stated convention.

IN USE check the beam angle

Precision check

Both luminaires are listed at 1,200 lumens, so the supplied light-output figures are equal. The 4,000 K product has a cooler color appearance than the 3,000 K product. The larger kelvin number does not establish a greater lumen output.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

LED

Light-emitting diode, a semiconductor light source.

IN USE identify the LED product

driver

Device supplying and regulating electrical power for an LED system.

IN USE review the driver specification

driver compatibility

Suitability of a driver for the specified lighting and control arrangement.

IN USE verify driver compatibility

dimming

Adjustment of light output through a compatible control arrangement.

IN USE review dimming requirements

control interface

Connection or protocol through which a lighting system is controlled.

IN USE identify the control interface

watt

Unit of power, distinct from a measure of light output.

IN USE compare input power in watts

efficacy

Light output per unit of input power, commonly lumens per watt.

IN USE distinguish efficacy from color temperature

color rendering

Effect of a light source on the appearance of object colors.

IN USE compare color rendering

color rendering index

Metric describing color fidelity relative to a reference, abbreviated CRI.

IN USE check the color rendering index

product data sheet

Document describing specified product attributes.

IN USE compare the product data sheets

substitution

Proposed replacement of a specified product with another.

IN USE review a proposed substitution

specialist review

Assessment by a person with relevant technical competence.

IN USE refer compatibility for specialist review

Precision check

Equal listed lumens do not guarantee identical light levels at a desk, because distribution and installation conditions matter. No substitution is approved, and driver compatibility remains unresolved. Do not infer wattage, efficiency, dimming behavior, or technical interchangeability from these two numbers.

Phrases you can actually use

C Notice the language / 1 of 2

NAME THE TWO ATTRIBUTES

"Lumens and kelvins describe different things."

EXPLAIN COLOR

"Kelvins describe the color temperature."

COMPARE THE COLOR

"The 4,000 K option has a cooler appearance than the 3,000 K option."

PRESERVE THE EXACT CLAIM

"Their listed outputs match; that is not a promise of identical desk illumination."

EXPLAIN OUTPUT

"Lumens describe the listed light output."

COMPARE THE GIVEN OUTPUT

"Both products are listed at 1,200 lumens."

CORRECT THE ASSUMPTION

"A larger kelvin number does not mean more lumen output."

SEPARATE DISTRIBUTION

"We also need to consider how the light is distributed."

Listed at

Attributes the value to the supplied product information, not a site measurement.

Cooler

Describes white-light color appearance rather than physical temperature or greater output.

Same output

Refers to the stated lumens, not every lighting characteristic.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID A WATTAGE INFERENCE

"The supplied figures do not tell us their input power."

KEEP COMPATIBILITY OPEN

"Driver compatibility still needs specialist review."

DISTINGUISH COMPARISON AND REPLACEMENT

"Comparing them does not authorize swapping one for the other."

AVOID A CONTROL PROMISE

"We have not established dimming compatibility."

AVOID AN EFFICIENCY INFERENCE

"We cannot rank efficiency from color temperature alone."

KEEP APPROVAL OPEN

"No product substitution is approved."

REFER THE DATA

"The specialist needs the relevant product and driver information."

READ BACK THE RESULT

"Same listed lumens, different color temperature, and compatibility still unresolved."

At the surface

Introduces illuminance, which is distinct from source output.

Compatible

Requires relevant technical assessment beyond matching two label numbers.

Approved substitution

A decision status that is separate from a comparison of specifications.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which correction is accurate?

- A** 4,000 K means 4,000 lumens.
- B** 3,000 K always uses less electricity.
- C** Equal lumens prove identical drivers.
- D** Both list 1,200 lumens; 4,000 K describes a cooler color appearance, not more listed output.

2. Which claim is not supported by equal lumens?

- A** The lumen figures do not differ in this comparison.
- B** Both will provide identical illumination at every desk.
- C** Their listed light-output values match.
- D** Each is listed at 1,200 lumens.

3. What should happen with driver compatibility?

- A** Refer it for specialist review using the relevant information
- B** Assume compatibility because both list 1,200 lumens
- C** Ask the client to try connecting them
- D** Treat the higher kelvin value as approval

4. What is the substitution status?

- A** Not approved
- B** Automatically approved by the color comparison
- C** Approved because the client mentioned both products
- D** Completed and tested

Answers and explanations: page 78.

More kelvins does not mean more light

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

watts / color appearance / Illuminance / lumen / product data sheet / Driver compatibility / light distribution / specialist review / substitution / correlated color temperature

- 01 **Ben:** I picked these two fittings to compare. The 4,000 K one gives more light than the 3,000 K one, so it should make the desk brighter, correct?
- 02 **Asha:** The larger number is the ¹ _____, not the light-output figure. Both products are listed at 1,200 lumens, so their stated outputs are equal.
- 03 **Ben:** I had treated all the numbers as variations on brightness. Could you explain which one I should use when comparing the amount of light?
- 04 **Asha:** Compare the ² _____ values for the listed output. In this comparison, each says 1,200. The kelvin values describe another attribute and should not replace that comparison.
- 05 **Ben:** Then what would I notice about the difference between 3,000 and 4,000 K? I want the wording right when I discuss the options with our designer.
- 06 **Asha:** The 4,000 K option has a cooler ³ _____ than the 3,000 K option. That describes the character of the white light, not an increase from 1,200 lumens.
- 07 **Ben:** If the listed output is the same, can I assume either one gives exactly the same light level on the desk after installation?
- 08 **Asha:** Not from that figure alone. ⁴ _____ at the desk is a different question. Distribution and installation conditions affect how much of the emitted light reaches that surface.
- 09 **Ben:** So two fittings can have the same total output and send it into the room differently. We would need more than these two numbers to compare that.
- 10 **Asha:** Yes. Their ⁵ _____ matters. I will not turn matching lumen figures into a guarantee that every point in the room receives the same light.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 19.

- 11 **Ben:** What about electricity use? Does the higher kelvin number mean the fitting needs more power, or is that another separate part of the data?
- 12 **Asha:** Input power is stated in ⁶ _____. We do not have those figures here, so neither the kelvin difference nor the matching lumens establishes which uses more power.
- 13 **Ben:** Understood. I also saw a driver mentioned in the product information. Can we assume the one planned for the first fitting will suit the second?
- 14 **Asha:** No. ⁷ _____ still needs specialist review. Matching output figures do not establish that the electrical and control arrangements are suitable for both products.
- 15 **Ben:** I am only comparing options at this stage. Please do not treat my question about the second fitting as approval to substitute it in the order.
- 16 **Asha:** I will keep ⁸ _____ approval separate. No replacement product is approved in this conversation, and the outstanding compatibility question remains visible.
- 17 **Ben:** Could the specialist review the relevant product and driver details before anyone tells me that changing the fitting is straightforward? I would rather know the actual requirements.
- 18 **Asha:** The relevant ⁹ _____ and driver information should support that review. We have not established dimming behavior or interchangeability from the supplied figures.
- 19 **Ben:** My summary is that both list 1,200 lumens, while 3,000 and 4,000 K describe different color appearances. The comparison does not settle the technical replacement question.
- 20 **Asha:** Correct. The ¹⁰ _____ remains outstanding. We can explain the labels accurately while leaving compatibility and any substitution decision open until the appropriate information is assessed.

ANSWERS / EXPLANATIONS: PAGE 79

1. correlated color temperature | 2. lumen | 3. color appearance | 4. Illuminance | 5. light distribution | 6. watts | 7. Driver compatibility | 8. substitution | 9. product data sheet | 10. specialist review

Keep light output and color separate

F Say it

Complete the client explanation using the supplied values. Do not infer a different output, identical desk illumination, or approved compatibility.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

cooler / lumens / kelvins / review

Electrician: "Both products list 1,200 ¹ _____."

Client: "The 3,000 and 4,000 values are in ² _____."

Electrician: "The 4,000 K option has a ³ _____ appearance."

Client: "Driver compatibility still needs specialist ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 79

1. lumens | 2. kelvins | 3. cooler | 4. review

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Centerline or lower edge?

A Read the situation

Clarify the datum and device reference behind a mounting dimension without treating another trade drawing as installation approval.

Electrician Leila and joinery coordinator Omar review a reception elevation showing a device at 1,100 millimeters above finished floor level. The electrical note does not identify whether the figure refers to the device centerline or lower edge. The joinery drawing uses a centerline. No position has been approved for installation. Leila needs the responsible designer to clarify the intended reference rather than silently import the joinery convention into the electrical detail.

PEOPLE / Omar: Joinery coordinator | Leila: Electrician

SHARED NUMBERS STILL NEED SHARED REFERENCE POINTS

Two trades may use the same dimension while measuring to different parts of a component. Name the datum and endpoint separately. Another drawing can reveal a question to resolve, but its convention does not automatically answer an unclear note in a different discipline.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What is stated on the reception elevation?

- | | |
|---|--|
| A An approved lower-edge position | B A verified centerline instruction for installation |
| C A dimension from the unfinished slab | D 1,100 millimeters above finished floor level, with the device reference unclear |

2. What convention does the joinery drawing use?

- | | |
|------------------------------|------------------------|
| A Lower edge only | B Top edge only |
| C No reference at all | D Centerline |

3. What is the installation status?

- | | |
|--|--|
| A No device position is approved | B Centerline approved automatically |
| C Lower edge approved automatically | D Installation already completed |

Answers and explanations: [page 80](#).

The vocabulary that does the work

B Find the words / 1 of 2

03

Read the definitions and say the common word combinations aloud.

finished floor level

Level of the completed floor surface, commonly abbreviated FFL.

IN USE confirm finished floor level

above finished floor

Dimension measured upward from the completed floor, commonly abbreviated AFF.

IN USE state the height above finished floor

centerline

Reference line through the specified center of a component.

IN USE identify the centerline

lower edge

Bottom boundary of the specified device or component.

IN USE locate the lower edge

upper edge

Top boundary of the specified device or component.

IN USE distinguish the upper edge

mounting height

Specified height for locating a mounted device.

IN USE clarify the mounting height

device position

Intended location of a specified component.

IN USE confirm the device position

reception elevation

Drawing view showing the reception face and its details.

IN USE review the reception elevation

datum level

Reference level from which a height is measured.

IN USE verify the datum level

dimension endpoint

Point or edge to which a dimension extends.

IN USE identify the dimension endpoint

set-out

Defined positioning information for locating work.

IN USE clarify the set-out information

joinery interface

Point where electrical work and fitted woodwork must coordinate.

IN USE review the joinery interface

Precision check

The floor datum is stated: finished floor level. The missing information is the endpoint on the device, centerline or lower edge. The joinery centerline convention highlights the need to coordinate, but does not authorize applying that convention to the electrical note.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

drawing convention

Agreed or customary way information is represented on a drawing.

IN USE clarify the drawing convention

reference ambiguity

Uncertainty about what a dimension or note refers to.

IN USE flag the reference ambiguity

faceplate

Visible plate associated with an electrical accessory or device.

IN USE identify the faceplate

back box

Enclosure behind a device or accessory.

IN USE distinguish the back box

device schedule

List identifying specified devices and their attributes.

IN USE check the device schedule

horizontal alignment

Relative positioning along a horizontal direction.

IN USE coordinate horizontal alignment

vertical alignment

Relative positioning along a vertical direction.

IN USE confirm vertical alignment

approved location

Position explicitly accepted through the relevant process.

IN USE verify the approved location

design clarification

Explanation resolving uncertain design information.

IN USE request design clarification

coordination mark-up

Annotated drawing used to communicate coordination questions.

IN USE prepare a coordination mark-up

installation instruction

Authorized direction for fitting the specified equipment.

IN USE distinguish an installation instruction

reference readback

Repetition of the datum and endpoint to verify shared understanding.

IN USE give a reference readback

Precision check

No device dimensions are supplied, so no centerline-to-edge conversion can be calculated here. No position is approved for installation. The next step is design clarification of the intended reference, with both drawings included in the coordination question.

Phrases you can actually use

C Notice the language / 1 of 2

READ THE STATED HEIGHT

"The elevation shows 1,100 millimeters above finished floor level."

IDENTIFY THE MISSING ENDPOINT

"The note does not say centerline or lower edge."

AVOID IMPORTING A CONVENTION

"That does not automatically settle the electrical reference."

KEEP THE DATUM UNCHANGED

"I am not asking to change the finished-floor reference."

IDENTIFY THE KNOWN DATUM

"The reference level is the completed floor surface."

CITE THE OTHER DRAWING

"The joinery drawing uses a centerline."

ASK A PRECISE QUESTION

"Does 1,100 refer to the device centerline or its lower edge?"

KEEP THE VALUE UNCHANGED

"The query concerns the endpoint, not a new height."

Above finished floor

Defines the vertical origin of the measurement, not its endpoint on the device.

Centerline versus edge

Different references that can produce different positions from the same stated number.

Uses

Describes the other drawing's convention without transferring its authority.

Phrases you can actually use

C Notice the language / 2 of 2

03

AVOID A GUESSED CONVERSION

"We do not have the device dimensions needed for a conversion."

REQUEST COORDINATED REVIEW

"Please review the reception elevation with the joinery drawing."

NAME THE INTERFACE

"This is a device-position question at the joinery interface."

READ BACK THE KNOWN FACTS

"1,100 above finished floor, endpoint unclear, joinery centerline shown."

PRESERVE APPROVAL STATUS

"No installation position has been approved."

DISTINGUISH A MARK-UP FROM APPROVAL

"A coordination note is not an installation instruction."

ASK FOR EXPLICIT CLARIFICATION

"The reply should state the datum and the device reference."

CLOSE WITHOUT SETTING A POSITION

"We need clarification before presenting either interpretation as approved."

Clarify versus change

Resolving meaning does not necessarily request a different design.

Shown versus approved

A displayed dimension and an accepted installation position are distinct statuses.

Both drawings

Keeps the interface visible for coordinated interpretation.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which question addresses the ambiguity?

- A** Is the 1,100-millimeter height to the centerline or lower edge of the device?
- B** Why is the lower edge already approved?
- C** Can we assume the unfinished slab is the datum?
- D** Which installed device has failed?

2. Which fact is already known?

- A** The datum is finished floor level
- B** The electrical endpoint is definitely centerline
- C** The lower edge is approved
- D** The device height needed for conversion

3. Which inference is unsupported?

- A** No installation position is approved.
- B** The joinery centerline automatically approves the electrical centerline position.
- C** The joinery drawing uses a centerline.
- D** The electrical note needs clarification.

4. What should the clarification preserve?

- A** Both drawing references, the stated height, the floor datum, and the unanswered endpoint
- B** A guessed device height
- C** An invented installation approval
- D** A substituted floor reference

Answers and explanations: [page 80](#).

Centerline or lower edge?

E Conversations / turns 1-10

03

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

reference readback / installation instruction / Finished floor level / approved location / dimension endpoint / reference ambiguity / mounting height / joinery interface / design clarification / coordination mark-up

- 01 **Omar:** The reception elevation says 1,100 above finished floor. Our joinery drawing uses a centerline, so can we treat the electrical device position as matching that?
- 02 **Leila:** Not yet. The ¹ _____ is shown, but the electrical note does not say whether it refers to the centerline or the lower edge.
- 03 **Omar:** I see. We know the level from which the height starts, but not exactly where it ends on the device. Is that the distinction?
- 04 **Leila:** Yes. ² _____ is the stated datum. The missing part is the reference on the device, and we should keep those two questions separate.
- 05 **Omar:** I can include the joinery detail in the query. It shows why I expected a centerline, but I do not want it treated as a decision for your drawing.
- 06 **Leila:** That will help explain the ³ _____. The other drawing is relevant evidence for the question, not permission to fill in the missing electrical reference ourselves.
- 07 **Omar:** Should we ask whether the dimension is to the faceplate, the box, or some other feature? I want the reply to remove the ambiguity rather than repeat the number.
- 08 **Leila:** We need an explicit ⁴ _____. The reply should identify the intended device reference, including whether the note means centerline or lower edge.
- 09 **Omar:** Could we calculate the difference between those positions now? That might show the team why the same number does not necessarily put the device in the same place.
- 10 **Leila:** We do not have the device dimensions for that calculation. A ⁵ _____ is not solved by inventing an offset or assuming a particular faceplate size.

The conversation, continued

E Conversations / turns 11-20

03

Continue with the word bank on page 28.

- 11 **Omar:** Fair point. I will keep the question about interpretation, not turn it into a proposal to raise or lower the device by a guessed amount.
- 12 **Leila:** Exactly. The ⁶ _____ concerns what the existing note means. We are not asking to change the 1,100-millimeter value or the finished-floor datum without a design decision.
- 13 **Omar:** No position has been approved for installation, correct? I want the review note to make that explicit before it reaches the site team.
- 14 **Leila:** Correct. There is no ⁷ _____ from this conversation. Neither interpretation should be presented as an authorized installation position while the reference remains unresolved.
- 15 **Omar:** I can prepare a marked-up comparison showing the reception elevation and the joinery centerline. That should make the question easier to locate.
- 16 **Leila:** A ⁸ _____ is useful for the review. It should identify the uncertainty clearly, not look like an instruction to install at the position you have assumed.
- 17 **Omar:** Please give me the wording you want in the query. I want the responsible designer to answer the specific issue rather than comment generally on reception.
- 18 **Leila:** Use this ⁹ _____: 1,100 millimeters above finished floor level; electrical endpoint unclear; joinery uses centerline; please confirm the intended device reference with both drawings reviewed together.
- 19 **Omar:** That is precise. I will keep the current value and the unapproved status visible, and avoid using the mark-up as if the designer had already answered.
- 20 **Leila:** Thank you. The clarification is not an ¹⁰ _____ until the relevant process establishes what is intended and approved. For now, the endpoint remains open and no position is authorized here.

ANSWERS / EXPLANATIONS: PAGE 81

1. mounting height | 2. Finished floor level | 3. joinery interface | 4. dimension endpoint | 5. reference ambiguity | 6. design clarification | 7. approved location | 8. coordination mark-up | 9. reference readback | 10. installation instruction

Name both ends of the dimension

F Say it

Complete the coordination query. Preserve the height, known floor datum, unclear endpoint, and lack of installation approval.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

edge / 1,100 / approved / floor

Electrician: "The stated height is ¹ _____ millimeters."

Coordinator: "It is measured above finished ² _____ level."

Electrician: "The device reference could be centerline or lower
³ _____."

Coordinator: "No installation position is ⁴ _____ yet."

ANSWERS / EXPLANATIONS: PAGE 81

1. 1,100 | 2. floor | 3. edge | 4. approved

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A tray and a duct in bay C3

A Read the situation

Describe a cross-trade drawing conflict, request joint review, and preserve the distinction between a meeting and an approved route.

Electrical drawing E6 places a cable tray in ceiling bay C3. The mechanical layout shows a duct in the same space. Electrician Dev reports the conflict to ceiling coordinator Elena before the coordination meeting at 13:00. Neither trade has agreed a revised route. Dev needs both drawings reviewed together. He must not announce an invented offset, assume one trade has priority, or treat the meeting time as authorization to install a changed route.

PEOPLE / Elena: Ceiling coordinator | Dev: Electrician

DESCRIBE THE INTERFACE WITHOUT TURNING IT INTO A CONTEST

A shared-space conflict needs a coordinated answer, not a claim that one trade must move because the other spoke first. Name the components, location, and drawing sources, then state the unresolved route and the agreed review point.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What occupies the same drawn space?

A A cable tray on E6 and a duct on the mechanical layout in bay C3

C A completed installation and an unrelated floor finish

B Two approved routes in separate rooms

D A tray with a confirmed revised offset

2. What is scheduled for 13:00?

A Guaranteed route approval

C A confirmed installation start

B Completion of the reroute

D The ceiling coordination meeting

3. What is the revised-route status?

A Both routes are installed and accepted

C Electrical has automatic priority

B Neither trade has agreed one

D Mechanical has accepted a specific offset

Answers and explanations: page 82.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

cable tray

Support system used to carry cables along a route.

IN USE identify the cable tray

containment

Systems supporting or enclosing cables along their route.

IN USE coordinate cable containment

conduit

Tube or pipe used as an electrical raceway.

IN USE distinguish conduit from cable tray

trunking

Enclosed channel used to contain cables in relevant terminology.

IN USE identify the trunking route

raceway

Channel designed to contain electrical conductors or cables.

IN USE specify the raceway

duct

Passage or enclosure conveying air in a mechanical system.

IN USE locate the mechanical duct

ceiling bay

Defined section of ceiling space used as a location reference.

IN USE identify ceiling bay C3

ceiling void

Space above a ceiling surface.

IN USE coordinate work in the ceiling void

mechanical layout

Drawing showing the arrangement of mechanical services.

IN USE compare the mechanical layout

electrical layout

Drawing showing the arrangement of electrical work.

IN USE review the electrical layout

route conflict

Incompatibility between proposed paths or occupied spaces.

IN USE flag a route conflict

spatial clash

Overlap or incompatible use of physical space.

IN USE report a spatial clash

Precision check

E6 places a cable tray in ceiling bay C3 where the mechanical layout shows a duct. The conflict is between the drawn arrangements; the case does not establish completed installation. No revised route or priority rule is agreed.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

clearance requirement

Space needed around a component for the relevant purpose.

IN USE verify clearance requirements

maintenance access

Space or route needed for inspection or servicing.

IN USE preserve maintenance access

support arrangement

Specified way a component is held in place.

IN USE review the support arrangement

coordinated drawing

Drawing incorporating agreed interfaces among relevant disciplines.

IN USE issue a coordinated drawing

revised route

Changed path proposed or agreed for a service.

IN USE review a revised route

proposed offset

Suggested displacement from a stated route or position.

IN USE assess a proposed offset

trade priority

Claimed or agreed precedence between work disciplines.

IN USE avoid assuming trade priority

joint review

Assessment involving the relevant parties together.

IN USE request a joint review

coordination meeting

Discussion intended to resolve interfaces and arrangements.

IN USE attend the coordination meeting

route approval

Acceptance of a specified routing arrangement.

IN USE confirm route approval

drawing overlay

Combined view of related drawings for comparison.

IN USE use a drawing overlay

unresolved interface

Cross-discipline connection or conflict not yet settled.

IN USE record an unresolved interface

Precision check

The meeting at 13:00 is a review point, not a route approval or installation start. Both drawings need joint review. No alternative route, offset, clearance, support detail, or maintenance-access solution is supplied for students to invent.

Phrases you can actually use

C Notice the language / 1 of 2

LOCATE THE CONFLICT

"The clash is in ceiling bay C3."

CITE THE MECHANICAL SOURCE

"The mechanical layout shows a duct there."

REQUEST JOINT REVIEW

"We need both drawings reviewed together."

AVOID PRIORITY ASSUMPTIONS

"I am not assuming that one trade automatically takes priority."

CITE THE ELECTRICAL SOURCE

"E6 shows the cable tray in that space."

STATE THE INTERFACE

"The two drawn routes occupy the same space."

PRESERVE THE CURRENT STATUS

"Neither trade has agreed a revised route."

AVOID AN INVENTED OFFSET

"No offset has been proposed and approved here."

Shows

Attributes the position to a drawing rather than claiming it is installed.

Same space

Defines the conflict between the two arrangements.

Neither

Makes clear that no trade has agreed the revised route.

Phrases you can actually use

C Notice the language / 2 of 2

STATE THE MEETING TIME

"The ceiling coordination meeting is at 13:00."

KEEP RELATED REQUIREMENTS OPEN

"Clearances and access would need review for any proposed solution."

KEEP THE RECORD SPECIFIC

"Cable tray and duct conflict at C3, with route revision unresolved."

PRESERVE BOTH SOURCES

"Please keep E6 and the mechanical layout attached to the query."

SEPARATE MEETING AND APPROVAL

"The meeting time does not authorize a routing change."

AVOID AN INSTALLATION CLAIM

"I am describing the drawings, not a completed site installation."

ASK FOR AN EXPLICIT OUTCOME

"The review needs to identify the agreed arrangement through the project process."

CLOSE WITH THE OPEN ISSUE

"The interface remains unresolved pending coordinated review."

Together

Calls for coordinated review rather than separate assumptions.

At 13:00

Identifies the meeting, not the time a technical solution becomes approved.

Proposed versus agreed

A possible change and an accepted route are different stages.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which report identifies the conflict precisely?

- A** The ceiling is wrong somewhere.
- B** Mechanical must move because electrical has priority.
- C** A new offset is already approved.
- D** E6 cable tray and mechanical-layout duct share ceiling bay C3; revised route unresolved.

2. What does Dev need at the meeting?

- A** Both drawings reviewed together
- B** Only E6 treated as automatically authoritative
- C** A guessed offset presented as agreed
- D** Confirmation of a completed reroute that never occurred

3. Which statement overstates the 13:00 arrangement?

- A** Neither trade has agreed a revision.
- B** The new route is approved for installation at 13:00.
- C** The coordinator meeting is at 13:00.
- D** The route remains unresolved.

4. What must remain open for a proposed solution?

- A** Whether the mechanical layout shows a duct
- B** The actual route and relevant technical coordination requirements
- C** Whether E6 shows a tray
- D** Whether C3 is the identified bay

Answers and explanations: [page 82](#).

A tray and a duct in bay C3

E Conversations / turns 1-10

04

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

revised route / route conflict / unresolved interface / joint review / coordination meeting /
Maintenance access / electrical layout / route approval / ceiling bay / trade priority

- 01 **Elena:** What needs to come into the ceiling meeting at 13:00? I want each issue tied to a location so we can review the relevant drawings together.
- 02 **Dev:** There is a ¹ _____ in bay C3. Electrical drawing E6 places a cable tray where the mechanical layout shows a duct.
- 03 **Elena:** Is that a conflict on the drawings, or are you reporting that both services have already been installed in the same area?
- 04 **Dev:** I am reporting the ² _____ against the mechanical layout. I am not saying the components are already installed or that a site alteration has been authorized.
- 05 **Elena:** Thank you. Has either trade agreed to a revised path, perhaps in a separate discussion that has not reached the coordination record?
- 06 **Dev:** Neither trade has agreed a ³ _____. I do not have an accepted alternative to bring to the team, only the conflict and the two drawing sources.
- 07 **Elena:** Then we should show both views rather than ask one trade to solve its route in isolation. The shared space is the point we need to address.
- 08 **Dev:** Exactly. A ⁴ _____ is needed. Looking only at E6 would hide the duct, while looking only at the mechanical layout would hide the tray requirement.
- 09 **Elena:** Can we state that one service has priority? Sometimes people arrive with that assumption, even when the project has not made a decision about the interface.
- 10 **Dev:** No ⁵ _____ is supplied here. I should not tell the mechanical team it must move, or promise that electrical will move, before the coordinated review.

The conversation, continued

E Conversations / turns 11-20

04

Continue with the word bank on page 37.

- 11 **Elena:** Agreed. We also need to avoid a sketch that looks like an approved solution when it is only a way of showing the clash.
- 12 **Dev:** I can identify the ⁶ _____ as C3 and preserve both positions. No offset is agreed, so the query should not draw an invented change as though it has been accepted.
- 13 **Elena:** If a route is proposed during review, the team will need the relevant clearances and access considered. We do not have those details in this issue note yet.
- 14 **Dev:** Correct. ⁷ _____ and other requirements cannot be assumed from a simple line moved on a drawing. The current report does not settle them.
- 15 **Elena:** Please keep the 13:00 time in the message, but make clear that it is the meeting. I do not want it copied as an installation start.
- 16 **Dev:** I will label it as the ⁸ _____. It is a review point, not permission to install a new route or a promise that the conflict will be resolved by then.
- 17 **Elena:** Read the issue back once before you send it. I want the two sources and the unagreed status in the same short summary.
- 18 **Dev:** E6 cable tray and mechanical-layout duct share bay C3; ⁹ _____ is not established; both drawings need review at the 13:00 ceiling meeting. No alternative route is agreed.
- 19 **Elena:** That gives the team the question without assigning blame or inventing the answer. I will keep both drawings with the issue for the joint discussion.
- 20 **Dev:** Thank you. I will retain it as an ¹⁰ _____ until the project process records an agreed arrangement. The meeting and the query do not themselves authorize a routing change.

ANSWERS / EXPLANATIONS: PAGE 83

1. route conflict | 2. electrical layout | 3. revised route | 4. joint review | 5. trade priority | 6. ceiling bay | 7. Maintenance access | 8. coordination meeting | 9. route approval | 10. unresolved interface

Bring both drawings to the review

F Say it

Complete the coordination summary. Include the electrical source, shared bay, meeting time, and unresolved route status.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

E6 / agreed / 13:00 / C3

Electrician: "The cable tray is shown on drawing ¹ _____."

Coordinator: "The shared ceiling bay is ² _____."

Electrician: "The coordination meeting is at ³ _____."

Coordinator: "Neither trade has ⁴ _____ a revised route."

ANSWERS / EXPLANATIONS: PAGE 83

1. E6 | 2. C3 | 3. 13:00 | 4. agreed

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Correcting the proposed outage notice

A Read the situation

Preserve the proposed scope and time window, correct an overstated notice, and distinguish facilities approval from electrical status.

05

Electrician Imani reviews an outage request with facilities coordinator Joel. The request proposes 18:00-19:00 for reception lighting only. Facilities has not approved it. A draft tenant notice incorrectly says the whole floor will be unavailable. No isolation status is supplied. Imani and Joel need to correct the notice scope and its proposed status without presenting the window as confirmed or giving operational instructions.

PEOPLE / Joel: Facilities coordinator | Imani: Electrician

CORRECT SCOPE AND STATUS TOGETHER

A notice can mislead through both its area description and its level of certainty. Correcting whole floor to reception lighting is not enough if the notice still presents an unapproved request as confirmed. Keep proposal, approval, communication, and verified operational status separate.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the request propose?

- | | |
|---|---|
| A A confirmed outage for every service | B An already completed isolation |
| C Reception lighting only, 18:00-19:00 | D The whole floor all day |

2. What is wrong with the tenant notice?

- | | |
|---|--|
| A It correctly limits the proposal to reception lighting | B It establishes verified isolation |
| C It confirms facilities approval already received | D It says the whole floor will be unavailable |

3. What remains unapproved?

- | | |
|--|---|
| A The fact that the requested window is 18:00-19:00 | B The wording reception lighting only in the request |
| C The outage request | D The existence of the draft notice |

Answers and explanations: [page 84](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

outage request

Proposal for an interruption of a defined service.

IN USE submit an outage request

proposed window

Suggested period not yet approved or confirmed.

IN USE state the proposed window

reception lighting

Lighting serving the reception area.

IN USE identify the reception-lighting scope

affected service

Particular function covered by the proposed interruption.

IN USE name the affected service

impact scope

Extent of the service or area affected as described.

IN USE correct the impact scope

tenant notice

Communication informing occupants of a relevant building arrangement.

IN USE review the tenant notice

draft notice

Preliminary communication not yet treated as final.

IN USE correct the draft notice

facilities approval

Acceptance through the responsible facilities process.

IN USE await facilities approval

approval status

Whether a proposal is accepted, pending, or rejected.

IN USE state the approval status

confirmed window

Time period explicitly agreed through the relevant process.

IN USE distinguish a confirmed window

planned interruption

Intended break in service delivery.

IN USE describe the planned interruption

isolation

Separation from relevant energy sources through the applicable authorized process.

IN USE distinguish isolation from a planned outage

Precision check

The proposal is 18:00-19:00 for reception lighting only. Facilities approval is pending. The notice wrongly expands the scope to the whole floor. Correct both the affected service and the unapproved status; do not call the request a confirmed outage.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

isolation status

Verified state under the applicable electrical procedure.

IN USE avoid inferring isolation status

operational instruction

Direction to perform an equipment or system action.

IN USE distinguish a notice from an operational instruction

notice correction

Amendment of inaccurate communication.

IN USE make a notice correction

whole-floor impact

Claim that an entire floor is affected.

IN USE avoid an unsupported whole-floor impact

service boundary

Limit of the functions included in the request.

IN USE preserve the service boundary

time range

Stated beginning and end of a period.

IN USE confirm the time range

pending approval

Awaiting a decision rather than accepted.

IN USE mark the request pending approval

communication release

Authorization or controlled action to issue a notice.

IN USE confirm the communication release

scope readback

Repetition of the exact extent of a proposal.

IN USE give a scope readback

status qualifier

Wording showing the level of certainty or approval.

IN USE preserve the status qualifier

authorization

Permission for a specified action through the relevant process.

IN USE distinguish authorization from discussion

revision record

Note showing how a communication or document changed.

IN USE maintain a revision record

Precision check

No isolation status is given. An outage request, even if later approved, is not proof of safe electrical status. The exercise concerns accurate communication, not switching, testing, isolation, restoration, or instructions for staff to operate equipment.

Phrases you can actually use

C Notice the language / 1 of 2

STATE THE PROPOSAL

"The request proposes 18:00-19:00."

STATE THE APPROVAL LIMIT

"Facilities has not approved the request."

CORRECT THE SCOPE

"Replace that impact claim with reception lighting only."

SEPARATE TWO CHECKS

"We need accurate scope and accurate approval status."

NAME THE EXACT SERVICE

"The scope is reception lighting only."

FLAG THE WORDING ERROR

"The draft notice incorrectly says the whole floor will be unavailable."

CORRECT THE CERTAINTY

"Keep the window labeled proposed, not confirmed."

AVOID AN ALL-SERVICES CLAIM

"The request does not include every service on the floor."

Proposes

Marks an arrangement as requested rather than accepted.

Only

Limits the service scope to reception lighting.

Will be unavailable

Can incorrectly present a proposal as a definite future event.

Phrases you can actually use

C Notice the language / 2 of 2

PRESERVE THE TIME RANGE

"The proposed start is 18:00 and the proposed end is 19:00."

SEPARATE PLANNING AND OPERATION

"A notice is not an electrical operating instruction."

USE A STATUS QUALIFIER

"Proposed window, pending facilities approval."

PRESERVE THE REVIEW ROUTE

"The corrected wording still needs the relevant review and release process."

AVOID A SAFETY INFERENCE

"The request gives no verified isolation status."

AVOID PREMATURE RELEASE

"This discussion does not authorize issuing a final notice."

READ BACK THE CORRECTION

"Reception lighting only, 18:00-19:00, approval pending."

CLOSE WITH THE UNRESOLVED STATUS

"No confirmed outage or operational clearance is established here."

Pending

Indicates no approval decision has yet been supplied.

Notice versus instruction

Occupant information does not direct electrical operations.

No status supplied

Prevents assumptions about energization or isolation from planning paperwork.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which wording preserves scope and status?

- A** Reception lighting safely isolated now.
- B** All services approved for shutdown.
- C** Proposed reception-lighting interruption, 18:00-19:00, pending facilities approval.
- D** Whole floor confirmed unavailable all evening.

2. Why is changing whole floor alone insufficient?

- A** Every service must be added instead.
- B** A corrected area automatically verifies isolation.
- C** The notice must also stop presenting the unapproved window as confirmed.
- D** The time range must be invented again.

3. What does the request establish about isolation?

- A** All equipment is safe to work on
- B** Reception lighting is already isolated
- C** The floor has been tested
- D** No verified isolation status is supplied

4. What is the purpose of this review?

- A** Instruct tenants to operate equipment
- B** Authorize switching without the actual procedure
- C** Announce restoration already complete
- D** Correct the communication and preserve the unresolved approval

Answers and explanations: [page 84](#).

Correcting the proposed outage notice

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

isolation status / communication release / proposed window / status qualifier / notice correction / authorization / affected service / scope readback / impact scope / facilities approval

- 01 **Joel:** The draft tenant notice says the whole floor will be unavailable from 18:00 to 19:00. Is that the scope you put in the outage request?
- 02 **Imani:** No. The ¹ _____ is reception lighting only. The notice has expanded the impact beyond the request, and that needs to be corrected.
- 03 **Joel:** I will change the area description. Can the notice then say the reception lighting will be unavailable during that hour, or is there another status issue?
- 04 **Imani:** There is another issue: ² _____ has not been given. The window is proposed, not confirmed, so the wording must preserve that as well.
- 05 **Joel:** Then we have two errors to avoid: an impact that is too broad and a definite statement about a window that has not been accepted.
- 06 **Imani:** Exactly. Correcting the ³ _____ alone would not make the notice accurate. It also needs to describe the pending approval rather than promise an outage.
- 07 **Joel:** Please confirm the requested times. I want to preserve the actual proposal while changing the inaccurate wording, not introduce a different window by mistake.
- 08 **Imani:** The ⁴ _____ is 18:00-19:00. Both times belong to the request, and neither should be treated as a confirmed operational arrangement in this review.
- 09 **Joel:** Could the notice simply say proposed reception-lighting interruption, pending facilities approval? That would make its present status visible to whoever reviews the wording next.
- 10 **Imani:** Yes, that ⁵ _____ preserves the distinction. Include the proposed time range and keep reception lighting only attached to it, rather than saying all services.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 46.

- 11 **Joel:** Does an outage request tell us anything about isolation? I do not want the notice to imply that the lighting has already been made safe for work.
- 12 **Imani:** No ⁶ _____ is supplied. Planning paperwork is not proof that equipment is de-energized or safe, and the notice should not make that claim.
- 13 **Joel:** Understood. We are correcting information about a proposal, not giving tenants or the site team instructions to switch, test, or restore anything.
- 14 **Imani:** Correct. This is a ⁷ _____, not an operating procedure. No electrical action is authorized by the revised sentence or by our discussion.
- 15 **Joel:** What should the record say about issuing the notice? I do not want a wording review to be taken as permission to release a final confirmed message.
- 16 **Imani:** Keep ⁸ _____ separate. The corrected wording still needs the relevant review and release process, and facilities approval of the outage remains pending.
- 17 **Joel:** Please give me a final readback that I can compare with the request. It should include the exact service, the hour, and the missing approval.
- 18 **Imani:** The ⁹ _____ is: reception lighting only; proposed window 18:00-19:00; facilities approval pending. No whole-floor impact or verified isolation status is established.
- 19 **Joel:** That is clear. I will preserve those facts in the review record and remove the unsupported whole-floor statement without presenting the proposal as confirmed.
- 20 **Imani:** Thank you. The ¹⁰ _____ status remains unchanged by this wording discussion. We have identified the corrections, not approved the outage or established operational clearance.

ANSWERS / EXPLANATIONS: PAGE 85

1. affected service | 2. facilities approval | 3. impact scope | 4. proposed window | 5. status qualifier | 6. isolation status | 7. notice correction | 8. communication release | 9. scope readback | 10. authorization

Correct scope and certainty

F Say it

Complete the notice-review exchange. Retain the exact service and proposed time range, while making the approval limit explicit.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

pending / lighting / 18:00 / 19:00

Coordinator: "The request covers reception ¹ _____ only."

Electrician: "The proposed window starts at ² _____."

Coordinator: "It ends at ³ _____."

Electrician: "Facilities approval is still ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 85

1. lighting | 2. 18:00 | 3. 19:00 | 4. pending

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Not seen today is not fault-free

A Read the situation

Distinguish a reported intermittent symptom from a limited visit observation and avoid turning a pending report into an unsupported assurance.

Client Mira reported occasional flickering in display bay 2. Electrician Ellis has a visit note stating that flickering was not observed during the visit. No cause is established, and the technical report is pending review. Mira asks whether the installation is now fault-free. Ellis must explain the limited finding without dismissing the earlier report, inventing a repair, or asserting that the installation is safe or free of defects.

PEOPLE / Mira: Client | Ellis: Electrician

06

ACKNOWLEDGE BOTH ACCOUNTS WITHOUT FORCING THEM TO AGREE

An intermittent symptom may be absent during a visit. The client report and the visit observation can therefore coexist. Explain the observation period and the unresolved cause, rather than treating the client as mistaken or upgrading limited evidence into complete reassurance.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What did Mira report?

- A Flickering in every area at all times
- B A completed repair
- C Occasional flickering in display bay 2
- D A verified cause already identified

2. What does the visit note state?

- A The installation is fault-free
- B The client report was false
- C A component was replaced successfully
- D Flickering was not observed during the visit

3. What is the report status?

- A Pending review, with no cause established
- B Final and approved as defect-free
- C Withdrawn because the client was wrong
- D Proof of operational clearance

Answers and explanations: page 86.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

flickering

Visible variation in light output perceived as fluctuating light.

IN USE report occasional flickering

intermittent symptom

Problem that appears at intervals rather than continuously.

IN USE describe an intermittent symptom

display bay

Defined display area within a premises.

IN USE identify display bay 2

visit note

Record of information from a particular attendance.

IN USE quote the visit note

observation period

Time during which a condition was observed or monitored.

IN USE define the observation period

not observed

Wording stating that a condition was not seen during the specified period.

IN USE preserve not-observed wording

reported history

Earlier account of events or symptoms.

IN USE retain the reported history

technical report

Document recording the relevant professional information and findings.

IN USE submit the technical report

pending review

Awaiting examination or approval through the relevant process.

IN USE state pending-review status

established cause

Explanation supported by the relevant assessment.

IN USE distinguish an established cause

fault-free claim

Assertion that no faults are present.

IN USE avoid an unsupported fault-free claim

evidence limit

Boundary of what the available information supports.

IN USE explain the evidence limit

06

Precision check

Mira reported occasional flickering, while the visit note says none was observed during that attendance. Those statements do not contradict each other. The note does not prove that the symptom never occurs, that a cause has been identified, or that a repair has been completed.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

repeat occurrence

Another instance of a previously reported symptom.

IN USE record a repeat occurrence

observation finding

Statement about what was seen during an examination or visit.

IN USE report the observation finding

diagnostic conclusion

Conclusion identifying a technical problem or its cause.

IN USE distinguish a diagnostic conclusion

repair record

Documentation of work actually carried out to correct an issue.

IN USE verify the repair record

defect

Condition that fails an applicable requirement or expected function.

IN USE assess a reported defect

operational clearance

Authorization or verified status for use under the actual process.

IN USE avoid inferring operational clearance

qualified statement

Claim limited to the scope supported by the evidence.

IN USE give a qualified statement

absence of evidence

Lack of a finding, not automatically proof that a condition is absent.

IN USE explain absence of evidence

symptom frequency

How often the reported condition occurs.

IN USE clarify symptom frequency

review outcome

Result of the relevant report assessment.

IN USE await the review outcome

case status

Current stage of the reported issue and its follow-up.

IN USE report the case status

unsupported reassurance

Comforting claim not established by the available evidence.

IN USE avoid unsupported reassurance

Precision check

No cause is established, and technical-report review is pending. Keep fault-free and safe-to-use claims out of the summary unless the actual authorized process establishes them. This language exercise gives no diagnostic procedure, testing instruction, or operational clearance.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE HISTORY

"You reported occasional flickering in display bay 2."

KEEP THE TIME BOUNDARY

"That statement applies to the visit observation period."

AVOID DISMISSING THE CLIENT

"The note does not show that your earlier report was wrong."

KEEP REPORT STATUS OPEN

"The technical report is pending review."

QUOTE THE LIMITED FINDING

"Flickering was not observed during the visit."

EXPLAIN COEXISTENCE

"An occasional symptom may not appear during every visit."

KEEP CAUSE OPEN

"No cause has been established."

REJECT AN OVERBROAD CONCLUSION

"I cannot turn that note into a fault-free claim."

06

Occasional

Indicates intermittent occurrence without specifying a precise frequency.

During the visit

Limits the observation to a particular attendance period.

Not observed versus absent

A missing observation does not prove the condition never occurs.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID INVENTING WORK

"No completed repair is established by this information."

AVOID A SAFETY INFERENCE

"The note does not establish operational clearance."

USE QUALIFIED WORDING

"No flickering observed during this visit; cause unresolved."

READ BACK THE STATUS

"Your report remains recorded, the visit observation is limited, and review is pending."

SEPARATE FINDING AND DIAGNOSIS

"Not observed is an observation statement, not a diagnosis."

PRESERVE THE LOCATION

"The reported symptom concerns display bay 2."

AVOID AN EXACT FREQUENCY CLAIM

"Occasional does not provide a precise interval."

CLOSE WITHOUT FALSE CERTAINTY

"I can explain the record, but I cannot promise the issue is absent."

06

Pending review

A report stage, not a completed technical conclusion.

Now fault-free

A stronger claim than the supplied visit note supports.

Established

Requires supporting assessment, not a plausible guess.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which explanation reconciles the two accounts?

- A** Occasional flickering may not appear during a particular visit.
- B** The client must have invented the issue.
- C** No observation proves a successful repair.
- D** Every intermittent symptom is harmless.

2. Which summary is supported?

- A** Driver failure confirmed and repaired.
- B** All areas cleared for unrestricted use.
- C** No flickering observed during the visit; cause unestablished; report review pending.
- D** Installation now guaranteed fault-free.

3. Which statement invents a repair?

- A** The technical report awaits review.
- B** The issue is fixed because it did not flicker while we were there.
- C** The visit note records no observed flickering.
- D** The client reported an occasional symptom.

4. What should remain in the record?

- A** A guessed cause presented as fact
- B** A universal fault-free certificate
- C** Both Mira's reported history and the limited visit observation
- D** Only a declaration that the client was mistaken

Answers and explanations: [page 86](#).

Not seen today is not fault-free

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

qualified statement / pending review / case status / established cause / reported history /
operational clearance / evidence limit / observation period / intermittent symptom / repair record

06

- 01 **Mira:** Your visit note says no flickering was observed. Does that mean the installation is fault-free now, and I can tell our manager the issue is finished?
- 02 **Ellis:** The note records the ¹ _____ of that visit. It does not establish a fault-free installation, and no cause has been identified in the information we have.
- 03 **Mira:** I reported it because the lights flicker occasionally in display bay 2, not because they do it continuously. I would not expect it every minute.
- 04 **Ellis:** That is an ² _____, so your report and the visit note can both be accurate. Not seeing it during one attendance does not invalidate what you previously reported.
- 05 **Mira:** Thank you. I was concerned that the wording might be taken to mean I had described the wrong area or imagined the problem.
- 06 **Ellis:** I will retain the ³ _____ of occasional flickering in display bay 2. The note does not establish that your account was wrong or that every other area was assessed.
- 07 **Mira:** Has the visit established a likely component or cause? I would rather distinguish a possibility from something the technical team has actually concluded.
- 08 **Ellis:** There is no ⁴ _____. I should not name a component or give you a diagnosis when the report has not established one.
- 09 **Mira:** And is the technical report final, or does someone still need to review it before its conclusions are communicated as accepted findings?
- 10 **Ellis:** It is ⁵ _____. That status matters. I can explain the visit note, but I should not present the report as finalized or approved.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 55.

- 11 **Mira:** Then I should not say a repair has fixed the problem either. There is nothing in this information telling me a corrective repair was completed.
- 12 **Ellis:** Correct. No ⁶ _____ is established here. The absence of flickering during the visit does not prove a repair happened or that a correction has been verified.
- 13 **Mira:** What wording would accurately describe the position to our manager? I need a short summary that does not either dismiss the issue or exaggerate the findings.
- 14 **Ellis:** Use a ⁷ _____: occasional flickering reported in display bay 2; none observed during the visit; cause not established; technical report awaiting review.
- 15 **Mira:** That makes the difference clear. It preserves the earlier report without claiming the electrician saw the flickering or found a particular explanation.
- 16 **Ellis:** Exactly. The ⁸ _____ is important. We can state what was observed, and what was not, without adding a universal assurance about the installation.
- 17 **Mira:** Could someone read that summary as permission to use or work on equipment? I want to avoid wording that sounds like a safety clearance.
- 18 **Ellis:** It gives no ⁹ _____. This conversation and the note do not authorize an electrical action or establish safe status. The actual authorized process governs those questions.
- 19 **Mira:** Understood. I will say that review is pending and the cause remains unresolved, rather than announce that the installation is now fault-free or repaired.
- 20 **Ellis:** That preserves the ¹⁰ _____. Your report stays recorded alongside the limited visit observation. We have clarified the information, not closed the issue with a diagnosis or a repair claim.

06

ANSWERS / EXPLANATIONS: PAGE 87

1. observation period | 2. intermittent symptom | 3. reported history | 4. established cause | 5. pending review | 6. repair record | 7. qualified statement | 8. evidence limit | 9. operational clearance | 10. case status

Keep the observation within its limits

F Say it

Complete the client summary. Retain the intermittent history, the visit-specific observation, the unknown cause, and pending review.

Complete the four gaps. Use each bank entry once.

06

WORD + PHRASE BANK

review / observed / flickering / established

Client: "I reported occasional ¹ _____ in display bay 2."

Electrician: "It was not ² _____ during the visit."

Client: "No cause is ³ _____."

Electrician: "The technical report is pending ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 87

1. flickering | 2. observed | 3. established | 4. review

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

A second machine changes the question

A Read the situation

Request missing equipment information and explain the need for revised assessment and quotation without confirming capacity, price, or timing.

After electrical scope is agreed for a café, owner Hana adds a second espresso machine and asks electrician Luis to include it at the original price and completion date. Equipment data for the added machine are unavailable. Luis can request the data and arrange a revised assessment and quotation. Electrical capacity and installation requirements are not established. The discussion must not assume the new machine matches the first, fits the existing provision, or can be added without cost or schedule effects.

PEOPLE / Hana: Café owner | Luis: Electrician

07

TREAT AN ADDED APPLIANCE AS A DEFINED CHANGE REQUEST

A client may see an extra machine as a simple addition to a familiar plan. Explain which information is missing and how it affects the assessment route. Preserve the commercial request without accepting it or inventing the technical answer.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What changed after scope agreement?

- | | |
|--|--|
| A The second machine was removed | B A second espresso machine was added |
| C The original scope was already defined for two machines | D A completed capacity assessment approved the addition |

2. What information is missing?

- | | |
|--|---|
| A The fact that Hana wants the original price | B The fact that timing matters |
| C The existence of the extra request | D Equipment data for the added machine |

3. What can Luis offer?

- | | |
|--|---|
| A Request data and arrange revised assessment and quotation | B Guarantee unchanged price and completion |
| C Confirm spare capacity from the machine name | D Authorize immediate connection |

[Answers and explanations: page 88.](#)

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

equipment data

Product-specific technical information needed for assessment.

IN USE request the equipment data

espresso machine

Coffee-making equipment forming the added request in this case.

IN USE identify the second espresso machine

additional load

Extra electrical demand associated with added equipment.

IN USE assess the additional load

rated input

Manufacturer-stated input requirement under specified conditions.

IN USE confirm the rated input

nameplate

Product marking showing identification and relevant ratings.

IN USE obtain recorded nameplate information

manufacturer specification

Technical requirements or attributes supplied by the manufacturer.

IN USE review the manufacturer specification

supply requirement

Electrical supply characteristics required by the equipment.

IN USE establish the supply requirement

capacity assessment

Evaluation of whether the relevant provision can meet the proposed demand.

IN USE arrange a capacity assessment

existing provision

Electrical arrangement already included or available for the project.

IN USE review the existing provision

installation requirement

Condition or detail needed for the specified installation.

IN USE establish installation requirements

revised assessment

Updated review accounting for changed information or scope.

IN USE request a revised assessment

revised quotation

Updated price proposal for the changed defined work.

IN USE prepare a revised quotation

Precision check

The second machine is a scope addition, not an already assessed part of the original work. Equipment data are missing, so capacity and installation requirements remain unknown. The machine category alone does not establish that it matches the first unit.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

original scope

Work included before the new request.

IN USE preserve the original scope

scope addition

Extra item proposed after the agreed scope.

IN USE record the scope addition

commercial request

Client request about price, timing, or other business terms.

IN USE separate the commercial request

price commitment

Agreed promise about cost.

IN USE avoid an unsupported price commitment

schedule impact

Effect of a change on timing.

IN USE assess the schedule impact

technical suitability

Whether the proposed arrangement meets relevant technical needs.

IN USE verify technical suitability

product substitution

Replacement of a specified item with a different product.

IN USE review a product substitution

like-for-like claim

Assertion that a replacement or addition has equivalent relevant characteristics.

IN USE verify a like-for-like claim

data gap

Missing information necessary for a review.

IN USE identify the data gap

approval boundary

Limit of what has actually been authorized.

IN USE preserve the approval boundary

change request

Proposal to alter the agreed work or requirements.

IN USE submit a change request

assessment outcome

Result reached after the required review.

IN USE await the assessment outcome

07

Precision check

Hana requests the original price and completion date, but Luis has not accepted those terms for the addition. Request the relevant data through the actual process and arrange revised assessment and quotation. Do not ask the client to test, connect, or operate equipment.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE ADDITION

"You want to add a second espresso machine."

IDENTIFY THE MISSING INFORMATION

"We do not have the equipment data for the added unit."

AVOID ASSUMING EQUIVALENCE

"I cannot assume it has the same requirements as the first machine."

KEEP INSTALLATION OPEN

"The installation requirements still need assessment."

NAME THE SCOPE CHANGE

"That machine was added after the electrical scope was agreed."

REQUEST THE DATA

"Please provide the relevant product information through the usual project process."

KEEP CAPACITY OPEN

"Available capacity has not been established for the addition."

OFFER THE REVIEW ROUTE

"I can arrange a revised assessment and quotation."

Added after

Establishes why the extra machine is outside the already agreed scope.

Same kind of machine

Does not establish identical ratings or requirements.

Request versus commitment

Asking for the original price or date does not mean those terms are accepted.

Phrases you can actually use

C Notice the language / 2 of 2

PRESERVE THE PRICE REQUEST

"I understand you want to keep the original price."

PRESERVE THE TIMING REQUEST

"I understand the original completion date matters to you."

SEPARATE TWO DECISIONS

"Technical suitability and commercial terms both remain open."

READ BACK THE CHANGE

"Second machine requested; data missing; capacity, requirements, price, and timing unresolved."

AVOID ACCEPTING THE PRICE

"I cannot confirm unchanged cost for the added machine."

AVOID ACCEPTING THE DATE

"I cannot promise the same date before the change is assessed."

AVOID OPERATIONAL INSTRUCTIONS

"This information request does not authorize connection or testing."

CLOSE WITH THE NEXT STEP

"We need the data for the revised assessment and quotation."

Revised

Indicates that the review must account for changed scope.

Not established

Leaves the answer open rather than predicting failure or approval.

Both remain open

Keeps technical assessment and commercial agreement distinct.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which response preserves the facts?

- A** We need the added machine's data for revised assessment and quotation before confirming terms.
- B** The same appliance name proves spare capacity.
- C** The original price automatically includes any extra machine.
- D** The completion date is guaranteed unchanged.

2. Which assumption is unsupported?

- A** Equipment data are unavailable.
- B** Revised assessment can be arranged.
- C** The second machine has the same requirements as the first.
- D** A second machine has been requested.

3. What is the status of unchanged price and date?

- A** Requested by Hana but not committed by Luis
- B** Already accepted for the extra work
- C** Technically proven by the machine category
- D** Irrelevant because extra work is always free

4. What should the next handoff contain?

- A** A completed capacity approval
- B** An invented revised price
- C** Added machine, missing data, requested terms, and need for revised assessment and quotation
- D** A guessed load rating and connection instruction

Answers and explanations: [page 88](#).

A second machine changes the question

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

price commitment / capacity assessment / approval boundary / supply requirement / scope addition / equipment data / schedule impact / revised quotation / like-for-like claim / change request

07

- 01 **Hana:** We are adding a second espresso machine to the café. Can you include it in the electrical work at the original price and still finish on the agreed date?
- 02 **Luis:** I understand the request, but it is a ¹ _____. The second machine was added after we agreed the electrical scope, and its equipment data are not available yet.
- 03 **Hana:** It is another espresso machine, so I assumed the requirements would be similar to the first. Is the type of machine enough information for an initial decision?
- 04 **Luis:** The category does not establish the ² _____. I cannot assume the added unit has the same relevant characteristics or that the existing provision is suitable.
- 05 **Hana:** What information do you need from the project team? I want to give you the right documents rather than ask someone to guess from a product description.
- 06 **Luis:** We need the relevant ³ _____ for the added unit through the usual project process. This is an information request, not a request for you to test or connect anything.
- 07 **Hana:** Understood. Once the information is available, is the next question whether the existing electrical arrangement can support the additional equipment?
- 08 **Luis:** A ⁴ _____ forms part of the revised review. At present, capacity and installation requirements are not established, so I cannot give a yes-or-no technical approval.
- 09 **Hana:** I am also trying to control costs. I would like the original figure to remain the same, but I understand that is a request from me, not a quote.
- 10 **Luis:** Correct. There is no unchanged ⁵ _____ for the addition. We can preserve your preference without recording it as something we have already accepted.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 64.

- 11 **Hana:** The original completion date matters because we have other work coordinated around it. Please include that constraint when the added machine is reviewed.
- 12 **Luis:** I will include it, but the ⁶ _____ remains open. I cannot promise the same completion date for changed work before the requirements and arrangements have been assessed.
- 13 **Hana:** Then the review needs to address both the technical information and the commercial terms. A technical answer alone would not tell me the final price or timing.
- 14 **Luis:** Exactly. I can arrange a ⁷ _____ alongside the revised assessment process. Neither the technical outcome nor the commercial terms has been settled in this discussion.
- 15 **Hana:** Please do not call the new machine a like-for-like addition in the note. We have not checked that, and the phrase might make the change sound already accepted.
- 16 **Luis:** I will avoid that ⁸ _____. The note will identify a second machine with missing data, not an equivalent unit whose requirements we already know.
- 17 **Hana:** What should I tell the project coordinator today? I need a clear next step without making it sound as though you have rejected the idea outright.
- 18 **Luis:** Say the ⁹ _____ needs product information, revised assessment, and quotation. Capacity, installation requirements, cost, and completion timing are still to be established.
- 19 **Hana:** That is fair. I will ask the team for the relevant documents and keep my request about the original price and date separate from any agreement.
- 20 **Luis:** Thank you. The ¹⁰ _____ remains clear: this conversation records the request and the next review steps, not approval to add equipment or a promise of unchanged terms.

07

ANSWERS / EXPLANATIONS: PAGE 89

1. scope addition | 2. supply requirement | 3. equipment data | 4. capacity assessment | 5. price commitment | 6. schedule impact | 7. revised quotation | 8. like-for-like claim | 9. change request | 10. approval boundary

Request data before confirming terms

F Say it

Complete the café update. Keep the missing information, changed scope, review route, and unresolved commercial terms visible.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

data / quotation / established / agreement

Owner: "The second machine was added after scope ¹ _____."

Electrician: "Its equipment ² _____ are not available."

Owner: "We need revised assessment and a ³ _____."

Electrician: "Capacity, price, and timing are not yet ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 89

1. agreement | 2. data | 3. quotation | 4. established

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

An old room name needs verification

A Read the situation

Confirm document receipt, record an identification discrepancy, and assign a dated follow-up without relabeling or implying operational clearance.

At an office handover, facilities contact Ben receives the as-built drawings from electrical lead Priya. One circuit-directory entry still says old store, although the room is now called archive. The associated circuit identification needs verification; the room-name change does not justify relabeling by assumption. Priya accepts follow-up and will report Thursday. No operational clearance is inferred from the handover, and no verification result or corrected entry is supplied.

08

PEOPLE / Ben: Facilities contact | Priya: Electrical lead

DOCUMENT RECEIPT IS NOT VERIFICATION OF EVERY DETAIL

A handover may contain received records and a remaining identification question. Acknowledge the documents, preserve the exact discrepancy, and name the owner and reporting date. Do not let a familiar room name substitute for verification of the electrical identification.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What has Ben received?

- A** A completed circuit-identification result
- B** The as-built drawings
- C** A verified corrected directory entry
- D** A new operational clearance

2. What discrepancy remains?

- A** Every circuit is verified incorrect
- B** A corrected entry has already been approved
- C** The directory says old store while the room is now archive
- D** The drawings were never delivered

3. What does Priya accept?

- A** Immediate relabeling based on the name alone
- B** Guaranteed operational clearance Thursday
- C** A completed correction already recorded
- D** Follow-up and a Thursday report, without an invented verification outcome

Answers and explanations: page 90.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

as-built drawing

Record drawing intended to represent the installed arrangement, subject to its actual verification status.

IN USE receive the as-built drawings

document handover

Transfer of project records to the receiving party.

IN USE complete the document handover

circuit directory

List intended to identify circuits and the areas or equipment they serve.

IN USE verify the circuit directory

room designation

Name or identifier assigned to a room.

IN USE confirm the current room designation

legacy label

Older wording retained in a current record or label.

IN USE identify a legacy label

identification discrepancy

Mismatch or uncertainty in how an item or circuit is identified.

IN USE record an identification discrepancy

verification task

Defined check needed to establish the relevant information.

IN USE assign the verification task

relabeling

Changing identification wording on a label or record.

IN USE avoid relabeling by assumption

record correction

Amendment based on verified information and the actual process.

IN USE arrange a record correction

document receipt

Confirmation that records have been supplied to the recipient.

IN USE acknowledge document receipt

follow-up owner

Person responsible for the next action on an open item.

IN USE name the follow-up owner

reporting date

Day committed for an update or report.

IN USE confirm the reporting date

Precision check

The room is now called archive, and the directory entry says old store. That wording difference does not verify which circuit serves the room. Priya must follow up through the appropriate process; no relabeling is authorized simply by matching room names.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

verification outcome

Result of the relevant identification check.

IN USE await the verification outcome

operational clearance

Authorization or verified status for use under the actual process.

IN USE distinguish operational clearance

handover exception

Open item retained when other handover elements are complete.

IN USE list a handover exception

record accuracy

Correctness of the information contained in a document or label.

IN USE verify record accuracy

installed arrangement

Actual configuration of the relevant equipment or system.

IN USE distinguish the installed arrangement

document title

Name describing a record, not proof of every entry's accuracy.

IN USE distinguish document title from verification

location name

Words identifying a space.

IN USE preserve the current location name

circuit identity

Verified correspondence between a circuit and what it serves.

IN USE establish circuit identity

update commitment

Promise to provide further information at a stated time.

IN USE make an update commitment

open-item record

List or note preserving unresolved matters.

IN USE maintain the open-item record

approved amendment

Change accepted through the applicable process.

IN USE confirm an approved amendment

handover readback

Repetition of received records and unresolved items to confirm understanding.

IN USE give a handover readback

08

Precision check

The as-built drawings are received, but their receipt does not close the identification question or establish operational clearance. Thursday is the committed reporting date, not a guaranteed verification outcome, correction date, or authorization to operate equipment.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE RECORDS

"You have received the as-built drawings."

STATE THE CURRENT ROOM NAME

"The room is now called archive."

AVOID A NAMING SHORTCUT

"A room-name change does not prove the circuit identity."

ACCEPT FOLLOW-UP

"I will take responsibility for the follow-up."

NAME THE REMAINING ISSUE

"One circuit-directory entry still says old store."

PRESERVE THE UNCERTAINTY

"The circuit identification still needs verification."

AVOID PREMATURE RELABELING

"We should not relabel the entry by assumption."

NAME THE OWNER

"Priya owns the identification follow-up."

08

As-built

A record-document description, not a reason to ignore an identified discrepancy.

Still says

Flags older wording without proving the correct electrical identity.

Now called

Establishes the current room name, not the circuit correspondence.

Phrases you can actually use

C Notice the language / 2 of 2

STATE THE COMMITMENT

"I will report on Thursday."

KEEP THE OUTCOME OPEN

"I cannot state the verification result before it is established."

SEPARATE RECEIPT AND ACCURACY

"Receiving the drawings does not verify every directory entry."

KEEP THE EXCEPTION VISIBLE

"The identification discrepancy remains an open handover item."

AVOID OPERATIONAL INFERENCE

"This handover does not establish operational clearance."

PRESERVE THE ACTUAL PROCESS

"Any correction needs verified information and the relevant approval process."

READ BACK THE HANDOVER

"Drawings received; old-store entry unresolved; Priya follows up and reports Thursday."

CLOSE WITH THE RIGHT LIMIT

"The reporting date is committed, but no corrected identity is supplied here."

Will report Thursday

Commits to communication, not a predetermined technical result.

By assumption

Describes the shortcut the dialogue must avoid.

Received versus verified

Receipt of records and verification of their contents are separate facts.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which handover statement is accurate?

- A** Drawings received; directory wording differs from the room name; identification needs verification.
- B** Every circuit verified because drawings were delivered.
- C** Archive can be substituted immediately without checking.
- D** Operational clearance is automatic at handover.

2. Why is immediate relabeling unsupported?

- A** The current room name does not establish circuit identity.
- B** The word archive can never be used.
- C** All old labels are definitely correct.
- D** Receiving drawings forbids any later correction.

3. What does Thursday identify?

- A** Priya's committed reporting date
- B** Guaranteed completion of a label change
- C** Permission to operate equipment
- D** A verified circuit identity

4. What belongs in the open-item record?

- A** A claim that no follow-up remains
- B** An invented completed verification
- C** Old-store entry, current archive name, verification needed, Priya as owner, Thursday report
- D** A guessed corrected circuit and automatic clearance

Answers and explanations: page 90.

An old room name needs verification

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

handover readback / Document receipt / identification discrepancy / circuit identity / follow-up owner / handover exception / record correction / reporting date / operational clearance / legacy label

08

- 01 **Ben:** I have received the as-built drawings. Before we close the handover discussion, one circuit-directory entry still says old store, but that room is now called archive.
- 02 **Priya:** I will keep that ¹ _____ open. The room name has changed, but the associated circuit identification still needs verification rather than a label change based on the name alone.
- 03 **Ben:** I was going to ask whether we could simply replace the words. I see that would assume the existing entry actually refers to the room we mean.
- 04 **Priya:** Exactly. The ² _____ is the unresolved point. We should not treat a familiar location name as proof of the electrical correspondence.
- 05 **Ben:** Does receiving the as-built set mean the directory has already been checked as part of that document package? I do not want to confuse the two statuses.
- 06 **Priya:** ³ _____ confirms that you have the drawings. It does not establish that this directory entry is verified or that the discrepancy has been resolved.
- 07 **Ben:** Then please retain the old wording exactly in the note, as well as the current room name. That will help the follow-up refer to the same entry.
- 08 **Priya:** I will record the ⁴ _____ as old store and the current designation as archive. The record will not silently replace one with the other as though verification were complete.
- 09 **Ben:** Who is taking responsibility for the follow-up? I want someone named so the item does not remain between facilities and the electrical team.
- 10 **Priya:** I accept it as the ⁵ _____. Please record Priya against the item. That identifies who is responsible without pretending the check has already produced a result.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 73.

- 11 **Ben:** When will you report back? We need a communication point, even if the record still has an unresolved detail at that stage.
- 12 **Priya:** I will report Thursday. That is the ⁶ _____ I am committing to, not a promise that a particular circuit identity or amendment has already been established.
- 13 **Ben:** Understood. I will not tell anyone the entry is corrected now or that Thursday automatically becomes an instruction to use equipment under a new identification.
- 14 **Priya:** Correct. No ⁷ _____ is inferred from this handover. The records discussion does not authorize operating equipment or relying on an unverified label.
- 15 **Ben:** Once the relevant information is verified, any correction can follow the actual project process. Until then, the open note needs to stay separate from completed document delivery.
- 16 **Priya:** Yes. A ⁸ _____ should reflect verified information and the relevant approval process. It should not be a guessed amendment made just to make the wording look current.
- 17 **Ben:** Could you read back the whole handover status? I want to make sure the received drawings, the remaining entry, and your commitment are all visible.
- 18 **Priya:** The ⁹ _____ is: as-built drawings received; old-store entry differs from current archive designation; identification needs verification; Priya owns follow-up and will report Thursday.
- 19 **Ben:** That is accurate. We can acknowledge the documents without closing the identification question, and the reporting commitment gives us a clear next contact point.
- 20 **Priya:** I will retain the ¹⁰ _____ until the actual outcome supports closure. No corrected circuit identity, relabeling approval, or operational status is established by this conversation.

ANSWERS / EXPLANATIONS: PAGE 91

1. identification discrepancy | 2. circuit identity | 3. Document receipt | 4. legacy label | 5. follow-up owner | 6. reporting date | 7. operational clearance | 8. record correction | 9. handover readback | 10. handover exception

Separate receipt from verification

F Say it

Complete the handover record. Retain the current and old names, the verification need, the owner, and the committed report date.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

archive / Thursday / verification / Priya

08

Facilities: "The room is now called ¹ _____."

Lead: "The old-store entry needs ² _____ before any assumed correction."

Facilities: "³ _____ owns the follow-up."

Lead: "I will report ⁴ _____; no operational clearance is inferred."

ANSWERS / EXPLANATIONS: PAGE 91

1. archive | 2. verification | 3. Priya | 4. Thursday

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

01 Briefing and language checks

Taking a precise electrical service request

A Briefing checks / page 4

1. What does Rosa's account actually cover?

A. Two desk receptacles in Room 204

The specific account concerns two desk receptacles in Room 204, not the whole office.

2. What does 08:30 represent?

A. When Rosa noticed the problem

The time records Rosa's observation, not the exact onset or an assessment result.

3. What is the status of the panel-directory entry?

A. It says office, but accuracy is unverified

The label's wording is known, but its identification accuracy has not been verified.

D Language checks / page 9

1. Which service summary is accurate?

A. Client reports two desk receptacles in Room 204, noticed at 08:30; other areas unassessed.

The summary preserves the attributed devices, location, observation time, and unassessed areas.

2. Which question is appropriate?

A. Which room does your existing report concern?

The question clarifies known information without asking the client to perform an electrical action.

3. What does the label office establish?

A. Only the wording of an unverified directory entry

The entry's wording is known, but its accuracy and associated electrical status are not.

4. Which statement wrongly upgrades the evidence?

C. The receptacles are confirmed de-energized because the client called them dead.

An informal symptom description does not establish de-energization, isolation, or safety.

01 Conversation answers

Taking a precise electrical service request

E Dialogue gaps

Pages 10-11

1. service request. Turn 2. Service request captures Rosa's existing observations without requiring her to operate or test electrical equipment.

2. room reference. Turn 4. Room reference is Room 204, which is more precise than treating the word office as the entire office area.

3. observation time. Turn 6. Observation time records when Rosa noticed the issue, not a proven start time for the underlying condition.

4. unassessed areas. Turn 8. Unassessed areas remain unknown; the report does not establish that they are either affected or working normally.

5. directory entry. Turn 10. Directory entry supplies the word office, but its accuracy and relationship to the reported devices remain unverified.

6. receptacles. Turn 12. Receptacles identifies the two plug-connection devices in Rosa's account and keeps the device description specific.

7. reported symptom. Turn 14. Reported symptom attributes the informal description to Rosa without treating it as a verified electrical condition.

8. verified status. Turn 16. Verified status is not supplied by this intake conversation, so no assessment or safety conclusion can be claimed.

9. readback. Turn 18. Readback confirms the two devices, Room 204, and the 08:30 observation while retaining unknown conditions elsewhere.

10. Circuit identification. Turn 20. Circuit identification remains unverified; the office label is not proof of which circuit serves the reported receptacles.

F Transfer conversation

Page 12

1. two

Electrician: "Your report concerns two desk receptacles."

Two is the device count in the client's specific account.

2. 204

Client: "They are in Room 204."

Room 204 identifies the reported location without including the whole office.

3. 08:30

Electrician: "You noticed the issue at 08:30."

This records the observation time rather than a verified onset time.

4. unverified

Client: "The directory entry remains unverified."

The word office appears in the directory, but its accuracy is unconfirmed.

02 Briefing and language checks

Clarifying lighting specifications

A Briefing checks / page 13

1. What do both products list?

B. 1,200 lumens

Both luminaires list the same light output of 1,200 lumens.

2. What differs between them?

C. The 3,000 K and 4,000 K color-temperature values

The kelvin values differ, while the listed lumen values are equal.

3. What remains for specialist review?

A. Driver compatibility

Driver compatibility has not been established by the supplied product comparison.

D Language checks / page 18

1. Which correction is accurate?

D. Both list 1,200 lumens; 4,000 K describes a cooler color appearance, not more listed output.

The correction distinguishes the equal listed output from the differing color-temperature values.

2. Which claim is not supported by equal lumens?

B. Both will provide identical illumination at every desk.

Surface illumination also depends on distribution and installation conditions not supplied in the case.

3. What should happen with driver compatibility?

A. Refer it for specialist review using the relevant information

Matching light-output figures do not establish electrical or control compatibility.

4. What is the substitution status?

A. Not approved

The scenario explicitly states that no product substitution has been approved.

02 Conversation answers

Clarifying lighting specifications

E Dialogue gaps

Pages 19-20

- 1. correlated color temperature.** Turn 2. Correlated color temperature describes color appearance, not the amount of light emitted by the luminaire.
- 2. lumen.** Turn 4. Lumen is the unit for visible light output; both supplied product figures are 1,200 lumens.
- 3. color appearance.** Turn 6. Color appearance is cooler at 4,000 K than at 3,000 K; this is separate from the equal listed lumen output.
- 4. illuminance.** Turn 8. Illuminance concerns light reaching a surface, which is not determined by the listed lumen output alone.
- 5. light distribution.** Turn 10. Light distribution describes where emitted light goes and can affect surface illumination even when listed outputs match.
- 6. watts.** Turn 12. Watts measure power, which is distinct from lumens and color temperature; no wattage comparison is supplied.
- 7. Driver compatibility.** Turn 14. Driver compatibility remains for specialist review and cannot be inferred from matching lumen values or a color-temperature comparison.
- 8. substitution.** Turn 16. Substitution is not approved; discussing the alternative does not authorize replacing a specified product.
- 9. product data sheet.** Turn 18. Product data sheet provides product-specific information for review; a brief comparison does not establish all compatibility requirements.
- 10. specialist review.** Turn 20. Specialist review remains the next step for compatibility; neither equal output nor a cooler appearance resolves the substitution decision.

F Transfer conversation

Page 21

1. lumens

Electrician: "Both products list 1,200 lumens."

Lumens describe the equal light-output figures supplied for the two products.

2. kelvins

Client: "The 3,000 and 4,000 values are in kelvins."

Kelvins identify the color-temperature values rather than the output figures.

3. cooler

Electrician: "The 4,000 K option has a cooler appearance."

Cooler compares the white-light appearance with that of the 3,000 K option.

4. review

Client: "Driver compatibility still needs specialist review."

Compatibility remains unresolved and requires the stated specialist review.

03 Briefing and language checks

Agreeing device positions and drawing references

03

A Briefing checks / page 22

1. What is stated on the reception elevation?

D. 1,100 millimeters above finished floor level, with the device reference unclear

The elevation states the height and floor datum but not the device endpoint.

2. What convention does the joinery drawing use?

D. Centerline

The joinery drawing uses a centerline, but that does not resolve the electrical note.

3. What is the installation status?

A. No device position is approved

The case explicitly leaves installation position unapproved pending clarification.

D Language checks / page 27

1. Which question addresses the ambiguity?

A. Is the 1,100-millimeter height to the centerline or lower edge of the device?

The question targets the missing endpoint while preserving the stated height and floor datum.

2. Which fact is already known?

A. The datum is finished floor level

The elevation names finished floor level even though the device reference remains unclear.

3. Which inference is unsupported?

B. The joinery centerline automatically approves the electrical centerline position.

A convention on another drawing does not resolve or authorize the ambiguous electrical detail.

4. What should the clarification preserve?

A. Both drawing references, the stated height, the floor datum, and the unanswered endpoint

These details define the actual coordination question without adding dimensions or permission.

03 Conversation answers

Agreeing device positions and drawing references

E Dialogue gaps

Pages 28-29

1. mounting height. Turn 2. Mounting height is stated as 1,100 millimeters, but the point on the device to which it applies remains unclear.

2. Finished floor level. Turn 4. Finished floor level is the stated datum; the ambiguity concerns the device endpoint rather than the floor reference.

3. joinery interface. Turn 6. Joinery interface identifies the coordination point between the device and fitted woodwork without authorizing a position.

4. dimension endpoint. Turn 8. Dimension endpoint is the particular point or edge being measured to, which must be clarified instead of merely repeating 1,100.

5. reference ambiguity. Turn 10. Reference ambiguity cannot be resolved by a guessed conversion when the device dimensions and intended endpoint are not established.

6. design clarification. Turn 12. Design clarification asks what the current note means; it does not automatically request a new height or authorize a position.

7. approved location. Turn 14. Approved location has not been established, so neither centerline nor lower-edge interpretation can be presented as ready for installation.

8. coordination mark-up. Turn 16. Coordination mark-up communicates the unresolved interface question and is not itself an instruction or approval to install.

9. reference readback. Turn 18. Reference readback preserves the 1,100-millimeter height, finished-floor datum, and unresolved device endpoint together.

10. installation instruction. Turn 20. Installation instruction is not supplied by the unresolved query; the team still needs the intended reference and appropriate approval.

F Transfer conversation

Page 30

1. 1,100

Electrician: "The stated height is 1,100 millimeters."

The numerical height remains 1,100; the query does not replace it.

2. floor

Coordinator: "It is measured above finished floor level."

Finished floor level is the stated datum for the dimension.

3. edge

Electrician: "The device reference could be centerline or lower edge."

Lower edge is the alternative endpoint that the note leaves unclear.

4. approved

Coordinator: "No installation position is approved yet."

The position remains unapproved until the relevant clarification and approval process.

04 Briefing and language checks

Coordinating containment and shared work areas

04

A Briefing checks / page 31

1. What occupies the same drawn space?
A. A cable tray on E6 and a duct on the mechanical layout in bay C3
The electrical tray and mechanical duct conflict in the same ceiling bay.
2. What is scheduled for 13:00?
D. The ceiling coordination meeting
The supplied time is the meeting time, not approval or completion.
3. What is the revised-route status?
B. Neither trade has agreed one
No revised route is agreed by either trade in the supplied facts.

D Language checks / page 36

1. Which report identifies the conflict precisely?
D. E6 cable tray and mechanical-layout duct share ceiling bay C3; revised route unresolved.
The report names both components, sources, location, and unresolved route status.
2. What does Dev need at the meeting?
A. Both drawings reviewed together
Joint review is needed to resolve the cross-trade conflict without unilateral assumptions.
3. Which statement overstates the 13:00 arrangement?
B. The new route is approved for installation at 13:00.
The meeting time establishes no route approval or installation authorization.
4. What must remain open for a proposed solution?
B. The actual route and relevant technical coordination requirements
No alternative route or supporting technical details have been established in the case.

04 Conversation answers

Coordinating containment and shared work areas

E Dialogue gaps

Pages 37-38

1. route conflict. Turn 2. Route conflict is the cable tray and duct occupying the same drawn space in ceiling bay C3.

2. electrical layout. Turn 4. Electrical layout E6 shows the proposed tray position; the case does not establish that either service is already installed.

3. revised route. Turn 6. Revised route remains unagreed by both trades, so no changed path can be presented as a settled arrangement.

4. joint review. Turn 8. Joint review brings both drawing arrangements into the same discussion instead of assuming either trade can resolve the interface alone.

5. trade priority. Turn 10. Trade priority is not established in the case, so neither electrical nor mechanical can be assumed to take precedence automatically.

6. ceiling bay. Turn 12. Ceiling bay C3 is the precise shared-space reference, not an approved route or technical solution.

7. Maintenance access. Turn 14. Maintenance access is one relevant coordination question for any solution; no access or clearance arrangement is supplied here.

8. coordination meeting. Turn 16. Coordination meeting identifies the 13:00 review point and does not authorize installation or guarantee a completed solution.

9. route approval. Turn 18. Route approval is absent because neither trade has agreed a revised path; the query must preserve that status.

10. unresolved interface. Turn 20. Unresolved interface keeps the cross-trade conflict open until the actual project process establishes an agreed arrangement.

F Transfer conversation

Page 39

1. E6

Electrician: "The cable tray is shown on drawing E6."

E6 is the electrical drawing that shows the cable-tray route.

2. C3

Coordinator: "The shared ceiling bay is C3."

C3 is the location where the tray and duct drawings conflict.

3. 13:00

Electrician: "The coordination meeting is at 13:00."

Thirteen hundred is the meeting time, not an installation approval.

4. agreed

Coordinator: "Neither trade has agreed a revised route."

No revised route has been agreed by either relevant trade.

04

05 Briefing and language checks

Communicating outage plans and status

A Briefing checks / page 40

1. What does the request propose?

C. Reception lighting only, 18:00-19:00

The proposed request covers only reception lighting within the stated one-hour window.

2. What is wrong with the tenant notice?

D. It says the whole floor will be unavailable

The notice expands the impact beyond the reception-lighting scope of the request.

3. What remains unapproved?

C. The outage request

Facilities has not approved the proposed outage arrangement.

D Language checks / page 45

1. Which wording preserves scope and status?

C. Proposed reception-lighting interruption, 18:00-19:00, pending facilities approval.

The wording retains the limited service, proposed window, and pending approval without an operational claim.

2. Why is changing whole floor alone insufficient?

C. The notice must also stop presenting the unapproved window as confirmed.

Accurate area wording does not fix an inaccurate claim of approval or certainty.

3. What does the request establish about isolation?

D. No verified isolation status is supplied

Planning information supplies no verified electrical status or safety clearance.

4. What is the purpose of this review?

D. Correct the communication and preserve the unresolved approval

The task is a communication review, not authorization or instructions for electrical operation.

05 Conversation answers

Communicating outage plans and status

E Dialogue gaps

Pages 46-47

- 1. affected service.** Turn 2. Affected service is reception lighting only; the request does not cover every service or the whole floor.
- 2. facilities approval.** Turn 4. Facilities approval has not been given, so the proposed window cannot be presented as a confirmed outage.
- 3. impact scope.** Turn 6. Impact scope limits the proposal to reception lighting, but correcting it does not resolve the separate pending-approval issue.
- 4. proposed window.** Turn 8. Proposed window is 18:00-19:00, with neither endpoint constituting a confirmed operational arrangement.
- 5. status qualifier.** Turn 10. Status qualifier makes the proposal and pending approval explicit, preventing the wording from implying a settled arrangement.
- 6. isolation status.** Turn 12. Isolation status is not supplied by the request or this conversation, so no de-energization or safety conclusion can be inferred.
- 7. notice correction.** Turn 14. Notice correction amends scope and certainty in the communication; it does not direct an electrical operation.
- 8. communication release.** Turn 16. Communication release remains subject to the actual review process; correcting a draft does not authorize issuing a final notice.
- 9. scope readback.** Turn 18. Scope readback preserves reception lighting only, the proposed 18:00-19:00 window, and pending facilities approval together.
- 10. authorization.** Turn 20. Authorization for the outage or electrical operation is not created by this notice review; the actual approval processes still apply.

F Transfer conversation

Page 48

1. lighting

Coordinator: "The request covers reception lighting only."

Lighting is the specified reception service, not every service on the floor.

2. 18:00

Electrician: "The proposed window starts at 18:00."

Eighteen hundred is the proposed start, not a confirmed switching instruction.

3. 19:00

Coordinator: "It ends at 19:00."

Nineteen hundred is the proposed endpoint in the request.

4. pending

Electrician: "Facilities approval is still pending."

Facilities has not approved the proposal, so it remains pending.

05

06 Briefing and language checks

Reporting findings and uncertainty

A Briefing checks / page 49

1. What did Mira report?

C. Occasional flickering in display bay 2

Mira reports an occasional symptom in a specific display bay.

2. What does the visit note state?

D. Flickering was not observed during the visit

The note describes what was not observed during that visit, not a diagnosis or repair.

3. What is the report status?

A. Pending review, with no cause established

The technical report is still awaiting review and no cause has been established.

D Language checks / page 54

1. Which explanation reconciles the two accounts?

A. Occasional flickering may not appear during a particular visit.

The reported intermittent history can coexist with no flickering observed during one attendance.

2. Which summary is supported?

C. No flickering observed during the visit; cause unestablished; report review pending.

The summary preserves the actual observation, unresolved cause, and report stage.

3. Which statement invents a repair?

B. The issue is fixed because it did not flicker while we were there.

No repair or verified correction is supplied, so symptom absence during the visit cannot prove a fix.

4. What should remain in the record?

C. Both Mira's reported history and the limited visit observation

Keeping both accounts preserves the history and the actual limits of the visit evidence.

06 Conversation answers

Reporting findings and uncertainty

E Dialogue gaps

Pages 55-56

1. observation period. Turn 2. Observation period limits the finding to the visit, not every time the installation has operated.

2. intermittent symptom. Turn 4. Intermittent symptom describes occasional flickering, which may not appear during a particular attendance.

3. reported history. Turn 6. Reported history preserves Mira's earlier account instead of replacing it with a claim that she was mistaken.

4. established cause. Turn 8. Established cause is absent; the supplied information does not support naming a failed component or a diagnosis.

5. pending review. Turn 10. Pending review describes the current report stage and does not imply an approved technical conclusion.

6. repair record. Turn 12. Repair record confirming completed corrective work is not supplied; absence of observed flickering is not proof of repair.

7. qualified statement. Turn 14. Qualified statement limits the summary to the actual visit observation, unresolved cause, and pending report review.

8. evidence limit. Turn 16. Evidence limit prevents a visit-specific observation from becoming a universal fault-free assurance or a technical diagnosis.

9. operational clearance. Turn 18. Operational clearance is not established by the visit note or language summary; the actual authorized process still governs use and work.

10. case status. Turn 20. Case status remains unresolved with review pending; the client report and limited observation both stay in the record.

F Transfer conversation

Page 57

1. flickering

Client: "I reported occasional flickering in display bay 2."

Flickering is the reported intermittent symptom in the specified display area.

2. observed

Electrician: "It was not observed during the visit."

Not observed limits the finding to that visit rather than proving permanent absence.

3. established

Client: "No cause is established."

No assessment result in the case identifies the cause.

4. review

Electrician: "The technical report is pending review."

Review remains pending, so the report is not presented as finalized.

07 Briefing and language checks

Assessing added equipment and substitutions

A Briefing checks / page 58

1. What changed after scope agreement?

B. A second espresso machine was added

Hana adds the second machine after the electrical scope has been agreed.

2. What information is missing?

D. Equipment data for the added machine

The case states that the additional machine's equipment data are unavailable.

3. What can Luis offer?

A. Request data and arrange revised assessment and quotation

The supported route is data collection and revised review, not technical or commercial approval.

D Language checks / page 63

1. Which response preserves the facts?

A. We need the added machine's data for revised assessment and quotation before confirming terms.

Missing data and changed scope require review before technical or commercial commitments can be established.

2. Which assumption is unsupported?

C. The second machine has the same requirements as the first.

No product-specific information establishes equivalence between the two machines.

3. What is the status of unchanged price and date?

A. Requested by Hana but not committed by Luis

Hana's commercial preference remains a request while the additional work is unassessed.

4. What should the next handoff contain?

C. Added machine, missing data, requested terms, and need for revised assessment and quotation

The handoff preserves the actual change and unresolved questions without technical or commercial invention.

07 Conversation answers

Assessing added equipment and substitutions

E Dialogue gaps

Pages 64-65

1. scope addition. Turn 2. Scope addition identifies the second machine as new work introduced after the original electrical agreement.

2. supply requirement. Turn 4. Supply requirement depends on the specific equipment information, not simply on both appliances being called espresso machines.

3. equipment data. Turn 6. Equipment data are the missing product-specific information required for the revised review, not guessed ratings or client testing.

4. capacity assessment. Turn 8. Capacity assessment remains necessary for the addition; the conversation does not establish available capacity or a suitable arrangement.

5. price commitment. Turn 10. Price commitment for the extra machine has not been made; Hana's wish to retain the original price remains a request.

6. schedule impact. Turn 12. Schedule impact of the added equipment remains unassessed, so the original completion date cannot be guaranteed for the change.

7. revised quotation. Turn 14. Revised quotation will address defined changed work after the necessary review; no new or unchanged price is established now.

8. like-for-like claim. Turn 16. Like-for-like claim is unsupported because the added machine's relevant data have not been supplied or compared.

9. change request. Turn 18. Change request remains open for data collection and revised review, rather than being automatically accepted or rejected.

10. approval boundary. Turn 20. Approval boundary keeps the added machine unapproved until the relevant technical and commercial process establishes what is acceptable.

F Transfer conversation

Page 66

1. agreement

Owner: "The second machine was added after scope agreement."

The timing makes the second machine a new scope request.

2. data

Electrician: "Its equipment data are not available."

Product-specific data are missing and needed for the revised review.

3. quotation

Owner: "We need revised assessment and a quotation."

The added work needs pricing through a revised quotation process.

4. established

Electrician: "Capacity, price, and timing are not yet established."

None of these outcomes has been determined for the unassessed addition.

08 Briefing and language checks

Handing over electrical records

A Briefing checks / page 67

1. What has Ben received?

B. The as-built drawings

The as-built drawings are received, while the directory question remains unresolved.

2. What discrepancy remains?

C. The directory says old store while the room is now archive

The mismatch concerns the old directory wording and the current room name.

3. What does Priya accept?

D. Follow-up and a Thursday report, without an invented verification outcome

Priya owns the follow-up and report, but no verified identification or correction is established.

08

D Language checks / page 72

1. Which handover statement is accurate?

A. Drawings received; directory wording differs from the room name; identification needs verification.

The statement preserves document receipt and the separate unresolved identification question.

2. Why is immediate relabeling unsupported?

A. The current room name does not establish circuit identity.

Verification is required because matching a name does not prove the circuit correspondence.

3. What does Thursday identify?

A. Priya's committed reporting date

Priya promises to report Thursday without promising an unestablished technical outcome.

4. What belongs in the open-item record?

C. Old-store entry, current archive name, verification needed, Priya as owner, Thursday report

These details preserve the discrepancy, required review, responsible person, and communication commitment.

08 Conversation answers

Handing over electrical records

E Dialogue gaps

Pages 73-74

1. identification discrepancy. Turn 2.

Identification discrepancy is the old-store directory wording against the current archive name, with circuit correspondence still unverified.

2. circuit identity. Turn 4. Circuit identity requires verification; the room-name change does not establish which circuit serves the archive.

3. Document receipt. Turn 6. Document receipt confirms the as-built drawings reached Ben, not that every directory entry or circuit identity has been verified.

4. legacy label. Turn 8. Legacy label is the exact wording old store, retained alongside archive so the specific entry can be followed up.

5. follow-up owner. Turn 10. Follow-up owner is Priya, who explicitly accepts responsibility for the unresolved identification issue.

6. reporting date. Turn 12. Reporting date is Thursday for Priya's update, not a guaranteed correction or a predetermined verification result.

7. operational clearance. Turn 14. Operational clearance is not established by receiving drawings, discussing names, or assigning a reporting date.

8. record correction. Turn 16. Record correction needs verified information and the applicable process; it is not authorized by a room-name assumption.

9. handover readback. Turn 18. Handover readback combines received drawings, the unresolved label discrepancy, Priya's ownership, and the Thursday report without adding clearance.

10. handover exception. Turn 20. Handover exception keeps the unverified directory entry open while allowing receipt of the drawings to be acknowledged separately.

F Transfer conversation

Page 75

1. archive

Facilities: "The room is now called archive."

Archive is the current room designation, not a verified circuit identity.

2. verification

Lead: "The old-store entry needs verification before any assumed correction."

The identification must be checked rather than changed from the name alone.

3. Priya

Facilities: "Priya owns the follow-up."

Priya explicitly accepts responsibility for the unresolved identification item.

4. Thursday

Lead: "I will report Thursday; no operational clearance is inferred."

Thursday is the committed reporting date, without a guaranteed technical outcome.

08

Find the move you need

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

01 Taking a precise electrical service request

Acknowledge the report: I will record what you have already observed.

Clarify the time: Is 08:30 when you first noticed the issue?

Avoid a whole-office claim: I will not describe this as a verified office-wide outage.

Full phrase set: pages 7-8 | Dialogue: pages 10-11

02 Clarifying lighting specifications

Name the two attributes: Lumens and kelvins describe different things.

Compare the given output: Both products are listed at 1,200 lumens.

Separate distribution: We also need to consider how the light is distributed.

Full phrase set: pages 16-17 | Dialogue: pages 19-20

03 Agreeing device positions and drawing references

Read the stated height: The elevation shows 1,100 millimeters above finished floor level.

Cite the other drawing: The joinery drawing uses a centerline.

Keep the value unchanged: The query concerns the endpoint, not a new height.

Full phrase set: pages 25-26 | Dialogue: pages 28-29

04 Coordinating containment and shared work areas

Locate the conflict: The clash is in ceiling bay C3.

State the interface: The two drawn routes occupy the same space.

Avoid an invented offset: No offset has been proposed and approved here.

Full phrase set: pages 34-35 | Dialogue: pages 37-38

Keep the conversation productive

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

05 Communicating outage plans and status

State the proposal: The request proposes 18:00-19:00.

Flag the wording error: The draft notice incorrectly says the whole floor will be unavailable.

Avoid an all-services claim: The request does not include every service on the floor.

Full phrase set: pages 43-44 | Dialogue: pages 46-47

06 Reporting findings and uncertainty

Acknowledge the history: You reported occasional flickering in display bay 2.

Explain coexistence: An occasional symptom may not appear during every visit.

Reject an overbroad conclusion: I cannot turn that note into a fault-free claim.

Full phrase set: pages 52-53 | Dialogue: pages 55-56

07 Assessing added equipment and substitutions

Acknowledge the addition: You want to add a second espresso machine.

Request the data: Please provide the relevant product information through the usual project process.

Offer the review route: I can arrange a revised assessment and quotation.

Full phrase set: pages 61-62 | Dialogue: pages 64-65

08 Handing over electrical records

Acknowledge the records: You have received the as-built drawings.

Preserve the uncertainty: The circuit identification still needs verification.

Name the owner: Priya owns the identification follow-up.

Full phrase set: pages 70-71 | Dialogue: pages 73-74

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

above finished floor	state the height above finished floor	23
absence of evidence	explain absence of evidence	51
additional load	assess the additional load	59
affected location	specify the affected location	5
affected service	name the affected service	41
approval boundary	preserve the approval boundary	60
approval status	state the approval status	41
approved amendment	confirm an approved amendment	69
approved location	verify the approved location	24
as-built drawing	receive the as-built drawings	68
assessment outcome	await the assessment outcome	60
authorization	distinguish authorization from discussion	42
back box	distinguish the back box	24
beam angle	check the beam angle	14
cable tray	identify the cable tray	32
capacity assessment	arrange a capacity assessment	59
case status	report the case status	51
ceiling bay	identify ceiling bay C3	32
ceiling void	coordinate work in the ceiling void	32
centerline	identify the centerline	23
change request	submit a change request	60
circuit	distinguish the circuit from the room name	6
circuit directory	verify the circuit directory	68
circuit identification	refer circuit identification for verification	6

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

circuit identity establish circuit identity	69
clearance requirement verify clearance requirements	33
client account preserve the client account	5
color rendering compare color rendering	15
color rendering index check the color rendering index	15
commercial request separate the commercial request	60
communication release confirm the communication release	42
conduit distinguish conduit from cable tray	32
confirmed window distinguish a confirmed window	41
containment coordinate cable containment	32
control interface identify the control interface	15
cool white compare cool-white appearance	14
coordinated drawing issue a coordinated drawing	33
coordination mark-up prepare a coordination mark-up	24
coordination meeting attend the coordination meeting	33
correlated color temperature compare correlated color temperature	14
data gap identify the data gap	60
datum level verify the datum level	23
de-energized avoid an unsupported de-energized claim	6
defect assess a reported defect	51
design clarification request design clarification	24
desk receptacle specify the desk receptacle	5
device count confirm the device count	6
device position confirm the device position	23

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

device schedule	check the device schedule	24
diagnostic conclusion	distinguish a diagnostic conclusion	51
dimension endpoint	identify the dimension endpoint	23
dimming	review dimming requirements	15
directory entry	quote the directory entry	6
display bay	identify display bay 2	50
distribution panel	identify the distribution panel	6
document handover	complete the document handover	68
document receipt	acknowledge document receipt	68
document title	distinguish document title from verification	69
draft notice	correct the draft notice	41
drawing convention	clarify the drawing convention	24
drawing overlay	use a drawing overlay	33
driver	review the driver specification	15
driver compatibility	verify driver compatibility	15
duct	locate the mechanical duct	32
efficacy	distinguish efficacy from color temperature	15
electrical layout	review the electrical layout	32
equipment data	request the equipment data	59
espresso machine	identify the second espresso machine	59
established cause	distinguish an established cause	50
evidence limit	explain the evidence limit	50
existing provision	review the existing provision	59
faceplate	identify the faceplate	24

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

facilities approval	await facilities approval	41
fault-free claim	avoid an unsupported fault-free claim	50
finished floor level	confirm finished floor level	23
flickering	report occasional flickering	50
follow-up owner	name the follow-up owner	68
handover exception	list a handover exception	69
handover readback	give a handover readback	69
horizontal alignment	coordinate horizontal alignment	24
identification discrepancy	record an identification discrepancy	68
illuminance	assess illuminance at the work surface	14
impact scope	correct the impact scope	41
installation instruction	distinguish an installation instruction	24
installation requirement	establish installation requirements	59
installed arrangement	distinguish the installed arrangement	69
intermittent symptom	describe an intermittent symptom	50
isolation	distinguish isolation from a planned outage	41
isolation status	report only verified isolation status	6
isolation status	avoid inferring isolation status	42
joinery interface	review the joinery interface	23
joint review	request a joint review	33
kelvin	read the kelvin value	14
LED	identify the LED product	15
legacy label	identify a legacy label	68
light distribution	compare light distribution	14

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

light output distinguish light output	14
like-for-like claim verify a like-for-like claim	60
location name preserve the current location name	69
lower edge locate the lower edge	23
lumen compare lumen output	14
luminaire compare the luminaires	14
luminous flux specify luminous flux	14
lux state illuminance in lux	14
maintenance access preserve maintenance access	33
manufacturer specification review the manufacturer specification	59
mechanical layout compare the mechanical layout	32
mounting height clarify the mounting height	23
nameplate obtain recorded nameplate information	59
not observed preserve not-observed wording	50
notice correction make a notice correction	42
observation finding report the observation finding	51
observation period define the observation period	50
observation time record the observation time	5
onset distinguish observation from onset	5
open-item record maintain the open-item record	69
operational clearance avoid inferring operational clearance	51
operational clearance distinguish operational clearance	69
operational instruction distinguish a notice from an operational instruction	42
original scope preserve the original scope	60

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

outage request submit an outage request	41
outlet identify the outlet location	5
panel directory verify the panel directory	5
pending approval mark the request pending approval	42
pending review state pending-review status	50
planned interruption describe the planned interruption	41
price commitment avoid an unsupported price commitment	60
product data sheet compare the product data sheets	15
product substitution review a product substitution	60
proposed offset assess a proposed offset	33
proposed window state the proposed window	41
qualified statement give a qualified statement	51
raceway specify the raceway	32
rated input confirm the rated input	59
readback give a precise readback	6
receptacle identify the reported receptacles	5
reception elevation review the reception elevation	23
reception lighting identify the reception-lighting scope	41
record accuracy verify record accuracy	69
record correction arrange a record correction	68
reference ambiguity flag the reference ambiguity	24
reference readback give a reference readback	24
relabeling avoid relabeling by assumption	68
repair record verify the repair record	51

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

repeat occurrence record a repeat occurrence	51
reported history retain the reported history	50
reported symptom record the reported symptom	5
reporting date confirm the reporting date	68
review outcome await the review outcome	51
revised assessment request a revised assessment	59
revised quotation prepare a revised quotation	59
revised route review a revised route	33
revision record maintain a revision record	42
room designation confirm the current room designation	68
room reference include the room reference	6
route approval confirm route approval	33
route conflict flag a route conflict	32
schedule impact assess the schedule impact	60
scope addition record the scope addition	60
scope of report limit the scope of report	6
scope readback give a scope readback	42
service boundary preserve the service boundary	42
service request clarify the service request	5
set-out clarify the set-out information	23
socket clarify which sockets are reported	5
spatial clash report a spatial clash	32
specialist review refer compatibility for specialist review	15
status qualifier preserve the status qualifier	42

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

substitution review a proposed substitution	15
supply requirement establish the supply requirement	59
support arrangement review the support arrangement	33
symptom frequency clarify symptom frequency	51
technical finding distinguish a technical finding	6
technical report submit the technical report	50
technical suitability verify technical suitability	60
tenant notice review the tenant notice	41
time range confirm the time range	42
trade priority avoid assuming trade priority	33
trunking identify the trunking route	32
unassessed area identify unassessed areas	5
unresolved interface record an unresolved interface	33
unsupported reassurance avoid unsupported reassurance	51
update commitment make an update commitment	69
upper edge distinguish the upper edge	23
verification outcome await the verification outcome	69
verification task assign the verification task	68
verified status distinguish verified status	6
vertical alignment confirm vertical alignment	24
visit note quote the visit note	50
warm white describe warm-white light	14
watt compare input power in watts	15
whole-floor impact avoid an unsupported whole-floor impact	42

Original cases. Clear boundaries.

These are original fictional teaching conversations, not transcripts of real workers. Names, figures, organizations, and incidents are invented. Sources support terminology and communication aims, not the fictional results or an endorsement of this book.

[1] US Bureau of Labor Statistics. Electricians.

[Open the original source](#)

Occupational context for drawings, electrical systems, and coordination. The scenarios provide no installation or testing procedures. Checked 1 October 2026.

[2] Occupational Safety and Health Administration. Electrical Glossary.

[Open the original source](#)

Terminology for devices, raceways, ratings, and qualified roles. Learner definitions do not replace standards or safety procedures. Checked 1 October 2026.

[3] US Department of Energy. Purchasing Energy-Efficient Light Bulbs.

[Open the original source](#)

Reference for distinguishing lumen output, power input, and correlated color temperature. Procurement rules, historical prices, efficiency thresholds, and product recommendations are not taught here. Checked 1 October 2026.

[4] US Department of Energy. LED Basics.

[Open the original source](#)

Background for lighting-system attributes, color appearance, color rendering, and product compatibility questions. No performance forecast, lifetime guarantee, or installation decision is inferred. Checked 1 October 2026.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.

The cases and products are fictional. This book teaches English, not electrical testing, switching, isolation, diagnosis, installation, circuit identification, or code compliance. Follow actual training, authorization, procedures, manufacturer information, and applicable requirements. Client descriptions, labels, outage plans, and handover records do not prove equipment is de-energized or safe to use or work on. These dialogues authorize no electrical operation, relabeling, routing change, substitution, or added load.

English Ladder | English for Work | 2026 edition. The B2-C1 range is an editorial study recommendation, not a proficiency certification.

[Open the matching English Ladder course](#)