

ENGLISH FOR BUILDING COMFORT AND REFRIGERATION TEAMS


HVAC & Refrigeration English

Clear readings. Reliable handovers.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.



Eight scenarios. Eight extended conversations.

INSIDE THE BOOK

192 vocabulary entries / 128 reusable phrases
160 dialogue turns / 80 numbered dialogue gaps
Word banks and explained answer keys

Upper-intermediate to advanced (B2-C1). For heating, ventilation, air-conditioning, and refrigeration staff communicating with clients, facilities teams, and project partners.

2026 edition

Eight scenarios. Eight skills.

Eight conversations develop precise reporting and coordination: clarify a thermostat value, reconcile equipment labels, explain supply and return air, compare ratings, report moisture, escalate a cabinet alarm, discuss a grille move, and hand over unfinished commissioning items.

01 Clarifying comfort complaints and thermostat readings

4

Twenty-two is the target, not the finding | Separate a thermostat setpoint from a measured room temperature while preserving the time and location of a comfort complaint.

02 Identifying equipment and linked components

13

AC-4, CU-4, and AH-4 are not yet a pairing | Reconcile conflicting equipment references using existing records and preserve an unverified relationship between components.

03 Explaining airflow and distribution reports

22

Two ceiling openings, two functions | Translate supply and return labels into plain language while preserving the difference between a comfort report and an airflow measurement.

04 Checking equipment ratings and refrigerant references

31

Five kilowatts of what? | Compare like quantities, request missing equipment data, and distinguish refrigerant identification from approval to select or service a system.

05 Reporting moisture, symptoms, and service findings

40

Yesterday wet, today dry, source still unknown | Reconcile a historical report with a later observation and avoid treating an earlier maintenance concern as a proven cause.

06 Discussing refrigeration alarms and temperature records

49

An alarm, a display value, and missing product data | Report an alarm chronology accurately, distinguish cabinet and product information, and route a food-safety question to the responsible lead.

07 Coordinating ductwork, access, and changes

58

Moving a grille is a coordinated change | Acknowledge an appearance preference, explain unassessed consequences, and present two bounded choices without promising price or timing.

08 Handing over commissioning and maintenance information

67

Report received, seasonal check still open | Separate document receipt from completed verification and distinguish assigned correction work from an unassigned scheduling responsibility.

Communication field notes

3

Answers and explanations

76

Fast-access phrase pages

92

Vocabulary index

94

Sources and publication notes

102

Keep the reading attached to its meaning.

Technical English in this field depends on what a number measures, which component a label identifies, and what a record actually establishes. Practice explaining those distinctions to colleagues and customers.

Name the value before interpreting it

A thermostat setpoint is a target, not automatically the measured room temperature. Cooling capacity and electrical input can both use kilowatts but describe different quantities. Keep the quantity name and unit together.

"The 22 degrees Celsius is the setpoint; no ambient reading has been supplied."

Preserve component identity

Similar suffixes on an outdoor unit and an air handler do not prove a verified pairing. Use the project register and confirmed references rather than treating a familiar shorthand label as the whole system.

"CU-4 and AH-4 appear in separate records; their relationship needs confirmation."

Separate history, findings, and decisions

A past moisture report can coexist with a dry floor during a later visit. A cabinet display and a defrost entry do not establish food temperatures or release food for service. Name the evidence and the responsible decision route.

"The display recorded 8 degrees Celsius; product temperatures and event duration are not supplied."

Keep unfinished handover items visible

Receiving a commissioning report does not complete a deferred check. Correct documents, scheduling responsibility, and update dates need separate entries. A named document owner does not automatically own every outstanding action.

"Nia owns document correction; responsibility for scheduling the seasonal check remains open."

PROFESSIONAL BOUNDARIES

The projects, products, values, and records are fictional. This book teaches English, not equipment operation, diagnosis, installation, refrigerant handling, food-safety decisions, or compliance. Follow actual training, authorization, manufacturer instructions, site procedures, and applicable requirements. No dialogue authorizes roof access, testing, adjustment, refrigerant work, food release, or a system alteration. Equipment readings and document receipt do not establish safety or overall performance.

Twenty-two is the target, not the finding

A Read the situation

Separate a thermostat setpoint from a measured room temperature while preserving the time and location of a comfort complaint.

Office manager Asha tells service coordinator Ben that the meeting room is 22 degrees Celsius. The number is actually the thermostat setpoint, not a confirmed ambient-temperature reading. Staff report feeling warm there after 14:00. No cause or equipment fault has been established. Ben needs to clarify the value, keep the staff report attributed, and record the afternoon pattern. The conversation uses existing information and gives no instruction to adjust or test the equipment.

PEOPLE / Asha: Office manager | Ben: Service coordinator

CORRECT THE NUMBER LABEL WITHOUT DISMISSING THE PEOPLE

A setpoint can be accurate while a comfort complaint is still meaningful. Ask what the displayed value represents before treating it as a measurement. Acknowledge the occupants and preserve their reported pattern without diagnosing a fault or prescribing a control change.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does 22 degrees Celsius represent?

- | | |
|---|-----------------------------------|
| A An outdoor temperature | B The thermostat setpoint |
| C A verified ambient-temperature reading | D A supply-air measurement |

2. When do staff report feeling warm?

- | | |
|--|---|
| A Exactly at a confirmed failure time | B Throughout every day without exception |
| C After 14:00 | D Only before 08:00 |

3. What is established about the equipment?

- | | |
|---|---|
| A The system is confirmed fault-free | B No cause or fault has been established |
| C The thermostat sensor has failed | D The cooling capacity is inadequate |

Answers and explanations: [page 76](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

HVAC

Heating, ventilation, and air conditioning.

IN USE discuss the HVAC system

thermostat

Control associated with maintaining a selected temperature.

IN USE identify the thermostat

setpoint

Target value used by a control system.

IN USE distinguish the setpoint

ambient temperature

Temperature of the surrounding air at the relevant location.

IN USE record ambient temperature

temperature reading

Value reported by a temperature-measuring device.

IN USE identify the temperature reading

degrees Celsius

Temperature unit used in the supplied report.

IN USE state the value in degrees Celsius

comfort complaint

Occupant report that environmental conditions feel uncomfortable.

IN USE log a comfort complaint

occupant feedback

Account supplied by people using the space.

IN USE preserve occupant feedback

meeting room

Room used for group meetings.

IN USE identify the meeting room

afternoon pattern

Reported tendency occurring later in the day.

IN USE record the afternoon pattern

sensor

Device responding to a physical condition for measurement or control.

IN USE identify the relevant sensor

measured value

Quantity established by a measurement.

IN USE distinguish the measured value

Precision check

Twenty-two degrees Celsius is the setpoint in this case. It must not be relabeled as ambient temperature. The complaint concerns staff feeling warm in the meeting room after 14:00, not a verified temperature or fault.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

displayed value

Number shown by a device or interface.

IN USE clarify the displayed value

target temperature

Temperature the control is intended to seek.

IN USE state the target temperature

actual condition

State present at the relevant place and time.

IN USE establish the actual condition

relative humidity

Water-vapor level relative to saturation at the same temperature.

IN USE report relative humidity

occupancy

Use of a space by people.

IN USE describe room occupancy

control schedule

Timing arrangement for control settings or operation.

IN USE review the control schedule

zone

Defined area treated as a control or service region.

IN USE identify the relevant zone

heat gain

Heat added to a space from its surroundings or internal sources.

IN USE assess heat gain

equipment fault

Established malfunction of a system component.

IN USE avoid assuming an equipment fault

reported period

Time span described in an account.

IN USE preserve the reported period

service description

Concise account used to request relevant attention.

IN USE clarify the service description

attributed report

Statement linked to the person or group who supplied it.

IN USE retain an attributed report

Precision check

A comfort report is useful even without a confirmed ambient reading. Retain the people, place, and afternoon pattern. Do not diagnose a sensor failure, prescribe a setting change, or claim normal performance from the target alone.

Phrases you can actually use

C Notice the language / 1 of 2

ASK WHAT THE NUMBER MEANS

"Is 22 the setpoint or a measured room temperature?"

PRESERVE THE MISSING READING

"No confirmed ambient reading has been supplied."

KEEP THE TIME PATTERN

"The reports concern the period after 14:00."

SEPARATE THE EVIDENCE

"We have a setpoint and an occupant report, not a diagnosis."

NAME THE TARGET

"The thermostat is set to 22 degrees Celsius."

ACKNOWLEDGE THE PEOPLE

"Staff report feeling warm in the meeting room."

AVOID A CONTRADICTION

"A target setting does not disprove a comfort complaint."

AVOID ASSIGNING A FAILED PART

"No sensor fault has been established."

Set to

Describes a target, not necessarily a measured condition.

Report feeling

Attributes a subjective experience without dismissing it.

After 14:00

Preserves the reported period without inventing an exact onset.

Phrases you can actually use

C Notice the language / 2 of 2

ASK ABOUT EXISTING INFORMATION

"What does the current record identify that value as?"

USE THE CORRECT UNIT

"The value is stated in degrees Celsius."

RETAIN THE ACCOUNT

"I will record what the staff have reported."

READ BACK THE DISTINCTION

"Setpoint 22; staff feel warm after 14:00; ambient reading unavailable."

KEEP THE LOCATION

"Please keep meeting room in the service description."

AVOID PRESCRIBING AN ADJUSTMENT

"This clarification does not specify a new setting."

AVOID INVENTING A MEASURED EXCESS

"We do not have a measured temperature above the target."

CLOSE WITH AN ACCURATE REQUEST

"I will pass on that description for the relevant assessment."

Not supplied

Means information is absent from the account, not that measurement is impossible.

Does not disprove

Allows the setpoint and occupant experience to coexist.

No fault established

Avoids both a diagnosis and an unsupported fault-free assurance.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which wording accurately uses the number?

- A** The thermostat setpoint is 22 degrees Celsius
- B** The room was measured at exactly 22
- C** Supply air is confirmed at 22
- D** The outdoor temperature caused the problem at 22

2. Which summary preserves the complaint?

- A** A sensor fault begins at 14:00
- B** Staff feel warm in the meeting room after 14:00; ambient reading not supplied
- C** Staff are mistaken because the setting is 22
- D** Every room overheats all day

3. What should Ben avoid inferring?

- A** The reported room
- B** The afternoon pattern
- C** A particular equipment fault
- D** The value's unit

4. Which question best clarifies the displayed value?

- A** Does the record label 22 as the target or the measured room temperature?
- B** Why is the compressor broken?
- C** Which new setting should we choose immediately?
- D** Can the client test the equipment now?

[Answers and explanations: page 76.](#)

Twenty-two is the target, not the finding

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

equipment fault / attributed report / target temperature / occupant feedback / temperature reading / setpoint / ambient temperature / afternoon pattern / degrees Celsius / service description

- 01 **Asha:** The meeting room is twenty-two degrees, but people still say it feels warm in the afternoon. I am not sure how to describe that to the service team.
- 02 **Ben:** Before I record it, is twenty-two the ¹ _____, or is it a separate measured room-temperature value? Those mean different things in a service request.
- 03 **Asha:** It is the setting on the thermostat. I do not have a separate room reading in the information I was given by the office team.
- 04 **Ben:** Then we should not call it the ² _____. We can record the target and the staff account without treating the setting as proof of the room condition.
- 05 **Asha:** The complaint is specifically about the meeting room. Staff say they feel warm there after two in the afternoon, rather than making a claim about every room.
- 06 **Ben:** That is a useful ³ _____. I will retain the meeting-room location and after 14:00, so the request does not become a whole-office complaint.
- 07 **Asha:** Will mentioning the setting make it sound as though the staff must be mistaken? I do not want their experience dismissed because of one number.
- 08 **Ben:** No. We can preserve the ⁴ _____ and clarify the number at the same time. A target does not establish what everyone in the room actually experiences.
- 09 **Asha:** Good. I had started to write that the sensor must be wrong. That is probably another step beyond the information we have.
- 10 **Ben:** It is. No ⁵ _____ has been established. We should not name a failed sensor or another component simply to give the complaint a technical-sounding cause.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 10.

- 11 **Asha:** The twenty-two is in Celsius, not Fahrenheit. Please keep that in the record too, because our overseas office sometimes uses a different scale.
- 12 **Ben:** Certainly. I will state ⁶ _____ explicitly. A number without its unit and its meaning can become misleading when the message is forwarded.
- 13 **Asha:** Is it enough to say no measured value was supplied, rather than suggesting nobody has ever measured the room or could measure it?
- 14 **Ben:** Yes. The missing ⁷ _____ is a limit of this information. It does not establish the history of every measurement or the condition of the equipment.
- 15 **Asha:** I also do not want the message to ask the occupants to change settings or try tests. We are only passing on what is already known.
- 16 **Ben:** Agreed. We are clarifying a ⁸ _____, not issuing control instructions. Any assessment belongs with the relevant team and its actual procedures.
- 17 **Asha:** Please read the short version so I can use the same wording when the facilities manager asks what we reported.
- 18 **Ben:** Here is the ⁹ _____: staff feel warm in the meeting room after 14:00; thermostat setpoint 22 degrees Celsius; no confirmed ambient reading supplied; cause unestablished.
- 19 **Asha:** That is clear. It preserves the complaint, explains the twenty-two, and does not invent a temperature above the target or a failed component.
- 20 **Ben:** I will pass on that record. It distinguishes the ¹⁰ _____ from the actual condition that still needs assessment, while keeping the staff's reported experience visible.

ANSWERS / EXPLANATIONS: PAGE 77

1. setpoint | 2. ambient temperature | 3. afternoon pattern | 4. occupant feedback | 5. equipment fault | 6. degrees Celsius | 7. temperature reading | 8. service description | 9. attributed report | 10. target temperature

Label the value correctly

F Say it

Complete the service report using the target, time pattern, and missing measurement. Do not add a diagnosis.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

14:00 / setpoint / ambient / unestablished

Manager: "The thermostat ¹ _____ is 22 degrees Celsius."

Coordinator: "Staff feel warm after ² _____."

Manager: "No confirmed ³ _____ reading is supplied."

Coordinator: "The cause remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 77

1. setpoint | 2. 14:00 | 3. ambient | 4. unestablished

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

AC-4, CU-4, and AH-4 are not yet a pairing

A Read the situation

Reconcile conflicting equipment references using existing records and preserve an unverified relationship between components.

A school service request calls the system AC-4. The roof plan labels an outdoor unit CU-4, while the indoor equipment register identifies air handler AH-4. Their relationship is not confirmed. Facilities manager Mira has the equipment register and discusses the request with service coordinator Owen. They need to preserve the three source references and seek confirmation through the records process. Neither person needs to access the roof or inspect equipment to clarify the existing documents.

PEOPLE / Mira: Facilities manager | Owen: Service coordinator

TREAT A FAMILIAR LABEL AS A STARTING POINT

Site shorthand may name a whole system while formal documents identify separate components. Similar numbering can suggest a question, but it is not proof of connection. Cite each label with its source so the next person can reconcile the records without silently merging them.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Which label appears in the service request?

- A AH-4 only
- C AC-4

- B A verified combined asset number
- D CU-4 only

2. What does the register identify as AH-4?

- A An indoor air handler
- C A roof-access permit

- B A confirmed outdoor condenser
- D A room thermostat setting

3. What is unresolved?

- A Whether Mira has the register
- C Whether the roof plan contains CU-4

- B Whether the request uses AC-4
- D The relationship between CU-4 and AH-4

Answers and explanations: page 78.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

equipment register

Record identifying equipment and relevant asset information.

IN USE consult the equipment register

asset tag

Assigned identifier used to distinguish an equipment item.

IN USE preserve the asset tag

system reference

Label used to identify an overall system.

IN USE clarify the system reference

component reference

Label identifying a particular part of a system.

IN USE retain the component reference

air handler

Equipment that moves and may condition air in a building system.

IN USE identify the air handler

outdoor unit

Equipment assembly located outside the served interior.

IN USE identify the outdoor unit

condensing unit

Assembly associated with refrigerant compression and heat rejection in relevant systems.

IN USE verify the condensing-unit reference

indoor unit

Equipment assembly located within the building or served space.

IN USE identify the indoor unit

equipment pairing

Confirmed relationship between components intended to operate together.

IN USE verify the equipment pairing

served area

Space associated with the service from an identified system.

IN USE confirm the served area

roof plan

Drawing showing relevant roof-level features and equipment.

IN USE cite the roof plan

record source

Document or system from which information was obtained.

IN USE identify the record source

Precision check

AC-4 appears in the request, CU-4 on the roof plan, and AH-4 in the indoor register. Keep all three with their sources. A shared numeral does not confirm a component pairing or served area.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

cross-reference

Link connecting corresponding entries in different records.

IN USE establish a cross-reference

label discrepancy

Difference between identifiers in related information.

IN USE record the label discrepancy

model number

Manufacturer identifier for a product design or version.

IN USE confirm the model number

serial number

Identifier distinguishing an individual manufactured unit.

IN USE record the serial number

nameplate

Manufacturer label carrying equipment identification or ratings.

IN USE use recorded nameplate information

asset hierarchy

Organized relationship between systems and their components.

IN USE clarify the asset hierarchy

service request

Record asking for attention to an identified issue or system.

IN USE reconcile the service request

records reconciliation

Process of resolving differences between documented information.

IN USE complete records reconciliation

unverified link

Relationship that has not been confirmed.

IN USE retain an unverified link

identification query

Request to clarify which equipment is meant.

IN USE raise an identification query

record custodian

Person responsible for maintaining or providing a record.

IN USE identify the record custodian

confirmed mapping

Verified correspondence between identifiers or components.

IN USE obtain confirmed mapping

Precision check

Mira already has the equipment register. The next step is records reconciliation through the responsible process, not asking someone to reach a roof or inspect a nameplate. Recorded information must still be verified in context.

Phrases you can actually use

C Notice the language / 1 of 2

QUOTE THE REQUEST

"The service request calls the system AC-4."

QUOTE THE REGISTER

"The indoor register identifies air handler AH-4."

AVOID A NUMBER SHORTCUT

"The shared four does not prove that the components are paired."

USE EXISTING RECORDS

"You already have the equipment register."

QUOTE THE PLAN

"The roof plan labels an outdoor unit CU-4."

PRESERVE SOURCE ATTRIBUTION

"Each label should stay attached to its source."

NAME THE UNRESOLVED LINK

"The relationship between CU-4 and AH-4 is unverified."

REQUEST RECONCILIATION

"We need a confirmed cross-reference between these entries."

Labels versus connects

A label names an item; it does not establish the item's relationship to another.

Appears in

Attributes an identifier to a particular source.

May not

Warns against assuming equivalence without declaring the records wrong.

Phrases you can actually use

C Notice the language / 2 of 2

SEPARATE SYSTEM AND COMPONENT

"A system label may not be the identifier of one physical unit."

KEEP THE SERVED AREA OPEN

"We have not confirmed the served area from these labels."

KEEP THE REQUEST PRECISE

"Please retain all three references in the query."

READ BACK THE GAP

"The records name the items but do not confirm their relationship."

AVOID ASSUMED RENAMING

"I will not replace AC-4 with CU-4 by guesswork."

DISTINGUISH IDENTIFIERS

"A model number and a serial number identify different things."

AVOID DIRECTING ACCESS

"This is a document query, not a request for roof access."

CLOSE WITH THE NEEDED RESULT

"We need confirmed mapping before merging the references."

By guesswork

Identifies an unsupported substitution of one label for another.

Already have

Directs attention to available information rather than new physical access.

Before merging

Makes verification a condition of consolidating records.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which summary is accurate?

- A** All three labels identify one physical item
- B** Request AC-4; roof plan CU-4; register AH-4; relationship unverified
- C** AC-4 is definitely another name for CU-4
- D** AH-4 and CU-4 are paired because both end in four

2. What should Owen ask Mira to provide?

- A** A roof inspection performed during the call
- B** A guessed replacement label
- C** A test of the refrigerant circuit
- D** The relevant existing register information for reconciliation

3. Why is the numeral four insufficient?

- A** AH always means the entire outdoor system
- B** Similar numbering does not establish verified component relationships
- C** Numbers can never be used in asset labels
- D** All outdoor units must have different numerals

4. What should remain visible until clarified?

- A** The source of each label and the unverified link
- B** Only the shortest label
- C** A presumed served area
- D** An invented nameplate reading

Answers and explanations: page 78.

AC-4, CU-4, and AH-4 are not yet a pairing

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

confirmed mapping / air handler / equipment pairing / served area / system reference / model number / service request / equipment register / record source / cross-reference

- 01 **Mira:** The school request says AC-4, but I have found different labels in the project documents. I do not want the service team sent with the wrong reference.
- 02 **Owen:** Let us keep the ¹ _____ attached to each label. What does the roof plan call the outdoor item, and what does the indoor register list?
- 03 **Mira:** The roof plan shows CU-4 for an outdoor unit. The indoor register lists AH-4 as an air handler. The request itself just says AC-4.
- 04 **Owen:** Thank you. An ² _____ is a component reference here, while AC-4 may be a broader system label. We should not collapse those descriptions into one item.
- 05 **Mira:** The matching four makes me think they belong together, but I cannot find a confirmed link in the information I have in front of me.
- 06 **Owen:** Then the ³ _____ remains unverified. Similar numbering is a reason to ask the question, not a sufficient answer to it.
- 07 **Mira:** I have the equipment register available. Would it help to send the relevant entries with the roof-plan reference rather than asking someone to go up there?
- 08 **Owen:** Yes. Use the existing ⁴ _____ and the plan reference. This conversation is about reconciling records, not arranging roof access or directing anyone to inspect equipment.
- 09 **Mira:** Should I change the original request from AC-4 to CU-4 in the meantime? That would at least match one of the drawings.
- 10 **Owen:** No, not by assumption. Preserve the ⁵ _____ wording and add the other references as unresolved identification information. Replacing it could erase the original meaning before we know what was intended.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 19.

- 11 **Mira:** That makes sense. A request about a whole system might otherwise become a request about only the outdoor component because I changed the label.
- 12 **Owen:** Exactly. We need to distinguish the ⁶ _____ from each component identifier. The next person should see both the naming difference and the missing confirmation.
- 13 **Mira:** The register may also contain model and serial information. I will keep those fields separate rather than treating them as another version of the asset tag.
- 14 **Owen:** Good. A ⁷ _____ identifies a product design or version; a serial number distinguishes an individual unit. Those fields help only when kept with the right recorded item.
- 15 **Mira:** We have not confirmed which rooms these entries serve either. I should not add the meeting-room location just because it appears in another recent request.
- 16 **Owen:** Correct. The ⁸ _____ needs its own confirmation. We should not fill an information gap with a location from an unrelated service record.
- 17 **Mira:** I will send all three labels and their sources. Can you phrase the question so it asks for the relationship rather than accusing one document of being wrong?
- 18 **Owen:** Please confirm the ⁹ _____ between request AC-4, outdoor unit CU-4 on the roof plan, and air handler AH-4 in the register, including their verified relationship.
- 19 **Mira:** That is clear. It leaves the original labels intact and gives the record owner a specific issue to resolve through the proper process.
- 20 **Owen:** Once we receive ¹⁰ _____, the service reference can be clarified accordingly. Until then, keep the three source labels and the unverified link visible in the record.

ANSWERS / EXPLANATIONS: PAGE 79

1. record source | 2. air handler | 3. equipment pairing | 4. equipment register | 5. service request | 6. system reference | 7. model number | 8. served area | 9. cross-reference | 10. confirmed mapping

Keep all three references

F Say it

Complete the identification exchange using the three labels and the unresolved relationship. Use existing records only.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

AC-4 / unverified / CU-4 / AH-4

Manager: "The request says ¹ _____."

Coordinator: "The roof plan identifies the outdoor unit as ² _____."

Manager: "The register identifies the air handler as ³ _____."

Coordinator: "Their relationship remains ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 79

1. AC-4 | 2. CU-4 | 3. AH-4 | 4. unverified

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Two ceiling openings, two functions

A Read the situation

03

Translate supply and return labels into plain language while preserving the difference between a comfort report and an airflow measurement.

Client Tomas calls both ceiling openings air-conditioning outlets. The current drawing identifies S3 as supply air and R2 as return air. He reports discomfort below S3 but supplies no airflow measurements. Technician Leila explains the labels and records the location of the complaint. The drawing establishes the stated functions, not measured performance. No cause, balancing result, or adjustment is supplied, and the conversation must not prescribe changes to grilles or controls.

PEOPLE / Tomas: Client | Leila: Technician

TRANSLATE THE FUNCTION, THEN RETURN TO THE COMPLAINT

An everyday label can conceal an important functional difference. Explain the direction of airflow simply, then repeat the actual complaint. Technical vocabulary should improve the report, not overwhelm the customer or imply a diagnosis that the measurements do not support.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Which opening does the drawing identify as supply?

A Neither opening

B S3

C R2

D Both openings

2. Where does Tomas report discomfort?

A At an identified outdoor unit

B Below S3

C Below R2 only

D In every room

3. What is missing?

A The existence of two openings

B The client's location description

C Airflow measurements

D The drawing labels

Answers and explanations: page 80.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

supply air

Air delivered into a served space through the distribution system.

IN USE identify supply air

return air

Air drawn from a space back toward the air-handling system.

IN USE identify return air

supply grille

Grille associated with delivery of air into the space.

IN USE locate the supply grille

return grille

Grille associated with air returning from the space.

IN USE identify the return grille

diffuser

Air-distribution device designed to spread delivered air.

IN USE identify the diffuser

register

Grille assembly that may include an airflow-control damper.

IN USE distinguish the register

duct

Passage used to convey air.

IN USE identify the duct

ductwork

Network of ducts and associated components.

IN USE review the ductwork

air distribution

Delivery and movement of air within a served area.

IN USE describe air distribution

airflow rate

Volume of air passing a point per unit time.

IN USE report the airflow rate

cubic feet per minute

Volume-flow unit commonly abbreviated CFM.

IN USE state cubic feet per minute

liters per second

Volume-flow unit used for air or liquid movement.

IN USE record liters per second

Precision check

S3 is labeled supply and R2 return on the current drawing. This tells the reader their stated functions. It does not establish actual flow rate, velocity, balance, or the cause of the discomfort.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

air velocity

Speed of air movement at a stated position.

IN USE distinguish air velocity

volume flow

Quantity of air volume moving per unit time.

IN USE specify volume flow

draft

Air movement perceived as unwanted by an occupant.

IN USE describe a reported draft

occupied zone

Part of a room normally used by people.

IN USE identify the occupied zone

throw

Distance associated with a defined air jet under stated conditions.

IN USE review diffuser throw

spread

Lateral extent of a delivered air stream under defined conditions.

IN USE distinguish spread from throw

damper

Component used to regulate or control airflow in a system.

IN USE identify the damper

balancing

Technical adjustment and verification of distribution to meet specified requirements.

IN USE distinguish balancing from explanation

design airflow

Airflow value specified by the design.

IN USE compare design airflow

measured airflow

Airflow established through the relevant measurement.

IN USE record measured airflow

distribution report

Account describing air delivery or related comfort observations.

IN USE clarify the distribution report

performance finding

Supported conclusion about how a system functions.

IN USE distinguish a performance finding

Precision check

The report concerns discomfort below S3. Preserve that location without changing it to a measured excess or deficit of airflow. Explanation of the labels is not an instruction to adjust a grille, damper, or control.

Phrases you can actually use

C Notice the language / 1 of 2

03

NAME THE TWO FUNCTIONS

"S3 is supply air; R2 is return air."

EXPLAIN RETURN

"Return air goes back toward the air-handling system."

KEEP THE COMPLAINT LOCATION

"You report discomfort below S3."

SEPARATE RATE AND SPEED

"Airflow rate and air velocity are different quantities."

EXPLAIN SUPPLY

"Supply air is delivered into the room."

ATTRIBUTE THE LABELS

"Those are the functions shown on the current drawing."

AVOID CONVERTING EXPERIENCE INTO MEASUREMENT

"We do not have an airflow measurement for that location."

NAME COMMON UNITS

"Volume flow may be stated in cubic feet per minute or liters per second."

Shown on the drawing

Attributes the stated function without verifying installed performance.

Into versus back toward

Gives the customer a simple directional contrast.

Below S3

Preserves the complaint location rather than generalizing to the whole system.

Phrases you can actually use

C Notice the language / 2 of 2

03

AVOID A BALANCE CLAIM

"The labels do not establish that the system is balanced."

CLARIFY THE EVERYDAY TERM

"Calling both openings outlets hides their different functions."

AVOID PRESCRIBING A CHANGE

"This explanation does not specify an adjustment."

DISTINGUISH DESIGN FROM RESULT

"A design value is not automatically a measured result."

KEEP CAUSE OPEN

"The cause of the discomfort has not been established."

RETAIN THE CUSTOMER'S WORDS

"I will record the discomfort without inventing a measured excess."

ASK FOR THE EXISTING REFERENCE

"Please keep S3 attached to the reported location."

CLOSE WITH A PRECISE REPORT

"Discomfort below supply S3; airflow data not supplied; cause unresolved."

Not automatically

Blocks an unsupported equivalence between design and measurement.

Reported discomfort

Records the experience without assigning a technical cause.

Does not specify

Keeps an explanation separate from an operating instruction.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which explanation is accurate?

- A** Supply means measured excess airflow
- B** Supply delivers air into the room; return carries air back toward the system
- C** Both openings must deliver air into the room
- D** Return means outdoor exhaust in every system

2. What can the drawing labels establish here?

- A** The cause of the discomfort
- B** The correct damper adjustment
- C** The stated functions of S3 and R2
- D** A verified airflow rate

3. Which report invents a measurement?

- A** Tomas reports discomfort below S3
- B** R2 is labeled return
- C** No airflow data were supplied
- D** S3 delivers too many liters per second

4. What is the proper scope of Leila's response?

- A** Prescribe a grille adjustment
- B** Declare the system balanced
- C** Reject the complaint because S3 is supply
- D** Explain labels and preserve the complaint for assessment

Answers and explanations: [page 80](#).

Two ceiling openings, two functions

E Conversations / turns 1-10

03

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

measured airflow / performance finding / damper / occupied zone / balancing / distribution report / Air velocity / supply air / return air / cubic feet per minute

- 01 **Tomas:** I have two air-conditioning outlets in the ceiling. The one above this part of the room is uncomfortable to sit under, and the drawing calls it S3.
- 02 **Leila:** The drawing identifies S3 as ¹ _____. The other opening, R2, has a different function, so calling both outlets can make the description less precise.
- 03 **Tomas:** What is different about R2? I had assumed that both openings did the same thing because they look like parts of the same system.
- 04 **Leila:** R2 is labeled ² _____. In plain language, supply delivers air into the room, while return carries air back toward the air-handling system.
- 05 **Tomas:** That helps. My complaint is below S3, the supply location, rather than below the return opening. I want the service record to identify the right place.
- 06 **Leila:** I will keep that location in the ³ _____. The complaint is discomfort below S3; the drawing gives us its label, but it does not supply an airflow measurement.
- 07 **Tomas:** I have no measured figures. I was going to say too much air comes through it, but that would be my impression rather than a measured quantity.
- 08 **Leila:** Exactly. A ⁴ _____ value is different from an occupant description. We can retain what you experience without inventing a numerical excess or a diagnosis.
- 09 **Tomas:** I have seen CFM on another report. Is that a speed, or does it describe something different about the air moving through the system?
- 10 **Leila:** CFM means ⁵ _____, a unit of volume flow. It tells how much air volume moves per unit time, rather than directly stating the air speed.

The conversation, continued

E Conversations / turns 11-20

03

Continue with the word bank on page 28.

- 11 **Tomas:** So the feeling of moving air near a seat cannot simply be relabeled as a particular CFM result, especially when we have no measurement.
- 12 **Leila:** Correct. ⁶ _____ describes speed at a location. It is a different quantity from volume flow, and neither has been measured in the information you have given me.
- 13 **Tomas:** Does identifying the return opening tell us the system is balanced, or is that another conclusion the drawing cannot establish by itself?
- 14 **Leila:** It cannot establish ⁷ _____. We have identified the stated functions, not verified that the distribution meets its requirements or determined why your seat feels uncomfortable.
- 15 **Tomas:** Then please do not put an adjustment instruction in the record on my behalf. I am asking for the complaint to be assessed, not choosing a technical change.
- 16 **Leila:** Understood. I will not prescribe a ⁸ _____ adjustment or a grille change. The appropriate assessment must establish what is happening before a remedy is selected.
- 17 **Tomas:** The distinction is clearer now: S3 supplies, R2 returns, and the concern remains the experience below S3, with no figures attached.
- 18 **Leila:** Yes. That preserves the ⁹ _____ concern while avoiding a performance claim. We know where you report discomfort, not a confirmed cause or measured flow problem.
- 19 **Tomas:** Please read the short note back so I can use the same description when I speak to our facilities manager.
- 20 **Leila:** Discomfort reported below supply S3; R2 labeled return on the current drawing; no airflow measurements supplied. No ¹⁰ _____ or cause has been established. That is the account I will pass on for assessment.

ANSWERS / EXPLANATIONS: PAGE 81

1. supply air | 2. return air | 3. distribution report | 4. measured airflow | 5. cubic feet per minute | 6. Air velocity | 7. balancing | 8. damper | 9. occupied zone | 10. performance finding

Explain supply and return

F Say it

Complete the client summary. Identify each function and keep the missing measurement visible.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

supply / measurements / S3 / return

Technician: "S3 is labeled ¹ _____ air."

Client: "R2 is labeled ² _____ air."

Technician: "The discomfort is reported below ³ _____."

Client: "No airflow ⁴ _____ have been supplied."

ANSWERS / EXPLANATIONS: PAGE 81

1. supply | 2. return | 3. S3 | 4. measurements

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Five kilowatts of what?

A Read the situation

04

Compare like quantities, request missing equipment data, and distinguish refrigerant identification from approval to select or service a system.

Client Jules compares two fictional proposals with estimator Farah. Both show 5 kilowatts, but proposal A labels the value cooling capacity while proposal B labels it electrical input. Jules calls them equal-size systems. Full data sheets and equipment pairings are not supplied, and no selection is approved. Farah must explain why the matching numbers are not enough, request complete specifications, and keep refrigerant references tied to the actual equipment without recommending handling or substitution.

PEOPLE / Jules: Client | Farah: Estimator

ASK WHAT A FAMILIAR NUMBER MEASURES

Customers often compare the largest printed number in a proposal. Name the quantity before comparing the value. Explain what information is missing and why it matters, without turning a partial specification into a product recommendation or an efficiency claim.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does proposal A's 5 kilowatts describe?

- A Stored electrical energy
- C Cooling capacity

- B A refrigerant charge
- D Electrical input

2. What does proposal B's 5 kilowatts describe?

- A Confirmed equal cooling capacity
- C A maintenance interval

- B A measured room temperature
- D Electrical input

3. What conclusion is supported?

- A Both have identical efficiency
- C The numbers alone cannot establish equivalent systems

- B Proposal B is approved
- D Both systems have identical capacity

Answers and explanations: page 82.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

cooling capacity

Rate at which a system can remove heat under stated conditions.

IN USE compare cooling capacity

electrical input

Electrical power required by the equipment under stated conditions.

IN USE identify electrical input

kilowatt

Unit of power equal to one thousand watts.

IN USE state the rating in kilowatts

kilowatt-hour

Unit of energy representing one kilowatt over one hour.

IN USE distinguish a kilowatt-hour

rating condition

Defined condition under which a performance value is stated.

IN USE check the rating conditions

data sheet

Manufacturer document listing relevant product characteristics.

IN USE obtain the complete data sheet

equipment combination

Particular set of components proposed to work together.

IN USE verify the equipment combination

matched system

Component arrangement confirmed as suitable together by the relevant specifications.

IN USE identify the matched system

nominal capacity

Stated classification or approximate rating rather than every operating output.

IN USE distinguish nominal capacity

operating condition

Relevant environmental or system state during operation.

IN USE state the operating conditions

efficiency

Relationship between useful output and required input under defined conditions.

IN USE compare efficiency on a consistent basis

coefficient of performance

Ratio of useful heating or cooling output to input power on a defined basis.

IN USE interpret the coefficient of performance

Precision check

Both proposals state 5 kilowatts, but A describes cooling output and B electrical input. The unit can express either quantity. It does not follow that the systems have equal cooling capacities or equal efficiencies.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

refrigerant

Working fluid used to transfer heat in a refrigeration system.

IN USE identify the specified refrigerant

refrigerant designation

Identifier naming a particular refrigerant or blend.

IN USE preserve the refrigerant designation

refrigerant charge

Quantity of refrigerant specified or present in a system.

IN USE distinguish refrigerant charge

blend

Refrigerant made from more than one component substance.

IN USE identify a refrigerant blend

compatibility

Suitability of materials or components for use together.

IN USE verify compatibility

manufacturer specification

Product requirement or attribute stated by its manufacturer.

IN USE consult the manufacturer specification

technical submittal

Product information submitted for project review.

IN USE review the technical submittal

selection basis

Information and criteria supporting an equipment choice.

IN USE establish the selection basis

like-for-like comparison

Comparison of matching quantities on a consistent basis.

IN USE make a like-for-like comparison

input-output distinction

Difference between energy supplied and useful effect produced.

IN USE preserve the input-output distinction

approved selection

Equipment choice accepted through the relevant process.

IN USE confirm the approved selection

substitution review

Evaluation of a proposed replacement for a specified item.

IN USE request a substitution review

Precision check

The complete data sheets and component pairings are missing. A refrigerant designation must stay tied to the actual equipment specification; a familiar refrigerant name does not approve a substitution, determine compatibility, or authorize servicing.

Phrases you can actually use

C Notice the language / 1 of 2

ASK THE KEY QUESTION

"Five kilowatts of which quantity?"

READ PROPOSAL B

"B lists 5 kilowatts of electrical input."

REJECT THE FALSE EQUIVALENCE

"Matching numbers do not establish equal-size systems here."

INCLUDE THE COMBINATION

"The proposed component pairings also need to be identified."

READ PROPOSAL A

"A lists 5 kilowatts of cooling capacity."

NAME THE DISTINCTION

"Cooling output and electrical input are different."

ASK FOR COMPLETE DATA

"We need the full data sheets for both proposals."

KEEP CONDITIONS ATTACHED

"Compare ratings under the relevant stated conditions."

Of which quantity?

Forces a value to be connected to what it describes.

Both ... but

Acknowledges the shared number while exposing the important difference.

Under stated conditions

Prevents ratings from being treated as universal operating results.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID INVENTING EFFICIENCY

"We cannot calculate a supported efficiency comparison from these two entries."

KEEP REFRIGERANT INFORMATION SPECIFIC

"Use the refrigerant designation from the actual equipment specification."

KEEP CHARGE SEPARATE

"Refrigerant type and refrigerant quantity are different information."

STATE THE SELECTION LIMIT

"No equipment selection has been approved."

DISTINGUISH POWER AND ENERGY

"Kilowatts and kilowatt-hours are different units."

AVOID TREATING A NAME AS APPROVAL

"A refrigerant reference does not approve a substitution."

NAME THE REVIEW TASK

"We need a like-for-like comparison."

CLOSE WITH THE REQUEST

"Please supply complete ratings and equipment combinations for review."

Cannot calculate from these entries

Limits a conclusion to the information actually available.

Type versus quantity

Separates refrigerant identity from charge amount.

No selection approved

Keeps information gathering distinct from a purchase or installation decision.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which comparison is valid from the supplied entries?

- A** Both values prove identical energy consumption
- B** B must be more efficient than A
- C** A's value is cooling capacity; B's is electrical input
- D** Both values prove equal cooling output

2. What additional information is needed?

- A** An assumed refrigerant substitution
- B** A guessed efficiency value
- C** Full data sheets, rating conditions, and component pairings
- D** Only which proposal has a shorter title

3. Which conclusion exceeds the evidence?

- A** The systems have equal efficiency
- B** A is labeled cooling capacity
- C** B is labeled electrical input
- D** No selection is approved

4. What does a refrigerant designation provide?

- A** A complete compatibility assessment
- B** Permission for untrained servicing
- C** Identification to be checked against the actual equipment specification
- D** Automatic approval to substitute fluids

Answers and explanations: [page 82](#).

Five kilowatts of what?

E Conversations / turns 1-10

04

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

cooling capacity / refrigerant designation / equipment combination / data sheet / Electrical input / substitution review / like-for-like comparison / Refrigerant charge / efficiency / selection basis

- 01 **Jules:** These two proposals both say five kilowatts. I have been calling them equal-size systems, so I thought we could compare their prices directly.
- 02 **Farah:** We need to read the quantity labels first. Proposal A gives
¹ _____, while proposal B labels its five-kilowatt figure as something different.
- 03 **Jules:** You are right; B says electrical input. I had treated the unit as though it always described how much cooling a system could deliver.
- 04 **Farah:** ² _____ describes the power required by the equipment. Cooling capacity describes heat removal under stated conditions, so the matching numbers do not establish matching performance.
- 05 **Jules:** Does that mean one is definitely less efficient, or are we missing the other half of the information needed for that comparison?
- 06 **Farah:** We are missing information. A supported ³ _____ comparison needs corresponding output and input values on an appropriate basis, not one quantity from A and a different quantity from B.
- 07 **Jules:** I should ask for the full documents, then, rather than only another summary sentence saying each system is five kilowatts.
- 08 **Farah:** Yes. We need each complete ⁴ _____ and the proposed component combination. The ratings also need their conditions, because a stated output is not a promise for every operating situation.
- 09 **Jules:** I have not been given the indoor and outdoor pairings. Would comparing a single component's sheet still leave an important gap?
- 10 **Farah:** It would. The ⁵ _____ must be clear. We should not assume that information for one item describes any indoor and outdoor units someone happens to pair with it.

The conversation, continued

E Conversations / turns 11-20

04

Continue with the word bank on page 37.

- 11 **Jules:** There is a refrigerant name in one of the short descriptions. Can we use that to decide whether the alternative is an equivalent replacement?
- 12 **Farah:** A ⁶ _____ identifies a fluid or blend; it does not by itself prove equivalent equipment or approve a replacement. It must match the actual equipment specification.
- 13 **Jules:** So even a familiar refrigerant reference should not become an instruction to use another fluid or a shortcut around checking the manufacturer's information.
- 14 **Farah:** Correct. Any ⁷ _____ needs the relevant technical process. This comparison does not authorize refrigerant handling, servicing, or an assumed change to the specified system.
- 15 **Jules:** One more terminology question: if I see a quantity of refrigerant beside the name, that is not another cooling-capacity rating, is it?
- 16 **Farah:** No. ⁸ _____ refers to the quantity specified or present. Type, quantity, cooling output, and electrical input are separate information and should not be substituted for one another.
- 17 **Jules:** Then the next request should ask for matching rating information and the actual components, with no approved choice implied by our discussion.
- 18 **Farah:** Exactly. We need a ⁹ _____ before the proposals can be assessed meaningfully. The shared number has helped us find an ambiguity, not resolve the selection.
- 19 **Jules:** I will stop describing them as equal-size systems. I will request full data sheets, the pairings, and the conditions attached to the ratings.
- 20 **Farah:** Thank you. That establishes the next step toward a sound ¹⁰ _____. No selection is approved, and we have made no unsupported claim about equal capacity, efficiency, or refrigerant compatibility.

ANSWERS / EXPLANATIONS: PAGE 83

1. cooling capacity | 2. Electrical input | 3. efficiency | 4. data sheet | 5. equipment combination | 6. refrigerant designation | 7. substitution review | 8. Refrigerant charge | 9. like-for-like comparison | 10. selection basis

Keep input and output apart

F Say it

Complete the proposal comparison. Preserve the different quantity labels and the missing approval.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

sheets / approved / input / capacity

Client: "A gives 5 kilowatts of cooling ¹ _____."

Estimator: "B gives 5 kilowatts of electrical ² _____."

Client: "We need complete data ³ _____ and pairings."

Estimator: "No selection is yet ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 83

1. capacity | 2. input | 3. sheets | 4. approved

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Yesterday wet, today dry, source still unknown

A Read the situation

Reconcile a historical report with a later observation and avoid treating an earlier maintenance concern as a proven cause.

Client Elena reported water near air handler AH-6 at 15:00 yesterday. Today's visit note states that the nearby floor is dry and the source was not identified. An earlier service log mentions a drain-pan concern but does not establish a link to the reported water. Coordinator Kai must preserve the chronology, distinguish each source, and summarize the unresolved issue. The exercise supplies records only; no equipment inspection or diagnostic procedure is requested.

PEOPLE / Elena: Client | Kai: Service coordinator

KEEP TWO TIMES VISIBLE IN ONE ACCOUNT

A later observation need not contradict an earlier report. Use time markers and source attribution rather than choosing one account and deleting the other. A prior concern can remain relevant history without becoming the confirmed cause of a new symptom.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What did Elena report yesterday?

A A verified drain-pan failure

C A dry floor throughout the day

B A completed repair

D Water near AH-6 at 15:00

2. What does today's visit note establish?

A The earlier report was false

C Every component was repaired

B The drain pan caused the water

D The nearby floor was dry and the source was not identified

3. What does the earlier drain-pan entry prove?

A Only that a concern was recorded, not a causal link

C That the concern has been repaired

B That the pan caused yesterday's water

D That the current system is fault-free

Answers and explanations: [page 84](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

condensate

Liquid formed when water vapor condenses.

IN USE identify a condensate reference

drain pan

Component intended to collect relevant drainage or condensate in equipment.

IN USE record a drain-pan concern

condensate line

Pipe or tube associated with carrying condensate away.

IN USE identify the condensate line

moisture report

Account describing water or dampness at a location.

IN USE retain the moisture report

service log

Chronological record of service-related information.

IN USE consult the service log

visit note

Record of observations or actions during an attendance.

IN USE quote the visit note

historical entry

Record created before the current event.

IN USE distinguish a historical entry

chronology

Ordered sequence of events and observations.

IN USE preserve the chronology

reported water

Water described in an account before its cause is established.

IN USE locate the reported water

nearby floor

Floor surface close to the referenced equipment.

IN USE describe the nearby floor

source identification

Establishing where the reported water originated.

IN USE keep source identification open

causal link

Supported connection between a condition and its cause.

IN USE establish a causal link

Precision check

Yesterday at 15:00, Elena reported water near AH-6. Today, the floor is recorded as dry. Those observations concern different times; the later note does not disprove the earlier report or establish a repair.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

unresolved concern

Issue that has not been confirmed as corrected or closed.

IN USE retain an unresolved concern

dry observation

Record that the visible surface was dry at the stated time.

IN USE qualify the dry observation

intermittent symptom

Condition that may appear at some times and not others.

IN USE describe an intermittent symptom

recurrence history

Record of repeated appearances of a condition.

IN USE verify recurrence history

drainage path

Route intended for the relevant liquid to travel.

IN USE identify the drainage path

overflow

Liquid exceeding the capacity or boundary of its intended containment.

IN USE distinguish a reported overflow

leakage

Unintended escape of a fluid.

IN USE avoid assuming leakage source

condensation

Formation of liquid from vapor under relevant conditions.

IN USE distinguish condensation from a diagnosis

finding

Observation or conclusion established through the relevant assessment.

IN USE state the actual finding

repair status

Whether corrective work is proposed, underway, or completed.

IN USE verify repair status

evidence boundary

Limit of what the information supports.

IN USE preserve the evidence boundary

record reconciliation

Bringing separate accounts together without erasing their distinctions.

IN USE complete record reconciliation

Precision check

The earlier drain-pan concern is history, not a verified cause. Do not change near AH-6 to from AH-6, or concern to failure, without evidence. The source remains unidentified in the supplied visit note.

Phrases you can actually use

C Notice the language / 1 of 2

STATE YESTERDAY'S ACCOUNT

"The client reported water near AH-6 at 15:00 yesterday."

KEEP BOTH TIMES

"Those accounts refer to different observations at different times."

ATTRIBUTE THE HISTORY

"An earlier service-log entry mentions a drain-pan concern."

DISTINGUISH NEAR FROM FROM

"Near AH-6 gives a location, not a proven origin."

STATE TODAY'S OBSERVATION

"The visit note records the nearby floor as dry today."

NAME THE UNRESOLVED ISSUE

"The source was not identified."

AVOID CONVERTING HISTORY INTO CAUSE

"That entry does not establish a link to yesterday's water."

AVOID CHANGING CONCERN TO FAILURE

"The record says concern, not confirmed failure."

Yesterday versus today

Prevents observations at different times from being treated as a contradiction.

Near versus from

Distinguishes location from origin.

Mentions

Records what a document says without upgrading it to a verified diagnosis.

Phrases you can actually use

C Notice the language / 2 of 2

KEEP REPAIR SEPARATE

"No completed repair is established by the dry-floor note."

USE THE EXACT EQUIPMENT REFERENCE

"Please retain AH-6 in the summary."

NAME THE THREE SOURCES

"Client report, visit note, and earlier log remain distinct."

GIVE A BALANCED SUMMARY

"Water reported yesterday; floor dry today; cause unresolved."

PRESERVE THE CLIENT REPORT

"The later observation does not cancel your account."

AVOID AN INVENTED RECURRENCE PATTERN

"We have not established how often this happens."

LIMIT THE FINDING

"We can report the surface condition without diagnosing the source."

CLOSE WITH ACCURATE STATUS

"The source question remains open for the relevant assessment."

Does not establish a link

Keeps a plausible history item from becoming a proven cause.

Recorded as

Attributes an observation to the supplied note.

Remains open

Preserves an unresolved matter without inventing an outcome.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which summary preserves chronology?

- A** The floor has always been dry
- B** The drain pan failed at 15:00 and was repaired
- C** The visit disproves the client's account
- D** Water near AH-6 yesterday at 15:00; floor dry today; source unidentified

2. Which wording improperly asserts origin?

- A** The nearby floor was dry today
- B** The source was not identified
- C** Water came from AH-6
- D** Water was reported near AH-6

3. How should the drain-pan entry be handled?

- A** Delete it because the floor is dry
- B** Relabel it as a completed repair
- C** Retain it as history with no established causal link
- D** Treat it as the final diagnosis

4. What can the dry-floor note establish about repair?

- A** A drainage component was replaced
- B** No completed repair by itself
- C** Every possible leak was fixed
- D** The earlier concern was resolved

Answers and explanations: [page 84](#).

Yesterday wet, today dry, source still unknown

E Conversations / turns 1-10

05

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

recurrence history / drain-pan concern / source identification / causal link / chronology / historical entry / record reconciliation / evidence boundary / visit note / repair status

- 01 **Elena:** I reported water near AH-6 at three yesterday afternoon. Today's note says the floor is dry, and I am worried that my report will be treated as mistaken.
- 02 **Kai:** We can preserve the ¹ _____. Your account and today's note refer to different times, so a dry floor now does not cancel the water you reported yesterday.
- 03 **Elena:** Please keep three o'clock with yesterday's report. Otherwise the summary may make it sound as though the service team saw water during today's visit.
- 04 **Kai:** I will. The ² _____ records today's nearby floor as dry and says the source was not identified. That is a separate observation with its own limits.
- 05 **Elena:** There is an older entry about the drain pan. Someone suggested we could simply name that as the explanation for the water.
- 06 **Kai:** We should retain the ³ _____ as history, but the entry does not establish a connection to yesterday's report. It is not enough to name the pan as the proven source.
- 07 **Elena:** The wording near the air handler matters too, then. I saw the water near it; I did not identify the point it came from.
- 08 **Kai:** Exactly. That is an ⁴ _____. Changing near AH-6 to from AH-6 would turn a location description into an unsupported statement about origin.
- 09 **Elena:** Would calling the old entry a drain-pan failure make the record stronger, or would that change what the earlier person actually wrote?
- 10 **Kai:** It would change it. The ⁵ _____ says concern, not confirmed failure. We need to preserve that distinction even if the topic appears relevant to the current question.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 46.

- 11 **Elena:** Understood. I would rather have a precise unresolved record than a confident explanation that nobody has actually established.
- 12 **Kai:** Then the ⁶ _____ stays open. We can report the facts and the earlier concern without claiming that the relationship between them has been verified.
- 13 **Elena:** Does the dry floor tell us a repair must have worked overnight? I do not have a record of corrective work, but someone asked that.
- 14 **Kai:** No. The ⁷ _____ cannot be inferred from the dry-floor observation. Nothing in these records establishes that a repair was completed between your report and the visit.
- 15 **Elena:** We also should not call it a recurring problem unless there are actual records showing repeated events, correct? One older concern is not the same thing.
- 16 **Kai:** Correct. A ⁸ _____ would need supporting information. We should not invent a frequency or treat every earlier note as another occurrence of the same water event.
- 17 **Elena:** Please give me a short summary that includes my report, today's visit, and the older log without mixing the three together.
- 18 **Kai:** Client reported water near AH-6 at 15:00 yesterday. Today's floor was dry; source unidentified. Earlier log notes a drain-pan concern, with no established ⁹ _____ to the water.
- 19 **Elena:** That is accurate. It does not dismiss my observation, promise the issue is resolved, or make the earlier note say more than it does.
- 20 **Kai:** I will use that ¹⁰ _____ in the handoff. The next assessment can address the source question with the original accounts intact, rather than starting from an assumed diagnosis.

ANSWERS / EXPLANATIONS: PAGE 85

1. chronology | 2. visit note | 3. drain-pan concern | 4. evidence boundary | 5. historical entry | 6. source identification | 7. repair status | 8. recurrence history | 9. causal link | 10. record reconciliation

Preserve the three records

F Say it

Complete the service summary. Keep yesterday, today, and the earlier concern distinct.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

dry / identified / concern / 15:00

Client: "Water was reported near AH-6 at ¹ _____ yesterday."

Coordinator: "Today the nearby floor was recorded as ² _____."

Client: "The earlier log mentions a drain-pan ³ _____."

Coordinator: "The source was not ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 85

1. 15:00 | 2. dry | 3. concern | 4. identified

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

An alarm, a display value, and missing product data

A Read the situation

Report an alarm chronology accurately, distinguish cabinet and product information, and route a food-safety question to the responsible lead.

06

Cafe manager Noah discusses a refrigeration record with technician Imani. A cabinet display recorded 8 degrees Celsius at 06:10. Product temperatures are not supplied. An alarm-history entry and a scheduled-defrost entry have the same time, but event cause and duration are unconfirmed. Noah asks whether the food is safe. The responsible food-safety lead must decide under the site procedures. The display value and coincident entries do not authorize food release or establish a harmless defrost event.

PEOPLE / Noah: Cafe manager | Imani: Refrigeration technician

GIVE THE RECORD, NOT AN IMPROVISED RELEASE DECISION

Operational pressure can turn a request for information into a request for reassurance. Identify exactly what the record contains and what is missing. Refer the product decision to the responsible food-safety lead while preserving the technical event as unresolved.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What was recorded at 06:10?

- A A confirmed harmless alarm cause
- B The end of a measured exposure period
- C A cabinet display value of 8 degrees Celsius
- D Verified temperatures for every food item

2. What do the matching timestamps establish?

- A Every food item remained safe
- B The two entries share a recorded time
- C Defrost definitely caused the alarm
- D The alarm lasted one minute

3. Who must decide the food-safety question?

- A The responsible food-safety lead under site procedures
- B The display value alone
- C The technician by assuming defrost
- D The customer waiting at the counter

Answers and explanations: page 86.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

refrigerated cabinet

Enclosed equipment used to hold products under cooled conditions.

IN USE identify the refrigerated cabinet

cabinet display

Interface showing a value or status from refrigeration equipment.

IN USE quote the cabinet display

product temperature

Temperature of the actual stored product.

IN USE distinguish product temperature

display value

Number shown by the equipment interface.

IN USE record the display value

alarm history

Log of recorded equipment alarm events.

IN USE review the alarm history

timestamp

Recorded date or time associated with an entry.

IN USE preserve the timestamp

defrost

Process intended to remove frost from relevant equipment surfaces.

IN USE identify the defrost entry

scheduled defrost

Defrost event listed in the control schedule or record.

IN USE distinguish scheduled defrost

event duration

Length of time an event continued.

IN USE establish event duration

coincident entries

Records appearing at the same stated time.

IN USE compare coincident entries

causation

Relationship in which one event produces another.

IN USE avoid assuming causation

temperature excursion

Departure from a defined temperature range or limit.

IN USE assess a recorded temperature excursion

06

Precision check

The record gives a display value of 8 degrees Celsius at 06:10. Product temperatures are absent. No safe holding period or release decision can be inferred from this isolated display value and timestamp.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

exposure history

Record of conditions experienced by the product over time.

IN USE establish exposure history

data gap

Missing information needed for an assessment.

IN USE identify the data gap

food-safety lead

Person assigned responsibility for the relevant food-safety decision.

IN USE notify the food-safety lead

site procedure

Established process applicable at the premises.

IN USE follow the site procedure

release decision

Authorization to make a product available for its intended use.

IN USE refer the release decision

product disposition

Decision about how affected products will be handled.

IN USE determine product disposition

alarm acknowledgment

Record that an alarm has been noticed or accepted by an operator.

IN USE distinguish alarm acknowledgment

alarm clearance

Change in alarm status that does not alone establish product safety.

IN USE distinguish alarm clearance

trend record

Series of values showing change over time.

IN USE review the trend record

sensor location

Position associated with a particular measurement device.

IN USE identify the sensor location

technical cause

Established equipment or process explanation for an event.

IN USE keep the technical cause open

escalation summary

Concise information passed to the responsible decision-maker.

IN USE give an escalation summary

Precision check

The alarm and scheduled-defrost entries coincide, but cause and duration remain unconfirmed. Do not call the event harmless or assume defrost explains it. Follow the site food-safety escalation process; the responsible lead decides product disposition.

Phrases you can actually use

C Notice the language / 1 of 2

QUOTE THE ACTUAL RECORD

"The cabinet display recorded 8 degrees Celsius at 06:10."

KEEP THE RECORD TYPE CLEAR

"That is a display value, not a verified food-temperature record."

AVOID A CAUSAL SHORTCUT

"The matching time does not establish that defrost caused the alarm."

REJECT PREMATURE REASSURANCE

"I cannot declare the food safe from these records."

NAME THE MISSING INFORMATION

"Product temperatures have not been supplied."

IDENTIFY THE COINCIDENT ENTRIES

"The alarm and scheduled-defrost entries share a timestamp."

PRESERVE DURATION UNCERTAINTY

"The event duration is unconfirmed."

NAME THE DECISION ROUTE

"The responsible food-safety lead must decide under the site procedures."

Recorded

Attributes the number to the equipment record without changing what it measures.

Same time versus because

Separates coincidence from a causal explanation.

Unconfirmed duration

Prevents a timestamp from being read as a complete event interval.

Phrases you can actually use

C Notice the language / 2 of 2

KEEP TECHNICAL STATUS OPEN

"The cause of the event still needs confirmation."

PRESERVE THE DATA GAP

"The product exposure history is not established."

KEEP DISPOSITION SEPARATE

"Product disposition is separate from explaining the equipment entry."

READ BACK THE ESSENTIALS

"8 degrees at 06:10; product data absent; cause and duration unconfirmed."

AVOID EQUATING CLEARANCE WITH SAFETY

"Alarm clearance would not itself release the food."

ESCALATE ACCURATELY

"Please pass the display record and the missing data to the lead."

AVOID A GUESSED THRESHOLD

"We should not invent an allowable exposure period."

CLOSE WITHOUT RELEASING PRODUCT

"This technical discussion does not authorize food release."

06

Must decide under

Names both the responsible role and the governing site process.

Would not itself

Limits what an alarm-status change can establish.

Separate from

Keeps equipment assessment and product disposition as distinct questions.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

06

1. Which summary belongs in the escalation?

- A** Every product was measured at 8 degrees
- B** Alarm lasted only until 06:11
- C** Display 8 degrees Celsius at 06:10; product data absent; cause and duration unconfirmed
- D** Food definitely safe because defrost was scheduled

2. Why is defrost caused it unsupported?

- A** Defrost can never appear in a schedule
- B** The display has no number
- C** Product temperatures are all confirmed
- D** The shared timestamp does not establish causation

3. Who should receive the food-release question?

- A** Whoever recognizes the cabinet brand
- B** The person who wants service to resume fastest
- C** The alarm display as sole authority
- D** The responsible food-safety lead using site procedures

4. Which statement improperly fills a data gap?

- A** Product temperatures were not supplied
- B** The duration remains unconfirmed
- C** The food was warm for only one minute
- D** The display value was recorded at 06:10

Answers and explanations: [page 86](#).

An alarm, a display value, and missing product data

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

06

WORD + PHRASE BANK

Alarm clearance / event duration / escalation summary / scheduled defrost / display value / Product disposition / product temperature / food-safety lead / exposure history / timestamp

- 01 **Noah:** The cabinet display recorded eight degrees at 06:10, and there is an alarm entry. We open soon; can you tell me whether the food is safe?
- 02 **Imani:** I cannot make that release decision from the ¹ _____ alone. We need to keep the equipment record separate from the actual product information.
- 03 **Noah:** The value is in Celsius. I have not been given any temperatures for the food itself, only the number from the cabinet display.
- 04 **Imani:** Then ² _____ is a missing piece of information. The display record must not be rewritten as though every item was measured at eight degrees.
- 05 **Noah:** The alarm history and the scheduled-defrost entry both show 06:10. Could that mean the alarm was simply part of a harmless defrost period?
- 06 **Imani:** The ³ _____ tells us the entries coincide, but it does not establish that defrost caused the alarm or that the event was harmless.
- 07 **Noah:** We do not have the length of the event either. The record gives that one time, not a confirmed start and finish.
- 08 **Imani:** Then the ⁴ _____ remains unconfirmed. We should not turn 06:10 into a one-minute event or another guessed exposure period.
- 09 **Noah:** I understand. I need to give our food-safety lead the facts now, rather than asking you to infer a release decision from the equipment screen.
- 10 **Imani:** Yes. The ⁵ _____ must decide under your site procedures. I can help describe the technical records accurately, but this conversation does not authorize serving the food.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 55.

- 11 **Noah:** Please help me separate what we know from what we are only wondering about. I do not want the scheduled entry to become a diagnosis in the handoff.
- 12 **Imani:** We know there is a ⁶ _____ entry at the same time as the alarm. The causal relationship is unconfirmed, and product-temperature information has not been supplied.
- 13 **Noah:** Even if somebody later tells us the alarm is no longer showing, that would not by itself settle what happened to the products earlier, would it?
- 14 **Imani:** Correct. ⁷ _____ would not establish the products' temperature history or make a release decision. The equipment status and the food decision remain different matters.
- 15 **Noah:** I will not invent a holding period or tell the staff everything is fine because the entries share a time. The lead needs the unresolved points.
- 16 **Imani:** Exactly. The ⁸ _____ is not established here. Keep that gap visible along with the unknown event duration and cause, rather than substituting a reassuring guess.
- 17 **Noah:** Here is my summary: display eight degrees Celsius at 06:10; no product readings; alarm and defrost entries coincide; cause and duration unconfirmed.
- 18 **Imani:** That is an accurate ⁹ _____. Send it through the site process to the responsible lead, and keep the technical cause question open separately.
- 19 **Noah:** I will do that. Any decision about using, retaining, or otherwise handling the products will come from the responsible process, not this call.
- 20 **Imani:** Yes. ¹⁰ _____ must follow that process. We have clarified the information for the decision-maker; we have not declared the food safe or resolved the equipment event.

06

ANSWERS / EXPLANATIONS: PAGE 87

1. display value | 2. product temperature | 3. timestamp | 4. event duration | 5. food-safety lead | 6. scheduled defrost | 7. Alarm clearance | 8. exposure history | 9. escalation summary | 10. Product disposition

Escalate the record without a safety claim

F Say it

Complete the handoff to the responsible lead. Preserve the display record and the missing product information.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

06:10 / supplied / lead / 8

Manager: "The display recorded ¹ _____ degrees Celsius."

Technician: "The timestamp was ² _____."

Manager: "Product temperatures were not ³ _____."

Technician: "The responsible food-safety ⁴ _____ must decide under site procedures."

ANSWERS / EXPLANATIONS: PAGE 87

1. 8 | 2. 06:10 | 3. supplied | 4. lead

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Moving a grille is a coordinated change

A Read the situation

Acknowledge an appearance preference, explain unassessed consequences, and present two bounded choices without promising price or timing.

Office client Priya asks project coordinator Daniel to move a supply grille because it visually conflicts with a pendant light. The proposal has not assessed ductwork, ceiling restoration, service access, price, or timing. Priya may retain the current reviewed layout or request a coordinated change proposal. Daniel must explain the choice without treating a small visible move as a minor technical task or guaranteeing unchanged cost and completion.

PEOPLE / Priya: Office client | Daniel: Project coordinator

07

MAKE THE CHOICE CLEAR WITHOUT MINIMIZING THE WORK

A visible component can be connected to less visible work above the ceiling. Acknowledge the design preference, list the specific unassessed matters, and offer the stated choices. A request to assess a move is not approval to install it or an agreement to absorb its cost.

Briefing checks

Circle one answer in each item. Use the briefing.

1. Why does Priya want the grille moved?

- A** A measured airflow failure is established
- B** A new layout has already been accepted
- C** A maintenance inspection ordered the move
- D** It visually conflicts with a pendant light

2. Which consequences have been assessed?

- A** None of the listed change effects
- B** Ductwork and price only
- C** Service access and timing only
- D** All effects with a fixed quote

3. What are the stated choices?

- A** Accept a guessed price or waive review
- B** Change the refrigerant or replace the system
- C** Retain the reviewed layout or request a coordinated change proposal
- D** Move it immediately or cancel the whole project

Answers and explanations: [page 88](#).

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

supply grille relocation

Proposed change to the position of a supply-air grille.

IN USE assess a supply grille relocation

pendant light

Light fitting suspended from the ceiling.

IN USE coordinate the pendant light

visual conflict

Appearance issue between elements in the same view.

IN USE describe the visual conflict

reflected ceiling plan

Drawing of ceiling elements represented as viewed in reflection from below.

IN USE review the reflected ceiling plan

ceiling void

Space above the visible ceiling and below the structure above.

IN USE coordinate the ceiling void

branch duct

Duct section branching from a larger distribution route.

IN USE review the branch duct

duct connection

Interface joining a duct to another component.

IN USE assess the duct connection

flexible duct

Air-conveying duct with a flexible construction.

IN USE identify the flexible duct

rigid duct

Air-conveying duct with a relatively fixed form.

IN USE distinguish rigid duct

service clearance

Space required for relevant maintenance or access.

IN USE preserve service clearance

ceiling restoration

Reinstatement of ceiling finishes after defined work.

IN USE assess ceiling restoration

access provision

Means included in the design for reaching services.

IN USE review the access provision

Precision check

The visible conflict concerns the grille and pendant light. No performance fault is established. Ductwork, restoration, access, price, and timing all need assessment before the proposed move can be treated as a defined change.

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

reviewed layout

Arrangement that has undergone the stated project review.

IN USE retain the reviewed layout

change proposal

Defined suggestion for altering the existing arrangement.

IN USE request a change proposal

coordination review

Evaluation of the change across affected elements and trades.

IN USE arrange a coordination review

scope impact

Effect of a change on the work required.

IN USE identify the scope impact

cost impact

Effect of a change on price or expenditure.

IN USE assess the cost impact

schedule impact

Effect of a change on timing.

IN USE assess the schedule impact

design preference

Client choice concerning the desired arrangement or appearance.

IN USE record the design preference

technical feasibility

Whether the proposed arrangement can satisfy relevant technical conditions.

IN USE establish technical feasibility

revised layout

Updated arrangement proposed or accepted after a change.

IN USE review the revised layout

unassessed consequence

Effect not yet evaluated.

IN USE keep unassessed consequences visible

instruction to proceed

Direction authorizing agreed work to begin.

IN USE distinguish an instruction to proceed

decision record

Record of the option selected and its conditions.

IN USE confirm the decision record

Precision check

The two available decisions are to retain the reviewed layout or request a coordinated proposal. Choosing assessment does not approve a new location, authorize installation, or guarantee that the original cost and schedule will remain unchanged.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE PREFERENCE

"I understand why you want the grille clear of the pendant light."

AVOID MINIMIZING HIDDEN WORK

"The visible move may involve work above the ceiling."

SEPARATE APPEARANCE AND FAULT

"The concern is visual, not a confirmed performance defect."

STATE THE SECOND OPTION

"You can request a coordinated change proposal."

NAME THE REQUEST

"You are asking to relocate the supply grille."

IDENTIFY THE UNASSESSED ITEMS

"Ductwork, restoration, access, price, and timing still need assessment."

STATE THE FIRST OPTION

"You can retain the current reviewed layout."

KEEP THE CHOICE BOUNDED

"Those are the two decisions available at this stage."

May involve

Acknowledges possible hidden work without inventing a specific construction requirement.

Still need assessment

Keeps every listed consequence open.

Retain or request

Presents two concrete choices instead of an unbounded design task.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID A PRICE PROMISE

"I cannot confirm unchanged cost before review."

KEEP ACCESS IN SCOPE

"The proposal must account for service access."

PRESERVE TECHNICAL REVIEW

"The new position needs the relevant coordination."

READ BACK THE DECISION

"You are requesting assessment, not approving installation."

AVOID A TIMING PROMISE

"The schedule effect has not been established."

CLARIFY THE REQUEST STATUS

"Asking for a proposal does not authorize the relocation."

NAME RESTORATION EXPLICITLY

"Ceiling restoration must be included in the assessment."

CLOSE WITH THE NEXT DELIVERABLE

"We will bring back a defined proposal with its consequences."

Before review

Makes evidence a condition of a price or timing commitment.

Not a confirmed defect

Distinguishes an appearance preference from a performance finding.

With its consequences

Requires the proposal to show related effects, not merely a new dot on a plan.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which response explains the choice accurately?

- A** The move is already approved because the client prefers it
- B** Only the grille position matters; access can be ignored
- C** Retain the reviewed layout or request a coordinated proposal with impacts assessed
- D** The move is free because it is visually small

2. Which item must not disappear from review?

- A** A promised unchanged date
- B** Service access
- C** A guessed refrigerant change
- D** An invented system failure

3. What does requesting a proposal authorize here?

- A** Assessment of the change, not its installation
- B** Immediate relocation
- C** Automatic acceptance of any price
- D** Waiving ceiling restoration

4. Which phrase overstates certainty?

- A** We need to assess the ductwork
- B** The conflict is visual
- C** You can retain the current layout
- D** We can move it with no cost or timing effect

Answers and explanations: [page 88](#).

Moving a grille is a coordinated change

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

reviewed layout / change proposal / access provision / schedule impact / cost impact / ductwork / Ceiling restoration / visual conflict / decision record / design preference

07

- 01 **Priya:** The supply grille sits awkwardly beside the pendant light. I would like it moved so the ceiling looks more deliberate. Is that a small change?
- 02 **Daniel:** It is a ¹ _____ we can record, but the visible size of the move does not tell us the amount of work involved above the ceiling.
- 03 **Priya:** I am not reporting a cooling problem. It is the way the grille and light look together that bothers me in the current arrangement.
- 04 **Daniel:** Understood. We should call it a ² _____, not an established performance defect. That keeps the reason for the request accurate when it reaches the design team.
- 05 **Priya:** What would need review beyond drawing the grille in a different position? I want to understand the practical issues before choosing the next step.
- 06 **Daniel:** The ³ _____ has not been assessed, nor have ceiling restoration, service access, price, or timing. A revised drawing must be supported by review of those related effects.
- 07 **Priya:** I had only thought about the visible ceiling opening. The work needed to restore the original position would need a clear scope too.
- 08 **Daniel:** Yes. ⁴ _____ must be assessed rather than treated as automatically included or unnecessary. We should not give you a price for only part of the actual change.
- 09 **Priya:** And access above the ceiling cannot simply be ignored because the new position looks better from the room below, correct?
- 10 **Daniel:** Correct. The ⁵ _____ needs review with the other requirements. Appearance is important, but it does not by itself establish whether a revised arrangement is technically acceptable.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 64.

- 11 **Priya:** What can I decide today without having to invent the new technical solution myself? I would prefer a clear choice about how to proceed.
- 12 **Daniel:** You can retain the current ⁶ _____, or request a coordinated change proposal. Those are the two options at this stage; neither requires you to specify a duct route.
- 13 **Priya:** I would like the proposal, provided that asking for it does not mean I have already approved installation or accepted an unknown extra price.
- 14 **Daniel:** It does not. A ⁷ _____ will define the alternative and its consequences for review. Requesting it is separate from accepting the resulting work and commercial terms.
- 15 **Priya:** Can you guarantee the original finish date while that is being assessed? The office move-in planning depends on the overall schedule.
- 16 **Daniel:** I cannot confirm that yet. The ⁸ _____ is one of the open questions, along with cost. Your timing concern should be recorded without being mistaken for a promise that no effect exists.
- 17 **Priya:** Please also avoid describing the move as free or minor in the meeting notes. I want the assessment to be clear before anyone makes that assumption.
- 18 **Daniel:** Agreed. The ⁹ _____ will need a defined scope. We will include ductwork, access, restoration, and timing in the coordinated review rather than price only the visible grille.
- 19 **Priya:** Then record that I am requesting a proposal, not directing the team to move the grille now. I will review the actual consequences before agreeing.
- 20 **Daniel:** That is the ¹⁰ _____: coordinated proposal requested; relocation not authorized. The current reviewed arrangement is not replaced by an assumed new position during this conversation.

07

ANSWERS / EXPLANATIONS: PAGE 89

1. design preference | 2. visual conflict | 3. ductwork | 4. Ceiling restoration | 5. access provision | 6. reviewed layout | 7. change proposal | 8. schedule impact | 9. cost impact | 10. decision record

Offer two clear paths

F Say it

Complete the choice discussion. Keep the existing layout and the request for assessment separate from installation approval.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

proposal / assessment / layout / relocation

Coordinator: "You can retain the reviewed ¹ _____."

Client: "Or request a coordinated change ² _____."

Coordinator: "Cost and timing still need ³ _____."

Client: "This request does not authorize ⁴ _____."

ANSWERS / EXPLANATIONS: PAGE 89

1. layout | 2. proposal | 3. assessment | 4. relocation

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

Report received, seasonal check still open

A Read the situation

Separate document receipt from completed verification and distinguish assigned correction work from an unassigned scheduling responsibility.

Client Ben receives a commissioning report for a fictional office system. It lists a deferred seasonal check, and the maintenance sheet names the wrong model. Coordinator Nia accepts responsibility for document correction and will update Ben on Friday. The seasonal-check date is not booked, and responsibility for scheduling it has not been confirmed. The handover must preserve that ownership gap. No overall performance conclusion, completed seasonal result, or change to warranty terms is supplied.

PEOPLE / Ben: Client | Nia: Coordinator

DO NOT LET ONE NAMED OWNER HIDE A DIFFERENT UNASSIGNED TASK

A coordinator can own a document correction without owning every remaining technical action. A useful handover names the received records, the unresolved checks, and who is responsible for each. State an ownership gap directly rather than letting a polite promise to update imply it is settled.

Briefing checks

Circle one answer in each item. Use the briefing.

1. What does the commissioning report list?

- A A completed seasonal result
- C No outstanding verification

- B A confirmed Friday test booking
- D A deferred seasonal check

2. What responsibility does Nia accept?

- A An automatic warranty extension
- C Confirmed ownership of scheduling every check

- B Document correction and a Friday update
- D A guaranteed system-performance result

3. What remains unresolved about the seasonal check?

- A Whether any report was received
- C Both the date and the scheduling owner

- B Whether Nia agreed to correct the sheet
- D Only the spelling of Friday

Answers and explanations: page 90.

The vocabulary that does the work

B Find the words / 1 of 2

Read the definitions and say the common word combinations aloud.

commissioning

Process of verifying and documenting system performance against relevant project requirements.

IN USE distinguish commissioning from document delivery

commissioning report

Record of commissioning activities, results, and outstanding matters.

IN USE receive the commissioning report

deferred check

Verification postponed until a later appropriate time or condition.

IN USE record the deferred check

seasonal check

Verification associated with relevant seasonal operating conditions.

IN USE schedule the seasonal check

maintenance sheet

Document describing relevant maintenance information for equipment.

IN USE correct the maintenance sheet

model-specific guidance

Information applicable to the actual identified product model.

IN USE obtain model-specific guidance

Precision check

The report has been received, but the seasonal check is deferred. The wrong-model maintenance sheet needs correction. Neither delivery nor a corrected document would itself establish a completed seasonal result or overall system performance.

document mismatch

Difference between supplied information and the relevant equipment.

IN USE identify the document mismatch

correction owner

Person responsible for resolving a record error.

IN USE name the correction owner

scheduling owner

Person responsible for arranging the required attendance or check.

IN USE confirm the scheduling owner

ownership gap

Task for which responsibility has not been confirmed.

IN USE preserve the ownership gap

unbooked check

Required verification with no confirmed appointment.

IN USE retain the unbooked check

update commitment

Promise to provide further information at a stated time.

IN USE honor the update commitment

The vocabulary that does the work

B Find the words / 2 of 2

Read the definitions and say the common word combinations aloud.

outstanding verification

Check not yet completed or accepted.

IN USE track outstanding verification

handover register

Record of delivered information and remaining handover matters.

IN USE update the handover register

operating record

Documented information about actual operation.

IN USE retain the operating record

performance result

Established outcome from relevant measurement or verification.

IN USE distinguish a performance result

acceptance criterion

Requirement used to judge whether an outcome meets the agreed standard.

IN USE identify the acceptance criterion

test condition

Defined state under which a verification is carried out.

IN USE record the test condition

deferral reason

Explanation for postponing an activity.

IN USE preserve the deferral reason

closeout status

Current position of remaining completion matters.

IN USE state the closeout status

maintenance requirement

Relevant action or condition specified for upkeep.

IN USE verify the maintenance requirement

warranty terms

Actual conditions and coverage stated in the relevant warranty.

IN USE preserve warranty terms

document receipt

Confirmation that information has been delivered.

IN USE acknowledge document receipt

responsibility readback

Repetition of assigned and unassigned tasks for clarity.

IN USE give a responsibility readback

Precision check

Nia owns document correction and promises a Friday update. The seasonal check has no booked date and no confirmed scheduling owner. Preserve both gaps instead of silently assigning the check to Nia or treating Friday as its appointment.

Phrases you can actually use

C Notice the language / 1 of 2

ACKNOWLEDGE THE REPORT

"You have received the commissioning report."

IDENTIFY THE DOCUMENT ERROR

"The maintenance sheet names the wrong model."

COMMIT TO AN UPDATE

"I will update you on Friday."

STATE THE BOOKING GAP

"The seasonal-check date is not booked."

NAME THE EXCEPTION

"The report lists a deferred seasonal check."

ACCEPT A SPECIFIC TASK

"I will take responsibility for document correction."

KEEP THE DATE LIMITED

"Friday is an update date, not a booked seasonal check."

STATE THE OWNERSHIP GAP

"Responsibility for arranging that check is not confirmed."

08

Lists a deferred check

Describes a recorded exception rather than a completed result.

Will update

Commits to communication without guaranteeing an unresolved outcome.

Responsibility not confirmed

Makes an ownership gap explicit.

Phrases you can actually use

C Notice the language / 2 of 2

AVOID IMPLIED OWNERSHIP

"My document task does not settle who schedules the check."

SEPARATE RECEIPT AND VERIFICATION

"Receiving the report does not complete the deferred check."

KEEP WARRANTY SEPARATE

"This discussion does not change the actual warranty terms."

READ BACK RESPONSIBILITIES

"Nia owns correction; seasonal scheduling ownership remains open."

PRESERVE MODEL SPECIFICITY

"The replacement sheet must match the actual model."

AVOID AN OVERALL ASSURANCE

"We have no overall performance conclusion to add here."

NAME THE NEXT COORDINATION ISSUE

"We still need a confirmed scheduling owner and date."

CLOSE WITH ACCURATE STATUS

"Documents are received, corrections and deferred verification remain visible."

08

Does not settle

Prevents one accepted task from silently resolving another.

Must match

Connects the maintenance document to the relevant equipment model.

Remain visible

Keeps unfinished items in the handover instead of hiding them in a general completion claim.

Choose the precise message

D Check your understanding

Circle one best answer for each item. Use the stated purpose and case facts, not the option that merely sounds most polite.

1. Which summary preserves all responsibilities?

- A** The client automatically owns the seasonal check
- B** Nia corrects documents and updates Friday; seasonal-check owner and date remain open
- C** Nia has booked every check for Friday
- D** Report receipt proves full performance

08

2. What does Friday identify?

- A** Completion of every open item
- B** Nia's promised update
- C** A confirmed seasonal test date
- D** A warranty start date supplied by this case

3. Which inference is unsupported?

- A** Scheduling ownership is unconfirmed
- B** Correcting the maintenance sheet completes the seasonal check
- C** The sheet names the wrong model
- D** The report was received

4. What should the handover keep open?

- A** A guessed successful test result
- B** An automatic warranty extension
- C** Correct model guidance, deferred verification, scheduling owner, and date
- D** Only a general statement saying all complete

Answers and explanations: page 90.

Report received, seasonal check still open

E Conversations / turns 1-10

Complete the numbered gaps. Use each bank entry once, without changing its form. Cover the answers at the end until you finish.

WORD + PHRASE BANK

model-specific guidance / update commitment / warranty terms / document mismatch / ownership gap / handover register / responsibility readback / deferred check / performance result / scheduling owner

08

- 01 **Ben:** I have received the commissioning report, but it lists a seasonal check as deferred. The maintenance sheet also seems to name a different model from our system.
- 02 **Nia:** Those are two distinct handover matters. I accept the ¹ _____ on the maintenance sheet and will take responsibility for correcting that information.
- 03 **Ben:** Thank you. Before we close the handover discussion, I also need to know whether receiving the report means the remaining seasonal check is treated as complete.
- 04 **Nia:** No. The ² _____ is still outstanding. The report records its status; delivery of that report does not carry out the verification or supply its result.
- 05 **Ben:** Can you confirm who is arranging that check and when it will take place? I cannot find a booked date in the information I received.
- 06 **Nia:** The ³ _____ has not been confirmed, and no date is booked. I should not imply that my document-correction task resolves either of those questions.
- 07 **Ben:** That distinction matters. I might otherwise assume that because you own the wrong-sheet correction, you also own arranging all the remaining technical work.
- 08 **Nia:** Exactly. We need to preserve the ⁴ _____ for the seasonal check. It needs an explicit assignment, not an assumption based on who is speaking at handover.
- 09 **Ben:** What commitment can you give me today about the documents, so I have a clear next contact point even while the other responsibility remains open?
- 10 **Nia:** I will correct the document information and make an ⁵ _____ for Friday. That gives you a communication date without presenting an unbooked seasonal check as scheduled.

The conversation, continued

E Conversations / turns 11-20

Continue with the word bank on page 73.

- 11 **Ben:** Please make sure the corrected maintenance sheet is for the actual model. A similar-looking product document would leave us with the same uncertainty.
- 12 **Nia:** Agreed. We need ⁶ _____ for the actual equipment. Correcting the sheet is a defined records task; it is not evidence that the seasonal verification has occurred.
- 13 **Ben:** Would it be accurate to say the system has passed every operating condition because the commissioning report is now in our hands?
- 14 **Nia:** No. We have no overall ⁷ _____ to add from these facts. The deferred item remains part of the record, and we should not invent a successful result for it.
- 15 **Ben:** I also want to avoid changing the warranty language in our summary. We should keep the actual warranty terms separate from this follow-up discussion.
- 16 **Nia:** Correct. The ⁸ _____ are not changed by this conversation. Neither an update date nor an outstanding check creates a new warranty promise here.
- 17 **Ben:** Let me read the responsibilities back: you own the document correction and Friday update. The seasonal check is unbooked, and its scheduling owner is still unconfirmed.
- 18 **Nia:** That ⁹ _____ is accurate. It makes the commitment and both remaining scheduling questions visible instead of assigning the whole handover to one person by implication.
- 19 **Ben:** Then I will record receipt of the report without marking every item complete. Friday will be listed as an update, not a test appointment.
- 20 **Nia:** Thank you. The ¹⁰ _____ should preserve the report receipt, wrong-model correction, deferred check, and open scheduling responsibility and date. That is a clear close to today's conversation, with the unfinished work still visible.

08

ANSWERS / EXPLANATIONS: PAGE 91

1. document mismatch | 2. deferred check | 3. scheduling owner | 4. ownership gap | 5. update commitment | 6. model-specific guidance | 7. performance result | 8. warranty terms | 9. responsibility readback | 10. handover register

Assign only the responsibility actually accepted

F Say it

Complete the handover readback. Keep the document owner, update date, and unassigned seasonal-check task distinct.

Complete the four gaps. Use each bank entry once.

WORD + PHRASE BANK

Nia / confirmed / Friday / unbooked

Client: "1 _____ owns document correction."

Coordinator: "The update is promised for 2 _____."

Client: "The seasonal check is still 3 _____."

Coordinator: "Its scheduling owner is not yet 4 _____."

ANSWERS / EXPLANATIONS: PAGE 91

1. Nia | 2. Friday | 3. unbooked | 4. confirmed

Rehearse with a fixed script

1. Check your answers, then read turns 1-10 with a partner using the corrected words.
2. Switch roles for turns 11-20. Stress words that distinguish facts from conditions or estimates.
3. Complete and check the four-line exchange. Read it twice, switching roles and keeping the printed facts.

WORKING ALONE

Read both roles, pausing for two seconds when the speaker changes. Repeat with the bank covered, then check any missed expressions.

01 Briefing and language checks

Clarifying comfort complaints and thermostat readings

A Briefing checks / page 4

1. What does 22 degrees Celsius represent?

B. The thermostat setpoint

The brief identifies the number as the target setting rather than a measured room condition.

2. When do staff report feeling warm?

C. After 14:00

The supplied pattern is an afternoon report beginning after 14:00.

3. What is established about the equipment?

B. No cause or fault has been established

The complaint and setpoint do not establish a cause or equipment condition.

D Language checks / page 9

1. Which wording accurately uses the number?

A. The thermostat setpoint is 22 degrees Celsius

The value identifies a target setting, not any of the proposed measurements.

2. Which summary preserves the complaint?

B. Staff feel warm in the meeting room after 14:00; ambient reading not supplied

The summary keeps attribution, place, period, and missing measurement intact.

3. What should Ben avoid inferring?

C. A particular equipment fault

No diagnostic evidence establishes a component failure in the supplied facts.

4. Which question best clarifies the displayed value?

A. Does the record label 22 as the target or the measured room temperature?

The bounded question identifies the value using existing information without assuming a fault.

01 Conversation answers

Clarifying comfort complaints and thermostat readings

E Dialogue gaps

Pages 10-11

- 1. setpoint.** Turn 2. Setpoint identifies the target setting, which must not be mistaken for a room measurement.
- 2. ambient temperature.** Turn 4. Ambient temperature is the surrounding-air condition, for which no confirmed reading is supplied.
- 3. afternoon pattern.** Turn 6. Afternoon pattern preserves the reported period after 14:00 without inventing continuous discomfort or exact onset.
- 4. occupant feedback.** Turn 8. Occupant feedback records the staff experience alongside the target rather than treating one as a contradiction.
- 5. equipment fault.** Turn 10. Equipment fault has not been established by the setpoint or the comfort report.
- 6. degrees Celsius.** Turn 12. Degrees Celsius supplies the unit attached to the stated target value.
- 7. temperature reading.** Turn 14. Temperature reading is absent from this account; that does not assert that no measurement ever exists.
- 8. service description.** Turn 16. Service description communicates the known complaint without prescribing tests or a control adjustment.
- 9. attributed report.** Turn 18. Attributed report links the comfort account to staff and keeps the target and missing reading separate.
- 10. target temperature.** Turn 20. Target temperature is the intended control value, not proof of actual room conditions or performance.

F Transfer conversation

Page 12

1. setpoint

Manager: "The thermostat setpoint is 22 degrees Celsius."

Setpoint correctly identifies the target rather than a measured ambient temperature.

2. 14:00

Coordinator: "Staff feel warm after 14:00."

The time preserves the supplied afternoon complaint without inventing another period.

3. ambient

Manager: "No confirmed ambient reading is supplied."

Ambient identifies the actual surrounding-air measurement that is missing from the account.

4. unestablished

Coordinator: "The cause remains unestablished."

Neither the setpoint nor the report establishes a technical cause.

02 Briefing and language checks

Identifying equipment and linked components

A Briefing checks / page 13

1. Which label appears in the service request?

C. AC-4

AC-4 is the request label, distinct from the plan and register references.

2. What does the register identify as AH-4?

A. An indoor air handler

The indoor equipment register explicitly identifies an air handler as AH-4.

3. What is unresolved?

D. The relationship between CU-4 and AH-4

The supplied documents do not confirm how the two components are related.

D Language checks / page 18

1. Which summary is accurate?

B. Request AC-4; roof plan CU-4; register AH-4; relationship unverified

The summary preserves the separate source labels and unresolved relationship.

2. What should Owen ask Mira to provide?

D. The relevant existing register information for reconciliation

The case calls for existing records, not physical access or testing.

3. Why is the numeral four insufficient?

B. Similar numbering does not establish verified component relationships

An identifier pattern is not evidence that the recorded components form a confirmed pairing.

4. What should remain visible until clarified?

A. The source of each label and the unverified link

Keeping sources and uncertainty supports accurate reconciliation without losing original information.

02 Conversation answers

Identifying equipment and linked components

E Dialogue gaps

Pages 19-20

- 1. record source.** Turn 2. Record source identifies where each label comes from instead of treating the labels as interchangeable.
- 2. air handler.** Turn 4. Air handler is the indoor item named AH-4 in the register, not a confirmed synonym for CU-4.
- 3. equipment pairing.** Turn 6. Equipment pairing is the relationship that remains unverified despite the shared numeral.
- 4. equipment register.** Turn 8. Equipment register is already available to Mira and can support the document reconciliation.
- 5. service request.** Turn 10. Service request retains the original AC-4 wording while its relationship to other labels is clarified.
- 6. system reference.** Turn 12. System reference may identify the overall arrangement rather than one physical component.
- 7. model number.** Turn 14. Model number identifies a product design or version, unlike the individual-unit serial number.
- 8. served area.** Turn 16. Served area must be established for the identified system rather than borrowed from another request.
- 9. cross-reference.** Turn 18. Cross-reference asks how the documented labels correspond without presuming that any one record is wrong.
- 10. confirmed mapping.** Turn 20. Confirmed mapping supplies verified correspondence before labels are merged or the request is relabeled.

F Transfer conversation

Page 21

1. AC-4

Manager: "The request says AC-4."

AC-4 is the original request label and must remain traceable.

2. CU-4

Coordinator: "The roof plan identifies the outdoor unit as CU-4."

CU-4 belongs to the outdoor item on the roof plan.

3. AH-4

Manager: "The register identifies the air handler as AH-4."

AH-4 is the indoor air-handler reference in the register.

4. unverified

Coordinator: "Their relationship remains unverified."

Similar numbering does not establish a confirmed link between the recorded components.

03 Briefing and language checks

Explaining airflow and distribution reports

A Briefing checks / page 22

1. Which opening does the drawing identify as supply?

B. S3

The current drawing explicitly labels S3 as supply air.

2. Where does Tomas report discomfort?

B. Below S3

The client names the area below S3 as the complaint location.

3. What is missing?

C. Airflow measurements

No measured airflow data are supplied with the discomfort report.

D Language checks / page 27

1. Which explanation is accurate?

B. Supply delivers air into the room; return carries air back toward the system

The directional distinction explains the stated functions without changing them into performance findings.

2. What can the drawing labels establish here?

C. The stated functions of S3 and R2

The supplied drawing labels identify functions, not measured operating conditions.

3. Which report invents a measurement?

D. S3 delivers too many liters per second

No airflow measurements support a quantified excess at S3.

4. What is the proper scope of Leila's response?

D. Explain labels and preserve the complaint for assessment

The case supports explanation and accurate reporting, not adjustment or performance conclusions.

03 Conversation answers

Explaining airflow and distribution reports

03

E Dialogue gaps

Pages 28-29

- 1. supply air.** Turn 2. Supply air is the stated delivery function of S3 on the current drawing.
- 2. return air.** Turn 4. Return air describes the flow back toward the system rather than delivery into the room.
- 3. distribution report.** Turn 6. Distribution report records the air-related complaint and its location without adding measurements.
- 4. measured airflow.** Turn 8. Measured airflow would require relevant measurement data, which Tomas has not supplied.
- 5. cubic feet per minute.** Turn 10. Cubic feet per minute is a volume-flow unit, not an air-speed unit.
- 6. Air velocity.** Turn 12. Air velocity is the speed of air movement and must not be confused with volume flow.
- 7. balancing.** Turn 14. Balancing involves technical distribution work and verification, not merely identifying supply and return labels.
- 8. damper.** Turn 16. Damper is an airflow-control component; no adjustment to it is supported by this conversation.
- 9. occupied zone.** Turn 18. Occupied zone is the area used by people, helping locate the comfort issue rather than diagnose equipment.
- 10. performance finding.** Turn 20. Performance finding would require supporting evidence beyond the labels and discomfort account.

F Transfer conversation

Page 30

1. supply

Technician: "S3 is labeled supply air."

Supply is the stated function assigned to S3 by the drawing.

2. return

Client: "R2 is labeled return air."

Return distinguishes R2 from the supply opening named in the complaint.

3. S3

Technician: "The discomfort is reported below S3."

S3 is the specific location identified by the client.

4. measurements

Client: "No airflow measurements have been supplied."

The complaint includes no measured airflow data to support a performance conclusion.

04 Briefing and language checks

Checking equipment ratings and refrigerant references

04

A Briefing checks / page 31

1. What does proposal A's 5 kilowatts describe?

C. Cooling capacity

Proposal A explicitly labels the value as cooling capacity.

2. What does proposal B's 5 kilowatts describe?

D. Electrical input

Proposal B labels the value electrical input, which is a different quantity.

3. What conclusion is supported?

C. The numbers alone cannot establish equivalent systems

The matching unit and value do not make the two differently labeled quantities equivalent.

D Language checks / page 36

1. Which comparison is valid from the supplied entries?

C. A's value is cooling capacity; B's is electrical input

Only the differently labeled quantities can be identified; performance equivalence is not established.

2. What additional information is needed?

C. Full data sheets, rating conditions, and component pairings

The missing specifications are needed to compare matching quantities and equipment combinations.

3. Which conclusion exceeds the evidence?

A. The systems have equal efficiency

The two entries do not provide the corresponding output and input data needed for that claim.

4. What does a refrigerant designation provide?

C. Identification to be checked against the actual equipment specification

The designation identifies the fluid but does not establish compatibility or authorization.

04 Conversation answers

Checking equipment ratings and refrigerant references

E Dialogue gaps

Pages 37-38

- 1. cooling capacity.** Turn 2. Cooling capacity identifies A's heat-removal output rating, not its electrical power input.
- 2. Electrical input.** Turn 4. Electrical input is the power required by the equipment, not the useful cooling output.
- 3. efficiency.** Turn 6. Efficiency comparison needs corresponding output and input information on a consistent basis.
- 4. data sheet.** Turn 8. Data sheet supplies product characteristics beyond the two incomplete proposal entries.
- 5. equipment combination.** Turn 10. Equipment combination identifies the components whose joint specifications are relevant to the proposal.
- 6. refrigerant designation.** Turn 12. Refrigerant designation identifies the specified fluid but does not establish system equivalence or replacement approval.
- 7. substitution review.** Turn 14. Substitution review evaluates a proposed replacement and is not bypassed by a familiar refrigerant name.
- 8. Refrigerant charge.** Turn 16. Refrigerant charge concerns the quantity of working fluid, distinct from capacity and refrigerant identity.
- 9. like-for-like comparison.** Turn 18. Like-for-like comparison uses matching quantities and conditions instead of the superficially matching five-kilowatt figures.
- 10. selection basis.** Turn 20. Selection basis is the supporting information still needed before an equipment choice can be approved.

F Transfer conversation

Page 39

1. capacity

Client: "A gives 5 kilowatts of cooling capacity."

Capacity identifies the cooling-output quantity stated in proposal A.

2. input

Estimator: "B gives 5 kilowatts of electrical input."

Input identifies power required by the equipment, not cooling output.

3. sheets

Client: "We need complete data sheets and pairings."

Full data sheets and component pairings are missing from the supplied proposals.

4. approved

Estimator: "No selection is yet approved."

The comparison does not establish an accepted equipment choice or authorization.

05 Briefing and language checks

Reporting moisture, symptoms, and service findings

A Briefing checks / page 40

1. What did Elena report yesterday?

D. Water near AH-6 at 15:00

Elena's account concerns observed water near AH-6 at the stated time.

2. What does today's visit note establish?

D. The nearby floor was dry and the source was not identified

The note records a later surface condition and an unresolved source.

3. What does the earlier drain-pan entry prove?

A. Only that a concern was recorded, not a causal link

The historical concern is not linked to the water by the supplied evidence.

D Language checks / page 45

1. Which summary preserves chronology?

D. Water near AH-6 yesterday at 15:00; floor dry today; source unidentified

The summary combines the different times while retaining the unresolved source.

2. Which wording improperly asserts origin?

C. Water came from AH-6

The supplied report gives proximity, not proof that AH-6 produced the water.

3. How should the drain-pan entry be handled?

C. Retain it as history with no established causal link

Relevant history can be preserved without asserting a cause or resolution.

4. What can the dry-floor note establish about repair?

B. No completed repair by itself

A surface observation is not evidence that corrective work occurred.

05 Conversation answers

Reporting moisture, symptoms, and service findings

E Dialogue gaps

Pages 46-47

1. chronology. Turn 2. Chronology keeps yesterday's report and today's observation separate instead of treating them as simultaneous claims.

2. visit note. Turn 4. Visit note is the source for today's dry-floor observation, not yesterday's client report.

3. drain-pan concern. Turn 6. Drain-pan concern is historical information, not a confirmed cause of the later water report.

4. evidence boundary. Turn 8. Evidence boundary limits the account to observed location rather than asserting origin from AH-6.

5. historical entry. Turn 10. Historical entry must retain its recorded status as a concern rather than being upgraded to confirmed failure.

6. source identification. Turn 12. Source identification remains unresolved because today's note explicitly says the source was not identified.

7. repair status. Turn 14. Repair status cannot be inferred from a later dry surface when no corrective work is documented.

8. recurrence history. Turn 16. Recurrence history requires evidence of repeated events, not merely an earlier concern about a component.

9. causal link. Turn 18. Causal link is the missing connection between the earlier concern and the reported water.

10. record reconciliation. Turn 20. Record reconciliation combines the three sources while preserving time, attribution, and uncertainty.

F Transfer conversation

Page 48

1. 15:00

Client: "Water was reported near AH-6 at 15:00 yesterday."

The time belongs to Elena's report on the previous day.

2. dry

Coordinator: "Today the nearby floor was recorded as dry."

Dry describes the surface observed during the later visit.

3. concern

Client: "The earlier log mentions a drain-pan concern."

Concern preserves the historical wording without upgrading it to a confirmed failure.

4. identified

Coordinator: "The source was not identified."

The visit note leaves the origin of the reported water unresolved.

05

06 Briefing and language checks

Discussing refrigeration alarms and temperature records

A Briefing checks / page 49

1. What was recorded at 06:10?

C. A cabinet display value of 8 degrees Celsius

The record supplies a cabinet display value, not product temperatures or duration.

2. What do the matching timestamps establish?

B. The two entries share a recorded time

Coincident timestamps do not establish cause, duration, or product safety.

3. Who must decide the food-safety question?

A. The responsible food-safety lead under site procedures

The scenario assigns that decision to the responsible lead using the site's procedures.

D Language checks / page 54

1. Which summary belongs in the escalation?

C. Display 8 degrees Celsius at 06:10; product data absent; cause and duration unconfirmed

The summary preserves the actual value and all material information limits.

2. Why is defrost caused it unsupported?

D. The shared timestamp does not establish causation

Temporal coincidence alone does not prove the explanation for the alarm.

3. Who should receive the food-release question?

D. The responsible food-safety lead using site procedures

Product decisions require the assigned responsible process rather than an improvised technical assurance.

4. Which statement improperly fills a data gap?

C. The food was warm for only one minute

No event duration or product exposure period is established by the record.

06 Conversation answers

Discussing refrigeration alarms and temperature records

E Dialogue gaps

Pages 55-56

- 1. display value.** Turn 2. Display value is equipment information and does not supply the missing product temperatures or exposure history.
- 2. product temperature.** Turn 4. Product temperature concerns the food itself and is absent from the information supplied.
- 3. timestamp.** Turn 6. Timestamp establishes the recorded time shared by the entries, not why the alarm occurred.
- 4. event duration.** Turn 8. Event duration remains unknown because one timestamp does not establish a complete interval.
- 5. food-safety lead.** Turn 10. Food-safety lead is the assigned decision-maker for product safety under the site's procedures.
- 6. scheduled defrost.** Turn 12. Scheduled defrost is a recorded event sharing the time, not a proven explanation for the alarm.
- 7. Alarm clearance.** Turn 14. Alarm clearance concerns equipment alarm status and does not establish product safety or past exposure.
- 8. exposure history.** Turn 16. Exposure history describes conditions experienced by the products over time, which these isolated records do not establish.
- 9. escalation summary.** Turn 18. Escalation summary passes the actual records and missing information to the responsible lead without authorizing release.
- 10. Product disposition.** Turn 20. Product disposition is the responsible decision about the food, distinct from interpreting the equipment records.

F Transfer conversation

Page 57

1. 8

Manager: "The display recorded 8 degrees Celsius."

Eight is the cabinet display value, not a verified product temperature.

2. 06:10

Technician: "The timestamp was 06:10."

The timestamp records one time and does not establish event duration.

3. supplied

Manager: "Product temperatures were not supplied."

The absence of product readings is a material limit on the information.

4. lead

Technician: "The responsible food-safety lead must decide under site procedures."

The assigned lead makes the product decision rather than the equipment display alone.

07 Briefing and language checks

Coordinating ductwork, access, and changes

A Briefing checks / page 58

1. Why does Priya want the grille moved?

D. It visually conflicts with a pendant light

The request concerns appearance, not an established system fault.

2. Which consequences have been assessed?

A. None of the listed change effects

Ductwork, restoration, access, price, and timing remain unassessed.

3. What are the stated choices?

C. Retain the reviewed layout or request a coordinated change proposal

The brief supplies two bounded options without authorizing an immediate alteration.

D Language checks / page 63

1. Which response explains the choice accurately?

C. Retain the reviewed layout or request a coordinated proposal with impacts assessed

The response offers the two supplied options and preserves the need to assess consequences.

2. Which item must not disappear from review?

B. Service access

Service access is explicitly one of the unassessed matters in the brief.

3. What does requesting a proposal authorize here?

A. Assessment of the change, not its installation

A request for review does not equal agreement to carry out the proposed work.

4. Which phrase overstates certainty?

D. We can move it with no cost or timing effect

Cost and timing effects remain unknown, so a no-impact promise is unsupported.

07 Conversation answers

Coordinating ductwork, access, and changes

E Dialogue gaps

Pages 64-65

1. design preference. Turn 2. Design preference identifies the appearance concern without claiming a performance fault.

2. visual conflict. Turn 4. Visual conflict describes the relationship in appearance between the grille and pendant light.

3. ductwork. Turn 6. Ductwork is one of the hidden systems whose changes have not been assessed for the proposed move.

4. Ceiling restoration. Turn 8. Ceiling restoration concerns reinstating affected finishes and remains part of the unassessed change scope.

5. access provision. Turn 10. Access provision concerns how the relevant services remain reachable after a proposed layout change.

6. reviewed layout. Turn 12. Reviewed layout is the existing arrangement available as the first stated option.

7. change proposal. Turn 14. Change proposal is the requested assessed alternative, not authorization to install or acceptance of its terms.

8. schedule impact. Turn 16. Schedule impact remains unassessed, so unchanged completion cannot be guaranteed.

9. cost impact. Turn 18. Cost impact must be assessed with the defined work rather than assumed absent because the visible move seems small.

10. decision record. Turn 20. Decision record preserves the selected assessment step without turning it into an instruction to proceed.

F Transfer conversation

Page 66

1. layout

Coordinator: "You can retain the reviewed layout."

Layout refers to the existing reviewed arrangement available as the first option.

2. proposal

Client: "Or request a coordinated change proposal."

Proposal is the assessed alternative the client may request before deciding.

3. assessment

Coordinator: "Cost and timing still need assessment."

The effects on price and schedule have not yet been evaluated.

4. relocation

Client: "This request does not authorize relocation."

Requesting a proposal does not approve moving the supply grille.

08 Briefing and language checks

Handing over commissioning and maintenance information

A Briefing checks / page 67

1. What does the commissioning report list?

D. A deferred seasonal check

The report explicitly identifies a check that has been deferred rather than completed.

2. What responsibility does Nia accept?

B. Document correction and a Friday update

Nia's commitment is to document correction and communication, not the unassigned scheduling task.

3. What remains unresolved about the seasonal check?

C. Both the date and the scheduling owner

The check is unbooked and responsibility for arranging it is not confirmed.

D Language checks / page 72

1. Which summary preserves all responsibilities?

B. Nia corrects documents and updates Friday; seasonal-check owner and date remain open

The summary keeps Nia's accepted task distinct from the unresolved scheduling responsibility.

2. What does Friday identify?

B. Nia's promised update

The only Friday commitment is communication about follow-up.

3. Which inference is unsupported?

B. Correcting the maintenance sheet completes the seasonal check

A document correction is not performance of the deferred verification.

4. What should the handover keep open?

C. Correct model guidance, deferred verification, scheduling owner, and date

The remaining matters must be separately visible rather than replaced by an unsupported closure claim.

08 Conversation answers

Handing over commissioning and maintenance information

E Dialogue gaps

Pages 73-74

- 1. document mismatch.** Turn 2. Document mismatch identifies the wrong-model maintenance sheet as a correction task.
- 2. deferred check.** Turn 4. Deferred check remains outstanding even though its existence is recorded in the delivered report.
- 3. scheduling owner.** Turn 6. Scheduling owner has not been confirmed, so the arranging responsibility remains open.
- 4. ownership gap.** Turn 8. Ownership gap names the unassigned scheduling responsibility rather than silently giving it to Nia.
- 5. update commitment.** Turn 10. Update commitment is Nia's promise to communicate on Friday, not a promised technical-check result.
- 6. model-specific guidance.** Turn 12. Model-specific guidance links the corrected maintenance information to the actual equipment rather than a similar model.
- 7. performance result.** Turn 14. Performance result cannot be generalized to all conditions when a seasonal check is still deferred.
- 8. warranty terms.** Turn 16. Warranty terms retain their actual meaning and are not revised by the document update or deferred-check discussion.
- 9. responsibility readback.** Turn 18. Responsibility readback distinguishes the assigned document task from the unassigned seasonal scheduling task.
- 10. handover register.** Turn 20. Handover register should record receipt alongside corrections and outstanding verification without claiming full completion.

F Transfer conversation

Page 75

1. Nia

Client: "Nia owns document correction."

Nia accepts the correction task, not confirmed ownership of arranging the seasonal check.

2. Friday

Coordinator: "The update is promised for Friday."

Friday is the communication commitment rather than a booked technical appointment.

3. unbooked

Client: "The seasonal check is still unbooked."

No confirmed date has been supplied for the deferred seasonal verification.

4. confirmed

Coordinator: "Its scheduling owner is not yet confirmed."

The responsibility for arranging the check remains an explicit open question.

08

Find the move you need

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

01 Clarifying comfort complaints and thermostat readings

Ask what the number means: Is 22 the setpoint or a measured room temperature?

Acknowledge the people: Staff report feeling warm in the meeting room.

Avoid assigning a failed part: No sensor fault has been established.

Full phrase set: pages 7-8 | Dialogue: pages 10-11

02 Identifying equipment and linked components

Quote the request: The service request calls the system AC-4.

Preserve source attribution: Each label should stay attached to its source.

Request reconciliation: We need a confirmed cross-reference between these entries.

Full phrase set: pages 16-17 | Dialogue: pages 19-20

03 Explaining airflow and distribution reports

Name the two functions: S3 is supply air; R2 is return air.

Attribute the labels: Those are the functions shown on the current drawing.

Name common units: Volume flow may be stated in cubic feet per minute or liters per second.

Full phrase set: pages 25-26 | Dialogue: pages 28-29

04 Checking equipment ratings and refrigerant references

Ask the key question: Five kilowatts of which quantity?

Name the distinction: Cooling output and electrical input are different.

Keep conditions attached: Compare ratings under the relevant stated conditions.

Full phrase set: pages 34-35 | Dialogue: pages 37-38

Keep the conversation productive

Use these as precise language models. Replace details only when you know the actual facts, authority, and agreed conditions.

05 Reporting moisture, symptoms, and service findings

State yesterday's account: The client reported water near AH-6 at 15:00 yesterday.

Name the unresolved issue: The source was not identified.

Avoid changing concern to failure: The record says concern, not confirmed failure.

Full phrase set: pages 43-44 | Dialogue: pages 46-47

06 Discussing refrigeration alarms and temperature records

Quote the actual record: The cabinet display recorded 8 degrees Celsius at 06:10.

Identify the coincident entries: The alarm and scheduled-defrost entries share a timestamp.

Name the decision route: The responsible food-safety lead must decide under the site procedures.

Full phrase set: pages 52-53 | Dialogue: pages 55-56

07 Coordinating ductwork, access, and changes

Acknowledge the preference: I understand why you want the grille clear of the pendant light.

Identify the unassessed items: Ductwork, restoration, access, price, and timing still need assessment.

Keep the choice bounded: Those are the two decisions available at this stage.

Full phrase set: pages 61-62 | Dialogue: pages 64-65

08 Handing over commissioning and maintenance information

Acknowledge the report: You have received the commissioning report.

Accept a specific task: I will take responsibility for document correction.

State the ownership gap: Responsibility for arranging that check is not confirmed.

Full phrase set: pages 70-71 | Dialogue: pages 73-74

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

acceptance criterion	identify the acceptance criterion	69
access provision	review the access provision	59
actual condition	establish the actual condition	6
afternoon pattern	record the afternoon pattern	5
air distribution	describe air distribution	23
air handler	identify the air handler	14
air velocity	distinguish air velocity	24
airflow rate	report the airflow rate	23
alarm acknowledgment	distinguish alarm acknowledgment	51
alarm clearance	distinguish alarm clearance	51
alarm history	review the alarm history	50
ambient temperature	record ambient temperature	5
approved selection	confirm the approved selection	33
asset hierarchy	clarify the asset hierarchy	15
asset tag	preserve the asset tag	14
attributed report	retain an attributed report	6
balancing	distinguish balancing from explanation	24
blend	identify a refrigerant blend	33
branch duct	review the branch duct	59
cabinet display	quote the cabinet display	50
causal link	establish a causal link	41
causation	avoid assuming causation	50
ceiling restoration	assess ceiling restoration	59
ceiling void	coordinate the ceiling void	59

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

change proposal request a change proposal	60
chronology preserve the chronology	41
closeout status state the closeout status	69
coefficient of performance interpret the coefficient of performance	32
coincident entries compare coincident entries	50
comfort complaint log a comfort complaint	5
commissioning distinguish commissioning from document delivery	68
commissioning report receive the commissioning report	68
compatibility verify compatibility	33
component reference retain the component reference	14
condensate identify a condensate reference	41
condensate line identify the condensate line	41
condensation distinguish condensation from a diagnosis	42
condensing unit verify the condensing-unit reference	14
confirmed mapping obtain confirmed mapping	15
control schedule review the control schedule	6
cooling capacity compare cooling capacity	32
coordination review arrange a coordination review	60
correction owner name the correction owner	68
cost impact assess the cost impact	60
cross-reference establish a cross-reference	15
cubic feet per minute state cubic feet per minute	23
damper identify the damper	24
data gap identify the data gap	51

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

data sheet obtain the complete data sheet	32
decision record confirm the decision record	60
deferral reason preserve the deferral reason	69
deferred check record the deferred check	68
defrost identify the defrost entry	50
degrees Celsius state the value in degrees Celsius	5
design airflow compare design airflow	24
design preference record the design preference	60
diffuser identify the diffuser	23
display value record the display value	50
displayed value clarify the displayed value	6
distribution report clarify the distribution report	24
document mismatch identify the document mismatch	68
document receipt acknowledge document receipt	69
draft describe a reported draft	24
drain pan record a drain-pan concern	41
drainage path identify the drainage path	42
dry observation qualify the dry observation	42
duct identify the duct	23
duct connection assess the duct connection	59
ductwork review the ductwork	23
efficiency compare efficiency on a consistent basis	32
electrical input identify electrical input	32
equipment combination verify the equipment combination	32

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

equipment fault	avoid assuming an equipment fault	6
equipment pairing	verify the equipment pairing	14
equipment register	consult the equipment register	14
escalation summary	give an escalation summary	51
event duration	establish event duration	50
evidence boundary	preserve the evidence boundary	42
exposure history	establish exposure history	51
finding	state the actual finding	42
flexible duct	identify the flexible duct	59
food-safety lead	notify the food-safety lead	51
handover register	update the handover register	69
heat gain	assess heat gain	6
historical entry	distinguish a historical entry	41
HVAC	discuss the HVAC system	5
identification query	raise an identification query	15
indoor unit	identify the indoor unit	14
input-output distinction	preserve the input-output distinction	33
instruction to proceed	distinguish an instruction to proceed	60
intermittent symptom	describe an intermittent symptom	42
kilowatt	state the rating in kilowatts	32
kilowatt-hour	distinguish a kilowatt-hour	32
label discrepancy	record the label discrepancy	15
leakage	avoid assuming leakage source	42
like-for-like comparison	make a like-for-like comparison	33

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

liters per second	record liters per second	23
maintenance requirement	verify the maintenance requirement	69
maintenance sheet	correct the maintenance sheet	68
manufacturer specification	consult the manufacturer specification	33
matched system	identify the matched system	32
measured airflow	record measured airflow	24
measured value	distinguish the measured value	5
meeting room	identify the meeting room	5
model number	confirm the model number	15
model-specific guidance	obtain model-specific guidance	68
moisture report	retain the moisture report	41
nameplate	use recorded nameplate information	15
nearby floor	describe the nearby floor	41
nominal capacity	distinguish nominal capacity	32
occupancy	describe room occupancy	6
occupant feedback	preserve occupant feedback	5
occupied zone	identify the occupied zone	24
operating condition	state the operating conditions	32
operating record	retain the operating record	69
outdoor unit	identify the outdoor unit	14
outstanding verification	track outstanding verification	69
overflow	distinguish a reported overflow	42
ownership gap	preserve the ownership gap	68
pendant light	coordinate the pendant light	59

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

performance finding	distinguish a performance finding	24
performance result	distinguish a performance result	69
product disposition	determine product disposition	51
product temperature	distinguish product temperature	50
rating condition	check the rating conditions	32
record custodian	identify the record custodian	15
record reconciliation	complete record reconciliation	42
record source	identify the record source	14
records reconciliation	complete records reconciliation	15
recurrence history	verify recurrence history	42
reflected ceiling plan	review the reflected ceiling plan	59
refrigerant	identify the specified refrigerant	33
refrigerant charge	distinguish refrigerant charge	33
refrigerant designation	preserve the refrigerant designation	33
refrigerated cabinet	identify the refrigerated cabinet	50
register	distinguish the register	23
relative humidity	report relative humidity	6
release decision	refer the release decision	51
repair status	verify repair status	42
reported period	preserve the reported period	6
reported water	locate the reported water	41
responsibility readback	give a responsibility readback	69
return air	identify return air	23
return grille	identify the return grille	23

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

reviewed layout	retain the reviewed layout	60
revised layout	review the revised layout	60
rigid duct	distinguish rigid duct	59
roof plan	cite the roof plan	14
schedule impact	assess the schedule impact	60
scheduled defrost	distinguish scheduled defrost	50
scheduling owner	confirm the scheduling owner	68
scope impact	identify the scope impact	60
seasonal check	schedule the seasonal check	68
selection basis	establish the selection basis	33
sensor	identify the relevant sensor	5
sensor location	identify the sensor location	51
serial number	record the serial number	15
served area	confirm the served area	14
service clearance	preserve service clearance	59
service description	clarify the service description	6
service log	consult the service log	41
service request	reconcile the service request	15
setpoint	distinguish the setpoint	5
site procedure	follow the site procedure	51
source identification	keep source identification open	41
spread	distinguish spread from throw	24
substitution review	request a substitution review	33
supply air	identify supply air	23

Find a term and its context

The page number leads to the definition and a typical word combination. Repeated terms have separate entries when they serve different lesson contexts.

supply grille locate the supply grille	23
supply grille relocation assess a supply grille relocation	59
system reference clarify the system reference	14
target temperature state the target temperature	6
technical cause keep the technical cause open	51
technical feasibility establish technical feasibility	60
technical submittal review the technical submittal	33
temperature excursion assess a recorded temperature excursion	50
temperature reading identify the temperature reading	5
test condition record the test condition	69
thermostat identify the thermostat	5
throw review diffuser throw	24
timestamp preserve the timestamp	50
trend record review the trend record	51
unassessed consequence keep unassessed consequences visible	60
unbooked check retain the unbooked check	68
unresolved concern retain an unresolved concern	42
unverified link retain an unverified link	15
update commitment honor the update commitment	68
visit note quote the visit note	41
visual conflict describe the visual conflict	59
volume flow specify volume flow	24
warranty terms preserve warranty terms	69
zone identify the relevant zone	6

Original cases. Clear boundaries.

These are original fictional teaching conversations, not transcripts of real workers. Names, figures, organizations, and incidents are invented. Sources support terminology and communication aims, not the fictional results or an endorsement of this book.

[1] US Department of Energy. Weatherization Training Glossary.

[Open the original source](#)

Background terminology for air distribution, temperature, humidity, and building systems. Historical program rules and technical procedures are not taught here. Checked 1 October 2026.

[2] Carrier. Return Air Vent System.

[Open the original source](#)

Reference for distinguishing supply and return airflow. No airflow targets, maintenance intervals, adjustments, or product recommendations are adopted. Checked 1 October 2026.

[3] US Environmental Protection Agency. Section 608 Technician Certification.

[Open the original source](#)

Context for professional boundaries around refrigerant work. The book does not teach certification requirements or authorize servicing. Checked 1 October 2026.

[4] US Food and Drug Administration. Refrigerator Thermometers: Cold Facts about Food Safety.

[Open the original source](#)

Background for treating temperature information carefully. The fictional cabinet case supplies no food-release decision or substitute for site procedures. Checked 1 October 2026.

Phil Stilwell

© 2026 Phil Stilwell. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means without prior written permission from the author, except as permitted by law.

The projects, products, values, and records are fictional. This book teaches English, not equipment operation, diagnosis, installation, refrigerant handling, food-safety decisions, or compliance. Follow actual training, authorization, manufacturer instructions, site procedures, and applicable requirements. No dialogue authorizes roof access, testing, adjustment, refrigerant work, food release, or a system alteration. Equipment readings and document receipt do not establish safety or overall performance.

English Ladder | English for Work | 2026 edition. The B2-C1 range is an editorial study recommendation, not a proficiency certification.

[Open the matching English Ladder course](#)