Skill 10

Think Probabilistically

How Likely Is It?

160 Items	**1-5** Levels	**Choose the answer that handles chance and uncertainty well.** Objective

Essential question. How should uncertainty affect what we expect?

This PDF is designed for classroom use. It gives teachers a rigorous introduction to the skill, a repeatable solving routine, likely student confusions, a worked example, and the full XiXteen item set with choice-level feedback.

Generated from the current XiXteen corpus on 2026-10-29.

Skill 10

Think Probabilistically

How Likely Is It?

Choose the answer that handles chance and uncertainty well. Objective	**160** Items	**Levels 1-5** Difficulty bands

Essential question	How should uncertainty affect what we expect?
Why it matters	Probability helps people think between impossible and guaranteed. Many real decisions involve signals, forecasts, false alarms, base rates, and uncertainty rather than proof.
Conceptual core	Probability gives students language for partial belief. Many claims are neither proved nor disproved; they are more or less likely given the information available. Students need to distinguish chance from certainty, risk from outcome, signal from guarantee, and individual cases from long-run frequencies. This is essential for forecasts, tests, warnings, and everyday planning.
Student method	Translate percentages into out-of-100 language. Ask whether the number is a chance, a frequency, a warning signal, or a guarantee. Keep uncertainty visible.
Analogy	Probability is a weather forecast for belief. A 70 percent chance of rain matters, but it is not the same as rain already falling.
Assessment focus	A good answer uses the probability as evidence without turning it into certainty or dismissing it as useless.

Teaching Sequence

1. Translate percentages into out-of-100 language.

2. Ask whether the number describes a chance, a frequency, a false alarm rate, or a prediction.

3. Keep likely separate from certain and unlikely separate from impossible.

4. Notice when the evidence changes odds without settling the result.

Common Confusions To Watch For

1. Students may treat a high probability as a guarantee.

2. Students may treat a low probability as impossible.

3. Students may ignore the base rate or the group the probability applies to.

Teacher Prompts

1. Out of 100 similar cases, about how many would we expect?

2. Does this number tell us what will happen here, or how often it tends to happen?

3. What uncertainty remains?

Worked Example

Scenario	A weather app says there is a 70 percent chance of rain in town tomorrow.
Teacher think-aloud	That does not mean it will rain for 70 percent of the day or that rain is guaranteed. It means that in similar forecast situations, rain would occur about 70 out of 100 times.
Student takeaway	Probability guides expectations while leaving room for uncertainty.

Guided Classroom Exercise

Invented case. Use only the facts below; write on paper. Try the steps and check your work before reading the model answer. Different wording can be equally adequate.

Situation. A weather app assigns a 70% chance of measurable rain tomorrow. For this exercise, measurable rain means at least 1 mm at the town weather station during that calendar day. Imagine 100 comparable forecasts, each issued a day ahead at 70%, from a well-calibrated app: its stated probabilities match long-run frequencies.

What To Do

1. Write approximately how many of those 100 days should have measurable rain and how many should not.

2. Explain why a dry tomorrow would not by itself refute a 70% forecast.

3. Write what record you would inspect to judge whether the app's 70% forecasts are well calibrated.

Check before reading the answer. Do not treat 70% as a guarantee, a claim about 70% of the town, or a claim that rain lasts 70% of the day.

Model Answer

About 70 days should have measurable rain and about 30 should not; exact counts can vary. A dry tomorrow is allowed by the 30% chance of no rain. I would inspect many comparable forecasts recorded in advance at 70%, keeping dry days as well as wet ones, and compare their rain frequency with 70%.

Why it is adequate. It identifies the event and reference group and evaluates a probabilistic claim across a record rather than a single outcome.

Item Bank

Items are grouped by level. For each item, read the prompt, predict the answer, choose, and then use the feedback and process commentary to examine the reasoning path.

Level 1

Level 1 establishes the clean version of the skill: the cue is direct, the distractors are visible, and the main task is to learn the contrast.

Question 1

Level 1

A month-ahead forecast for evening bus service for late-shift workers says the chance is 25 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 25 out of 100 times.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 2

Level 1

A month-ahead forecast for classroom phone lockers says the chance is 30 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** If there were 100 similar forecasts, about 30 would be expected to improve.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 3

Level 1

A month-ahead forecast for medication reminder texts for older patients says the chance is 40 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 4

Level 1

A month-ahead forecast for a four-day workweek test for software engineers says the chance is 55 out of 100 that staff resignations will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** It leaves room for the result not to happen, because 55% is a chance rather than a promise.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 5

Level 1

A month-ahead forecast for larger grocery unit-price labels says the chance is 60 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 6

Level 1

A month-ahead forecast for late fines on children's books says the chance is 65 out of 100 that library card renewals will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** Out of 100 cases like this, roughly 65 would be expected to improve.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 7

Level 1

A month-ahead forecast for two-factor login for site administrators says the chance is 70 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. A 70-out-of-100 chance means the result may happen, but it may not.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 8

Level 1

A month-ahead forecast for brighter streetlights on Maple Street says the chance is 75 out of 100 that reported thefts will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The percentage describes a chance across repeated similar cases, not a promise for this one.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 9

Level 1

A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 80 out of 100 that course pass rates will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. About 80 of 100 similar situations would be expected to show the improvement.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 10

Level 1

A month-ahead forecast for calorie labels on restaurant menus says the chance is 85 out of 100 that dessert orders will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** This is a likelihood estimate: the result is possible, not certain.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 11

Level 1

A month-ahead forecast for bank overdraft warning texts says the chance is 90 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** In many similar cases, the improvement would happen about 90 out of 100 times.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 12

Level 1

A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 15 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** If there were 100 similar forecasts, about 15 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 13

Level 1

A month-ahead forecast for free Friday museum admission says the chance is 35 out of 100 that family visits will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast says improvement is possible but not guaranteed: about 35 chances in 100.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 14

Level 1

A month-ahead forecast for youth soccer concussion checks says the chance is 45 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. It leaves room for the result not to happen, because 45% is a chance rather than a promise.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 15

Level 1

A month-ahead forecast for same-day donation receipts says the chance is 50 out of 100 that donor retention will rise. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The number estimates how often this improvement would happen across many similar cases.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 16

Level 1

A month-ahead forecast for warehouse ergonomic training says the chance is 20 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** Out of 100 cases like this, roughly 20 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 17

Level 1

A month-ahead forecast for apartment-lobby compost bins says the chance is 25 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** A 25-out-of-100 chance means the result may happen, but it may not.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 18

Level 1

A month-ahead forecast for private-by-default app profiles says the chance is 30 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage describes a chance across repeated similar cases, not a promise for this one.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 19

Level 1

A month-ahead forecast for same-day clinic appointment slots says the chance is 40 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** About 40 of 100 similar situations would be expected to show the improvement.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 20

Level 1

A month-ahead forecast for seat-zone airline boarding says the chance is 55 out of 100 that average boarding time will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. This is a likelihood estimate: the result is possible, not certain.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 21

Level 1

A month-ahead forecast for an online apartment repair portal says the chance is 60 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 60 out of 100 times.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 22

Level 1

A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 65 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** If there were 100 similar forecasts, about 65 would be expected to improve.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 23

Level 1

A month-ahead forecast for weekly call-center script coaching says the chance is 70 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast says improvement is possible but not guaranteed: about 70 chances in 100.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 24

Level 1

A month-ahead forecast for household water-leak alerts says the chance is 75 out of 100 that average household water use will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** It leaves room for the result not to happen, because 75% is a chance rather than a promise.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 25

Level 1

A month-ahead forecast for body-camera activation reminders says the chance is 80 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The number estimates how often this improvement would happen across many similar cases.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 26

Level 1

A month-ahead forecast for county mail-ballot tracking says the chance is 85 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. Out of 100 cases like this, roughly 85 would be expected to improve.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 27

Level 1

A month-ahead forecast for language-learning spaced-review prompts says the chance is 90 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. A 90-out-of-100 chance means the result may happen, but it may not.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 28

Level 1

A month-ahead forecast for a beginner gym orientation says the chance is 15 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The percentage describes a chance across repeated similar cases, not a promise for this one.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 29

Level 1

A month-ahead forecast for safe-driving feedback for policyholders says the chance is 35 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. About 35 of 100 similar situations would be expected to show the improvement.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 30

Level 1

A month-ahead forecast for top-of-article correction boxes says the chance is 45 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. This is a likelihood estimate: the result is possible, not certain.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 31

Level 1

A month-ahead forecast for clearer farmers market price signs says the chance is 50 out of 100 that price disputes will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** In many similar cases, the improvement would happen about 50 out of 100 times.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 32

Level 1

A month-ahead forecast for hotel quiet-hours text reminders says the chance is 20 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. If there were 100 similar forecasts, about 20 would be expected to improve.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Level 2

Level 2 keeps the same skill but adds more realistic wording and more tempting distractors.

Question 33

Level 2

A month-ahead forecast for evening bus service for late-shift workers says the chance is 30 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** If there were 100 similar forecasts, about 30 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 34

Level 2

A month-ahead forecast for classroom phone lockers says the chance is 40 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 35

Level 2

A month-ahead forecast for medication reminder texts for older patients says the chance is 55 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** It leaves room for the result not to happen, because 55% is a chance rather than a promise.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 36

Level 2

A month-ahead forecast for a four-day workweek test for software engineers says the chance is 60 out of 100 that staff resignations will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 37

Level 2

A month-ahead forecast for larger grocery unit-price labels says the chance is 65 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** Out of 100 cases like this, roughly 65 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 38

Level 2

A month-ahead forecast for late fines on children's books says the chance is 70 out of 100 that library card renewals will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. A 70-out-of-100 chance means the result may happen, but it may not.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 39

Level 2

A month-ahead forecast for two-factor login for site administrators says the chance is 75 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The percentage describes a chance across repeated similar cases, not a promise for this one.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 40

Level 2

A month-ahead forecast for brighter streetlights on Maple Street says the chance is 80 out of 100 that reported thefts will fall. What does that percentage mean?

A. About 80 of 100 similar situations would be expected to show the improvement.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 41

Level 2

A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 85 out of 100 that course pass rates will rise. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** This is a likelihood estimate: the result is possible, not certain.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 42

Level 2

A month-ahead forecast for calorie labels on restaurant menus says the chance is 90 out of 100 that dessert orders will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 90 out of 100 times.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 43

Level 2

A month-ahead forecast for bank overdraft warning texts says the chance is 15 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. If there were 100 similar forecasts, about 15 would be expected to improve.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 44

Level 2

A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 35 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The forecast says improvement is possible but not guaranteed: about 35 chances in 100.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 45

Level 2

A month-ahead forecast for free Friday museum admission says the chance is 45 out of 100 that family visits will rise. What does that percentage mean?

A. It leaves room for the result not to happen, because 45% is a chance rather than a promise.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 46

Level 2

A month-ahead forecast for youth soccer concussion checks says the chance is 50 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The number estimates how often this improvement would happen across many similar cases.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 47

Level 2

A month-ahead forecast for same-day donation receipts says the chance is 20 out of 100 that donor retention will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. Out of 100 cases like this, roughly 20 would be expected to improve.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 48

Level 2

A month-ahead forecast for warehouse ergonomic training says the chance is 25 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** A 25-out-of-100 chance means the result may happen, but it may not.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 49

Level 2

A month-ahead forecast for apartment-lobby compost bins says the chance is 30 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The percentage describes a chance across repeated similar cases, not a promise for this one.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 50

Level 2

A month-ahead forecast for private-by-default app profiles says the chance is 40 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** About 40 of 100 similar situations would be expected to show the improvement.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 51

Level 2

A month-ahead forecast for same-day clinic appointment slots says the chance is 55 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. This is a likelihood estimate: the result is possible, not certain.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 52

Level 2

A month-ahead forecast for seat-zone airline boarding says the chance is 60 out of 100 that average boarding time will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** In many similar cases, the improvement would happen about 60 out of 100 times.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 53

Level 2

A month-ahead forecast for an online apartment repair portal says the chance is 65 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** If there were 100 similar forecasts, about 65 would be expected to improve.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 54

Level 2

A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 70 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The forecast says improvement is possible but not guaranteed: about 70 chances in 100.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 55

Level 2

A month-ahead forecast for weekly call-center script coaching says the chance is 75 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** It leaves room for the result not to happen, because 75% is a chance rather than a promise.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 56

Level 2

A month-ahead forecast for household water-leak alerts says the chance is 80 out of 100 that average household water use will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The number estimates how often this improvement would happen across many similar cases.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 57

Level 2

A month-ahead forecast for body-camera activation reminders says the chance is 85 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** Out of 100 cases like this, roughly 85 would be expected to improve.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 58

Level 2

A month-ahead forecast for county mail-ballot tracking says the chance is 90 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. A 90-out-of-100 chance means the result may happen, but it may not.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 59

Level 2

A month-ahead forecast for language-learning spaced-review prompts says the chance is 15 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The percentage describes a chance across repeated similar cases, not a promise for this one.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 60

Level 2

A month-ahead forecast for a beginner gym orientation says the chance is 35 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. About 35 of 100 similar situations would be expected to show the improvement.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 61

Level 2

A month-ahead forecast for safe-driving feedback for policyholders says the chance is 45 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** This is a likelihood estimate: the result is possible, not certain.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 62

Level 2

A month-ahead forecast for top-of-article correction boxes says the chance is 50 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. In many similar cases, the improvement would happen about 50 out of 100 times.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 63

Level 2

A month-ahead forecast for clearer farmers market price signs says the chance is 20 out of 100 that price disputes will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. If there were 100 similar forecasts, about 20 would be expected to improve.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 64

Level 2

A month-ahead forecast for hotel quiet-hours text reminders says the chance is 25 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast says improvement is possible but not guaranteed: about 25 chances in 100.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Level 3

Level 3 asks for steadier discrimination: the right answer is still objective, but the wrong answers often sound plausible.

Question 65

Level 3

A month-ahead forecast for evening bus service for late-shift workers says the chance is 40 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 66

Level 3

A month-ahead forecast for classroom phone lockers says the chance is 55 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** It leaves room for the result not to happen, because 55% is a chance rather than a promise.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 67

Level 3

A month-ahead forecast for medication reminder texts for older patients says the chance is 60 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 68

Level 3

A month-ahead forecast for a four-day workweek test for software engineers says the chance is 65 out of 100 that staff resignations will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** Out of 100 cases like this, roughly 65 would be expected to improve.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 69

Level 3

A month-ahead forecast for larger grocery unit-price labels says the chance is 70 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. A 70-out-of-100 chance means the result may happen, but it may not.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 70

Level 3

A month-ahead forecast for late fines on children's books says the chance is 75 out of 100 that library card renewals will rise. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage describes a chance across repeated similar cases, not a promise for this one.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 71

Level 3

A month-ahead forecast for two-factor login for site administrators says the chance is 80 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. About 80 of 100 similar situations would be expected to show the improvement.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 72

Level 3

A month-ahead forecast for brighter streetlights on Maple Street says the chance is 85 out of 100 that reported thefts will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** This is a likelihood estimate: the result is possible, not certain.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 73

Level 3

A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 90 out of 100 that course pass rates will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. In many similar cases, the improvement would happen about 90 out of 100 times.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 74

Level 3

A month-ahead forecast for calorie labels on restaurant menus says the chance is 15 out of 100 that dessert orders will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** If there were 100 similar forecasts, about 15 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 75

Level 3

A month-ahead forecast for bank overdraft warning texts says the chance is 35 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The forecast says improvement is possible but not guaranteed: about 35 chances in 100.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 76

Level 3

A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 45 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. It leaves room for the result not to happen, because 45% is a chance rather than a promise.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 77

Level 3

A month-ahead forecast for free Friday museum admission says the chance is 50 out of 100 that family visits will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The number estimates how often this improvement would happen across many similar cases.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 78

Level 3

A month-ahead forecast for youth soccer concussion checks says the chance is 20 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. Out of 100 cases like this, roughly 20 would be expected to improve.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 79

Level 3

A month-ahead forecast for same-day donation receipts says the chance is 25 out of 100 that donor retention will rise. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** A 25-out-of-100 chance means the result may happen, but it may not.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 80

Level 3

A month-ahead forecast for warehouse ergonomic training says the chance is 30 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage describes a chance across repeated similar cases, not a promise for this one.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 81

Level 3

A month-ahead forecast for apartment-lobby compost bins says the chance is 40 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** About 40 of 100 similar situations would be expected to show the improvement.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 82

Level 3

A month-ahead forecast for private-by-default app profiles says the chance is 55 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. This is a likelihood estimate: the result is possible, not certain.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 83

Level 3

A month-ahead forecast for same-day clinic appointment slots says the chance is 60 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** In many similar cases, the improvement would happen about 60 out of 100 times.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 84

Level 3

A month-ahead forecast for seat-zone airline boarding says the chance is 65 out of 100 that average boarding time will fall. What does that percentage mean?

A. If there were 100 similar forecasts, about 65 would be expected to improve.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The forecast should be ignored unless it says the chance is 100%.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

Question 85

Level 3

A month-ahead forecast for an online apartment repair portal says the chance is 70 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. The forecast says improvement is possible but not guaranteed: about 70 chances in 100.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 86

Level 3

A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 75 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** It leaves room for the result not to happen, because 75% is a chance rather than a promise.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 87

Level 3

A month-ahead forecast for weekly call-center script coaching says the chance is 80 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The number estimates how often this improvement would happen across many similar cases.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 88

Level 3

A month-ahead forecast for household water-leak alerts says the chance is 85 out of 100 that average household water use will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage tells how many people support the plan, not how likely the result is.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** Out of 100 cases like this, roughly 85 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. The percentage is about likelihood, not popularity or approval.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 89

Level 3

A month-ahead forecast for body-camera activation reminders says the chance is 90 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. A 90-out-of-100 chance means the result may happen, but it may not.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 90

Level 3

A month-ahead forecast for county mail-ballot tracking says the chance is 15 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The percentage describes a chance across repeated similar cases, not a promise for this one.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 91

Level 3

A month-ahead forecast for language-learning spaced-review prompts says the chance is 35 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. About 35 of 100 similar situations would be expected to show the improvement.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 92

Level 3

A month-ahead forecast for a beginner gym orientation says the chance is 45 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** This is a likelihood estimate: the result is possible, not certain.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 93

Level 3

A month-ahead forecast for safe-driving feedback for policyholders says the chance is 50 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The forecast promises what will happen in this one case, so no other result should be expected.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. In many similar cases, the improvement would happen about 50 out of 100 times.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Question 94

Level 3

A month-ahead forecast for top-of-article correction boxes says the chance is 20 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. The percentage tells how many people support the plan, not how likely the result is.	**B.** The forecast promises what will happen in this one case, so no other result should be expected.
C. The forecast should be ignored unless it says the chance is 100%.	**D.** If there were 100 similar forecasts, about 20 would be expected to improve.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. The percentage is about likelihood, not popularity or approval.

B. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

C. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 95

Level 3

A month-ahead forecast for clearer farmers market price signs says the chance is 25 out of 100 that price disputes will fall. What does that percentage mean?

A. The forecast should be ignored unless it says the chance is 100%.	**B.** The forecast says improvement is possible but not guaranteed: about 25 chances in 100.
C. The percentage tells how many people support the plan, not how likely the result is.	**D.** The forecast promises what will happen in this one case, so no other result should be expected.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. The percentage is about likelihood, not popularity or approval.

D. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

Question 96

Level 3

A month-ahead forecast for hotel quiet-hours text reminders says the chance is 30 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. It leaves room for the result not to happen, because 30% is a chance rather than a promise.	**B.** The forecast should be ignored unless it says the chance is 100%.
C. The forecast promises what will happen in this one case, so no other result should be expected.	**D.** The percentage tells how many people support the plan, not how likely the result is.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A forecast below 100% can still be useful. Probability is not all-or-nothing.

C. Not correct. A forecast gives a chance, not a promise about the single case in front of you.

D. Not correct. The percentage is about likelihood, not popularity or approval.

Level 4

Level 4 asks learners to hold more context in mind while applying the same method.

Question 97

Level 4

A screening tool connected to evening bus service for late-shift workers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Take the signal seriously, but ask how often this kind of tool is wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 98

Level 4

A screening tool connected to classroom phone lockers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm.	**B.** Ignore the signal because some signals are wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 99

Level 4

A screening tool connected to medication reminder texts for older patients flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Use the signal as a reason to check further, not as proof that the problem is there.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 100

Level 4

A screening tool connected to a four-day workweek test for software engineers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 101

Level 4

A screening tool connected to larger grocery unit-price labels flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** See the signal as evidence to investigate, while remembering that it is not certainty.
C. Ignore the signal because some signals are wrong.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 102

Level 4

A screening tool connected to late fines on children's books flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 103

Level 4

A screening tool connected to two-factor login for site administrators flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Update cautiously because a positive signal can still turn out to be a false alarm.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 104

Level 4

A screening tool connected to brighter streetlights on Maple Street flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Use the signal as a reason to check further, not as proof that the problem is there.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 105

Level 4

A screening tool connected to peer tutoring for first-year statistics students flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Check the base rate and false-alarm rate before treating the signal as strong evidence.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 106

Level 4

A screening tool connected to calorie labels on restaurant menus flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 107

Level 4

A screening tool connected to bank overdraft warning texts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Take the signal seriously, but ask how often this kind of tool is wrong.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 108

Level 4

A screening tool connected to timed-entry passes for weekend park trails flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Ignore the signal because some signals are wrong.	**D.** Update cautiously because a positive signal can still turn out to be a false alarm.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 109

Level 4

A screening tool connected to free Friday museum admission flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Use the signal as a reason to check further, not as proof that the problem is there.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 110

Level 4

A screening tool connected to youth soccer concussion checks flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Check the base rate and false-alarm rate before treating the signal as strong evidence.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 111

Level 4

A screening tool connected to same-day donation receipts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 112

Level 4

A screening tool connected to warehouse ergonomic training flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Take the signal seriously, but ask how often this kind of tool is wrong.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 113

Level 4

A screening tool connected to apartment-lobby compost bins flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm.	**B.** Ignore the signal because some signals are wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 114

Level 4

A screening tool connected to private-by-default app profiles flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Use the signal as a reason to check further, not as proof that the problem is there.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 115

Level 4

A screening tool connected to same-day clinic appointment slots flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**B.** Ignore the signal because some signals are wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 116

Level 4

A screening tool connected to seat-zone airline boarding flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. See the signal as evidence to investigate, while remembering that it is not certainty.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 117

Level 4

A screening tool connected to an online apartment repair portal flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Ignore the signal because some signals are wrong.	**D.** Take the signal seriously, but ask how often this kind of tool is wrong.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 118

Level 4

A screening tool connected to fruit placement in a school cafeteria line flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Update cautiously because a positive signal can still turn out to be a false alarm.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 119

Level 4

A screening tool connected to weekly call-center script coaching flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Use the signal as a reason to check further, not as proof that the problem is there.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 120

Level 4

A screening tool connected to household water-leak alerts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Ignore the signal because some signals are wrong.
C. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 121

Level 4

A screening tool connected to body-camera activation reminders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** See the signal as evidence to investigate, while remembering that it is not certainty.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 122

Level 4

A screening tool connected to county mail-ballot tracking flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Take the signal seriously, but ask how often this kind of tool is wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 123

Level 4

A screening tool connected to language-learning spaced-review prompts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Update cautiously because a positive signal can still turn out to be a false alarm.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 124

Level 4

A screening tool connected to a beginner gym orientation flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Use the signal as a reason to check further, not as proof that the problem is there.
C. Ignore the signal because some signals are wrong.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 125

Level 4

A screening tool connected to safe-driving feedback for policyholders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Ignore the signal because some signals are wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Check the base rate and false-alarm rate before treating the signal as strong evidence.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 126

Level 4

A screening tool connected to top-of-article correction boxes flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. See the signal as evidence to investigate, while remembering that it is not certainty.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 127

Level 4

A screening tool connected to clearer farmers market price signs flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 128

Level 4

A screening tool connected to hotel quiet-hours text reminders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Update cautiously because a positive signal can still turn out to be a false alarm.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Level 5

Level 5 is for fluency: the learner should now name the thinking move and explain the elimination path.

Question 129

Level 5

A screening tool connected to evening bus service for late-shift workers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm.	**B.** Ignore the signal because some signals are wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 130

Level 5

A screening tool connected to classroom phone lockers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Use the signal as a reason to check further, not as proof that the problem is there.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 131

Level 5

A screening tool connected to medication reminder texts for older patients gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Ignore the signal because some signals are wrong.
C. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 132

Level 5

A screening tool connected to a four-day workweek test for software engineers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Ignore the signal because some signals are wrong.	**D.** See the signal as evidence to investigate, while remembering that it is not certainty.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 133

Level 5

A screening tool connected to larger grocery unit-price labels gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 134

Level 5

A screening tool connected to late fines on children's books gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Update cautiously because a positive signal can still turn out to be a false alarm.
C. Ignore the signal because some signals are wrong.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 135

Level 5

A screening tool connected to two-factor login for site administrators gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Ignore the signal because some signals are wrong.
C. Use the signal as a reason to check further, not as proof that the problem is there.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 136

Level 5

A screening tool connected to brighter streetlights on Maple Street gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Check the base rate and false-alarm rate before treating the signal as strong evidence.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 137

Level 5

A screening tool connected to peer tutoring for first-year statistics students gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. See the signal as evidence to investigate, while remembering that it is not certainty.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 138

Level 5

A screening tool connected to calorie labels on restaurant menus gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Ignore the signal because some signals are wrong.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Take the signal seriously, but ask how often this kind of tool is wrong.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 139

Level 5

A screening tool connected to bank overdraft warning texts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Update cautiously because a positive signal can still turn out to be a false alarm.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 140

Level 5

A screening tool connected to timed-entry passes for weekend park trails gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Ignore the signal because some signals are wrong.	**D.** Use the signal as a reason to check further, not as proof that the problem is there.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 141

Level 5

A screening tool connected to free Friday museum admission gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Check the base rate and false-alarm rate before treating the signal as strong evidence.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 142

Level 5

A screening tool connected to youth soccer concussion checks gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 143

Level 5

A screening tool connected to same-day donation receipts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Take the signal seriously, but ask how often this kind of tool is wrong.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 144

Level 5

A screening tool connected to warehouse ergonomic training gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Update cautiously because a positive signal can still turn out to be a false alarm.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 145

Level 5

A screening tool connected to apartment-lobby compost bins gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Use the signal as a reason to check further, not as proof that the problem is there.
C. Ignore the signal because some signals are wrong.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 146

Level 5

A screening tool connected to private-by-default app profiles gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Ignore the signal because some signals are wrong.	**D.** Look only at the positive signal and ignore how common the problem is in the first place.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

Question 147

Level 5

A screening tool connected to same-day clinic appointment slots gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** See the signal as evidence to investigate, while remembering that it is not certainty.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 148

Level 5

A screening tool connected to seat-zone airline boarding gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Take the signal seriously, but ask how often this kind of tool is wrong.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 149

Level 5

A screening tool connected to an online apartment repair portal gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Ignore the signal because some signals are wrong.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 150

Level 5

A screening tool connected to fruit placement in a school cafeteria line gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Use the signal as a reason to check further, not as proof that the problem is there.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 151

Level 5

A screening tool connected to weekly call-center script coaching gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Check the base rate and false-alarm rate before treating the signal as strong evidence.	**D.** Ignore the signal because some signals are wrong.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 152

Level 5

A screening tool connected to household water-leak alerts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Treat the signal as strong enough to act on without any follow-up check.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** See the signal as evidence to investigate, while remembering that it is not certainty.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 153

Level 5

A screening tool connected to body-camera activation reminders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Take the signal seriously, but ask how often this kind of tool is wrong.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 154

Level 5

A screening tool connected to county mail-ballot tracking gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Update cautiously because a positive signal can still turn out to be a false alarm.

Answer: D. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Question 155

Level 5

A screening tool connected to language-learning spaced-review prompts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Use the signal as a reason to check further, not as proof that the problem is there.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. Ignore the signal because some signals are wrong.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 156

Level 5

A screening tool connected to a beginner gym orientation gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Check the base rate and false-alarm rate before treating the signal as strong evidence.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 157

Level 5

A screening tool connected to safe-driving feedback for policyholders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong.	**B.** Look only at the positive signal and ignore how common the problem is in the first place.
C. See the signal as evidence to investigate, while remembering that it is not certainty.	**D.** Treat the signal as strong enough to act on without any follow-up check.

Answer: C. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

C. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

Question 158

Level 5

A screening tool connected to top-of-article correction boxes gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 159

Level 5

A screening tool connected to clearer farmers market price signs gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Look only at the positive signal and ignore how common the problem is in the first place.	**B.** Update cautiously because a positive signal can still turn out to be a false alarm.
C. Treat the signal as strong enough to act on without any follow-up check.	**D.** Ignore the signal because some signals are wrong.

Answer: B. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

A. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

B. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

Question 160

Level 5

A screening tool connected to hotel quiet-hours text reminders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Use the signal as a reason to check further, not as proof that the problem is there.	**B.** Treat the signal as strong enough to act on without any follow-up check.
C. Look only at the positive signal and ignore how common the problem is in the first place.	**D.** Ignore the signal because some signals are wrong.

Answer: A. Probability is about chance and uncertainty, not guarantees.

How to work it out. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

A. Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B. Not correct. A positive signal can be wrong, so it calls for follow-up rather than automatic action.

C. Not correct. Base rates matter. A signal means more when the problem is common than when it is rare.

D. Not correct. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.