



Skill 10

Think Probabilistically

How Likely Is It?

160 Items	1-5 Levels	Choose the answer that handles chance and uncertainty well. Objective
--------------	---------------	--

Essential question. How should uncertainty affect what we expect?

This PDF is designed for classroom use. It gives teachers a rigorous introduction to the skill, a repeatable solving routine, likely student confusions, a worked example, and the full XiXteen item set with choice-level feedback.

Generated from the current XiXteen corpus on 2026-06-19.

Skill 10

Think Probabilistically

How Likely Is It?

Choose the answer that handles chance and uncertainty well. Objective	160 Items	Levels 1-5 Difficulty bands
--	--------------	--------------------------------

Essential question	How should uncertainty affect what we expect?
Why it matters	Probability helps people think between impossible and guaranteed. Many real decisions involve signals, forecasts, false alarms, base rates, and uncertainty rather than proof.
Conceptual core	Probability gives students language for partial belief. Many claims are neither proved nor disproved; they are more or less likely given the information available. Students need to distinguish chance from certainty, risk from outcome, signal from guarantee, and individual cases from long-run frequencies. This is essential for forecasts, tests, warnings, and everyday planning.
Student method	Translate percentages into out-of-100 language. Ask whether the number is a chance, a frequency, a warning signal, or a guarantee. Keep uncertainty visible.
Analogy	Probability is a weather forecast for belief. A 70 percent chance of rain matters, but it is not the same as rain already falling.
Assessment focus	A good answer uses the probability as evidence without turning it into certainty or dismissing it as useless.

Teaching Sequence

1. Translate percentages into out-of-100 language.
2. Ask whether the number describes a chance, a frequency, a false alarm rate, or a prediction.
3. Keep likely separate from certain and unlikely separate from impossible.
4. Notice when the evidence changes odds without settling the result.

Common Confusions To Watch For

1. Students may treat a high probability as a guarantee.
2. Students may treat a low probability as impossible.
3. Students may ignore the base rate or the group the probability applies to.

Teacher Prompts

1. Out of 100 similar cases, about how many would we expect?
2. Does this number tell us what will happen here, or how often it tends to happen?
3. What uncertainty remains?

Worked Example

Scenario	A weather app says there is a 70 percent chance of rain in town tomorrow.
Teacher think-aloud	That does not mean it will rain for 70 percent of the day or that rain is guaranteed. It means that in similar forecast situations, rain would occur about 70 out of 100 times.
Student takeaway	Probability guides expectations while leaving room for uncertainty.

Classroom extension. Ask students to rewrite probabilistic claims as frequencies and identify what group of cases the frequency refers to.

Item Bank

Items are grouped by level. For each item, read the prompt, predict the answer, choose, and then use the feedback and process commentary to examine the reasoning path.

Level 1

Level 1 establishes the clean version of the skill: the cue is direct, the distractors are visible, and the main task is to learn the contrast.

probability-001 | Level 1 | Answer A

Prompt. A month-ahead forecast for evening bus service for late-shift workers says the chance is 25 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 25 out of 100 times. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 25% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, transportation, d1, p25

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-002 | Level 1 | Answer B

Prompt. A month-ahead forecast for classroom phone lockers says the chance is 30 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The improvement will last for exactly 30% of the month. choice	B. If there were 100 similar forecasts, about 30 would be expected to improve. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d1, p30

- A feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- B feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-003 | Level 1 | Answer C

Prompt. A month-ahead forecast for medication reminder texts for older patients says the chance is 40 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 40% of the month. choice
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d1, p40

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-004 | Level 1 | Answer D

Prompt. A month-ahead forecast for a four-day workweek test for software engineers says the chance is 55 out of 100 that staff resignations will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 55% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. It leaves room for the result not to happen, because 55% is a chance rather than a promise. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace, d1, p55

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-005 | Level 1 | Answer A

Prompt. A month-ahead forecast for larger grocery unit-price labels says the chance is 60 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 60% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, retail, d1, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-006 | Level 1 | Answer B

Prompt. A month-ahead forecast for late fines on children's books says the chance is 65 out of 100 that library card renewals will rise. What does that percentage mean?

A. The improvement will last for exactly 65% of the month. choice	B. Out of 100 cases like this, roughly 65 would be expected to improve. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public services, d1, p65

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-007 | Level 1 | Answer C

Prompt. A month-ahead forecast for two-factor login for site administrators says the chance is 70 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 70% of the month. choice
C. A 70-out-of-100 chance means the result may happen, but it may not. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d1, p70

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-008 | Level 1 | Answer D

Prompt. A month-ahead forecast for brighter streetlights on Maple Street says the chance is 75 out of 100 that reported thefts will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 75% of the month. choice	D. The percentage describes a chance across repeated similar cases, not a promise for this one. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public safety, d1, p75

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-009 | Level 1 | Answer C

Prompt. A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 80 out of 100 that course pass rates will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. About 80 of 100 similar situations would be expected to show the improvement. correct	D. The improvement will last for exactly 80% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d1, p80

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-010 | Level 1 | Answer D

Prompt. A month-ahead forecast for calorie labels on restaurant menus says the chance is 85 out of 100 that dessert orders will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 85% of the month. choice	D. This is a likelihood estimate: the result is possible, not certain. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nutrition, d1, p85

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-011 | Level 1 | Answer B

Prompt. A month-ahead forecast for bank overdraft warning texts says the chance is 90 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. In many similar cases, the improvement would happen about 90 out of 100 times. correct
C. The improvement will last for exactly 90% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, finance, d1, p90

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-012 | Level 1 | Answer D

Prompt. A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 15 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The improvement will last for exactly 15% of the month. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. If there were 100 similar forecasts, about 15 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d1, p15

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-013 | Level 1 | Answer B

Prompt. A month-ahead forecast for free Friday museum admission says the chance is 35 out of 100 that family visits will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The forecast says improvement is possible but not guaranteed: about 35 chances in 100. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The improvement will last for exactly 35% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, culture, d1, p35

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-014 | Level 1 | Answer A

Prompt. A month-ahead forecast for youth soccer concussion checks says the chance is 45 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. It leaves room for the result not to happen, because 45% is a chance rather than a promise. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The improvement will last for exactly 45% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, sports, d1, p45

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-015 | Level 1 | Answer B

Prompt. A month-ahead forecast for same-day donation receipts says the chance is 50 out of 100 that donor retention will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The number estimates how often this improvement would happen across many similar cases. correct
C. The improvement will last for exactly 50% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nonprofit, d1, p50

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-016 | Level 1 | Answer D

Prompt. A month-ahead forecast for warehouse ergonomic training says the chance is 20 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The improvement will last for exactly 20% of the month. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. Out of 100 cases like this, roughly 20 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace safety, d1, p20

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-017 | Level 1 | Answer B

Prompt. A month-ahead forecast for apartment-lobby compost bins says the chance is 25 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The improvement will last for exactly 25% of the month. choice	B. A 25-out-of-100 chance means the result may happen, but it may not. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d1, p25

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-018 | Level 1 | Answer D

Prompt. A month-ahead forecast for private-by-default app profiles says the chance is 30 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 30% of the month. choice	D. The percentage describes a chance across repeated similar cases, not a promise for this one. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d1, p30

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-019 | Level 1 | Answer D

Prompt. A month-ahead forecast for same-day clinic appointment slots says the chance is 40 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 40% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. About 40 of 100 similar situations would be expected to show the improvement. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d1, p40

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-020 | Level 1 | Answer C

Prompt. A month-ahead forecast for seat-zone airline boarding says the chance is 55 out of 100 that average boarding time will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 55% of the month. choice
C. This is a likelihood estimate: the result is possible, not certain. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, travel, d1, p55

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-021 | Level 1 | Answer A

Prompt. A month-ahead forecast for an online apartment repair portal says the chance is 60 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 60 out of 100 times. correct	B. The improvement will last for exactly 60% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, housing, d1, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-022 | Level 1 | Answer B

Prompt. A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 65 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. If there were 100 similar forecasts, about 65 would be expected to improve. correct
C. The improvement will last for exactly 65% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, food, d1, p65

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-023 | Level 1 | Answer C

Prompt. A month-ahead forecast for weekly call-center script coaching says the chance is 70 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The forecast says improvement is possible but not guaranteed: about 70 chances in 100. correct	D. The improvement will last for exactly 70% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, customer support, d1, p70

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-024 | Level 1 | Answer D

Prompt. A month-ahead forecast for household water-leak alerts says the chance is 75 out of 100 that average household water use will fall. What does that percentage mean?

A. The improvement will last for exactly 75% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. It leaves room for the result not to happen, because 75% is a chance rather than a promise. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, utilities, d1, p75

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-025 | Level 1 | Answer C

Prompt. A month-ahead forecast for body-camera activation reminders says the chance is 80 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The number estimates how often this improvement would happen across many similar cases. correct	D. The improvement will last for exactly 80% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, governance, d1, p80

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-026 | Level 1 | Answer A

Prompt. A month-ahead forecast for county mail-ballot tracking says the chance is 85 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. Out of 100 cases like this, roughly 85 would be expected to improve. correct	B. The improvement will last for exactly 85% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, election administration, d1, p85

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-027 | Level 1 | Answer C

Prompt. A month-ahead forecast for language-learning spaced-review prompts says the chance is 90 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 90% of the month. choice
C. A 90-out-of-100 chance means the result may happen, but it may not. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, learning, d1, p90

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-028 | Level 1 | Answer A

Prompt. A month-ahead forecast for a beginner gym orientation says the chance is 15 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The percentage describes a chance across repeated similar cases, not a promise for this one. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 15% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, fitness, d1, p15

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-029 | Level 1 | Answer C

Prompt. A month-ahead forecast for safe-driving feedback for policyholders says the chance is 35 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 35% of the month. choice
C. About 35 of 100 similar situations would be expected to show the improvement. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, insurance, d1, p35

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-030 | Level 1 | Answer A

Prompt. A month-ahead forecast for top-of-article correction boxes says the chance is 45 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. This is a likelihood estimate: the result is possible, not certain. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 45% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, media, d1, p45

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-031 | Level 1 | Answer B

Prompt. A month-ahead forecast for clearer farmers market price signs says the chance is 50 out of 100 that price disputes will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. In many similar cases, the improvement would happen about 50 out of 100 times. correct
C. The improvement will last for exactly 50% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, local commerce, d1, p50

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- C feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- D feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-032 | Level 1 | Answer A

Prompt. A month-ahead forecast for hotel quiet-hours text reminders says the chance is 20 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. If there were 100 similar forecasts, about 20 would be expected to improve. correct	B. The improvement will last for exactly 20% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, hospitality, d1, p20

- A feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

Level 2

Level 2 keeps the same skill but adds more realistic wording and more tempting distractors.

probability-033 | Level 2 | Answer D

Prompt. A month-ahead forecast for evening bus service for late-shift workers says the chance is 30 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 30% of the month. choice	D. If there were 100 similar forecasts, about 30 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, transportation, d2, p30

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-034 | Level 2 | Answer C

Prompt. A month-ahead forecast for classroom phone lockers says the chance is 40 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 40% of the month. choice
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d2, p40

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-035 | Level 2 | Answer B

Prompt. A month-ahead forecast for medication reminder texts for older patients says the chance is 55 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. It leaves room for the result not to happen, because 55% is a chance rather than a promise. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 55% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d2, p55

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-036 | Level 2 | Answer A

Prompt. A month-ahead forecast for a four-day workweek test for software engineers says the chance is 60 out of 100 that staff resignations will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 60% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace, d2, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-037 | Level 2 | Answer D

Prompt. A month-ahead forecast for larger grocery unit-price labels says the chance is 65 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 65% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. Out of 100 cases like this, roughly 65 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, retail, d2, p65

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-038 | Level 2 | Answer C

Prompt. A month-ahead forecast for late fines on children's books says the chance is 70 out of 100 that library card renewals will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. A 70-out-of-100 chance means the result may happen, but it may not. correct	D. The improvement will last for exactly 70% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public services, d2, p70

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-039 | Level 2 | Answer B

Prompt. A month-ahead forecast for two-factor login for site administrators says the chance is 75 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. The improvement will last for exactly 75% of the month. choice	B. The percentage describes a chance across repeated similar cases, not a promise for this one. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d2, p75

- A feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- B feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-040 | Level 2 | Answer A

Prompt. A month-ahead forecast for brighter streetlights on Maple Street says the chance is 80 out of 100 that reported thefts will fall. What does that percentage mean?

A. About 80 of 100 similar situations would be expected to show the improvement. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 80% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public safety, d2, p80

- A feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-041 | Level 2 | Answer B

Prompt. A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 85 out of 100 that course pass rates will rise. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. This is a likelihood estimate: the result is possible, not certain. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 85% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d2, p85

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-042 | Level 2 | Answer A

Prompt. A month-ahead forecast for calorie labels on restaurant menus says the chance is 90 out of 100 that dessert orders will fall. What does that percentage mean?

A. In many similar cases, the improvement would happen about 90 out of 100 times. correct	B. The improvement will last for exactly 90% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nutrition, d2, p90

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-043 | Level 2 | Answer C

Prompt. A month-ahead forecast for bank overdraft warning texts says the chance is 15 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The improvement will last for exactly 15% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. If there were 100 similar forecasts, about 15 would be expected to improve. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, finance, d2, p15

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-044 | Level 2 | Answer D

Prompt. A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 35 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The improvement will last for exactly 35% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The forecast says improvement is possible but not guaranteed: about 35 chances in 100. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d2, p35

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-045 | Level 2 | Answer A

Prompt. A month-ahead forecast for free Friday museum admission says the chance is 45 out of 100 that family visits will rise. What does that percentage mean?

A. It leaves room for the result not to happen, because 45% is a chance rather than a promise. correct	B. The improvement will last for exactly 45% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, culture, d2, p45

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-046 | Level 2 | Answer B

Prompt. A month-ahead forecast for youth soccer concussion checks says the chance is 50 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. The improvement will last for exactly 50% of the month. choice	B. The number estimates how often this improvement would happen across many similar cases. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, sports, d2, p50

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-047 | Level 2 | Answer C

Prompt. A month-ahead forecast for same-day donation receipts says the chance is 20 out of 100 that donor retention will rise. What does that percentage mean?

A. The improvement will last for exactly 20% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. Out of 100 cases like this, roughly 20 would be expected to improve. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nonprofit, d2, p20

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-048 | Level 2 | Answer D

Prompt. A month-ahead forecast for warehouse ergonomic training says the chance is 25 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 25% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. A 25-out-of-100 chance means the result may happen, but it may not. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace safety, d2, p25

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-049 | Level 2 | Answer A

Prompt. A month-ahead forecast for apartment-lobby compost bins says the chance is 30 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The percentage describes a chance across repeated similar cases, not a promise for this one. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 30% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d2, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-050 | Level 2 | Answer B

Prompt. A month-ahead forecast for private-by-default app profiles says the chance is 40 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. The improvement will last for exactly 40% of the month. choice	B. About 40 of 100 similar situations would be expected to show the improvement. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d2, p40

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-051 | Level 2 | Answer C

Prompt. A month-ahead forecast for same-day clinic appointment slots says the chance is 55 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The improvement will last for exactly 55% of the month. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. This is a likelihood estimate: the result is possible, not certain. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d2, p55

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-052 | Level 2 | Answer D

Prompt. A month-ahead forecast for seat-zone airline boarding says the chance is 60 out of 100 that average boarding time will fall. What does that percentage mean?

A. The improvement will last for exactly 60% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. In many similar cases, the improvement would happen about 60 out of 100 times. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, travel, d2, p60

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-053 | Level 2 | Answer B

Prompt. A month-ahead forecast for an online apartment repair portal says the chance is 65 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. The improvement will last for exactly 65% of the month. choice	B. If there were 100 similar forecasts, about 65 would be expected to improve. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, housing, d2, p65

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-054 | Level 2 | Answer A

Prompt. A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 70 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The forecast says improvement is possible but not guaranteed: about 70 chances in 100. correct	B. The improvement will last for exactly 70% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, food, d2, p70

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-055 | Level 2 | Answer D

Prompt. A month-ahead forecast for weekly call-center script coaching says the chance is 75 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 75% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. It leaves room for the result not to happen, because 75% is a chance rather than a promise. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, customer support, d2, p75

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-056 | Level 2 | Answer C

Prompt. A month-ahead forecast for household water-leak alerts says the chance is 80 out of 100 that average household water use will fall. What does that percentage mean?

A. The improvement will last for exactly 80% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The number estimates how often this improvement would happen across many similar cases. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, utilities, d2, p80

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-057 | Level 2 | Answer B

Prompt. A month-ahead forecast for body-camera activation reminders says the chance is 85 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. Out of 100 cases like this, roughly 85 would be expected to improve. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 85% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, governance, d2, p85

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-058 | Level 2 | Answer A

Prompt. A month-ahead forecast for county mail-ballot tracking says the chance is 90 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. A 90-out-of-100 chance means the result may happen, but it may not. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 90% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, election administration, d2, p90

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-059 | Level 2 | Answer D

Prompt. A month-ahead forecast for language-learning spaced-review prompts says the chance is 15 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 15% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The percentage describes a chance across repeated similar cases, not a promise for this one. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, learning, d2, p15

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-060 | Level 2 | Answer C

Prompt. A month-ahead forecast for a beginner gym orientation says the chance is 35 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. About 35 of 100 similar situations would be expected to show the improvement. correct	D. The improvement will last for exactly 35% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, fitness, d2, p35

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-061 | Level 2 | Answer B

Prompt. A month-ahead forecast for safe-driving feedback for policyholders says the chance is 45 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The improvement will last for exactly 45% of the month. choice	B. This is a likelihood estimate: the result is possible, not certain. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, insurance, d2, p45

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-062 | Level 2 | Answer A

Prompt. A month-ahead forecast for top-of-article correction boxes says the chance is 50 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. In many similar cases, the improvement would happen about 50 out of 100 times. correct	B. The improvement will last for exactly 50% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, media, d2, p50

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-063 | Level 2 | Answer C

Prompt. A month-ahead forecast for clearer farmers market price signs says the chance is 20 out of 100 that price disputes will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 20% of the month. choice
C. If there were 100 similar forecasts, about 20 would be expected to improve. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, local commerce, d2, p20

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-064 | Level 2 | Answer D

Prompt. A month-ahead forecast for hotel quiet-hours text reminders says the chance is 25 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 25% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The forecast says improvement is possible but not guaranteed: about 25 chances in 100. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, hospitality, d2, p25

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

Level 3

Level 3 asks for steadier discrimination: the right answer is still objective, but the wrong answers often sound plausible.

probability-065 | Level 3 | Answer C

Prompt. A month-ahead forecast for evening bus service for late-shift workers says the chance is 40 out of 100 that late-shift commute complaints will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The forecast says improvement is possible but not guaranteed: about 40 chances in 100. correct	D. The improvement will last for exactly 40% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, transportation, d3, p40

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-066 | Level 3 | Answer D

Prompt. A month-ahead forecast for classroom phone lockers says the chance is 55 out of 100 that classroom disruption reports will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 55% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. It leaves room for the result not to happen, because 55% is a chance rather than a promise. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d3, p55

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-067 | Level 3 | Answer A

Prompt. A month-ahead forecast for medication reminder texts for older patients says the chance is 60 out of 100 that missed-dose reports will fall. What does that percentage mean?

A. The number estimates how often this improvement would happen across many similar cases. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 60% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d3, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-068 | Level 3 | Answer B

Prompt. A month-ahead forecast for a four-day workweek test for software engineers says the chance is 65 out of 100 that staff resignations will fall. What does that percentage mean?

A. The improvement will last for exactly 65% of the month. choice	B. Out of 100 cases like this, roughly 65 would be expected to improve. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace, d3, p65

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-069 | Level 3 | Answer C

Prompt. A month-ahead forecast for larger grocery unit-price labels says the chance is 70 out of 100 that shopper overpayment complaints will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 70% of the month. choice
C. A 70-out-of-100 chance means the result may happen, but it may not. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, retail, d3, p70

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-070 | Level 3 | Answer D

Prompt. A month-ahead forecast for late fines on children's books says the chance is 75 out of 100 that library card renewals will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 75% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The percentage describes a chance across repeated similar cases, not a promise for this one. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public services, d3, p75

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-071 | Level 3 | Answer A

Prompt. A month-ahead forecast for two-factor login for site administrators says the chance is 80 out of 100 that admin account takeovers will fall. What does that percentage mean?

A. About 80 of 100 similar situations would be expected to show the improvement. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 80% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d3, p80

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-072 | Level 3 | Answer B

Prompt. A month-ahead forecast for brighter streetlights on Maple Street says the chance is 85 out of 100 that reported thefts will fall. What does that percentage mean?

A. The improvement will last for exactly 85% of the month. choice	B. This is a likelihood estimate: the result is possible, not certain. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public safety, d3, p85

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-073 | Level 3 | Answer C

Prompt. A month-ahead forecast for peer tutoring for first-year statistics students says the chance is 90 out of 100 that course pass rates will rise. What does that percentage mean?

A. The improvement will last for exactly 90% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. In many similar cases, the improvement would happen about 90 out of 100 times. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d3, p90

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-074 | Level 3 | Answer D

Prompt. A month-ahead forecast for calorie labels on restaurant menus says the chance is 15 out of 100 that dessert orders will fall. What does that percentage mean?

A. The improvement will last for exactly 15% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. If there were 100 similar forecasts, about 15 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nutrition, d3, p15

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-075 | Level 3 | Answer D

Prompt. A month-ahead forecast for bank overdraft warning texts says the chance is 35 out of 100 that overdraft fees will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 35% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The forecast says improvement is possible but not guaranteed: about 35 chances in 100. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, finance, d3, p35

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-076 | Level 3 | Answer C

Prompt. A month-ahead forecast for timed-entry passes for weekend park trails says the chance is 45 out of 100 that trail crowding complaints will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 45% of the month. choice
C. It leaves room for the result not to happen, because 45% is a chance rather than a promise. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d3, p45

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-077 | Level 3 | Answer B

Prompt. A month-ahead forecast for free Friday museum admission says the chance is 50 out of 100 that family visits will rise. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The number estimates how often this improvement would happen across many similar cases. correct
C. The improvement will last for exactly 50% of the month. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, culture, d3, p50

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-078 | Level 3 | Answer A

Prompt. A month-ahead forecast for youth soccer concussion checks says the chance is 20 out of 100 that repeat head injuries will fall. What does that percentage mean?

A. Out of 100 cases like this, roughly 20 would be expected to improve. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 20% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, sports, d3, p20

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-079 | Level 3 | Answer D

Prompt. A month-ahead forecast for same-day donation receipts says the chance is 25 out of 100 that donor retention will rise. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement will last for exactly 25% of the month. choice	D. A 25-out-of-100 chance means the result may happen, but it may not. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nonprofit, d3, p25

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-080 | Level 3 | Answer C

Prompt. A month-ahead forecast for warehouse ergonomic training says the chance is 30 out of 100 that back-injury claims will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 30% of the month. choice
C. The percentage describes a chance across repeated similar cases, not a promise for this one. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace safety, d3, p30

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-081 | Level 3 | Answer B

Prompt. A month-ahead forecast for apartment-lobby compost bins says the chance is 40 out of 100 that landfill waste from participating buildings will fall. What does that percentage mean?

A. The improvement will last for exactly 40% of the month. choice	B. About 40 of 100 similar situations would be expected to show the improvement. correct
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d3, p40

- A feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- B feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-082 | Level 3 | Answer A

Prompt. A month-ahead forecast for private-by-default app profiles says the chance is 55 out of 100 that publicly visible profiles will fall. What does that percentage mean?

A. This is a likelihood estimate: the result is possible, not certain. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 55% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d3, p55

- A feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-083 | Level 3 | Answer B

Prompt. A month-ahead forecast for same-day clinic appointment slots says the chance is 60 out of 100 that patient no-show rates will fall. What does that percentage mean?

A. The improvement will last for exactly 60% of the month. choice	B. In many similar cases, the improvement would happen about 60 out of 100 times. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d3, p60

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-084 | Level 3 | Answer A

Prompt. A month-ahead forecast for seat-zone airline boarding says the chance is 65 out of 100 that average boarding time will fall. What does that percentage mean?

A. If there were 100 similar forecasts, about 65 would be expected to improve. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The improvement will last for exactly 65% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, travel, d3, p65

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-085 | Level 3 | Answer A

Prompt. A month-ahead forecast for an online apartment repair portal says the chance is 70 out of 100 that unresolved repair requests will fall. What does that percentage mean?

A. The forecast says improvement is possible but not guaranteed: about 70 chances in 100. correct	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The improvement will last for exactly 70% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, housing, d3, p70

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-086 | Level 3 | Answer B

Prompt. A month-ahead forecast for fruit placement in a school cafeteria line says the chance is 75 out of 100 that fruit purchases will rise. What does that percentage mean?

A. The improvement will last for exactly 75% of the month. choice	B. It leaves room for the result not to happen, because 75% is a chance rather than a promise. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, food, d3, p75

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-087 | Level 3 | Answer C

Prompt. A month-ahead forecast for weekly call-center script coaching says the chance is 80 out of 100 that customer complaint rates will fall. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 80% of the month. choice
C. The number estimates how often this improvement would happen across many similar cases. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, customer support, d3, p80

A feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-088 | Level 3 | Answer D

Prompt. A month-ahead forecast for household water-leak alerts says the chance is 85 out of 100 that average household water use will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 85% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. Out of 100 cases like this, roughly 85 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, utilities, d3, p85

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-089 | Level 3 | Answer A

Prompt. A month-ahead forecast for body-camera activation reminders says the chance is 90 out of 100 that missing-camera-footage reports will fall. What does that percentage mean?

A. A 90-out-of-100 chance means the result may happen, but it may not. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The improvement will last for exactly 90% of the month. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, governance, d3, p90

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-090 | Level 3 | Answer B

Prompt. A month-ahead forecast for county mail-ballot tracking says the chance is 15 out of 100 that phone calls asking ballot status will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The percentage describes a chance across repeated similar cases, not a promise for this one. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The improvement will last for exactly 15% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, election administration, d3, p15

A feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

probability-091 | Level 3 | Answer C

Prompt. A month-ahead forecast for language-learning spaced-review prompts says the chance is 35 out of 100 that vocabulary retention quiz scores will rise. What does that percentage mean?

A. The improvement will last for exactly 35% of the month. choice	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. About 35 of 100 similar situations would be expected to show the improvement. correct	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, learning, d3, p35

- A feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- B feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-092 | Level 3 | Answer D

Prompt. A month-ahead forecast for a beginner gym orientation says the chance is 45 out of 100 that new-member cancellations will fall. What does that percentage mean?

A. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	B. The improvement will last for exactly 45% of the month. choice
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. This is a likelihood estimate: the result is possible, not certain. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, fitness, d3, p45

- A feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-093 | Level 3 | Answer C

Prompt. A month-ahead forecast for safe-driving feedback for policyholders says the chance is 50 out of 100 that reported minor crashes will fall. What does that percentage mean?

A. The improvement will last for exactly 50% of the month. choice	B. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice
C. In many similar cases, the improvement would happen about 50 out of 100 times. correct	D. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, insurance, d3, p50

- A feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- B feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- C feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- D feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

probability-094 | Level 3 | Answer D

Prompt. A month-ahead forecast for top-of-article correction boxes says the chance is 20 out of 100 that reader trust ratings will rise. What does that percentage mean?

A. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	B. The improvement will last for exactly 20% of the month. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. If there were 100 similar forecasts, about 20 would be expected to improve. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, media, d3, p20

- A feedback (Distractor):** Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.
- B feedback (Distractor):** Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.
- C feedback (Distractor):** Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-095 | Level 3 | Answer B

Prompt. A month-ahead forecast for clearer farmers market price signs says the chance is 25 out of 100 that price disputes will fall. What does that percentage mean?

A. The improvement will last for exactly 25% of the month. choice	B. The forecast says improvement is possible but not guaranteed: about 25 chances in 100. correct
C. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice	D. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, local commerce, d3, p25

A feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

D feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

probability-096 | Level 3 | Answer A

Prompt. A month-ahead forecast for hotel quiet-hours text reminders says the chance is 30 out of 100 that noise complaints from guest rooms will fall. What does that percentage mean?

A. It leaves room for the result not to happen, because 30% is a chance rather than a promise. correct	B. The improvement is guaranteed because the number is above 0%, so no uncertainty remains. choice
C. The result is impossible unless the forecast says 100%, which treats uncertainty as all-or-nothing. choice	D. The improvement will last for exactly 30% of the month. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, hospitality, d3, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A nonzero chance is not a guarantee. Probability is useful precisely because uncertainty remains.

C feedback (Distractor): Not quite. A result can be possible even when its chance is below 100%. Treating probability as all-or-nothing is the mistake.

D feedback (Distractor): Not quite. A probability does not say exactly how long a result will last in one case. It estimates chance across cases.

Level 4

Level 4 asks learners to hold more context in mind while applying the same method.

probability-097 | Level 4 | Answer B

Prompt. A screening tool connected to evening bus service for late-shift workers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Take the signal seriously, but ask how often this kind of tool is wrong. correct
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, transportation, d4, p55

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-098 | Level 4 | Answer A

Prompt. A screening tool connected to classroom phone lockers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm. correct	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d4, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-099 | Level 4 | Answer D

Prompt. A screening tool connected to medication reminder texts for older patients flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Use the signal as a reason to check further, not as proof that the problem is there. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d4, p65

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-100 | Level 4 | Answer C

Prompt. A screening tool connected to a four-day workweek test for software engineers flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace, d4, p70

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-101 | Level 4 | Answer B

Prompt. A screening tool connected to larger grocery unit-price labels flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. See the signal as evidence to investigate, while remembering that it is not certainty. correct
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, retail, d4, p75

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-102 | Level 4 | Answer A

Prompt. A screening tool connected to late fines on children's books flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public services, d4, p80

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-103 | Level 4 | Answer D

Prompt. A screening tool connected to two-factor login for site administrators flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Update cautiously because a positive signal can still turn out to be a false alarm. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d4, p85

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-104 | Level 4 | Answer C

Prompt. A screening tool connected to brighter streetlights on Maple Street flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. Use the signal as a reason to check further, not as proof that the problem is there. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public safety, d4, p90

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-105 | Level 4 | Answer B

Prompt. A screening tool connected to peer tutoring for first-year statistics students flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d4, p15

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-106 | Level 4 | Answer A

Prompt. A screening tool connected to calorie labels on restaurant menus flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nutrition, d4, p35

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-107 | Level 4 | Answer C

Prompt. A screening tool connected to bank overdraft warning texts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. Take the signal seriously, but ask how often this kind of tool is wrong. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, finance, d4, p45

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-108 | Level 4 | Answer D

Prompt. A screening tool connected to timed-entry passes for weekend park trails flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. Update cautiously because a positive signal can still turn out to be a false alarm. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d4, p50

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-109 | Level 4 | Answer A

Prompt. A screening tool connected to free Friday museum admission flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Use the signal as a reason to check further, not as proof that the problem is there. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, culture, d4, p20

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-110 | Level 4 | Answer B

Prompt. A screening tool connected to youth soccer concussion checks flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, sports, d4, p25

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-111 | Level 4 | Answer A

Prompt. A screening tool connected to same-day donation receipts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nonprofit, d4, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-112 | Level 4 | Answer C

Prompt. A screening tool connected to warehouse ergonomic training flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. Take the signal seriously, but ask how often this kind of tool is wrong. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace safety, d4, p40

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-113 | Level 4 | Answer A

Prompt. A screening tool connected to apartment-lobby compost bins flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm. correct	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d4, p55

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-114 | Level 4 | Answer C

Prompt. A screening tool connected to private-by-default app profiles flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Use the signal as a reason to check further, not as proof that the problem is there. correct	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d4, p60

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-115 | Level 4 | Answer A

Prompt. A screening tool connected to same-day clinic appointment slots flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d4, p65

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-116 | Level 4 | Answer C

Prompt. A screening tool connected to seat-zone airline boarding flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. See the signal as evidence to investigate, while remembering that it is not certainty. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, travel, d4, p70

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-117 | Level 4 | Answer D

Prompt. A screening tool connected to an online apartment repair portal flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. Take the signal seriously, but ask how often this kind of tool is wrong. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, housing, d4, p75

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-118 | Level 4 | Answer B

Prompt. A screening tool connected to fruit placement in a school cafeteria line flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Update cautiously because a positive signal can still turn out to be a false alarm. correct
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, food, d4, p80

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-119 | Level 4 | Answer D

Prompt. A screening tool connected to weekly call-center script coaching flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Use the signal as a reason to check further, not as proof that the problem is there. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, customer support, d4, p85

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-120 | Level 4 | Answer C

Prompt. A screening tool connected to household water-leak alerts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, utilities, d4, p90

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-121 | Level 4 | Answer D

Prompt. A screening tool connected to body-camera activation reminders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. See the signal as evidence to investigate, while remembering that it is not certainty. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, governance, d4, p15

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-122 | Level 4 | Answer B

Prompt. A screening tool connected to county mail-ballot tracking flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Take the signal seriously, but ask how often this kind of tool is wrong. correct
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, election administration, d4, p35

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-123 | Level 4 | Answer D

Prompt. A screening tool connected to language-learning spaced-review prompts flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Update cautiously because a positive signal can still turn out to be a false alarm. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, learning, d4, p45

- A feedback (Distractor):** Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.
- B feedback (Distractor):** Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.
- C feedback (Distractor):** Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.
- D feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-124 | Level 4 | Answer B

Prompt. A screening tool connected to a beginner gym orientation flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. Use the signal as a reason to check further, not as proof that the problem is there. correct
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, fitness, d4, p50

- A feedback (Distractor):** Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.
- B feedback (Correct):** Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.
- C feedback (Distractor):** Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.
- D feedback (Distractor):** Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-125 | Level 4 | Answer D

Prompt. A screening tool connected to safe-driving feedback for policyholders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, insurance, d4, p20

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-126 | Level 4 | Answer C

Prompt. A screening tool connected to top-of-article correction boxes flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. See the signal as evidence to investigate, while remembering that it is not certainty. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, media, d4, p25

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-127 | Level 4 | Answer A

Prompt. A screening tool connected to clearer farmers market price signs flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong. correct	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, local commerce, d4, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-128 | Level 4 | Answer B

Prompt. A screening tool connected to hotel quiet-hours text reminders flags possible problems. It catches many real problems, but it also gives false alarms. The problem is uncommon in the group being screened. What is the best way to treat a positive signal?

A. Ignore the signal because some signals are wrong. choice	B. Update cautiously because a positive signal can still turn out to be a false alarm. correct
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, hospitality, d4, p40

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

Level 5

Level 5 is for fluency: the learner should now name the thinking move and explain the elimination path.

probability-129 | Level 5 | Answer A

Prompt. A screening tool connected to evening bus service for late-shift workers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm. correct	B. Ignore the signal because some signals are wrong. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, transportation, d5, p60

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-130 | Level 5 | Answer B

Prompt. A screening tool connected to classroom phone lockers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Use the signal as a reason to check further, not as proof that the problem is there. correct
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d5, p65

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-131 | Level 5 | Answer C

Prompt. A screening tool connected to medication reminder texts for older patients gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d5, p70

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-132 | Level 5 | Answer D

Prompt. A screening tool connected to a four-day workweek test for software engineers gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. See the signal as evidence to investigate, while remembering that it is not certainty. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace, d5, p75

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-133 | Level 5 | Answer A

Prompt. A screening tool connected to larger grocery unit-price labels gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, retail, d5, p80

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-134 | Level 5 | Answer B

Prompt. A screening tool connected to late fines on children's books gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Update cautiously because a positive signal can still turn out to be a false alarm. correct
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public services, d5, p85

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-135 | Level 5 | Answer C

Prompt. A screening tool connected to two-factor login for site administrators gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. Use the signal as a reason to check further, not as proof that the problem is there. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d5, p90

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-136 | Level 5 | Answer D

Prompt. A screening tool connected to brighter streetlights on Maple Street gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, public safety, d5, p15

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-137 | Level 5 | Answer C

Prompt. A screening tool connected to peer tutoring for first-year statistics students gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. See the signal as evidence to investigate, while remembering that it is not certainty. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, education, d5, p35

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-138 | Level 5 | Answer D

Prompt. A screening tool connected to calorie labels on restaurant menus gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Take the signal seriously, but ask how often this kind of tool is wrong. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nutrition, d5, p45

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-139 | Level 5 | Answer B

Prompt. A screening tool connected to bank overdraft warning texts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Update cautiously because a positive signal can still turn out to be a false alarm. correct
C. Ignore the signal because some signals are wrong. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, finance, d5, p50

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-140 | Level 5 | Answer D

Prompt. A screening tool connected to timed-entry passes for weekend park trails gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Use the signal as a reason to check further, not as proof that the problem is there. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d5, p20

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-141 | Level 5 | Answer B

Prompt. A screening tool connected to free Friday museum admission gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, culture, d5, p25

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-142 | Level 5 | Answer A

Prompt. A screening tool connected to youth soccer concussion checks gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. See the signal as evidence to investigate, while remembering that it is not certainty. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, sports, d5, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-143 | Level 5 | Answer D

Prompt. A screening tool connected to same-day donation receipts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. Take the signal seriously, but ask how often this kind of tool is wrong. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, nonprofit, d5, p40

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-144 | Level 5 | Answer C

Prompt. A screening tool connected to warehouse ergonomic training gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. Update cautiously because a positive signal can still turn out to be a false alarm. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, workplace safety, d5, p55

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-145 | Level 5 | Answer B

Prompt. A screening tool connected to apartment-lobby compost bins gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Use the signal as a reason to check further, not as proof that the problem is there. correct
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, environment, d5, p60

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-146 | Level 5 | Answer A

Prompt. A screening tool connected to private-by-default app profiles gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, technology, d5, p65

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-147 | Level 5 | Answer D

Prompt. A screening tool connected to same-day clinic appointment slots gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Ignore the signal because some signals are wrong. choice	D. See the signal as evidence to investigate, while remembering that it is not certainty. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, health, d5, p70

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-148 | Level 5 | Answer B

Prompt. A screening tool connected to seat-zone airline boarding gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Take the signal seriously, but ask how often this kind of tool is wrong. correct
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, travel, d5, p75

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-149 | Level 5 | Answer A

Prompt. A screening tool connected to an online apartment repair portal gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Update cautiously because a positive signal can still turn out to be a false alarm. correct	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, housing, d5, p80

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-150 | Level 5 | Answer C

Prompt. A screening tool connected to fruit placement in a school cafeteria line gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. Use the signal as a reason to check further, not as proof that the problem is there. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, food, d5, p85

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-151 | Level 5 | Answer C

Prompt. A screening tool connected to weekly call-center script coaching gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, customer support, d5, p90

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-152 | Level 5 | Answer D

Prompt. A screening tool connected to household water-leak alerts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. See the signal as evidence to investigate, while remembering that it is not certainty. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, utilities, d5, p15

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-153 | Level 5 | Answer C

Prompt. A screening tool connected to body-camera activation reminders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	B. Ignore the signal because some signals are wrong. choice
C. Take the signal seriously, but ask how often this kind of tool is wrong. correct	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, governance, d5, p35

A feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-154 | Level 5 | Answer D

Prompt. A screening tool connected to county mail-ballot tracking gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Ignore the signal because some signals are wrong. choice	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Update cautiously because a positive signal can still turn out to be a false alarm. correct

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is D because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, election administration, d5, p45

A feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

probability-155 | Level 5 | Answer A

Prompt. A screening tool connected to language-learning spaced-review prompts gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Use the signal as a reason to check further, not as proof that the problem is there. correct choice	B. Ignore the signal because some signals are wrong. choice
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. It means all flagged cases have the problem and all unflagged cases are safe. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, learning, d5, p50

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

probability-156 | Level 5 | Answer B

Prompt. A screening tool connected to a beginner gym orientation gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Check the base rate and false-alarm rate before treating the signal as strong evidence. correct
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, fitness, d5, p20

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-157 | Level 5 | Answer C

Prompt. A screening tool connected to safe-driving feedback for policyholders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Ignore the signal because some signals are wrong. choice
C. See the signal as evidence to investigate, while remembering that it is not certainty. correct	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is C because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, insurance, d5, p25

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

C feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-158 | Level 5 | Answer A

Prompt. A screening tool connected to top-of-article correction boxes gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Take the signal seriously, but ask how often this kind of tool is wrong. correct	B. It means all flagged cases have the problem and all unflagged cases are safe. choice
C. Ignore the signal because some signals are wrong. choice	D. It proves the flagged problem is definitely there, so no follow-up check is needed. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, media, d5, p30

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

C feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

D feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

probability-159 | Level 5 | Answer B

Prompt. A screening tool connected to clearer farmers market price signs gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. It means all flagged cases have the problem and all unflagged cases are safe. choice	B. Update cautiously because a positive signal can still turn out to be a false alarm. correct
C. It proves the flagged problem is definitely there, so no follow-up check is needed. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is B because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, local commerce, d5, p40

A feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

B feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

C feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.

probability-160 | Level 5 | Answer A

Prompt. A screening tool connected to hotel quiet-hours text reminders gives a positive signal for one case. The tool catches many real problems, but false alarms are common, and only a small share of cases have the problem. What is the best way to treat that signal?

A. Use the signal as a reason to check further, not as proof that the problem is there. correct	B. It proves the flagged problem is definitely there, so no follow-up check is needed. choice
C. It means all flagged cases have the problem and all unflagged cases are safe. choice	D. Ignore the signal because some signals are wrong. choice

Core explanation. Probability is about chance and uncertainty, not guarantees.

Process commentary. To uncover the answer, keep chance separate from certainty. The correct choice is A because it treats the number or signal as useful evidence while preserving uncertainty.

Tags: probability, hospitality, d5, p55

A feedback (Correct): Correct. This answer treats the number or signal as uncertain evidence. Probability gives a chance or reason to check further, not a guarantee.

B feedback (Distractor): Not quite. A positive signal can be wrong, so it calls for follow-up rather than certainty.

C feedback (Distractor): Not quite. This treats the signal too absolutely. Good probability thinking keeps both evidence and uncertainty in view.

D feedback (Distractor): Not quite. False alarms mean the signal is not proof, but they do not mean the signal should be ignored.