Node Strength and Asymmetry Index Summary

sub-TBI011011 · Generated 2026-09-01 20:14 UTC · nodestrength 0.1.0 · DKT / DK ENIGMA maps

Note: Strength AI values are raw asymmetry indices (not normative z-scores). Whole thalamus only (not THOMAS nuclei). Intra AI uses within-hemisphere edges only; Inter AI uses cross-hemisphere (callosal) edges only. Interpret alongside clinical history and MRI. These results are for research use; anyone who uses them should take full responsibility.

Key Structures

Structure	Str AI	Intra AI	Inter AI	Vol AI
	Left–right asymmetry in total node strength (all connectome edges).	Asymmetry in strength from within-hemisphere edges only (L↔L, R↔R).	Asymmetry in strength from cross-hemisphere edges only (L↔R).	Left–right asymmetry in ROI volume on the tractography grid.
Thalamus	-0.005 (R > L)	-0.035 (R > L)	+0.132 (L > R)	+0.006 (L > R)
Hippocampus	-0.217 (R > L)	-0.210 (R > L)	-0.309 (R > L)	-0.024 (R > L)
Amygdala	-0.219 (R > L)	-0.215 (R > L)	-0.245 (R > L)	-0.028 (R > L)
Insula	-0.027 (R > L)	-0.026 (R > L)	-0.058 (R > L)	+0.041 (L > R)


Top 5 Strength Asymmetry

#	Region	Strength AI
1	transversetemporal	+0.228
2	Amygdala	-0.219
3	parstriangularis	-0.217
4	Hippocampus	-0.217
5	entorhinal	-0.192

Top 5 Intrahemispheric Asymmetry


#	Region	Intra AI
1	transversetemporal	+0.230
2	medialorbitofrontal	+0.229
3	Amygdala	-0.215
4	Hippocampus	-0.210
5	parstriangularis	-0.205

Cortical Asymmetry



Cortical strength asymmetry (|side AI|) on inflated surfaces.

Subcortical Summary



Subcortical node strength and interhemispheric asymmetry.

All AI columns use side_ai = (L–R)/(L+R) on the measure named in the column header.