WYNER VAE

JOINT & CONDITIONAL GENERATION
WITH SUCCINT COMMON REPRESENTATION LEARNING

PHILIPP GABLER
2022-09-29

RELEVANT QUANTIZATION

- · PX FIXED & KNOWN
- · FIND CODE BOOK PRIX
- · JUST MINIMIZE I(X; X)?

RATE DISTORTION THEORY

$$X \longrightarrow \hat{X}$$

$$d: \times \hat{\times} \longrightarrow \mathbb{R}^+$$

· WE MAKE THE PROBLEM WELL-DEFINED BY
REQUIRING A CHOSEN DISTORTION TO BE BOUNDED:

min
$$I(X;\hat{X})$$
 s.t. $E[d(X,\hat{X})] < 0$
 $P\hat{x}_{1X}$

EXPECTED

DISTORTION


CODE BOOK

. HOW TO CHOOSE d?

INFORMATION BOTTLENECK

- · P IS KNOWN & PIXED
- · FIND PRIX, BUT PRESERVE KNOWLEDGE ABOUT ?!

WYNER COMMON INFORMATION




OPERATIONAL PROBLEMS

NOTATION:

- · 9 KNOWN FROM DATA
- · FIND SUCCINT, NONTRIVIAL Z
- · TWO EQUIVALENT OPERATIONAL PROBLEMS:
 - > CHANNEL SYNTHESIS X -> Z -> Y
 - > DISTRIBUTED SIMULATION X C- Z->Y

CHANNEL SYNTHESIS


$$X \longrightarrow Z \longrightarrow Y$$



A CHILDHOOD PORTRAIT

BOB DRAWS AN ADULTHOOD PORTRAIT

DISTRIBUTED SIMULATION



LOCAL NOISE
REPRESENTATION:

WYNER'S OPTIMIZATION PROBLEM

J(X;Y) IS THE FUNDAMENTAL LIMIT OF DISTRIBUTED SIMULATION


RECAP: VARIATIONAL INFERENCE

· VI: INFERENCE WA OPTIMIZATION


· VAE: ADDITIONALLY, FIND GENERATIVE MODEL!

WHERE PO (2/2) IS THE GENERATIVE NETWORK

VARIATIONAL WYNER MODEL




JOINT SAMPLING




JOINT STOCHASTIC RECONSTRUCTION

VARIATIONAL WYNER MODEL



COMPITIONAL



COMPITIONAL SAMPLING WITH STYLE CONTROL

TRAINING OBJECTIVES

· MAIN OBJECTIVES

min
$$I_{x_3-3}(x,y_1z)$$
 min $I_m(x,y_1z)$
 y
 x_3-3 x_4-3-y
 x_5-3 x

· RECONSTRUCTION LOSSIES

· WEIGHTED COMBINATION, SELECTION PER MODEL

TRAINING PROCEDURE

· SELECT MECESSARY OBJECTIVES:

$$\begin{split} \mathcal{D}_{\mathsf{x}\to\mathsf{y}}^{\mathsf{xyzuv}} + \mathcal{D}_{\mathsf{y}\to\mathsf{x}}^{\mathsf{xyzuv}} + \mathcal{D}_{\mathsf{x}\leftrightarrow\mathsf{y}}^{\mathsf{xyzuv}} \\ + \lambda^{\mathsf{CI}} (I_{\mathsf{x}\to\mathsf{y}} + I_{\mathsf{y}\to\mathsf{x}}) & \tilde{\mathcal{D}}_{\mathsf{x}\to\mathsf{y}}^{\mathsf{xyzuv}} + \tilde{I}_{\mathsf{x}\to\mathsf{y}} + \tilde{I}_{\mathsf{y}\to\mathsf{x}} \\ + \lambda^{\mathsf{rec}} (\mathcal{R}_{\mathsf{x}\to\mathsf{y}} + \mathcal{R}_{\mathsf{y}\to\mathsf{x}} + \mathcal{R}_{\mathsf{x}\to\mathsf{x}} + \mathcal{R}_{\mathsf{y}\to\mathsf{y}}) & \\ \mathcal{M} \circ \mathsf{D} \in \mathsf{L} \quad \mathsf{Loss} \, \mathsf{S} \end{split}$$

· ADVERSERIAL TRAINING WITH VARIATIONAL DENSITY RATIO ESTIMATION (GAN-LIKE)

EXAMPLE: BIRD PICTURES & CAPTIONS

-> (IMAGE, CAPTION)



this small bird is black white white with a small bill bill and black feet



this bird is grey with grey and a black beak, pointy short pointy beak.



this is a black and white black bird and a short black beak.



this bird has a black and and white and white feathers and

IMAGE -> CAPTION



this bird has a black crown and breast, with a crown, and and and black red its... this is a very, and white and and color with with a, and and a long blue patches ... this bird has a very , thin beak with a breast and a brown beak, the body rimmed body

CAPTION -> IMAGE

This bird has yellow topped black and white striped wings and some red markings on its belly.









GROUND TRUTH

GENERATED