CSS Modules



Jake Trent

@jaketrent jaketrent.com



CSS Modules are awesome!




Traditional CSS

Real Modules



```
:before {}
@media (min-width: 700px) {}
@keyframes animate {}
```

PostCSS Ecosystem



```
.link {
  text-decoration: none;
}
.btn {
  border: none;
  background: orange;
}
```

COMPILED

```
.link---5x98a {
  text-decoration: none;
}
.btn---99a0f {
  border: none;
  background: orange;
}
```

```
function MyComponent() {
  return <button>Push</button>
}
```

```
import css from './my-stylesheet.css'
function MyComponent() {
  return <button>Push</button>
}
```

```
import css from './my-stylesheet.css'
function MyComponent() {
  return <button className={css.btn}>Push</button>
}
```

IN-BROWSER

<button class="btn---99a0f">Push/button>

Your selector name

| localIdentName=[local]---[hash:base64:5]

| Generated hash (substring 5 chars)

```
.selector {
  composes: anotherSelector;
}
```

default-links.css

```
.link {
  color: orange;
}
```

my-component.css

```
.link {
  composes: link from "./default-links.css";
  color: pink;
}
```

react-styleable

```
MyComponent.propTypes = {
    css: object.isRequired
}
```

```
<MyComponent css={{
   originalSelector: props.css.myAppStyle
}} />
```

```
<MyComponent css={{
   originalSelector: 'textFixtureClassName'
}} />
```

CSS Modules Demo

Image slider

- Again, unstyled

CSS Modules

- Will write CSS
- Usage will feel different

CSS Modules

Local by default

Can make global

.selectorName

html
:global(.selectorName)

CSS Modules!



Codebase longevity


Refactoring

Selector names

Real module isolation

CSS Modules

- Global Namespace
- Dependencies
- Dead Code Elimination
- Minification
- **A** Sharing Constants
- Non-deterministic Resolution
- Isolation



Inline Styles

Radium

External CSS Stylesheet

CSS Modules

Thank you!