CONTINUOUS PROBABILITY DISTRIBUTIONS

https://phitter.io

2024-10-03

Abstract

This document provides an overview of the continuous probability distributions utilized in Phitter. It includes a detailed description for each distribution, covering aspects such as the definition, domain, parameter definitions and domains, probability density function, cumulative distribution function, percentile point function, raw moments, mean, variance, skewness, kurtosis, median, and mode in a concise and clear manner.

Contents

1 Alpha Distribution **24**
- 1.1 Distribution definition . . . 24
- 1.2 Distribution domain . . . 24
- 1.3 Parameters domain and parameters constraints . . . 24
- 1.4 Cumulative distribution function . . . 24
- 1.5 Probability density function . . . 24
- 1.6 Percent point function/Sample . . . 24
- 1.7 Parametric centered moments . . . 24
- 1.8 Parametric mean . . . 24
- 1.9 Parametric variance . . . 24
- 1.10 Parametric skewness . . . 24
- 1.11 Parametric kurtosis . . . 24
- 1.12 Parametric median . . . 24
- 1.13 Parametric mode . . . 24
- 1.14 Additional information and definitions . . . 25
- 1.15 Spreadsheet documents . . . 25

2 Arcsine Distribution **26**
- 2.1 Distribution definition . . . 26
- 2.2 Distribution domain . . . 26
- 2.3 Parameters domain and parameters constraints . . . 26
- 2.4 Cumulative distribution function . . . 26
- 2.5 Probability density function . . . 26
- 2.6 Percent point function/Sample . . . 26
- 2.7 Parametric centered moments . . . 26
- 2.8 Parametric mean . . . 26
- 2.9 Parametric variance . . . 26
- 2.10 Parametric skewness . . . 26
- 2.11 Parametric kurtosis . . . 26
- 2.12 Parametric median . . . 26
- 2.13 Parametric mode . . . 26
- 2.14 Additional information and definitions . . . 27
- 2.15 Spreadsheet documents . . . 27

3 Argus Distribution **28**
- 3.1 Distribution definition . . . 28
- 3.2 Distribution domain . . . 28
- 3.3 Parameters domain and parameters constraints . . . 28
- 3.4 Cumulative distribution function . . . 28
- 3.5 Probability density function . . . 28
- 3.6 Percent point function/Sample . . . 28
- 3.7 Parametric centered moments . . . 28
- 3.8 Parametric mean . . . 28
- 3.9 Parametric variance . . . 28
- 3.10 Parametric skewness . . . 28
- 3.11 Parametric kurtosis . . . 28
- 3.12 Parametric median . . . 28
- 3.13 Parametric mode . . . 29
- 3.14 Additional information and definitions . . . 29
- 3.15 Spreadsheet documents . . . 29

4 Beta Distribution **30**
4.1 Distribution definition . . . 30
4.2 Distribution domain . . . 30
4.3 Parameters domain and parameters constraints . . . 30
4.4 Cumulative distribution function . . . 30
4.5 Probability density function . . . 30
4.6 Percent point function/Sample . . . 30
4.7 Parametric centered moments . . . 30
4.8 Parametric mean . . . 30
4.9 Parametric variance . . . 30
4.10 Parametric skewness . . . 30
4.11 Parametric kurtosis . . . 30
4.12 Parametric median . . . 30
4.13 Parametric mode . . . 30
4.14 Additional information and definitions . . . 31
4.15 Spreadsheet documents . . . 31

5 Beta Prime Distribution **32**
5.1 Distribution definition . . . 32
5.2 Distribution domain . . . 32
5.3 Parameters domain and parameters constraints . . . 32
5.4 Cumulative distribution function . . . 32
5.5 Probability density function . . . 32
5.6 Percent point function/Sample . . . 32
5.7 Parametric centered moments . . . 32
5.8 Parametric mean . . . 32
5.9 Parametric variance . . . 32
5.10 Parametric skewness . . . 32
5.11 Parametric kurtosis . . . 32
5.12 Parametric median . . . 32
5.13 Parametric mode . . . 33
5.14 Additional information and definitions . . . 33
5.15 Spreadsheet documents . . . 33

6 Beta Prime 4P Distribution **34**
6.1 Distribution definition . . . 34
6.2 Distribution domain . . . 34
6.3 Parameters domain and parameters constraints . . . 34
6.4 Cumulative distribution function . . . 34
6.5 Probability density function . . . 34
6.6 Percent point function/Sample . . . 34
6.7 Parametric centered moments . . . 34
6.8 Parametric mean . . . 34
6.9 Parametric variance . . . 34
6.10 Parametric skewness . . . 34
6.11 Parametric kurtosis . . . 34
6.12 Parametric median . . . 34
6.13 Parametric mode . . . 35
6.14 Additional information and definitions . . . 35
6.15 Spreadsheet documents . . . 35

7 Bradford Distribution **36**
7.1 Distribution definition . . . 36
7.2 Distribution domain . . . 36
7.3 Parameters domain and parameters constraints . . . 36
7.4 Cumulative distribution function . . . 36
7.5 Probability density function . . . 36

7.6 Percent point function/Sample . . . 36
7.7 Parametric centered moments . . . 36
7.8 Parametric mean . . . 36
7.9 Parametric variance . . . 36
7.10 Parametric skewness . . . 36
7.11 Parametric kurtosis . . . 36
7.12 Parametric median . . . 36
7.13 Parametric mode . . . 36
7.14 Additional information and definitions . . . 37
7.15 Spreadsheet documents . . . 37

8 Burr Distribution **38**
8.1 Distribution definition . . . 38
8.2 Distribution domain . . . 38
8.3 Parameters domain and parameters constraints . . . 38
8.4 Cumulative distribution function . . . 38
8.5 Probability density function . . . 38
8.6 Percent point function/Sample . . . 38
8.7 Parametric centered moments . . . 38
8.8 Parametric mean . . . 38
8.9 Parametric variance . . . 38
8.10 Parametric skewness . . . 38
8.11 Parametric kurtosis . . . 38
8.12 Parametric median . . . 38
8.13 Parametric mode . . . 38
8.14 Additional information and definitions . . . 39
8.15 Spreadsheet documents . . . 39

9 Burr 4P Distribution **40**
9.1 Distribution definition . . . 40
9.2 Distribution domain . . . 40
9.3 Parameters domain and parameters constraints . . . 40
9.4 Cumulative distribution function . . . 40
9.5 Probability density function . . . 40
9.6 Percent point function/Sample . . . 40
9.7 Parametric centered moments . . . 40
9.8 Parametric mean . . . 40
9.9 Parametric variance . . . 40
9.10 Parametric skewness . . . 40
9.11 Parametric kurtosis . . . 40
9.12 Parametric median . . . 40
9.13 Parametric mode . . . 41
9.14 Additional information and definitions . . . 41
9.15 Spreadsheet documents . . . 41

10 Cauchy Distribution **42**
10.1 Distribution definition . . . 42
10.2 Distribution domain . . . 42
10.3 Parameters domain and parameters constraints . . . 42
10.4 Cumulative distribution function . . . 42
10.5 Probability density function . . . 42
10.6 Percent point function/Sample . . . 42
10.7 Parametric centered moments . . . 42
10.8 Parametric mean . . . 42
10.9 Parametric variance . . . 42
10.10 Parametric skewness . . . 42
10.11 Parametric kurtosis . . . 42

10.12Parametric median . . . 42
10.13Parametric mode . . . 42
10.14Additional information and definitions . . . 43
10.15Spreadsheet documents . . . 43

11 Chi Square Distribution **44**
11.1 Distribution definition . . . 44
11.2 Distribution domain . . . 44
11.3 Parameters domain and parameters constraints . . . 44
11.4 Cumulative distribution function . . . 44
11.5 Probability density function . . . 44
11.6 Percent point function/Sample . . . 44
11.7 Parametric centered moments . . . 44
11.8 Parametric mean . . . 44
11.9 Parametric variance . . . 44
11.10Parametric skewness . . . 44
11.11Parametric kurtosis . . . 44
11.12Parametric median . . . 44
11.13Parametric mode . . . 44
11.14Additional information and definitions . . . 45
11.15Spreadsheet documents . . . 45

12 Chi Square 3P Distribution **46**
12.1 Distribution definition . . . 46
12.2 Distribution domain . . . 46
12.3 Parameters domain and parameters constraints . . . 46
12.4 Cumulative distribution function . . . 46
12.5 Probability density function . . . 46
12.6 Percent point function/Sample . . . 46
12.7 Parametric centered moments . . . 46
12.8 Parametric mean . . . 46
12.9 Parametric variance . . . 46
12.10Parametric skewness . . . 46
12.11Parametric kurtosis . . . 46
12.12Parametric median . . . 46
12.13Parametric mode . . . 46
12.14Additional information and definitions . . . 47
12.15Spreadsheet documents . . . 47

13 Dagum Distribution **48**
13.1 Distribution definition . . . 48
13.2 Distribution domain . . . 48
13.3 Parameters domain and parameters constraints . . . 48
13.4 Cumulative distribution function . . . 48
13.5 Probability density function . . . 48
13.6 Percent point function/Sample . . . 48
13.7 Parametric centered moments . . . 48
13.8 Parametric mean . . . 48
13.9 Parametric variance . . . 48
13.10Parametric skewness . . . 48
13.11Parametric kurtosis . . . 48
13.12Parametric median . . . 48
13.13Parametric mode . . . 48
13.14Additional information and definitions . . . 49
13.15Spreadsheet documents . . . 49

14 Dagum 4P Distribution **50**
14.1 Distribution definition . . . 50
14.2 Distribution domain . . . 50
14.3 Parameters domain and parameters constraints . . . 50
14.4 Cumulative distribution function . . . 50
14.5 Probability density function . . . 50
14.6 Percent point function/Sample . . . 50
14.7 Parametric centered moments . . . 50
14.8 Parametric mean . . . 50
14.9 Parametric variance . . . 50
14.10Parametric skewness . . . 50
14.11Parametric kurtosis . . . 50
14.12Parametric median . . . 50
14.13Parametric mode . . . 50
14.14Additional information and definitions . . . 51
14.15Spreadsheet documents . . . 51

15 Erlang Distribution **52**
15.1 Distribution definition . . . 52
15.2 Distribution domain . . . 52
15.3 Parameters domain and parameters constraints . . . 52
15.4 Cumulative distribution function . . . 52
15.5 Probability density function . . . 52
15.6 Percent point function/Sample . . . 52
15.7 Parametric centered moments . . . 52
15.8 Parametric mean . . . 52
15.9 Parametric variance . . . 52
15.10Parametric skewness . . . 52
15.11Parametric kurtosis . . . 52
15.12Parametric median . . . 52
15.13Parametric mode . . . 52
15.14Additional information and definitions . . . 53
15.15Spreadsheet documents . . . 53

16 Erlang 3P Distribution **54**
16.1 Distribution definition . . . 54
16.2 Distribution domain . . . 54
16.3 Parameters domain and parameters constraints . . . 54
16.4 Cumulative distribution function . . . 54
16.5 Probability density function . . . 54
16.6 Percent point function/Sample . . . 54
16.7 Parametric centered moments . . . 54
16.8 Parametric mean . . . 54
16.9 Parametric variance . . . 54
16.10Parametric skewness . . . 54
16.11Parametric kurtosis . . . 54
16.12Parametric median . . . 54
16.13Parametric mode . . . 54
16.14Additional information and definitions . . . 55
16.15Spreadsheet documents . . . 55

17 Error Function Distribution **56**
17.1 Distribution definition . . . 56
17.2 Distribution domain . . . 56
17.3 Parameters domain and parameters constraints . . . 56
17.4 Cumulative distribution function . . . 56
17.5 Probability density function . . . 56

17.6 Percent point function/Sample . . . 56
17.7 Parametric centered moments . . . 56
17.8 Parametric mean . . . 56
17.9 Parametric variance . . . 56
17.10Parametric skewness . . . 56
17.11Parametric kurtosis . . . 56
17.12Parametric median . . . 56
17.13Parametric mode . . . 56
17.14Additional information and definitions . . . 57
17.15Spreadsheet documents . . . 57

18 Exponential Distribution **58**
18.1 Distribution definition . . . 58
18.2 Distribution domain . . . 58
18.3 Parameters domain and parameters constraints . . . 58
18.4 Cumulative distribution function . . . 58
18.5 Probability density function . . . 58
18.6 Percent point function/Sample . . . 58
18.7 Parametric centered moments . . . 58
18.8 Parametric mean . . . 58
18.9 Parametric variance . . . 58
18.10Parametric skewness . . . 58
18.11Parametric kurtosis . . . 58
18.12Parametric median . . . 58
18.13Parametric mode . . . 58
18.14Additional information and definitions . . . 59
18.15Spreadsheet documents . . . 59

19 Exponential 2P Distribution **60**
19.1 Distribution definition . . . 60
19.2 Distribution domain . . . 60
19.3 Parameters domain and parameters constraints . . . 60
19.4 Cumulative distribution function . . . 60
19.5 Probability density function . . . 60
19.6 Percent point function/Sample . . . 60
19.7 Parametric centered moments . . . 60
19.8 Parametric mean . . . 60
19.9 Parametric variance . . . 60
19.10Parametric skewness . . . 60
19.11Parametric kurtosis . . . 60
19.12Parametric median . . . 60
19.13Parametric mode . . . 60
19.14Additional information and definitions . . . 61
19.15Spreadsheet documents . . . 61

20 F Distribution **62**
20.1 Distribution definition . . . 62
20.2 Distribution domain . . . 62
20.3 Parameters domain and parameters constraints . . . 62
20.4 Cumulative distribution function . . . 62
20.5 Probability density function . . . 62
20.6 Percent point function/Sample . . . 62
20.7 Parametric centered moments . . . 62
20.8 Parametric mean . . . 62
20.9 Parametric variance . . . 62
20.10Parametric skewness . . . 62
20.11Parametric kurtosis . . . 62

20.12Parametric median . . . 62
20.13Parametric mode . . . 63
20.14Additional information and definitions . . . 63
20.15Spreadsheet documents . . . 63

21 F 4P Distribution **64**
21.1 Distribution definition . . . 64
21.2 Distribution domain . . . 64
21.3 Parameters domain and parameters constraints . . . 64
21.4 Cumulative distribution function . . . 64
21.5 Probability density function . . . 64
21.6 Percent point function/Sample . . . 64
21.7 Parametric centered moments . . . 64
21.8 Parametric mean . . . 64
21.9 Parametric variance . . . 64
21.10Parametric skewness . . . 64
21.11Parametric kurtosis . . . 64
21.12Parametric median . . . 64
21.13Parametric mode . . . 65
21.14Additional information and definitions . . . 65
21.15Spreadsheet documents . . . 65

22 Fatigue Life Distribution **66**
22.1 Distribution definition . . . 66
22.2 Distribution domain . . . 66
22.3 Parameters domain and parameters constraints . . . 66
22.4 Cumulative distribution function . . . 66
22.5 Probability density function . . . 66
22.6 Percent point function/Sample . . . 66
22.7 Parametric centered moments . . . 66
22.8 Parametric mean . . . 66
22.9 Parametric variance . . . 66
22.10Parametric skewness . . . 66
22.11Parametric kurtosis . . . 66
22.12Parametric median . . . 66
22.13Parametric mode . . . 67
22.14Additional information and definitions . . . 67
22.15Spreadsheet documents . . . 67

23 Folded Normal Distribution **68**
23.1 Distribution definition . . . 68
23.2 Distribution domain . . . 68
23.3 Parameters domain and parameters constraints . . . 68
23.4 Cumulative distribution function . . . 68
23.5 Probability density function . . . 68
23.6 Percent point function/Sample . . . 68
23.7 Parametric centered moments . . . 68
23.8 Parametric mean . . . 68
23.9 Parametric variance . . . 68
23.10Parametric skewness . . . 68
23.11Parametric kurtosis . . . 68
23.12Parametric median . . . 68
23.13Parametric mode . . . 68
23.14Additional information and definitions . . . 69
23.15Spreadsheet documents . . . 69

24 Frechet Distribution **70**
24.1 Distribution definition . . . 70
24.2 Distribution domain . . . 70
24.3 Parameters domain and parameters constraints . . . 70
24.4 Cumulative distribution function . . . 70
24.5 Probability density function . . . 70
24.6 Percent point function/Sample . . . 70
24.7 Parametric centered moments . . . 70
24.8 Parametric mean . . . 70
24.9 Parametric variance . . . 70
24.10Parametric skewness . . . 70
24.11Parametric kurtosis . . . 70
24.12Parametric median . . . 70
24.13Parametric mode . . . 70
24.14Additional information and definitions . . . 71
24.15Spreadsheet documents . . . 71

25 Gamma Distribution **72**
25.1 Distribution definition . . . 72
25.2 Distribution domain . . . 72
25.3 Parameters domain and parameters constraints . . . 72
25.4 Cumulative distribution function . . . 72
25.5 Probability density function . . . 72
25.6 Percent point function/Sample . . . 72
25.7 Parametric centered moments . . . 72
25.8 Parametric mean . . . 72
25.9 Parametric variance . . . 72
25.10Parametric skewness . . . 72
25.11Parametric kurtosis . . . 72
25.12Parametric median . . . 72
25.13Parametric mode . . . 72
25.14Additional information and definitions . . . 73
25.15Spreadsheet documents . . . 73

26 Gamma 3P Distribution **74**
26.1 Distribution definition . . . 74
26.2 Distribution domain . . . 74
26.3 Parameters domain and parameters constraints . . . 74
26.4 Cumulative distribution function . . . 74
26.5 Probability density function . . . 74
26.6 Percent point function/Sample . . . 74
26.7 Parametric centered moments . . . 74
26.8 Parametric mean . . . 74
26.9 Parametric variance . . . 74
26.10Parametric skewness . . . 74
26.11Parametric kurtosis . . . 74
26.12Parametric median . . . 74
26.13Parametric mode . . . 74
26.14Additional information and definitions . . . 75
26.15Spreadsheet documents . . . 75

27 Generalized Extreme Value Distribution **76**
27.1 Distribution definition . . . 76
27.2 Distribution domain . . . 76
27.3 Parameters domain and parameters constraints . . . 76
27.4 Cumulative distribution function . . . 76
27.5 Probability density function . . . 76

27.6 Percent point function/Sample . . . 76
27.7 Parametric centered moments . . . 76
27.8 Parametric mean . . . 76
27.9 Parametric variance . . . 76
27.10Parametric skewness . . . 76
27.11Parametric kurtosis . . . 76
27.12Parametric median . . . 77
27.13Parametric mode . . . 77
27.14Additional information and definitions . . . 77
27.15Spreadsheet documents . . . 77

28 Generalized Gamma Distribution **78**
28.1 Distribution definition . . . 78
28.2 Distribution domain . . . 78
28.3 Parameters domain and parameters constraints . . . 78
28.4 Cumulative distribution function . . . 78
28.5 Probability density function . . . 78
28.6 Percent point function/Sample . . . 78
28.7 Parametric centered moments . . . 78
28.8 Parametric mean . . . 78
28.9 Parametric variance . . . 78
28.10Parametric skewness . . . 78
28.11Parametric kurtosis . . . 78
28.12Parametric median . . . 78
28.13Parametric mode . . . 78
28.14Additional information and definitions . . . 79
28.15Spreadsheet documents . . . 79

29 Generalized Gamma 4P Distribution **80**
29.1 Distribution definition . . . 80
29.2 Distribution domain . . . 80
29.3 Parameters domain and parameters constraints . . . 80
29.4 Cumulative distribution function . . . 80
29.5 Probability density function . . . 80
29.6 Percent point function/Sample . . . 80
29.7 Parametric centered moments . . . 80
29.8 Parametric mean . . . 80
29.9 Parametric variance . . . 80
29.10Parametric skewness . . . 80
29.11Parametric kurtosis . . . 80
29.12Parametric median . . . 80
29.13Parametric mode . . . 80
29.14Additional information and definitions . . . 81
29.15Spreadsheet documents . . . 81

30 Generalized Logistic Distribution **82**
30.1 Distribution definition . . . 82
30.2 Distribution domain . . . 82
30.3 Parameters domain and parameters constraints . . . 82
30.4 Cumulative distribution function . . . 82
30.5 Probability density function . . . 82
30.6 Percent point function/Sample . . . 82
30.7 Parametric centered moments . . . 82
30.8 Parametric mean . . . 82
30.9 Parametric variance . . . 82
30.10Parametric skewness . . . 82
30.11Parametric kurtosis . . . 82

30.12Parametric median . . . 82
30.13Parametric mode . . . 82
30.14Additional information and definitions . . . 83
30.15Spreadsheet documents . . . 83

31 Generalized Normal Distribution **84**
31.1 Distribution definition . . . 84
31.2 Distribution domain . . . 84
31.3 Parameters domain and parameters constraints . . . 84
31.4 Cumulative distribution function . . . 84
31.5 Probability density function . . . 84
31.6 Percent point function/Sample . . . 84
31.7 Parametric centered moments . . . 84
31.8 Parametric mean . . . 84
31.9 Parametric variance . . . 84
31.10Parametric skewness . . . 84
31.11Parametric kurtosis . . . 84
31.12Parametric median . . . 84
31.13Parametric mode . . . 84
31.14Additional information and definitions . . . 85
31.15Spreadsheet documents . . . 85

32 Generalized Pareto Distribution **86**
32.1 Distribution definition . . . 86
32.2 Distribution domain . . . 86
32.3 Parameters domain and parameters constraints . . . 86
32.4 Cumulative distribution function . . . 86
32.5 Probability density function . . . 86
32.6 Percent point function/Sample . . . 86
32.7 Parametric centered moments . . . 86
32.8 Parametric mean . . . 86
32.9 Parametric variance . . . 86
32.10Parametric skewness . . . 86
32.11Parametric kurtosis . . . 86
32.12Parametric median . . . 86
32.13Parametric mode . . . 86
32.14Additional information and definitions . . . 87
32.15Spreadsheet documents . . . 87

33 Gibrat Distribution **88**
33.1 Distribution definition . . . 88
33.2 Distribution domain . . . 88
33.3 Parameters domain and parameters constraints . . . 88
33.4 Cumulative distribution function . . . 88
33.5 Probability density function . . . 88
33.6 Percent point function/Sample . . . 88
33.7 Parametric centered moments . . . 88
33.8 Parametric mean . . . 88
33.9 Parametric variance . . . 88
33.10Parametric skewness . . . 88
33.11Parametric kurtosis . . . 88
33.12Parametric median . . . 88
33.13Parametric mode . . . 88
33.14Additional information and definitions . . . 89
33.15Spreadsheet documents . . . 89

34 Gumbel Left Distribution **90**
34.1 Distribution definition . . . 90
34.2 Distribution domain . . . 90
34.3 Parameters domain and parameters constraints . . . 90
34.4 Cumulative distribution function . . . 90
34.5 Probability density function . . . 90
34.6 Percent point function/Sample . . . 90
34.7 Parametric centered moments . . . 90
34.8 Parametric mean . . . 90
34.9 Parametric variance . . . 90
34.10Parametric skewness . . . 90
34.11Parametric kurtosis . . . 90
34.12Parametric median . . . 90
34.13Parametric mode . . . 90
34.14Additional information and definitions . . . 91
34.15Spreadsheet documents . . . 91

35 Gumbel Right Distribution **92**
35.1 Distribution definition . . . 92
35.2 Distribution domain . . . 92
35.3 Parameters domain and parameters constraints . . . 92
35.4 Cumulative distribution function . . . 92
35.5 Probability density function . . . 92
35.6 Percent point function/Sample . . . 92
35.7 Parametric centered moments . . . 92
35.8 Parametric mean . . . 92
35.9 Parametric variance . . . 92
35.10Parametric skewness . . . 92
35.11Parametric kurtosis . . . 92
35.12Parametric median . . . 92
35.13Parametric mode . . . 92
35.14Additional information and definitions . . . 93
35.15Spreadsheet documents . . . 93

36 Half Normal Distribution **94**
36.1 Distribution definition . . . 94
36.2 Distribution domain . . . 94
36.3 Parameters domain and parameters constraints . . . 94
36.4 Cumulative distribution function . . . 94
36.5 Probability density function . . . 94
36.6 Percent point function/Sample . . . 94
36.7 Parametric centered moments . . . 94
36.8 Parametric mean . . . 94
36.9 Parametric variance . . . 94
36.10Parametric skewness . . . 94
36.11Parametric kurtosis . . . 94
36.12Parametric median . . . 94
36.13Parametric mode . . . 94
36.14Additional information and definitions . . . 95
36.15Spreadsheet documents . . . 95

37 Hyperbolic Secant Distribution **96**
37.1 Distribution definition . . . 96
37.2 Distribution domain . . . 96
37.3 Parameters domain and parameters constraints . . . 96
37.4 Cumulative distribution function . . . 96
37.5 Probability density function . . . 96

37.6 Percent point function/Sample . . . 96
37.7 Parametric centered moments . . . 96
37.8 Parametric mean . . . 96
37.9 Parametric variance . . . 96
37.10Parametric skewness . . . 96
37.11Parametric kurtosis . . . 96
37.12Parametric median . . . 96
37.13Parametric mode . . . 96
37.14Additional information and definitions . . . 97
37.15Spreadsheet documents . . . 97

38 Inverse Gamma Distribution **98**
38.1 Distribution definition . . . 98
38.2 Distribution domain . . . 98
38.3 Parameters domain and parameters constraints . . . 98
38.4 Cumulative distribution function . . . 98
38.5 Probability density function . . . 98
38.6 Percent point function/Sample . . . 98
38.7 Parametric centered moments . . . 98
38.8 Parametric mean . . . 98
38.9 Parametric variance . . . 98
38.10Parametric skewness . . . 98
38.11Parametric kurtosis . . . 98
38.12Parametric median . . . 98
38.13Parametric mode . . . 98
38.14Additional information and definitions . . . 99
38.15Spreadsheet documents . . . 99

39 Inverse Gamma 3P Distribution **100**
39.1 Distribution definition . . . 100
39.2 Distribution domain . . . 100
39.3 Parameters domain and parameters constraints . . . 100
39.4 Cumulative distribution function . . . 100
39.5 Probability density function . . . 100
39.6 Percent point function/Sample . . . 100
39.7 Parametric centered moments . . . 100
39.8 Parametric mean . . . 100
39.9 Parametric variance . . . 100
39.10Parametric skewness . . . 100
39.11Parametric kurtosis . . . 100
39.12Parametric median . . . 100
39.13Parametric mode . . . 100
39.14Additional information and definitions . . . 101
39.15Spreadsheet documents . . . 101

40 Inverse Gaussian Distribution **102**
40.1 Distribution definition . . . 102
40.2 Distribution domain . . . 102
40.3 Parameters domain and parameters constraints . . . 102
40.4 Cumulative distribution function . . . 102
40.5 Probability density function . . . 102
40.6 Percent point function/Sample . . . 102
40.7 Parametric centered moments . . . 102
40.8 Parametric mean . . . 102
40.9 Parametric variance . . . 102
40.10Parametric skewness . . . 102
40.11Parametric kurtosis . . . 102

40.12Parametric median . . . 102
40.13Parametric mode . . . 103
40.14Additional information and definitions . . . 103
40.15Spreadsheet documents . . . 103

41 Inverse Gaussian 3P Distribution **104**
41.1 Distribution definition . . . 104
41.2 Distribution domain . . . 104
41.3 Parameters domain and parameters constraints . . . 104
41.4 Cumulative distribution function . . . 104
41.5 Probability density function . . . 104
41.6 Percent point function/Sample . . . 104
41.7 Parametric centered moments . . . 104
41.8 Parametric mean . . . 104
41.9 Parametric variance . . . 104
41.10Parametric skewness . . . 104
41.11Parametric kurtosis . . . 104
41.12Parametric median . . . 104
41.13Parametric mode . . . 105
41.14Additional information and definitions . . . 105
41.15Spreadsheet documents . . . 105

42 Johnson SB Distribution **106**
42.1 Distribution definition . . . 106
42.2 Distribution domain . . . 106
42.3 Parameters domain and parameters constraints . . . 106
42.4 Cumulative distribution function . . . 106
42.5 Probability density function . . . 106
42.6 Percent point function/Sample . . . 106
42.7 Parametric centered moments . . . 106
42.8 Parametric mean . . . 106
42.9 Parametric variance . . . 106
42.10Parametric skewness . . . 106
42.11Parametric kurtosis . . . 106
42.12Parametric median . . . 106
42.13Parametric mode . . . 107
42.14Additional information and definitions . . . 107
42.15Spreadsheet documents . . . 107

43 Johnson SU Distribution **108**
43.1 Distribution definition . . . 108
43.2 Distribution domain . . . 108
43.3 Parameters domain and parameters constraints . . . 108
43.4 Cumulative distribution function . . . 108
43.5 Probability density function . . . 108
43.6 Percent point function/Sample . . . 108
43.7 Parametric centered moments . . . 108
43.8 Parametric mean . . . 108
43.9 Parametric variance . . . 108
43.10Parametric skewness . . . 108
43.11Parametric kurtosis . . . 108
43.12Parametric median . . . 108
43.13Parametric mode . . . 108
43.14Additional information and definitions . . . 109
43.15Spreadsheet documents . . . 109

44 Kumaraswamy Distribution **110**
44.1 Distribution definition . . . 110
44.2 Distribution domain . . . 110
44.3 Parameters domain and parameters constraints . . . 110
44.4 Cumulative distribution function . . . 110
44.5 Probability density function . . . 110
44.6 Percent point function/Sample . . . 110
44.7 Parametric centered moments . . . 110
44.8 Parametric mean . . . 110
44.9 Parametric variance . . . 110
44.10Parametric skewness . . . 110
44.11Parametric kurtosis . . . 110
44.12Parametric median . . . 110
44.13Parametric mode . . . 110
44.14Additional information and definitions . . . 111
44.15Spreadsheet documents . . . 111

45 Laplace Distribution **112**
45.1 Distribution definition . . . 112
45.2 Distribution domain . . . 112
45.3 Parameters domain and parameters constraints . . . 112
45.4 Cumulative distribution function . . . 112
45.5 Probability density function . . . 112
45.6 Percent point function/Sample . . . 112
45.7 Parametric centered moments . . . 112
45.8 Parametric mean . . . 112
45.9 Parametric variance . . . 112
45.10Parametric skewness . . . 112
45.11Parametric kurtosis . . . 112
45.12Parametric median . . . 112
45.13Parametric mode . . . 112
45.14Additional information and definitions . . . 113
45.15Spreadsheet documents . . . 113

46 Levy Distribution **114**
46.1 Distribution definition . . . 114
46.2 Distribution domain . . . 114
46.3 Parameters domain and parameters constraints . . . 114
46.4 Cumulative distribution function . . . 114
46.5 Probability density function . . . 114
46.6 Percent point function/Sample . . . 114
46.7 Parametric centered moments . . . 114
46.8 Parametric mean . . . 114
46.9 Parametric variance . . . 114
46.10Parametric skewness . . . 114
46.11Parametric kurtosis . . . 114
46.12Parametric median . . . 114
46.13Parametric mode . . . 114
46.14Additional information and definitions . . . 115
46.15Spreadsheet documents . . . 115

47 Loggamma Distribution **116**
47.1 Distribution definition . . . 116
47.2 Distribution domain . . . 116
47.3 Parameters domain and parameters constraints . . . 116
47.4 Cumulative distribution function . . . 116
47.5 Probability density function . . . 116

47.6 Percent point function/Sample . . . 116
47.7 Parametric centered moments . . . 116
47.8 Parametric mean . . . 116
47.9 Parametric variance . . . 116
47.10Parametric skewness . . . 116
47.11Parametric kurtosis . . . 116
47.12Parametric median . . . 116
47.13Parametric mode . . . 116
47.14Additional information and definitions . . . 117
47.15Spreadsheet documents . . . 117

48 Logistic Distribution **118**
48.1 Distribution definition . . . 118
48.2 Distribution domain . . . 118
48.3 Parameters domain and parameters constraints . . . 118
48.4 Cumulative distribution function . . . 118
48.5 Probability density function . . . 118
48.6 Percent point function/Sample . . . 118
48.7 Parametric centered moments . . . 118
48.8 Parametric mean . . . 118
48.9 Parametric variance . . . 118
48.10Parametric skewness . . . 118
48.11Parametric kurtosis . . . 118
48.12Parametric median . . . 118
48.13Parametric mode . . . 118
48.14Additional information and definitions . . . 119
48.15Spreadsheet documents . . . 119

49 Loglogistic Distribution **120**
49.1 Distribution definition . . . 120
49.2 Distribution domain . . . 120
49.3 Parameters domain and parameters constraints . . . 120
49.4 Cumulative distribution function . . . 120
49.5 Probability density function . . . 120
49.6 Percent point function/Sample . . . 120
49.7 Parametric centered moments . . . 120
49.8 Parametric mean . . . 120
49.9 Parametric variance . . . 120
49.10Parametric skewness . . . 120
49.11Parametric kurtosis . . . 120
49.12Parametric median . . . 120
49.13Parametric mode . . . 120
49.14Additional information and definitions . . . 121
49.15Spreadsheet documents . . . 121

50 Loglogistic 3P Distribution **122**
50.1 Distribution definition . . . 122
50.2 Distribution domain . . . 122
50.3 Parameters domain and parameters constraints . . . 122
50.4 Cumulative distribution function . . . 122
50.5 Probability density function . . . 122
50.6 Percent point function/Sample . . . 122
50.7 Parametric centered moments . . . 122
50.8 Parametric mean . . . 122
50.9 Parametric variance . . . 122
50.10Parametric skewness . . . 122
50.11Parametric kurtosis . . . 122

50.12Parametric median . . . 122
50.13Parametric mode . . . 122
50.14Additional information and definitions . . . 123
50.15Spreadsheet documents . . . 123

51 Lognormal Distribution **124**
51.1 Distribution definition . . . 124
51.2 Distribution domain . . . 124
51.3 Parameters domain and parameters constraints . . . 124
51.4 Cumulative distribution function . . . 124
51.5 Probability density function . . . 124
51.6 Percent point function/Sample . . . 124
51.7 Parametric centered moments . . . 124
51.8 Parametric mean . . . 124
51.9 Parametric variance . . . 124
51.10Parametric skewness . . . 124
51.11Parametric kurtosis . . . 124
51.12Parametric median . . . 124
51.13Parametric mode . . . 124
51.14Additional information and definitions . . . 125
51.15Spreadsheet documents . . . 125

52 Maxwell Distribution **126**
52.1 Distribution definition . . . 126
52.2 Distribution domain . . . 126
52.3 Parameters domain and parameters constraints . . . 126
52.4 Cumulative distribution function . . . 126
52.5 Probability density function . . . 126
52.6 Percent point function/Sample . . . 126
52.7 Parametric centered moments . . . 126
52.8 Parametric mean . . . 126
52.9 Parametric variance . . . 126
52.10Parametric skewness . . . 126
52.11Parametric kurtosis . . . 126
52.12Parametric median . . . 126
52.13Parametric mode . . . 127
52.14Additional information and definitions . . . 127
52.15Spreadsheet documents . . . 127

53 Moyal Distribution **128**
53.1 Distribution definition . . . 128
53.2 Distribution domain . . . 128
53.3 Parameters domain and parameters constraints . . . 128
53.4 Cumulative distribution function . . . 128
53.5 Probability density function . . . 128
53.6 Percent point function/Sample . . . 128
53.7 Parametric centered moments . . . 128
53.8 Parametric mean . . . 128
53.9 Parametric variance . . . 128
53.10Parametric skewness . . . 128
53.11Parametric kurtosis . . . 128
53.12Parametric median . . . 128
53.13Parametric mode . . . 128
53.14Additional information and definitions . . . 129
53.15Spreadsheet documents . . . 129

54 Nakagami Distribution **130**
54.1 Distribution definition . . . 130
54.2 Distribution domain . . . 130
54.3 Parameters domain and parameters constraints . . . 130
54.4 Cumulative distribution function . . . 130
54.5 Probability density function . . . 130
54.6 Percent point function/Sample . . . 130
54.7 Parametric centered moments . . . 130
54.8 Parametric mean . . . 130
54.9 Parametric variance . . . 130
54.10Parametric skewness . . . 130
54.11Parametric kurtosis . . . 130
54.12Parametric median . . . 131
54.13Parametric mode . . . 131
54.14Additional information and definitions . . . 131
54.15Spreadsheet documents . . . 131

55 Non Central Chi Square Distribution **132**
55.1 Distribution definition . . . 132
55.2 Distribution domain . . . 132
55.3 Parameters domain and parameters constraints . . . 132
55.4 Cumulative distribution function . . . 132
55.5 Probability density function . . . 132
55.6 Percent point function/Sample . . . 132
55.7 Parametric centered moments . . . 132
55.8 Parametric mean . . . 132
55.9 Parametric variance . . . 132
55.10Parametric skewness . . . 132
55.11Parametric kurtosis . . . 132
55.12Parametric median . . . 132
55.13Parametric mode . . . 132
55.14Additional information and definitions . . . 133
55.15Spreadsheet documents . . . 133

56 Non Central F Distribution **134**
56.1 Distribution definition . . . 134
56.2 Distribution domain . . . 134
56.3 Parameters domain and parameters constraints . . . 134
56.4 Cumulative distribution function . . . 134
56.5 Probability density function . . . 134
56.6 Percent point function/Sample . . . 134
56.7 Parametric centered moments . . . 134
56.8 Parametric mean . . . 134
56.9 Parametric variance . . . 134
56.10Parametric skewness . . . 134
56.11Parametric kurtosis . . . 134
56.12Parametric median . . . 134
56.13Parametric mode . . . 135
56.14Additional information and definitions . . . 135
56.15Spreadsheet documents . . . 135

57 Non Central T Student Distribution **136**
57.1 Distribution definition . . . 136
57.2 Distribution domain . . . 136
57.3 Parameters domain and parameters constraints . . . 136
57.4 Cumulative distribution function . . . 136
57.5 Probability density function . . . 136

57.6 Percent point function/Sample . . . 136
57.7 Parametric centered moments . . . 136
57.8 Parametric mean . . . 136
57.9 Parametric variance . . . 136
57.10Parametric skewness . . . 136
57.11Parametric kurtosis . . . 136
57.12Parametric median . . . 136
57.13Parametric mode . . . 137
57.14Additional information and definitions . . . 137
57.15Spreadsheet documents . . . 137

58 Normal Distribution **138**
58.1 Distribution definition . . . 138
58.2 Distribution domain . . . 138
58.3 Parameters domain and parameters constraints . . . 138
58.4 Cumulative distribution function . . . 138
58.5 Probability density function . . . 138
58.6 Percent point function/Sample . . . 138
58.7 Parametric centered moments . . . 138
58.8 Parametric mean . . . 138
58.9 Parametric variance . . . 138
58.10Parametric skewness . . . 138
58.11Parametric kurtosis . . . 138
58.12Parametric median . . . 138
58.13Parametric mode . . . 138
58.14Additional information and definitions . . . 139
58.15Spreadsheet documents . . . 139

59 Pareto First Kind Distribution **140**
59.1 Distribution definition . . . 140
59.2 Distribution domain . . . 140
59.3 Parameters domain and parameters constraints . . . 140
59.4 Cumulative distribution function . . . 140
59.5 Probability density function . . . 140
59.6 Percent point function/Sample . . . 140
59.7 Parametric centered moments . . . 140
59.8 Parametric mean . . . 140
59.9 Parametric variance . . . 140
59.10Parametric skewness . . . 140
59.11Parametric kurtosis . . . 140
59.12Parametric median . . . 140
59.13Parametric mode . . . 140
59.14Additional information and definitions . . . 141
59.15Spreadsheet documents . . . 141

60 Pareto Second Kind Distribution **142**
60.1 Distribution definition . . . 142
60.2 Distribution domain . . . 142
60.3 Parameters domain and parameters constraints . . . 142
60.4 Cumulative distribution function . . . 142
60.5 Probability density function . . . 142
60.6 Percent point function/Sample . . . 142
60.7 Parametric centered moments . . . 142
60.8 Parametric mean . . . 142
60.9 Parametric variance . . . 142
60.10Parametric skewness . . . 142
60.11Parametric kurtosis . . . 142

60.12Parametric median . . . 142
60.13Parametric mode . . . 142
60.14Additional information and definitions . . . 143
60.15Spreadsheet documents . . . 143

61 Pert Distribution **144**
61.1 Distribution definition . . . 144
61.2 Distribution domain . . . 144
61.3 Parameters domain and parameters constraints . . . 144
61.4 Cumulative distribution function . . . 144
61.5 Probability density function . . . 144
61.6 Percent point function/Sample . . . 144
61.7 Parametric centered moments . . . 144
61.8 Parametric mean . . . 144
61.9 Parametric variance . . . 144
61.10Parametric skewness . . . 144
61.11Parametric kurtosis . . . 144
61.12Parametric median . . . 144
61.13Parametric mode . . . 144
61.14Additional information and definitions . . . 145
61.15Spreadsheet documents . . . 145

62 Power Function Distribution **146**
62.1 Distribution definition . . . 146
62.2 Distribution domain . . . 146
62.3 Parameters domain and parameters constraints . . . 146
62.4 Cumulative distribution function . . . 146
62.5 Probability density function . . . 146
62.6 Percent point function/Sample . . . 146
62.7 Parametric centered moments . . . 146
62.8 Parametric mean . . . 146
62.9 Parametric variance . . . 146
62.10Parametric skewness . . . 146
62.11Parametric kurtosis . . . 146
62.12Parametric median . . . 146
62.13Parametric mode . . . 146
62.14Additional information and definitions . . . 147
62.15Spreadsheet documents . . . 147

63 Rayleigh Distribution **148**
63.1 Distribution definition . . . 148
63.2 Distribution domain . . . 148
63.3 Parameters domain and parameters constraints . . . 148
63.4 Cumulative distribution function . . . 148
63.5 Probability density function . . . 148
63.6 Percent point function/Sample . . . 148
63.7 Parametric centered moments . . . 148
63.8 Parametric mean . . . 148
63.9 Parametric variance . . . 148
63.10Parametric skewness . . . 148
63.11Parametric kurtosis . . . 148
63.12Parametric median . . . 148
63.13Parametric mode . . . 148
63.14Additional information and definitions . . . 149
63.15Spreadsheet documents . . . 149

64 Reciprocal Distribution **150**
64.1 Distribution definition . . . 150
64.2 Distribution domain . . . 150
64.3 Parameters domain and parameters constraints . . . 150
64.4 Cumulative distribution function . . . 150
64.5 Probability density function . . . 150
64.6 Percent point function/Sample . . . 150
64.7 Parametric centered moments . . . 150
64.8 Parametric mean . . . 150
64.9 Parametric variance . . . 150
64.10Parametric skewness . . . 150
64.11Parametric kurtosis . . . 150
64.12Parametric median . . . 150
64.13Parametric mode . . . 150
64.14Additional information and definitions . . . 151
64.15Spreadsheet documents . . . 151

65 Rice Distribution **152**
65.1 Distribution definition . . . 152
65.2 Distribution domain . . . 152
65.3 Parameters domain and parameters constraints . . . 152
65.4 Cumulative distribution function . . . 152
65.5 Probability density function . . . 152
65.6 Percent point function/Sample . . . 152
65.7 Parametric centered moments . . . 152
65.8 Parametric mean . . . 152
65.9 Parametric variance . . . 152
65.10Parametric skewness . . . 152
65.11Parametric kurtosis . . . 152
65.12Parametric median . . . 152
65.13Parametric mode . . . 152
65.14Additional information and definitions . . . 153
65.15Spreadsheet documents . . . 153

66 Semicircular Distribution **154**
66.1 Distribution definition . . . 154
66.2 Distribution domain . . . 154
66.3 Parameters domain and parameters constraints . . . 154
66.4 Cumulative distribution function . . . 154
66.5 Probability density function . . . 154
66.6 Percent point function/Sample . . . 154
66.7 Parametric centered moments . . . 154
66.8 Parametric mean . . . 154
66.9 Parametric variance . . . 154
66.10Parametric skewness . . . 154
66.11Parametric kurtosis . . . 154
66.12Parametric median . . . 154
66.13Parametric mode . . . 154
66.14Additional information and definitions . . . 155
66.15Spreadsheet documents . . . 155

67 T Student Distribution **156**
67.1 Distribution definition . . . 156
67.2 Distribution domain . . . 156
67.3 Parameters domain and parameters constraints . . . 156
67.4 Cumulative distribution function . . . 156
67.5 Probability density function . . . 156

67.6 Percent point function/Sample . . . 156
67.7 Parametric centered moments . . . 156
67.8 Parametric mean . . . 156
67.9 Parametric variance . . . 156
67.10Parametric skewness . . . 156
67.11Parametric kurtosis . . . 156
67.12Parametric median . . . 156
67.13Parametric mode . . . 156
67.14Additional information and definitions . . . 157
67.15Spreadsheet documents . . . 157

68 T Student 3P Distribution **158**
68.1 Distribution definition . . . 158
68.2 Distribution domain . . . 158
68.3 Parameters domain and parameters constraints . . . 158
68.4 Cumulative distribution function . . . 158
68.5 Probability density function . . . 158
68.6 Percent point function/Sample . . . 158
68.7 Parametric centered moments . . . 158
68.8 Parametric mean . . . 158
68.9 Parametric variance . . . 158
68.10Parametric skewness . . . 158
68.11Parametric kurtosis . . . 158
68.12Parametric median . . . 158
68.13Parametric mode . . . 159
68.14Additional information and definitions . . . 159
68.15Spreadsheet documents . . . 159

69 Trapezoidal Distribution **160**
69.1 Distribution definition . . . 160
69.2 Distribution domain . . . 160
69.3 Parameters domain and parameters constraints . . . 160
69.4 Cumulative distribution function . . . 160
69.5 Probability density function . . . 160
69.6 Percent point function/Sample . . . 160
69.7 Parametric centered moments . . . 160
69.8 Parametric mean . . . 160
69.9 Parametric variance . . . 160
69.10Parametric skewness . . . 160
69.11Parametric kurtosis . . . 160
69.12Parametric median . . . 160
69.13Parametric mode . . . 161
69.14Additional information and definitions . . . 161
69.15Spreadsheet documents . . . 161

70 Triangular Distribution **162**
70.1 Distribution definition . . . 162
70.2 Distribution domain . . . 162
70.3 Parameters domain and parameters constraints . . . 162
70.4 Cumulative distribution function . . . 162
70.5 Probability density function . . . 162
70.6 Percent point function/Sample . . . 162
70.7 Parametric centered moments . . . 162
70.8 Parametric mean . . . 162
70.9 Parametric variance . . . 162
70.10Parametric skewness . . . 162
70.11Parametric kurtosis . . . 162

70.12Parametric median . . . 162
70.13Parametric mode . . . 163
70.14Additional information and definitions . . . 163
70.15Spreadsheet documents . . . 163

71 Uniform Distribution **164**
71.1 Distribution definition . . . 164
71.2 Distribution domain . . . 164
71.3 Parameters domain and parameters constraints . . . 164
71.4 Cumulative distribution function . . . 164
71.5 Probability density function . . . 164
71.6 Percent point function/Sample . . . 164
71.7 Parametric centered moments . . . 164
71.8 Parametric mean . . . 164
71.9 Parametric variance . . . 164
71.10Parametric skewness . . . 164
71.11Parametric kurtosis . . . 164
71.12Parametric median . . . 164
71.13Parametric mode . . . 164
71.14Additional information and definitions . . . 164
71.15Spreadsheet documents . . . 165

72 Weibull Distribution **166**
72.1 Distribution definition . . . 166
72.2 Distribution domain . . . 166
72.3 Parameters domain and parameters constraints . . . 166
72.4 Cumulative distribution function . . . 166
72.5 Probability density function . . . 166
72.6 Percent point function/Sample . . . 166
72.7 Parametric centered moments . . . 166
72.8 Parametric mean . . . 166
72.9 Parametric variance . . . 166
72.10Parametric skewness . . . 166
72.11Parametric kurtosis . . . 166
72.12Parametric median . . . 166
72.13Parametric mode . . . 166
72.14Additional information and definitions . . . 167
72.15Spreadsheet documents . . . 167

73 Weibull 3P Distribution **168**
73.1 Distribution definition . . . 168
73.2 Distribution domain . . . 168
73.3 Parameters domain and parameters constraints . . . 168
73.4 Cumulative distribution function . . . 168
73.5 Probability density function . . . 168
73.6 Percent point function/Sample . . . 168
73.7 Parametric centered moments . . . 168
73.8 Parametric mean . . . 168
73.9 Parametric variance . . . 168
73.10Parametric skewness . . . 168
73.11Parametric kurtosis . . . 168
73.12Parametric median . . . 168
73.13Parametric mode . . . 168
73.14Additional information and definitions . . . 169
73.15Spreadsheet documents . . . 169

1 Alpha Distribution

1.1 Distribution definition

$$X \sim \text{Alpha}\left(\alpha, \text{Loc}, \text{Sc}\right)$$

1.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

1.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^+$$

1.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{\Phi\left(\alpha - \frac{1}{z(x)}\right)}{\Phi\left(\alpha\right)}$$

1.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\text{Sc} \cdot z(x)^2 \cdot \Phi\left(\alpha\right) \cdot \sqrt{2\pi}} \exp\left(-\frac{1}{2}\left(\alpha - \frac{1}{z(x)}\right)^2\right)$$

1.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc} \times \frac{1}{\alpha - \Phi^{-1}\left(u\Phi\left(\alpha\right)\right)}$$

1.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx$$

1.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}'_1$$

1.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \cdot (\tilde{\mu}'_2 - \tilde{\mu}'^2_1)$$

1.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

1.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

1.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \frac{\text{Sc}}{\alpha - \Phi^{-1}\left(\frac{1}{2}\Phi\left(\alpha\right)\right)}$$

1.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \text{Sc}\frac{(\sqrt{\alpha^2 + 8} - \alpha)}{4}$$

1.14 Additional information and definitions

- $\tilde{X} \sim \text{Alpha}\,(\alpha, 0, 1)$
- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc})\,/\text{Sc}$
- u : Uniform[0,1] random varible
- $\Phi\,(x)$: CDF normal standard distribution
- $\Phi^{-1}\,(x)$: PPF normal standard distribution

1.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

2 Arcsine Distribution

2.1 Distribution definition

$$X \sim \text{Arcsine}\,(a, b)$$

2.2 Distribution domain

$$x \in (a, b)$$

2.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}, b \in \mathbb{R}, a < b$$

2.4 Cumulative distribution function

$$F_X(x) = \frac{2}{\pi} \arcsin\left(\sqrt{\frac{x-a}{b-a}}\right)$$

2.5 Probability density function

$$f_X(x) = \frac{1}{\pi\sqrt{(x-a)(b-x)}}$$

2.6 Percent point function/Sample

$$F_X^{-1}(u) = a + (b-a) \times \sin^2\left(\frac{\pi}{2}u\right)$$

2.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^1 x^k f_{\tilde{X}}(x)\,dx = \frac{1}{\pi}\text{Beta}\left(\frac{1}{2}, k+\frac{1}{2}\right) = \frac{(2k-1)!!}{2^k k!}$$

2.8 Parametric mean

$$\text{Mean}(X) = a + \tilde{\mu}'_1\,(b-a) = a + \frac{1}{2}\,(b-a)$$

2.9 Parametric variance

$$\text{Variance}(X) = (b-a)^2 \times (\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \frac{(b-a)^2}{8}$$

2.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = 0$$

2.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 - \frac{3}{2}$$

2.12 Parametric median

$$\text{Median}(X) = a + (b-a) \times \sin^2\left(\frac{\pi}{4}\right)$$

2.13 Parametric mode

$$\text{Mode}(X) = \text{undefined}$$

2.14 Additional information and definitions

- $\tilde{X} \sim \text{Arcsine}\,(0,1)$
- u : Uniform[0,1] random varible
- $\text{Beta}\,(x,y)$: Beta function

2.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

3 Argus Distribution

3.1 Distribution definition

$$X \sim \text{Argus}\left(\chi, \text{Loc}, \text{Sc}\right)$$

3.2 Distribution domain

$$x \in (\text{Loc}, \text{Loc} + \text{Sc})$$

3.3 Parameters domain and parameters constraints

$$\chi \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^+$$

3.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \frac{\Psi\left(\chi\sqrt{1 - z(x)^2}\right)}{\Psi(\chi)}$$

3.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\text{Sc}} \cdot \frac{\chi^3}{\sqrt{2\pi}\,\Psi(\chi)} \cdot z(x)\sqrt{1 - z(x)^2}\exp\left(-\frac{1}{2}\chi^2\left(1 - z(x)^2\right)\right)$$

3.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc}\sqrt{1 - \frac{2\text{P}^{-1}(\frac{3}{2}, (1-u)\text{P}(\frac{3}{2}, \frac{\chi^2}{2}))}{\chi^2}}$$

3.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{\text{Loc}}^{\text{Loc+Sc}} x^k f_X\left(x\right) dx$$

3.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \text{Loc} + \text{Sc}\sqrt{\pi/8}\,\frac{\chi e^{-\frac{\chi^2}{4}} I_1(\frac{\chi^2}{4})}{\Psi(\chi)}$$

3.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \text{Sc}^2 \cdot \left(1 - \frac{3}{\chi^2} + \frac{\chi\phi(\chi)}{\Psi(\chi)}\right) - (\mu - \text{Loc})^2$$

3.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

3.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

3.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \text{Sc}\sqrt{1 - \frac{2\text{P}^{-1}(\frac{3}{2}, \frac{1}{2}\text{P}(\frac{3}{2}, \frac{\chi^2}{2}))}{\chi^2}}$$

3.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \frac{\text{Sc}}{\sqrt{2}\chi}\sqrt{(\chi^2 - 2) + \sqrt{\chi^4 + 4}}$$

3.14 Additional information and definitions

- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc})\,/\text{Sc}$
- u : Uniform[0,1] random varible
- $\Psi(\chi) = \Phi(\chi) - \chi\phi(\chi) - \frac{1}{2}$
- $\Phi(x)$: CDF normal standard distribution
- $\phi(x)$: PDF normal standard distribution
- $I_\alpha\,(x)$: Modified Bessel function of the first kind of order $\alpha \in \mathbb{N}$
- $\text{P}(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}(a, y)$: Inverse of regularized lower incomplete gamma function
- $\gamma(a, x)$: Lower incomplete gamma function
- $\Gamma(x)$: Gamma function

3.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

4 Beta Distribution

4.1 Distribution definition

$$X \sim \text{Beta}\left(\alpha, \beta, A, B\right)$$

4.2 Distribution domain

$$x \in (A, B)$$

4.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+, A \in \mathbb{R}, B \in \mathbb{R}, A < B$$

4.4 Cumulative distribution function

$$F_X\left(x\right) = I\left(z(x), \alpha, \beta\right)$$

4.5 Probability density function

$$f_X\left(x\right) = \frac{z(x)^{\alpha-1}\left(1-z(x)\right)^{\beta-1}}{\text{Beta}(\alpha,\beta)(B-A)}$$

4.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = A + (B-A) \times I^{-1}\left(u, \alpha, \beta\right)$$

4.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^1 x^k f_{\tilde{X}}\left(x\right) dx$$

4.8 Parametric mean

$$\text{Mean}(X) = A + (B-A) \cdot \tilde{\mu}'_1 = A + \frac{\alpha\left(B-A\right)}{\alpha+\beta}$$

4.9 Parametric variance

$$\text{Variance}(X) = \left(B-A\right)^2 \cdot (\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \frac{\alpha\beta\left(B-A\right)^2}{(\alpha+\beta)^2(\alpha+\beta+1)}$$

4.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{2\left(\beta-\alpha\right)\sqrt{\alpha+\beta+1}}{(\alpha+\beta+2)\sqrt{\alpha\beta}}$$

4.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{6[(\alpha-\beta)^2(\alpha+\beta+1) - \alpha\beta(\alpha+\beta+2)]}{\alpha\beta(\alpha+\beta+2)(\alpha+\beta+3)}$$

4.12 Parametric median

$$\text{Median}(X) = A + (B-A) \times I^{-1}\left(\frac{1}{2}, \alpha, \beta\right) \quad \text{if } \alpha, \beta > 1$$

4.13 Parametric mode

$$\text{Mode}(X) = A + (B-A)\frac{\alpha-1}{\alpha+\beta-2} \quad \text{if } \alpha, \beta > 1$$

4.14 Additional information and definitions

- $\tilde{X} \sim \text{Beta}\left(\alpha, \beta, 0, 1\right)$
- $z\left(x\right) = \left(x - A\right) / \left(B - A\right)$
- u : Uniform[0,1] random varible
- $I\left(x, a, b\right)$: Regularized incomplete beta function
- $I^{-1}\left(x, a, b\right)$: Inverse of regularized incomplete beta function
- $\text{Beta}\left(x, y\right)$: Beta function

4.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

5 Beta Prime Distribution

5.1 Distribution definition

$$X \sim \text{BetaPrime}\left(\alpha, \beta\right)$$

5.2 Distribution domain

$$x \in [0, \infty)$$

5.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+$$

5.4 Cumulative distribution function

$$F_X\left(x\right) = I\left(\frac{x}{1+x}, \alpha, \beta\right)$$

5.5 Probability density function

$$f_X\left(x\right) = \frac{x^{\alpha-1}(1+x)^{-\alpha-\beta}}{\text{Beta}(\alpha, \beta)}$$

5.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \frac{I^{-1}\left(u, \alpha, \beta\right)}{1 - I^{-1}\left(u, \alpha, \beta\right)}$$

5.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^\infty x^k f_X\left(x\right) dx = \frac{\Gamma\left(k+\alpha\right)\Gamma\left(\beta-k\right)}{\Gamma\left(\alpha\right)\Gamma\left(\beta\right)} \quad \text{if } \beta > k$$

5.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \frac{\alpha}{\beta - 1} \quad \text{if } \beta > 1$$

5.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{\alpha(\alpha+\beta-1)}{(\beta-2)(\beta-1)^2} \quad \text{if } \beta > 2$$

5.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2(2\alpha+\beta-1)}{\beta-3}\sqrt{\frac{\beta-2}{\alpha(\alpha+\beta-1)}} \quad \text{if } \beta > 3$$

5.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} \quad \text{if } \beta > 4$$

5.12 Parametric median

$$\text{Median}(X) = \frac{I^{-1}\left(\frac{1}{2}, \alpha, \beta\right)}{1 - I^{-1}\left(\frac{1}{2}, \alpha, \beta\right)}$$

5.13 Parametric mode

$$\text{Mode}(X) = \frac{\alpha - 1}{\beta + 1}$$

5.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $I\left(x, a, b\right)$: Regularized incomplete beta function
- $I^{-1}\left(x, a, b\right)$: Inverse of regularized incomplete beta function
- $\Gamma\left(x\right)$: Gamma function
- $\text{Beta}\left(x, y\right)$: Beta function

5.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

6 Beta Prime 4P Distribution

6.1 Distribution definition

$$X \sim \text{BetaPrime}_{4\text{P}}\left(\alpha, \beta, \text{Loc}, \text{Sc}\right)$$

6.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

6.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^+$$

6.4 Cumulative distribution function

$$F_X\left(x\right) = I\left(\frac{z(x)}{1+z(x)}, \alpha, \beta\right)$$

6.5 Probability density function

$$f_X\left(x\right) = \frac{z(x)^{\alpha-1}(1+z(x))^{-\alpha-\beta}}{\text{Sc} \times \text{Beta}(\alpha, \beta)}$$

6.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc}\frac{I^{-1}\left(u, \alpha, \beta\right)}{1 - I^{-1}\left(u, \alpha, \beta\right)}$$

6.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \frac{\Gamma\left(k+\alpha\right)\Gamma\left(\beta-k\right)}{\Gamma\left(\alpha\right)\Gamma\left(\beta\right)} \quad \text{if } \beta > k$$

6.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc}\tilde{\mu}'_1 = \text{Loc} + \text{Sc}\frac{\alpha}{\beta-1} \quad \text{if } \beta > 1$$

6.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \text{Sc}^2\frac{\alpha(\alpha+\beta-1)}{(\beta-2)(\beta-1)^2} \quad \text{if } \beta > 2$$

6.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{2(2\alpha+\beta-1)}{\beta-3}\sqrt{\frac{\beta-2}{\alpha(\alpha+\beta-1)}} \quad \text{if } \beta > 3$$

6.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} \quad \text{if } \beta > 4$$

6.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \text{Sc}\frac{I^{-1}\left(\frac{1}{2}, \alpha, \beta\right)}{1 - I^{-1}\left(\frac{1}{2}, \alpha, \beta\right)}$$

6.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \text{Sc}\frac{\alpha - 1}{\beta + 1}$$

6.14 Additional information and definitions

- $\tilde{X} \sim \text{BetaPrime}(\alpha, \beta)$
- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc})/\text{Sc}$
- u : Uniform[0,1] random varible
- $I(x, a, b)$: Regularized incomplete beta function
- $I^{-1}(x, a, b)$: Inverse of regularized incomplete beta function
- $\Gamma(x)$: Gamma function
- $\text{Beta}(x, y)$: Beta function

6.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

7 Bradford Distribution

7.1 Distribution definition

$$X \sim \text{Bradford}\left(c, \min, \max\right)$$

7.2 Distribution domain

$$x \in (\min, \max)$$

7.3 Parameters domain and parameters constraints

$$c \in \mathbb{R}^{+}, \min \in \mathbb{R}, \max \in \mathbb{R}, \min < \max$$

7.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{\ln\left(1 + c \cdot z(x)\right)}{k}$$

7.5 Probability density function

$$f_X\left(x\right) = \frac{c}{k\left(1 + c \cdot z(x)\right)\left(\max - \min\right)}$$

7.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \min + \left(\max - \min\right) \times \frac{\left(1 + c\right)^{u} - 1}{c}$$

7.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_0^1 x^k f_{\tilde{X}}\left(x\right) dx$$

7.8 Parametric mean

$$\text{Mean}(X) = \min + \left(\max - \min\right) \cdot \tilde{\mu}_1' = \min + \left(\max - \min\right) \cdot \frac{c - k}{ck}$$

7.9 Parametric variance

$$\text{Variance}(X) = \left(\max - \min\right)^2 \cdot \left(\tilde{\mu}_2' - \tilde{\mu}_1'^2\right) = \left(\max - \min\right)^2 \cdot \frac{\left(c + 2\right)k - 2c}{2ck^2}$$

7.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}_3' - 3\tilde{\mu}_2'\tilde{\mu}_1' + 2\tilde{\mu}_1'^3}{\left(\tilde{\mu}_2' - \tilde{\mu}_1'^2\right)^{1.5}} = \frac{\sqrt{2}\left(12c^2 - 9kc\left(c + 2\right) + 2k^2\left(c\left(c + 3\right) + 3\right)\right)}{\sqrt{c\left(c\left(k - 2\right) + 2k\right)}\left(3c\left(k - 2\right) + 6k\right)}$$

7.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}_4' - 4\tilde{\mu}_1'\tilde{\mu}_3' + 6\tilde{\mu}_1'^2\tilde{\mu}_2' - 3\tilde{\mu}_1'^4}{\left(\tilde{\mu}_2' - \tilde{\mu}_1'^2\right)^2} = 3 + \frac{c^3\left(k - 3\right)\left(k\left(3k - 16\right) + 24\right) + 12kc^2\left(k - 4\right)\left(k - 3\right) + 6ck^2\left(3k - 14\right) + 1}{3c\left(c\left(k - 2\right) + 2k\right)^2}$$

7.12 Parametric median

$$\text{Median}(X) = \min + \left(\max - \min\right) \cdot \frac{\left(1 + c\right)^{frac12} - 1}{c}$$

7.13 Parametric mode

$$\text{Mode}(X) = \min$$

7.14 Additional information and definitions

- $\tilde{X} \sim \text{Bradford}\,(c, 0, 1)$
- $k = \ln(1 + c)$
- $z\,(x) = (x - \min)\,/\,(\max - \min)$
- u : Uniform[0,1] random varible

7.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

8 Burr Distribution

8.1 Distribution definition

$$X \sim \text{Burr}\left(A, B, C\right)$$

8.2 Distribution domain

$$x \in [0, \infty)$$

8.3 Parameters domain and parameters constraints

$$A \in \mathbb{R}^{+}, B \in \mathbb{R}, C \in \mathbb{R}^{+}$$

8.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \left[1 + \left(\frac{x}{A}\right)^{B}\right]^{-C}$$

8.5 Probability density function

$$f_X\left(x\right) = \frac{BC}{A}\left(\frac{x}{A}\right)^{B-1}\left[1 + \left(\frac{x}{A}\right)^{B}\right]^{-C-1}$$

8.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = A\left[(1-u)^{-\frac{1}{c}} - 1\right]^{\frac{1}{B}}$$

8.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx = A^k C \times \text{Beta}\left(\frac{BC-k}{B}, \frac{B+K}{B}\right)$$

8.8 Parametric mean

$$\text{Mean}(X) = \mu_1'$$

8.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2$$

8.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

8.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

8.12 Parametric median

$$\text{Median}(X) = A\left[\left(\frac{1}{2}\right)^{-\frac{1}{c}} - 1\right]^{\frac{1}{B}}$$

8.13 Parametric mode

$$\text{Mode}(X) = A\left(\frac{B-1}{BC+1}\right)^{\frac{1}{B}}$$

8.14 Additional information and definitions

- u : Uniform[0,1] random varible
- Beta (x, y) : Beta function

8.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

9 Burr 4P Distribution

9.1 Distribution definition

$$X \sim \text{Burr}_{4\text{P}}\left(A, B, C, \text{Loc}\right)$$

9.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

9.3 Parameters domain and parameters constraints

$$A \in \mathbb{R}^+, B \in \mathbb{R}, C \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}$$

9.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \left[1 + \left(\frac{x - \text{Loc}}{A}\right)^B\right]^{-C}$$

9.5 Probability density function

$$f_X\left(x\right) = \frac{BC}{A}\left(\frac{x - \text{Loc}}{A}\right)^{B-1}\left[1 + \left(\frac{x - \text{Loc}}{A}\right)^B\right]^{-C-1}$$

9.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + A\left[\left(1 - u\right)^{-\frac{1}{c}} - 1\right]^{\frac{1}{B}}$$

9.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}} = A^k C \times \text{Beta}\left(\frac{BC - k}{B}, \frac{B + K}{B}\right)$$

9.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}'_1$$

9.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1$$

9.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

9.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

9.12 Parametric median

$$\text{Median}(X) = \text{Loc} + A\left[\left(\frac{1}{2}\right)^{-\frac{1}{c}} - 1\right]^{\frac{1}{B}}$$

9.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + A\left(\frac{B-1}{BC+1}\right)^{\frac{1}{B}}$$

9.14 Additional information and definitions

- $\tilde{X} \sim \text{Burr}\,(A, B, C)$
- Loc : Location parameter
- u : Uniform[0,1] random varible
- $\text{Beta}\,(x, y)$: Beta function

9.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

10 Cauchy Distribution

10.1 Distribution definition

$$X \sim \text{Cauchy}\,(x0, \gamma)$$

10.2 Distribution domain

$$x \in (-\infty, +\infty)$$

10.3 Parameters domain and parameters constraints

$$x_0 \in \mathbb{R}, \gamma \in \mathbb{R}^+$$

10.4 Cumulative distribution function

$$F_X\,(x) = \frac{1}{\pi} \arctan\left(\frac{x - x_0}{\gamma}\right) + \frac{1}{2}$$

10.5 Probability density function

$$f_X\,(x) = \frac{1}{\pi\gamma\left[1 + \left(\frac{x-x_0}{\gamma}\right)^2\right]}$$

10.6 Percent point function/Sample

$$F_X^{-1}\,(u) = x_0 + \gamma\,\tan\left[\pi\left(u - \tfrac{1}{2}\right)\right]$$

10.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\,(x)\,dx$$

10.8 Parametric mean

$$\text{Mean}(X) = \text{undefined}$$

10.9 Parametric variance

$$\text{Variance}(X) = \text{undefined}$$

10.10 Parametric skewness

$$\text{Skewness}(X) = \text{undefined}$$

10.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \text{undefined}$$

10.12 Parametric median

$$\text{Median}(X) = x_0$$

10.13 Parametric mode

$$\text{Mode}(X) = x_0$$

10.14 Additional information and definitions

- x_0 : Location parameter
- γ : Scale parameter
- u : Uniform[0,1] random varible

10.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

11 Chi Square Distribution

11.1 Distribution definition

$$X \sim \chi^2 \left(\mathrm{df} \right)$$

11.2 Distribution domain

$$x \in (0, \infty)$$

11.3 Parameters domain and parameters constraints

$$\mathrm{df} \in \mathbb{N}^+$$

11.4 Cumulative distribution function

$$F_X \left(x \right) = \frac{\gamma(\frac{\mathrm{df}}{2}, \frac{x}{2})}{\Gamma(\frac{\mathrm{df}}{2})} = \mathrm{P} \left(\frac{\mathrm{df}}{2}, \frac{x}{2} \right)$$

11.5 Probability density function

$$f_X \left(x \right) = \frac{1}{2^{\mathrm{df}/2} \Gamma(\mathrm{df}/2)} x^{\mathrm{df}/2-1} e^{-x/2}$$

11.6 Percent point function/Sample

$$F_X^{-1} \left(u \right) = 2\mathrm{P}^{-1} \left(\frac{\mathrm{df}}{2}, u \right)$$

11.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^\infty x^k f_X \left(x \right) dx = \mathrm{df}(\mathrm{df}+2) \cdots (\mathrm{df}+2k-2) = 2^k \frac{\Gamma\left(k + \frac{\mathrm{df}}{2}\right)}{\Gamma\left(\frac{\mathrm{df}}{2}\right)}$$

11.8 Parametric mean

$$\mathrm{Mean}(X) = \mu_1' = \mathrm{df}$$

11.9 Parametric variance

$$\mathrm{Variance}(X) = \mu_2' - \mu_1'^2 = 2\mathrm{df}$$

11.10 Parametric skewness

$$\mathrm{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \sqrt{\frac{8}{\mathrm{df}}}$$

11.11 Parametric kurtosis

$$\mathrm{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + \frac{12}{\mathrm{df}}$$

11.12 Parametric median

$$\mathrm{Median}(X) = 2\mathrm{P}^{-1} \left(\frac{\mathrm{df}}{2}, \frac{1}{2} \right)$$

11.13 Parametric mode

$$\mathrm{Mode}(X) = \max(\mathrm{df} - 2, 0)$$

11.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $\mathrm{P}(a,x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}(a,u)$: Inverse of regularized lower incomplete gamma function
- $\gamma(a,x)$: Lower incomplete gamma function
- $\Gamma(x)$: Gamma function

11.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

12 Chi Square 3P Distribution

12.1 Distribution definition

$$X \sim \chi^2_{3\mathrm{P}}\left(\mathrm{df}, \mathrm{Loc}, \mathrm{Sc}\right)$$

12.2 Distribution domain

$$x \in (\mathrm{Loc}, \infty)$$

12.3 Parameters domain and parameters constraints

$$\mathrm{df} \in \mathbb{N}^+, \mathrm{Loc} \in \mathbb{R}, \mathrm{Sc} \in \mathbb{R}^+$$

12.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{\gamma(\frac{\mathrm{df}}{2},\ \frac{z(x)}{2})}{\Gamma(\frac{\mathrm{df}}{2})} = \mathrm{P}\left(\frac{\mathrm{df}}{2},\ \frac{z(x)}{2}\right)$$

12.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\mathrm{Sc}} \frac{1}{2^{\mathrm{df}/2}\Gamma(\mathrm{df}/2)}\, x^{\mathrm{df}/2-1} e^{-z(x)/2}$$

12.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = 2\mathrm{P}^{-1}\left(\frac{\mathrm{df}}{2}, u\right)$$

12.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \mathrm{df}(\mathrm{df}+2)\cdots(\mathrm{df}+2k-2) = 2^k \frac{\Gamma\left(k+\frac{\mathrm{df}}{2}\right)}{\Gamma\left(\frac{\mathrm{df}}{2}\right)}$$

12.8 Parametric mean

$$\mathrm{Mean}(X) = \mathrm{Loc} + \mathrm{Sc} \cdot \tilde{\mu}'_1 = \mathrm{Loc} + \mathrm{Sc} \cdot \mathrm{df}$$

12.9 Parametric variance

$$\mathrm{Variance}(X) = \mathrm{Sc}^2 \cdot (\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = 2 \cdot \mathrm{df} \cdot \mathrm{Sc}^2$$

12.10 Parametric skewness

$$\mathrm{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \sqrt{\frac{8}{\mathrm{df}}}$$

12.11 Parametric kurtosis

$$\mathrm{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{12}{\mathrm{df}}$$

12.12 Parametric median

$$\mathrm{Median}(X) = \mathrm{Loc} + \mathrm{Sc} \times 2\mathrm{P}^{-1}\left(\frac{\mathrm{df}}{2}, \frac{1}{2}\right)$$

12.13 Parametric mode

$$\mathrm{Mode}(X) = \mathrm{Loc} + \mathrm{Sc} \times \max(\mathrm{df}-2, 0)$$

12.14 Additional information and definitions

- $\tilde{X} \sim \chi^2\,(\mathrm{df})$
- Loc : Location parameter
- Sc : Scale parameter
- $z\,(x) = (x - \mathrm{Loc})\,/\mathrm{Sc}$
- u : Uniform[0,1] random varible
- $\mathrm{P}\,(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\,(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma\,(a, x)$: Lower incomplete gamma function
- $\Gamma\,(x)$: Gamma function

12.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

13 Dagum Distribution

13.1 Distribution definition

$$X \sim \text{Dagum}\left(a, b, p\right)$$

13.2 Distribution domain

$$x \in (0, \infty)$$

13.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}^+, b \in \mathbb{R}^+, p \in \mathbb{R}^+$$

13.4 Cumulative distribution function

$$F_X\left(x\right) = \left(1 + \left(\frac{x}{b}\right)^{-a}\right)^{-p}$$

13.5 Probability density function

$$f_X\left(x\right) = \frac{ap}{x}\left(\frac{(\frac{x}{b})^{ap}}{\left((\frac{x}{b})^a + 1\right)^{p+1}}\right)$$

13.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = b(u^{-1/p} - 1)^{-1/a}$$

13.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^\infty x^k f_X\left(x\right) dx = pb^k \cdot \text{Beta}\left(\frac{ap + k}{a}, \frac{a - k}{a}\right)$$

13.8 Parametric mean

$$\text{Mean}(X) = \mu_1'$$

13.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2$$

13.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

13.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

13.12 Parametric median

$$\text{Median}(X) = b\left(-1 + 2^{\frac{1}{p}}\right)^{-\frac{1}{a}}$$

13.13 Parametric mode

$$\text{Mode}(X) = b\left(\frac{ap - 1}{a + 1}\right)^{\frac{1}{a}}$$

13.14 Additional information and definitions

- b : Scale parameter
- u : Uniform[0,1] random varible
- Beta (x, y) : Beta function

13.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

14 Dagum 4P Distribution

14.1 Distribution definition

$$X \sim \text{Dagum}_{4\text{P}}\left(a, b, p, \text{Loc}\right)$$

14.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

14.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}^+, b \in \mathbb{R}^+, p \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}$$

14.4 Cumulative distribution function

$$F_X\left(x\right) = \left(1 + \left(\frac{x - \text{Loc}}{b}\right)^{-a}\right)^{-p}$$

14.5 Probability density function

$$f_X\left(x\right) = \frac{ap}{x - \text{Loc}}\left(\frac{(\frac{x-\text{Loc}}{b})^{ap}}{\left((\frac{x-\text{Loc}}{b})^a + 1\right)^{p+1}}\right)$$

14.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + b(u^{-1/p} - 1)^{-1/a}$$

14.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = pb^k \cdot \text{Beta}\left(\frac{ap + k}{a}, \frac{a - k}{a}\right)$$

14.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}_1'$$

14.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}_2' - \tilde{\mu}_1'^2$$

14.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}_3' - 3\tilde{\mu}_2'\tilde{\mu}_1' + 2\tilde{\mu}_1'^3}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^{1.5}}$$

14.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}_4' - 4\tilde{\mu}_1'\tilde{\mu}_3' + 6\tilde{\mu}_1'^2\tilde{\mu}_2' - 3\tilde{\mu}_1'^4}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^2}$$

14.12 Parametric median

$$\text{Median}(X) = \text{Loc} + b\left(-1 + 2^{\frac{1}{p}}\right)^{-\frac{1}{a}}$$

14.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + b\left(\frac{ap - 1}{a + 1}\right)^{\frac{1}{a}}$$

14.14 Additional information and definitions

- $\bar{X} \sim \text{Dagum}\,(a, b, p)$
- Loc : Location parameter
- b : Scale parameter
- u : Uniform[0,1] random varible
- $\text{Beta}\,(x, y)$: Beta function

14.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

15 Erlang Distribution

15.1 Distribution definition

$$X \sim \text{Erlang}\left(k, \beta\right)$$

15.2 Distribution domain

$$x \in [0, \infty)$$

15.3 Parameters domain and parameters constraints

$$k \in \mathbb{N}^{+}, \beta \in \mathbb{R}^{+}$$

15.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}(k, \frac{x}{\beta}) = \frac{\gamma(k, \frac{x}{\beta})}{(k-1)!}$$

15.5 Probability density function

$$f_X\left(x\right) = \frac{x^{k-1} e^{-\frac{x}{\beta}}}{\beta^k (k-1)!}$$

15.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \beta \text{P}^{-1}\left(k, u\right)$$

15.7 Parametric centered moments

$$\mu_n' = E[X^n] = \int_0^{\infty} x^n f_X\left(x\right) dx = \beta^k \frac{\Gamma\left(n+k\right)}{\Gamma(k)}$$

15.8 Parametric mean

$$\text{Mean}(X) = \mu_1'$$

15.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2$$

15.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

15.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

15.12 Parametric median

$$\text{Median}(X) = \text{P}(k, \frac{1}{2\beta})$$

15.13 Parametric mode

$$\text{Mode}(X) = \beta\left(k-1\right)$$

15.14 Additional information and definitions

- β : Scale parameter
- u : Uniform[0,1] random varible
- $\mathrm{P}\left(a,x\right)=\frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\left(a,u\right)$: Inverse of regularized lower incomplete gamma function
- $\gamma\left(a,x\right)$: Lower incomplete gamma function
- $\Gamma\left(x\right)$: Gamma function

15.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

16 Erlang 3P Distribution

16.1 Distribution definition

$$X \sim \text{Erlang}_{3\text{P}}\left(k, \beta, \text{Loc}\right)$$

16.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

16.3 Parameters domain and parameters constraints

$$k \in \mathbb{N}^{+}, \beta \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

16.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}(k, \frac{x - \text{Loc}}{\beta}) = \frac{\gamma(k, \frac{x-\text{Loc}}{\beta})}{(k-1)!}$$

16.5 Probability density function

$$f_X\left(x\right) = \frac{(x - \text{Loc})^{k-1} e^{-\frac{x-\text{Loc}}{\beta}}}{\beta^k (k-1)!}$$

16.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \beta \text{P}^{-1}\left(k, u\right)$$

16.7 Parametric centered moments

$$\tilde{\mu}'_n = E[\tilde{X}^n] = \int_0^\infty x^n f_{\tilde{X}}\left(x\right) dx = \beta^k \frac{\Gamma\left(n+k\right)}{\Gamma(k)}$$

16.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}'_1$$

16.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1$$

16.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

16.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

16.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \text{P}(k, \frac{1}{2\beta})$$

16.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \beta \cdot (k-1)$$

16.14 Additional information and definitions

- $\tilde{X} \sim \text{Erlang}\,(k, \beta)$
- Loc : Location parameter
- β : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}\,(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}\,(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma\,(a, x)$: Lower incomplete gamma function
- $\Gamma\,(x)$: Gamma function

16.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

17 Error Function Distribution

17.1 Distribution definition

$$X \sim \text{ErrorFunction}\,(h)$$

17.2 Distribution domain

$$x \in (-\infty, \infty)$$

17.3 Parameters domain and parameters constraints

$$h \in \mathbb{R}^{+}$$

17.4 Cumulative distribution function

$$F_X\,(x) = \Phi(\sqrt{2}hx)$$

17.5 Probability density function

$$f_X\,(x) = \frac{h}{\sqrt{\pi}} e^{-h^2x^2}$$

17.6 Percent point function/Sample

$$F_X^{-1}\,(u) = \frac{\Phi^{-1}(u)}{\sqrt{2}h}$$

17.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\,(x)\,dx$$

17.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = 0$$

17.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = \frac{1}{2h^2}$$

17.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = 0$$

17.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 3$$

17.12 Parametric median

$$\text{Median}(X) = 0$$

17.13 Parametric mode

$$\text{Mode}(X) = 0$$

17.14 Additional information and definitions

- h : Inverse of scale parameter
- u : Uniform[0,1] random varible
- $\Phi(x)$: CDF normal standard distribution

17.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

18 Exponential Distribution

18.1 Distribution definition

$$X \sim \text{Exponential}\,(\lambda)$$

18.2 Distribution domain

$$x \in [0, \infty)$$

18.3 Parameters domain and parameters constraints

$$\lambda \in \mathbb{R}^{+}$$

18.4 Cumulative distribution function

$$F_X\,(x) = 1 - e^{-\lambda x}$$

18.5 Probability density function

$$f_X\,(x) = \lambda e^{-\lambda x}$$

18.6 Percent point function/Sample

$$F_X^{-1}\,(u) = -\frac{\ln(1-u)}{\lambda}$$

18.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^{\infty} x^n f_X\,(x)\,dx = \frac{k!}{\lambda^k}$$

18.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = \frac{1}{\lambda}$$

18.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = \frac{1}{\lambda^2}$$

18.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = 2$$

18.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 9$$

18.12 Parametric median

$$\text{Median}(X) = \frac{\ln 2}{\lambda}$$

18.13 Parametric mode

$$\text{Mode}(X) = 0$$

18.14 Additional information and definitions

- λ : Inverse of scale parameter
- u : Uniform[0,1] random varible

18.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

19 Exponential 2P Distribution

19.1 Distribution definition

$$X \sim \text{Exponential}_{2\text{P}}\left(\lambda, \text{Loc}\right)$$

19.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

19.3 Parameters domain and parameters constraints

$$\lambda \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

19.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - e^{-\lambda(x - \text{Loc})}$$

19.5 Probability density function

$$f_X\left(x\right) = \lambda e^{-\lambda(x - \text{Loc})}$$

19.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} - \frac{\ln(1-u)}{\lambda}$$

19.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \frac{k!}{\lambda^k}$$

19.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}'_1 = \text{Loc} + \frac{1}{\lambda}$$

19.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1 = \frac{1}{\lambda^2}$$

19.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = 2$$

19.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 9$$

19.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \frac{\ln 2}{\lambda}$$

19.13 Parametric mode

$$\text{Mode}(X) = \text{Loc}$$

19.14 Additional information and definitions

- $\tilde{X} \sim$ Exponential (λ)
- Loc : Location parameter
- λ : Inverse of scale parameter
- u : Uniform[0,1] random varible

19.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

20 F Distribution

20.1 Distribution definition

$$X \sim \mathrm{F}\left(\mathrm{df}_1, \mathrm{df}_2\right)$$

20.2 Distribution domain

$$x \in [0, \infty)$$

20.3 Parameters domain and parameters constraints

$$\mathrm{df}_1 \in \mathbb{R}^+, \mathrm{df}_2 \in \mathbb{R}^+$$

20.4 Cumulative distribution function

$$F_X\left(x\right) = I_{\mathrm{df}_1 x/(\mathrm{df}_1 x+\mathrm{df}_2)}\left(\tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)$$

20.5 Probability density function

$$f_X\left(x\right) = \frac{\sqrt{\frac{(\mathrm{df}_1 x)^{\mathrm{df}_1}\,\mathrm{df}_2^{\mathrm{df}_2}}{(\mathrm{df}_1 x+\mathrm{df}_2)^{\mathrm{df}_1+\mathrm{df}_2}}}}{x\ \times \mathrm{Beta}\left(\tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}$$

20.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \frac{\mathrm{df}_2 \times I^{-1}\left(u, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}{\mathrm{df}_1 \times \left(1 - I^{-1}\left(u, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)\right)}$$

20.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^\infty x^k f_X\left(x\right) dx = \left(\frac{\mathrm{df}_2}{\mathrm{df}_1}\right)^k \frac{\Gamma\left(\tfrac{\mathrm{df}_1}{2}+k\right)}{\Gamma\left(\tfrac{\mathrm{df}_1}{2}\right)} \frac{\Gamma\left(\tfrac{\mathrm{df}_2}{2}-k\right)}{\Gamma\left(\tfrac{\mathrm{df}_2}{2}\right)} \quad \text{if } \mathrm{df}_2 > 2k$$

20.8 Parametric mean

$$\mathrm{Mean}(X) = \mu'_1 = \frac{\mathrm{df}_2}{\mathrm{df}_2 - 2} \quad \text{if } \mathrm{df}_2 > 2$$

20.9 Parametric variance

$$\mathrm{Variance}(X) = \mu'_2 - \mu'^2_1 = \frac{2\,\mathrm{df}_2^2\left(\mathrm{df}_1 + \mathrm{df}_2 - 2\right)}{\mathrm{df}_1(\mathrm{df}_2-2)^2(\mathrm{df}_2-4)} \quad \text{if } \mathrm{df}_2 > 4$$

20.10 Parametric skewness

$$\mathrm{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = \frac{(2\mathrm{df}_1 + \mathrm{df}_2 - 2)\sqrt{8(\mathrm{df}_2-4)}}{(\mathrm{df}_2-6)\sqrt{\mathrm{df}_1(\mathrm{df}_1+\mathrm{df}_2-2)}} \quad \text{if } \mathrm{df}_2 > 6$$

20.11 Parametric kurtosis

$$\mathrm{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = \frac{3\left(8 + (\mathrm{df}_2-6) \times \mathrm{Skewness}(X)^2\right)}{2\mathrm{df}_2 - 16} + 3 \quad \text{if } \mathrm{df}_2 > 8$$

20.12 Parametric median

$$\mathrm{Median}(X) = \frac{\mathrm{df}_2 \times I^{-1}\left(\tfrac{1}{2}, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}{\mathrm{df}_1 \times \left(1 - I^{-1}\left(\tfrac{1}{2}, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)\right)}$$

20.13 Parametric mode

$$\text{Mode}(X) = \frac{\text{df}_2\,(\text{df}_1 - 2)}{\text{df}_1\,(\text{df}_2 + 2)} \quad \text{if } \text{df}_1 > 2$$

20.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $I\,(x, a, b)$: Regularized incomplete beta function
- $I^{-1}\,(x, a, b)$: Inverse of regularized incomplete beta function
- $\text{Beta}\,(x, y)$: Beta function

20.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

21 F 4P Distribution

21.1 Distribution definition

$$X \sim \mathrm{F}_{4\mathrm{P}}\left(\mathrm{df}_1, \mathrm{df}_2, \mathrm{Loc}, \mathrm{Sc}\right)$$

21.2 Distribution domain

$$x \in [\mathrm{Loc}, \infty)$$

21.3 Parameters domain and parameters constraints

$$\mathrm{df}_1 \in \mathbb{R}^+, \mathrm{df}_2 \in \mathbb{R}^+, \mathrm{Loc} \in \mathbb{R}, \mathrm{Sc} \in \mathbb{R}^+$$

21.4 Cumulative distribution function

$$F_X\left(x\right) = I_{\mathrm{df}_1 z(x)/(\mathrm{df}_1 z(x)+\mathrm{df}_2)}\left(\tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)$$

21.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\mathrm{Sc}} \times \frac{\sqrt{\frac{\left(\mathrm{df}_1 z(x)\right)^{\mathrm{df}_1} \mathrm{df}_2^{\mathrm{df}_2}}{\left(\mathrm{df}_1 z(x)+\mathrm{df}_2\right)^{\mathrm{df}_1+\mathrm{df}_2}}}}{z(x)\,\mathrm{Beta}\left(\tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}$$

21.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mathrm{Loc} + \mathrm{Sc}\frac{\mathrm{df}_2 \times I^{-1}\left(u, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}{\mathrm{df}_1 \times \left(1 - I^{-1}\left(u, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)\right)}$$

21.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \frac{\Gamma\left(\tfrac{\mathrm{df}_1}{2} + k\right)}{\Gamma\left(\tfrac{\mathrm{df}_1}{2}\right)} \frac{\Gamma\left(\tfrac{\mathrm{df}_2}{2} - k\right)}{\Gamma\left(\tfrac{\mathrm{df}_2}{2}\right)} \left(\frac{\mathrm{df}_2}{\mathrm{df}_1}\right)^k \quad \text{if } \mathrm{df}_2 > 2k$$

21.8 Parametric mean

$$\mathrm{Mean}(X) = \mathrm{Loc} + \mathrm{Sc}\tilde{\mu}'_1 = \mathrm{Loc} + \mathrm{Sc}\frac{\mathrm{df}_2}{\mathrm{df}_2 - 2} \quad \text{if } \mathrm{df}_2 > 2$$

21.9 Parametric variance

$$\mathrm{Variance}(X) = \mathrm{Sc}^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \mathrm{Sc}^2\frac{2\,\mathrm{df}_2^2\left(\mathrm{df}_1 + \mathrm{df}_2 - 2\right)}{\mathrm{df}_1(\mathrm{df}_2 - 2)^2(\mathrm{df}_2 - 4)} \quad \text{if } \mathrm{df}_2 > 4$$

21.10 Parametric skewness

$$\mathrm{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{(2\mathrm{df}_1 + \mathrm{df}_2 - 2)\sqrt{8(\mathrm{df}_2 - 4)}}{(\mathrm{df}_2 - 6)\sqrt{\mathrm{df}_1(\mathrm{df}_1 + \mathrm{df}_2 - 2)}} \quad \text{if } \mathrm{df}_2 > 6$$

21.11 Parametric kurtosis

$$\mathrm{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = \frac{3\left(8 + (\mathrm{df}_2 - 6) \times \mathrm{Skewness}(X)^2\right)}{2\mathrm{df}_2 - 16} + 3 \quad \text{if } \mathrm{df}_2 > 8$$

21.12 Parametric median

$$\mathrm{Median}(X) = \mathrm{Loc} + \mathrm{Sc}\frac{\mathrm{df}_2 \times I^{-1}\left(\tfrac{1}{2}, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)}{\mathrm{df}_1 \times \left(1 - I^{-1}\left(\tfrac{1}{2}, \tfrac{\mathrm{df}_1}{2}, \tfrac{\mathrm{df}_2}{2}\right)\right)}$$

21.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \text{Sc}\frac{\text{df}_2\left(\text{df}_1 - 2\right)}{\text{df}_1\left(\text{df}_2 + 2\right)} \quad \text{if } \text{df}_1 > 2$$

21.14 Additional information and definitions

- $\tilde{X} \sim \text{F}\left(\text{df}_1, \text{df}_2\right)$
- Loc : Location parameter
- Sc : Scale parameter
- $z\left(x\right) = \left(x - \text{Loc}\right)/\text{Sc}$
- u : Uniform[0,1] random varible
- $I\left(x, a, b\right)$: Regularized incomplete beta function
- $I^{-1}\left(x, a, b\right)$: Inverse of regularized incomplete beta function
- $\text{Beta}\left(x, y\right)$: Beta function

21.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

22 Fatigue Life Distribution

22.1 Distribution definition

$$X \sim \text{FatigueLife}\left(\gamma, \text{Loc}, \text{Sc}\right)$$

22.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

22.3 Parameters domain and parameters constraints

$$\gamma \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^+$$

22.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\frac{\sqrt{z(x)} - \sqrt{\frac{1}{z(x)}}}{\gamma}\right)$$

22.5 Probability density function

$$f_X\left(x\right) = \frac{\sqrt{z(x)} + \sqrt{\frac{1}{z(x)}}}{2\gamma z(x)} \phi\left(\frac{\sqrt{z(x)} - \sqrt{\frac{1}{z(x)}}}{\gamma}\right)$$

22.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc}\frac{1}{4}\left[\gamma\Phi^{-1}(u) + \sqrt{4 + \left(\gamma\Phi^{-1}(u)\right)^2}\right]^2$$

22.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

22.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}'_1 = \text{Loc} + \text{Sc}\left(1 + \frac{\gamma^2}{2}\right)$$

22.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \cdot (\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \text{Sc}^2\gamma^2\left(1 + \frac{5\gamma^2}{4}\right)$$

22.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = \frac{4\gamma(6 + 11\gamma^2)}{(4 + 5\gamma^2)^{1.5}}$$

22.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 3 + \frac{6\gamma^2(93\gamma^2 + 40)}{(5\gamma^2 + 4)^2}$$

22.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \text{Sc}\frac{1}{4}\left[\gamma\Phi^{-1}\left(1/2\right) + \sqrt{4 + \left(\gamma\Phi^{-1}\left(1/2\right)\right)^2}\right]^2$$

22.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X(x)$$

22.14 Additional information and definitions

- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc})/\text{Sc}$
- u : Uniform[0,1] random varible
- $\Phi(x)$: CDF normal standard distribution
- $\phi(x)$: PDF normal standard distribution

22.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

23 Folded Normal Distribution

23.1 Distribution definition

$$X \sim \text{FoldedNormal}\left(\mu, \sigma\right)$$

23.2 Distribution domain

$$x \in [0, \infty)$$

23.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

23.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{2}\left[\text{erf}\left(\frac{x+\mu}{\sigma\sqrt{2}}\right) + \text{erf}\left(\frac{x-\mu}{\sigma\sqrt{2}}\right)\right]$$

23.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sigma\sqrt{2\pi}}\, e^{-\frac{(x-\mu)^2}{2\sigma^2}} + \frac{1}{\sigma\sqrt{2\pi}}\, e^{-\frac{(x+\mu)^2}{2\sigma^2}}$$

23.6 Percent point function/Sample

$$\text{Sample}_X\left(u\right) = \left|\mu + \sigma\Phi^{-1}(u)\right|$$

23.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx$$

23.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = \sigma\sqrt{\tfrac{2}{\pi}}\, e^{(-\mu^2/2\sigma^2)} + \mu\left(1 - 2\,\Phi(-\tfrac{\mu}{\sigma})\right)$$

23.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = \mu^2 + \sigma^2 - \text{Mean}(X)^2$$

23.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

23.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

23.12 Parametric median

$$\text{Median}(X) = \left|\mu + \sigma\Phi^{-1}\left(1/2\right)\right|$$

23.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X\left(x\right)$$

23.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- μ : Location parameter
- σ : Scale parameter
- u : Uniform[0,1] random varible
- $\Phi(x)$: CDF normal standard distribution
- $\phi(x)$: PDF normal standard distribution
- $\Phi^{-1}(x)$: PPF normal standard distribution

23.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

24 Frechet Distribution

24.1 Distribution definition

$$X \sim \text{Frechet}\left(\alpha, \text{Loc}, \text{Sc}\right)$$

24.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

24.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^{+}$$

24.4 Cumulative distribution function

$$F_X\left(x\right) = e^{(-z(x))^{-\alpha}}$$

24.5 Probability density function

$$f_X\left(x\right) = \frac{\alpha}{\text{Sc}}\ \left(z(x)\right)^{-1-\alpha}\ e^{-(z(x))^{-\alpha}}$$

24.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc}\left(-\ln(u)\right)^{-\frac{1}{\alpha}}$$

24.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{\text{Loc}}^{\infty} x^k f_X\left(x\right) dx = \Gamma\left(1 - \frac{k}{\alpha}\right)$$

24.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}_1' \quad \text{if } \alpha > 1$$

24.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \cdot (\tilde{\mu}_2' - \tilde{\mu}_1'^2) \quad \text{if } \alpha > 2$$

24.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} \quad \text{if } \alpha > 3$$

24.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} \quad \text{if } \alpha > 4$$

24.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \frac{\text{Sc}}{\sqrt[\alpha]{\ln(2)}}$$

24.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \text{Sc}\left(\frac{\alpha}{1+\alpha}\right)^{1/\alpha}$$

24.14 Additional information and definitions

- Loc : Location parameter
- Sc : Scale parameter
- $z\left(x\right)=\left(x-\text{Loc}\right)/\text{Sc}$
- u : Uniform[0,1] random varible
- $\Gamma\left(x\right)$: Gamma function

24.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

25 Gamma Distribution

25.1 Distribution definition

$$X \sim \text{Gamma}\left(\alpha, \beta\right)$$

25.2 Distribution domain

$$x \in (0, \infty)$$

25.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+$$

25.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}\left(\alpha, \frac{x}{\beta}\right) = \frac{1}{\Gamma(\alpha)}\gamma\left(\alpha, \frac{x}{\beta}\right)$$

25.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\Gamma(\alpha)\beta^\alpha}x^{\alpha-1}e^{-\frac{x}{\beta}}$$

25.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \beta\text{P}^{-1}\left(\alpha, u\right)$$

25.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^\infty x^k f_X\left(x\right)dx = \beta^k\frac{\Gamma(k+\alpha)}{\Gamma(\alpha)}$$

25.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \alpha\beta$$

25.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \alpha\beta^2$$

25.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2}{\sqrt{\alpha}}$$

25.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + \frac{6}{\alpha}$$

25.12 Parametric median

$$\text{Median}(X) = (\alpha - 1)\beta \quad \text{if } \alpha > 1$$

25.13 Parametric mode

$$\text{Mode}(X) = \beta\text{P}^{-1}\left(\alpha, \frac{1}{2}\right)$$

25.14 Additional information and definitions

- β : Scale parameter
- u : Uniform[0,1] random varible
- $\mathrm{P}\left(a,x\right)=\frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\left(a,u\right)$: Inverse of regularized lower incomplete gamma function
- $\gamma\left(a,x\right)$: Lower incomplete gamma function
- $\Gamma\left(x\right)$: Gamma function

25.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

26 Gamma 3P Distribution

26.1 Distribution definition

$$X \sim \text{Gamma}_{3\text{P}}\left(\alpha, \text{Loc}, \beta\right)$$

26.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

26.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \beta \in \mathbb{R}^+$$

26.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}\left(\alpha, \frac{x - \text{Loc}}{\beta}\right) = \frac{1}{\Gamma(\alpha)}\gamma\left(\alpha, \frac{x - \text{Loc}}{\beta}\right)$$

26.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\Gamma(\alpha)\beta^\alpha}(x - \text{Loc})^{\alpha-1}e^{-\frac{x-\text{Loc}}{\beta}}$$

26.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \beta\text{P}^{-1}\left(\alpha, u\right)$$

26.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right)dx = \beta^k\frac{\Gamma(k+\alpha)}{\Gamma(\alpha)}$$

26.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}'_1 = \text{Loc} + \alpha\beta$$

26.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1 = \alpha\beta^2$$

26.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{2}{\sqrt{\alpha}}$$

26.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{6}{\alpha}$$

26.12 Parametric median

$$\text{Median}(X) = \text{Loc} + (\alpha - 1)\beta \quad \text{if } \alpha > 1$$

26.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \beta\text{P}^{-1}\left(\alpha, \frac{1}{2}\right)$$

26.14 Additional information and definitions

- $\tilde{X} \sim \text{Gamma}(\alpha, \beta)$
- Loc : Location parameter
- β : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma(a, x)$: Lower incomplete gamma function
- $\Gamma(x)$: Gamma function

26.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

27 Generalized Extreme Value Distribution

27.1 Distribution definition

$$X \sim \text{GeneralizedExtremeValue}\left(\xi, \mu, \sigma\right)$$

27.2 Distribution domain

$$\text{if } \xi > 0: \ x \in (z(x), \infty), \quad \text{if } \xi = 0: \ x \in (-\infty, \infty), \quad \text{if } \xi < 0: \ x \in (-\infty, z(x))$$

27.3 Parameters domain and parameters constraints

$$\xi \in \mathbb{R}, \mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

27.4 Cumulative distribution function

$$F_X\left(x\right) = \begin{cases} \exp\Big(-\exp(-z(x))\Big) & \text{if } \ \xi = 0 \\ \exp\Big(-(1+\xi z(x))^{-1/\xi}\Big) & \text{if } \ \xi \neq 0 \end{cases}$$

27.5 Probability density function

$$f_X\left(x\right) = \begin{cases} \frac{1}{\sigma}\exp(-z(x))\exp\Big(-\exp(-z(x))\Big) & \text{if } \ \xi = 0 \\ \frac{1}{\sigma}\Big(1+\xi z(x)\Big)^{-(1+1/\xi)}\exp\Big(-(1+\xi z(x))^{-1/\xi}\Big) & \text{if } \ \xi \neq 0 \end{cases}$$

27.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \begin{cases} \mu - \sigma\ln\left(-\ln\left(u\right)\right) & \text{if } \ \xi = 0 \\ \mu + \ \frac{\sigma}{\xi}\left(\left(-\ln(u)\ \right)^{-\xi} - 1\right) & \text{if } \ \xi \neq 0 \end{cases}$$

27.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = \Gamma(1-k\xi)$$

27.8 Parametric mean

$$\text{Mean}(X) = \begin{cases} \mu + \sigma(\mu_1' - 1)/\xi & \text{if } \xi \neq 0, \xi < 1 \\ \mu + \sigma\,\gamma & \text{if } \xi = 0 \end{cases}$$

27.9 Parametric variance

$$\text{Variance}(X) = \begin{cases} \sigma^2\left(\mu_2' - \mu_1'^2\right)/\xi^2 & \text{if } \xi \neq 0, \xi < \frac{1}{2} \\ \sigma^2\,\frac{\pi^2}{6} & \text{if } \xi = 0 \end{cases}$$

27.10 Parametric skewness

$$\text{Skewness}(X) = \begin{cases} \text{sign}(\xi)\frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} & \text{if } \xi \neq 0, \xi < \frac{1}{3} \\ \frac{12\sqrt{6}\,\zeta(3)}{\pi^3} & \text{if } \xi = 0 \end{cases}$$

27.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \begin{cases} 3 + \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} & \text{if } \xi \neq 0, \xi < \frac{1}{4} \\ 3 + \frac{12}{5} & \text{if } \xi = 0 \end{cases}$$

27.12 Parametric median

$$\text{Median}(X) = \begin{cases} \mu + \sigma \frac{(\ln 2)^{-\xi} - 1}{\xi} & \text{if } \xi \neq 0 \\ \mu - \sigma \ln \ln 2 & \text{if } \xi = 0 \end{cases}$$

27.13 Parametric mode

$$\text{Mode}(X) = \begin{cases} \mu + \sigma \frac{(1+\xi)^{-\xi} - 1}{\xi} & \text{if } \xi \neq 0 \\ \mu & \text{if } \xi = 0 \end{cases}$$

27.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- $z(x) = (x - \mu)/\sigma$
- u : Uniform[0,1] random varible
- $\Gamma(x)$: Gamma function
- γ : Euler-Mascheroni constant = 0.5772156649

27.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

28 Generalized Gamma Distribution

28.1 Distribution definition

$$X \sim \text{GeneralizedGamma}\left(a, d, p\right)$$

28.2 Distribution domain

$$x \in (0, \infty)$$

28.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}^+, d \in \mathbb{R}^+, p \in \mathbb{R}^+$$

28.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}(d/p, (x/a)^p) = \frac{\gamma(d/p, (x/a)^p)}{\Gamma(d/p)}$$

28.5 Probability density function

$$f_X\left(x\right) = \frac{p/a^d}{\Gamma(d/p)} x^{d-1} e^{-(x/a)^p}$$

28.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = a\text{P}^{-1}\left(\frac{d}{p}, u\right)^{\frac{1}{p}}$$

28.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^\infty x^k f_X\left(x\right) dx = a^k \frac{\Gamma(\frac{d+k}{p})}{\Gamma(\frac{d}{p})}$$

28.8 Parametric mean

$$\text{Mean}(X) = \mu'_1$$

28.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

28.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

28.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

28.12 Parametric median

$$\text{Median}(X) = a\text{P}^{-1}\left(\frac{d}{p}, \frac{1}{2}\right)^{\frac{1}{p}}$$

28.13 Parametric mode

$$\text{Mode}(X) = a\left(\frac{d-1}{p}\right)^{\frac{1}{p}} \quad \text{if } d > 1$$

28.14 Additional information and definitions

- a : Scale parameter
- u : Uniform[0,1] random varible
- $\mathrm{P}\left(a,x\right)=\frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\left(a,u\right)$: Inverse of regularized lower incomplete gamma function
- $\gamma\left(a,x\right)$: Lower incomplete gamma function
- $\Gamma\left(x\right)$: Gamma function

28.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

29 Generalized Gamma 4P Distribution

29.1 Distribution definition

$$X \sim \text{GeneralizedGamma}_{4\text{P}}\left(a, d, p, \text{Loc}\right)$$

29.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

29.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}^{+}, d \in \mathbb{R}^{+}, p \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

29.4 Cumulative distribution function

$$F_X\left(x\right) = \text{P}(d/p, ((x - \text{Loc})/a)^p) = \frac{\gamma(d/p, ((x - \text{Loc})/a)^p)}{\Gamma(d/p)}$$

29.5 Probability density function

$$f_X\left(x\right) = \frac{p/a^d}{\Gamma(d/p)}(x - \text{Loc})^{d-1}e^{-((x-\text{Loc})/a)^p}$$

29.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + a\text{P}^{-1}\left(\frac{d}{p}, u\right)^{\frac{1}{p}}$$

29.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = a^k \frac{\Gamma(\frac{d+k}{p})}{\Gamma(\frac{d}{p})}$$

29.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}_1'$$

29.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}_2' - \tilde{\mu}_1'^2$$

29.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}_3' - 3\tilde{\mu}_2'\tilde{\mu}_1' + 2\tilde{\mu}_1'^3}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^{1.5}}$$

29.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}_4' - 4\tilde{\mu}_1'\tilde{\mu}_3' + 6\tilde{\mu}_1'^2\tilde{\mu}_2' - 3\tilde{\mu}_1'^4}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^2}$$

29.12 Parametric median

$$\text{Median}(X) = \text{Loc} + a\text{P}^{-1}\left(\frac{d}{p}, \frac{1}{2}\right)^{\frac{1}{p}}$$

29.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + a\left(\frac{d-1}{p}\right)^{\frac{1}{p}} \quad \text{if } d > 1$$

29.14 Additional information and definitions

- $\tilde{X} \sim \text{GeneralizedGamma}\,(a, d, p)$
- Loc : Location parameter
- a : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}\,(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}\,(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma\,(a, x)$: Lower incomplete gamma function
- $\Gamma\,(x)$: Gamma function

29.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

30 Generalized Logistic Distribution

30.1 Distribution definition

$$X \sim \text{GeneralizedLogistic}\left(c, \text{Loc}, \text{Sc}\right)$$

30.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

30.3 Parameters domain and parameters constraints

$$c \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^{+}$$

30.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{\left(1 + \exp\left(-z(x)\right)\right)^{c}}$$

30.5 Probability density function

$$f_X\left(x\right) = \frac{c \exp\left(-z(x)\right)}{\text{Sc}\left(1 + \exp\left(-z(x)\right)\right)^{c+1}}$$

30.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} - \text{Sc} \ln\left(u^{-1/c} - 1\right)$$

30.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

30.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}_1' = \text{Loc} + \text{Sc}\left(\gamma + \psi_0\left(c\right)\right)$$

30.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \cdot (\tilde{\mu}_2' - \tilde{\mu}_1'^2) = \text{Sc}^2 \left(\frac{\pi^2}{6} + \psi_1\left(c\right)\right)$$

30.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{\psi_2\left(c\right) + 2\zeta\left(3\right)}{\left(\frac{\pi^2}{6} + \psi_1\left(c\right)\right)^{3/2}}$$

30.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{\left(\frac{\pi^4}{15} + \psi_3\left(c\right)\right)}{\left(\frac{\pi^2}{6} + \psi_1\left(c\right)\right)^2}$$

30.12 Parametric median

$$\text{Median}(X) = \text{Loc} - \text{Sc} \ln\left(2^{1/c} - 1\right)$$

30.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \text{Sc} \ln\left(c\right)$$

30.14 Additional information and definitions

- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc}) / \text{Sc}$
- u : Uniform[0,1] random varible
- γ : Euler-Mascheroni constant = 0.5772156649
- $\psi_0(x)$: Digamma function
- $\psi_n(x)$: Polygamma function of order $n \in \mathbb{N}$

30.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

31 Generalized Normal Distribution

31.1 Distribution definition

$$X \sim \text{GeneralizedNormal}\left(\beta, \mu, \alpha\right)$$

31.2 Distribution domain

$$x \in (-\infty, +\infty)$$

31.3 Parameters domain and parameters constraints

$$\beta \in \mathbb{R}^{+}, \mu \in \mathbb{R}, \alpha \in \mathbb{R}^{+}$$

31.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{2} + \frac{\text{sign}(x-\mu)}{2\Gamma(1/\beta)}\gamma\left(1/\beta, \left|\frac{x-\mu}{\alpha}\right|^{\beta}\right) = \frac{1}{2} + \frac{\text{sign}(x-\mu)}{2}\text{P}\left(1/\beta, \left|\frac{x-\mu}{\alpha}\right|^{\beta}\right)$$

31.5 Probability density function

$$f_X\left(x\right) = \frac{\beta}{2\alpha\Gamma(1/\beta)}\exp\left(-\left(\frac{|x-\mu|}{\alpha}\right)^{\beta}\right)$$

31.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{sign}(u-\frac{1}{2})\left[\alpha^{\beta}\text{P}^{-1}\left(\frac{1}{\beta}, 2|u-\frac{1}{2}|\right)\right]^{1/\beta} + \mu$$

31.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right)dx = \begin{cases} 0 & \text{if } k \text{ is odd} \\ \alpha^k\Gamma\left(\frac{k+1}{\beta}\right)\Big/\Gamma\left(\frac{1}{\beta}\right) & \text{if } k \text{ is even} \end{cases}$$

31.8 Parametric mean

$$\text{Mean}(X) = \mu + \alpha\mu_1' = \mu$$

31.9 Parametric variance

$$\text{Variance}(X) = \alpha^2(\mu_2' - \mu_1'^2) = \frac{\alpha^2\Gamma(3/\beta)}{\Gamma(1/\beta)}$$

31.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 0$$

31.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{\Gamma(5/\beta)\Gamma(1/\beta)}{\Gamma(3/\beta)^2}$$

31.12 Parametric median

$$\text{Median}(X) = \mu$$

31.13 Parametric mode

$$\text{Mode}(X) = \mu$$

31.14 Additional information and definitions

- μ : Location parameter
- α : Scale parameter
- u : Uniform[0,1] random varible
- $\mathrm{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma(a, x)$: Lower incomplete gamma function
- $\Gamma(x)$: Gamma function

31.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

32 Generalized Pareto Distribution

32.1 Distribution definition

$$X \sim \text{GeneralizedPareto}\left(c, \mu, \sigma\right)$$

32.2 Distribution domain

$$\text{if } c \geqslant 0: \ x \in (\mu, \infty), \quad \text{if } c < 0: \ x \in \left(-\infty, \mu - \frac{\sigma}{c}\right)$$

32.3 Parameters domain and parameters constraints

$$c \in \mathbb{R}, \mu \in \mathbb{R}, \sigma \in \mathbb{R}^+$$

32.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \left(1 + cz(x)\right)^{-1/c}$$

32.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sigma}(1 + cz(x))^{-(1/c+1)}$$

32.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \frac{\sigma(u^{-c} - 1)}{c}$$

32.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = \frac{(-1)^k}{c^k} \sum_{i=0}^{k} \binom{k}{i} \frac{(-1)^i}{1 - ci} \quad \text{if } < \frac{1}{k}$$

32.8 Parametric mean

$$\text{Mean}(X) = \mu + \sigma\mu_1' = \mu + \frac{\sigma}{1 - c} \quad \text{if } c < 1$$

32.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\mu_2' - \mu_1'^2) = \frac{\sigma^2}{(1 - c)^2(1 - 2c)} \quad \text{if } c < 1/2$$

32.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2(1 + c)\sqrt{1 - 2c}}{(1 - 3c)} \quad \text{if } c < 1/3$$

32.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{3(1 - 2c)(2c^2 + c + 3)}{(1 - 3c)(1 - 4c)} \quad \text{if } c < 1/4$$

32.12 Parametric median

$$\text{Median}(X) = \mu$$

32.13 Parametric mode

$$\text{Mode}(X) = \mu + \frac{\sigma(2^c - 1)}{c}$$

32.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- $z\left(x\right) = \left(x - \mu\right)/\sigma$
- u : Uniform[0,1] random varible

32.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

33 Gibrat Distribution

33.1 Distribution definition

$$X \sim \text{Gibrat}\left(\text{Loc}, \text{Sc}\right)$$

33.2 Distribution domain

$$x \in \left(\text{Loc}, \infty\right)$$

33.3 Parameters domain and parameters constraints

$$\text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^{+}$$

33.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\ln x\right) = \frac{1}{2}\left(1 + \text{erf}\left(\frac{\ln z(x)}{\sqrt{2}}\right)\right)$$

33.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\text{Sc}}\frac{1}{x\sqrt{2\pi}}\exp\left(-\frac{1}{2}\left(\ln z(x)\right)^2\right)$$

33.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \text{Sc} \times \exp\left(\Phi^{-1}\left(u\right)\right)$$

33.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{\text{Loc}}^{\infty} x^k f_X\left(x\right) dx = \exp\left(\frac{k^2}{2}\right)$$

33.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}_1' = \text{Loc} + \text{Sc} \cdot \sqrt{e}$$

33.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \cdot (\tilde{\mu}_2' - \tilde{\mu}_1'^2) = \text{Sc}^2\left[e^2 - e\right]$$

33.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \sqrt{e-1}\left(2 + e\right)$$

33.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = e^4 + 2e^3 + 3e^2 - 3$$

33.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \text{Sc} \times \exp\left(\Phi^{-1}\left(1/2\right)\right)$$

33.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \frac{\text{Sc}}{e}$$

33.14 Additional information and definitions

- Loc : Location parameter
- Sc : Scale parameter
- $z\left(x\right) = \left(x - \text{Loc}\right) / \text{Sc}$
- u : Uniform[0,1] random varible
- $\Phi\left(x\right)$: CDF normal standard distribution
- $\Phi^{-1}\left(x\right)$: PPF normal standard distribution
- $\text{erf}(x)$: Error function

33.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

34 Gumbel Left Distribution

34.1 Distribution definition

$$X \sim \text{GumbelLeft}\left(\mu, \sigma\right)$$

34.2 Distribution domain

$$x \in (-\infty, \infty)$$

34.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

34.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \exp\left(-e^{z(x)}\right)$$

34.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sigma} \exp\left(z(x) - e^{z(x)}\right)$$

34.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma \ln\left(-\ln\left(1 - u\right)\right)$$

34.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_{-\infty}^{\infty} x^k f_{\tilde{X}}\left(x\right) dx$$

34.8 Parametric mean

$$\text{Mean}(X) = \mu + \sigma\tilde{\mu}'_1 = \mu - \gamma\sigma$$

34.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \sigma^2\frac{\pi^2}{6}$$

34.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = -\frac{12\sqrt{6}\zeta(3)}{\pi^3}$$

34.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{12}{5}$$

34.12 Parametric median

$$\text{Median}(X) = \mu + \sigma \ln\left(-\ln\left(\frac{1}{2}\right)\right)$$

34.13 Parametric mode

$$\text{Mode}(X) = \mu$$

34.14 Additional information and definitions

- $\tilde{X} \sim \text{GumbelLeft}\,(0,1)$
- μ : Location parameter
- σ : Scale parameter
- $z\,(x) = (x-\mu)\,/\sigma$
- u : Uniform[0,1] random varible
- γ : Euler-Mascheroni constant = 0.5772156649
- $\zeta(3)$: Apéry's constant = 1.2020569031

34.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

35 Gumbel Right Distribution

35.1 Distribution definition

$$X \sim \text{GumbelRight}\left(\mu, \sigma\right)$$

35.2 Distribution domain

$$x \in (-\infty, \infty)$$

35.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

35.4 Cumulative distribution function

$$F_X\left(x\right) = \exp\left(-e^{-z(x)}\right)$$

35.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sigma}\exp\left(-\left(z(x) + e^{-z(x)}\right)\right)$$

35.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \tilde{\mu} - \sigma\ln\left(-\ln\left(u\right)\right)$$

35.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_{-\infty}^{\infty} x^k f_{\tilde{X}}\left(x\right) dx$$

35.8 Parametric mean

$$\text{Mean}(X) = \mu + \sigma\tilde{\mu}'_1 = \mu + \gamma\sigma$$

35.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \sigma^2\frac{\pi^2}{6}$$

35.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{12\sqrt{6}\zeta(3)}{\pi^3}$$

35.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{12}{5}$$

35.12 Parametric median

$$\text{Median}(X) = \mu - \sigma\ln\left(-\ln\left(\frac{1}{2}\right)\right)$$

35.13 Parametric mode

$$\text{Mode}(X) = \mu$$

35.14 Additional information and definitions

- $\tilde{X} \sim \text{GumbelRight}\,(0,1)$
- μ : Location parameter
- σ : Scale parameter
- $z\,(x) = (x-\mu)\,/\sigma$
- u : Uniform[0,1] random varible
- γ : Euler-Mascheroni constant = 0.5772156649
- $\zeta(3)$: Apéry's constant = 1.2020569031

35.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

36 Half Normal Distribution

36.1 Distribution definition

$$X \sim \text{HalfNormal}\left(\mu, \sigma\right)$$

36.2 Distribution domain

$$x \in (\mu, \infty)$$

36.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

36.4 Cumulative distribution function

$$F_X\left(x\right) = 2\Phi\left(z(x)\right) - 1 = \text{erf}\left(\frac{z(x)}{\sqrt{2}}\right)$$

36.5 Probability density function

$$f_X\left(x\right) = \frac{\sqrt{2}}{\sigma\sqrt{\pi}} \exp\left(-\frac{z(x)^2}{2}\right)$$

36.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma\Phi^{-1}\left(\frac{1+u}{2}\right) = \tilde{\mu} + \sigma\sqrt{2}\,\text{erf}^{-1}(u)$$

36.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \frac{2^{n/2}\Gamma(\frac{n+1}{2})}{\sqrt{\pi}}$$

36.8 Parametric mean

$$\text{Mean}(X) = \tilde{\mu} + \sigma\tilde{\mu}'_1 = \tilde{\mu} + \sigma\sqrt{\frac{2}{\pi}}$$

36.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \sigma^2\left(1 - \frac{2}{\pi}\right)$$

36.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{\sqrt{2}(4-\pi)}{(\pi-2)^{3/2}} = 0.9952717$$

36.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3 + \frac{8(\pi-3)}{(\pi-2)^2} = 3.869177$$

36.12 Parametric median

$$\text{Median}(X) = \mu + \sigma\sqrt{2}\,\text{erf}^{-1}(1/2)$$

36.13 Parametric mode

$$\text{Mode}(X) = \mu$$

36.14 Additional information and definitions

- $\tilde{X} \sim \text{HalfNormal}\,(0, 1)$
- μ : Location parameter
- σ : Scale parameter
- $z\,(x) = (x - \mu)\,/\sigma$
- u : Uniform[0,1] random varible
- $\Phi\,(x)$: CDF normal standard distribution
- $\Phi^{-1}\,(x)$: PPF normal standard distribution
- $\text{erf}(x)$: Error function
- $\Gamma\,(x)$: Gamma function

36.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

37 Hyperbolic Secant Distribution

37.1 Distribution definition

$$X \sim \text{HyperbolicSecant}\,(\mu, \sigma)$$

37.2 Distribution domain

$$x \in (-\infty, \infty)$$

37.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

37.4 Cumulative distribution function

$$F_X\,(x) = \frac{2}{\pi} \arctan\Big[\exp\Big(\frac{\pi}{2}\,z(x)\Big)\Big]$$

37.5 Probability density function

$$f_X\,(x) = \frac{1}{2\sigma} \operatorname{sech}\Big(\frac{\pi}{2}\,z(x)\Big)$$

37.6 Percent point function/Sample

$$F_X^{-1}\,(u) = \mu + \sigma \frac{2}{\pi}\,\ln\Big[\tan\Big(\frac{\pi}{2}\,u\Big)\Big]$$

37.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_{-\infty}^{\infty} x^k f_{\tilde{X}}\,(x)\,dx = \frac{1 + (-1)^k}{2\pi 2^{2k}} k! \left[\zeta\left(k+1, \frac{1}{4}\right) - \zeta\left(k+1, \frac{3}{4}\right)\right]$$

37.8 Parametric mean

$$\text{Mean}(X) = \mu + \sigma\tilde{\mu}'_1 = \mu$$

37.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \sigma^2$$

37.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = 0$$

37.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = 3$$

37.12 Parametric median

$$\text{Median}(X) = \mu$$

37.13 Parametric mode

$$\text{Mode}(X) = \mu$$

37.14 Additional information and definitions

- $\tilde{X} \sim \text{HyperbolicSecant}\,(0,1)$
- μ : Location parameter
- σ : Scale parameter
- $z\,(x) = (x-\mu)\,/\sigma$
- u : Uniform[0,1] random varible
- $\zeta(a,s)$: Hurwitz zeta function

37.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

38 Inverse Gamma Distribution

38.1 Distribution definition

$$X \sim \text{InverseGamma}\left(\alpha, \beta\right)$$

38.2 Distribution domain

$$x \in (0, \infty)$$

38.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+$$

38.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \frac{\gamma(\alpha, \beta/x)}{\Gamma(\alpha)} = 1 - \text{P}\left(\alpha, \frac{\beta}{x}\right)$$

38.5 Probability density function

$$f_X\left(x\right) = \frac{\beta^\alpha}{\Gamma(\alpha)} x^{-\alpha-1} \exp\left(-\frac{\beta}{x}\right)$$

38.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \frac{\beta}{\text{P}^{-1}\left(\alpha, 1-u\right)}$$

38.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \frac{\Gamma(\alpha-k)}{\Gamma(\alpha)} = \frac{1}{(\alpha-1)\cdots(\alpha-k)} \quad \text{if } \alpha > k$$

38.8 Parametric mean

$$\text{Mean}(X) = \beta\tilde{\mu}'_1$$

38.9 Parametric variance

$$\text{Variance}(X) = \beta^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)$$

38.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

38.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

38.12 Parametric median

$$\text{Median}(X) = \frac{\beta}{\text{P}^{-1}\left(\alpha, \frac{1}{2}\right)}$$

38.13 Parametric mode

$$\text{Mode}(X) = \frac{\beta}{\alpha+1}$$

38.14 Additional information and definitions

- $\tilde{X} \sim \text{InverseGamma}\,(\alpha, 1)$
- β : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}\,(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}\,(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma\,(a, x)$: Lower incomplete gamma function
- $\Gamma\,(x)$: Gamma function

38.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

39 Inverse Gamma 3P Distribution

39.1 Distribution definition

$$X \sim \text{InverseGamma}_{3\text{P}}\left(\alpha, \text{Loc}, \beta\right)$$

39.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

39.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}, \beta \in \mathbb{R}^{+}$$

39.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \frac{\gamma(\alpha, \beta/(x - \text{Loc}))}{\Gamma(\alpha)} = 1 - \text{P}\left(\alpha, \frac{\beta}{x - \text{Loc}}\right)$$

39.5 Probability density function

$$f_X\left(x\right) = \frac{\beta^{\alpha}}{\Gamma(\alpha)}(x - \text{Loc})^{-\alpha-1}\exp\left(-\frac{\beta}{x - \text{Loc}}\right)$$

39.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \frac{\beta}{\text{P}^{-1}\left(\alpha, 1 - u\right)}$$

39.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \frac{\Gamma(\alpha - k)}{\Gamma(\alpha)} = \frac{1}{(\alpha - 1)\cdots(\alpha - k)} \quad \text{if } \alpha > k$$

39.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \beta\mu_1'$$

39.9 Parametric variance

$$\text{Variance}(X) = \beta^2(\mu_2' - \mu_1'^2)$$

39.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

39.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

39.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \frac{\beta}{\text{P}^{-1}\left(\alpha, \frac{1}{2}\right)}$$

39.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \frac{\beta}{\alpha + 1}$$

39.14 Additional information and definitions

- $\tilde{X} \sim \text{InverseGamma}_{3\text{P}}(\alpha, 0, 1)$
- Loc : Location parameter
- β : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}(a, x) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function
- $\gamma(a, x)$: Lower incomplete gamma function
- $\Gamma(x)$: Gamma function

39.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

40 Inverse Gaussian Distribution

40.1 Distribution definition

$$X \sim \text{InverseGaussian}\left(\mu, \lambda\right)$$

40.2 Distribution domain

$$x \in (0, \infty)$$

40.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}^{+}, \lambda \in \mathbb{R}^{+}$$

40.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\sqrt{\frac{\lambda}{x}}\left(\frac{x}{\mu} - 1\right)\right) + \exp\left(\frac{2\lambda}{\mu}\right)\Phi\left(-\sqrt{\frac{\lambda}{x}}\left(\frac{x}{\mu} + 1\right)\right)$$

40.5 Probability density function

$$f_X\left(x\right) = \sqrt{\frac{\lambda}{2\pi x^3}}\exp\left[-\frac{\lambda(x-\mu)^2}{2\mu^2 x}\right]$$

40.6 Percent point function/Sample

$$\text{Sample}_X = \begin{cases} x_0 & \text{if } u_2 \leqslant \frac{\mu}{\mu + x_0} \\ \frac{\mu^2}{x_0} & \text{if } u_2 \geqslant \frac{\mu}{\mu + x_0} \end{cases}$$

40.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx$$

40.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \mu$$

40.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{\mu^3}{\lambda}$$

40.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 3\left(\frac{\mu}{\lambda}\right)^{1/2}$$

40.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + \frac{15\mu}{\lambda}$$

40.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

40.13 Parametric mode

$$\text{Mode}(X) = \mu \left[\left(1 + \frac{9\mu^2}{4\lambda^2} \right)^{\frac{1}{2}} - \frac{3\mu}{2\lambda} \right]$$

40.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- $\Phi(x)$: CDF normal standard distribution
- $\Phi^{-1}(x)$: PPF normal standard distribution
- $x_0 = \mu + \frac{\mu^2[\Phi^{-1}(u_1)]^2}{2\lambda} - \frac{\mu}{2\lambda}\sqrt{4\mu\lambda[\Phi^{-1}(u_1)]^2 + \mu^2([\Phi^{-1}(u_1)]^2)^2}$
- u_1 : Uniform[0,1] random varible
- u_2 : Uniform[0,1] random varible

40.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

41 Inverse Gaussian 3P Distribution

41.1 Distribution definition

$$X \sim \text{InverseGaussian}_{3P}\left(\mu, \lambda, \text{Loc}\right)$$

41.2 Distribution domain

$$x \in (0, \infty)$$

41.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}^{+}, \lambda \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

41.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\sqrt{\frac{\lambda}{x-\text{Loc}}}\left(\frac{x-\text{Loc}}{\mu}-1\right)\right) + \exp\left(\frac{2\lambda}{\mu}\right)\Phi\left(-\sqrt{\frac{\lambda}{x-\text{Loc}}}\left(\frac{x-\text{Loc}}{\mu}+1\right)\right)$$

41.5 Probability density function

$$f_X\left(x\right) = \sqrt{\frac{\lambda}{2\pi(x-\text{Loc})^3}}\exp\left[-\frac{\lambda(x-\mu-\text{Loc})^2}{2\mu^2(x-\text{Loc})}\right]$$

41.6 Percent point function/Sample

$$\text{Sample}_X = \begin{cases} \text{Loc} + x_0 & \text{if} \quad u_2 \leqslant \frac{\mu}{\mu+x_0} \\ \text{Loc} + \frac{\mu^2}{x_0} & \text{if} \quad u_2 \geqslant \frac{\mu}{\mu+x_0} \end{cases}$$

41.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{\text{Loc}}^{\infty} x^k f_X\left(x\right) dx$$

41.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = \text{Loc} + \mu$$

41.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = \frac{\mu^3}{\lambda}$$

41.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = 3\left(\frac{\mu}{\lambda}\right)^{1/2}$$

41.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 3 + \frac{15\mu}{\lambda}$$

41.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

41.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \mu \left[\left(1 + \frac{9\mu^2}{4\lambda^2} \right)^{\frac{1}{2}} - \frac{3\mu}{2\lambda} \right]$$

41.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- Loc : Location parameter
- $\Phi\left(x\right)$: CDF normal standard distribution
- $\Phi^{-1}\left(x\right)$: PPF normal standard distribution
- $x_0 = \mu + \frac{\mu^2[\Phi^{-1}(u_1)]^2}{2\lambda} - \frac{\mu}{2\lambda}\sqrt{4\mu\lambda[\Phi^{-1}\left(u_1\right)]^2 + \mu^2([\Phi^{-1}\left(u_1\right)]^2)^2}$
- u_1 : Uniform[0,1] random varible
- u_2 : Uniform[0,1] random varible

41.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

42 Johnson SB Distribution

42.1 Distribution definition

$$X \sim \text{JohnsonSB}\left(\xi, \lambda, \gamma, \delta\right)$$

42.2 Distribution domain

$$x \in (\xi, \xi + \lambda)$$

42.3 Parameters domain and parameters constraints

$$\xi \in \mathbb{R}, \lambda \in \mathbb{R}^+, \gamma \in \mathbb{R}, \delta \in \mathbb{R}^+$$

42.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\gamma + \delta \ln \frac{z(x)}{1 - z(x)}\right)$$

42.5 Probability density function

$$f_X\left(x\right) = \frac{\delta}{\lambda\sqrt{2\pi}z(1 - z(x))} \exp\left[-\frac{1}{2}\left(\gamma + \delta \ln \frac{z(x)}{1 - z(x)}\right)^2\right]$$

42.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \frac{\lambda \exp\left(\frac{\Phi^{-1}(u) - \gamma}{\delta}\right)}{1 + \exp\left(\frac{\Phi^{-1}(u) - \gamma}{\delta}\right)} + \xi$$

42.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{\xi}^{\xi+\lambda} x^k f_X\left(x\right) dx$$

42.8 Parametric mean

$$\text{Mean}(X) = \mu'_1$$

42.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

42.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

42.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

42.12 Parametric median

$$\text{Median}(X) = \frac{\lambda \exp\left(\frac{\Phi^{-1}(1/2) - \gamma}{\delta}\right)}{1 + \exp\left(\frac{\Phi^{-1}(1/2) - \gamma}{\delta}\right)} + \xi$$

42.13 Parametric mode

$$\text{Mode}(X) = \arg\max_{x} f_X(x)$$

42.14 Additional information and definitions

- ξ : Location parameter
- λ : Scale parameter
- $z(x) = (x - \xi)/\lambda$
- u : Uniform[0,1] random varible
- $\Phi(x)$: CDF normal standard distribution
- $\Phi^{-1}(x)$: PPF normal standard distribution

42.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

43 Johnson SU Distribution

43.1 Distribution definition

$$X \sim \text{JohnsonSU}\left(\xi, \lambda, \gamma, \delta\right)$$

43.2 Distribution domain

$$x \in (-\infty, \infty)$$

43.3 Parameters domain and parameters constraints

$$\xi \in \mathbb{R}, \lambda \in \mathbb{R}^+, \gamma \in \mathbb{R}, \delta \in \mathbb{R}^+$$

43.4 Cumulative distribution function

$$F_X\left(x\right) = \Phi\left(\gamma + \delta \sinh^{-1}(z(x))\right)$$

43.5 Probability density function

$$f_X\left(x\right) = \frac{\delta}{\lambda\sqrt{2\pi}\sqrt{z(x)^2+1}} \exp\left[-\frac{1}{2}\left(\gamma + \delta \sinh^{-1}(z(x))\right)^2\right]$$

43.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \lambda \sinh\left(\frac{\Phi^{-1}(u) - \gamma}{\delta}\right) + \xi$$

43.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

43.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \xi - \lambda \exp\frac{\delta^{-2}}{2} \sinh\left(\frac{\gamma}{\delta}\right)$$

43.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{\lambda^2}{2}(\exp(\delta^{-2}) - 1)\left(\exp(\delta^{-2})\cosh\left(\frac{2\gamma}{\delta}\right) + 1\right)$$

43.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = -\frac{\lambda^3\sqrt{e^{\delta^{-2}}}(e^{\delta^{-2}} - 1)^2(e^{\delta^{-2}})(e^{\delta^{-2}} + 2)\sinh(\frac{3\gamma}{\delta}) + 3\sinh(\frac{2\gamma}{\delta}))}{4\text{Variance}(X)^{1.5}}$$

43.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{\lambda^4(e^{\delta^{-2}} - 1)^2(K_1 + K_2 + K_3)}{8\text{Variance}(X)^2}$$

43.12 Parametric median

$$\text{Median}(X) = \xi + \lambda \sinh\left(-\frac{\gamma}{\delta}\right)$$

43.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X\left(x\right)$$

43.14 Additional information and definitions

- ξ : Location parameter
- λ : Scale parameter
- $z\left(x\right)=\left(x-\xi\right)/\lambda$
- u : Uniform[0,1] random varible
- $\Phi\left(x\right)$: CDF normal standard distribution
- $\Phi^{-1}\left(x\right)$: PPF normal standard distribution
- $K_1=\left(e^{\delta^{-2}}\right)^2\left(\left(e^{\delta^{-2}}\right)^4+2\left(e^{\delta^{-2}}\right)^3+3\left(e^{\delta^{-2}}\right)^2-3\right)\cosh\left(\frac{4\gamma}{\delta}\right)$
- $K_2=4\left(e^{\delta^{-2}}\right)^2\left(\left(e^{\delta^{-2}}\right)+2\right)\cosh\left(\frac{3\gamma}{\delta}\right)$
- $K_3=3\left(2\left(e^{\delta^{-2}}\right)+1\right)$

43.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

44 Kumaraswamy Distribution

44.1 Distribution definition

$$X \sim \text{Kumaraswamy}\left(\alpha, \beta, \min, \max\right)$$

44.2 Distribution domain

$$x \in (\min, \max)$$

44.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+, \min \in \mathbb{R}, \max \in \mathbb{R}$$

44.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - (1 - z(x)^{\alpha})^{\beta}$$

44.5 Probability density function

$$f_X\left(x\right) = \alpha\beta z(x)^{\alpha-1}(1 - z(x)^{\alpha})^{\beta-1}$$

44.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \min + (\max - \min) \times (1 - (1 - u)^{\frac{1}{\beta}})^{\frac{1}{\alpha}}$$

44.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^1 x^k f_{\tilde{X}}\left(x\right) dx = \beta\text{Beta}(1 + \frac{k}{\alpha}, \beta)$$

44.8 Parametric mean

$$\text{Mean}(X) = \min + (\max - \min) \times \tilde{\mu}'_1$$

44.9 Parametric variance

$$\text{Variance}(X) = (\max - \min)^2 \left(\tilde{\mu}'_2 - \tilde{\mu}'^2_1\right)$$

44.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

44.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

44.12 Parametric median

$$\text{Median}(X) = \min + (\max - \min) \times \left(1 - 2^{-1/b}\right)^{1/a}$$

44.13 Parametric mode

$$\text{Mode}(X) = \min + (\max - \min) \times \left(\frac{a - 1}{ab - 1}\right)^{1/a}$$

44.14 Additional information and definitions

- $\tilde{X} \sim \text{Kumaraswamy}\left(\alpha, \beta, 0, 1\right)$
- $z\left(x\right) = \left(x - \min\right) / \left(\max - \min\right)$
- u : Uniform[0,1] random varible
- $\text{Beta}\left(x, y\right)$: Beta function

44.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

45 Laplace Distribution

45.1 Distribution definition

$$X \sim \text{Laplace}\left(\mu, b\right)$$

45.2 Distribution domain

$$x \in (-\infty, \infty)$$

45.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}^+, b \in \mathbb{R}^+$$

45.4 Cumulative distribution function

$$F_X\left(x\right) = \tfrac{1}{2} + \tfrac{1}{2}\text{sign}(x-\mu)\left(1 - \exp\left(-\frac{|x-\mu|}{b}\right)\right)$$

45.5 Probability density function

$$f_X\left(x\right) = \frac{1}{2b}\exp\left(-\frac{|x-\mu|}{b}\right)$$

45.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu - b \times \text{sign}\left(u - \frac{1}{2}\right)\ln\left(1 - 2\left|p - \frac{1}{2}\right|\right)$$

45.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right)dx = \left(\frac{1}{2}\right)\sum_{k=0}^{r}\left[\frac{r!}{(r-k)!}b^k\mu^{(r-k)}\{1 + (-1)^k\}\right]$$

45.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = \mu$$

45.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = 2b^2$$

45.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = 0$$

45.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 6$$

45.12 Parametric median

$$\text{Median}(X) = \mu$$

45.13 Parametric mode

$$\text{Mode}(X) = \mu$$

45.14 Additional information and definitions

- μ : Location parameter
- b : Scale parameter
- u : Uniform[0,1] random varible

45.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

46 Levy Distribution

46.1 Distribution definition

$$X \sim \text{Levy}\left(\mu, c\right)$$

46.2 Distribution domain

$$x \in [\mu, \infty)$$

46.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, c \in \mathbb{R}^{+}$$

46.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \text{erf}\left(\sqrt{\frac{c}{2(x-\mu)}}\right)$$

46.5 Probability density function

$$f_X\left(x\right) = \sqrt{\frac{c}{2\pi}} \ \ \frac{e^{-\frac{c}{2(x-\mu)}}}{(x-\mu)^{3/2}}$$

46.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \frac{c}{2\left(\text{erf}^{-1}(1-u)\right)^2}$$

46.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{\mu}^{\infty} x^k f_X\left(x\right) dx$$

46.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \infty$$

46.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \infty$$

46.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \text{undefined}$$

46.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \text{undefined}$$

46.12 Parametric median

$$\text{Median}(X) = \mu + \frac{c}{2(\text{erf}^{-1}(1/2))^2}$$

46.13 Parametric mode

$$\text{Mode}(X) = \mu + \frac{c}{3}$$

46.14 Additional information and definitions

- μ : Location parameter
- c : Scale parameter
- u : Uniform[0,1] random varible
- $\text{erf}(x)$: Error function
- $\text{erf}^{-1}(x)$: Inverse of error function

46.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

47 Loggamma Distribution

47.1 Distribution definition

$$X \sim \text{LogGamma}\left(c, \mu, \sigma\right)$$

47.2 Distribution domain

$$x \in (0, \infty)$$

47.3 Parameters domain and parameters constraints

$$c \in \mathbb{R}^{+}, \mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

47.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{\gamma\left(c, e^{x}\right)}{\Gamma\left(c\right)} = \text{P}\left(c, e^{z(x)}\right)$$

47.5 Probability density function

$$f_X\left(x\right) = \frac{\exp\left(cz(x) - e^{z(x)}\right)}{\sigma\Gamma\left(c\right)}$$

47.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma \ln\left(\text{P}^{-1}\left(u, c\right)\right)$$

47.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

47.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \mu + \sigma\psi_0$$

47.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \alpha^2\psi_1\left(c\right)$$

47.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{\psi_2\left(c\right)}{\psi_1\left(c\right)}$$

47.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{\psi_3\left(c\right)}{\psi_1\left(c\right)}$$

47.12 Parametric median

$$\text{Median}(X) = \mu + \sigma \ln\left(\text{P}^{-1}\left(1/2, c\right)\right)$$

47.13 Parametric mode

$$\text{Mode}(X) = \mu + \sigma \ln(c)$$

47.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- $z\left(x\right) = \left(x - \mu\right)/\sigma$
- u : Uniform[0,1] random varible
- $\mathrm{P}\left(a, x\right) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\left(a, u\right)$: Inverse of regularized lower incomplete gamma function
- $\gamma\left(a, x\right)$: Lower incomplete gamma function
- $\Gamma\left(x\right)$: Gamma function
- $\psi_0\left(x\right)$: Digamma function
- $\psi_n\left(x\right)$: Polygamma function of order $n \in \mathbb{N}$

47.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

48 Logistic Distribution

48.1 Distribution definition

$$X \sim \text{Logistic}\left(\mu, \sigma\right)$$

48.2 Distribution domain

$$x \in (-\infty, \infty)$$

48.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

48.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{1 + e^{-(x-\mu)/\sigma}}$$

48.5 Probability density function

$$f_X\left(x\right) = \frac{e^{-(x-\mu)/\sigma}}{\sigma\left(1 + e^{-(x-\mu)/\sigma}\right)^2}$$

48.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma \log\left(\frac{u}{1-u}\right)$$

48.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

48.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \mu$$

48.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{\sigma^2\pi^2}{3}$$

48.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 0$$

48.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + 6/5$$

48.12 Parametric median

$$\text{Median}(X) = \mu$$

48.13 Parametric mode

$$\text{Mode}(X) = \mu$$

48.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- u : Uniform[0,1] random varible

48.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

49 Loglogistic Distribution

49.1 Distribution definition

$$X \sim \text{LogLogistic}\left(\alpha, \beta\right)$$

49.2 Distribution domain

$$x \in [0, \infty)$$

49.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^{+}, \beta \in \mathbb{R}^{+}$$

49.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{1 + (x/\alpha)^{-\beta}}$$

49.5 Probability density function

$$f_X\left(x\right) = \frac{(\beta/\alpha)(x/\alpha)^{\beta-1}}{\left(1 + (x/\alpha)^{\beta}\right)^2}$$

49.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \alpha\left(\frac{u}{1-u}\right)^{1/\beta}$$

49.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx = \alpha^k \text{Beta}(1 - k/\beta, 1 + k/\beta) = \alpha^k \, \frac{k\pi/\beta}{\sin(k\pi/\beta)}$$

49.8 Parametric mean

$$\text{Mean}(X) = \mu_1'$$

49.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2$$

49.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

49.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

49.12 Parametric median

$$\text{Median}(X) = \alpha$$

49.13 Parametric mode

$$\text{Mode}(X) = \alpha\left(\frac{\beta - 1}{\beta + 1}\right)^{1/\beta}$$

49.14 Additional information and definitions

- α : Scale parameter
- u : Uniform[0,1] random varible
- Beta (x, y) : Beta function

49.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

50 Loglogistic 3P Distribution

50.1 Distribution definition

$$X \sim \text{LogLogistic}_{3\text{P}}\left(\text{Loc}, \alpha, \beta\right)$$

50.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

50.3 Parameters domain and parameters constraints

$$\text{Loc} \in \mathbb{R}, \alpha \in \mathbb{R}^{+}, \beta \in \mathbb{R}^{+}$$

50.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{1 + ((x - \text{Loc})/\alpha)^{-\beta}}$$

50.5 Probability density function

$$f_X\left(x\right) = \frac{(\beta/\alpha)((x - \text{Loc})/\alpha)^{\beta-1}}{\left(1 + ((x - \text{Loc})/\alpha)^{\beta}\right)^2}$$

50.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \alpha\left(\frac{u}{1-u}\right)^{1/\beta}$$

50.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \alpha^k \text{Beta}(1 - k/\beta, 1 + k/\beta) = \alpha^k \, \frac{k\pi/\beta}{\sin(k\pi/\beta)}$$

50.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}_1'$$

50.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}_2' - \tilde{\mu}_1'^2$$

50.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}_3' - 3\tilde{\mu}_2'\tilde{\mu}_1' + 2\tilde{\mu}_1'^3}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^{1.5}}$$

50.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}_4' - 4\tilde{\mu}_1'\tilde{\mu}_3' + 6\tilde{\mu}_1'^2\tilde{\mu}_2' - 3\tilde{\mu}_1'^4}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^2}$$

50.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \alpha$$

50.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \alpha\left(\frac{\beta - 1}{\beta + 1}\right)^{1/\beta}$$

50.14 Additional information and definitions

- $\tilde{X} \sim \text{LogLogistic}\,(\alpha, \beta)$
- Loc : Location parameter
- α : Scale parameter
- u : Uniform[0,1] random varible
- $\text{Beta}\,(x, y)$: Beta function

50.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

51 Lognormal Distribution

51.1 Distribution definition

$$X \sim \text{LogNormal}\left(\mu, \sigma\right)$$

51.2 Distribution domain

$$x \in (-\infty, \infty)$$

51.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

51.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{2}\left[1 + \text{erf}\left(\frac{\ln(x) - \mu}{\sigma\sqrt{2}}\right)\right]$$

51.5 Probability density function

$$f_X\left(x\right) = \frac{1}{x\sigma\sqrt{2\pi}}\ \exp\left(-\frac{\left(\ln\left(x\right) - \mu\right)^2}{2\sigma^2}\right)$$

51.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \exp(\mu + \sqrt{2\sigma^2}\,\text{erf}^{-1}(2u - 1))$$

51.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = e^{k\mu + k^2\sigma^2/2}$$

51.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = e^{\mu + \frac{\sigma^2}{2}}$$

51.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = e^{2\mu + \sigma^2}(e^{\sigma^2} - 1)$$

51.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = (e^{\sigma^2} + 2)\sqrt{e^{\sigma^2} - 1}$$

51.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = e^{4\sigma^2} + 2e^{3\sigma^2} + 3e^{2\sigma^2} - 3$$

51.12 Parametric median

$$\text{Median}(X) = \exp(\mu)$$

51.13 Parametric mode

$$\text{Mode}(X) = \exp(\mu - \sigma^2)$$

51.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- u : Uniform[0,1] random varible

51.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

52 Maxwell Distribution

52.1 Distribution definition

$$X \sim \text{Maxwell}\left(\alpha, \text{Loc}\right)$$

52.2 Distribution domain

$$x \in (0, \infty)$$

52.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

52.4 Cumulative distribution function

$$F_X\left(x\right) = \text{erf}\left(\frac{x - \text{Loc}}{\sqrt{2}\alpha}\right) - \sqrt{\frac{2}{\pi}}\frac{(x - \text{Loc})e^{-(x-\text{Loc})^2/\left(2\alpha^2\right)}}{\alpha}$$

52.5 Probability density function

$$f_X\left(x\right) = \sqrt{\frac{2}{\pi}}\frac{(x - \text{Loc})^2 e^{-(x-\text{Loc})^2/\left(2\alpha^2\right)}}{\alpha^3}$$

52.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \alpha\sqrt{2\text{P}^{-1}\left(1.5, u\right)}$$

52.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

52.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \text{Loc} + 2\alpha\sqrt{\frac{2}{\pi}}$$

52.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{\alpha^2(3\pi - 8)}{\pi}$$

52.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2\sqrt{2}(16 - 5\pi)}{(3\pi - 8)^{3/2}}$$

52.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 4\frac{\left(-96 + 40\pi - 3\pi^2\right)}{(3\pi - 8)^2} + 3$$

52.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \alpha\sqrt{2\text{P}^{-1}\left(1.5, \frac{1}{2}\right)}$$

52.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \alpha\sqrt{2}$$

52.14 Additional information and definitions

- Loc : Location parameter
- α : Scale parameter
- u : Uniform[0,1] random varible
- $\text{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function

52.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

53 Moyal Distribution

53.1 Distribution definition

$$X \sim \text{Moyal}\left(\mu, \sigma\right)$$

53.2 Distribution domain

$$x \in (-\infty, \infty)$$

53.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

53.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \text{P}\left(\frac{1}{2}, \frac{e^{-z(x)}}{2}\right) = 1 - \text{erf}\left(\frac{\exp\left(-0.5z(x)\right)}{\sqrt{2}}\right)$$

53.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sqrt{2\pi}} \exp\left(-\frac{1}{2}\left(z(x) + e^{-z(x)}\right)\right)$$

53.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma \ln\left[\Phi^{-1}\left(\left(\frac{1-u}{2}\right)^2\right)\right] = \mu + \sigma \ln\left[2\text{P}^{-1}\left(\frac{1}{2}, 1-u\right)\right]$$

53.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

53.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \mu + \sigma(\ln(2) + \gamma)$$

53.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \sigma^2\left(\frac{\pi^2}{2}\right)$$

53.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{28\sqrt{2}\zeta(3)}{\pi^3}$$

53.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 7$$

53.12 Parametric median

$$\text{Median}(X) = \mu + \sigma \ln\left[2\text{P}^{-1}\left(\frac{1}{2}, \frac{1}{2}\right)\right]$$

53.13 Parametric mode

$$\text{Mode}(X) = \mu$$

53.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- $z\left(x\right) = \left(x - \mu\right) / \sigma$
- $\mathrm{P}\left(a, x\right) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\mathrm{P}^{-1}\left(a, u\right)$: Inverse of regularized lower incomplete gamma function
- $\gamma\left(a, x\right)$: Lower incomplete gamma function
- $\Gamma\left(x\right)$: Gamma function
- $\mathrm{erf}(x)$: Error function
- $\Phi^{-1}\left(x\right)$: PPF normal standard distribution
- γ : Euler-Mascheroni constant = 0.5772156649
- $\zeta(3)$: Apéry's constant = 1.2020569031

53.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

54 Nakagami Distribution

54.1 Distribution definition

$$X \sim \text{Nakagami}\left(m, \Omega\right)$$

54.2 Distribution domain

$$x \in (0, \infty)$$

54.3 Parameters domain and parameters constraints

$$m \in \mathbb{R}^{+}_{\geqslant \frac{1}{2}}, \Omega \in \mathbb{R}^{+}$$

54.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{\gamma\left(m, \frac{m}{\Omega}x^2\right)}{\Gamma(m)} = \text{P}\left(m, \frac{m}{\Omega}x^2\right)$$

54.5 Probability density function

$$f_X\left(x\right) = \frac{2m^m}{\Gamma(m)\Omega^m}x^{2m-1}\exp\left(-\frac{m}{\Omega}x^2\right)$$

54.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \sqrt{\frac{\Omega}{m}\text{P}^{-1}\left(m, u\right)}$$

54.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx$$

54.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)}\left(\frac{\Omega}{m}\right)^{1/2}$$

54.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \Omega\left(1 - \frac{1}{m}\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)}\right)^2\right)$$

54.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)\sqrt{m}}\left(1 - 4m\left(1 - \frac{1}{m}\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)}\right)^2\right)\right)}{2m\left(1 - \frac{1}{m}\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)}\right)^2\right)^{3/2}}$$

54.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + \frac{-6\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)\sqrt{m}}\right)^4 m + (8m-2)\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)\sqrt{m}}\right)^2 - 2m + 1}{m\left(1 - \frac{1}{m}\left(\frac{\Gamma(m+\frac{1}{2})}{\Gamma(m)}\right)^2\right)^2}$$

54.12 Parametric median

$$\text{Median}(X) = \sqrt{\frac{\Omega}{m} \text{P}^{-1}\left(m, \frac{1}{2}\right)}$$

54.13 Parametric mode

$$\text{Mode}(X) = \frac{\sqrt{2}}{2}\left(\frac{(2m-1)\Omega}{m}\right)^{1/2}$$

54.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $\text{P}\left(a, x\right) = \frac{\gamma(a,x)}{\Gamma(a)}$: Regularized lower incomplete gamma function
- $\text{P}^{-1}\left(a, u\right)$: Inverse of regularized lower incomplete gamma function

54.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

55 Non Central Chi Square Distribution

55.1 Distribution definition

$$X \sim \text{NonCentralChiSquare}\left(\lambda, n\right)$$

55.2 Distribution domain

$$x \in [0, +\infty)$$

55.3 Parameters domain and parameters constraints

$$\lambda \in \mathbb{R}^{+}, n \in \mathbb{R}^{+}$$

55.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - Q_{\frac{n}{2}}\left(\sqrt{\lambda}, \sqrt{x}\right)$$

55.5 Probability density function

$$f_X\left(x\right) = \frac{1}{2} e^{-(x+\lambda)/2} \left(\frac{x}{\lambda}\right)^{n/4-1/2} I_{n/2-1}(\sqrt{\lambda x})$$

55.6 Percent point function/Sample

$$\text{Sample}_X = \sum_{i=1}^{n} \left(\sqrt{\frac{\lambda}{n}} + \Phi^{-1}\left(u_i\right)\right)^2$$

55.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx = 2^{k-1}(k-1)!(n+k\lambda) + \sum_{j=1}^{k-1} \frac{(k-1)!2^{j-1}}{(k-j)!}(n+j\lambda)\mu'_{k-j}$$

55.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = n + \lambda$$

55.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1 = 2(n + 2\lambda)$$

55.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = \frac{2^{3/2}(n+3\lambda)}{(n+2\lambda)^{3/2}}$$

55.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = \frac{12(n+4\lambda)}{(n+2\lambda)^2}$$

55.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

55.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X\left(x\right)$$

55.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- u_i : Uniform[0,1] random varible
- $\Phi^{-1}(x)$: PPF normal standard distribution
- $I_\alpha(x)$: Modified Bessel function of the first kind of order $\alpha \in \mathbb{N}$

55.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

56 Non Central F Distribution

56.1 Distribution definition

$$X \sim \text{NonCentralF}\left(\lambda, n_1, n_2\right)$$

56.2 Distribution domain

$$x \in [0, \infty)$$

56.3 Parameters domain and parameters constraints

$$\lambda \in \mathbb{R}^+, n_1 \in \mathbb{R}^+, n_2 \in \mathbb{R}^+$$

56.4 Cumulative distribution function

$$F_X\left(x\right) = \sum_{j=0}^{\infty} \left(\frac{\left(\frac{1}{2}\lambda\right)^j}{j!} e^{-\lambda/2} \right) I_{n_1 x/(n_2+n_1 x)}\left(\frac{n_1}{2}+j, \frac{n_2}{2}\right)$$

56.5 Probability density function

$$f_X\left(x\right) = \sum_{k=0}^{\infty} \frac{e^{-\lambda/2}(\lambda/2)^k}{\text{Beta}\left(\frac{n_2}{2}, \frac{n_1}{2}+k\right) k!} \left(\frac{n_1}{n_2}\right)^{\frac{n_1}{2}+k} \left(\frac{n_2}{n_2+n_1 x}\right)^{\frac{n_1+n_2}{2}+k} x^{n_1/2-1+k}$$

56.6 Percent point function/Sample

$$\text{Sample}_X = \frac{\left(\sum_{i=1}^{n_1}\left(\sqrt{\frac{\lambda}{n_1}} + \Phi^{-1}\left(u_i\right)\right)^2\right)/n_1}{\left(2\text{P}^{-1}\left(\frac{n_2}{2}, u\right)\right)/n_2}$$

56.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_0^{\infty} x^k f_X\left(x\right) dx = e^{-\lambda/2}\left(\frac{n1}{n2}\right)^k \frac{\Gamma\left(n_1/2-k\right)}{\Gamma\left(n_1/2\right)} \sum_{r=0}^{\infty}\left(\frac{1}{r!}\right)\left(\frac{\lambda}{2}\right)^r \frac{\Gamma\left(\frac{n_1}{2}+r+k\right)}{\Gamma\left(\frac{n_1}{2}+r\right)}$$

56.8 Parametric mean

$$\text{Mean}(X) = \mu'_1$$

56.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

56.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

56.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

56.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

56.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X(x)$$

56.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- u : Uniform[0,1] random varible
- u_i : Uniform[0,1] random varible
- $\Phi^{-1}(x)$: PPF normal standard distribution
- $\mathrm{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function
- $I(x, a, b)$: Regularized incomplete beta function
- $\text{Beta}(x, y)$: Beta function

56.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

57 Non Central T Student Distribution

57.1 Distribution definition

$$X \sim \text{NonCentralTStudent}\left(\lambda, n, \text{Loc}, \text{Sc}\right)$$

57.2 Distribution domain

$$x \in (-\infty, \infty)$$

57.3 Parameters domain and parameters constraints

$$\lambda \in \mathbb{R}, n \in \mathbb{R}^{+}, \text{Sc} \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

57.4 Cumulative distribution function

$$F_X\left(x\right) = \begin{cases} \frac{1}{2}\sum_{j=0}^{\infty}\frac{1}{j!}(-\lambda\sqrt{2})^j e^{\frac{-\lambda^2}{2}}\frac{\Gamma(\frac{j+1}{2})}{\sqrt{\pi}} I_{n/(n+z(x)^2)}\left(\frac{n}{2}, \frac{j+1}{2}\right) & \text{if } z(x) \geq 0 \\ 1 - \frac{1}{2}\sum_{j=0}^{\infty}\frac{1}{j!}(-\lambda\sqrt{2})^j e^{\frac{-\lambda^2}{2}}\frac{\Gamma(\frac{j+1}{2})}{\sqrt{\pi}} I_{n/(n+z(x)^2)}\left(\frac{n}{2}, \frac{j+1}{2}\right) & \text{if } z(x) < 0 \end{cases}$$

57.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\text{Sc}}\frac{n^{n/2}\Gamma\left(n+1\right)}{2^n e^{\lambda^2/2}\left(n+z(x)^2\right)^{n/2}\Gamma\left(n/2\right)} \times \left\{\frac{\sqrt{2}\lambda z(x) {}_1F_1\left(\frac{n}{2}+1, \frac{3}{2}, \frac{\lambda^2 z(x)^2}{2(n+z(x)^2)}\right)}{\left(n+z(x)^2\right)\Gamma\left(\frac{n+1}{2}\right)} - \frac{{}_1F_1\left(\frac{n+1}{2}, \frac{1}{2}, \frac{\lambda^2 z(x)^2}{2(n+z(x)^2)}\right)}{\sqrt{n+z(x)^2}\Gamma\left(\frac{n}{2}+1\right)}\right\}$$

57.6 Percent point function/Sample

$$\text{Sample}_X = \text{Loc} + \text{Sc}\frac{\left(\lambda + \Phi^{-1}\left(u\right)\right)}{\left(\sqrt{2\text{P}^{-1}\left(\frac{n}{2}, u\right)}\right)/n}$$

57.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \frac{e^{-\lambda^2/2}}{\sqrt{n\pi}\Gamma\left(n/2\right)}\Gamma\left(\frac{n-k}{2}\right) n^{k/2}\sum_{r=0}^{\infty}\frac{\lambda^r 2^{r/2}}{r!}\Gamma\left(\frac{r+k+1}{2}\right)$$

57.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc}\tilde{\mu}'_1$$

57.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)$$

57.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

57.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

57.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

57.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X(x)$$

57.14 Additional information and definitions

- $\tilde{X} \sim \text{NonCentralTStudent}(\lambda, n, 0, 1)$
- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- Loc : Location parameter
- Sc : Scale parameter
- $z(x) = (x - \text{Loc})/\text{Sc}$
- u : Uniform[0,1] random varible
- $\text{P}^{-1}(a, u)$: Inverse of regularized lower incomplete gamma function
- $I_\alpha(x)$: Modified Bessel function of the first kind of order $\alpha \in \mathbb{N}$
- ${}_1F_1(a, b, z)$: Kummer's confluent hypergeometric function

57.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

58 Normal Distribution

58.1 Distribution definition

$$X \sim \text{Normal}\,(\mu, \sigma)$$

58.2 Distribution domain

$$x \in (-\infty, \infty)$$

58.3 Parameters domain and parameters constraints

$$\mu \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

58.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{2}\left[1 + \text{erf}\left(\frac{x-\mu}{\sigma\sqrt{2}}\right)\right] = \Phi\left(\frac{x-\mu}{\sigma}\right)$$

58.5 Probability density function

$$f_X\left(x\right) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\frac{1}{2}\left(\frac{x-\mu}{\sigma}\right)^2} = \phi\left(\frac{x-\mu}{\sigma}\right)$$

58.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \mu + \sigma\sqrt{2}\,\text{erf}^{-1}(2u-1) = \mu + \sigma\Phi^{-1}\left(u\right)$$

58.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = \sigma^k \cdot (-i\sqrt{2})^k U\left(-\frac{k}{2}, \frac{1}{2}, -\frac{1}{2}\left(\frac{\mu}{\sigma}\right)^2\right)$$

58.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \mu$$

58.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \sigma^2$$

58.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 0$$

58.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3$$

58.12 Parametric median

$$\text{Median}(X) = \mu$$

58.13 Parametric mode

$$\text{Mode}(X) = \mu$$

58.14 Additional information and definitions

- μ : Location parameter
- σ : Scale parameter
- u : Uniform[0,1] random varible
- $U(a, b, z)$: Tricomi's confluent hypergeometric function
- $\Phi(x)$: CDF normal standard distribution
- $\Phi^{-1}(x)$: PPF normal standard distribution
- $\phi(x)$: PDF normal standard distribution
- $\operatorname{erf}(x)$: Error function
- $\operatorname{erf}^{-1}(x)$: Inverse of error function

58.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

59 Pareto First Kind Distribution

59.1 Distribution definition

$$X \sim \text{ParetoFirstKind}\left(x_{\text{m}}, \alpha, \text{Loc}\right)$$

59.2 Distribution domain

$$x \in [\text{Loc} + x_{\text{m}}, \infty)$$

59.3 Parameters domain and parameters constraints

$$x_{\text{m}} \in \mathbb{R}^{+}, \alpha \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

59.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \left(\frac{x_{\text{m}}}{x - \text{Loc}}\right)^{\alpha}$$

59.5 Probability density function

$$f_X\left(x\right) = \frac{\alpha x_{\text{m}}^{\alpha}}{(x - \text{Loc})^{\alpha+1}}$$

59.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + x_{\text{m}}(1-u)^{-\frac{1}{\alpha}}$$

59.7 Parametric centered moments

$$\tilde{\mu}_k' = E[\tilde{X}^k] = \int_{x_{\text{m}}}^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \begin{cases} \infty & \text{if } \alpha \leq k \\ \frac{\alpha x_{\text{m}}^k}{\alpha - k} & \text{if } \alpha > k \end{cases}$$

59.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}_1' = \text{Loc} + \frac{\alpha x_{\text{m}}}{\alpha - 1} \quad \text{if } \alpha > 1$$

59.9 Parametric variance

$$\text{Variance}(X) = (\tilde{\mu}_2' - \tilde{\mu}_1'^2) = \frac{x_{\text{m}}^2 \alpha}{(\alpha-1)^2(\alpha-2)} \quad \text{if } \alpha > 2$$

59.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}_3' - 3\tilde{\mu}_2'\tilde{\mu}_1' + 2\tilde{\mu}_1'^3}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^{1.5}} = \frac{2(1+\alpha)}{\alpha - 3}\sqrt{\frac{\alpha - 2}{\alpha}} \quad \text{if } \alpha > 3$$

59.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}_4' - 4\tilde{\mu}_1'\tilde{\mu}_3' + 6\tilde{\mu}_1'^2\tilde{\mu}_2' - 3\tilde{\mu}_1'^4}{(\tilde{\mu}_2' - \tilde{\mu}_1'^2)^2} = \frac{6(\alpha^3 + \alpha^2 - 6\alpha - 2)}{\alpha(\alpha-3)(\alpha-4)} \quad \text{if } \alpha > 4$$

59.12 Parametric median

$$\text{Median}(X) = \text{Loc} + x_{\text{m}}\sqrt[\alpha]{2}$$

59.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + x_{\text{m}}$$

59.14 Additional information and definitions

- $\tilde{X} \sim \text{ParetoFirstKind}\left(x_{\text{m}}, \alpha, 0\right)$
- Loc : Location parameter
- x_{m} : Scale parameter
- u : Uniform[0,1] random varible

59.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

60 Pareto Second Kind Distribution

60.1 Distribution definition

$$X \sim \text{ParetoSecondKind}\left(x_{\text{m}}, \alpha, \text{Loc}\right)$$

60.2 Distribution domain

$$x \in (\text{Loc}, \infty)$$

60.3 Parameters domain and parameters constraints

$$x_{\text{m}} \in \mathbb{R}^{+}, \alpha \in \mathbb{R}^{+}, \text{Loc} \in \mathbb{R}$$

60.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - \left[1 + \frac{x - \text{Loc}}{x_{\text{m}}}\right]^{-\alpha}$$

60.5 Probability density function

$$f_X\left(x\right) = \frac{\alpha}{x_{\text{m}}}\left[1 + \frac{x - \text{Loc}}{x_{\text{m}}}\right]^{-(\alpha+1)}$$

60.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + x_{\text{m}}\left[(1-p)^{-\frac{1}{\alpha}} - 1\right]$$

60.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \frac{x_{\text{m}}^k \Gamma(\alpha - k)\Gamma(1+k)}{\Gamma(\alpha)}$$

60.8 Parametric mean

$$\text{Mean}(X) = \tilde{\mu}'_1 = \frac{x_{\text{m}}}{\alpha - 1} \quad \text{if } \alpha > 1$$

60.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1 = \frac{x_{\text{m}}^2 \alpha}{(\alpha-1)^2(\alpha-2)} \quad \text{if } \alpha > 2$$

60.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \frac{2(1+\alpha)}{\alpha - 3}\sqrt{\frac{\alpha - 2}{\alpha}} \quad \text{if } \alpha > 3$$

60.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = \frac{6(\alpha^3 + \alpha^2 - 6\alpha - 2)}{\alpha(\alpha-3)(\alpha-4)} \quad \text{if } \alpha > 4$$

60.12 Parametric median

$$\text{Median}(X) = x_{\text{m}}\left(\sqrt[\alpha]{2} - 1\right)$$

60.13 Parametric mode

$$\text{Mode}(X) = 0$$

60.14 Additional information and definitions

- $X \sim \text{ParetoSecondKind}\left(x_{\text{m}}, \alpha, 0\right)$
- x_{m} : Scale parameter
- u : Uniform[0,1] random varible
- $\Gamma\left(x\right)$: Gamma function

60.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

61 Pert Distribution

61.1 Distribution definition

$$X \sim \text{Pert}\,(a, b, c)$$

61.2 Distribution domain

$$x \in [a, c]$$

61.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}, b \in \mathbb{R}, c \in \mathbb{R}, a < b < c$$

61.4 Cumulative distribution function

$$F_X\,(x) = I(z(x), \alpha_1, \alpha_2)$$

61.5 Probability density function

$$f_X\,(x) = \frac{(x-a)^{\alpha_1-1}(c-x)^{\alpha_2-1}}{\text{Beta}(\alpha_1,\alpha_2)(c-a)^{\alpha_1+\alpha_2-1}}$$

61.6 Percent point function/Sample

$$F_X^{-1}\,(u) = a + (c-a)\cdot I^{-1}\,(u, \alpha_1, \alpha_2)$$

61.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_a^c x^k f_X\,(x)\,dx$$

61.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \frac{a + 4b + c}{6}$$

61.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{(\text{Mean}(X) - a)(c - \text{Mean}(X))}{7}$$

61.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2\,(\alpha_2 - \alpha_1)\sqrt{\alpha_1 + \alpha_2 + 1}}{(\alpha_1 + \alpha_2 + 2)\sqrt{\alpha_1\alpha_2}}$$

61.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{6[(\alpha_1-\alpha_2)^2(\alpha_1+\alpha_2+1) - \alpha_1\alpha_2(\alpha_1+\alpha_2+2)]}{\alpha_1\alpha_2(\alpha_1+\alpha_2+2)(\alpha_1+\alpha_2+3)} + 3$$

61.12 Parametric median

$$\text{Median}(X) = a + (c-a)\cdot I^{-1}\left(\frac{1}{2}, \alpha_1, \alpha_2\right)$$

61.13 Parametric mode

$$\text{Mode}(X) = b$$

61.14 Additional information and definitions

- $z\left(x\right)=\left(x-a\right)/\left(c-a\right)$
- u : Uniform[0,1] random varible
- $\alpha_1=\frac{4b+c-5a}{c-a},\alpha_2=\frac{5c-a-4b}{c-a}$
- $I\left(x,a,b\right)$: Regularized incomplete beta function
- $I^{-1}\left(x,a,b\right)$: Inverse of regularized incomplete beta function
- $\text{Beta}\left(x,y\right)$: Beta function

61.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

62 Power Function Distribution

62.1 Distribution definition

$$X \sim \text{PowerFunction}\left(\alpha, a, b\right)$$

62.2 Distribution domain

$$x \in [a, b]$$

62.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^{+}, a \in \mathbb{R}, b \in \mathbb{R}, a < b$$

62.4 Cumulative distribution function

$$F_X\left(x\right) = \left(\frac{x-a}{b-a}\right)^{\alpha}$$

62.5 Probability density function

$$f_X\left(x\right) = \frac{\alpha(x-a)^{\alpha-1}}{(b-a)^{\alpha}}$$

62.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \left[a + u(b-a)\right]^{-\alpha}$$

62.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_a^b x^k f_X\left(x\right) dx$$

62.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \frac{a + b\alpha}{\alpha + 1}$$

62.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{2a^2 + 2ab\alpha + b^2\alpha(\alpha+1)}{(\alpha+1)(\alpha+2)} - \text{Mean}(X)^2$$

62.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 2\left(1-\alpha\right)\sqrt{\frac{\alpha+2}{\alpha\left(\alpha+3\right)}}$$

62.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \frac{6\left(\alpha^3 - \alpha^2 - 6\alpha + 2\right)}{\alpha\left(\alpha+3\right)\left(\alpha+4\right)} + 3$$

62.12 Parametric median

$$\text{Median}(X) = \left[a + \frac{1}{2}(b-a)\right]^{-\alpha}$$

62.13 Parametric mode

$$\text{Mode}(X) = \text{undefined}$$

62.14 Additional information and definitions

- a : Location parameter
- $b - a$: Scale parameter
- u : Uniform[0,1] random varible

62.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

63 Rayleigh Distribution

63.1 Distribution definition

$$X \sim \text{Rayleigh}\left(\gamma, \sigma\right)$$

63.2 Distribution domain

$$x \in [\gamma, \infty)$$

63.3 Parameters domain and parameters constraints

$$\gamma \in \mathbb{R}, \sigma \in \mathbb{R}^{+}$$

63.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - e^{-z(x)^2/2}$$

63.5 Probability density function

$$f_X\left(x\right) = z(x) \times e^{-z(x)^2/2}/\sigma$$

63.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \gamma + \sigma\sqrt{-2\log\left(1-u\right)}$$

63.7 Parametric centered moments

$$\mu_k' = E[\tilde{X}^k] = \int_0^{\infty} x^k f_{\tilde{X}}\left(x\right) dx = \sqrt{2^k}\Gamma\left(\frac{k}{2}+1\right)$$

63.8 Parametric mean

$$\text{Mean}(X) = \gamma + \sigma \cdot \mu_1' = \gamma + \sigma\sqrt{\frac{\pi}{2}}$$

63.9 Parametric variance

$$\text{Variance}(X) = \sigma^2(\mu_2' - \mu_1'^2) = \sigma^2\frac{4-\pi}{2}$$

63.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{2\left(\pi-3\right)\sqrt{\pi}}{\left(4-\pi\right)^{3/2}}$$

63.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 + \frac{24\pi - 6\pi^2 - 16}{\left(4-\pi\right)^2}$$

63.12 Parametric median

$$\text{Median}(X) = \gamma + \sigma\sqrt{-2\log\left(\frac{1}{2}\right)}$$

63.13 Parametric mode

$$\text{Mode}(X) = \gamma + \sigma$$

63.14 Additional information and definitions

- $\tilde{X} \sim \text{Rayleigh}\,(0,1)$
- γ : Location parameter
- σ : Scale parameter
- $z\,(x) = (x-\gamma)\,/\sigma$
- u : Uniform[0,1] random varible
- $\Gamma\,(x)$: Gamma function

63.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

64 Reciprocal Distribution

64.1 Distribution definition

$$X \sim \text{Reciprocal}\,(a, b)$$

64.2 Distribution domain

$$x \in [a, b]$$

64.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}^+, b \in \mathbb{R}^+, a < b$$

64.4 Cumulative distribution function

$$F_X\,(x) = \frac{\ln(x) - \ln(a)}{\ln(b) - \ln(a)}$$

64.5 Probability density function

$$f_X\,(x) = \frac{1}{x\,(\ln(b) - \ln(a))}$$

64.6 Percent point function/Sample

$$F_X^{-1}\,(u) = \exp(\ln(a) + u \times (\ln(b) - \ln(a)))$$

64.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_a^b x^k f_X\,(x)\,dx = \frac{b^k - a^k}{k\,(\ln(b) - \ln(a))}$$

64.8 Parametric mean

$$\text{Mean}(X) = \mu'_1$$

64.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

64.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

64.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

64.12 Parametric median

$$\text{Median}(X) = \exp\left[\ln(a) + \frac{(\ln(b) - \ln(a))}{2}\right]$$

64.13 Parametric mode

$$\text{Mode}(X) = a$$

64.14 Additional information and definitions

- u : Uniform[0,1] random varible

64.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

65 Rice Distribution

65.1 Distribution definition

$$X \sim \text{Rice}\left(v, \sigma\right)$$

65.2 Distribution domain

$$x \in [0, \infty)$$

65.3 Parameters domain and parameters constraints

$$v \in \mathbb{R}^{+}, \sigma \in \mathbb{R}^{+}$$

65.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - Q_1\left(\frac{v}{\sigma}, \frac{x}{\sigma}\right)$$

65.5 Probability density function

$$f_X\left(x\right) = \frac{x}{\sigma^2} \exp\left(\frac{-(x^2+v^2)}{2\sigma^2}\right) I_0\left(\frac{xv}{\sigma^2}\right)$$

65.6 Percent point function/Sample

$$\text{Sample}_X = \sqrt{\Phi^{-1}(u_1, v, \sigma)^2 + \Phi^{-1}(u_2, 0, \sigma)^2}$$

65.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = \sigma^k 2^{k/2}\, \Gamma(1 + k/2)\, L_{k/2}(-v^2/2\sigma^2)$$

65.8 Parametric mean

$$\text{Mean}(X) = \mu'_1$$

65.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

65.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}}$$

65.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2}$$

65.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(\frac{1}{2}\right)$$

65.13 Parametric mode

$$\text{Mode}(X) = \arg\max_x f_X\left(x\right)$$

65.14 Additional information and definitions

- Computing an analytic expression for the inverse of the cumulative distribution function is not feasible. Nonetheless, it is possible to generate a random sample from the distribution.
- $\Phi^{-1}\left(u, mean, variance\right)$: Inverse of cumulative function from normal distribution
- $L_r\left(x\right)$: Laguerre polynomials of order $r \in \mathbb{R}$
- $L_{\frac{1}{2}}\left(x\right) = e^{x/2}(x)I_1\left(\frac{x}{2}\right) - e^{x/2}(x-1)I_0\left(\frac{x}{2}\right)$
- $L_{\frac{3}{2}}\left(x\right) = \frac{1}{3}e^{x/2}(2x^2 - 6x + 3)I_0(x/2) - \frac{2}{3}e^{x/2}(x-2)xI_1(x/2)$
- $I_\alpha\left(x\right)$: Modified Bessel function of the first kind of order $\alpha \in \mathbb{N}$
- $Q_k(a, b)$: Marcum Q-function of order k $\in \mathbb{N}$
- u_1 : Uniform[0,1] random varible
- u_2 : Uniform[0,1] random varible

65.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

66 Semicircular Distribution

66.1 Distribution definition

$$X \sim \text{Semicircular}\left(\text{Loc}, R\right)$$

66.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

66.3 Parameters domain and parameters constraints

$$\text{Loc} \in \mathbb{R}, R \in \mathbb{R}^{+}$$

66.4 Cumulative distribution function

$$F_X\left(x\right) = \frac{1}{2} + \frac{z(x)\sqrt{R^2 - z(x)^2}}{\pi R^2} + \frac{\arcsin\left(\frac{z(x)}{R}\right)}{\pi}$$

66.5 Probability density function

$$f_X\left(x\right) = \frac{2}{\pi R^2}\sqrt{R^2 - z(x)^2}$$

66.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + R \times \left(2I^{-1}\left(u, 1.5, 1.5\right) - 1\right)$$

66.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{\text{Loc}}^{\infty} x^k f_X\left(x\right) dx$$

66.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \text{Loc}$$

66.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{R^2}{4}$$

66.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = 0$$

66.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 2$$

66.12 Parametric median

$$\text{Median}(X) = \text{Loc}$$

66.13 Parametric mode

$$\text{Mode}(X) = \text{Loc}$$

66.14 Additional information and definitions

- Loc : Location parameter
- R : Scale parameter
- $z\left(x\right) = x - \text{Loc}$
- u : Uniform[0,1] random varible
- $I^{-1}\left(x, a, b\right)$: Inverse of regularized incomplete beta function

66.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

67 T Student Distribution

67.1 Distribution definition

$$X \sim \text{TStudent}\left(\text{df}\right)$$

67.2 Distribution domain

$$x \in (-\infty, \infty)$$

67.3 Parameters domain and parameters constraints

$$\text{df} \in \mathbb{R}^{+}$$

67.4 Cumulative distribution function

$$F_X\left(x\right) = I\left(\frac{x + \sqrt{x^2 + \text{df}}}{2\sqrt{x^2 + \text{df}}}, \frac{\text{df}}{2}, \frac{\text{df}}{2}\right)$$

67.5 Probability density function

$$f_X\left(x\right) = \frac{\left(1 + x^2/\text{df}\right)^{-(1+\text{df})/2}}{\sqrt{\text{df}} \times \text{Beta}\left(\frac{1}{2}, \frac{\text{df}}{2}\right)}$$

67.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \begin{cases} \sqrt{\frac{\text{df}(1 - I^{-1}(u, \text{df}/2, \text{df}/2))}{I^{-1}(u, \text{df}/2, \text{df}/2)}} & \text{if } u \geq \frac{1}{2} \\ -\sqrt{\frac{\text{df}(1 - I^{-1}(u, \text{df}/2, \text{df}/2))}{I^{-1}(u, \text{df}/2, \text{df}/2)}} & \text{if } u < \frac{1}{2} \end{cases}$$

67.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\left(x\right) dx = \begin{cases} 0 & \text{if } k \text{ odd } \wedge\ 0 < k < \text{df} \\ \text{df}^{\frac{k}{2}} \prod_{i=1}^{k/2} \frac{2i-1}{\text{df}-2i} & \text{if } k \text{ even } \wedge\ 0 < k < \text{df} \end{cases}$$

67.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = 0$$

67.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \begin{cases} \text{df}/(\text{df} + 2) & \text{if } \text{df} > 2 \\ \text{undefined} & \text{if } \text{df} \leq 2 \end{cases}$$

67.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \begin{cases} 0 & \text{if } \text{df} > 3 \\ \text{undefined} & \text{if } \text{df} \leq 3 \end{cases}$$

67.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = \begin{cases} 3 + 6/(\text{df} - 4) & \text{if } \text{df} > 4 \\ \text{undefined} & \text{if } \text{df} \leq 4 \end{cases}$$

67.12 Parametric median

$$\text{Median}(X) = 0$$

67.13 Parametric mode

$$\text{Mode}(X) = 0$$

67.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $I\left(x,a,b\right)$: Regularized incomplete beta function
- $I^{-1}\left(x,a,b\right)$: Inverse of regularized incomplete beta function
- $\text{Beta}\left(x,y\right)$: Beta function

67.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

68 T Student 3P Distribution

68.1 Distribution definition

$$X \sim \text{TStudent}_{3\text{P}}\left(\text{df}, \text{Loc}, \text{Sc}\right)$$

68.2 Distribution domain

$$x \in (-\infty, \infty)$$

68.3 Parameters domain and parameters constraints

$$\text{df} \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \text{Sc} \in \mathbb{R}^+$$

68.4 Cumulative distribution function

$$F_X\left(x\right) = I\left(\frac{z(x) + \sqrt{z(x)^2 + \text{df}}}{2\sqrt{z(x)^2 + \text{df}}}, \frac{\text{df}}{2}, \frac{\text{df}}{2}\right)$$

68.5 Probability density function

$$f_X\left(x\right) = \frac{\left(1 + z(x)^2/\text{df}\right)^{-(1+\text{df})/2}}{\sqrt{\text{df}} \times \text{Beta}\left(\frac{1}{2}, \frac{\text{df}}{2}\right)}$$

68.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \begin{cases} \text{Loc} + \text{Sc}\ \sqrt{\frac{\text{df}(1 - I^{-1}(u, \text{df}/2, \text{df}/2))}{I^{-1}(u, \text{df}/2, \text{df}/2)}} & \text{if } \ u \geq \frac{1}{2} \\ \text{Loc} - \text{Sc}\ \sqrt{\frac{\text{df}(1 - I^{-1}(u, \text{df}/2, \text{df}/2))}{I^{-1}(u, \text{df}/2, \text{df}/2)}} & \text{if } \ u < \frac{1}{2} \end{cases}$$

68.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \begin{cases} 0 & \text{if } \ k \text{ odd } \wedge \ 0 < k < \text{df} \\ \text{df}^{\frac{k}{2}} \prod_{i=1}^{k/2} \frac{2i-1}{\text{df}-2i} & \text{if } \ k \text{ even } \wedge \ 0 < k < \text{df} \end{cases}$$

68.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \text{Sc} \cdot \tilde{\mu}'_1 = \text{Loc}$$

68.9 Parametric variance

$$\text{Variance}(X) = \text{Sc}^2 \times (\tilde{\mu}'_2 - \tilde{\mu}'^2_1) = \begin{cases} \text{Sc}^2\ \text{df}/(\text{df}+2) & \text{if } \ \text{df} > 2 \\ \text{undefined} & \text{if } \ \text{df} \leq 2 \end{cases}$$

68.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}} = \begin{cases} 0 & \text{if } \ \text{df} > 3 \\ \text{undefined} & \text{if } \ \text{df} \leq 3 \end{cases}$$

68.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2} = \begin{cases} 3 + 6/(\text{df}-4) & \text{if } \ \text{df} > 4 \\ \text{undefined} & \text{if } \ \text{df} \leq 4 \end{cases}$$

68.12 Parametric median

$$\text{Median}(X) = \text{Loc}$$

68.13 Parametric mode

$$\text{Mode}(X) = \text{Loc}$$

68.14 Additional information and definitions

- $\tilde{X} \sim \text{TStudent}\,(\text{df})$
- Loc : Location parameter
- Sc : Scale parameter
- $z\,(x) = (x - \text{Loc})\,/\text{Sc}$
- u : Uniform[0,1] random varible
- $I\,(x, a, b)$: Regularized incomplete beta function
- $I^{-1}\,(x, a, b)$: Inverse of regularized incomplete beta function
- $\text{Beta}\,(x, y)$: Beta function

68.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

69 Trapezoidal Distribution

69.1 Distribution definition

$$X \sim \text{Trapezoidal}\,(a, b, c, d)$$

69.2 Distribution domain

$$x \in [a, d]$$

69.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}, b \in \mathbb{R}, c \in \mathbb{R}, d \in \mathbb{R}, a < b < c, b < c < d$$

69.4 Cumulative distribution function

$$F_X\left(x\right) = \begin{cases} \frac{1}{d+c-a-b}\frac{1}{b-a}(x-a)^2 & \text{if } \ a \leq x < b \\ \frac{1}{d+c-a-b}(2x-a-b) & \text{if } \ b \leq x < c \\ 1 - \frac{1}{d+c-a-b}\frac{1}{d-c}(d-x)^2 & \text{if } \ c \leq x \leq d \end{cases}$$

69.5 Probability density function

$$f_X\left(x\right) = \begin{cases} \frac{2}{d+c-a-b}\frac{x-a}{b-a} & \text{if } \ a \leq x < b \\ \frac{2}{d+c-a-b} & \text{if } \ b \leq x < c \\ \frac{2}{d+c-a-b}\frac{d-x}{d-c} & \text{if } \ c \leq x \leq d \end{cases}$$

69.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \begin{cases} a + \sqrt{u \times (d+c-a-b) \times (b-a)} & \text{if } u \leq A_1 \\ (a+b+u \times (d+c-a-b))/2 & \text{if } A_1 \leq u \leq A_1 + A_2 \\ d - \sqrt{(1-u) \times (d+c-a-b) \times (d-c)} & \text{if } A_1 + A_2 \leq u \leq A_1 + A_2 + A_3 \end{cases}$$

69.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_a^b x^k f_X\left(x\right) dx = \frac{2}{d+c-b-a}\frac{1}{(k+1)(k+2)}\left(\frac{d^{k+2}-c^{k+2}}{d-c} - \frac{b^{k+2}-a^{k+2}}{b-a}\right)$$

69.8 Parametric mean

$$\text{Mean}(X) = \mu_1'$$

69.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2$$

69.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

69.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

69.12 Parametric median

$$\text{Median}(X) = F_X^{-1}\left(1/2\right)$$

69.13 Parametric mode

$$\text{Mode}(X) \in [b, c]$$

69.14 Additional information and definitions

- u : Uniform[0,1] random varible
- $A_1 = (b - a)/(d + c - a - b)$
- $A_2 = 2(c - b)/(d + c - a - b)$
- $A_3 = (d - c)/(d + c - a - b)$

69.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

70 Triangular Distribution

70.1 Distribution definition

$$X \sim \text{Triangular}\left(a, b, c\right)$$

70.2 Distribution domain

$$x \in [a, b]$$

70.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}, b \in \mathbb{R}, c \in \mathbb{R}, a < c < b$$

70.4 Cumulative distribution function

$$F_X\left(x\right) = \begin{cases} \frac{(x-a)^2}{(b-a)(c-a)} & \text{if } \ a < x \leq c \\ 1 - \frac{(b-x)^2}{(b-a)(b-c)} & \text{if } \ c < x < b \end{cases}$$

70.5 Probability density function

$$f_X\left(x\right) = \begin{cases} \frac{2(x-a)}{(b-a)(c-a)} & \text{if } \ a \leq x < c, \\ \frac{2(b-x)}{(b-a)(b-c)} & \text{if } \ c \leq x \leq b, \end{cases}$$

70.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \begin{cases} a + \sqrt{U(b-a)(c-a)} & \text{if } \ 0 < U < \frac{c-a}{b-a} \\ b - \sqrt{(1-U)(b-a)(b-c)} & \text{if } \ \frac{c-a}{b-a} \leq U < 1 \end{cases}$$

70.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_a^b x^k f_X\left(x\right) dx$$

70.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \frac{a+b+c}{3}$$

70.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \frac{a^2+b^2+c^2-ab-ac-bc}{18}$$

70.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}} = \frac{\sqrt{2}(a+b-2c)(2a-b-c)(a-2b+c)}{5(a^2+b^2+c^2-ab-ac-bc)^{\frac{3}{2}}}$$

70.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2} = 3 - \frac{3}{5}$$

70.12 Parametric median

$$\text{Median}(X) = \begin{cases} a + \sqrt{\frac{(b-a)(c-a)}{2}} & \text{if } c \geq \frac{a+b}{2} \\ b - \sqrt{\frac{(b-a)(b-c)}{2}} & \text{if } c \leq \frac{a+b}{2} \end{cases}$$

70.13 Parametric mode

$$\text{Mode}(X) \in [b, c]$$

70.14 Additional information and definitions

- u : Uniform[0,1] random varible

70.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

71 Uniform Distribution

71.1 Distribution definition

$$X \sim \text{Uniform}\,(a, b)$$

71.2 Distribution domain

$$x \in [a, b]$$

71.3 Parameters domain and parameters constraints

$$a \in \mathbb{R}, b \in \mathbb{R}, a < b$$

71.4 Cumulative distribution function

$$F_X\,(x) = \frac{x-a}{b-a}$$

71.5 Probability density function

$$f_X\,(x) = \frac{1}{b-a}$$

71.6 Percent point function/Sample

$$F_X^{-1}\,(u) = a + u \cdot (b-a)$$

71.7 Parametric centered moments

$$\mu'_k = E[X^k] = \int_{-\infty}^{\infty} x^k f_X\,(x)\,dx = \frac{1}{k+1}\sum_{i=0}^{k} a^i b^{k-i}$$

71.8 Parametric mean

$$\text{Mean}(X) = \mu'_1 = \tfrac{1}{2}(a+b)$$

71.9 Parametric variance

$$\text{Variance}(X) = \mu'_2 - \mu'^2_1$$

71.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu'_3 - 3\mu'_2\mu'_1 + 2\mu'^3_1}{(\mu'_2 - \mu'^2_1)^{1.5}} = 0$$

71.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu'_4 - 4\mu'_1\mu'_3 + 6\mu'^2_1\mu'_2 - 3\mu'^4_1}{(\mu'_2 - \mu'^2_1)^2} = 3 - \frac{6}{5}$$

71.12 Parametric median

$$\text{Median}(X) = \tfrac{1}{2}(a+b)$$

71.13 Parametric mode

$$\text{Mode}(X) \in [a, b]$$

71.14 Additional information and definitions

- u : Uniform[0,1] random varible

71.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

72 Weibull Distribution

72.1 Distribution definition

$$X \sim \text{Weibull}\,(\alpha, \beta)$$

72.2 Distribution domain

$$x \in [0, \infty)$$

72.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \beta \in \mathbb{R}^+$$

72.4 Cumulative distribution function

$$F_X\,(x) = 1 - e^{-(x/\beta)^\alpha}$$

72.5 Probability density function

$$f_X\,(x) = \frac{\alpha}{\beta}\left(\frac{x}{\beta}\right)^{\alpha-1} e^{-(x/\beta)^\alpha}$$

72.6 Percent point function/Sample

$$F_X^{-1}\,(u) = \beta(-\ln(1-u))^{1/\alpha}$$

72.7 Parametric centered moments

$$\mu_k' = E[X^k] = \int_0^\infty x^k f_X\,(x)\,dx = \beta^\alpha \Gamma\left(1 + \frac{k}{\alpha}\right)$$

72.8 Parametric mean

$$\text{Mean}(X) = \mu_1' = \beta \cdot \Gamma(1 + 1/\alpha)$$

72.9 Parametric variance

$$\text{Variance}(X) = \mu_2' - \mu_1'^2 = \beta^2\left[\Gamma\,(1 + 2/\alpha) - (\Gamma\,(1 + 1/\alpha))^2\right]$$

72.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\mu_3' - 3\mu_2'\mu_1' + 2\mu_1'^3}{(\mu_2' - \mu_1'^2)^{1.5}}$$

72.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\mu_4' - 4\mu_1'\mu_3' + 6\mu_1'^2\mu_2' - 3\mu_1'^4}{(\mu_2' - \mu_1'^2)^2}$$

72.12 Parametric median

$$\text{Median}(X) = \beta(\ln(2))^{1/\alpha}$$

72.13 Parametric mode

$$\text{Mode}(X) = \begin{cases} \beta\left(\frac{\alpha-1}{\alpha}\right)^{1/\alpha} & \text{if } \alpha > 1 \\ 0 & \text{if } \alpha \leq 1 \end{cases}$$

72.14 Additional information and definitions

- β : Scale parameter
- u : Uniform[0,1] random varible
- $\Gamma(x)$: Gamma function

72.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

73 Weibull 3P Distribution

73.1 Distribution definition

$$X \sim \text{Weibull}_{3\text{P}}\left(\alpha, \text{Loc}, \beta\right)$$

73.2 Distribution domain

$$x \in [\text{Loc}, \infty)$$

73.3 Parameters domain and parameters constraints

$$\alpha \in \mathbb{R}^+, \text{Loc} \in \mathbb{R}, \beta \in \mathbb{R}^+$$

73.4 Cumulative distribution function

$$F_X\left(x\right) = 1 - e^{-z(x)^\alpha}$$

73.5 Probability density function

$$f_X\left(x\right) = \frac{\alpha}{\beta} z(x)^{\alpha-1} e^{-z(x)^\alpha}$$

73.6 Percent point function/Sample

$$F_X^{-1}\left(u\right) = \text{Loc} + \beta(-\ln(1-u))^{1/\alpha}$$

73.7 Parametric centered moments

$$\tilde{\mu}'_k = E[\tilde{X}^k] = \int_0^\infty x^k f_{\tilde{X}}\left(x\right) dx = \beta^\alpha \Gamma\left(1 + \frac{k}{\alpha}\right)$$

73.8 Parametric mean

$$\text{Mean}(X) = \text{Loc} + \tilde{\mu}'_1 = \text{Loc} + \beta\ \Gamma(1 + 1/\alpha)$$

73.9 Parametric variance

$$\text{Variance}(X) = \tilde{\mu}'_2 - \tilde{\mu}'^2_1 = \beta^2 \left[\Gamma\left(1 + 2/\alpha\right) - \left(\Gamma\left(1 + 1/\alpha\right)\right)^2\right]$$

73.10 Parametric skewness

$$\text{Skewness}(X) = \frac{\tilde{\mu}'_3 - 3\tilde{\mu}'_2\tilde{\mu}'_1 + 2\tilde{\mu}'^3_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^{1.5}}$$

73.11 Parametric kurtosis

$$\text{Kurtosis}(X) = \frac{\tilde{\mu}'_4 - 4\tilde{\mu}'_1\tilde{\mu}'_3 + 6\tilde{\mu}'^2_1\tilde{\mu}'_2 - 3\tilde{\mu}'^4_1}{(\tilde{\mu}'_2 - \tilde{\mu}'^2_1)^2}$$

73.12 Parametric median

$$\text{Median}(X) = \text{Loc} + \beta(\ln(2))^{1/\alpha}$$

73.13 Parametric mode

$$\text{Mode}(X) = \text{Loc} + \begin{cases} \beta\left(\frac{\alpha-1}{\alpha}\right)^{1/\alpha} & \text{if } \alpha > 1 \\ 0 & \text{if } \alpha \leq 1 \end{cases}$$

73.14 Additional information and definitions

- $\tilde{X} \sim \text{Weibull}\left(\alpha, \beta\right)$
- Loc : Location parameter
- β : Scale parameter
- $z\left(x\right) = \left(x - \text{Loc}\right)/\beta$
- u : Uniform[0,1] random varible
- $\Gamma\left(x\right)$: Gamma function

73.15 Spreadsheet documents

- Excel file from GitHub repository
- Google spreadsheet document

References

[1] Eric Jones, Travis Oliphant, Pearu Peterson, et al. SciPy: Open source scientific tools for Python, 2001–.

[2] Pauli Virtanen, Ralf Gommers, Travis E. Oliphant, Matt Haberland, Tyler Reddy, David Cournapeau, Evgeni Burovski, Pearu Peterson, Warren Weckesser, Jonathan Bright, Stéfan J. van der Walt, Matthew Brett, Joshua Wilson, K. Jarrod Millman, Nikolay Mayorov, Andrew R. J. Nelson, Eric Jones, Robert Kern, Eric Larson, C J Carey, İlhan Polat, Yu Feng, Eric W. Moore, Jake VanderPlas, Denis Laxalde, Josef Perktold, Robert Cimrman, Ian Henriksen, E. A. Quintero, Charles R. Harris, Anne M. Archibald, Antônio H. Ribeiro, Fabian Pedregosa, Paul van Mulbregt, and SciPy 1.0 Contributors. SciPy 1.0: Fundamental Algorithms for Scientific Computing in Python. *Nature Methods*, 17:261–272, 2020.