

[Sign In](#)[Sign Up](#)[Activity Types](#)[Attachment Usages](#)[Extensions](#)[Verbs](#)[Profiles](#)

To read more about Activity Types, check out Deep Dive: Activity (Definition) (<http://tincanapi.com/2013/07/10/deep-dive-activity/#definition>).

alert

URI: <http://activitystrea.ms/schema/1.0/alert>
(<http://activitystrea.ms/schema/1.0/alert>)

[Details](#)

Represents any kind of significant notification.

application

URI: <http://activitystrea.ms/schema/1.0/application>
(<http://activitystrea.ms/schema/1.0/application>)

[Details](#)

Represents any kind of software application.

article

URI: <http://activitystrea.ms/schema/1.0/article>
(<http://activitystrea.ms/schema/1.0/article>)

[Details](#)

Represents objects such as news articles, knowledge base entries, or other similar construct. Such objects generally consist of paragraphs of text, in some cases incorporating embedded media such as photos and inline hyperlinks to other resources.

audio

URI: <http://activitystrea.ms/schema/1.0/audio>
(<http://activitystrea.ms/schema/1.0/audio>)

Details

Represents audio content of any kind. Objects of this type MAY contain an additional property as specified in Section 3.1.

badge

URI: <http://activitystrea.ms/schema/1.0/badge>
(<http://activitystrea.ms/schema/1.0/badge>)

Details

Represents a badge or award granted to an object (typically a person object)

binary

URI: <http://activitystrea.ms/schema/1.0/binary>
(<http://activitystrea.ms/schema/1.0/binary>)

Details

Objects of this type are used to carry arbitrary Base64-encoded binary data within an Activity Stream object. It is primarily intended to attach binary data to other types of objects through the use of the attachments property. Objects of this type will contain the additional properties specified in Section 3.2. This activity type is included for data conversion with Activity Streams, it's not recommended for use in new Tin Can statements.

bookmark

URI: <http://activitystrea.ms/schema/1.0/bookmark>
(<http://activitystrea.ms/schema/1.0/bookmark>)

Details

Represents a pointer to some URL -- typically a web page. In most cases, bookmarks are specific to a given user and contain metadata chosen by that user. Bookmark Objects are similar in principle to the concept of bookmarks or favorites in a web browser. A bookmark represents a pointer to the URL, not the URL or the associated resource itself. Objects of this type SHOULD contain an additional `targetUrl` property whose value is a String containing the IRI of the target of the bookmark.

collection

**URI: <http://activitystrea.ms/schema/1.0/collection>
(<http://activitystrea.ms/schema/1.0/collection>)**

Details

Represents a generic collection of objects of any type. This object type can be used, for instance, to represent a collection of files like a folder; a collection of photos like an album; and so forth. Objects of this type MAY contain an additional `objectTypes` property whose value is an Array of Strings specifying the expected `objectType` of objects contained within the collection. This activity type is included for data conversion with Activity Streams, it's not recommended for use in new Tin Can statements.

comment

**URI: <http://activitystrea.ms/schema/1.0/comment>
(<http://activitystrea.ms/schema/1.0/comment>)**

Details

Represents a textual response to another object. Objects of this type MAY contain an additional `inReplyTo` property whose value is an Array of one or more other Activity Stream Objects for which the object is to be considered a response.

device

**URI: <http://activitystrea.ms/schema/1.0/device>
(<http://activitystrea.ms/schema/1.0/device>)**

Details

Represents a device of any sort.

event

**URI: <http://activitystrea.ms/schema/1.0/event>
(<http://activitystrea.ms/schema/1.0/event>)**

Details

Represents an event that occurs at a certain location during a particular period of time. Objects of this type MAY contain the additional properties specified in Section 3.3.

file

URI: <http://activitystrea.ms/schema/1.0/file> (<http://activitystrea.ms/schema/1.0/file>)

Details

Represents any form of document or file. Objects of this type MAY contain an additional `fileUrl` property whose value a dereferenceable IRI that can be used to retrieve the file; and an additional `mimeType` property whose value is the MIME type of the file described by the object.

game

URI: <http://activitystrea.ms/schema/1.0/game>
(<http://activitystrea.ms/schema/1.0/game>)

Details

Represents a game or competition of any kind.

group

URI: <http://activitystrea.ms/schema/1.0/group>
(<http://activitystrea.ms/schema/1.0/group>)

Details

Represents a grouping of objects in which member objects can join or leave.

image

URI: <http://activitystrea.ms/schema/1.0/image>
(<http://activitystrea.ms/schema/1.0/image>)

Details

Represents a graphical image. Objects of this type MAY contain an additional `fullImage` property whose value is an Activity Streams Media Link to a "full-sized" representation of the image.

issue

URI: <http://activitystrea.ms/schema/1.0/issue>
(<http://activitystrea.ms/schema/1.0/issue>)

Details

Represents a report about a problem or situation that needs to be resolved. For instance, the issue object can be used to represent reports detailing software defects, or reports of acceptable use violations, and so forth. Objects of this type MAY contain the additional properties specified in Section 3.4.

job

URI: <http://activitystrea.ms/schema/1.0/job> (<http://activitystrea.ms/schema/1.0/job>)

Details

Represents information about a job or a job posting.

note

URI: <http://activitystrea.ms/schema/1.0/note>
(<http://activitystrea.ms/schema/1.0/note>)

Details

Represents a short-form text message. This object is intended primarily for use in "micro-blogging" scenarios and in systems where users are invited to publish short, often plain-text messages whose useful lifespan is generally shorter than that of an article or weblog entry. A note is similar in structure to an article, but typically does not have a title or distinct paragraphs and tends to be much shorter in length.

offer

URI: <http://activitystrea.ms/schema/1.0/offer>
(<http://activitystrea.ms/schema/1.0/offer>)

Details

Represents an offer of any kind.

organization

URI: <http://activitystrea.ms/schema/1.0/organization>
(<http://activitystrea.ms/schema/1.0/organization>)

Details

Represents an organization of any kind.

page

URI: <http://activitystrea.ms/schema/1.0/page>
(<http://activitystrea.ms/schema/1.0/page>)

Details

Represents an area, typically a web page, that is representative of, and generally managed by a particular entity. Such areas are usually dedicated to displaying descriptive information about the entity and showcasing recent content such as articles, photographs and videos. Most social networking applications, for example, provide individual users with their own dedicated "profile" pages. Several allow similar types of pages to be created for commercial entities, organizations or events. While the specific details of how pages are implemented, their characteristics and use may vary, the one unifying property is that they are typically "owned" by a single entity that is represented by the content provided by the page itself.

person

URI: <http://activitystrea.ms/schema/1.0/person>
(<http://activitystrea.ms/schema/1.0/person>)

Details

Represents an individual person. This activity type is included for data conversion with Activity Streams, it's not recommended for use in new Tin Can statements. Agent should be used instead of person.

place

URI: <http://activitystrea.ms/schema/1.0/place>
(<http://activitystrea.ms/schema/1.0/place>)

Details

Represents a physical location. Locations can be represented using geographic coordinates, a physical address, a free-form location name, or any combination of these. Objects of this type MAY contain the additional properties specified in Section 3.5.

process

URI: <http://activitystrea.ms/schema/1.0/process>
(<http://activitystrea.ms/schema/1.0/process>)

Details

Represents any form of process. For instance, a long-running task that is started and expected to continue operating for a period of time.

product

URI: <http://activitystrea.ms/schema/1.0/product>
(<http://activitystrea.ms/schema/1.0/product>)

Details

Represents a commercial good or service. Objects of this type MAY contain an additional `fullImage` property whose value is an Activity Streams Media Link to an image resource representative of the product.

question

URI: <http://activitystrea.ms/schema/1.0/question>
(<http://activitystrea.ms/schema/1.0/question>)

Details

Represents a question or a poll. Objects of this type MAY contain an additional `options` property whose value is an Array of possible answers to the question in the form of Activity Stream objects of any type.

review

URI: <http://activitystrea.ms/schema/1.0/review>
(<http://activitystrea.ms/schema/1.0/review>)

Details

Represents a primarily prose-based commentary on another object. Objects of this type MAY contain a `rating` property as specified in Section 4.4.

service

URI: <http://activitystrea.ms/schema/1.0/service>
(<http://activitystrea.ms/schema/1.0/service>)

Details

Represents any form of hosted or consumable service that performs some kind of work or benefit for other entities. Examples of such objects include websites, businesses, etc.

task

URI: <http://activitystrea.ms/schema/1.0/task> (<http://activitystrea.ms/schema/1.0/task>)

Details

Represents an activity that has yet to be completed. Objects of this type can contain additional properties as specified in Section 3.6.

video

URI: <http://activitystrea.ms/schema/1.0/video>
(<http://activitystrea.ms/schema/1.0/video>)

Details

Represents video content of any kind. Objects of this type MAY contain additional properties as specified in Section 3.1.

Assessment

URI: <http://adlnet.gov/expapi/activities/assessment>
(<http://adlnet.gov/expapi/activities/assessment>)

Details

An assessment is an activity that determines a learner's mastery of a particular subject area. An assessment typically has one or more questions.

cmi.interactions

**URI: <http://adlnet.gov/expapi/activities/cmi.interaction>
(<http://adlnet.gov/expapi/activities/cmi.interaction>)**

Details

Interaction activities of "cmi.interaction" type as defined in the SCORM 2004 4th Edition Run-Time Environment.

Course

**URI: <http://adlnet.gov/expapi/activities/course>
(<http://adlnet.gov/expapi/activities/course>)**

Details

A course represents an entire "content package" worth of material. The largest level of granularity. Unless flat, a course consists of multiple modules. A course is not content.

Interaction

**URI: <http://adlnet.gov/expapi/activities/interaction>
(<http://adlnet.gov/expapi/activities/interaction>)**

Details

An interaction is typically a part of a larger activity (such as assessment or simulation) and refers to a control to which a learner provides input. An interaction can be either an asset or function independently.

Link

URI: <http://adlnet.gov/expapi/activities/link> (<http://adlnet.gov/expapi/activities/link>)

Details

A link is simply a means of expressing a link to another resource within, or external to, an activity. A link is not synonymous with launching another resource and should be considered external to the current resource. Links are not learning content, nor SCOs. If a link is intended for this purpose, it should be re-categorized.

Media

**URI: <http://adlnet.gov/expapi/activities/media>
(<http://adlnet.gov/expapi/activities/media>)**

Details

Media refers to text, audio, or video used to convey information. Media can be consumed (tracked: completed), but doesn't have an interactive component that may result in a score, success, or failure.

Meeting

**URI: <http://adlnet.gov/expapi/activities/meeting>
(<http://adlnet.gov/expapi/activities/meeting>)**

Details

A meeting is a gathering of multiple people for a common cause

Module

**URI: <http://adlnet.gov/expapi/activities/module>
(<http://adlnet.gov/expapi/activities/module>)**

Details

A module represents any "content aggregation" at least one level below the course level. Modules of modules can exist for layering purposes. Modules are not content. Modules are one level up from all content.

Objective

**URI: <http://adlnet.gov/expapi/activities/objective>
(<http://adlnet.gov/expapi/activities/objective>)**

Details

An objective determines whether competency has been achieved in a desired area. Objectives typically are associated with questions and assessments. Objectives are not learning content and cannot be SCOs.

Performance

**URI: <http://adlnet.gov/expapi/activities/performance>
(<http://adlnet.gov/expapi/activities/performance>)**

Details

A performance is an attempted task or series of tasks within a particular context. Tasks would likely take on the form of interactions, or the performance could be self-contained content.

Question

URI: <http://adlnet.gov/expapi/activities/question>
(<http://adlnet.gov/expapi/activities/question>)

Details

A question is typically part of an assessment and requires a response from the learner, a response that is then evaluated for correctness.

Simulation

URI: <http://adlnet.gov/expapi/activities/simulation>
(<http://adlnet.gov/expapi/activities/simulation>)

Details

A simulation is an attempted task or series of tasks in an artificial context that mimics reality. Tasks would likely take on the form of interactions, or the simulation could be self-contained content.

Game level

URI: <http://curatr3.com/define/type/level> (<http://curatr3.com/define/type/level>)

Details

A level of a game or gamified learning platform.

Curatr Organisation

URI: <http://curatr3.com/define/type/organisation>
(<http://curatr3.com/define/type/organisation>)

Details

An organisation within the Curatr platform. This is a collection of learners and courses.

blog

URI: <http://id.tincanapi.com/activitytype/blog>
(<http://id.tincanapi.com/activitytype/blog>)

Details

A regularly updated website or web page, typically one authored by an individual or small group, that is written in an informal or conversational style.

Book

URI: <http://id.tincanapi.com/activitytype/book>
(<http://id.tincanapi.com/activitytype/book>)

Details

A book, generally paper, but could also be an ebook. The Activity's ID will often include an ISBN though it is not required. The Definition can likely leverage the ISBN extension, '<http://id.tincanapi.com/extension/isbn>', if known.

Category

URI: <http://id.tincanapi.com/activitytype/category>
(<http://id.tincanapi.com/activitytype/category>)

Details

Activity generally used in the "category" Context Activities lists to mark a statement as being related to a particular subject area. Distinct from tag in that it is used in conjunction with Subcategory to imply a hierarchy of categorization.

chapter

URI: <http://id.tincanapi.com/activitytype/chapter>
(<http://id.tincanapi.com/activitytype/chapter>)

Details

A chapter of a book or e-book.

Chat Channel

**URI: <http://id.tincanapi.com/activitytype/chat-channel>
(<http://id.tincanapi.com/activitytype/chat-channel>)**

Details

A channel, room or conversation within an instant chat application such as Slack.

Chat Message

**URI: <http://id.tincanapi.com/activitytype/chat-message>
(<http://id.tincanapi.com/activitytype/chat-message>)**

Details

A message sent or received within the context of an instant chat platform such as Slack. The id of this activity should uniquely identify the particular chat message.

checklist

**URI: <http://id.tincanapi.com/activitytype/checklist>
(<http://id.tincanapi.com/activitytype/checklist>)**

Details

A list of tasks to be completed, names to be consulted, conditions to be verified and similar.

checklist item

**URI: <http://id.tincanapi.com/activitytype/checklist-item>
(<http://id.tincanapi.com/activitytype/checklist-item>)**

Details

An individual item contained in a checklist.

Code Commit

**URI: <http://id.tincanapi.com/activitytype/code-commit>
(<http://id.tincanapi.com/activitytype/code-commit>)**

Details

A commit to a code repository e.g. Github.

simple collection

URI: <http://id.tincanapi.com/activitytype/collection-simple>
(<http://id.tincanapi.com/activitytype/collection-simple>)

Details

It is a collection of items of the same activity type, for example, a collection of games. The collection can be generic, that is, the activity type of the items can be specified using the extension 'collection type', but it is optional.

Community Site

URI: <http://id.tincanapi.com/activitytype/community-site>
(<http://id.tincanapi.com/activitytype/community-site>)

Details

A space on a social platform (or other platform with social features) for a community to communicate, share and collaborate. For example a Google Plus Community, a Facebook Group, a Jive Space or a Pathgather Gathering.

Conference

URI: <http://id.tincanapi.com/activitytype/conference>
(<http://id.tincanapi.com/activitytype/conference>)

Details

A formal meeting which includes presentations or discussions.

Conference Session

URI: <http://id.tincanapi.com/activitytype/conference-session>
(<http://id.tincanapi.com/activitytype/conference-session>)

Details

A single presentation, discussion, gathering, or panel within a conference.

Conference Track

URI: <http://id.tincanapi.com/activitytype/conference-track>
(<http://id.tincanapi.com/activitytype/conference-track>)

Details

A specific field of study within a conference.

Changed Diaper

URI: <http://id.tincanapi.com/activitytype/diaper-changed>
(<http://id.tincanapi.com/activitytype/diaper-changed>)

Details

Create a Statement to represent that the educator or caretaker had to change the child's diapers. This action is generally associated to the statement `ece:defecated` or `ece:urinated` indicating the cause of the diaper change. Nonetheless, one can record the Statement without indicating the context to keep a record of the number of diaper changes during the day.

discussion

URI: <http://id.tincanapi.com/activitytype/discussion>
(<http://id.tincanapi.com/activitytype/discussion>)

Details

Represents an ongoing conversation between persons, such as an email thread or a forum topic.

Document

URI: <http://id.tincanapi.com/activitytype/document>
(<http://id.tincanapi.com/activitytype/document>)

Details

An electronic document of the type produced by office productivity software such as a word processing document, spreadsheet, slides etc.

doubt

URI: <http://id.tincanapi.com/activitytype/doubt>
(<http://id.tincanapi.com/activitytype/doubt>)

Details

Refers to something that the actor needs to cast light on, something that can be answered or solved.

Email

URI: <http://id.tincanapi.com/activitytype/email>
(<http://id.tincanapi.com/activitytype/email>)

Details

Electronic message sent over a computer network from a sender to one or many recipients.

Essay

URI: <http://id.tincanapi.com/activitytype/essay>
(<http://id.tincanapi.com/activitytype/essay>)

Details

A short literary composition on a single subject, usually presenting the personal view of the author.

Forum Reply

URI: <http://id.tincanapi.com/activitytype/forum-reply>
(<http://id.tincanapi.com/activitytype/forum-reply>)

Details

Any post in a forum or discussion board thread that isn't the first.

Forum Topic

URI: <http://id.tincanapi.com/activitytype/forum-topic>
(<http://id.tincanapi.com/activitytype/forum-topic>)

Details

The first post in a thread on a forum or discussion board.

goal

URI: <http://id.tincanapi.com/activitytype/goal>
(<http://id.tincanapi.com/activitytype/goal>)

Details

A goal is something that the actor wants to achieve, the purpose of doing a task or group of tasks. It can have subtasks and subgoals.

job title

URI: <http://id.tincanapi.com/activitytype/job-title>
(<http://id.tincanapi.com/activitytype/job-title>)

Details

The title of a person's job. May be used with the <http://id.tincanapi.com/verb/was-assigned-job-title> verb.

On Demand Lab

URI: <http://id.tincanapi.com/activitytype/lab-on-demand>
(<http://id.tincanapi.com/activitytype/lab-on-demand>)

Details

A virtual lab built upon request which is used to prepare for a certification or elevated permissions.

Legacy Learning Standard

URI: <http://id.tincanapi.com/activitytype/legacy-learning-standard>
(<http://id.tincanapi.com/activitytype/legacy-learning-standard>)

Details

Activity representing a statement generated by a course originally implemented in a legacy learning standard such as SCORM 1.2, 2004, or AICC.

LMS

URI: <http://id.tincanapi.com/activitytype/lms>
(<http://id.tincanapi.com/activitytype/lms>)

Details

Learning Management System. At it's core, a platform used to launch and track learning experiences. Many LMS also have a number of other additional features.

Organization

URI: <http://id.tincanapi.com/activitytype/organization>
(<http://id.tincanapi.com/activitytype/organization>)

Details

An organization such as a company, which may hire, fire and promote employees.

Paragraph

URI: <http://id.tincanapi.com/activitytype/paragraph>
(<http://id.tincanapi.com/activitytype/paragraph>)

Details

A distinct division of written or printed matter that begins on a new, usually indented line, consists of one or more sentences, and typically deals with a single thought or topic or quotes one speaker's continuous words.

Playlist

URI: <http://id.tincanapi.com/activitytype/playlist>
(<http://id.tincanapi.com/activitytype/playlist>)

Details

A collection of resources or experiences grouped together as recommended resources by an individual. Generally used for informally curated resources rather than official collections such as an LMS course.

project

**URI: <http://id.tincanapi.com/activitytype/project>
(<http://id.tincanapi.com/activitytype/project>)**

Details

A project is a specific plan or set of tasks with a common goal. It can have subtasks and subgoals, resources, etc..

Project

**URI: <http://id.tincanapi.com/activitytype/project-site>
(<http://id.tincanapi.com/activitytype/project-site>)**

Details

A site, perhaps within a project management tool or social platform, used to manage a particular project.

recipe

**URI: <http://id.tincanapi.com/activitytype/recipe>
(<http://id.tincanapi.com/activitytype/recipe>)**

Details

A recipe is an Activity that is used in the Context Activities "category" property of a Statement to indicate that the Statement is part of a pre-defined model that can be expected to have certain properties, object identifiers, or structure. Statements adhering to a particular recipe are recognizable by reporting systems for the purposes of testing, interoperability, etc.

Remote Lab Experiment

**URI: <http://id.tincanapi.com/activitytype/remote-lab-experiment>
(<http://id.tincanapi.com/activitytype/remote-lab-experiment>)**

Details

A remote lab experimentation is the act of experimenting with a real lab apparatus through the Internet.

research report

**URI: <http://id.tincanapi.com/activitytype/research-report>
(<http://id.tincanapi.com/activitytype/research-report>)**

Details

A research report from a government organization or other authoritative body giving information or proposals on an issue.

resource

**URI: <http://id.tincanapi.com/activitytype/resource>
(<http://id.tincanapi.com/activitytype/resource>)**

Details

A resource is a generic item that the actor may use for something. It could be a video, a text article, a device, etc. However, it is recommended to use a more specific activity type like those mentioned.

reward

**URI: <http://id.tincanapi.com/activitytype/reward>
(<http://id.tincanapi.com/activitytype/reward>)**

Details

Refers to a compensation that the actor wants to get for achieving something.

sales opportunity

**URI: <http://id.tincanapi.com/activitytype/sales-opportunity>
(<http://id.tincanapi.com/activitytype/sales-opportunity>)**

Details

Represents a sales opportunity, such as one might create in a CRM tool.

Scenario

**URI: <http://id.tincanapi.com/activitytype/scenario>
(<http://id.tincanapi.com/activitytype/scenario>)**

Details

Scenario - scenario based learning - is delivering the content embedded within a story or scenario rather than just pushing the content straight out. Usually a story or a situation is presented to ask for learner's action, feedback or branching follow. In this way learners see how the learning is applied to job environments or real

world problems.

School Assignment

URI: <http://id.tincanapi.com/activitytype/school-assignment>
(<http://id.tincanapi.com/activitytype/school-assignment>)

Details

A school task performed by a student to satisfy the teacher. Examples are assessments, assigned reading, practice exercises, watch video, etc.

Section

URI: <http://id.tincanapi.com/activitytype/section>
(<http://id.tincanapi.com/activitytype/section>)

Details

A section of an application or platform. For sales performance app might be divided into client demo, learning materials and reference documents sections.

Security Role

URI: <http://id.tincanapi.com/activitytype/security-role>
(<http://id.tincanapi.com/activitytype/security-role>)

Details

A feature that enables system administrators to restrict system access and manage access on a per-user or per-group basis.

slide

URI: <http://id.tincanapi.com/activitytype/slide>
(<http://id.tincanapi.com/activitytype/slide>)

Details

Slides are defined as a single page of a presentation or e-learning lesson.

slide deck

URI: <http://id.tincanapi.com/activitytype/slide-deck>
(<http://id.tincanapi.com/activitytype/slide-deck>)

Details

A deck of slides generally used for a presentation.

solution

URI: <http://id.tincanapi.com/activitytype/solution>
(<http://id.tincanapi.com/activitytype/solution>)

Details

Refers to the answer for a doubt that provides a solution. If the answer is not a solution, it should be coded as answer, or if it is just a comment, as comment.

Source

URI: <http://id.tincanapi.com/activitytype/source>
(<http://id.tincanapi.com/activitytype/source>)

Details

Used with activities within the Context Activities "category" property of a Statement. Indicates the authoring tool, template or framework used to create the activity provider. This may help reporting tools to recognise that that data has come from a particular origin and handle the data correctly based on that information.

Status update

URI: <http://id.tincanapi.com/activitytype/status-update>
(<http://id.tincanapi.com/activitytype/status-update>)

Details

A status update e.g. on a social platform.

step

**URI: <http://id.tincanapi.com/activitytype/step>
(<http://id.tincanapi.com/activitytype/step>)**

Details

A step is one of several actions that the actor has to do to achieve something, for instance, a goal or the completion of a task. For instance, a method, strategy or task could be divided into smaller steps.

strategy

**URI: <http://id.tincanapi.com/activitytype/strategy>
(<http://id.tincanapi.com/activitytype/strategy>)**

Details

A strategy is a plan or method for achieving any specific goal, and can be formed by a group of steps.

embedded strategy

**URI: <http://id.tincanapi.com/activitytype/strategy-embedded>
(<http://id.tincanapi.com/activitytype/strategy-embedded>)**

Details

Refers to a functionality embedded in the software system to facilitate the implementation of a strategy.

Subcategory

**URI: <http://id.tincanapi.com/activitytype/subcategory>
(<http://id.tincanapi.com/activitytype/subcategory>)**

Details

Activity generally used in the "category" Context Activities lists to mark a statement as being related to a particular subject area. Distinct from tag in that it is used in conjunction with Category to imply a hierarchy of categorization.

Suggestion

**URI: <http://id.tincanapi.com/activitytype/suggestion>
(<http://id.tincanapi.com/activitytype/suggestion>)**

Details

A posted suggestion or idea. Typically these are things that can be discussed and/or voted on.

Survey

URI: <http://id.tincanapi.com/activitytype/survey>
(<http://id.tincanapi.com/activitytype/survey>)

Details

A survey where the respondent answers questions.

Tag

URI: <http://id.tincanapi.com/activitytype/tag> (<http://id.tincanapi.com/activitytype/tag>)

Details

Activity generally used in the "other" or "grouping" Context Activities lists to mark a statement as being related to a particular subject area. Implemented as a one word identifier used for search filtering or tag cloud generation.

Test data batch

URI: <http://id.tincanapi.com/activitytype/test-data-batch>
(<http://id.tincanapi.com/activitytype/test-data-batch>)

Details

A test data batch is an Activity that is used in the Context Activities "category" property of a Statement to indicate that the Statement is part of a particular collection of test data. The Id of this Activity represents a single collection of test data e.g. the data generated for a particular test or by a particular tool.

tutor session

URI: <http://id.tincanapi.com/activitytype/tutor-session>
(<http://id.tincanapi.com/activitytype/tutor-session>)

Details

This represents a tutoring session.

Tweet

URI: <http://id.tincanapi.com/activitytype/tweet>
(<http://id.tincanapi.com/activitytype/tweet>)

Details

A short message sent on Twitter. Used with the 'tweeted' verb.

unit test

URI: <http://id.tincanapi.com/activitytype/unit-test>
(<http://id.tincanapi.com/activitytype/unit-test>)

Details

A unit test in a test suite that is part of a programming project.

unit test suite

URI: <http://id.tincanapi.com/activitytype/unit-test-suite>
(<http://id.tincanapi.com/activitytype/unit-test-suite>)

Details

Suite of unit tests used by a programming project.

User profile

URI: <http://id.tincanapi.com/activitytype/user-profile>
(<http://id.tincanapi.com/activitytype/user-profile>)

Details

A page displaying information about a user.

vocabulary word

URI: <http://id.tincanapi.com/activitytype/vocabulary-word>
(<http://id.tincanapi.com/activitytype/vocabulary-word>)

Details

Refers to a word that the learner defines or translates. The vocabulary word can be part of a collection. that is part of a vocabulary collection. An actor can use more than one vocabulary collection, for instance, for several languages or several topics. Besides the “name” (the word) and a “description” (meaning or translation), we recommend the use of `moreInfo` to link to a definition in an online dictionary. As an option, you can use the extension tags to classify the words.

Voicemail

URI: <http://id.tincanapi.com/activitytype/voicemail>
(<http://id.tincanapi.com/activitytype/voicemail>)

Details

A recorded audio message left for someone, generally via a phone or similar communication system.

webinar

URI: <http://id.tincanapi.com/activitytype/webinar>
(<http://id.tincanapi.com/activitytype/webinar>)

Details

A seminar conducted over the Internet which may be live or recorded.

Highlighted text annotation

URI: <http://risc-inc.com/annotator/activities/highlight> (<http://risc-inc.com/annotator/activities/highlight>)

Details

An annotation of the 'highlight' type. Highlights are used to mark strings of text in a document with a color. This activity type should only be used for highlighted text and not for highlighted images or other elements.

Note annotation

URI: <http://risc-inc.com/annotator/activities/note> (<http://risc-inc.com/annotator/activities/note>)

Details

Indicates an annotation made to a document of the 'note' form. This is a string of text appended to the document at a specified location. Note annotations can be added anywhere on the page. This activity type should not be used for other types of note that are not annotations to a document.

Underline annotation

URI: <http://risc-inc.com/annotator/activities/underline> (<http://risc-inc.com/annotator/activities/underline>)

Details

An annotation of the 'underline' type. Underlines are used to mark strings of text in a document with a line underneath the text. This activity type should only be used for underlined text and not for images or other elements.

Freetext annotation

URI: <http://www.risc-inc.com/annotator/activities/freetext> (<http://www.risc-inc.com/annotator/activities/freetext>)

Details

Indicates an annotation made to a document of the 'freetext' form. This is a string of text written direction onto the document at a specified location. Freetext annotations can be added anywhere on the page. Unlike note annotations, they have no border or background.

Grade classification

URI: http://www.tincanapi.co.uk/activitytypes/grade_classification (http://www.tincanapi.co.uk/activitytypes/grade_classification)

Details

Represents a grade given or received within a particular context, for example 'distinction' within XYZ music test or 'A' for ABC qualification.

Certificate

URI: https://www.opigno.org/en/tincan_registry/activity_type/certificate (https://www.opigno.org/en/tincan_registry/activity_type/certificate)

Details

A document attesting to the fact that a person has completed an educational course.