

DAY 1 TRAINEE GUIDE

SOC Fundamentals, Linux Basics, and Indicator Identification

Cyber Threat Monitoring Level 1

Learning Objectives

- Maunawaan kung ano ang Security Operations Center (SOC) at ang pangunahing gawain ng Level 1 analyst.
- Makilala ang basic Linux concepts na kailangan sa cyber threat monitoring.
- Magamit ang common Ubuntu terminal commands para mag-navigate at magbasa ng files.
- Makilala ang basic indicators gaya ng IP address, username, timestamp, failed login, at unusual activity.

1. SOC (Roles and Functions)

Ang Security Operations Center o SOC ay team at proseso na nakatutok sa tuloy-tuloy na pag-monitor, pag-detect, pag-investigate, at pag-escalate ng security events. Sa Level 1, ang pangunahing trabaho ay alert triage at initial investigation.

SOC Role	Simpleng Paliwanag	Typical Task
L1 / Tier 1 Analyst	Unang tumitingin sa alerts	Check alert, collect evidence, classify, escalate
L2 Analyst	Mas malalim na investigation	Correlation, deeper analysis, containment advice
Incident Responder	Humahawak ng confirmed incident	Containment, eradication, recovery
SOC Lead / Manager	Nagko-coordinate ng operations	Priorities, procedures, reporting

Basic SOC Workflow

1. Monitor - bantayan ang alerts at events.
2. Triage - alamin kung alin ang priority.
3. Investigate - tingnan ang evidence.
4. Classify - normal, suspicious, o confirmed incident.
5. Document - ilagay ang findings at timeline.
6. Escalate - ipasa kung kailangan ng mas malalim na action.

Analyst Mindset: Huwag agad mag-assume na lahat ng alert ay attack. Maghanap muna ng evidence.

2. Linux Fundamentals

Ang Linux ay operating system na karaniwang ginagamit sa servers, security appliances, at cyber security tools. Sa training na ito, Ubuntu ang gagamitin dahil beginner-friendly at malawak ang support.

Concept	Meaning	Example
File	Isang stored data item	auth.log, report.txt
Directory	Folder na naglalaman ng files	/var/log
Path	Lokasyon ng file o directory	/var/log/auth.log
User	Account na gumagamit ng system	analyst

Root	Administrative account	root
Permission	Sino ang puwedeng magbasa/magsulat/mag-execute	r, w, x
Process	Running program	sshd, bash

Important Linux Paths for Analysts

Path	Purpose
/home/<user>	Personal files ng user
/var/log	Common location ng system at application logs
/etc	System configuration files
/tmp	Temporary files
/bin and /usr/bin	Common executable commands

3. Linux Terminal Basics

Ang terminal ay text-based interface. Sa security monitoring, mabilis itong gamitin sa pagtingin at pag-filter ng logs.

Command	Function	Example
pwd	Ipakita ang current directory	pwd
ls	List files/folders	ls -l
cd	Lumipat ng directory	cd /var/log
cat	I-display ang maliit na file	cat sample.log
less	Basahin ang mahabang file	less sample.log
head	Unang lines ng file	head sample.log
tail	Huling lines ng file	tail sample.log
grep	Search text/pattern	grep "Failed" auth.log
wc -l	Bilangin ang lines	grep "Failed" auth.log wc -l
sort	Ayusin ang output	sort users.txt
uniq -c	Bilangin repeated entries	sort users.txt uniq -c
clear	Linisin ang screen	clear

Using the Pipe |

Ang pipe ay nagpapasa ng output ng unang command papunta sa susunod.

```
grep "Failed" auth.log | wc -l
grep "admin" auth.log | head
```

Safety: Sa Day 1, read-only analysis muna. Iwasan ang commands na nagde-delete o nagbabago ng system files.

4. Basic Indicator Identification

Ang indicator ay clue na maaaring makatulong para malaman kung may suspicious activity. Sa Day 1, basic identification lamang muna at hindi pa full IOC hunting.

Indicator	Ano ang Tinitingnan	Example
IP Address	Saan galing o saan papunta ang activity	192.168.1.25
Username	Anong account ang involved	admin
Timestamp	Kailan nangyari	2026-08-21 09:14
Failed Login	Paulit-ulit na unsuccessful login	Failed password
Successful Login	Login na maaaring kailangan i-correlate	Accepted password
Frequency	Gaano kadalas nangyari	20 attempts in 2 minutes
Unusual Pattern	Behavior na iba sa normal	Many failures then success

Simple Investigation Example

```
grep "Failed" auth.log
grep "admin" auth.log
grep "192.168.1.25" auth.log
grep "Failed" auth.log | wc -l
```

Tanong ng analyst:

- Ano ang nangyari?
- Anong user ang involved?
- May paulit-ulit bang IP address?
- Ilang attempts ang nakita?
- May successful login ba pagkatapos ng failures?
- Normal ba o kailangan pang i-investigate?

Day 1 Key Takeaways

- SOC L1 = monitor, triage, investigate, document, escalate.
- Linux logs at terminal commands ay basic tools ng analyst.
- Hindi lahat ng unusual event ay malicious.
- Evidence muna bago conclusion.