Week 3: Advanced OO and Special Topics

Christopher Barker

UW Continuing Education

March 26, 2013

Table of Contents

A diversion...

A number of you are already using iPython

It's a very useful tool

And the iPython notebook is even cooler .. paticularly for in-class demos.

So I'll use it some today:

http://ipython.org/ipython-doc/dev/
interactive/htmlnotebook.html

String formating...

A handy note about something that came up in last week's debugging excercise:

```
In [85]: fp, complex
Out[85]: (3.14, (3+4j))

In [86]: print "%f, %f"%(fp, complex)
---------------------------------------------
TypeError              Traceback (most recent call last)
<ipython-input-86-a9786f6eb207> in <module>()
----> 1 print "%f, %f"%(fp, complex)

TypeError: float argument required, not complex
```

(Demo in the iPython notebook...)

lambda

We didn't get to it last class, so let's do it now:

```
https://docs.google.com/presentation/d/
1GMMrDXzYFMFRn9ufrVUGb0vSBGO7VkV6GLAdu46CVzA/
pub?start=false&loop=false&delayms=3000
```
(that should be clickable...)

If not, open:
```
code\link_to_lambda_slides.html
```

LAB

When are keyword arguments defined?

(demo in iPython notebook)

- Write a function that returns a list of n functions, such that each one, when called, will return the input value, incremented by an increaseing number.
- you should use a for loop, lambda, and a keyword argument

```
code/lambda_keyword.py
code/test_lambda_keyword.py
```

Decorators

Decorators are wrappers around functions

They let you add code before and after the execution of a function

Creating a custom version of that function

Decorators

Syntax:

```
@logged
def add(a, b):
    """add() adds things"""
    return a + b
```

Demo and Motivation:
`code\decorators\basicmath.py`

PEP: http://www.python.org/dev/peps/pep-0318/

Decorators

@ decorator operator is an abbreviation:

```
@f
def g:
    pass

same as

def g:
    pass
g = f(g)
```

"Syntactic Sugar" – but really quite nice

examples

CherryPy

```
import cherrypy
class HelloWorld(object):
    @cherrypy.expose
    def index(self):
        return "Hello World!"
cherrypy.quickstart(HelloWorld())
```

examples

Pyramid

```
@template
def A_view_function(request)
    .....
@json
def A_view_function(request)
    ......
```

so you don't need to think about what your view is returning...

Writing Decorators

But how to you write one?

demo in iPython notebook

code\decorators\DecoratorDemo.py

For more detail: (and talks about closures...):
http://simeonfranklin.com/blog/2012/jul/1/
python-decorators-in-12-steps/

LAB

- Write a decorator that can be used to wrap any function that returns a string in a <p> element – auto-generation of simple html. (p_wrapper.py)
- Try using a class to make a decorator that will wrap a specified tag around a function that returns a string:

```
@tag_wrapper('h1')
def func2(x, y=4, z=2):
    return "the sum of %s and %s and %s is %s"%(x, y

>>> print func2(3,4)
<h1>the sum of 3 and 4 and 2 is 9</h1>
```

Accessing Attributes

One of the strengths of Python is lack of clutter

Simple attributes:

```
In [5]: class C(object):
        def __init__(self):
                self.x = 5
In [6]: c = C()
In [7]: c.x
Out[7]: 5
In [8]: c.x = 8
```

Getter and Setters?

What if you need to add behavior later?

- do some calculation
- check data validity
- keep things in sync

Getter and Setters?

```
class C(object):
    def get_x(self):
        return self.x
    def set_x(self, x):
        self.x = x
>>> c = C(5)
>>> c.get_x()
>>> 5
>>> c.set_x(8)
>>> c.get_x()
>>> 8
```

Ugly and verbose – Java?
http://dirtsimple.org/2004/12/python-is-not-java.html

properties

When (and if) you need them:

```
class C(object):
    def getx(self):
        return self._x
    def setx(self, value):
        self._x = value
    def delx(self):
        del self._x
    x = property(getx, setx, delx, "docstring")
```

Interface is still like simple attribute access
(properties_sample.py)

properties

Properties with decorator syntax:

```
class C(object):
    @property
    def x(self):
        return self._x
    @x.setter
    def x(self, value):
        self._x = value
    @x.deleter
    def x(self):
        del self._x
```

Interface is still like simple attribute access
(properties_dec_sample.py)

staticmethod

A method that doesn't get self:

```
class C(object):
    @staticmethod
    def add(a, b):
        return a + b
```

When you don't need self – function doesn't need any data from the instance

Used when it makes logical sense to group things in a class namespace

staticmethod

Can be called from either the class object or an instance

```
>>> type(C)
type
>>>C.add(3,4)
in a_static_method
7
>>> type(c)
__main__.C
>>> c.add(2,3)
in a_static_method
5
```

see: properties-etc/static_method.py

classmethod

Method gets the class object, rather than an instance, as the first argument:

```python
class C(object):
    def __init__(self, x, y):
        self.x = x
        self.y = y
    @classmethod
    def a_class_method(cls, x):
        print "in a_class_method", klass
        return cls( x, x**2 )
```

When you need the class object rather than an instance

classmethod

`classmethod` often used for alternate constructors:

```
>>> d = dict([1,2,3])
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
TypeError: cannot convert dictionary update
sequence element #0 to a sequence
>>> d = dict.fromkeys([1,2,3])
>>> d
{1: None, 2: None, 3: None}
```

– plays well with subclassing

see: `properties-etc/class_method.py`

dict.fromkeys()

```
class Dict: ...
    def fromkeys(klass, iterable, value=None):
        "Emulate dict_fromkeys() in dictobject.c"
        d = klass()
        for key in iterable:
            d[key] = value
        return d
    fromkeys = classmethod(fromkeys)
```

See also datetime.datetime.now(), etc....

For a low-level look:
http://docs.python.org/howto/descriptor.html

LAB

- Write a `Circle` class with decorator syntax for properties:
    - instantiate with a radius: `c = Circle(4)`
    - use a property for the diameter: get and settable:
      ```
      d = c.diameter
      c.diameter = 5
      ```
    - use a property for the area: only gettable
      ```
      a = c.area
      a.area = 5 => AttributeError
      ```
- add a classmethod for an alternate contructor:
  ```
  c = Circle.from_diameter(d)
  ```
- add a staticmethod that computes the circumference of a circle from the radius:
  ```
  circ = Circle.circumference(r)
  ```

(`circle_properties.py` and `test_circle_properties.py`)

class creation

What happens when a class instance is created?

```python
class Class(object):
    def __init__(self, arg1, arg2):
        self.arg1 = arg1
        self.arg2 = arg2
        .....
```

- A new instance is created
- `__init__` is called
- The code in `__init__` is run to initialize the instance

class creation

What if you need to do something before creation?
Enter: `__new__`

```
class Class(object):
    def __new__(cls, arg1, arg2):
        some_code_here
        return cls()
        .....
```

- `__new__` is called: it returns a new instance
- The code in `__new__` is run to pre-initialize
- `__init__` is called
- The code in `__init__` is run to initialize the instance

class creation

__new__ is a static method – but it must be called with a class object as the first argument. And it should return a class instance:

```
class Class(superclass):
    def __new__(cls, arg1, arg2):
        some_code_here
        return superclass.__new__(cls)
        .....
```

- __new__ is called: it returns a new instance
- The code in __new__ is run to pre-initialize
- __init__ is called
- The code in __init__ is run to initialize the instance

Christopher Barker   Python Certificate: System Development

class creation

When would you need to use it:

- subclassing an immutable type:
  – It's too late to change it once you get to `__init__`
- When `__init__` not called:
  - unpickling
  - copying

  You may need to put some code in `__new__` to make sure things go right

More detail here: `http://www.python.org/download/`
`releases/2.2/descrintro/#__new__`

LAB

Demo: `code/__new__/new_example.py`

Write a subclass of int that will always be an even number: round the input to the closest even number

`code/__new__/even_int.py`

multiple inheritance

Multiple inheritance:
    Pulling from more than one class

```
class Combined(Super1, Super2, Super3):
    def __init__(self, something, something else):
        Super1.__init__(self, ......)
        Super2.__init__(self, ......)
        Super3.__init__(self, ......)
```

(calls to the super class `__init__` are optional – case dependent)

multiple inheritance

Method Resolution Order – left to right

1. Is it an instance attribute ?
2. Is it a class attribute ?
3. Is it a superclass attribute ?
   1. is the it an attribute of the left-most superclass?
   2. is the it an attribute of the next superclass?
   3. ....
4. Is it a super-superclass attribute ?
5. ...also left to right...

mix-ins

Why would you want to do this?

Hierarchies are not always simple:

- Animal
    - Mammal
        - GiveBirth()
    - Bird
        - LayEggs()

Where do you put a Platypus or an Armadillo?

Real World Example: `FloatCanvas`

super

getting the superclass:

```
class SafeVehicle(Vehicle):
    """

    Safe Vehicle subclass of Vehicle base class...
    """
    def __init__(self, position=0, velocity=0, icon='S'):
        Vehicle.__init__(self, position, velocity, icon)
```

not DRY

also, what if we had a bunch of references to
superclass?

super

getting the superclass:

```
class SafeVehicle(Vehicle):
    """
    Safe Vehicle subclass of Vehicle base class
    """
    def __init__(self, position=0, velocity=0, icon='S'):
        super(SafeVehicle, self).__init__(position, velocit
```

"super() considered super!" by Raymond Hettinger

http://rhettinger.wordpress.com/2011/05/26/
super-considered-super/

Wrap up

Some nifty features of OO in Python

Do you see a use for any of this in your projects?

Next Week:

Relational databases, SQL
– Jeff

If we have time: super() and metaclasses

And of course, your projects...

Project Time!

- Have you got your structure in place?
- Are your goals clear?
- Anyone want a public code review?
- Let's get to work!