

Agentic Sales Orchestrator

Phase 1 Trial MVP Setup Guide

Corrected CI-first trial MVP edition

Critical correction: recreate all ASO components created so far in Phoenicarix-CI (<https://phoenicarix-ci.crm4.dynamics.com>). Treat Phoenicarix-Sales as the previous/abandoned trial start. Do not continue ASO build activity in Phoenicarix-Sales.

Field	Corrected value
Document purpose	Corrected Phase 1 guide for recreating the ASO baseline in Phoenicarix-CI.
Canonical ASO build environment	Phoenicarix-CI
Canonical ASO build URL	https://phoenicarix-ci.crm4.dynamics.com
Previous / abandoned working environment	Phoenicarix-Sales
Production intent	None for this MVP/trial. This is a trial MVP with documented production gaps.
Version	1.2 - Phoenicarix-CI corrected trial MVP edition

This document replaces the earlier working assumption that Phoenicarix-Sales was the main ASO build environment and Phoenicarix-CI was only a later Customer Insights dependency.

Table of Contents

1. Important correction
2. Applies to the corrected trial topology
3. Architecture boundaries that remain mandatory
4. Corrected Phase 1 outcome
5. Current corrected status
6. Step 1 - Environment confirmation
7. Step 2 - Validate Sales table availability in Phoenicarix-CI
8. Step 3 - Managed Environment check
9. Step 4 - Recreate ASO publisher in Phoenicarix-CI
10. Step 5 - Recreate ASO solutions in Phoenicarix-CI
11. Step 6 - Environment variables in ASO.Automation
12. Step 7 - Connection references in ASO.Automation
13. Step 8 - PAC CLI alignment for Phoenicarix-CI
14. Step 9 - Retire or ignore Phoenicarix-Sales ASO work
15. Step 10 - Lightweight control note
16. Phase 1 validation checklist
17. What comes next after this document
18. Source documents used

1. Important correction

The project decision is now to recreate all ASO components created so far in Phoenicarix-CI and make Phoenicarix-CI the canonical trial MVP build environment.

Build and continue the MVP in: <https://phoenicarix-ci.crm4.dynamics.com>. Do not continue creating ASO components in: <https://phoenicarix-sales.crm16.dynamics.com>.

Why this correction makes sense

The ASO architecture depends on a governed Dataverse contract between sales records, AI/orchestration state, consent state, journey participation, and Customer Insights communication execution. For the MVP, the cleanest trial setup is to keep the ASO schema and Customer Insights journey assets in the same Dataverse environment where possible.

- No need to mirror Lead / Contact / Account / Opportunity state from Sales to CI just to trigger journeys.
- No early cross-environment writeback just to store journey status.
- No duplicate ASO schema in two Dataverse databases.
- Fewer environment-variable and connection-reference branches.
- Simpler Phase 2 schema creation, Customer Insights writeback, and future journey eligibility testing.

Critical validation: confirm that Lead, Opportunity, Account, and Contact exist in Phoenicarix-CI. If the full Sales Hub app is missing but the tables exist and can be extended, continue and record the missing app as a trial limitation.

2. Applies to the corrected trial topology

Purpose	Actual environment	Use now?	Notes
Main ASO Phase 1 and Phase 2 build	Phoenicarix-CI	Yes	Canonical build environment for ASO publisher, solutions, variables, schema, choices, custom tables, and Customer Insights alignment.
Previous ASO trial start	Phoenicarix-Sales	No	Treat as abandoned/disposable for this MVP. Export backup only if useful. Do not continue building here.
Default environment	Phoenicarix (default)	No	Do not build ASO components here.

The logical ASO build role is still D365-SALES-DEV, but the real environment selected in Power Apps and PAC CLI must now be Phoenicarix-CI.

3. Architecture boundaries that remain mandatory

Boundary	Rule
Sales truth	Dataverse in Phoenicarix-CI becomes the MVP operational sales truth for ASO records. If the Sales Hub app is unavailable there, record this as a trial limitation but keep the schema there.
Customer communication	Customer Insights - Journeys remains the only outbound customer lifecycle communication execution layer.
Deterministic execution	Power Automate owns triggers, Dataverse updates, approvals, retries, and handoffs.
AI orchestration	Microsoft Foundry coordinates orchestration, safety policy, routing, schema validation, SAP-aware coordination, and escalation in a later phase.
Sales intelligence	Dynamics 365 Sales AI Agents / Copilot Sales agents provide seller-facing intelligence and rationale where available.
SAP integration	SAP is accessed only through Azure API Management and Azure Functions.
Human approval	High-impact commercial actions require seller or manager approval.
HubSpot	HubSpot remains lead/contact ingress only and is implemented last.

```
HubSpot ingress only
-> Dataverse / ASO schema in Phoenicarix-CI
-> Power Automate deterministic execution
-> Microsoft Foundry orchestration and safety
+ Sales AI / Copilot Sales intelligence where available
+ APIM -> Azure Functions -> SAP
+ Customer Insights - Journeys for customer lifecycle communication
```

4. Corrected Phase 1 outcome

- Phoenicarix-CI is confirmed as the ASO trial build environment.
- The ASO publisher exists in Phoenicarix-CI with prefix aso.
- ASO.Core, ASO.Automation, and ASO.Operations exist in Phoenicarix-CI.
- The full Phase 1 environment variable set exists in ASO.Automation in Phoenicarix-CI.
- Useful connection references exist in ASO.Automation, or unavailable ones are recorded as trial blockers.
- Phoenicarix-Sales is no longer used for ASO build activity.
- No HubSpot integration, SAP direct access, customer lifecycle emails from Outlook/Power Automate, or ERP submit path is active.

5. Current corrected status

Item	Corrected value
Main environment	Phoenicarix-CI
Environment URL	phoenicarix-ci.crm4.dynamics.com
Region	Europe
Type	Trial
Dataverse enabled	Yes
Customer Insights app	Installed
Dynamics 365 Sales app	Validate. If not installed, record as trial limitation.
Admin / creator	Vlad Zaicescu
ASO publisher	Must be recreated in Phoenicarix-CI
ASO publisher prefix	aso
ASO solutions	Must be recreated in Phoenicarix-CI: ASO.Core, ASO.Automation, ASO.Operations
Previous build environment	Phoenicarix-Sales - do not continue building there

6. Step 1 - Environment confirmation

Purpose: Confirm that we are working in the correct trial environment before recreating ASO assets.

- Open <https://admin.powerplatform.microsoft.com>.
- Select Environments.
- Open Phoenicarix-CI.
- Confirm the environment URL, region, type, Dataverse status, Dynamics 365 apps installed, and Managed Environment status.

This step is complete only when Phoenicarix-CI is confirmed as the selected Power Platform environment.

7. Step 2 - Validate Sales table availability in Phoenicarix-CI

Purpose: Ensure the CI-first environment can host the ASO sales data model.

- Open <https://make.powerapps.com>.
- Select environment Phoenicarix-CI.
- Go to Tables.
- Search for Lead, Opportunity, Account, and Contact.
- Confirm that the tables exist and can be added to ASO.Core later.

Finding	Action
Lead, Opportunity, Account, Contact exist	Continue Phase 1 and Phase 2 in Phoenicarix-CI.
Customer Insights app exists but Sales Hub app is missing	Continue schema build if the standard tables exist. Record missing Sales Hub app as a trial limitation.
Required standard tables are missing	Stop and install/enable the required Dynamics app if trial allows it. If not possible, document blocker before Phase 2.

8. Step 3 - Managed Environment check

- Open <https://admin.powerplatform.microsoft.com>.
- Go to Environments and open Phoenicarix-CI.
- Look at Managed environments.
- Enable only supported trial controls such as sharing limits, solution checker prompts, usage insights, and maker welcome content.
- If unavailable, record: Managed Environment controls are not enabled in this trial. Mitigation: use solution-only build discipline and avoid the default environment.

9. Step 4 - Recreate ASO publisher in Phoenicarix-CI

Field	Value
Display name	Agentic Sales Orchestrator
Name	AgenticSalesOrchestrator
Prefix	aso
Choice value prefix	Use the generated value

Current corrected status: must be recreated or confirmed in Phoenicarix-CI.

10. Step 5 - Recreate ASO solutions in Phoenicarix-CI

Display name	Purpose	Corrected status
ASO.Core	Tables, columns, choices, forms, views, security roles	Recreate in Phoenicarix-CI
ASO.Automation	Environment variables, connection references, flows	Recreate in Phoenicarix-CI
ASO.Operations	Dashboards, admin views, operational app areas	Recreate in Phoenicarix-CI

Power Platform may remove dots from the internal solution name. That is acceptable. Do not recreate a solution because of a cosmetic internal-name difference.

Do not create ASO.Journeys in Phase 1 unless you intentionally decide to use a separate solution for Customer Insights assets later. For now, keep Phase 1 focused on foundation and governance.

11. Step 6 - Environment variables in ASO.Automation

Purpose: Create the future-safe configuration contract for the project. If Power Apps automatically applies the aso_ publisher prefix, enter only the part after the prefix.

#	Display name	Final schema name	Type	Current/default value
1	Foundry Orchestrator URL	aso_FoundryOrchestratorUrl	Text	TBD-FOR-PHASE-6
2	Foundry API Audience	aso_FoundryApiAudience	Text	TBD-FOR-PHASE-6
3	APIM Base URL	aso_ApimBaseUrl	Text	TBD-FOR-PHASE-4
4	SAP Wrapper Version	aso_SapWrapperVersion	Text	v1
5	Customer Insights Compliance Profile	aso_ComplianceProfileName	Text	Global Commercial
6	Lead Journey Key	aso_LeadJourneyKey	Text	lead_nurture_v1
7	Qualified Lead Journey Key	aso_QualifiedLeadJourneyKey	Text	qualified_lead_v1
8	Opportunity Journey Key	aso_OpportunityJourneyKey	Text	opportunity_progression_v1
9	Quote Proposal Journey Key	aso_QuoteProposalJourneyKey	Text	quote_proposal_v1
10	Order Journey Key	aso_OrderJourneyKey	Text	order_confirmation_v1
11	Onboarding Journey Key	aso_OnboardingJourneyKey	Text	onboarding_v1
12	Retention Journey Key	aso_RetentionJourneyKey	Text	retention_v1
13	Expansion Journey Key	aso_ExpansionJourneyKey	Text	expansion_v1
14	HubSpot Sync Mode	aso_HubSpotSyncMode	Text	IngressOnly
15	Feature Flag - SAP Reads	aso_FeatureFlagSapReads	Yes/No	Yes
16	Feature Flag - ERP Submit	aso_FeatureFlagErpSubmit	Yes/No	No

12. Step 7 - Connection references in ASO.Automation

Connection reference	Connector	Trial action
ASO Dataverse Connection Reference	Microsoft Dataverse	Create now
ASO Approvals Connection Reference	Approvals	Create now if available
ASO Foundry HTTP Entra Connection Reference	HTTP with Microsoft Entra ID or custom connector	Create if available; otherwise record as unavailable in trial
ASO APIM HTTP Entra Connection Reference	HTTP with Microsoft Entra ID or custom connector	Create if available; otherwise record as unavailable in trial
ASO Teams Alerts Connection Reference	Microsoft Teams	Optional; create only if you will use Teams alerts
ASO Outlook Internal Notification Connection Reference	Office 365 Outlook	Optional; internal notifications only

Office 365 Outlook may be used only for internal notifications. It must not send customer lifecycle communications.

13. Step 8 - PAC CLI alignment for Phoenicarix-CI

Purpose: Ensure scripts and future bulk metadata operations target the same canonical environment as the UI build.

```
pac auth create --environment "https://phoenicarix-ci.crm4.dynamics.com"
pac auth list
pac solution list | grep -i aso
```

Before recreation, `pac solution list | grep -i aso` may return nothing because ASO solutions were originally created in Phoenicarix-Sales. After recreating ASO solutions in Phoenicarix-CI, the command should show the ASO solution unique names.

Do not run bulk metadata scripts against `phoenicarix-sales.crm16.dynamics.com` after this correction.

14. Step 9 - Retire or ignore Phoenicarix-Sales ASO work

- Export unmanaged backups from Phoenicarix-Sales only if you want an archive.
- Do not continue creating fields, choices, forms, views, flows, or variables there.
- Add a workbook note explaining that the ASO baseline is being recreated in Phoenicarix-CI to reduce cross-environment sync complexity.

Previous ASO trial components existed in Phoenicarix-Sales.

Decision: recreate ASO baseline in Phoenicarix-CI and stop building in Phoenicarix-Sales.

Reason: Customer Insights and ASO Dataverse schema should be co-located for the MVP to reduce cross-environment sync complexity.

15. Step 10 - Lightweight control note

Main ASO build environment:

Phoenicarix-CI

Main ASO build URL:

<https://phoenicarix-ci.crm4.dynamics.com>

Previous environment:

Phoenicarix-Sales - do not continue building here.

Default environment:

Do not use.

Publisher:

Agentic Sales Orchestrator, prefix aso

Solutions:

ASO.Core

ASO.Automation

ASO.Operations

Trial-only decision:

This MVP is not intended for production. No SIT, UAT, Pre-Prod, or Prod environments are created or tracked.

Important boundaries:

No HubSpot integration yet.

No SAP direct access.

No customer lifecycle sends from Outlook or Power Automate.

ERP submit feature flag remains No.

Customer Insights remains the only lifecycle communication layer.

16. Phase 1 validation checklist

- ☐ Phoenicarix-CI is selected as the working environment.
- ☐ PAC CLI is authenticated to <https://phoenicarix-ci.crm4.dynamics.com>.
- ☐ Phoenicarix-Sales is no longer used for ASO build work.
- ☐ Phoenicarix (default) is not used.
- ☐ Required standard tables exist in Phoenicarix-CI: Lead, Opportunity, Account, Contact.

- [] Missing Sales Hub app, if applicable, is recorded as a trial limitation.
- [] ASO publisher exists in Phoenicarix-CI and prefix is aso.
- [] ASO.Core, ASO.Automation, and ASO.Operations exist in Phoenicarix-CI.
- [] All 16 environment variables exist in ASO.Automation.
- [] aso_HubSpotSyncMode = IngressOnly.
- [] aso_FeatureFlagSapReads = Yes.
- [] aso_FeatureFlagErpSubmit = No.
- [] Dataverse connection reference exists or is ready to be created.
- [] Approvals connection reference exists if available.
- [] Foundry/APIM connection references are created only if available; otherwise recorded as unavailable in trial.
- [] No HubSpot configuration has started.
- [] No SAP direct connection has been created.
- [] No customer lifecycle communication is sent from Outlook or Power Automate.
- [] No ERP submit/write path is active.

17. What comes next after this document

- Recreate the ASO publisher in Phoenicarix-CI.
- Recreate ASO.Core, ASO.Automation, and ASO.Operations in Phoenicarix-CI.
- Recreate all 16 environment variables in ASO.Automation.
- Recreate connection references where available in the trial.
- Validate Phase 1.
- Only then move to Phase 2 schema creation in ASO.Core in Phoenicarix-CI.

18. Source documents used

- ASO_Phase1_Final_TrialMVP_Setup_Guide_Corrected(1).pdf
- ASO_Phase2_Dataverse_Schema_Sales_Form_MVP_Guidance(1).pdf
- Current PAC CLI output confirming authentication and solution listing against Phoenicarix-CI.