

Agentic Sales Orchestrator — Phase 3 Customer Insights - Journeys End-to- End Key User Runbook

Enterprise customer-facing implementation and training lab guide

Dr Dynamics — CE edition

Rev3 • TEST-ASO demo-safe build • Customer Insights - Journeys

2026-06-11

Document control

Item	Value
Document purpose	Customer-facing key-user build runbook for Phase 3 Customer Insights - Journeys.
Document version	Rev3 — updated for actual ASO MVP/demo build validation.
Primary audience	Customer project team, Marketing Operations, Sales Operations, CRM architects, Power Platform owners, key users.
Applies to	Dynamics 365 Customer Engagement online environments, Dataverse environments, and Customer Insights - Journeys.
Scope	ASO.Journeys solution, Customer Insights availability, authenticated sender domain, compliance profile, Dataverse readiness fields, triggers, real-time segments, reusable email templates, actual EML email assets, actual journeys, optional journey templates, writeback requirements, workbook/registers, TEST-ASO safety controls, validation, demo readiness, and customer handover.
Core rule	Customer Insights - Journeys is the only outbound lifecycle customer communication execution layer.
Build principle	Document only what has been configured or what the key user must configure next. Use test-safe records until validation is complete.

Contents

1. Purpose and scope
2. Step 1 — Create or confirm the ASO.Journeys solution
3. Step 2 — Confirm Customer Insights - Journeys availability
4. Step 3 — Configure and verify sending domain readiness
5. Step 4 — Configure compliance profile, purpose, and topics
6. Step 5 — Trigger configuration — as built
7. Step 6 — Customer Insights - Journeys real-time segments
8. Step 7 — Email template and actual EML email asset configuration
9. Step 8 — Journey configuration
10. Step 9 — Customer Insights writeback requirements
11. Step 10 — Update the implementation workbook and registers
12. Customer-ready validation and demo readiness checklist
13. Common mistakes to avoid
14. Expected outcome and customer handover
15. Immediate key-user build sequence
16. Architecture boundary snapshot

17. Appendix A — Field glossary for key users
18. Appendix B — Key-user training lab script

1. Purpose and scope

This document is the Phase 3 Customer Insights - Journeys build runbook for Agentic Sales Orchestrator (ASO). Customer Insights - Journeys is the outbound lifecycle communication execution layer. Dataverse/Dynamics 365 Sales holds lifecycle communication state, consent state, journey participation state, and approved communication request fields.

The guide is written so that a key user can reproduce the build without knowing the full project history. It covers the end-to-end communication-plane setup: solution shell, app availability, domain readiness, compliance, triggers, segments, email assets, journeys, writeback requirements, workbook controls, validation, and handover.

1.1 ASO communication boundary

Component	Role in Phase 3
Customer Insights - Journeys	Sends approved lifecycle customer communications.
Dynamics 365 Sales / Dataverse	Stores lifecycle stage, communication state, consent state, journey participation status, and approved communication request fields.
Power Automate	May update Dataverse state and later perform deterministic writeback. It must not send lifecycle customer communications.
Microsoft Foundry / Sales AI agents	May recommend or prepare actions. They must not send lifecycle customer communications.
SAP	Supplies commercial facts only after governed integration and Dataverse normalization.
HubSpot	Ingress-only and not part of Phase 3 outbound communication execution.

1.2 What must already be true from earlier phases

- ASO.Core, ASO.Automation, and ASO.Operations exist.
- The ASO publisher uses prefix ASO.
- Environment variables exist for journey keys and compliance profile name.
- Dataverse schema includes communication state, lifecycle stage, journey participation, consent, journey ID/name, last interaction, and communication hold fields.
- Test records are clearly separated from real records by TEST-ASO naming.

1.3 Non-negotiable build rules

- Do not send lifecycle customer emails from Outlook, Power Automate, Foundry, Sales AI agents, SAP, or HubSpot.
- Do not treat segment membership as consent proof. Consent must be explicitly represented and validated.
- Do not include raw SAP facts in email content. Use only SAP-derived facts persisted or summarized in Dataverse.
- Do not use unmanaged AI-generated copy in customer-facing messages. Draft text must be reviewed and approved.
- Do not publish the Order Confirmation journey or send Order Confirmation email until SAP Order Reference validation is complete.

1.4 Correct ASO build sequence and asset relationships

The ASO MVP/demo build follows this sequence:

1. Extend Dataverse fields.
2. Create Customer Insights - Journeys triggers.
3. Create real-time segments.

4. Create reusable email templates.
5. Create actual EML email assets from those templates.
6. Create actual journeys using the actual EML email assets.
7. Publish only for TEST-ASO demo-safe records.
8. Save journey templates later if required.

The difference between templates, email assets, and journeys is deliberate:

Item	What it is	How ASO uses it
Email template	Reusable design and content asset.	Used as the starting point for creating actual emails.
Actual EML email asset	The sendable email record in Customer Insights - Journeys.	Selected on journey email tiles and used by journeys.
Journey	The configured orchestration flow.	Starts from a real-time segment, sends the actual EML email asset, and exits or branches as designed.
Journey template	Optional reusable starting point created from a validated actual journey.	Created later by clicking Save as Template after the actual journey is working.

Create actual journey first. Validate it. Publish it only for TEST-ASO safe records if needed for the demo. Then optionally click **Save as Template** to create the reusable journey template. # 2. Step 1 — Create or confirm the ASO.Journeys solution

Use this step to create or verify the solution container used for Customer Insights - Journeys configuration references and ALM-supported journey components.

2.1 Navigation

make.powerapps.com → correct environment → Solutions → New solution

2.2 Click-by-click

1. Open make.powerapps.com.
2. Select the ASO Dev environment.
3. Select **Solutions**.
4. Select **New solution**.
5. Enter the fields below.
6. Select **Create**.
7. Open the solution and confirm it appears in the solution list.
8. Record the solution in the implementation workbook.

2.3 Field-by-field

Field	Value to enter
Display name	ASO.Journeys
Name	ASO.Journeys
Publisher	Agentic Sales Orchestrator
Publisher prefix	aso
Version	0.1.0
Purpose	Customer Insights triggers, journey configuration references, segment notes, email asset inventory, and ALM-supported journey components where available.

2.4 Validation

- Confirm the solution is not the Dataverse default solution.

- Confirm the publisher is the ASO publisher.
- Confirm the key user can open the solution and add configuration records where supported.

3. Step 2 — Confirm Customer Insights - Journeys availability

Use this step to confirm that Customer Insights - Journeys is installed and available in the ASO environment used for the communication plane.

3.1 Navigation

Power Platform admin center → Environments → selected environment → Resources → Dynamics 365 apps

3.2 Click-by-click

1. Open the **Power Platform admin center**.
2. Select the ASO environment.
3. Select **Resources**.
4. Select **Dynamics 365 apps**.
5. Search for **Dynamics 365 Customer Insights - Journeys**.
6. Confirm the app is installed in the ASO environment.
7. Open the app launcher.
8. Open **Customer Insights - Journeys**.
9. Confirm that the app opens in the correct environment.
10. Record the result in the workbook.

3.3 Readiness register fields

Field	Value to record
Customer Insights installed	Yes
Environment	ASO Dev environment name
App URL	Customer Insights - Journeys app URL
License status	Confirmed / Trial / Pending / Blocked
Owner	Marketing Operations / Platform Admin / named owner
Notes	Confirmation notes or installation blocker owned by the platform team

3.4 Validation

- The app opens successfully for the key user.
- The key user is in the correct ASO environment.
- Customer Insights - Journeys appears in the app list.
- No alternate send mechanism is created when the app is unavailable.

4. Step 3 — Configure and verify sending domain readiness

Use this step to verify the authenticated sender domain used by ASO lifecycle emails. The root domain **phoenicarix.com** is authenticated because the working sender mailbox is **vlad.zaicescu@phoenicarix.com**. This resolved the sender-domain validation warning.

4.1 Navigation

Customer Insights - Journeys → Settings → Email marketing → Domain authentication

4.2 Click-by-click verification

1. Open **Customer Insights - Journeys**.
2. Select **Settings**.
3. Open **Email marketing**.
4. Select **Domain authentication**.
5. Open the authenticated domain: **phoenicarix.com**
6. Confirm **Status = Confirmed / Verified**.
7. Confirm **Email sending = Enabled**.
8. Confirm the verification items show as validated:
 - Ownership key
 - DNS CNAME 1
 - DNS CNAME 2
 - Envelope-from
9. Confirm **mvp.phoenicarix.com** remains active and was not deleted.
10. Record the domain and sender validation in the workbook.

4.3 Domain readiness record

Field	Value
Root sending domain	phoenicarix.com
Domain status	Confirmed / Verified
Email sending	Enabled
Ownership key	Verified
DNS CNAME 1	Verified
DNS CNAME 2	Verified
Envelope-from	Verified
Related domain	mvp.phoenicarix.com remains active and was not deleted
Reason for root domain authentication	The working sender mailbox is vlad.zaicescu@phoenicarix.com.

4.4 Sender used for ASO MVP/demo emails

Field	Value
From name	Phöenicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to	vlad.zaicescu@phoenicarix.com
Sending rule	Use this sender only after the root sender domain warning is resolved.
Demo safety	Send only to TEST-ASO demo-safe records during validation.

4.5 Validation

- **phoenicarix.com** is verified.
- Email sending is enabled.
- Sender-domain warning is resolved.
- The sender is **Phöenicarix Sales Team** **vlad.zaicescu@phoenicarix.com**.
- **mvp.phoenicarix.com** remains active.
- Test sends are limited to TEST-ASO or approved internal recipient records.

5. Step 4 — Configure compliance profile, purpose, and topics

Use this step to create the compliance structure used by every ASO lifecycle email.

5.1 Navigation

Customer Insights - Journeys → Settings → Customer engagement → Compliance profiles

5.2 Click-by-click

1. Open **Customer Insights - Journeys**.
2. Select **Settings**.
3. Open **Customer engagement**.
4. Select **Compliance profiles**.
5. Select **New**.
6. Name the profile **Global Commercial**.
7. Select the approved preference center.
8. Add the approved company address.
9. Configure unsubscribe behavior.
10. Create the purpose **Sales Lifecycle**.
11. Create each topic listed below.
12. Publish the compliance profile.
13. Open the preference center link and test that it renders correctly.
14. Record the profile, purpose, topics, and preference center status in the workbook.

5.3 Field-by-field

Field	Value
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Preference center	Use the approved Customer Insights preference center
Company address	Use the approved company address from customer compliance settings
Unsubscribe behavior	Configured and tested before any live send
Publishing action	Publish after validation

5.4 Topics to create

Topic name
Lead
Qualified Lead
Opportunity
Quote Proposal
Order
Onboarding
Retention
Expansion

5.5 Validation

- Global Commercial is published.

- Sales Lifecycle purpose exists.
- All eight topics exist.
- Preference center opens successfully.
- Each email asset uses the correct topic.

6. Step 5 — Trigger configuration — as built

Use this section to verify or reproduce only the Customer Insights - Journeys trigger fields that were actually configured for ASO. The triggers are created in Customer Insights - Journeys and reference Dataverse tables. Opportunity-based triggers use the Opportunity contact lookup as the participant/contact relationship.

6.1 Navigation

Customer Insights - Journeys → Engagement → Triggers → New trigger

6.2 Dataverse readiness and trigger-support fields

These fields are the ASO communication-plane fields that support trigger readiness, segment membership, and safe journey execution.

Dataverse field	Purpose in ASO build	Used by
Lifecycle Communication Stage	Identifies the lifecycle stage for communication readiness.	Triggers, segments, journeys, workbook validation
Communication State	Holds communication eligibility or suppression state.	Triggers, segments, suppression controls
Journey Participation Status	Prevents overlapping active journey participation.	Triggers, segments, re-entry controls
Email Consent Status	Confirms opt-in, opt-out, or blocked state.	Triggers, segments, compliance validation
Lead Nurture Communication Requested	Marks the Lead Nurture communication request.	Lead communication readiness
Qualified Lead Follow Up Communication Requested	Marks the Qualified Lead Follow Up communication request.	Qualified lead communication readiness
Opportunity Progression Communication Requested	Marks the Opportunity Progression communication request.	Opportunity communication readiness
Quote Proposal Communication Requested	Marks the Quote Proposal communication request.	Quote Proposal trigger and segment readiness
Order Confirmation Communication Requested	Marks the Order Confirmation communication request.	Order Confirmation trigger readiness
Onboarding Communication Requested	Marks the Onboarding communication request.	Onboarding trigger readiness
Quote Proposal URL	Stores the approved proposal URL when it is governed for use.	Quote Proposal communication data
SAP Order Reference	Stores the SAP order reference required before live order communication.	Order Confirmation validation
Onboarding Readiness Confirmed	Confirms onboarding is ready before onboarding communication.	Onboarding trigger readiness

6.3 General click-by-click

1. Open **Customer Insights - Journeys**.
2. Go to **Engagement → Triggers**.
3. Select **New trigger**.

4. Enter the trigger name exactly as listed.
5. Select the Dataverse table from the trigger register.
6. Select the audience from the trigger register.
7. Select the audience attribute from the trigger register.
8. For **When is the trigger activated?**, select **An existing record was updated**.
9. Select only the listed trigger activation fields for that trigger.
10. Save the trigger.
11. Select **Ready to use**.
12. Record the trigger in the workbook.

6.4 Trigger register

Trigger name	Table	Audience	Audience attribute	Trigger activation fields	Status
ASO Lead Nurture Requested	Lead	Lead	Lead (via self)	Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status	Ready to use
ASO Qualified Lead Follow Up Requested	Contact	Contact	Contact (via self)	Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status	Ready to use
ASO Opportunity Progression Requested	Opportunity	Contact	Contact (parentcontactid)	Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status	Ready to use
ASO Quote Proposal Requested	Opportunity	Contact	Contact (parentcontactid)	Quote Proposal Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status	Ready to use
ASO Order Confirmation Requested	Opportunity	Contact	Contact (parentcontactid)	Order Confirmation Communication Requested; SAP Order Reference; Lifecycle Communication Stage; Communication State; Email Consent Status	Ready to use
ASO Onboarding Requested	Opportunity	Contact	Contact (parentcontactid)	Onboarding Readiness Confirmed; Onboarding Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status	Ready to use

6.5 ASO Lead Nurture Requested

Field	Value
Trigger name	ASO Lead Nurture Requested
Table	Lead
Audience	Lead

Field	Value
Audience attribute	Lead (via self)
When activated	An existing record was updated
Trigger activation fields	Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status
Status	Ready to use

Screen-by-screen verification

1. Open **ASO Lead Nurture Requested**.
2. Confirm **Table** = **Lead**.
3. Confirm **Audience** = **Lead**.
4. Confirm **Audience attribute** = **Lead (via self)**.
5. Confirm **When activated** = **An existing record was updated**.
6. Confirm **Trigger activation fields** = Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status.
7. Confirm **Status** = **Ready to use**.

6.6 ASO Qualified Lead Follow Up Requested

Field	Value
Trigger name	ASO Qualified Lead Follow Up Requested
Table	Contact
Audience	Contact
Audience attribute	Contact (via self)
When activated	An existing record was updated
Trigger activation fields	Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status
Status	Ready to use

Screen-by-screen verification

1. Open **ASO Qualified Lead Follow Up Requested**.
2. Confirm **Table** = **Contact**.
3. Confirm **Audience** = **Contact**.
4. Confirm **Audience attribute** = **Contact (via self)**.
5. Confirm **When activated** = **An existing record was updated**.
6. Confirm **Trigger activation fields** = Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status.
7. Confirm **Status** = **Ready to use**.

6.7 ASO Opportunity Progression Requested

Field	Value
Trigger name	ASO Opportunity Progression Requested
Table	Opportunity
Audience	Contact
Audience attribute	Contact (parentcontactid)
When activated	An existing record was updated
Trigger activation fields	Lifecycle Communication Stage; Communication State; Journey

Field	Value
	Participation Status; Email Consent Status
Status	Ready to use

Screen-by-screen verification

1. Open **ASO Opportunity Progression Requested**.
2. Confirm **Table = Opportunity**.
3. Confirm **Audience = Contact**.
4. Confirm **Audience attribute = Contact (parentcontactid)**.
5. Confirm **When activated = An existing record was updated**.
6. Confirm **Trigger activation fields = Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status**.
7. Confirm **Status = Ready to use**.

6.8 ASO Quote Proposal Requested

Field	Value
Trigger name	ASO Quote Proposal Requested
Table	Opportunity
Audience	Contact
Audience attribute	Contact (parentcontactid)
When activated	An existing record was updated
Trigger activation fields	Quote Proposal Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status
Status	Ready to use

Implementation note

Quote Proposal communication starts from Opportunity, not from the Quote table. Quote can provide proposal context later, but Opportunity owns the ASO lifecycle communication state.

Screen-by-screen verification

1. Open **ASO Quote Proposal Requested**.
2. Confirm **Table = Opportunity**.
3. Confirm **Audience = Contact**.
4. Confirm **Audience attribute = Contact (parentcontactid)**.
5. Confirm **When activated = An existing record was updated**.
6. Confirm **Trigger activation fields = Quote Proposal Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status**.
7. Confirm **Status = Ready to use**.

6.9 ASO Order Confirmation Requested

Field	Value
Trigger name	ASO Order Confirmation Requested
Table	Opportunity
Audience	Contact
Audience attribute	Contact (parentcontactid)
When activated	An existing record was updated
Trigger activation fields	Order Confirmation Communication Requested; SAP Order

Field	Value
	Reference; Lifecycle Communication Stage; Communication State; Email Consent Status
Status	Ready to use

Implementation note

The trigger exists and is ready to use for configuration. No live Order Confirmation send is allowed until SAP Order Reference validation is complete through the governed integration path.

Screen-by-screen verification

1. Open **ASO Order Confirmation Requested**.
2. Confirm **Table = Opportunity**.
3. Confirm **Audience = Contact**.
4. Confirm **Audience attribute = Contact (parentcontactid)**.
5. Confirm **When activated = An existing record was updated**.
6. Confirm **Trigger activation fields = Order Confirmation Communication Requested; SAP Order Reference; Lifecycle Communication Stage; Communication State; Email Consent Status**.
7. Confirm **Status = Ready to use**.

6.10 ASO Onboarding Requested

Field	Value
Trigger name	ASO Onboarding Requested
Table	Opportunity
Audience	Contact
Audience attribute	Contact (parentcontactid)
When activated	An existing record was updated
Trigger activation fields	Onboarding Readiness Confirmed; Onboarding Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status
Status	Ready to use

Screen-by-screen verification

1. Open **ASO Onboarding Requested**.
2. Confirm **Table = Opportunity**.
3. Confirm **Audience = Contact**.
4. Confirm **Audience attribute = Contact (parentcontactid)**.
5. Confirm **When activated = An existing record was updated**.
6. Confirm **Trigger activation fields = Onboarding Readiness Confirmed; Onboarding Communication Requested; Lifecycle Communication Stage; Communication State; Journey Participation Status; Email Consent Status**.
7. Confirm **Status = Ready to use**.

7. Step 6 — Customer Insights - Journeys real-time segments

Build these segments from **Audience** → **Segments** → **New segment**. Keep the readiness and test-recipient segments in **Group 1** and use the group logic shown for each segment.

The **TEST-ASO** filters are MVP/demo safety controls. They keep the customer demo isolated from real customer contacts until the customer approves live audience readiness.

7.1 Navigation

Customer Insights - Journeys → Audience → Segments → New segment

7.2 General click-by-click segment build

1. Open **Customer Insights - Journeys**.
2. Go to **Audience → Segments**.
3. Select **New segment**.
4. Select the target audience from the segment table.
5. Select **Attribute group**.
6. Keep readiness segments in **Group 1**.
7. Add each field from the right-side **Attributes** pane.
8. For each condition, select **Add item to → Existing group → Group 1**.
9. Use **AND** for readiness and test-recipient segments.
10. Use **OR** for suppression segments.
11. Select **Save / Speichern**.
12. Select **Estimate**.
13. Confirm expected **TEST-ASO** or suppression records.
14. Select **Ready to use / Bereit zur Verwendung**.

7.3 Lead - Nurture Ready

Field	Value
Segment name	Lead - Nurture Ready
Target audience	Lead
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Lead
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
Company Name	Contains	TEST-ASO

7.4 Qualified Lead - Follow Up Ready

Field	Value
Segment name	Qualified Lead - Follow Up Ready
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Qualified Lead

Field	Operator	Value
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
First Name	Is	TEST
Last Name	Contains	TEST-ASO

7.5 Opportunity - Progression Ready

Field	Value
Segment name	Opportunity - Progression Ready
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Opportunity
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
First Name	Is	TEST
Last Name	Contains	TEST-ASO

7.6 Quote Proposal - Ready

Field	Value
Segment name	Quote Proposal - Ready
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Quote Proposal
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
First Name	Is	TEST
Last Name	Contains	TEST-ASO

7.7 Order - Confirmation Ready

Field	Value
Segment name	Order - Confirmation Ready
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Order
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
First Name	Is	TEST
Last Name	Contains	TEST-ASO

7.8 Onboarding - Ready

Field	Value
Segment name	Onboarding - Ready
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
Lifecycle Communication Stage	Is	Onboarding
Communication State	Is	Eligible
Journey Participation Status	Is not	Active
Email Consent Status	Is	Opted In
First Name	Is	TEST
Last Name	Contains	TEST-ASO

7.9 TEST-ASO - Internal Recipients

Field	Value
Segment name	TEST-ASO - Internal Recipients
Target audience	Contact
Group logic	AND
Status	Ready to use

Conditions

Field	Operator	Value
First Name	Is	TEST
Last Name	Contains	TEST-ASO
Email Consent Status	Is	Opted In

7.10 ASO - Suppression - Do Not Communicate

Field	Value
Segment name	ASO - Suppression - Do Not Communicate
Target audience	Contact
Group logic	OR
Status	Ready to use

Conditions

Field	Operator	Value
Email Consent Status	Is	Opted Out
Email Consent Status	Is	Blocked
Communication State	Is	Suppressed
Communication State	Is	Blocked

8. Step 7 — Email template and actual EML email asset configuration

Create the reusable email templates first, then create the actual EML email assets from those templates. The actual EML email assets are what journeys use. Journeys do not use email templates directly.

8.1 Navigation

Customer Insights - Journeys → Channels → Emails → New

8.2 General click-by-click

1. Open **Customer Insights - Journeys**.
2. Go to **Channels → Emails**.
3. Select **New**.
4. Select the reusable ASO template for the lifecycle stage.
5. Create the actual EML email asset using the exact email asset name listed in this section.
6. Set **Compliance profile** = **Global Commercial**.
7. Set **Purpose** = **Sales Lifecycle**.
8. Set the correct **Topic**.
9. Configure the approved sender:
 - **From name** = **Phönicarix Sales Team**
 - **From email** = **vlad.zaicescu@phoenicarix.com**
 - **Reply-to** = **vlad.zaicescu@phoenicarix.com**
10. Open the email designer.
11. Use the **HTML** tab to validate or paste the HTML code in this runbook.
12. Insert dynamic text through Customer Insights personalization controls.
13. Validate the required company address and preference-center / unsubscribe content.

14. Save.
15. Preview.
16. Run **Content check**.
17. Mark the email **Ready to send** after the content check passes.
18. Use only the actual EML email asset when configuring a journey.

8.3 Email governance rules

Rule	Requirement
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Must match lifecycle stage
Required footer	Company address and preference center / unsubscribe
Personalization	Approved Dataverse fields only
SAP data	Only normalized Dataverse SAP fields
AI draft text	Must be reviewed before customer use
Sender	Phöenicarix Sales Team, vlad.zaicescu@phoenicarix.com
Sending	TEST-ASO demo-safe records only until validation gates pass

8.4 Reusable email templates created

Email template	Purpose	Topic	Used to create actual EML asset
TMPL - ASO - Lead Nurture - Initial	Sales Lifecycle	Lead	EML - Lead Nurture - Initial
TMPL - ASO - Qualified Lead - Follow Up	Sales Lifecycle	Qualified Lead	EML - Qualified Lead - Follow Up
TMPL - ASO - Opportunity - Progression	Sales Lifecycle	Opportunity	EML - Opportunity - Progression
TMPL - ASO - Quote Proposal - Sent	Sales Lifecycle	Quote Proposal	EML - Quote Proposal - Sent
TMPL - ASO - Order Confirmation	Sales Lifecycle	Order	EML - Order Confirmation
TMPL - ASO - Onboarding Welcome	Sales Lifecycle	Onboarding	EML - Onboarding Welcome

8.5 Actual EML email assets created

Actual EML email asset	Source template	Journey using it	Status
EML - Lead Nurture - Initial	TMPL - ASO - Lead Nurture - Initial	JRNY - ASO - Lead Nurture - v1	Ready to send confirmed
EML - Qualified Lead - Follow Up	TMPL - ASO - Qualified Lead - Follow Up	JRNY - ASO - Qualified Lead Follow Up - v1	Ready to send confirmed
EML - Opportunity - Progression	TMPL - ASO - Opportunity - Progression	JRNY - ASO - Opportunity Progression - v1	Ready to send confirmed
EML - Quote Proposal - Sent	TMPL - ASO - Quote Proposal - Sent	JRNY - ASO - Quote Proposal - v1	Ready to send confirmed
EML - Order Confirmation	TMPL - ASO - Order Confirmation	JRNY - ASO - Order Confirmation - v1	Ready to send confirmed
EML - Onboarding Welcome	TMPL - ASO - Onboarding Welcome	JRNY - ASO - Onboarding - v1	Created; pending Ready to send confirmation before publishing

8.6 EML - Lead Nurture - Initial

Field	Value
Email asset name	EML - Lead Nurture - Initial
Source template	TMPL - ASO - Lead Nurture - Initial
Journey using it	JRNY - ASO - Lead Nurture - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Lead
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Lead
Sender display name	Phönicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com
Subject	Thanks for your interest — here's the next step
Preheader	A short introduction to how our team can support your next conversation.
Dynamic text used	FirstName; CompanyName; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Review next steps / https://phoenicarix.com
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	No errors found
Ready to send status	Ready to send confirmed

Click-by-click creation from source template

1. Go to **Channels** → **Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Lead Nurture - Initial**.
4. Enter email asset name: **EML - Lead Nurture - Initial**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Lead**.
8. Open the sender settings pane.
9. Set **From name** = **Phönicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.
12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.
17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Lead first name
{{CompanyName}}	Lead company name
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```

<!doctype html>
<html>
<head>
  <meta charset="utf-8">
  <title>EML - Lead Nurture - Initial</title>
</head>
<body style="margin:0;background:#f4f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
  <table role="presentation" width="100%" cellpadding="0" cellspacing="0"
style="background:#f4f7fb;padding:28px 0;">
    <tr><td align="center">
      <table role="presentation" width="640" cellpadding="0" cellspacing="0"
style="background:#ffffff;border-radius:18px;overflow:hidden;border:1px solid #e3e8f0;">
        <tr>
          <td style="background:#0b1f3a;padding:28px 34px;color:#ffffff;">
            <div style="font-size:13px;letter-spacing:.08em;text-
transform:uppercase;color:#83d6c8;">Agentic Sales Orchestrator</div>
            <h1 style="margin:12px 0 0;font-size:28px;line-height:1.2;">Thanks for your interest</h1>
          </td>
        </tr>
        <tr>
          <td style="padding:34px;">
            <p style="font-size:16px;line-height:1.6;margin:0 0 18px;">Hello {{FirstName}},</p>
            <p style="font-size:16px;line-height:1.6;margin:0 0 18px;">
              Thank you for your interest in learning more. Our team will use the information already
              captured for {{CompanyName}} to prepare the next conversation and make sure the follow-up is
              relevant.
            </p>
            <p style="font-size:16px;line-height:1.6;margin:0 0 24px;">
              As a next step, you can review the short overview below and let us know which topic is
              most useful for your team.
            </p>
            <table role="presentation" cellpadding="0" cellspacing="0">
              <tr>
                <td style="background:#0078d4;border-radius:8px;">
                  <a href="https://phoenicarix.com" style="display:inline-block;padding:13px
22px;color:#ffffff;text-decoration:none;font-weight:600;">Review next steps</a>
                </td>
              </tr>
            </table>
          </td>
        </tr>
      </table>
    </td>
  </tr>
  </table>

```

```

</table>
<p style="font-size:13px;line-height:1.5;color:#5c667a;margin:28px 0 0;">
  You are receiving this message because your record is marked as eligible for Sales
Lifecycle communication.
</p>
</td>
</tr>
<tr>
<td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
  <p style="margin:0 0 8px;">{{CompanyAddress}}</p>
  <p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#0078d4;">Manage
communication preferences</a></p>
</td>
</tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or personalization controls
Test recipient only	Yes
No real customer send	Confirmed before journey test

8.7 EML - Qualified Lead - Follow Up

Field	Value
Email asset name	EML - Qualified Lead - Follow Up
Source template	TMPL - ASO - Qualified Lead - Follow Up
Journey using it	JRNY - ASO - Qualified Lead Follow Up - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Contact
Compliance profile	Global Commercial
Purpose	Sales Lifecycle

Field	Value
Topic	Qualified Lead
Sender display name	Phöenicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com
Subject	Following up on your sales conversation
Preheader	A short follow-up with suggested next steps.
Dynamic text used	FirstName; SellerName; SellerEmail; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Not applicable for MVP journey branch
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	No errors found
Ready to send status	Ready to send confirmed

Click-by-click creation from source template

1. Go to **Channels** → **Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Qualified Lead - Follow Up**.
4. Enter email asset name: **EML - Qualified Lead - Follow Up**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Qualified Lead**.
8. Open the sender settings pane.
9. Set **From name** = **Phöenicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.
12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.
17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Contact first name
{{SellerName}}	Owner / seller name
{{SellerEmail}}	Owner / seller email
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```

<!doctype html>
<html>
<head><meta charset="utf-8"><title>EML - Qualified Lead - Follow Up</title></head>
<body style="margin:0;background:#f5f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0" style="padding:28px
0;background:#f5f7fb;">
<tr><td align="center">
<table role="presentation" width="640" cellpadding="0" cellspacing="0"
style="background:#ffffff;border-radius:18px;border:1px solid #e1e7ef;overflow:hidden;">
<tr><td style="background:#0b1f3a;padding:28px 34px;color:#fff;">
<div style="font-size:13px;text-transform:uppercase;letter-
spacing:.08em;color:#83d6c8;">Qualified lead follow-up</div>
<h1 style="margin:10px 0 0;font-size:27px;">Next step for your conversation</h1>
</td></tr>
<tr><td style="padding:34px;">
<p style="font-size:16px;line-height:1.6;">Hello {{FirstName}},</p>
<p style="font-size:16px;line-height:1.6;">Thank you for the recent conversation. Based on the
information captured so far, our team can help clarify the next practical step and prepare a
focused discussion.</p>
<p style="font-size:16px;line-height:1.6;">Your contact for the next step is {{SellerName}}. You
can use the button below to continue the conversation or share additional context.</p>
<table role="presentation"><tr><td style="background:#0f6cbd;border-radius:8px;">
<a href="mailto:{{SellerEmail}}" style="display:inline-block;padding:13px 22px;color:#fff;text-
decoration:none;font-weight:600;">Contact {{SellerName}}</a>
</td></tr></table>
<p style="font-size:13px;color:#607086;line-height:1.5;margin-top:28px;">This email is part of
Sales Lifecycle communication and uses your recorded communication preferences.</p>
</td></tr>
<tr><td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
<p style="margin:0 0 8px;">{{CompanyAddress}}</p>
<p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#0f6cbd;">Manage
communication preferences</a></p>
</td></tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage

Check	Required
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or personalization controls
Test recipient only	Yes
No real customer send	Confirmed before journey test

8.8 EML - Opportunity - Progression

Field	Value
Email asset name	EML - Opportunity - Progression
Source template	TMPL - ASO - Opportunity - Progression
Journey using it	JRNY - ASO - Opportunity Progression - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Contact
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Opportunity
Sender display name	Phönicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com
Subject	Keeping your opportunity moving
Preheader	A brief update to support the next opportunity step.
Dynamic text used	FirstName; AccountName; SellerName; NextStepUrl; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Approved next-step URL
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	No errors found
Ready to send status	Ready to send confirmed

Click-by-click creation from source template

1. Go to **Channels → Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Opportunity - Progression**.
4. Enter email asset name: **EML - Opportunity - Progression**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Opportunity**.
8. Open the sender settings pane.
9. Set **From name** = **Phönicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.

12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.
17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Contact first name
{{AccountName}}	Account name
{{SellerName}}	Owner / seller name
{{NextStepUrl}}	Approved next-step URL
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```
<!doctype html>
<html>
<head><meta charset="utf-8"><title>EML - Opportunity - Progression</title></head>
<body style="margin:0;background:#f4f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0"
style="background:#f4f7fb;padding:28px 0;">
<tr><td align="center">
<table role="presentation" width="640" cellpadding="0" cellspacing="0"
style="background:#fff;border-radius:18px;border:1px solid #dfe7f1;overflow:hidden;">
<tr><td style="background:#103b5f;padding:28px 34px;color:white;">
<div style="font-size:13px;text-transform:uppercase;letter-
spacing:.08em;color:#9ee5d2;">Opportunity progression</div>
<h1 style="font-size:27px;margin:10px 0 0;">Supporting the next step</h1>
</td></tr>
<tr><td style="padding:34px;">
<p style="font-size:16px;line-height:1.6;">Hello {{FirstName}},</p>
<p style="font-size:16px;line-height:1.6;">We are following up on the current opportunity for
{{AccountName}}. The goal is to keep the next step clear, useful, and aligned to the conversation
already underway.</p>
<p style="font-size:16px;line-height:1.6;">{{SellerName}} can help review open questions,
required information, and timing for the next stage.</p>
<table role="presentation"><tr><td style="background:#0078d4;border-radius:8px;">
<a href="{{NextStepUrl}}" style="display:inline-block;padding:13px 22px;color:white;text-
decoration:none;font-weight:600;">Review next step</a>
</td></tr></table>
<p style="font-size:13px;color:#607086;line-height:1.5;margin-top:28px;">No commercial
commitment is made by this message. Final commercial details are confirmed through the
```

```

approved sales process.</p>
</td></tr>
<tr><td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
<p style="margin:0 0 8px;">{{CompanyAddress}}</p>
<p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#0078d4;">Manage
communication preferences</a></p>
</td></tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or personalization controls
Test recipient only	Yes
No real customer send	Confirmed before journey test

8.9 EML - Quote Proposal - Sent

Field	Value
Email asset name	EML - Quote Proposal - Sent
Source template	TMPL - ASO - Quote Proposal - Sent
Journey using it	JRNY - ASO - Quote Proposal - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Contact
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Quote Proposal
Sender display name	Phönicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com
Subject	Your proposal is ready for review

Field	Value
Preheader	Review the approved proposal and next steps.
Dynamic text used	FirstName; AccountName; SellerName; SellerEmail; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Open proposal / https://phoenicarix.com (safe placeholder URL for MVP demo)
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	No errors found
Ready to send status	Ready to send confirmed

Click-by-click creation from source template

1. Go to **Channels** → **Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Quote Proposal - Sent**.
4. Enter email asset name: **EML - Quote Proposal - Sent**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Quote Proposal**.
8. Open the sender settings pane.
9. Set **From name** = **Phöenicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.
12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.
17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Contact first name
{{AccountName}}	Account name
{{SellerName}}	Owner / seller name
{{SellerEmail}}	Owner / seller email
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```
<!doctype html>
<html>
<head><meta charset="utf-8"><title>EML - Quote Proposal - Sent</title></head>
<body style="margin:0;background:#f5f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0" style="padding:28px
```

```

0;background:#f5f7fb;">
<tr><td align="center">
<table role="presentation" width="640" cellpadding="0"
style="background:#fff;border-radius:18px;border:1px solid #dfe7f1;overflow:hidden;">
<tr><td style="background:#143d2c;padding:28px 34px;color:#fff;">
<div style="font-size:13px;text-transform:uppercase;letter-spacing:.08em;color:#a8efcf;">Quote
proposal</div>
<h1 style="font-size:27px;margin:10px 0 0;">Your proposal is ready</h1>
</td></tr>
<tr><td style="padding:34px;">
<p style="font-size:16px;line-height:1.6;">Hello {{FirstName}},</p>
<p style="font-size:16px;line-height:1.6;">The proposal for {{AccountName}} is ready for review.
The document below should be used as the approved proposal reference for this
communication.</p>
<table role="presentation"><tr><td style="background:#107c41;border-radius:8px;">
<a href="https://phoenixarix.com" style="display:inline-block;padding:13px 22px;color:#fff;text-
decoration:none;font-weight:600;">Open proposal</a>
</td></tr></table>
<p style="font-size:16px;line-height:1.6;margin-top:24px;">For questions or changes, contact
{{SellerName}} at {{SellerEmail}}.</p>
<p style="font-size:13px;color:#607086;line-height:1.5;margin-top:28px;">Only approved
proposal content should be linked from this email.</p>
</td></tr>
<tr><td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
<p style="margin:0 0 8px;">{{CompanyAddress}}</p>
<p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#107c41;">Manage
communication preferences</a></p>
</td></tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or

Check	Required
	personalization controls
Test recipient only	Yes
No real customer send	Confirmed before journey test

8.10 EML - Order Confirmation

Field	Value
Email asset name	EML - Order Confirmation
Source template	TMPL - ASO - Order Confirmation
Journey using it	JRNY - ASO - Order Confirmation - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Contact
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Order
Sender display name	Phönicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com
Subject	Order confirmation
Preheader	Your order reference and next steps.
Dynamic text used	FirstName; OrderReference; SellerName; SupportUrl; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Approved support or portal URL
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	No errors found
Ready to send status	Ready to send confirmed

Click-by-click creation from source template

1. Go to **Channels → Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Order Confirmation**.
4. Enter email asset name: **EML - Order Confirmation**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Order**.
8. Open the sender settings pane.
9. Set **From name** = **Phönicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.
12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.

17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Contact first name
{{OrderReference}}	SAP Order Reference
{{SellerName}}	Owner / seller name
{{SupportUrl}}	Approved support or portal URL
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```

<!doctype html>
<html>
<head><meta charset="utf-8"><title>EML - Order Confirmation</title></head>
<body style="margin:0;background:#f5f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0" style="padding:28px 0;background:#f5f7fb;">
<tr><td align="center">
<table role="presentation" width="640" cellpadding="0" cellspacing="0" style="background:#fff;border-radius:18px;border:1px solid #dfe7f1;overflow:hidden;">
<tr><td style="background:#4b2e83;padding:28px 34px;color:#fff;">
<div style="font-size:13px;text-transform:uppercase;letter-spacing:.08em;color:#d6c7ff;">Order confirmation</div>
<h1 style="font-size:27px;margin:10px 0 0;">Your order has been confirmed</h1>
</td></tr>
<tr><td style="padding:34px;">
<p style="font-size:16px;line-height:1.6;">Hello {{FirstName}},</p>
<p style="font-size:16px;line-height:1.6;">Your order reference has been created and validated.</p>
<table role="presentation" width="100%" style="background:#f3f0fb;border-radius:12px;margin:20px 0;">
<tr><td style="padding:18px 20px;">
<div style="font-size:13px;color:#665a80;text-transform:uppercase;letter-spacing:.06em;">Order reference</div>
<div style="font-size:22px;font-weight:700;color:#2f1d52;">{{OrderReference}}</div>
</td></tr>
</table>
<p style="font-size:16px;line-height:1.6;">{{SellerName}} remains your contact for any commercial questions.</p>
<table role="presentation"><tr><td style="background:#5c2d91;border-radius:8px;">
<a href="{{SupportUrl}}" style="display:inline-block;padding:13px 22px;color:#fff;text-decoration:none;font-weight:600;">View support information</a>

```

```

</td></tr></table>
<p style="font-size:13px;color:#607086;line-height:1.5;margin-top:28px;">Use this email only
after SAP Order Reference validation is complete.</p>
</td></tr>
<tr><td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
<p style="margin:0 0 8px;">{{CompanyAddress}}</p>
<p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#5c2d91;">Manage
communication preferences</a></p>
</td></tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or personalization controls
Test recipient only	Yes
No real customer send	Confirmed before journey test

8.11 EML - Onboarding Welcome

Field	Value
Email asset name	EML - Onboarding Welcome
Source template	TMPL - ASO - Onboarding Welcome
Journey using it	JRNY - ASO - Onboarding - v1
Navigation	Customer Insights - Journeys → Channels → Emails → New
Audience context	Contact
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Onboarding
Sender display name	Phönicarix Sales Team
From email	vlad.zaicescu@phoenicarix.com
Reply-to email	vlad.zaicescu@phoenicarix.com

Field	Value
Subject	Welcome — your onboarding starts here
Preheader	Key resources and next steps for onboarding.
Dynamic text used	FirstName; AccountName; OnboardingUrl; SellerName; PreferenceCenterLink; CompanyAddress
CTA / link behavior	Approved onboarding resource URL
Compliance footer used	Company address and Customer Insights preference center / unsubscribe content from Global Commercial
Content check	Pending final content check confirmation
Ready to send status	Created; pending Ready to send confirmation before publishing

Click-by-click creation from source template

1. Go to **Channels** → **Emails**.
2. Click **New**.
3. In the template gallery, select **TMPL - ASO - Onboarding Welcome**.
4. Enter email asset name: **EML - Onboarding Welcome**
5. Set **Compliance profile** = **Global Commercial**.
6. Set **Purpose** = **Sales Lifecycle**.
7. Set **Topic** = **Onboarding**.
8. Open the sender settings pane.
9. Set **From name** = **Phönicarix Sales Team**.
10. Set **From email** = **vlad.zaicescu@phoenicarix.com**.
11. Set **Reply-to** = **vlad.zaicescu@phoenicarix.com**.
12. Open the designer.
13. Confirm the dynamic text listed in the table is inserted through Customer Insights personalization controls.
14. Confirm the HTML content below is present.
15. Confirm the compliance footer content is present.
16. Run **Content check**.
17. Save.
18. Mark the email **Ready to send** only after the content check status is acceptable.
19. Use this actual EML email asset in the journey. Do not select the reusable email template on the journey email tile.

Personalization fields

Placeholder	Replace with
{{FirstName}}	Contact first name
{{AccountName}}	Account name
{{OnboardingUrl}}	Approved onboarding resource URL
{{SellerName}}	Owner / seller name
{{PreferenceCenterLink}}	Customer Insights preference center link
{{CompanyAddress}}	Compliance profile company address

Modern HTML draft

```
<!doctype html>
<html>
<head><meta charset="utf-8"><title>EML - Onboarding Welcome</title></head>
<body style="margin:0;background:#f5f7fb;font-family:Segoe UI,Arial,sans-serif;color:#172033;">
<table role="presentation" width="100%" cellpadding="0" cellspacing="0" style="padding:28px
```

```

0;background:#f5f7fb;">
<tr><td align="center">
<table role="presentation" width="640" cellpadding="0" cellspacing="0"
style="background:#fff;border-radius:18px;border:1px solid #dfe7f1;overflow:hidden;">
<tr><td style="background:#0f4c5c;padding:28px 34px;color:#fff;">
<div style="font-size:13px;text-transform:uppercase;letter-
spacing:.08em;color:#9de7f6;">Onboarding</div>
<h1 style="font-size:27px;margin:10px 0 0;">Welcome to onboarding</h1>
</td></tr>
<tr><td style="padding:34px;">
<p style="font-size:16px;line-height:1.6;">Hello {{FirstName}},</p>
<p style="font-size:16px;line-height:1.6;">Welcome. Your onboarding for {{AccountName}} is
ready to begin. The resource below provides the starting point for the next steps.</p>
<table role="presentation"><tr><td style="background:#008c95;border-radius:8px;">
<a href="{{OnboardingUrl}}" style="display:inline-block;padding:13px 22px;color:#fff;text-
decoration:none;font-weight:600;">Open onboarding resources</a>
</td></tr></table>
<p style="font-size:16px;line-height:1.6;margin-top:24px;">{{SellerName}} will remain available
during the handover and initial onboarding steps.</p>
<p style="font-size:13px;color:#607086;line-height:1.5;margin-top:28px;">This email is sent only
when onboarding readiness is confirmed.</p>
</td></tr>
<tr><td style="background:#eef3f8;padding:22px 34px;font-size:12px;color:#5c667a;">
<p style="margin:0 0 8px;">{{CompanyAddress}}</p>
<p style="margin:0;"><a href="{{PreferenceCenterLink}}" style="color:#008c95;">Manage
communication preferences</a></p>
</td></tr>
</table>
</td></tr>
</table>
</body>
</html>

```

Validation checklist

Check	Required
Email asset name	Matches this section
Compliance profile	Global Commercial
Purpose	Sales Lifecycle
Topic	Matches lifecycle stage
Sender	Approved sender on authenticated domain before live use
Required footer	Company address present
Preference center / unsubscribe	Present
Personalization tokens	Inserted through Customer Insights required content or personalization controls

Check	Required
Test recipient only	Yes
No real customer send	Confirmed before journey test

9. Step 8 — Journey configuration

Build the actual journeys after the corresponding segment and actual EML email asset are ready. For the ASO MVP/demo build, all journeys are **segment-based journeys**. The participant type is inherited from the selected segment. The user does not configure a separate **Audience** field on the journey setup screen.

9.1 Navigation

Customer Insights - Journeys → Engagement → Journeys → New journey

9.2 General click-by-click

1. Open **Customer Insights - Journeys**.
2. Go to **Engagement → Journeys**.
3. Click **New journey**.
4. Select **Segment-based journey**.
5. Enter the journey name exactly as listed.
6. Select the entry segment exactly as listed.
7. Confirm the participant source is inherited from the selected segment.
8. Add the email step.
9. Select the actual EML email asset. Do not select an email template.
10. Confirm **Send to = Email**.
11. Configure the branch only where documented.
12. Save.
13. Review the segment membership and confirm it contains TEST-ASO records only.
14. Publish only after validation.

Participant inheritance rule

In Customer Insights - Journeys journey setup, the user does not configure a separate Audience field. The participant type is inherited from the entry source:

- Segment-based journey: inherited from the selected segment
- Trigger-based journey: inherited from the selected trigger audience configuration

For the ASO MVP/demo build, all journeys are segment-based journeys. Therefore, the participant source is the selected segment.

9.3 JRNY - ASO - Lead Nurture - v1

Purpose

Send the first lead nurture email to TEST-ASO leads and demonstrate email engagement tracking by waiting for the configured CTA link click.

Field / Setting	Value
Journey name	JRNY - ASO - Lead Nurture - v1
Entry pattern	Segment-based
Entry segment	Lead - Nurture Ready
Participant source	Inherited from selected segment

Field / Setting	Value
Participant type	Lead
Email asset	EML - Lead Nurture - Initial
Send to	Email
Re-entry	Do not allow re-entry
Demo time limit	1 minute
Final training / normal configuration time limit	3 days
Publish scope	TEST-ASO records only

Final structure

Start: Lead - Nurture Ready

- Send email: EML - Lead Nurture - Initial
- If/then branch: Previous message gets an interaction
 - Email Lead Nurture - Link Clicked
 - Review Next Steps - Link Clicked
 - review-next-steps path: Exit
 - Other path: Exit
 - Timeout path: Exit

Important: This journey is not just **Start** → **Email** → **Exit**. The correct Lead Nurture journey includes an **If/then branch** that waits for a previous message interaction and then creates a link-specific branch.

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.
3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Lead Nurture - v1**
5. Select entry segment: **Lead - Nurture Ready**
6. Explain to the trainee: the participant type is inherited from the selected segment. Do not look for an **Audience** field.
7. On the canvas, click + below the journey start.
8. Select **Messages** → **Email**.
9. Select: **EML - Lead Nurture - Initial**
10. In the email pane, confirm: **Send to = Email**
11. Click + below the email tile.
12. Select **Conditions** → **If/then branch**.
13. In the **If/then branch** pane, set: **Choose a branch condition type = Previous message gets an interaction**
14. In the **Branches** section, create or open the email interaction branch.
15. Select the interaction: **Email link clicked**
16. Click **Specify the link clicked / create branches**.
17. Select the CTA link from **EML - Lead Nurture - Initial: Review next steps / https://phoenicarix.com**
18. Confirm that Dynamics creates an additional inner link-specific branch.
19. Name or confirm the inner branch: **Review Next Steps - Link Clicked**
20. Confirm the clicked-link path: **review-next-steps**
21. Leave the **Other** path connected to **Exit**.
22. Leave the **Timeout** path connected to **Exit**.
23. Set the time limit:
 - For customer demo: **1 minute**
 - For final training / normal configuration: **3 days**
24. Save.

25. Publish only after confirming the **Lead - Nurture Ready** segment contains TEST-ASO records only.

Branch path explanation

Path	Meaning
review-next-steps	Recipient clicked the selected CTA link.
Other	Recipient clicked a different tracked link, not the configured CTA.
Timeout	Recipient did not click the selected CTA before the configured time limit expired.

Do not configure email click tracking through an Attribute branch. Do not add a separate Wait time action before the branch. Do not search for Email clicked inside Attribute branch. Email click tracking is configured from the If/then branch by choosing **Previous message gets an interaction**, then selecting the email interaction, then clicking **Specify the link clicked / create branches**.

9.4 JRNY - ASO - Qualified Lead Follow Up - v1

Purpose

Send follow-up communication to qualified lead contacts that are marked ready in the **Qualified Lead - Follow Up Ready** segment.

Field / Setting	Value
Journey name	JRNY - ASO - Qualified Lead Follow Up - v1
Entry pattern	Segment-based
Entry segment	Qualified Lead - Follow Up Ready
Participant source	Inherited from selected segment
Participant type	Contact
Email asset	EML - Qualified Lead - Follow Up
Send to	Email
Re-entry	Do not allow re-entry
Publish scope	TEST-ASO records only

Final structure

Start: Qualified Lead - Follow Up Ready
 → Send email: EML - Qualified Lead - Follow Up
 → Exit

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.
3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Qualified Lead Follow Up - v1**
5. Select segment: **Qualified Lead - Follow Up Ready**
6. Confirm that participant type is inherited from the segment. Do not configure a separate **Audience** field.
7. Click + below start.
8. Select **Messages** → **Email**.
9. Select: **EML - Qualified Lead - Follow Up**
10. Confirm **Send to = Email**.
11. Save.
12. Publish only for TEST-ASO demo-safe records.

No branch is configured for the MVP version.

9.5 JRNY - ASO - Opportunity Progression - v1

Field / Setting	Value
Journey name	JRNY - ASO - Opportunity Progression - v1
Entry pattern	Segment-based
Entry segment	Opportunity - Progression Ready
Participant source	Inherited from selected segment
Participant type	Contact
Email asset	EML - Opportunity - Progression
Send to	Email
Re-entry	Do not allow re-entry
Publish scope	TEST-ASO records only

Final structure

Start: Opportunity - Progression Ready
 → Send email: EML - Opportunity - Progression
 → Exit

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.
3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Opportunity Progression - v1**
5. Select segment: **Opportunity - Progression Ready**
6. Confirm that participant type is inherited from the segment. Do not configure a separate **Audience** field.
7. Click **+** below start.
8. Select **Messages** → **Email**.
9. Select: **EML - Opportunity - Progression**
10. Confirm **Send to = Email**.
11. Save.
12. Publish only for TEST-ASO demo-safe records.

No branch is configured for the MVP version.

9.6 JRNY - ASO - Quote Proposal - v1

Field / Setting	Value
Journey name	JRNY - ASO - Quote Proposal - v1
Entry pattern	Segment-based
Entry segment	Quote Proposal - Ready
Participant source	Inherited from selected segment
Participant type	Contact
Email asset	EML - Quote Proposal - Sent
Send to	Email
Re-entry	Do not allow re-entry

Field / Setting	Value
Publish scope	TEST-ASO records only

Final structure

Start: Quote Proposal - Ready
 → Send email: EML - Quote Proposal - Sent
 → Exit

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.
3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Quote Proposal - v1**
5. Select segment: **Quote Proposal - Ready**
6. Confirm that participant type is inherited from the segment. Do not configure a separate **Audience** field.
7. Click **+** below start.
8. Select **Messages** → **Email**.
9. Select: **EML - Quote Proposal - Sent**
10. Confirm **Send to = Email**.
11. Save.
12. Publish only for TEST-ASO demo-safe records.

Note

The proposal CTA currently uses the safe placeholder URL. Final binding to the approved Quote Proposal URL is not part of the MVP demo journey.

No branch is configured for the MVP version.

9.7 JRNY - ASO - Order Confirmation - v1

Field / Setting	Value
Journey name	JRNY - ASO - Order Confirmation - v1
Entry pattern	Segment-based
Entry segment	Order - Confirmation Ready
Participant source	Inherited from selected segment
Participant type	Contact
Email asset	EML - Order Confirmation
Send to	Email
Re-entry	Do not allow re-entry
Publish scope	TEST-ASO records only

Final structure

Start: Order - Confirmation Ready
 → Send email: EML - Order Confirmation
 → Exit

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.

3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Order Confirmation - v1**
5. Select segment: **Order - Confirmation Ready**
6. Confirm that participant type is inherited from the segment. Do not configure a separate **Audience** field.
7. Click **+** below start.
8. Select **Messages** → **Email**.
9. Select: **EML - Order Confirmation**
10. Confirm **Send to = Email**.
11. Save.
12. Publish only for TEST-ASO demo-safe records after the segment is validated.

Restriction

No live customer send before SAP Order Reference validation is complete. For the demo, publish only if the segment contains TEST-ASO records only.

No branch is configured for the MVP version.

9.8 JRNY - ASO - Onboarding - v1

Field / Setting	Value
Journey name	JRNY - ASO - Onboarding - v1
Entry pattern	Segment-based
Entry segment	Onboarding - Ready
Participant source	Inherited from selected segment
Participant type	Contact
Email asset	EML - Onboarding Welcome
Send to	Email
Re-entry	Do not allow re-entry
Publish scope	TEST-ASO records only

Final structure

Start: Onboarding - Ready
 → Send email: EML - Onboarding Welcome
 → Exit

Click-by-click

1. Go to **Engagement** → **Journeys**.
2. Click **New journey**.
3. Select **Segment-based journey**.
4. Enter name: **JRNY - ASO - Onboarding - v1**
5. Select segment: **Onboarding - Ready**
6. Confirm that participant type is inherited from the segment. Do not configure a separate **Audience** field.
7. Click **+** below start.
8. Select **Messages** → **Email**.
9. Select: **EML - Onboarding Welcome**
10. Confirm **Send to = Email**.
11. Save.
12. Publish only after **EML - Onboarding Welcome** exists, has passed content check, and is **Ready to send**.

No branch is configured for the MVP version.

9.9 Optional Journey Template Creation

Journey templates are created after the actual journey exists. They are not required before publishing the demo journeys.

Create actual journey first. Validate it. Publish it only for TEST-ASO safe records if needed for the demo. Then optionally click **Save as Template** to create the reusable journey template.

Click-by-click

1. Open the validated actual journey.
2. Confirm the journey uses the correct segment and actual EML email asset.
3. Confirm the Lead Nurture journey branch is configured correctly where applicable.
4. Click **Save as Template**.
5. Enter the journey template name from the table below.
6. Enter the description using the description pattern.
7. Save.
8. Record the template name in the workbook.

Actual journey	Journey template
JRNY - ASO - Lead Nurture - v1	JTMPL - ASO - Lead Nurture - v1
JRNY - ASO - Qualified Lead Follow Up - v1	JTMPL - ASO - Qualified Lead Follow Up - v1
JRNY - ASO - Opportunity Progression - v1	JTMPL - ASO - Opportunity Progression - v1
JRNY - ASO - Quote Proposal - v1	JTMPL - ASO - Quote Proposal - v1
JRNY - ASO - Order Confirmation - v1	JTMPL - ASO - Order Confirmation - v1
JRNY - ASO - Onboarding - v1	JTMPL - ASO - Onboarding - v1

Description pattern

Reusable ASO journey template for Customer Insights - Journeys. Built from the validated ASO MVP journey using TEST-ASO safety controls, lifecycle readiness segment entry, and the approved ASO email asset.

10. Step 9 — Customer Insights writeback requirements

Customer Insights - Journeys sends the communication. Dataverse stores normalized lifecycle state. The writeback requirement is to keep Dataverse up to date with journey participation, consent, last interaction, and hold information.

10.1 Normalized Dataverse fields to maintain

Dataverse field	Purpose
Communication State	Current lifecycle communication eligibility state.
Journey Participation Status	Whether the record is active in a journey, completed, exited, or blocked.
Last Journey ID / Name	Last journey instance or journey name recorded for audit and support.
Last Interaction Type	Most recent meaningful interaction type such as sent, open, click, form submit, unsubscribe, bounce, or preference update.
Last Interaction On	UTC date/time of the most recent meaningful interaction.
Consent Status	Current consent state used by Customer Insights and Dataverse guardrails.
Communication Hold Reason	Reason communication should not proceed, such as suppressed, blocked, validation failure, or no SAP reference.

10.2 Journey Participation Ledger

Create or update a Journey Participation Ledger row for each of these events:

- Journey start
- Journey completion
- Journey exit
- Journey failure
- Meaningful interaction: sent, open, click, reply, form submit, unsubscribe, bounce, or preference update

10.3 Operational writeback pattern

1. During key-user lab validation, update test records manually only when required for validation notes.
2. Record the expected values in the workbook.
3. Do not create uncontrolled writeback flows.
4. In the deterministic Power Automate phase, create these named flows:
 - ASO - CIJ - Participation Sync
 - ASO - CIJ - Consent Sync
5. Confirm that the flows update Dataverse only and do not send customer lifecycle email.
6. Confirm that failed writeback is visible through workbook checks or monitoring.

10.4 Validation

- Dataverse communication state reflects the latest journey outcome.
- Journey Participation Status is not left as Active after exit or completion.
- Last Journey ID/Name and Last Interaction Type/On are populated for test records where data is available.
- Consent and preference changes are synchronized before live send.
- Journey Participation Ledger contains the expected test rows.

11. Step 10 — Update the implementation workbook and registers

The implementation workbook is the customer handover record for Phase 3. Update it after every material configuration step.

11.1 Workbook tabs

Workbook tab	Entries
CIJ Readiness Register	App availability, license, owner, installation status.
Sending Domain Register	Domain, DNS owner, TXT status, DKIM status, verification status.
Compliance Register	Profile, purpose, topics, preference center, published status.
Trigger Register	Trigger name, table, audience, audience attribute, activation fields, status.
Segment Register	Segment name, audience, conditions, member count, status.
Email Asset Register	Email name, domain, compliance profile, purpose, topic, status, test result.
Journey Register	Journey name, entry mode, email assets, status, validation result.
Test Recipient Register	Internal test contacts only.
Consent Validation Register	Test consent source, status, preference center result.
Issue / Readiness Log	Only log actual blockers, owner, decision, and next action.
Documentation Change Log	What changed in this runbook, who changed it, and why.

11.2 Update rules

Event	Workbook update required?	Tabs/registers
Trigger created or marked Ready to use	Yes	Trigger Register, Validation Checklist
Trigger configuration started but not saved	Yes if a decision was made	Trigger Register, Decision Log
Segment created or marked Ready to use	Yes	Segment Register, Validation Checklist
Email asset created or tested	Yes	Email Asset Register, Consent Validation Register, Test Recipient Register
Journey created, tested, or published	Yes	Journey Register, Validation Checklist
Guidance text changed but implementation did not change	Optional	Documentation Change Log
Actual limitation blocks target build	Yes	Issue / Readiness Log with owner and next action

12. Customer-ready validation and demo readiness checklist

Use this checklist before publishing any demo journey or live customer journey. Every item should be confirmed or owned by a named customer team member.

12.1 Platform and configuration validation

- ☐ Customer Insights - Journeys app installed in the target environment
- ☐ ASO.Journeys solution exists
- ☐ Customer Insights owner assigned
- ☐ Root sending domain **phoenicarix.com** confirmed / verified
- ☐ Email sending enabled for **phoenicarix.com**
- ☐ Sender-domain warning resolved
- ☐ Sender = **Phoenicarix Sales Team** vlad.zaicescu@phoenicarix.com
- ☐ Reply-to = **vlad.zaicescu@phoenicarix.com**
- ☐ **mvp.phoenicarix.com** remains active and was not deleted
- ☐ Compliance profile **Global Commercial** published
- ☐ Purpose **Sales Lifecycle** configured
- ☐ Topics configured: Lead, Qualified Lead, Opportunity, Quote Proposal, Order, Onboarding, Retention, Expansion
- ☐ Preference center and unsubscribe behavior tested
- ☐ Dataverse readiness fields documented and available for validation
- ☐ All as-built triggers are **Ready to use**
- ☐ Trigger activation fields match the trigger register
- ☐ No unrelated quote fields or Estimated Revenue field used as trigger activation fields
- ☐ Real-time segments are **Ready to use**
- ☐ TEST-ASO safety filters are present on MVP/demo readiness segments
- ☐ Suppression segment exists
- ☐ Email templates exist
- ☐ Actual EML email assets exist
- ☐ Known confirmed EML email assets have **Content check = No errors found**
- ☐ Known confirmed EML email assets are **Ready to send**
- ☐ Journeys use actual EML email assets, not email templates
- ☐ Journey templates are created only after actual journeys are validated

12.2 Before publishing a demo journey

- ☐ Segment contains TEST-ASO records only
- ☐ Email asset is **Ready to send**

- ☐ Sender domain warning is resolved
- ☐ Compliance footer is present
- ☐ Preference center / unsubscribe content is present
- ☐ No real customer audience is included
- ☐ Re-entry setting reviewed
- ☐ Journey is reviewed before **Publish**
- ☐ Publish scope is documented as **TEST-ASO records only**
- ☐ Order Confirmation is demo-only until SAP Order Reference validation is complete

12.3 Lead Nurture journey-specific validation

- ☐ Journey name = **JRNY - ASO - Lead Nurture - v1**
- ☐ Entry segment = **Lead - Nurture Ready**
- ☐ Email asset = **EML - Lead Nurture - Initial**
- ☐ If/then branch condition type = **Previous message gets an interaction**
- ☐ Interaction = **Email link clicked**
- ☐ CTA link = **Review next steps / <https://phoenicarix.com>**
- ☐ **Specify the link clicked / create branches** was used
- ☐ Inner link-specific branch = **Review Next Steps - Link Clicked**
- ☐ Clicked-link path = **review-next-steps**
- ☐ **Other** path connected to **Exit**
- ☐ **Timeout** path connected to **Exit**
- ☐ Demo time limit = **1 minute**
- ☐ Final guide time limit = **3 days**
- ☐ Timeout means no click before the time limit
- ☐ Other means clicked another tracked link
- ☐ No Attribute branch is used for email click tracking
- ☐ No separate Wait time action is added before the branch

12.4 Live readiness stop points

- ☐ No live Order Confirmation send before SAP Order Reference validation is complete
- ☐ No live customer audience until compliance, consent, suppression, and content checks pass
- ☐ No lifecycle customer emails from Outlook, Power Automate, Foundry, Sales AI agents, SAP, or HubSpot
- ☐ Workbook and registers updated before handover

13. Common mistakes to avoid

Mistake	Why it is dangerous
Sending customer emails from Outlook or Power Automate	Breaks the Customer Insights communication boundary.
Publishing journeys without compliance profile	Creates compliance and consent risk.
Using real contacts for lab testing	Creates privacy, consent, and reputational risk.
Publishing Order Confirmation before SAP validation	Can send commercially incorrect or unauthorized information.
Using AI draft text without approval	Creates ungoverned customer communication.
Personalizing with raw SAP facts	Violates the normalization boundary; SAP facts must be persisted into Dataverse first.
Creating every journey live at once	Makes validation, rollback, and issue isolation harder.
Starting HubSpot outbound work in Phase 3	Violates the ingress-only boundary and delivery sequence.
Treating segment membership as consent proof	Consent must be explicitly represented and validated.
Selecting an email template on a journey email tile	Journeys use actual EML email assets, not reusable email templates.

Mistake	Why it is dangerous
Creating journey templates before building the actual journey	The reusable template should be saved only after a validated actual journey exists.
Looking for an Audience field on the journey setup screen	Segment-based journeys inherit participant source and participant type from the selected segment.
Using Attribute branch for email click tracking	Email click tracking is configured through If/then branch → Previous message gets an interaction.
Adding a separate Wait time action before the Lead Nurture branch	The branch itself handles the interaction wait and timeout.
Searching for Email clicked inside Attribute branch	The correct configuration is Previous message gets an interaction → Email link clicked → Specify the link clicked / create branches.
Forgetting to select the Lead Nurture CTA link	Without selecting the CTA link, the review-next-steps path does not represent the intended click.
Removing mvp.phoenicarix.com during root-domain authentication	The MVP subdomain remains active and must not be deleted as part of sender validation.

14. Expected outcome and customer handover

After this phase, the customer should have:

- Customer Insights - Journeys available or an owner assigned to resolve availability.
- ASO.Journeys solution created.
- Global Commercial compliance profile, Sales Lifecycle purpose, and all lifecycle topics configured.
- Sending-domain readiness recorded.
- ASO triggers configured as built.
- Real-time lifecycle segments configured as built.
- Governed email asset inventory created.
- Journey definitions created or ready for controlled publish after validation.
- Writeback requirements defined for Dataverse and the Journey Participation Ledger.
- Workbook registers updated.
- No lifecycle customer send outside Customer Insights - Journeys.

15. Immediate key-user build sequence

1. Extend or confirm the required Dataverse readiness fields.
2. Create or validate the Customer Insights - Journeys triggers.
3. Create or validate the real-time segments.
4. Create or validate the reusable email templates.
5. Create the actual EML email assets from the templates.
6. Confirm the actual EML email assets have the correct sender, purpose, topic, dynamic text, compliance footer, content check, and Ready to send status.
7. Create the actual journeys using the actual EML email assets.
8. Configure the Lead Nurture engagement branch using **Previous message gets an interaction → Email link clicked → Specify the link clicked / create branches.**
9. Publish only for TEST-ASO demo-safe records.
10. Save journey templates later after the actual journeys are validated.
11. Confirm ASO.Journeys exists.
12. Confirm Customer Insights - Journeys availability.
13. Confirm **phoenicarix.com** sender-domain verification and email sending status.
14. Confirm **mvp.phoenicarix.com** remains active.
15. Validate suppression and preference-center behavior.
16. Record the results in the workbook.

17. Stop before live Order Confirmation until SAP Order Reference validation is complete.
18. Stop any outbound work from Outlook, Power Automate, Foundry, Sales AI agents, SAP, or HubSpot.

16. Architecture boundary snapshot

The architecture boundary is shown below for key-user orientation.

flowchart LR

DV[Dynamics 365 Sales / Dataverse] --> CIJ[Customer Insights - Journeys]

CIJ --> BUYER[Buyer / Customer / Prospect]

PA[Power Automate] -. deterministic Dataverse update/writeback only .-> DV

F[Microsoft Foundry] -. recommendations only / no direct sends .-> PA

SA[Sales AI / Copilot Sales Agents] -. seller intelligence only .-> DV

HS[HubSpot] -. ingress only / not outbound lifecycle sender .-> DV

SAP[SAP] -. facts only after APIM + Function + Dataverse normalization .-> DV

Rule: Only Customer Insights - Journeys sends lifecycle customer communications.

Appendix A — Field glossary for key users

Field	Meaning
Lifecycle Communication Stage	Current lifecycle stage used for journey readiness, such as Lead, Qualified Lead, Opportunity, Quote Proposal, Order, or Onboarding.
Communication State	Whether the record is eligible, suppressed, blocked, or otherwise controlled for communication.
Journey Participation Status	Whether the record is active in a journey or available for a new journey.
Email Consent Status	Consent value used by Customer Insights and Dataverse guardrails.
Quote Proposal Communication Requested	Opportunity field that requests Quote Proposal communication.
Order Confirmation Communication Requested	Opportunity field that requests Order Confirmation communication.
SAP Order Reference	SAP order reference persisted to Dataverse and validated before Order Confirmation send.
Onboarding Readiness Confirmed	Opportunity field confirming onboarding communication readiness.
Onboarding Communication Requested	Opportunity field requesting Onboarding communication.

Appendix B — Key-user training lab script

1. Open the ASO Dev environment.
2. Confirm Customer Insights - Journeys opens.
3. Confirm the Global Commercial compliance profile is published.
4. Confirm all lifecycle topics exist.
5. Open the Trigger Register and validate each trigger against this runbook.
6. Open the Segment Register and validate each TEST-ASO segment.
7. Open one TEST-ASO Lead and confirm Lead readiness fields.
8. Estimate Lead - Nurture Ready and confirm the Lead appears.
9. Open EML - Lead Nurture - Initial.

10. Confirm compliance profile, purpose, topic, sender, subject, preheader, tokens, footer, and preference center.
11. Send a test to an approved internal recipient only.
12. Open JRNY - ASO - Lead Nurture - v1.
13. Confirm entry source, email, wait, branch, and suppression controls.
14. Do not perform live customer send until the full validation checklist is complete.