
ASO Power Platform, Dataverse, and Flows Standard

Solution boundaries, environment variables, connection references, schema, views, forms, security, and deterministic flow patterns.

GitHub path: `power-platform/ASO_Power_Platform_Dataverse_and_Flows_Standard.md`

Version 1.1 - public customer-ready split package - refined for readability and GitHub publishing

Safety note: this public reference pack must not contain tenant IDs, credentials, secrets, real customer data, private endpoints, or connection strings.

Power Platform, Dataverse, Sales, and flow standard

This file belongs in the Power Platform folder and covers the Power Platform implementation center of gravity: solutions, environment variables, connection references, Dataverse schema, Dynamics 365 Sales UI, security, and Power Automate deterministic flows.

Solution boundaries

Solution	Version in trial build	Contents	Creation rule
ASO.Core	0.1.0.0	Tables, columns, forms, views, security roles, choices	Create schema and Sales UI components here.
ASO.Automation	0.1.0.0	Cloud flows, environment variables, connection references	Create integration and automation config here.
ASO.Operations	0.1.0.0	Dashboards, admin views, model-driven operational app areas	Create operational monitoring and admin assets here.
ASO.Journeys	Deferred until CI phase unless needed	Customer Insights journey artifacts where ALM-supported	Do not create empty shell unless there is a real CIJ ALM reason.

Environment variables

Display name	Schema name	Type	Trial value	Purpose
Foundry Orchestrator URL	aso_FoundryOrchestratorUrl	Text	TBD-FOR-PHASE-6	Future Foundry parent orchestrator endpoint.
Foundry API Audience	aso_FoundryApiAudience	Text	TBD-FOR-PHASE-6	Future Entra ID audience/app ID URI for Foundry calls.
APIM Base URL	aso_ApimBaseUrl	Text	TBD-FOR-PHASE-4	Future APIM base URL for SAP wrapper access.
SAP Wrapper Version	aso_SapWrapperVersion	Text	v1	Version of SAP wrapper API contract.
Customer Insights Compliance Profile	aso_ComplianceProfileName	Text	Global Commercial	Compliance profile used by future CI journeys.
Lead Journey Key	aso_LeadJourneyKey	Text	lead_nurture_v1	Future lead nurture journey key.
Qualified Lead Journey Key	aso_QualifiedLeadJourneyKey	Text	qualified_lead_v1	Future qualified lead journey key.
Opportunity Journey Key	aso_OpportunityJourneyKey	Text	opportunity_progression_v1	Future opportunity progression journey key.
Quote Proposal Journey Key	aso_QuoteProposalJourneyKey	Text	quote_proposal_v1	Future quote/proposal journey key.
Order Journey Key	aso_OrderJourneyKey	Text	order_confirmation_v1	Future order confirmation journey key.
Onboarding Journey Key	aso_OnboardingJourneyKey	Text	onboarding_v1	Future onboarding journey key.
Retention Journey Key	aso_RetentionJourneyKey	Text	retention_v1	Future retention journey key.
Expansion Journey Key	aso_ExpansionJourneyKey	Text	expansion_v1	Future expansion journey key.
HubSpot Sync Mode	aso_HubSpotSyncMode	Text	IngressOnly	HubSpot remains lead/contact ingress only and implemented last.
Feature Flag - SAP Reads	aso_FeatureFlagSapReads	Yes/No	Yes	Allows future read-only SAP context through APIM/Functions when implemented.

Display name	Schema name	Type	Trial value	Purpose
Feature Flag - ERP Submit	aso_FeatureFlagErpSubmit	Yes/No	No	ERP submit/write inactive until approval, APIM/Functions, idempotency, telemetry, and tests are complete.

Connection references

Connection reference	Connector	Create in Phase 1?	Rule
ASO Dataverse Connection Reference	Microsoft Dataverse	Yes	Used by solution-aware flows for Dataverse read/write.
ASO Approvals Connection Reference	Approvals	Yes if available	Used later for commercial approvals.
ASO Foundry HTTP Entra Connection Reference	HTTP with Microsoft Entra ID or custom connector	Defer until real endpoint/audience exists	Never hardcode Foundry endpoint or secret.
ASO APIM HTTP Entra Connection Reference	HTTP with Microsoft Entra ID or custom connector	Defer until real endpoint/audience exists	SAP access only through APIM + Functions.
ASO Teams Alerts Connection Reference	Microsoft Teams	Optional	Internal operational alerts only.
ASO Outlook Internal Notification Connection Reference	Office 365 Outlook	Optional	Internal notifications only; never customer lifecycle sends.

Global choices

Choice schema	Values	Purpose
aso_AIStatus	NotStarted; Running; Completed; Escalated; Failed; PartiallyCompleted; Blocked	Reusable AI/orchestration run status.
aso_CommunicationState	NotEligible; Eligible; Queued; InJourney; WaitingInteraction; Completed; Suppressed; Failed; Blocked	Controls Customer Insights lifecycle readiness and state.
aso_LifecycleCommunicationStage	Lead; QualifiedLead; Opportunity; QuoteProposal; Order; Onboarding; Retention; Expansion	Defines lifecycle stage for communication routing.
aso_JourneyParticipationStatus	NotStarted; Active; Paused; Completed; Exited; Error	Normalizes Customer Insights participation state.
aso_EmailConsentStatus	OptedIn; OptedOut; Pending; Unknown; Blocked	Normalizes consent state across systems.
aso_AgentType	FoundryParent; FoundryChildLeadOrigination; FoundryChildNurturing; FoundryChildOpportunityClassification; FoundryChildRiskCompetitor; FoundryChildNextBestAction; FoundryHandoff; SalesQualificationAgent; SalesOpportunityAgent; SalesDealCloseAgent; CustomerInsightsJourney; SAPWrapper	Identifies source in logs.
aso_OutputSourceType	CRMFact; SAPFact; SalesQualificationAgentOutput; SalesOpportunityAgentOutput; FoundryInference; SellerInput; CustomerJourneySignal	Separates facts, agent outputs, inferences, and seller input.

Lead table extension

Display name	Schema name	Type	Notes
HubSpot Contact ID	aso_hubspotcontactid	Text	External ingress key.
HubSpot Source	aso_hubspotsource	Text or Choice	Immutable after ingress unless governed.

Display name	Schema name	Type	Notes
SAP Business Partner ID	aso_sapbusinesspartnerid	Text	SAP reference only.
SAP Customer ID	aso_sapcustomerid	Text	SAP customer reference only.
AI Fit Level	aso_aifitlevel	Choice	Strong, Moderate, Weak.
AI Lead Score	aso_aileadscore	Whole number	0-100.
AI Qualification Rationale	aso_aiqualificationrationale	Multiline text	Seller-facing rationale.
AI Outreach Draft	aso_aioutreachdraft	Multiline text	Draft only; not direct send.
AI Routing Decision	aso_airoutingdecision	Choice	Nurture, SDR, AE, Reject, NeedsReview, ExistingAccountReview.
AI Confidence	aso_aiconfidence	Decimal	0.00-1.00.
AI Last Run On	aso_ailastrunon	Date/time	Timestamp of last AI run.
AI Agent Status	aso_aiagentstatus	Choice	Use aso_AIStatus.
AI SAP Context Summary	aso_aisapcontextsummary	Multiline text	SAP-derived summary.
AI SAP Match Flag	aso_aisapmatchflag	Yes/No	Likely SAP match.
AI Correlation ID	aso_aicorrelationid	Text	Latest orchestration correlation.
Sales Qualification Agent Status	aso_salesqualificationagentstatus	Choice	Status from Sales Qualification Agent.
Sales Qualification Agent Score	aso_salesqualificationagentscore	Whole number	Sales agent score if available.
Sales Qualification Agent Rationale	aso_salesqualificationagentrationale	Multiline text	Output from Sales Qualification Agent.
Sales Qualification Agent Last Run On	aso_salesqualificationagentlastrunon	Date/time	Timestamp.
Foundry Final Qualification Decision	aso_foundryfinalqualificationdecision	Choice/Text	Post-validation decision.
Foundry Review Required	aso_foundryreviewrequired	Yes/No	Human review gate.
Communication State	aso_communicationstate	Choice	Use aso_CommunicationState.
Lifecycle Communication Stage	aso_lifecyclecommunicationstage	Choice	Use aso_LifecycleCommunicationStage.
Journey Participation Status	aso_journeyparticipationstatus	Choice	Use aso_JourneyParticipationStatus.
Customer Insights Journey ID	aso_customerinsightsjourneyid	Text	Latest journey ID.
Customer Insights Journey Name	aso_customerinsightsjourneyname	Text	Latest journey name.
Customer Insights Last Entry On	aso_customerinsightslastentryon	Date/time	Last journey entry.
Customer Insights Last Interaction On	aso_customerinsightslastinteractionon	Date/time	Last interaction.
Customer Insights Last Interaction Type	aso_customerinsightslastinteractiontype	Choice	EmailSent, Open, Click, FormSubmit, Reply, Unsubscribe, Bounce, CustomAction.
Email Consent Status	aso_emailconsentstatus	Choice	Use aso_EmailConsentStatus.
Compliance Profile Name	aso_complianceprofilename	Text	Compliance profile used.

Display name	Schema name	Type	Notes
Communication Hold Reason	aso_communicationholdreason	Multiline text	Suppression or hold reason.

Opportunity table extension

Display name	Schema name	Type
SAP Customer ID	aso_sapcustomerid	Text
SAP Order Reference	aso_saporderreference	Text
AI Opportunity Tier	aso_aiopportunitytier	Choice: A, B, C
AI Summary	aso_aisummary	Multiline text
AI Risks	aso_airisks	Multiline text
AI Stakeholder Gaps	aso_aistakeholdergaps	Multiline text
AI Next Actions	aso_ainextactions	Multiline text
AI Risk Level	aso_airisklevel	Choice: Low, Medium, High
AI Follow-up Message Draft	aso_aifollowupmessage	Multiline text
AI Confidence	aso_aiconfidence	Decimal
AI Last Run On	aso_ailastrunon	Date/time
AI Agent Status	aso_aiagentstatus	Choice
AI SAP Commercial Summary	aso_aisapcommercialsummary	Multiline text
AI SAP Product Summary	aso_aisapproductsummary	Multiline text
AI Correlation ID	aso_aicorrelationid	Text
Sales Opportunity Agent Status	aso_salesopportunityagentstatus	Choice
Sales Opportunity Agent Importance	aso_salesopportunityagentimportance	Choice/Text
Sales Opportunity Agent Risk	aso_salesopportunityagentrisk	Choice/Text
Sales Opportunity Agent Recommendation	aso_salesopportunityagentrecommendation	Multiline text
Sales Deal Close Agent Guidance	aso_salesdealcloseagentguidance	Multiline text
Sales Deal Close Agent Last Run On	aso_salesdealcloseagentlastrunon	Date/time
Foundry Final Opportunity Decision	aso_foundryfinalopportunitydecision	Multiline text
Foundry Review Required	aso_foundryreviewrequired	Yes/No
Communication State	aso_communicationstate	Choice
Lifecycle Communication Stage	aso_lifecyclecommunicationstage	Choice

Display name	Schema name	Type
Journey Participation Status	aso_journeyparticipationstatus	Choice
Customer Insights Journey ID	aso_customerinsightsjourneyid	Text
Customer Insights Journey Name	aso_customerinsightsjourneyname	Text
Customer Insights Last Entry On	aso_customerinsightslastentryon	Date/time
Customer Insights Last Interaction On	aso_customerinsightslastinteractionon	Date/time
Customer Insights Last Interaction Type	aso_customerinsightslastinteractiontype	Choice
Email Consent Status	aso_emailconsentstatus	Choice
Compliance Profile Name	aso_complianceprofilename	Text
Communication Hold Reason	aso_communicationholdreason	Multiline text

Account and Contact extension summary

Table	Fields
Account	aso_sapbusinesspartnerid; aso_sapcustomerid; aso_aiaccounthealth; aso_aigrowthsummary; aso_airenewalrisk; aso_ailastrunon; aso_aisapaccountrichcontext; aso_aicorrelationid; aso_communicationstate; aso_lifecyclecommunicationstage; aso_journeyparticipationstatus; aso_customerinsightsjourneyid; aso_customerinsightsjourneyname; aso_customerinsightslastentryon; aso_customerinsightslastinteractionon; aso_customerinsightslastinteractiontype; aso_emailconsentstatus; aso_complianceprofilename; aso_communicationholdreason.
Contact	aso_communicationstate; aso_lifecyclecommunicationstage; aso_journeyparticipationstatus; aso_customerinsightsjourneyid; aso_customerinsightsjourneyname; aso_customerinsightslastentryon; aso_customerinsightslastinteractionon; aso_customerinsightslastinteractiontype; aso_emailconsentstatus; aso_complianceprofilename; aso_preferredeemailaddress; aso_preferencecenterlastvisitedon.

ASO custom tables

Table	Schema	Purpose	Key columns
Agent Run Log	aso_agentrunlog	Logs each AI, Foundry, Sales Agent, Power Automate, and SAP wrapper run.	Agent Type; Record Type; Record ID; Message ID; Correlation ID; Input Payload; Output Payload; Confidence; Status; Error Message; Started On; Finished On; Trace ID; Sources Used; SAP Called; Retry Count; Foundry Run ID; Sales Agent Run ID; Customer Insights Journey ID.
External Sync Ledger	aso_externalsyncledger	Tracks idempotent sync status with HubSpot, SAP, Foundry, Customer Insights, and Power Automate.	Source System; External Entity; External ID; Dataverse Entity; Dataverse ID; Last Hash; Last Processed On; Status; Correlation ID.
Pending Commercial Action	aso_pendingcommercialaction	Holds commercial actions that require review/approval before SAP submission.	Opportunity; Action Type; Payload; Status; SAP Document ID; Error Message; Approval ID; Idempotency Key; Submitted On.
Journey Participation Ledger	aso_journeyparticipationledger	Tracks journey starts, exits, interactions, errors, and communication state.	Record Type; Record ID; Lifecycle Communication Stage; Journey ID; Journey Name; Participation Status; Entry Trigger Name; Entry Source; Started On; Last Interaction On; Last Interaction Type; Exit Reason; Correlation ID; Error Message.

Table	Schema	Purpose	Key columns
Sales Agent Insight Snapshot	aso_salesagentinsightsnapshot	Optional normalization table if native Sales Agent outputs are not easily consumed on Lead/Opportunity.	Record Type; Record ID; Agent Type; Insight Title; Insight Summary; Risk Level; Importance; Recommendation; Source Timestamp; Correlation ID; Raw Reference ID.

Views

View name	Entity	Purpose
Sales Rep - Leads - AI Review Required	Lead	Seller queue for leads requiring human review.
Sales Rep - Leads - Customer Insights Eligible	Lead	Leads eligible for CIJ lifecycle communication.
Sales Manager - Opportunities - High Risk	Opportunity	Coaching queue for high-risk opportunities.
Sales Manager - Opportunities - Proposal Journey Eligible	Opportunity	Opportunities ready for proposal journey.
AI Ops - Agent Run Logs - Failed Last 24 Hours	Agent Run Log	Incident triage.
AI Ops - Agent Run Logs - Needs Review	Agent Run Log	Review cases from Foundry/sales-agent conflict.
Integration - External Sync Ledger - Failed Sync	External Sync Ledger	Failed external sync operations.
Integration - Pending Commercial Actions - Awaiting Approval	Pending Commercial Action	Approval queue.
Journey Ops - Participation Ledger - Failed or Error	Journey Participation Ledger	CIJ journey issue triage.
Data Quality - Leads - Missing Consent Status	Lead	Consent normalization cleanup.
Data Quality - Accounts - Missing SAP Customer ID	Account	SAP reference cleanup.

Power Automate general rules

Rule	Standard
Solution-aware	All ASO flows are created in ASO.Automation.
Connection references	Use approved connection references; do not bind production logic to personal unmanaged connections.
Environment variables	Use variables for Foundry, APIM, SAP wrapper, Customer Insights keys, HubSpot sync mode, and feature flags.
No hardcoding	Do not hardcode URLs, IDs, journey keys, or integration endpoints.
Trigger conditions	Use trigger conditions and selective columns to prevent recursion and over-triggering.
Scopes	Use standard scopes: Initialize, Validate, Build Payload, Call Foundry, Process Response, Dataverse Updates, Logging, Error Handling.
Correlation	Every run generates/preserves message_id and correlation_id.
External calls	Every external call passes correlation headers.
Customer communication	Never send customer lifecycle email from Power Automate.

Rule	Standard
Error handling	Write Agent Run Log or operational logs on success/failure as appropriate.

Flow catalogue

Flow	Trigger / Purpose	Critical rules
ASO - Lead - Dispatch to Foundry	Dataverse Lead added/modified; dispatch canonical payload to Foundry.	Use trigger conditions, set AI status Running, include message_id/correlation_id, write Agent Run Log.
ASO - Opportunity - Dispatch to Foundry	Opportunity updates; send opportunity context to Foundry.	Include Sales Opportunity/Deal Close context, SAP normalized context, update fields and tasks.
ASO - CIJ - Participation Sync	CIJ interaction/participation update or custom action.	Upsert Journey Participation Ledger; update normalized fields; create seller task when engagement requires follow-up.
ASO - CIJ - Consent Sync	Consent/preference update or scheduled sync.	Map native consent to aso_emailconsentstatus; suppress/block communication when needed.
ASO - Commercial - Approval and SAP Submit	Commercial milestone or command creates Pending Commercial Action.	Human approval required; call APIM only after approval; use idempotency key; no blind retry.
ASO - Operations - Replay Failed Run	Manual trigger from Agent Run Log or command button.	Validate AI Operations Reviewer role; enforce retry count; reuse correlation ID with new message ID.