programme = 一个修理装油的罐子的开罐器的技术的培训程序（**programme**）

- an **oil can opener repair technician training programme funding problem** = 一个修理装油的罐子的开罐器的技术的培训程序的经费问题（**problem**）

标题中的另一个语法问题是介词的数量。介词的过度使用会使标题在语法上变得笨拙。例如，像“A filter **with** a model **for** the contrast sensitivity **of** the visual system **for** modeling human performance **in** detection task **with** different viewing angles”这样的标题很难让读者解构。在关键字列表中包含一些词而不是在标题中，这样或许可以解决这个问题。

介词也有很高的歧义风险。尽管缺乏可识别的内容，也不能仅仅把介词作为将概念黏合起来的胶水，它们对句子的意义有深远的影响（参见第2.5.2节），由于介词使用不当而造成的歧义对标题尤其具有破坏性。为了尽量减少歧义，请考虑使用具有明确含义的词汇替换介词：“Low-complexity domain interactions that control gene transcription”比“Low-complexity domain interactions in gene transcription”更清楚。

目标期刊的文章标题中有多少介词？哪些介词最常见？你能找出任何歧义吗？

7.5　映射和建立目标文章标题的结构性内容的模板

- 有多少标题以 A/An 开头来传达新的建议？
- 有多少人使用冒号（:）来分割标题？
  - 如果用冒号，它的功能是什么？它可能用于将一般主题领域与论文的重点或贡献分开："Life cycle inherent toxicity: a novel LCA-based algorithm for evaluating chemical synthesis pathways"
  - 或者，它可以将新术语与其描述或定义分开："GridSpice: a distributed simulation platform for the smart grid"
- 有多少标题包含方法？"3D reconstruction of SOFC anodes **using** a focused ion beam lift-out technique"
- 有多少标题包含目的或应用？"A random phased array device **for** delivery of high intensity focused ultrasound"
- 有多少标题包含显示贡献价值的"快乐词"？"**Cost-effective** multimode polymer waveguides for high-speed on-board optical interconnects"
- 有多少标题包含缩写？每个潜在的读者都知道这些缩写指的是什么吗？
- 有多少标题是针对极为受限的微型群体？

7.6 检查标题所建议的期望是否在论文中得到满足

标题应吸引读者并鼓励他们阅读你的文章，但不应夸大或夸张研究成果。论文本身必须满足标题设定的期望。鉴于相当快速地发表研究的需要，在某些情况下使用情态动词（may/might/could）来建议研究方向或最终的潜在贡献是可以接受的："Diminished circadian rhythms in hippocampal microglia **may contribute to** age-related neuroinflammatory sensitization." 查看目标研究文章的标题，并预测你希望从文章中理解或获得什么。然后检查结论。你的预测有多正确？

现在使用以下标准评估下面的标题：

- 这个标题能预测文章的重点和内容吗？
- 每个标题里有多少个名词？
- 所有目标读者都容易理解这个标题吗？
- 这个标题在语法上有歧义吗？
- 这个标题是否清楚表明研究的贡献或潜在应用？

1. 3D reconstruction of SOFC anodes using a focused ion beam lift-out technique
2. A biomimetic, 4.5μW, 120+ db, log-domain cochlear channel with AGC

3. A brain controlled wheelchair to navigate in familiar environments
4. A computer algorithm for computing the tensile strength of float glass
5. A voltage-based STDP rule combined with fast BCM-like metaplasticity accounts for LTP and concurrent "heterosynaptic" LTD in the dentate gyrus in vivo
6. A multicommodity Eulerian-Lagrangian cell transmission model for en route traffic
7. A new procedure for analyzing the nucleation kinetics of freezing in computer simulation
8. Naïve pluripotency and global DNA hypomethylation
9. Nanostructured anodes for solid oxide fuel cells
10. Pairwise decomposition of image sequences for active multiview recognition
11. Patterns of primary care and mortality among patients with schizophrenia or diabetes: a cluster analysis approach to the retrospective study of healthcare utilization
12. A new system for crack closure in cementitious materials using shrinkable polymers
13. A novel technique for efficient live migration of multiple virtual machines
14. A random phased array device for delivery of high intensity focused ultrasound
15. Rapid and reliable assessment of the contrast sensitivity function on an iPad
16. Robocasting of structural ceramic parts with hydrogel inks
17. A ratchet mechanism for amplification in low-frequency

mammalian hearing

18. A robust, data-driven methodology for real-world driving cycle development
19. A strategy for material supply chain sustainability: enabling a circular economy in the electronics industry through Green Engineering
20. Composition-dependent structural properties in ScGaN alloy films: a combined experimental and theoretical study
21. Connectivity reflects coding: a model of voltage-based STDP with homeostasis
22. Delamination control in composite beams using piezoelectric actuators
23. Development of inlaid electrodes for whole column electrochemical detection in HPLC
24. A finite rate of innovation algorithm for fast and accurate spike detection from two-photon calcium imaging
25. A molecular dynamics study of the Gibbs free energy of solvation of fullerene particles in octanol and water
26. Dissociating variability and effort as determinants of coordination
27. Electronic structure and local distortions in epitaxial ScGaN films
28. Impact and cost-effectiveness of new tuberculosis vaccines in low- and middle-income countries
29. Investigating electronic structure and local distortions in epitaxial ScGaN films
30. Mathematical modeling of the circulation in the liver lobule
31. Penetration resistance of armor ceramics: dimensional analysis

and property correlations

32. Polarized multispectral imaging in a rigid endoscope based on elastic light scattering spectroscopy
33. Population-level impact of active tuberculosis case finding in an Asian megacity
34. Sensory components in bacterial nitrogen assimilation
35. Treatment of pediatric melanoma patients with lasers
36. Unsteady flows in pipes with finite curvature

第八单元
清单和提示



这一章的清单中几乎所有的项目都在本书的其他地方详细讨论过，可以使用**写作技巧索引**找到。

这里的清单是关于写作的常见问题和错误，并与以下原则保持一致：

- 写作的目的不是让读者能够理解你所写的内容。*其目的是让读者不可能理解不了*。
- 没有叙述，数据和信息本身对读者没有固有的或明显的功能。
- 知道要写什么和知道如何写是两回事。
- 你和同事理解你所写内容的事实使你更难看到潜在的歧义。
- 良好的组织和良好的写作可以弥补语言错误，但没有错误的语言并不能弥补糟糕的组织或糟糕的写作。
- 文本中的所有内容，无论是研究文章、会议摘要、论文还是其他类型，都应与归宿点一致并通向归宿点——“南磁极”。

8.1 组织信息

规 划

- 作为起点，首先**按重要性高低的顺序**列出研究工作的结果，并确定研究对（i）知识、（ii）研究和（iii）现实世界的具体贡献或影响。这些将锚定研究文章的每个部分的规划，包括标题。
- 不要让键盘迫使你在准备好之前开始打字——在一个段落或小节中迷失会浪费时间，并可能导致混乱、不连贯的文本。在开始输入整个句子之前，请远离键盘并花时间规划每个部分的顺序，否则你将输入可能不合适的句子，并浪费宝贵的时间试图为它们找到一个位置。有效、耐心的计划将提高你的写作速度和质量。

研究的价值：确定成就、贡献和影响

结果和数据不会不言自明，研究的成就、贡献和影响对读者来说并不总是清楚明白的。

- 使用“快乐”字眼明确研究的成就（例如，a cost-effective method）。在可能的情况下，具体说明研究工作对研究领域或社会的贡献（例如，opening a new

direction in research、extending the range of potential applications、modeling epidemics more accurately），并明确说明该研究对研究领域或社会的潜在影响（例如，a reduction in the spread of epidemics）。

- 成就和贡献可能会重叠或相同，一些研究没有容易识别的影响或应用，尽管如此，应该有一个明确和一致的关于研究价值的信息。

创建小节及其标题

检查你将文本分成小节的方式是否对读者有帮助，并且小节的标题是否准确地代表了小节的内容。在小节中尽早使用标题中的关键字，并以这些关键字作为引领。

排序信息

不要直接从非常宽泛的信息跳转到非常具体/技术性的信息，特别是在小节的开头。句号和下一个大写字母之间的空格对你和你的读者都是一个危险的空间。这里会有思考时间，读者希望继续处理下一条信息，而无须真正考虑它与前一条信息的关系。使用第 8.2节的**句子开头**的建议，以逻辑和连贯的方式链接信息。

将信息包装在叙述中

确保所有潜在读者都知道信息在做什么，而不仅仅是陈述它在说什么。它的功能是引入对问题/解决方案的描述吗？这是正面的例子，还是负面的例子？考虑你的南磁极，即你的论文所指，并通过评论数据和信息而不是仅仅陈述它们来向读者展示前行的方向。例如，不要只提供“裸数字”的数据，添加诸如only 43%或as high as 43%之类的评价性注释，以显示数据在研究背景下的含义。

相关性：确保读者知道你为什么要写每个句子

你知道为什么这个句子是相关的，这一事实并不能确保读者也知道。考虑读者脑海中在句末提出的“那又怎样”的潜在疑问。这些问题可以通过添加诸如“suggesting that.../which means that”之类的短语来解决。

假　设

随着研究变得更加跨学科，非专业读者可能想要或需要访问你的研究。考虑现在和将来的潜在读者范围，你可以对他们对该主题的了解做出哪些假设，以及他们对你的研究文章之前的部分的回顾（他们甚至可能没有阅读过）。不然的话，你的文档可能会被锁定在你的微型研究群体里。

分　段

在开始写作之前，计划每个段落的功能并按逻辑顺序排列段落：

- 避免整页就一个段落和连串的短句段落或单句段落的情况。研究期刊的段落长度为 150～170 字。
- 具有单一功能的段落比具有多个功能的段落更成功并且更容易编写。段落中漂来漂去的太多想法使作者难以连贯地完成段落，也使读者难以理解该段落在做什么。
- 在可能的情况下，以表达段落功能的叙述性输入语句开始段落。
  - 例如：We now consider the connection between… To address this question, we used… Taken together, these studies suggest that… There are two potential alternatives to such an approach...
- 避免在段落的前面部分做出读者在看到段落其余部分之前发现不了意义的陈述。考虑颠倒这个顺序。
- 不要添加松散的句子，即与段落功能无关，而仅仅是由于它们在你的笔记中或由同事建议而包括在内的句子。如果一个句子不适合段落的功能，删除它或围绕它创建一个表示段落功能的叙述。

8.2 创建句子

句子中信息的顺序

已知的信息通常首先出现，并在句子中作为后面发布新的/未知信息的平台。这促进了句子与句子之间的连接，因为靠近句子末尾的新信息就会成为构建下一个句子的已知/旧信息。

句子开头

句子开始的方式对文本的可读性至关重要。

- 连接句子可以通过以重叠重复、替代形式，例如 This/These + **名词** 或以信号连接开始，例如 However。
- 通过句子开头的措辞来识别重要信息，例如 Interestingly,/Remarkable,/It is noteworthy that/It should be emphasised that/It is important to note that。
- 你开始句子的方式提供了一个帮助读者处理内容的“框架”。避免以 **-ing 形式**（参见第8.3节：**-ing的歧义**）或以介词开头的句子（尤其是 for 和 with）。

句子的长度和密度

眼睛的阅读速度应该相当好地与大脑的处理速度相关。如

果读者频繁地需要重新阅读过长和过密的句子，这会减慢他们的阅读速度。连续的长句尤其成问题。

- 大多数期刊的句子长度在 20～26 个单词之间。
- 句子越长，作者就越难控制语法和避免歧义。
- 过长的句子变得“平庸”，重要的部分被淹没在字群中，读者看不到主要焦点所在。
- 过长的句子包含过多的组件，以至于组件之间的关系变得让作者难以管理，而读者难以理解。
- 过于密集的句子包含了过多的名词和介词短语，因此主要动词变得模糊起来。
- 过长句子的风险因素包括不止一个**and**、不止一个**which**、太多的**介词**和太多的**名词**。
  - 错误示例：Exploration risk **in** most inverted rift basins is related to uncertainties **which** stem **from** a poor understanding **of** the structural style **and** distribution **of** inversion structures, **which** are controlled **by** the presence **and** orientation **of** pre-existing structures **and** the magnitude **and** orientation of shortening stress.
  - 错误示例：This paper presents the fundamental **framework** to facilitate **transition** from traditional deterministic to innovative probabilistic **electricity grid** operating and design **standards**, through the

paradigm **shift** in the **provision** of **security** from **redundancy** in **assets** to exploiting emerging Smart Grid **technologies** and advanced **control systems**.

- **and** 和 **or** 能拖着你不想要的东西，却不能抓住你想要的东西，会造成歧义。
  - 错误示例：We found an increase in demand and deployment of non-renewable energy sources。作者发现 demand 和 deployment of non-renewable energy sources 都增加了，还是作者仅仅是说发现了两种不同的东西：(1) an increase in demand 和 (2) deployment of non-renewable energy sources——但是后者并没有增加？

信号连接词

诸如moreover和therefore之类的信号不仅仅是将想法或句子连接在一起的胶水，它们是强调性的，并具有特定和有限制性的含义。**错误的信号连接词意味着读者朝错误的方向出发，并且文本变得难以理解。**

- 当你以**therefore**开始一个句子或从句时，问问自己：它真的是前一个句子或从句的直接后果或结果吗？ 有时结果在你的脑海中很清楚，但在页面上却不明显。

- 错误示例：The most important phenomenon is breakup length, and **therefore** an electrical conductivity probe technique was used to calculate breakup length.

- 当你以**for example**开始一个句子或从句时，它是否真的能说明或表示前一句里概述性语言的一个例子？
- 当你以**in other words**开始一个句子或从句时，它是否真的以另外的形式表达同样的意思？

8.3　语法和词汇

动词时态

- 动词时态是作者为表达句子中信息的功能所做的选择。We found that x occurred 仅仅报告了你的发现，而 We found that x occurs 表示你的发现可以被认为是事实。一般现在时态的风险更高，但更有影响力。
- 如果你转换了一个不同的时态，要确保你和读者都知道这样做的原因。

拥有你的贡献：被动语态的使用和无施动者/非人类主语

- 无施动者的被动语态（was done, was studied 缺少by X）不明确谁实际上“做了”这个动词。使用诸如here/in

that study/in our model/in their approach之类的词汇或短语来识别主体。

- 在长句的末尾使用被动语态动词，这使得读者要等到句子的末尾才能发现发生了什么。
  - 错误示例：Images and patient data from seventeen patients who were suspected of having PH and who had also undergone cardiac MRI and right-sided heart catheterization between 2002 and 2008 were retrospectively reviewed.
- 无施动者的用法we/us/our可以指“我所在领域的每个人”（everyone in my field）甚至“世界上的每个人”（everyone in the world）。如果你还在其他句子中使用 we/us/our来指自己和作者，这可能会引起歧义。与其用We can now design proteins with many functions 指“每个在我的领域的人”（everyone in my field），不如考虑用It is now possible to design proteins with new functions.
- 拥有自己的工作和贡献。带有非人类语法主语的句子可能会使你的工作被诠释为通用的知识或其他研究人员的贡献。在这个句子“Theoretical modelling suggests formation of these bonds can be strongly reduced by coating the receptors on the nanoparticles.”中，不清楚是不是作者完成了模型（modelling）。

类似地，在这个以“It is argued that this rate law is consistent with reaction mechanisms…”开始的句子中，作者很可能指他们自己是句子的主语，即“We argue that…”，但句子也可能表示为“It is argued by others that...”，请注意，像这样的句子在摘要中特别危险。

不定冠词和定冠词

- 注意看不见的错误，即当**a**和**the**在语法上都正确，但不同的选择会影响句子含义。
  - 示例：“The cords should be connected to **Ø/the** two outlets.”
- 使用**the**来表达共享知识。
- 检查你以可数的方式使用的不可数名词，例如 steel、environment、technology和therefore，它们可能需要一个冠词。

介　词

介词能改变意义：对比 evidence **of** 和 evidence **for**；对比 improved **up to** 3 times 和 improved **by up to** 3 times.

- 不要用介词做有内容的词的工作，考虑用实义词代替

它，尤其是句子的开头。不用“**From** this estimation we changed the temperature of the sample.”，尝试用“**Using** this estimation we changed the temperature of the sample.”。

- 挖掘你所在领域的最新研究，以找到特定主题的动词 + 介词集，例如：
  - normalised FOR exon length
  - performed AT quasi-static rates
  - performed ON tissue samples
  - placed UNDER vacuum
- with具有广泛的含义，经常引起歧义。考虑用以下之一替换它：using、having、in combination with、together with、as a result of、at the same time as。
- 一连串介词副词短语会造成严重的歧义。
  - 错误示例：“We apply [**in A**] the concept [**of B**] [**to C**] [**through D**] [**with E**] to constrain the timing [**of F**] [**for G**]. ‘We apply **in** this approach the concept **of** host rock **to** intrusive relationships **through** seismic-stratigraphic analysis **with** conventional biostratigraphic dating to constrain timing **of** events **for** the first time.’”
- 介词短语“第一次”的位置可能导致研究的真正的新颖性难以确定。
  - 错误示例：“X-ray imaging was used to measure

contact angles within oil-bearing rocks reservoir conditions for the first time." 这里的第一次是指 X 射线影像用于测量接触角，还是表示测量含油岩石的接触角，还是在蓄水池条件下测量含油岩石的接触角？

主谓一致

- 如果主语没有紧挨动词，请检查单数/复数一致性。
- 检查主语是否可以如实执行动词的动作，即主谓一致在逻辑上是可能的。
  - 错误示例："The nature of the problem **decided** how to resolve it."

引　用

- 给this/these/that/those添加一个名词（this system/mode/theory），以便读者知道你指的是什么，尤其是在句子或段落的开头。
- 如果存在多个可能性，请将it/which/this等词替换为它所指的名词或短语。
- 检查是否有歧义。你的 it/which/this 等的所指对象在哪里开始和结束？这对读者来说清楚吗？

副词的位置

一些副词，例如just、only、simply会根据其位置而改变信息的含义或重点。在下表中，将句子1～6与它们的含义相匹配，看看这是如何操作的。

1	*Only we analysed models that can simulate the patient's molecular response.*	**A**	The models we analysed were not able to do anything else apart from simulating the patient's molecular response.
2	*We only analysed models that can simulate the patient's molecular response.*	**B**	The models we analysed were able to simulate just one parameter (the patient's molecular response), but not others.
3	*We analysed only models that can simulate the patient's molecular response.*	**C**	No other researchers analysed models that can simulate the patient's molecular response.
4	*We analysed models that can only simulate the patient's molecular response.*	**D**	The patient had just one molecular response, and we analysed models that can simulate it.
5	*We analysed models that can simulate only the patient's molecular response.*	**E**	We didn't analyse any other models apart from those that can simulate the patient's molecular response.
6	*We analysed models that can simulate the patient's only molecular response.*	**F**	We didn't do anything else apart from analysing models that can simulate the patient's molecular response.

（答案：1=C、2=F、3=E、4=A、5=B、6=D）

–ing的歧义

- -ing 形式在本质上是模棱两可的，因为它们不表现出动词时态或单数/复数的制造者。在下面的句子中，不清楚是 deposits还是processes 在进行**producing**。也不清楚是什么在进行 **encapsulating** 这个操作。
  - 错误示例：MTCs are deposits resulting from creep, slide, slump and flow process **producing** a variety of rheological units and strain sequences **encapsulating** extensional, translational and compressional domains.

类似地，在下面的句子中，不清楚是small Stokes shift、high fluorescence quantum yields and sharp excitation and emission peaks 在做**contributing**，还是只是the sharp excitation and emission peaks，还是或许只有emission peaks。

  - 错误示例：These dyes are notable for their small Stokes shift, high fluorescence quantum yields and sharp excitation and emission peaks **contributing** to overall brightness.
- -ing形式也有一系列的可能含义，增加了它们固有的歧义。
  - 错误示例：Membranes remain flat **storing**（存储）

elastic curvature stress.（通过存储？当存储时？因此存储？）

在下面的句1～3中，考虑每个 -ing 可以存在多少个A～J含义选项：

A	by [verb]ing
B	as a result of [verb]ing
C	on the basis of [verb]ing
D	when [verb]ing
E	thereby [verb]ing
F	therefore [verb]ing
G	which is/are capable of [verb]ing
H	which/that [verb]
I	if we/it/they [verb]
J	because it/they [verb]

1. The ions are coordinated by the C2 domain and by the phospholipids **forming** a ternary complex.
2. These dyes are notable for their small Stokes shift, high fluorescent quantum yields and sharp excitation and emission peaks **contributing** to overall brightness.
3. The lipids can influence protein functions indirectly **altering** the biophysical properties of the membrane.

避免过于简单/微弱的动词——它们有太多可能的含义

have = possess、contain、include

get = obtain、achieve、become

bring = provide、yield、cause

keep = retain、maintain、conserve

spread = distribute、diffuse、scatter、extend

词汇的准确性

术语的使用应该一致。工具（tool）不应该成为策略（strategy），也不是设备（device），也不是途径（approach），也不是方法（methodology），也不是框架（framework），也不是技术（technique）。

- 同义词典不是你的朋友，它是全球作者和读者的敌人。没有两个词在每种情况下都具有完全相同的含义，因此不存在完美的同义词。这意味着你选择的替代词可能比原始词的范围更广，或者它可能比原始词更消极/积极/中性。非英语母语作者冒险选择同义词选项，该选项的含义与原始单词相去甚远，以至于读者无法将其识别为替代词。noticeable和conspicuous不一样，famous和well-known不一样。如果能让阅读更容易，不要害怕重复相同的单词或短语。

- 示例：Most studies have focused on a deep **steady state** of general anesthesia and have not used a systematic behavioral measure to track the transition into **unconsciousness**. This **steady-state** approach cannot distinguish between **patterns** that are characteristic of a deeply anesthetized brain and **patterns** that arise at the onset of **unconsciousness**. **Unconsciousness** can occur in tens of seconds, but many neurophysiological features continue to fluctuate for minutes after induction.

- 使用 Google Scholar搜索来检查你使用的技术术语或短语是不是准确的和最新的。首先把术语用引号（“”）输入Google Scholar，查看该短语在文献中出现的位置、时间和次数，然后**不加**引号再次输入同一术语，比较两组数据。
- 新术语在科学中很快被创造出来，而你一直在使用的术语可能已经被一个有影响力的研究小组取代或压倒了，他们给它起了不同的名字。要保持检查。
- comprise/consist of/be made up of/be composed of 后面是**所有**（**all**）组件的列表或描述，而include后面是组件**选择**（**a selection of**）的列表或描述。
- respectively 的意思**与前面刚提到的顺序相同**（**in the same order as just mentioned**）：T helper and T suppressor cells are restricted by the A and E molecules respectively.

- 用连字符连接两个或多个单词使它们作为一个概念来描述跟在它们后面的名词。因此，“We used five centimetre-wide layers.”的意思是我们用了五层，每一层是一厘米，然而“We used five-centimetre wide layers.”的意思是每一层我们用的是五厘米宽。
- 确保你知道以下每对之间的区别：

alternately and alternatively	alternately = one after the other or in sequence alternatively = on the other hand, instead or as an alternative
beside and besides	beside = next/close to besides = apart from/in addition to
criterion and criteria	**criterion** is the singular form **criteria** is the plural form
different and various	different = not the same various = a range of
e.g. and i.e.	e.g. = for example i.e. = in other words
effective and efficient	effective = it works efficient = it works well
phenomenon and phenomena	**phenomenon** is the singular form **phenomena** is the plural form
to adapt and to adopt	to adapt = to modify/adjust to adopt = to choose to use/follow
to affect and to effect	to affect = to influence/to have an effect on to effect = to cause/bring about
to imply and to infer	to imply = to suggest, to indicate to infer = to conclude, to deduce

8.4 常规

所有权：确保读者知道谁在“说话”

这个说明是你自己的假设/解释吗？这是众所周知的真理吗？读者会知道它是哪一个吗？需要引用吗？

确定性的连续统和情态动词

使用准确表达你对结果及其含义诠释的承诺程度的语言。你可以选择告诉读者你确定的语言，或可以选择告诉读者你只是推测的语言，重要的是，你选择的语言应有逻辑地遵循研究结果或成果。

引　用

在句子中的适当位置定位引文。在句子末尾放置引文参考（或将所有引文堆叠在那里）可能会引起关于谁做了什么的歧义。

自编词汇写作习惯，例如 indeed/in fact/basically/clearly

自编标点符号相关写作习惯，例如括号、破折号对、多个逗号


许多作者都有与标点符号相关的写作习惯。有些过度使用


括号，有些过度使用逗号、分号或破折号对。

- 如果你的习惯是过度使用破折号对，请注意，一对破折号的含义并不明显，尤其是对全球读者而言。考虑将破折号对的含义翻译成语言。
- 如果你的习惯是过度使用括号，请记住，如果某事重要到应融入语句，也许它不应该放在括号中……如果它不够重要，也许根本就不应该放在括号中。
- 如果你的习惯是过度使用逗号，请注意使用逗号在句子中容纳更多信息可能会导致句子冗长或杂乱无章。考虑将信息分解成单独的、密切相关的句子。

最后，最重要的建议是：

无论你规划撰写什么类型的文件，都可以**使用本书中的逆向工程策略来分析最近发表的示例，以生成一个强有力的、可靠的模板**。







我要向伦敦帝国理工学院（Imperial College London）学术英语中心的所有杰出同事表示衷心的感谢，特别是罗宾·莫厄特（Robin Mowat）、朱莉·金（Julie King）和朱莉·哈蒂尔（Julie Hartill），还有伦敦帝国理工学院的许多学生和学术同行，他们为本书提供了大量的研究论文和信息。

我还要感谢我亲爱的孩子们——本（Ben）、丹尼尔（Daniel）、莱奥拉（Liora）、约埃尔（Yoel）、霍尔达纳（Jordana）和亚历克丝（Alex），感谢他们的热情、鼓励和耐心，还有世界科技出版公司（World Scientific Publishing）的编辑高世英（Koe Shi Ying），感谢她孜孜不倦的努力和专业精神。



参考资料

作者对以下内容表示致谢。请注意，由于从已发表的论文中摘录的内容是作为优秀写作和图形的范例，一般不包括在内。为简单起见，所有标题的大小写均已标准化。

1. Hyland, K. (2016). Academic publishing and the myth of linguistic injustice. *Journal of Second Language Writing* Vol. 31: 58–69.
2. Rennie, D. (1998). The present state of medical journals. *The Lancet* Vol. 352, Supplement 2: S18–S22.
3. Skelton, J.R. and Edwards, S.J.L. (2000). The function of the discussion section in academic medical writing. *BMJ* 320: 1269.
4. Renear, A.H. and Palmer, C.L. (2009). Strategic reading, ontologies, and the future of scientific publishing. *Science* Vol. 325, Issue 5942: 828–832.
5. Pop, M. and Salzburg, S.L. (2015). Use and mis-use of supplementary material in science publications. *BMC Bioinformatics* Vol. 16, Article Number 237.
6. http://www.nature.com/nature/authors/submissions/final/suppinfo.html.
7. Nickerson, R.S. (1999). How we know — and sometimes misjudge — what others know: imputing one's own knowledge to others. *Psychological Bulletin* Vol. 125, Issue 6: 737–759.
8. Rennie, D. and Flanagin, A. (1992). Publication bias: the triumph of hope over experience. *JAMA* Vol. 267, Issue 3: 411–412.



a. Lewis, L.D. *et al.* (2012). Rapid fragmentation of neuronal networks at the onset of propofol-induced unconsciousness. *Proceedings of the National Academy of Sciences of the United States of America* Vol. 109, No. 49: E3377– E3386.

b. Burrows, P.E. *et al.* (1995). Organic vapor phase deposition: a new method for the growth of organic thin films with large optical non-linearities. *Journal of Crystal Growth* Vol. 156, Issues 1–2: 91–98.

c. Noisa, P. *et al.* (2012). Identification and characterisation of the early differentiating cells in neural differentiation of human embryonic stem cells. *PLoS ONE* Vol. 7, Issue 5: e37129.

d. Scott, T.B. *et al.* (2011). The oxidative corrosion of carbide inclusions at the surface of uranium metal during exposure to water vapour. *Journal of Hazardous Materials* Vol. 195: 115–123.

e. Cotter, A., Srebro, N. and Keshet, J.A. (2011). A GPU-tailored approach for training kernelized SVMs. *KDD'11: Proceedings of the 17th ACM SIGKKD International Conference on Knowledge Discovery and Data Mining*, San Diego, California, USA, August 2011: 805–813.

f. Wrighton, P.J. *et al.* (2014). Signals from the surface modulate differentiation of human pluripotent stem cells through glycosaminoglycans and integrins. *Proceedings of the National Academy of Sciences of the United States of America* Vol. 111, No. 51: 18126–18131.

g. Clarke, T. *et al.* (2009). Evaluation of the damage detection capability of

a sparse-array guided-wave SHM system applied to a complex structure under varying thermal conditions. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control* Vol. 56, Issue 12: 2666–2678.

h. Zhang, P. *et al.* (2010). Silica encapsulated heterostructure catalyst of Pt nanoclusters on hematite nanocubes: synthesis and reactivity. *Journal of Materials Chemistry* Vol. 20, Issue 10: 2013–2017.

i. Le Rouzic, J. and Reddyhoff, T. (2014). Spatially resolved triboemission measurements. *Tribology Letters* Vol. 55, Issue 2: 245–252.

j. Górka, B. *et al.* (2006). Influence of electrodes on the photon energy deposition in CVD-diamond dosimeters studied with the Monte Carlo code PENELOPE. *Physics in Medicine & Biology* Vol. 51, No. 15: 3607–3623.

k. Norori-McCormac, A. *et al.* (2017). The effect of particle size distribution on froth stability in flotation. *Separation and Purification Technology* Vol. 184: 240–247.

l. Shelburne, K.B., Torry, M. and Pandy, M.G. (2005). Effect of muscle compensation on knee instability during ACL-deficient gait. *Medicine and Science in Sports & Exercise* Vol. 37, Issue 4: 642–648.

m. Andrew, M., Bijeljic, B. and Blunt, M.J. (2014). Pore-scale contact angle measurements at reservoir conditions using X-ray microtomography. *Advances in Water Resources* Vol. 68, pp 24–31.

n. Boldrin, P. *et al.* (2015). Nanoparticle scaffolds for syngas-fed solid oxide fuel cells. *Journal of Materials Chemistry A* Vol. 3, Issue 6: 3011–3018.

o. Asner, G.P. *et al.* (2014). Amazonian functional diversity from forest canopy chemical assembly. *Proceedings of the National Academy of Sciences of the United States of America* Vol. 111, No. 15: 5604–5609.

p. Springer, H. and Raab, D. (2012). Rapid alloy prototyping: compositional and thermo-mechanical high throughput bulk combinatorial design of structural materials based on the example of 30Mn–1.2C–*x*Al triplex steels. *Acta Materialia* Vol. 60, Issue 12: 4950–4959.

q. Da Silva, S. *et al.* (2014). Stress disrupts intestinal mucus barrier in rats via mucin*O*-glycosylation shift: prevention by a probiotic treatment. *American Journal of Physiology-Gastrointestinal and Liver Physiology* Vol. 307, Issue 4: G420–G429.

r. Salisbury, E. *et al.* (2011). Sensory nerve induced inflammation contributes to heterotopic ossification. *Journal of Cellular Biochemistry* Vol. 112, Issue 10: 2748–2758.

s. Nicola, W., and Clopath, C. (2017). Supervised learning in spiking neural networks with FORCE training. *Nature Communications* 8, Article Number 2208.

t. Kumar, S. *et al.* (2006). Global analysis of protein tyrosine phosphatase activity with ultra-sensitive fluorescent probes. *Journal of Proteome Research* Vol. 5, Issue 8: 1898–1905.

u. Le Formal, F. *et al.* (2015). Rate law analysis of water oxidation on a hematite surface. *Journal of the American Society* Vol. 137, Issue 20: 6629–6637.

v. Thorneycroft, J. *et al.* (2018). Performance of structural concrete with recycled plastic waste as a partial replacement for sand. *Construction and Building Materials* Vol. 161: 63–69.

w. Hou, S.-X., Maitland, G.C. and Trusler, J.P.M. (2013). Measurement and modeling of the phase behavior of the (carbon dioxide + water) mixture at temperatures from 298.15 K to 448.15 K. *The Journal of Supercritical Fluids* Vol.73: 87–96.

x. Arichi, T. *et al.* (2013). Computer-controlled stimulation for functional magnetic resonance imaging studies of the neonatal olfactory system. *Acta Pædiatrica* Vol. 102, Issue 9: 868–875.

y. Glaros, K.N. and Drakakis, E.M. (2013). A sub-mW fully-integrated pulse oximeter front-end. *IEEE Transactions on Biomedical Circuits and Systems*, Vol. 7, Issue 3: 363–375.

z. Warner, M. *et al.* (2013). Anisotropic 3D full-waveform inversion. *Geophysics* Vol. 78, Issue 2: R59–R80.

aa. Schofield, N. *et al.* (2014). Mobilizing salt: magma-salt interactions. *Geology* Vol. 42 No. 7: 599–602.

bb. Chen, L. *et al.* (2010). A hybrid displacement estimation method for ultrasonic elasticity imaging. *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control* Vol. 57, Issue 4: 866–882.

cc. Reichenbach, T. and Hudspeth, A.J. (2010). A ratchet mechanism for

amplification in low-frequency mammalian hearing. *Proceedings of the National Academy of Sciences of the United States of America* Vol. 107, No. 11: 4973–4978.

dd. Santocildes-Romero, M.E. *et al.* (2015). *The osteogenic response of mesenchymal stromal cells to strontium-substituted bioactive glasses. Journal of Tissue Engineering and Regenerative Medicine* Vol. 9, Issue 5: 619–631.

ee. Maskery, I. *et al.* (2017). An investigation into reinforced and functionally graded lattice structures. *Journal of Cellular Plastics* Vol. 53, Issue 2: 151–165.

ff. Knehr, K.W. *et al.* (2012). A transient vanadium flow battery model incorporating vanadium crossover and water transport through the membrane. *Journal of the Electrochemical Society* Vol. 159, No. 9, A1446–A1459.

gg. Debens, H.A. *et al.* (2015). Global anisotropic 3D FWI. *SEG Technical Program Expanded Abstracts 2015*: 1193–1197.

hh. Oñativia, J., Schultz, S.R. and Dragotti, P.L. (2013). A finite rate of innovation algorithm for fast and accurate spike detection from two-photon calcium imaging. *Journal of Neural Engineering*, Vol. 10, No. 4.

ii. Sheridan, C.M. *et al.* (2018). The *Plasmodium falciparum* cytoplasmic translation apparatus: a promising therapeutic target not yet exploited by clinically approved anti-malarials. *Malaria Journal* Vol. 17, Article Number 465, http://creativecommons.org/licenses/by/4.0/.

jj. Poulichet, V. and Garbin, V. (2015). Ultrafast desorption of colloidal particles from fluid interfaces. *Proceedings of the National Academy of Sciences of the United States of America* Vol. 112, No. 19: 5932–5937.

kk. Sprick, R.S. *et al.* (2015). Tunable organic photocatalysts for visible-light-driven hydrogen evolution. *Journal of the American Chemical Society* Vol. 137, Issue 9: 3265–3270.

ll. Onwudili, J.A. (2015). Influence of reaction conditions on the composition of liquid products from two-stage catalytic hydrothermal processing of lignin. *Bioresource Technology* Vol. 187: 60–69.

附录 A：科技写作中的前缀

PREFIX	MEANING	EXAMPLES
a-	not	asymmetrical、atypical
an-	not	anaerobic、anhydrous
ante-	before	antechamber、antenatal
anti-	against	antimicrobial、antioxidant
auto-	self	autonomous、autocorrect
bi-	two	binary、bicarbonate
cent-	hundred/hundredth	centigrade、centimeter
chrom-	colour	chromatic、chromosome
chron-	time	chronological、chronometer
circ-	around	circulate、circumnavigate
co-	with/together	coauthor、coordinate
contra-	against	contraflow、contraindicate
counter-	against	counteract、counterpoint
crypt-	hidden	cryptocurrency、cryptography
de-	apart/away	decompose、dehydrate
di-	two	dichloride、dioxide

续 表

PREFIX	MEANING	EXAMPLES
dis-	apart/away	dislocate、disintegrate
dis-	not	dissimilar、disadvantage
equi-	equal	equivalent、equilateral
fore-	before	foreknowledge、forecast
hetero-	different	heterogeneous、heterosexual
homo-	same	homogeneous、homosexual
hyper-	above/more	hyper-heuristic、hypertension
hypo-	under/below	hypoallergenic、hypothermia
il-	not	illogical、illegal
ill-	bad/badly	ill-defined、ill-judged
im-	not	impure、immaterial
in-	not	inaccurate、inconsistent
infra-	under/below	infrared、infrastructure
inter-	between	interdisciplinary、interface
intr-	into/inside	intravenous、introduction
ir-	not	irreversible、irrelevant
iso-	equal	isometric、isotherm
kilo-	thousand	kilogram、kilowatt
mal-	bad/badly	malformed、malfunction
meta-	change	metadata、metastasis
milli-	thousandth	millisecond、millimeter
mis-	wrong	miscalculate、misjudge
mono-	one/single	monomer、monotone

续 表

PREFIX	MEANING	EXAMPLES
multi-	many	multilayer、multicellular
nano-	billionth/very small	nanotube、nanomaterials
neo-	new	neonatal、neoblast
non-	not	nonexistent、non-standard
over-	too/excessively	overheat、oversimplify
para-	similar	paramedic、parapsychology
poly-	many	polysaccharide、polycystic
post-	after	post-processing、postgraduate
pre-	before	preexisting、pretest
prim-	first	primitive、primordial
proto-	first	prototype、protoplasm
re-	again	review、revise
retro-	backwards	retrofit、retrovirus
semi-	half	semiconductor、semicircle
sub-	under/below	subset、subtitle
super-	above/more	superconductor、supersonic
tele-	far/distant	telemetry、telescope
un-	not	unusual、unsuitable
uni-	one/single	unicellular、uniform

附录 B：研究中的动词

able to	align	assume	challenge
accompany	allow	attach	change
accord with	alter	attempt	characterise
account for	analyse	attribute	choose
achieve	appear to	avoid	claim
acquire	apply	be confined to	clarify
adapt	argue	bisect	collect
address	arise from	calculate	combine
adjust	arrange	calibrate	compare
administer	ascribe	carry out	compare well with
adopt	assemble	categorise	compensate for
affect	assess	cause	complement
compute	define	employ	filter
concentrate on	delay	enable	find
conclude	demonstrate	encase	fit
conclude that	derive	enclose	fix
conduct	describe	enhance	focus on

confirm	design	ensure	formulate
conflict with	detect	establish	generalise
connect	determine	estimate	generate
consider	develop	evaluate	give rise to
construct	deviate from	examine	govern
contains	devise	exceed	guarantee
contradict	differ	exclude	help to
contribute to	discard	exhibit	highlight
control	discover	exist	hypothesise
converge	discuss	expand	identify
convert	display	explain	ignore
correlate with	disprove	explore	illustrate
correspond to	distribute	expose	immerse
corroborate	divide	extend	implement
couple	document	extract	imply
create	drive	fabricate	improve
deal with	drop	facilitate	include
decline	eliminate	fall	incorporate
decrease	embed	fall short of	increase
deduce	emphasise	fasten	indicate
infer	mention	overlook	purchase
influence	minimise	pave the way for	put forward
initiate	mirror	peak	quantify
input	miscalculate	perform	reach
insert	misjudge	permit	recognise

install	misunderstand	place	recommend
interpret	model	plot	record
intersect	modify	point out	recover
introduce	monitor	position	reduce
invert	mount	postulate	re-examine
investigate	neglect	precede	refine
isolate	normalise	predict	reflect
join	note	prepare	refute
know	observe	present	regulate
lag behind	obtain	prevent	reinforce
lead	occur	process	remain
lead to	offer	produce	remove
limit	operate	propose	repeat
list	optimise	prove	replicate
locate	organise	provide	report
maintain	orient	provide a first step	represent
match	originate in	provide a framework	require
maximise	outline	provide evidence of	resemble
mean	outperform	provide insight into	resolve
measure	overcome	provide support for	restrict
result from	separate	state	take place
result in	serve as	streamline	test
resume	set out	study	theorise
retain	shed new light on	substantiate	track
retrieve	show	substitute	transfer

reveal	signify	succeed	treat
review	simplify	suffer from	use
revise	simulate	suggest	utilise
rise	situate	summarise	validate
rule out	solve	supply	vary
sample	space	support	verify
seem to	speculate	surround	yield
select	stabilise	synthesise	