Collaboration & AI Platform Consolidation Strategy & Roadmap

Implementation Solution Guide

Version 1.0.0 · 2026-07-06

Contents

Executive Summary — Collaboration & AI Platform Consolidation Strategy & Roadmap 5

The situation . . . 5

The solution . . . 5

What you get . . . 5

The standard deployment model . . . 6

The outcome . . . 6

1. Solution Overview — Collaboration & AI Platform Consolidation Strategy & Roadmap 6

What this solution is . . . 6

Why permanent coexistence fails (the *why*) . . . 7

The target-state thesis (what consolidates, and why) . . . 7

The estate-mapping method (current vs. target) . . . 8

The consolidation roadmap (sequencing, gates, exit criteria) . . . 8

Coexistence-exit criteria and decommission gates . . . 9

The sustainability & cost model . . . 9

Benefits . . . 10

Honest limitations . . . 10

The standard deployment model . . . 10

2. Requirements Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap 11

R1. A decided target platform and a provisioned target tenant *(GATING)* . . . 11

R2. Executive sponsorship with decommission authority *(GATING)* . . . 12

R3. Administrative access to the source Microsoft 365 / Entra environment . . . 12

R4. A current-state estate inventory (the consolidation baseline) . . . 12

R5. The named strategy artifacts exist (design deliverables) . . . 13

R6. Coexistence-exit criteria defined per legacy system . . . 13

R7. Consolidation-wave scope groups (Entra security groups) . . . 13

R8. Dependency map for the legacy systems (sequencing input) . . . 14

R9. The sustainability & cost baseline . . . 14

R10. Data-governance, eDiscovery & compliance sign-off for decommission . . . 14

R11. Change control, rollback, and a comms plan (per wave / per decommission) . . . 15

R12. KPI baseline + operating-model owners (for the run phase) . . . 15

Checklist . . . 15

Global Requirements — Google Workspace & Gemini Solutions 16

1. Google Workspace / Cloud Identity tenant . . . 16

2. Source Microsoft 365 / Entra environment (for migration & coexistence) . . . 16

3. DNS control for the routed domains . . . 17

4. Identity & provisioning source of truth . . . 17
5. A pilot scope (OU / group) and change control . . . 17
6. Security, compliance & governance stakeholders . . . 17
3. Implementation Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap 18
Part A — Strategy artifacts (Configure-phase deliverables) . . . 18
Part B — Target operating model: `Consolidation Operating Model – Platform – Run` . . . 20
Part C — Consolidation roadmap (execution) . . . 21
Part D — Transition to run . . . 23
5. Testing & Acceptance — Collaboration & AI Platform Consolidation Strategy & Roadmap 23
Group 0 — Strategy & operating-model readiness (run once, before Wave 0 expands) . . . 24
Group 1 — Wave 1: Collaboration Consolidation . . . 24
Group 2 — Wave 2: AI Platform Consolidation . . . 25
Group 3 — Wave 3: Identity & Management Consolidation . . . 25
Group 4 — Wave 4: Decommission & Sustain . . . 25
Group 5 — Cost & operating-model health (ongoing) . . . 26
Program-level exit (per wave / per decommission) . . . 26
6. Troubleshooting Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap 26
A. Target / strategy ambiguity . . . 27
B. Estate mapping / redundancy . . . 27
C. Sequencing / dependencies . . . 27
D. Decommission gates / exit criteria . . . 28
E. Cost / savings not materializing . . . 28
F. Governance / compliance blocking retirement . . . 29
G. Program / operating-model issues . . . 29
H. Tooling / script issues . . . 29
When to escalate . . . 30
7. Best Practices — Collaboration & AI Platform Consolidation Strategy & Roadmap 30
Strategy discipline . . . 30
Ending coexistence (the whole point) . . . 31
Sequencing & the wave gate . . . 31
Cost efficiency . . . 31
Sustainability & long-term platform health . . . 32
Change control & rollback . . . 32
Operating model . . . 32
8. Deliverables Summary — Collaboration & AI Platform Consolidation Strategy & Roadmap 33
Documentation . . . 33

PowerShell scripts 34
Hero image 35
The Consolidation-Roadmap document template (outline) 35
What the buyer receives 36
Outcome 36
Appendix A — PowerShell Scripts 37

Executive Summary — Collaboration & AI Platform Consolidation Strategy & Roadmap

The situation

Most organizations that set out to transform their collaboration and AI platform do not finish the job — they stall in **permanent coexistence**. The migration to the new platform "succeeds," but the old one is never turned off. A legacy mailbox stays "just in case," a Teams tenant keeps a handful of channels, a SharePoint site backs one integration nobody wants to touch, and the old AI/Copilot licences renew on autopilot. The result is a business paying for **two ecosystems forever**: double the licences, double the contracts, double the identity and management surfaces, double the attack surface, and double the operational load — with no end date and no owner empowered to end it. Nobody can answer the simple question: *are we done with the old platform yet, and if not, what is blocking retirement?*

The remedy is not another migration. It is a **consolidation strategy and roadmap** that treats the move off legacy as a first-class, gated program — with a ratified **target platform**, a **current-vs-target estate map**, a **sequenced roadmap**, explicit **coexistence-exit criteria** and **decommission gates** for every legacy system, and a **sustainability/cost model** that proves the consolidation pays for itself.

The solution

This strategy delivers exactly that — a repeatable, vendor-aligned plan to converge a two-ecosystem collaboration-and-AI estate onto **one supportable platform (Google Workspace + Gemini)** and retire the legacy Microsoft systems deliberately:

- **A consolidation strategy** — the target platform, what retires, and *why* (sustainability, security, cost efficiency).
- **A current-vs-target estate map** — the collaboration + AI estate (Microsoft, Google, third-party) mapped to the target, with redundancy and decommission candidates surfaced.
- **A consolidation roadmap** — waves that move the estate off legacy in dependency order, each with a decommission gate and coexistence-exit criteria so coexistence *ends* on a schedule.
- **A sustainability & cost model** — the run-rate baseline of running both ecosystems and the savings realized as each legacy system retires.

These are bound together by a **target operating model** that names who runs the consolidated platform, who signs each decommission, and how progress and savings are measured — delivered through waves proven on a **pilot** before any expansion, and gated so **no legacy system is retired until its exit criteria pass.**

What you get

- A plain-language **Solution Overview** of the consolidation model and *why* it beats permanent coexistence.

• A **Requirements Guide** with verify / implement-if-missing for every prerequisite (target-platform decision and tenant, source Microsoft 365 / Entra access, estate and contract data, executive decommission authority).

• An **Implementation Guide** that names the **strategy**, the **estate map**, the **roadmap waves**, the **cost model**, and the **operating-model roles**, then walks Assess → Configure → Pilot → Validate → Expand with a decommission gate per legacy system.

• Five **PowerShell scripts** for estate/redundancy discovery, target-state conformance validation, a consolidation/cost-savings and decommission-readiness report, safe remediation of readiness gaps, and a wave-scope group builder.

• **Testing** and **Troubleshooting** guides with pass/fail gates, plus field-proven **Best Practices** for cost efficiency and long-term platform sustainability.

The standard deployment model

Assess → **Configure** → **Pilot** → **Validate** → **Expand** — with a hard **decommission gate** (coexistence-exit criteria) before any legacy system is retired.

The outcome

One consolidated collaboration + AI platform — legacy Microsoft systems retired on a deliberate schedule against written coexistence-exit criteria — delivering sustainability, security, and cost efficiency, with a named operating model, a measurable cost model, and a coexistence footprint that trends to zero instead of running two platforms forever.

1. Solution Overview — Collaboration & AI Platform Consolidation Strategy & Roadmap

What this solution is

This is a **long-term platform consolidation strategy and roadmap** — not a migration runbook and not a single-product configuration. A collaboration-and-AI transformation that stalls in *permanent coexistence* carries double the cost, double the tools, double the attack surface, and double the operational burden — forever. This solution defines how an enterprise deliberately converges on **one supportable platform** instead of running two ecosystems side by side indefinitely: the **target state**, the **decommission path for the legacy Microsoft systems**, the **sequencing and dependencies**, the **coexistence-exit criteria**, and the **sustainability/cost model** that proves the consolidation pays for itself.

Concretely, the strategy produces four durable artifacts that the rest of this package builds and operates:

1. A named **consolidation strategy** — `Consolidation Strategy – Platform – Design` — the thesis: the target platform, what is retired, and *why* (sustainability, security, cost efficiency).

1. A named **current-vs-target estate map** — `Consolidation Estate Map – Platform – Design` — the

collaboration + AI estate (Microsoft, Google, third-party) mapped to the target, with redundancy and decommission candidates identified.

1. A named **consolidation roadmap** — `Consolidation Roadmap – Platform – Program` — a sequence of

waves that moves the estate off legacy systems, each with dependencies, a decommission gate, and coexistence-exit criteria.

1. A named **sustainability & cost model** — `Consolidation Cost Model – Platform – Run` — the

run-rate baseline, the projected savings as legacy systems retire, and the sustainability posture.

It also defines a **target operating model** — `Consolidation Operating Model – Platform – Run` — with roles, RACI, and KPIs so the consolidated platform is *run and governed*, not just *reached*.

Why permanent coexistence fails (the *why*)

A transformation that never finishes converging almost always ends up:

• **Doubly expensive** — two productivity suites, two AI stacks, two identity paths, two support

contracts, two skill sets. The business pays for both ecosystems every month with no end date.

• **Doubly exposed** — every legacy system left running is attack surface, patch burden, and audit

scope that the target platform was supposed to eliminate. Security posture is the weaker of the two.

• **Un-decommissionable by accident** — a legacy mailbox, a Teams tenant, a SharePoint site, or a

Copilot licence quietly acquires "just one" dependency, and nobody can turn it off because the exit criteria were never written down.

• **Ungoverned** — no single place answers "are we done with the old platform yet, and if not, what

is blocking retirement?" — because consolidation was treated as an outcome that would *happen* rather than a program that is *sequenced and gated*.

Consolidation fixes this by treating the move off legacy as a **first-class, gated program**: every legacy system has a named **decommission gate** and explicit **coexistence-exit criteria**, and no system is retired until its criteria pass. That single shift — from "we migrated, coexistence will sort itself out" to "each legacy system retires deliberately, on a schedule, when its exit criteria are met" — is the whole point of this solution.

The target-state thesis (what consolidates, and why)

The consolidation thesis is stated once and reused everywhere: **Google Workspace + Gemini is the target collaboration-and-AI platform; the legacy Microsoft collaboration and AI systems are retired on a deliberate schedule.** The rationale is threefold and is the recurring justification for every decommission decision:

Driver	What consolidation delivers
Sustainability	One platform to run, patch, support, and skill for — not two. Operational load, licence sprawl, and cognitive overhead all fall as legacy retires.
Security	Every retired legacy system removes attack surface, patch burden, and audit scope. The security posture stops being "the weaker of two" and becomes one governed estate.
Cost efficiency	Duplicate licences, duplicate contracts, and duplicate operations are eliminated as systems retire — the savings are modeled, not assumed (`Consolidation Cost Model – Platform – Run`).

The legacy Microsoft systems in scope for the decommission path typically include: **Exchange Online mailboxes, Teams, SharePoint/OneDrive, and the Microsoft 365 Copilot / AI stack**, along with the duplicate identity, licensing, and management surfaces that exist only to keep them running. Exactly which systems retire, in which wave, is the output of the estate map — this section names the *model*, not a fixed list.

> ***Scope honesty:*** *this solution is the* ***strategy and roadmap*** *for consolidation. It *names* the target, maps the estate, sequences the waves, and defines the decommission gates and cost model. The* ***execution of any individual migration*** *(mail, Drive, Chat/Meet, identity) is a separate engagement with its own runbook; this roadmap sequences those migrations and defines *when a legacy system is allowed to be turned off*, not the click-by-click of each move.*

The estate-mapping method (current vs. target)

You cannot consolidate what you have not mapped. The solution defines a repeatable method to map the **current** collaboration + AI estate against the **target** platform and surface what is redundant:

- **Inventory the collaboration + AI estate** across Microsoft, Google, and third-party systems (mail, files, chat/meetings, AI assistants, identity, and the licences/contracts behind them). The read-only `GWCONSOL-Discovery.ps1` inventories the discoverable Microsoft side via Graph; non-discoverable context (third-party apps, contracts) is captured manually.
- **Map each system to the target** — is it *replaced by* a target capability, *retired outright*, or *retained* (a genuine keep, recorded as an exception)?
- **Flag redundancy** — where a legacy system and a target capability both do the same job, that is a **decommission candidate**; the duplicate cost it carries feeds the cost model.

The output is `Consolidation Estate Map – Platform – Design`: the authoritative list of what retires, what it maps to, and what it costs to keep running.

The consolidation roadmap (sequencing, gates, exit criteria)

The estate is consolidated in **named waves** (`Consolidation Roadmap – Platform – Program`), each a deliberate step off legacy. The waves are summarized here and detailed in the Implementation Guide:

- **Wave 0 — Baseline & Strategy** — author the strategy, map the estate, set the cost/sustainability baseline, and stand up the operating model. Nothing is retired yet.
- **Wave 1 — Collaboration Consolidation** — sequence the collaboration migrations (mail, files, chat/meetings) and retire each legacy collaboration system as its exit criteria pass.
- **Wave 2 — AI Platform Consolidation** — converge the AI stack on the target (Gemini), retiring the legacy Microsoft AI/Copilot surface as its exit criteria pass.
- **Wave 3 — Identity & Management Consolidation** — retire the duplicate identity, licensing, and management surfaces that existed only to keep the legacy platform running.
- **Wave 4 — Decommission & Sustain** — complete the decommissions, realize the modeled savings, and hand the consolidated estate to the operating model.

Each wave runs the standard model **Assess** → **Configure** → **Pilot** → **Validate** → **Expand**, and **no legacy system is decommissioned until its decommission gate and coexistence-exit criteria pass** (§05).

Coexistence-exit criteria and decommission gates

The heart of this solution is the discipline that ends coexistence. For **every** legacy system on the decommission path, the roadmap records:

- **Coexistence-exit criteria** — the objective conditions that must be true before the legacy system is turned off (data fully migrated and verified, no remaining active users/dependencies, target capability validated in production, rollback window elapsed).
- **A decommission gate** — an explicit PASS/FAIL gate (§05) that confirms the exit criteria are met, with a named approver, before decommission proceeds.
- **A rollback position** — what to do if the gate fails or a dependency surfaces late (keep the legacy system warm until the criterion is genuinely met).

`GWCONSOL-Validation.ps1` reports target-state conformance and `GWCONSOL-Report.ps1` produces the decommission-readiness view, so the gate is decided on evidence, not optimism.

The sustainability & cost model

Consolidation is justified by what it *saves*, so the savings are modeled, not assumed (`Consolidation Cost Model – Platform – Run`):

- **Run-rate baseline** — the current cost of running *both* ecosystems (duplicate licences, contracts, operations, support).

• **Projected savings** — the run-rate that falls away as each legacy system retires, tied to the roadmap waves so savings are realized on a schedule.

• **Sustainability posture** — the operational load, patch/audit scope, and skill footprint that shrink as the estate converges on one platform.

`GWCONSOL-Report.ps1` produces the cost-savings and decommission-readiness report so leadership can see consolidation progress and realized savings against the model.

Benefits

• **One supportable platform** — collaboration and AI operated as a single, governed estate instead of two ecosystems run forever.

• **Coexistence has an end date** — every legacy system has explicit exit criteria and a decommission gate, so the program *converges* instead of drifting.

• **Modeled, realized savings** — duplicate cost is quantified and eliminated on a schedule, not hoped for.

• **A stronger security posture** — retired legacy systems remove attack surface, patch burden, and audit scope.

• **A run model, not just a target** — named roles and KPIs keep the consolidated platform healthy and the decommissions honest.

Honest limitations

• **This is a strategy + roadmap, not a migration execution kit.** It names the target, maps the estate, sequences the waves, sets the gates and the cost model — the **click-by-click of each migration** (mail/Drive/Chat/identity) is a separate engagement this roadmap *sequences*.

• **It requires real inputs** — a target Google Workspace/Gemini tenant, administrative access to the source Microsoft 365 / Entra environment, the estate and contract data, and executive sponsorship (see Requirements).

• **Some Gemini Enterprise capabilities are preview / rolling out** — where the target state depends on them, they are **cited or flagged "verify in your tenant"**, never invented (see the vendor note).

• **Third-party app internals are deferred** — enterprise apps that integrate with the estate are mapped at the pattern level; their console specifics defer to the vendor's own documentation.

• **Decommission is gated, not same-day** — legacy systems retire wave by wave as exit criteria pass, behind change control — deliberately, not in a big bang.

The standard deployment model

This solution follows the **standard deployment model** at two levels: the **program** is delivered in consolidation waves, and **each wave** internally follows the same lifecycle —

Assess → **Configure** → **Pilot** → **Validate** → **Expand**, with a **decommission gate** (coexistence-exit criteria, §05) that must pass before any legacy system is retired.

2. Requirements Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap

Verify **every** requirement before mapping the estate or committing a wave. Each entry is structured as **Description · Why · Verify · Implement-if-missing. Never assume a prerequisite exists.** Category-wide prerequisites (Google Workspace/Cloud Identity tenant, source Microsoft 365 / Entra environment, DNS control, identity source of truth, pilot scope, security/governance stakeholders) are in `global-requirements-google.md`; this guide adds the requirements specific to a *consolidation strategy* engagement and numbers them R1–R12.

> ***Naming convention (mandatory, reused verbatim throughout):*** *every artifact, wave, role, and group is named* `<Purpose> – <Scope> – <Stage>`*, e.g.* `Consolidation Roadmap – Platform – Program`*. Stage is* `Design` *(a strategy artifact),* `Program` *(a roadmap/cross-cutting item),* `Pilot` */* `Broad` *(a rollout scope), or* `Run` *(an operating-model/cost item). The canonical names introduced here are reused in the Implementation, Testing, and Troubleshooting guides.*
>
> ***Vendor note:*** *the* ***Google Admin console*** *and the* ***Microsoft / Entra*** *sides are named at current detail from the vendors' public documentation.* ***Gemini Enterprise*** *capabilities in preview or rolling out are* ***cited or flagged "verify in your tenant"*** *— never invented.* ***Third-party enterprise-app internals*** *are deferred to their own vendor docs.*
>
> ***Gating prerequisites:*** *R1 (target platform decided + tenant) and R2 (executive sponsorship for decommission authority) are* ***hard gates*** *— no legacy system is decommissioned, and no wave commits to retirement, until both are satisfied.*

R1. A decided target platform and a provisioned target tenant *(GATING)*

• **Description:** An executive-ratified decision that **Google Workspace + Gemini is the target collaboration-and-AI platform**, and a provisioned target Google Workspace / Cloud Identity tenant with the editions/licensing the target state assumes.

• **Why:** Consolidation is meaningless without a single, agreed target; every decommission decision justifies itself against the target platform. Ambiguity here is what produces permanent coexistence.

• **Verify:** Confirm a documented target-platform decision (`Consolidation Strategy – Platform – Design`) and sign in to **admin.google.com** as a super-admin to confirm the target tenant and editions (global requirement 1).

• **Implement-if-missing:** Ratify the target-platform decision at the executive level and provision the target tenant/licences before committing any wave to retirement.

R2. Executive sponsorship with decommission authority *(GATING)*

• **Description:** An executive sponsor (`Consolidation Sponsor – Program – Run`) and a named program

owner (`Consolidation Owner – Platform – Run`) with the authority to **approve legacy-system decommissions** and to end coexistence on a schedule.

• **Why:** Retiring a legacy mail/chat/files/AI system is a business decision with organizational blast

radius. Without an owner empowered to sign the decommission gates, coexistence never ends — systems stay "just in case." This is a program/operating-model requirement, not a technical one.

• **Verify:** Confirm a documented sponsor and program owner with decommission-approval authority and a

budget/decision mandate over the roadmap.

• **Implement-if-missing:** Secure executive sponsorship and assign the program owner before any wave;

record both in the operating model (§03).

R3. Administrative access to the source Microsoft 365 / Entra environment

• **Description:** Administrative (read at minimum; the least-privilege roles each migration names for

execution) access to the source **Microsoft 365** tenant and **Microsoft Entra ID**.

• **Why:** The estate map and every decommission-readiness check read from the Microsoft side; the

decommissions themselves change it. Consolidation cannot be sequenced or gated without visibility into what is running there (global requirement 2).

• **Verify:** Confirm access to the M365 admin center and the Entra admin center with the required

role. Run `GWCONSOL-Discovery.ps1` (read-only) to confirm Graph read access to the estate.

• **Implement-if-missing:** Obtain the role from the M365/Entra tenant owner; for discovery, a

global-reader / read-only admin is sufficient.

R4. A current-state estate inventory (the consolidation baseline)

• **Description:** An inventory of the **collaboration + AI estate** the strategy must account for:

Microsoft mail/Teams/SharePoint-OneDrive/Copilot, the Google target capabilities, third-party collaboration/AI apps, and the identity/licensing/contract surfaces behind them.

• **Why:** You cannot map current-to-target, identify redundancy, or sequence decommissions without a

baseline; it drives the estate map, the cost model, and the roadmap sequencing.

• **Verify:** Confirm a baseline exists (output of `GWCONSOL-Discovery.ps1` — a read-only inventory of

the discoverable Microsoft estate) plus manually captured third-party/contract context, reviewed by the program owner.

• **Implement-if-missing:** Run `GWCONSOL-Discovery.ps1` (read-only) and capture non-discoverable

context (third-party apps, contract terms/renewals) manually into the baseline.

R5. The named strategy artifacts exist (design deliverables)

• **Description:** The four core artifacts are authored and version-controlled: the consolidation strategy, the estate map, the consolidation roadmap, and the sustainability/cost model.

• **Why:** These are the deliverables the entire program executes against; without them, consolidation degrades back into an undocumented hope that coexistence will end on its own.

• **Verify:** Confirm `Consolidation Strategy – Platform – Design`, `Consolidation Estate Map – Platform – Design`, `Consolidation Roadmap – Platform – Program`, and `Consolidation Cost Model – Platform – Run` exist and are approved.

• **Implement-if-missing:** Produce them in the Configure phase (§03) following the templates and the naming convention; have the program owner and sponsor approve them.

R6. Coexistence-exit criteria defined per legacy system

• **Description:** For **every** legacy system on the decommission path, a documented set of **coexistence-exit criteria** — the objective conditions (data migrated + verified, no active users/dependencies remaining, target capability validated, rollback window elapsed) that must be true before it is turned off.

• **Why:** A decommission gate with no written criteria is a guess. Exit criteria are what turn "we think we're done with the old system" into a defensible, evidence-based retirement.

• **Verify:** Confirm each decommission candidate in the estate map has recorded exit criteria in the roadmap (`Consolidation Roadmap – Platform – Program`). `GWCONSOL-Validation.ps1` reports the discoverable conformance signals behind them.

• **Implement-if-missing:** Author the exit criteria per system as part of the roadmap before any decommission gate is scheduled.

R7. Consolidation-wave scope groups (Entra security groups)

• **Description:** Named Entra security groups that scope each consolidation wave and its pilot, e.g. `Consolidation Wave Scope – Collab – Pilot`, `Consolidation Wave Scope – Collab – Broad`, and equivalents per wave.

• **Why:** Waved consolidation and the pilot gate depend on being able to target exactly the right users per wave; identity-driven sequencing and coexistence tracking need these groups to exist (global requirement 5).

• **Verify:** Entra → **Groups**; confirm the per-wave pilot/broad groups exist (or run `GWCONSOL-Validation.ps1`).

• **Implement-if-missing:** Build the groups with `GWCONSOL-Set-ScopeTargeting.ps1` (defaults to `-WhatIf`; re-run with `-Apply` to create), named per the convention.

R8. Dependency map for the legacy systems (sequencing input)

• **Description:** A map of the **dependencies** each legacy system carries — who/what still relies on it (integrations, service accounts, shared mailboxes, SharePoint-backed apps, Copilot-embedded workflows) — so retirement order respects real coupling.

• **Why:** Decommissioning a system that something still depends on breaks production. Sequencing must retire systems in dependency order; the exit criteria depend on knowing there are no live dependencies left.

• **Verify:** Confirm a dependency map exists per decommission candidate, feeding the roadmap sequencing. `GWCONSOL-Report.ps1` surfaces the discoverable dependency/usage signals.

• **Implement-if-missing:** Build the dependency map during Assess; record blocking dependencies as exit-criteria items so a system is not gated for retirement while a dependency is live.

R9. The sustainability & cost baseline

• **Description:** A documented **run-rate baseline** of the current cost of operating *both* ecosystems — duplicate licences, contracts, operations, and support — plus the sustainability inputs (operational load, patch/audit scope) the model tracks.

• **Why:** The consolidation business case is the savings; without a baseline there is nothing to measure realized savings against, and the sponsor cannot see the program paying for itself.

• **Verify:** Confirm a baseline cost/sustainability sheet exists as `Consolidation Cost Model – Platform – Run. GWCONSOL-Report.ps1` merges the operator-maintained cost inputs with live licence/usage signals.

• **Implement-if-missing:** Assemble the baseline from licensing, contract, and operations data during Wave 0; tie each line to the legacy system whose retirement removes it.

R10. Data-governance, eDiscovery & compliance sign-off for decommission

• **Description:** Engagement with the **legal/eDiscovery, records-retention, and data-governance** stakeholders whose policies gate turning a legacy system off (retention holds, eDiscovery obligations, regulatory data-residency).

• **Why:** A legacy system cannot be decommissioned if it still holds data under legal hold or a retention obligation. Governance sign-off is a mandatory exit-criterion, not an afterthought (global requirement 6).

• **Verify:** Confirm the applicable retention/eDiscovery obligations and named approvers per

decommission candidate; confirm no active hold blocks retirement.

• **Implement-if-missing:** Identify the owners and obtain the retention/eDiscovery clearance as an explicit exit-criterion before any decommission gate.

R11. Change control, rollback, and a comms plan (per wave / per decommission)

• **Description:** An approved change window, a documented rollback (keep the legacy system warm / restore access / reverse the cutover), and a user-comms plan — for **each** wave cutover and **each** decommission.

• **Why:** Every decommission is irreversible-by-intent and changes how users work. Operational safety requires approved windows and a tested back-out until the exit criteria are provably met.

• **Verify:** Confirm an approved change record and a written rollback per planned wave/decommission, plus a comms template.

• **Implement-if-missing:** Establish the change/comms process; author per-decommission rollback runbooks (covered in Best Practices §07).

R12. KPI baseline + operating-model owners (for the run phase)

• **Description:** A baseline of the operating-model KPIs (coexistence footprint, decommission progress, realized savings, target-state conformance, licence reduction) and the named operating-model roles assigned.

• **Why:** A consolidated platform that nobody measures or owns drifts back toward sprawl; the operating model (`Consolidation Operating Model – Platform – Run`) needs a starting baseline and named owners to keep coexistence retiring and savings realized.

• **Verify:** Confirm baseline KPI values (from `GWCONSOL-Report.ps1` plus manual inputs) and that the operating-model roles (§03) are assigned.

• **Implement-if-missing:** Capture the KPI baseline early (during Wave 0) and assign the operating-model roles before the first decommission.

Checklist

• **(GATING)** Target platform decided + target tenant provisioned — `GWCONSOL-Discovery.ps1`

• **(GATING)** Executive sponsor + program owner with decommission authority

• Source Microsoft 365 / Entra access confirmed — `GWCONSOL-Discovery.ps1`

• Current-state collaboration + AI estate baseline captured

• Strategy, estate map, roadmap, and cost model authored & approved

- Coexistence-exit criteria defined per legacy system
- Per-wave pilot/broad scope groups — `GWCONSOL-Set-ScopeTargeting.ps1`
- Dependency map per decommission candidate — `GWCONSOL-Report.ps1`
- Sustainability & cost baseline captured — `GWCONSOL-Report.ps1`
- Data-governance / eDiscovery decommission sign-off obtained
- Per-wave / per-decommission change control, rollback, comms plan
- KPI baseline captured + operating-model roles assigned — `GWCONSOL-Report.ps1`

Global Requirements — Google Workspace & Gemini Solutions

These requirements apply to **every** solution in the **Google** category. They are the common foundation each Google Workspace / Gemini solution assumes is already in place (or stands up as part of its own Requirements section). Verify each before starting a solution's implementation steps.

> ***Vendor boundary (applies to every Google solution).*** *The **Google Admin console** (admin.google.com), **Google Cloud / Cloud Identity**, and the **Microsoft / Entra** sides are authored at exact, current click-by-click detail from the vendors' public documentation. **Gemini Enterprise** capabilities that are in preview or rolling out are **cited or flagged "verify in your tenant"** — never invented. **Third-party migration tools** (e.g. for mail/Drive/Chat data movement) and **third-party enterprise apps** (ServiceNow, SAP, Databricks, etc.) are integrated at the pattern/architectural level; their internal console steps are deferred to the vendor's own docs.*

1. Google Workspace / Cloud Identity tenant

- **Description:** A provisioned Google Workspace (or Cloud Identity) tenant with a **super-admin** account for configuration, and the appropriate Workspace edition/licensing for the capability in scope (e.g. Enterprise Plus for Vault/CAA/DLP, Gemini/AI add-on where required).
- **Why required:** All configuration, policy, and API work is performed against this tenant.
- **How to verify:** Sign in to **admin.google.com** as a super-admin; confirm edition and license counts under **Billing / Subscriptions**.
- **How to implement if missing:** Provision the tenant and licenses through Google or an authorized reseller before starting.

2. Source Microsoft 365 / Entra environment (for migration & coexistence)

- **Description:** For migration/coexistence/identity solutions, administrative access to the source **Microsoft 365** tenant and **Microsoft Entra ID** (Global Administrator or the least-privilege roles the solution names).
- **Why required:** Migration, directory sync, SSO federation, and coexistence read from and change

the Microsoft side.

• **How to verify:** Confirm access to the M365 admin center and the Entra admin center with the required role.

• **How to implement if missing:** Obtain the role from the M365/Entra tenant owner.

3. DNS control for the routed domains

• **Description:** Ability to create/modify **DNS records** (MX, SPF, DKIM, DMARC, TXT, CNAME) for the domains being migrated, coexisting, or verified.

• **Why required:** Domain verification, mail routing/coexistence, and authentication all depend on DNS changes.

• **How to verify:** Confirm access to the authoritative DNS zone for each domain.

• **How to implement if missing:** Coordinate with whoever controls DNS; stage changes under change control (mail-flow changes are high-impact).

4. Identity & provisioning source of truth

• **Description:** A defined **identity source of truth** (on-prem AD, Entra ID, or an HR/IGA system) and the sync mechanism (e.g. **Google Cloud Directory Sync (GCDS)** or SCIM-based provisioning).

• **Why required:** Consistent users/groups across ecosystems underpin SSO, licensing, and access.

• **How to verify:** Confirm which directory is authoritative and how objects flow into Google.

• **How to implement if missing:** Define the source of truth and provisioning model before configuring SSO or migrating.

5. A pilot scope (OU / group) and change control

• **Description:** A **pilot organizational unit or group** to validate on before fleet-wide rollout, and a **change-control** process for production changes (especially mail flow, DNS, identity, and DLP).

• **Why required:** Every solution follows an **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** model;

the pilot proves the design and change control protects production.

• **How to verify:** Confirm a named pilot OU/group exists and a change window/approval path is available.

• **How to implement if missing:** Create a pilot OU/group and agree the change-control process with the

owners before making production changes.

6. Security, compliance & governance stakeholders

• **Description:** Engagement with the **security (CISO), legal/eDiscovery, and data-governance** stakeholders whose policies the configuration must satisfy (DLP, retention, Vault/Purview, and any regulatory regime such as ITAR/DFARS/Assured Controls where applicable).

• **Why required:** Data governance, eDiscovery, DLP, and regulated-workload settings must align to enterprise policy and legal requirements, not just technical defaults.

• **How to verify:** Confirm the applicable policies and named stakeholders/approvers.

• **How to implement if missing:** Identify the owners and obtain the policy/compliance requirements before configuring governance controls.

*The deployment model across every Google solution is the same: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand**, with explicit pass/fail gates and a documented rollback for production changes.*

3. Implementation Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap

This is the **program runbook**. It produces the four strategy artifacts, defines the operating model and cost model, then executes the consolidation roadmap wave by wave — retiring legacy Microsoft systems only when their coexistence-exit criteria pass. The program follows the standard model at two levels: the **roadmap** is a sequence of waves, and **each wave** internally runs **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** with a **decommission gate** that must pass before any legacy system is retired.

> ***Naming convention (mandatory, reused verbatim):*** *every artifact, wave, role, and group is named* `<Purpose> – <Scope> – <Stage>`*. Stage is* `Design` *(a strategy artifact),* `Program` *(a roadmap/ cross-cutting item),* `Pilot` */* `Broad` *(a rollout scope), or* `Run` *(an operating-model/cost item). The canonical names introduced here are reused in Testing (§05) and Troubleshooting (§06).*

> ***Vendor note (read first):*** *the exact **Google Admin console** and **Microsoft/Entra** screens are named at current detail from the vendors' public documentation; **Gemini Enterprise** capabilities in preview/rolling out are **cited or flagged "verify in your tenant"**, never invented. The **click-by-click of each underlying migration** (mail, Drive, Chat/Meet, identity) is a **separate engagement** this roadmap *sequences and gates* — this guide defines *when a legacy system may be retired*, not how each migration is performed. Estate discovery uses **Microsoft Graph PowerShell** (the supplied scripts), which is real and current.*

Part A — Strategy artifacts (Configure-phase deliverables)

Before any legacy system is touched for retirement, author the four artifacts. They are the things the whole program executes against (requirement R5).

A1 — Consolidation strategy: `Consolidation Strategy – Platform – Design`

State the thesis on one page plus detail:

1. **Target platform.** Google Workspace + Gemini is the target collaboration-and-AI platform (R1).
2. **What retires.** The legacy Microsoft collaboration and AI systems on the decommission path

(Exchange Online, Teams, SharePoint/OneDrive, Microsoft 365 Copilot/AI) and the duplicate identity/licensing/management surfaces that exist only to run them.

1. **Why.** The three recurring drivers — **sustainability, security, cost efficiency** — that justify every decommission decision.

1. **The end of coexistence.** State explicitly: *each legacy system retires deliberately, on a schedule, when its coexistence-exit criteria pass — coexistence is not a permanent state.*

Output: an approved `Consolidation Strategy – Platform – Design` (narrative + target-state diagram).

A2 — Current-vs-target estate map: `Consolidation Estate Map – Platform – Design`

Map the current collaboration + AI estate to the target and surface redundancy (R4):

1. **Inventory** the estate — Microsoft (mail, Teams, SharePoint/OneDrive, Copilot), Google target capabilities, third-party collaboration/AI apps, and the identity/licence/contract surfaces. Run `GWCONSOL-Discovery.ps1` (read-only) for the discoverable Microsoft side; capture third-party and contract context manually.

1. **Map each system to the target** — *replaced by* a target capability, *retired outright*, or *retained* (a genuine keep, recorded as an exception with a reason).

1. **Flag redundancy** — where a legacy system and a target capability do the same job, mark it a **decommission candidate** and record the duplicate cost it carries (feeds A4).

Output: an approved `Consolidation Estate Map – Platform – Design` — the authoritative list of what retires, what it maps to, and what it costs to keep running.

A3 — Consolidation roadmap: `Consolidation Roadmap – Platform – Program`

Sequence the waves (Part C), each with: entry criteria, the scope groups it uses (R7), its pilot scope, the legacy systems it retires, each system's **coexistence-exit criteria** (R6) and **dependency order** (R8), its **decommission gate** (§05), and its rollback (R11). Record it as `Consolidation Roadmap – Platform – Program`.

A4 — Sustainability & cost model: `Consolidation Cost Model – Platform – Run`

Model the business case so savings are realized, not assumed (R9):

1. **Run-rate baseline** — the current cost of running *both* ecosystems (duplicate licences, contracts, operations, support).

1. **Projected savings** — the run-rate that falls away as each legacy system retires, tied to the roadmap waves so savings land on a schedule.

1. **Sustainability posture** — operational load, patch/audit scope, and skill footprint that shrink as the estate converges.

Output: an approved `Consolidation Cost Model – Platform – Run`; `GWCONSOL-Report.ps1` maintains the live view against it.

Part B — Target operating model: `Consolidation Operating Model – Platform – Run`

A consolidated platform must be *run* and the decommissions *governed*. Define the operating model before the first decommission (requirement R12).

B1 — Roles (RACI)

Role (named)	Responsibility
`Consolidation Sponsor – Program – Run`	Executive accountability, budget, cross-team mandate, **decommission-gate sign-off**.
`Consolidation Owner – Platform – Run`	Owns the strategy, roadmap, and cost model; sequences the waves; final say on exit criteria and retention exceptions.
`Consolidation Estate Analyst – Platform – Run`	Maintains the estate map and dependency map; runs discovery/report; keeps the decommission-candidate list current.
`Consolidation Migration Coordinator – Platform – Run`	Coordinates the underlying migrations that each wave sequences; confirms data-migrated exit criteria.
`Consolidation Governance Liaison – Platform – Run`	Owns the retention/eDiscovery clearance (R10) and change/rollback per decommission; bridges legal/security and the program.

B2 — KPIs (the run dashboard)

KPI	What it measures	Target posture
Coexistence footprint	Count of legacy systems still running	Trends to zero across the roadmap
Decommission progress	% of decommission candidates retired (gate PASSED)	Increases each wave
Realized savings	Baseline run-rate removed as systems retire	Tracks the cost-model projection
Licence reduction	Duplicate M365 licences reclaimed	Falls as legacy retires
Target-state conformance	% of users/data fully on the target platform	Trends to ~100%
Open exit-criteria blockers	Exit criteria not yet met per candidate	Falls to zero before each gate

B3 — Cadence

- **Estate review** (regular): estate map + dependency map re-confirmed as migrations complete.
- **Decommission-gate review** (per candidate): the coexistence-exit criteria (§05) before retirement.

• **Cost/savings review** (regular): realized savings against `Consolidation Cost Model – Platform – Run`.

• **Wave-gate review** (per wave): the pilot acceptance gate (§05) before expansion.

Part C — Consolidation roadmap (execution)

Each wave below runs the standard model. **The decommission gate is mandatory: no legacy system is retired until its coexistence-exit criteria PASS (§05), in dependency order (R8), with governance clearance (R10).** All waves target the Entra groups built by `GWCONSOL-Set-ScopeTargeting.ps1` (requirement R7).

> ***Per-wave preflight (every wave):*** *run* `GWCONSOL-Validation.ps1` *(target-state conformance) and* `GWCONSOL-Report.ps1` *(cost/savings + decommission-readiness) before Configure; confirm change control, rollback, and comms (R11). Use* `GWCONSOL-Remediation.ps1` *(default* `-WhatIf`*) to preview fixes for any readiness gaps.*

Wave 0 — Baseline & Strategy

Goal: author the strategy, map the estate, set the cost/sustainability baseline, and stand up the operating model. **Nothing is retired yet.**

1. **Assess.** Run `GWCONSOL-Discovery.ps1` (read-only) for the current-state estate baseline (R4).

Confirm gating requirements R1–R2 are met.

1. **Configure.** Author the four artifacts (Part A) and the operating model (Part B). Build the Wave

scope groups `Consolidation Wave Scope – <Wave> – Pilot` / `– Broad` (R7). Capture the cost baseline (R9) and the KPI baseline (R12).

1. **Pilot.** Validate the estate map and dependency map against a representative slice; confirm the

decommission-candidate list and its exit criteria (R6) are complete.

1. **Validate.** Run the Wave 0 tests (§05). **Wave-gate.**

2. **Expand.** Publish the approved roadmap; the program is now sequenced and gated.

Wave 1 — Collaboration Consolidation

Goal: sequence the collaboration migrations (mail, files, chat/meetings) and **retire each legacy collaboration system as its coexistence-exit criteria pass.**

1. **Assess.** Confirm the dependency order (R8) for Exchange, SharePoint/OneDrive, and Teams; confirm

each system's exit criteria (R6) and governance clearance (R10).

1. **Configure.** Coordinate the underlying migrations (separate engagements this wave *sequences*);

target the `Consolidation Wave Scope – Collab – Pilot` group. Do **not** decommission anything yet.

1. **Pilot.** Migrate the pilot cohort to the target; run in coexistence; confirm the pilot's data is

migrated and verified and no dependency remains on the legacy system.

1. **Validate.** Run the Collaboration tests (§05), including the **decommission gate** per legacy

collaboration system (exit criteria PASS).

1. **Expand.** Promote to `Consolidation Wave Scope – Collab – Broad`; as each legacy collaboration

system's exit criteria pass across the fleet, **retire it** (decommission-progress KPI rises; keep it warm per R11 until the criterion is provably met).

Wave 2 — AI Platform Consolidation

Goal: converge the AI stack on the target (Gemini) and **retire the legacy Microsoft AI/Copilot surface as its exit criteria pass.**

1. **Assess.** Inventory AI usage on both platforms; map Copilot-embedded workflows and their

dependencies (R8). *Gemini Enterprise capabilities in preview/rolling out are flagged "verify in your tenant" — do not assume parity that is not confirmed.*

1. **Configure.** Enable the target AI capabilities (Gemini) for the `Consolidation Wave Scope – AI –

Pilot` group per current Google guidance; leave the legacy AI surface in place during coexistence.

1. **Pilot.** Validate the target AI capability in production for the pilot; confirm no workflow still

depends on the legacy Copilot surface.

1. **Validate.** Run the AI-consolidation tests (§05), including the **decommission gate** for the

legacy AI/Copilot licences/surface.

1. **Expand.** Promote to `Consolidation Wave Scope – AI – Broad`; retire/reharvest the legacy AI

licences as exit criteria pass (realized-savings KPI rises).

Wave 3 — Identity & Management Consolidation

Goal: retire the **duplicate identity, licensing, and management surfaces** that exist only to keep the legacy platform running.

1. **Assess.** Identify the identity/provisioning/management surfaces duplicated across ecosystems and

their dependencies (service accounts, sync connectors, management policies) (R8).

1. **Configure.** Consolidate onto the target identity/management model for the

`Consolidation Wave Scope – Identity – Pilot` group; confirm the source-of-truth and provisioning direction (global requirement 4).

1. **Pilot.** Confirm users/groups/licensing flow correctly from the consolidated model with no

dependency left on the duplicate legacy surface.

1. **Validate.** Run the Identity/Management tests (§05), including the **decommission gate** for each

duplicate surface.

1. **Expand.** Promote to `Consolidation Wave Scope – Identity – Broad`; retire the duplicate identity/

management surfaces as exit criteria pass (licence-reduction KPI rises).

Wave 4 — Decommission & Sustain

Goal: complete the remaining decommissions, realize the modeled savings, and hand the consolidated estate to the operating model.

1. **Assess.** Review the decommission-candidate list; confirm every remaining candidate's exit

criteria (R6) and governance clearance (R10) are met — `GWCONSOL-Report.ps1` shows decommission readiness with no open blockers.

1. **Configure.** Execute the final decommissions in dependency order (R8), each behind change control

and rollback (R11).

1. **Pilot/Validate.** Confirm each retirement caused no production impact; run the final tests (§05).

Decommission gate per remaining candidate.

1. **Expand/Sustain.** Reconcile realized savings against `Consolidation Cost Model – Platform – Run`;

confirm the coexistence footprint is zero (or the retained exceptions are the only remainder); hand the estate to the operating model (Part B).

Part D — Transition to run

Once the roadmap waves pass:

1. Confirm all wave gates and decommission gates PASS (`GWCONSOL-Report.ps1` shows decommission

readiness/progress with no open blockers and realized savings on track).

1. Hand the consolidated estate to the operating model (Part B): roles assigned, KPI dashboard live,

review cadence scheduled.

1. Keep the four strategy artifacts version-controlled; any change (a new system entering the estate, a

retained exception being revisited) goes through the estate/cost review and updates `Consolidation Estate Map – Platform – Design` / `Consolidation Cost Model – Platform – Run`.

Order of operations

`Strategy artifacts (A)` → `Operating & cost model (B)` → `Wave 0 Baseline` → `Wave 1 Collaboration` → `Wave 2 AI` → `Wave 3 Identity & Management` → `Wave 4 Decommission & Sustain` → `Run (D)` — each wave gated by its pilot, each legacy system retired only when its coexistence-exit criteria pass.

5. Testing & Acceptance — Collaboration & AI Platform Consolidation Strategy & Roadmap

Testing is organized by wave, each test with an explicit **PASS/FAIL gate**. Every wave has a **pilot acceptance gate** (before it expands from pilot to broad scope) and, crucially, a **decommission gate** per legacy system — the combined **coexistence-exit criteria** that must PASS before any legacy system is retired (Implementation §03, Part C). **No wave expands until its pilot gate is PASS; no legacy system is decommissioned until its decommission gate is PASS.**

> *Run* `GWCONSOL-Validation.ps1` *for the scripted target-state conformance checks and* `GWCONSOL-Report.ps1` *for the cost/savings + decommission-readiness report; the manual gates below are operator-verified with the estate map, dependency map, and governance clearance. Record results against the wave/system, e.g.* `Decommission Results – Exchange – Collab`*.*

Group 0 — Strategy & operating-model readiness (run once, before Wave 0 expands)

T0.1 — Strategy artifacts exist. `Consolidation Strategy – Platform – Design`, `Consolidation Estate Map – Platform – Design`, `Consolidation Roadmap – Platform – Program`, and `Consolidation Cost Model – Platform – Run` are authored and approved (R5).

- PASS: all four approved. FAIL: any missing/unapproved.

T0.2 — Operating model + cost baseline defined. Roles in `Consolidation Operating Model – Platform – Run` are assigned and the KPI + cost baseline is captured (R2, R9, R12); `GWCONSOL-Report.ps1` produces a baseline.

- PASS: roles assigned + baseline captured. FAIL: no owner or no baseline.

T0.3 — Scope groups present. Per-wave pilot/broad groups exist (R7); `GWCONSOL-Validation.ps1` confirms.

- PASS: groups present and correctly named. FAIL: missing/misnamed.

T0.4 — Exit criteria defined per candidate. Every decommission candidate in the estate map has recorded coexistence-exit criteria and a dependency order (R6, R8).

- PASS: all candidates have exit criteria + dependency order. FAIL: any candidate without.

Readiness gate: T0.1–T0.4 PASS before Wave 0 expands.

Group 1 — Wave 1: Collaboration Consolidation

T1.1 — Pilot migrated & verified. The `Consolidation Wave Scope – Collab – Pilot` cohort's mail/ files/chat data is migrated to the target and verified.

- PASS: pilot data on target and verified. FAIL: data missing/unverified.

T1.2 — Target capability validated. The pilot works entirely on the target collaboration platform.

- PASS: pilot productive on target. FAIL: pilot still dependent on legacy for normal work.

T1.3 — No residual dependency (per legacy system). For each legacy collaboration system, no active users, integrations, or service dependencies remain (R8) for the retired scope.

- PASS: dependency map clear for the scope. FAIL: a live dependency remains.

T1.4 — Governance clearance. Retention/eDiscovery obligations are cleared for the system being retired; no active legal hold blocks decommission (R10).

- PASS: governance sign-off recorded. FAIL: hold/obligation outstanding.

Collaboration pilot gate: T1.1–T1.2 PASS before broad expansion. **Collaboration decommission gate (per system):** T1.1–T1.4 PASS + rollback available (R11) before the legacy collaboration system is retired.

Group 2 — Wave 2: AI Platform Consolidation

T2.1 — Target AI validated. The target AI capability (Gemini) is validated in production for the `Consolidation Wave Scope – AI – Pilot` cohort. *Preview/rolling-out capabilities are confirmed in-tenant, not assumed.*

- PASS: target AI works for the pilot's use cases. FAIL: capability unconfirmed/absent.

T2.2 — No Copilot-embedded dependency. No workflow in the retired scope still depends on the legacy Microsoft AI/Copilot surface (R8).

- PASS: no residual Copilot dependency. FAIL: a workflow still depends on it.

T2.3 — Licence reclaim identified. The legacy AI/Copilot licences freed by retirement are identified for reharvest (feeds realized-savings).

- PASS: reclaimable licences identified. FAIL: not quantified.

AI decommission gate: T2.1–T2.3 PASS + rollback available (R11) before the legacy AI/Copilot surface is retired.

Group 3 — Wave 3: Identity & Management Consolidation

T3.1 — Consolidated model authoritative. Users/groups/licensing flow correctly from the consolidated identity/management model for the `Consolidation Wave Scope – Identity – Pilot` cohort.

- PASS: consolidated model authoritative for the pilot. FAIL: still dual-sourced.

T3.2 — No duplicate-surface dependency. No service account, sync connector, or management policy in the retired scope still depends on the duplicate legacy surface (R8).

- PASS: duplicate surface has no live dependency. FAIL: a dependency remains.

T3.3 — Provisioning integrity. Joiner/mover/leaver flows work end-to-end on the consolidated model.

- PASS: JML verified on target. FAIL: provisioning breaks.

Identity/Management decommission gate: T3.1–T3.3 PASS + rollback available (R11) before a duplicate identity/management surface is retired.

Group 4 — Wave 4: Decommission & Sustain

T4.1 — All exit criteria met. Every remaining decommission candidate's coexistence-exit criteria (R6) and governance clearance (R10) are PASS; `GWCONSOL-Report.ps1` shows no open blockers.

- PASS: no open exit-criteria blockers. FAIL: any candidate blocked.

T4.2 — Decommission caused no impact. Each executed retirement produced no production impact for the scope.

- PASS: zero post-decommission incidents. FAIL: user-visible breakage.

T4.3 — Coexistence footprint retired. The legacy platform footprint is zero, or the only remainder is the recorded, approved retained-exception set.

- PASS: footprint zero or exceptions-only. FAIL: unretired systems without exception.

Sustain gate: T4.1–T4.3 PASS for the program to be declared consolidated.

Group 5 — Cost & operating-model health (ongoing)

T5.1 — Realized savings tracked. `GWCONSOL-Report.ps1` shows realized savings against the cost model as systems retire.

- PASS: savings reported and tracking the projection. FAIL: no measurement / off-model.

T5.2 — Estate/dependency map current. The estate map and dependency map are re-confirmed as migrations complete; no undocumented legacy system remains.

- PASS: maps current. FAIL: stale/undocumented estate.

Run gate: T5.1–T5.2 PASS before the program is declared in steady-state run.

Program-level exit (per wave / per decommission)

A wave is **complete** only when its pilot acceptance gate is PASS; a legacy system is **retired** only when its decommission gate (coexistence-exit criteria) is PASS. Capture results against the wave/system name (`Decommission Results – <System> – <Wave>`). **No legacy system is decommissioned until its coexistence-exit criteria pass**, in dependency order (R8), with governance clearance (R10) and change control + rollback confirmed (R11).

6. Troubleshooting Guide — Collaboration & AI Platform Consolidation Strategy & Roadmap

Failure modes and fixes, grouped by area. Most consolidation programs stall for a few root causes: **the target platform was never truly decided**, **a legacy system has no written exit criteria**, **a decommission was attempted with a live dependency still attached**, or **coexistence was never gated so it simply never ends**.

> *Use* `GWCONSOL-Discovery.ps1` / `GWCONSOL-Validation.ps1` *(read-only) for current-state and target-state conformance, and* `GWCONSOL-Report.ps1` *for cost/savings + decommission readiness. Use* `GWCONSOL-Remediation.ps1` *(default* `-WhatIf`*) to preview fixes.* ***Google Admin / Microsoft-Entra console specifics are named from the vendors' public docs; Gemini preview capabilities are verified in-tenant*** *— these fixes name *what* to correct.*

A. Target / strategy ambiguity

Symptom	Cause	Remediation
Program keeps adding "keep it for now" exceptions	Target platform never executive-ratified; teams hedge	Ratify the target-platform decision at the sponsor level (`Consolidation Strategy – Platform – Design`, R1); every exception must be a recorded retained-exception with a driver, not a default
Two teams disagree on what is "target" vs "legacy"	Strategy thesis not stated once and reused	Publish the single thesis (target + what retires + why) and reference it in every wave and gate
A decommission decision gets reversed under pushback	No owner with decommission authority	Assign `Consolidation Sponsor – Program – Run` with decommission-approval authority (R2); the gate, not the loudest objector, decides

B. Estate mapping / redundancy

Symptom	Cause	Remediation
A legacy system surfaces late that nobody had mapped	Estate inventory incomplete	Re-run `GWCONSOL-Discovery.ps1` for the discoverable Microsoft side; capture third-party/contract context manually into `Consolidation Estate Map – Platform – Design` (R4)
Redundant systems not being retired	Decommission candidates not flagged in the map	For every system where a target capability does the same job, mark it a decommission candidate and record its duplicate cost (§03 A2)
"Retained" systems accumulating with no reason	Retained exceptions not justified/reviewed	Require a driver + review date per retained exception; revisit on the operating-model cadence (Best Practices §07)

C. Sequencing / dependencies

Symptom	Cause	Remediation
Decommissioning a system broke a production workflow	Retired out of dependency order / a live dependency missed	Build/refresh the dependency map (R8); retire in dependency order; make each blocking dependency an explicit exit-criterion (T1.3/T2.2/T3.2)

Symptom	Cause	Remediation
Wave scope keeps slipping	Cohorts split across waves, extending coexistence	Scope waves to groups who work together (`Consolidation Wave Scope – <Wave> – Pilot/Broad`); keep cohorts intact
Underlying migration not ready when the wave needs it	Roadmap sequences a migration engagement that isn't scheduled	Confirm the underlying migration (separate engagement) is scheduled before the wave's Configure; this roadmap *sequences* it, it does not perform it

D. Decommission gates / exit criteria

Symptom	Cause	Remediation
Nobody is sure whether a system is safe to turn off	No written coexistence-exit criteria	Author exit criteria per candidate (R6): data migrated + verified, no active users/dependencies, target validated, rollback window elapsed, governance cleared
A gate "passed" but the system still had active users	Gate decided on optimism, not evidence	Decide the gate on `GWCONSOL-Report.ps1` decommission-readiness output; a gate is PASS only when every exit-criterion is objectively met (§05)
Coexistence never ends	No decommission gate wired into the program	Attach a decommission gate to every candidate; the coexistence-footprint KPI must trend to zero, wave by wave

E. Cost / savings not materializing

Symptom	Cause	Remediation
Consolidation isn't showing savings	System technically retired but licence/contract still billing	Reharvest freed licences promptly (licence-reduction KPI); align decommission with renewal/true-up windows so the contract saving lands (§07)
Savings can't be measured	No cost baseline of running both ecosystems	Capture the run-rate baseline (R9) in `Consolidation Cost Model – Platform – Run`; tie each cost line to the system whose retirement removes it

Symptom	Cause	Remediation
Reported savings drift from reality	Realized savings not tracked against the model	Run `GWCONSOL-Report.ps1` on the cadence; reconcile realized vs projected (T5.1)

F. Governance / compliance blocking retirement

Symptom	Cause	Remediation
Legal blocks a decommission at the last minute	Retention hold / eDiscovery obligation not cleared up front	Make governance clearance an exit-criterion (R10); obtain it *before* the gate is scheduled, not at cutover (T1.4)
Uncertainty over where regulated data lives post-retirement	Data-residency not mapped for the target	Confirm target-platform data-residency with the governance stakeholders before retiring the legacy store

G. Program / operating-model issues

Symptom	Cause	Remediation
Program drifting back toward two-platform sprawl	No owner / artifacts not maintained	Assign `Consolidation Owner – Platform – Run` (R2); keep the four strategy artifacts current as living documents (§07)
Progress unclear to leadership	KPIs not measured	Capture the baseline (R12) and keep `GWCONSOL-Report.ps1` live — report coexistence footprint, decommission progress, and realized savings (T5.1)
Retained exceptions never revisited	No review cadence	Institute the estate/exception review in the operating model (§03 Part B3); re-justify or retire each exception

H. Tooling / script issues

Symptom	Cause	Remediation
A script fails to connect to Graph	Microsoft Graph PowerShell module not installed or not consented	`Install-Module Microsoft.Graph -Scope CurrentUser`; sign in with the required read scopes when prompted

Symptom	Cause	Remediation
Remediation made no change	`-WhatIf` is the default (by design)	Re-run with `-Apply` once the preview is correct
Report shows licence/cost as 'n/a'	No operator-maintained cost/status CSV, or Graph sizing unavailable	Provide the status/cost CSV template `GWCONSOL-Report.ps1` writes; confirm Graph read access for live licence/group sizing
Gemini capability assumed but absent	A preview/rolling-out capability was treated as GA	Verify the capability in your tenant (vendor note); if absent, record it as a risk/assumption and do not gate a decommission on it (T2.1)

When to escalate

If the target platform is ratified, the estate and dependency maps are current, a candidate's coexistence-exit criteria are written and objectively met, governance is cleared, and a decommission still cannot proceed safely — collect the `GWCONSOL-Discovery.ps1` and `GWCONSOL-Validation.ps1` output and the relevant `Decommission Results – <System> – <Wave>`, and escalate to the `Consolidation Sponsor – Program – Run` with the specific blocking exit-criterion. For underlying migration mechanics, refer to that migration engagement's own runbook; for Google/Microsoft product behavior, reference the vendor's official documentation.

7. Best Practices — Collaboration & AI Platform Consolidation Strategy & Roadmap

Program-grade practices for consolidating a two-ecosystem collaboration-and-AI estate onto one platform. These reduce risk, prevent the slide into permanent coexistence, and keep the consolidation paying for itself.

Strategy discipline

• **Decide the target once, ratify it high.** Executive-ratify that Google Workspace + Gemini is the

target platform (`Consolidation Strategy – Platform – Design`, R1) before mapping or committing a wave. Ambiguity about the target is the single biggest cause of permanent coexistence.

• **Map the estate before you sequence.** Author `Consolidation Estate Map – Platform – Design` first —

it is what surfaces the redundant systems and the decommission candidates. You cannot retire what you have not mapped.

• **Name everything with the convention.** `<Purpose> – <Scope> – <Stage>`, reused verbatim across

artifacts, waves, roles, groups, and scripts, so discovery, validation, reporting, and the estate map cross-reference cleanly.

- **Justify every decommission against the three drivers.** Sustainability, security, cost efficiency — state which one(s) each retirement serves. A system with no driver for retiring is a retained exception, recorded as such.

Ending coexistence (the whole point)

- **Coexistence is a phase, not a destination.** Write it into the strategy: every legacy system retires on a schedule when its exit criteria pass. A transformation that never decommissions has failed even if every migration "succeeded."
- **Every legacy system gets written exit criteria (R6).** Data migrated + verified, no active users/dependencies, target capability validated in production, governance cleared, rollback window elapsed. A decommission gate with no written criteria is a guess.
- **Gate the retirement, don't just hope.** No legacy system is turned off until its decommission gate (§05) is PASS. `GWCONSOL-Report.ps1` produces the decommission-readiness view so the gate is decided on evidence.
- **Retire in dependency order (R8).** Map what still depends on each system; retire in the order that respects real coupling. Decommissioning something a live workflow needs is how consolidation breaks production.

Sequencing & the wave gate

- **Consolidate in waves, never big-bang.** Wave 0 baseline → Collaboration → AI → Identity & Management → Decommission & Sustain. Each wave moves a bounded slice off legacy.
- **The pilot gate is non-negotiable.** No wave expands to broad scope until its pilot acceptance gate (§05) is PASS. A bounded pilot catches breakage before the fleet feels it.
- **Keep cohorts intact in a wave scope.** Scope a wave to groups of users who work together so the coexistence window between platforms is short for any given team.
- **Run the per-wave preflight.** `GWCONSOL-Validation.ps1` (target-state conformance) and `GWCONSOL-Report.ps1` (cost/savings + decommission readiness) before every Configure; preview fixes with `GWCONSOL-Remediation.ps1` (default `-WhatIf`).

Cost efficiency

- **Baseline the cost of running both (R9).** Duplicate licences, contracts, operations, support — the full run-rate of coexistence. Without the baseline you cannot show the program paying for itself.
- **Tie every saving to a retirement.** Each cost line in `Consolidation Cost Model – Platform – Run`

maps to the legacy system whose decommission removes it, so savings land on the roadmap schedule, not in a vague "eventually."

- **Reharvest licences as systems retire.** Duplicate M365/Copilot licences freed by decommission are reclaimed promptly (licence-reduction KPI) — a licence left assigned to a retired system is pure waste.
- **Mind the contracts, not just the consoles.** A system can be technically retired while its contract keeps billing; align decommission timing with renewal/true-up windows to capture the saving.

Sustainability & long-term platform health

- **Fewer systems is the sustainability win.** Every retired legacy system removes operational load, patch burden, audit scope, and a skill set to maintain. Track the shrinking footprint, not just the dollar savings.
- **One governed estate beats two weak ones.** Consolidation removes the "weaker of two" security posture; the target platform is the single governed surface once legacy retires.
- **Keep the artifacts current as living documents.** The strategy, estate map, roadmap, and cost model are updated with every completed migration and every retained-exception decision — not at the end.
- **Revisit retained exceptions on a cadence.** A system kept "for now" is a future decommission candidate; re-justify or retire each retained exception on the operating-model cadence so coexistence keeps shrinking.

Change control & rollback

- **Approved window + tested back-out per decommission (R11).** Every retirement is irreversible-by-intent; keep the legacy system warm and the rollback ready until the exit criteria are provably met.
- **Governance clears before the gate (R10).** Retention holds and eDiscovery obligations are an exit-criterion, not an afterthought. A system under legal hold cannot be retired, full stop.
- **Communicate each cutover.** A short note per wave/decommission — what changes, the new experience, who to contact — sharply reduces tickets and resistance.

Operating model

- **Assign the roles before you retire anything.** `Consolidation Sponsor` (with decommission authority), `Consolidation Owner`, `Estate Analyst`, `Migration Coordinator`, `Governance Liaison` — a consolidation with no empowered owner never ends coexistence.
- **Measure what matters.** Keep the KPI dashboard (`GWCONSOL-Report.ps1`) live: coexistence footprint,

decommission progress, realized savings, licence reduction, target-state conformance, open exit-criteria blockers.

- **Report progress as convergence.** Leadership should see the coexistence footprint trending to zero and realized savings tracking the model — that is what proves the consolidation is working.

8. Deliverables Summary — Collaboration & AI Platform Consolidation Strategy & Roadmap

This package is a flagship, enterprise-grade strategy kit for consolidating a two-ecosystem collaboration-and-AI estate onto one supportable platform. It contains the documentation blueprint, five PowerShell tools, and a hero image. It delivers a consolidation strategy, a current-vs-target estate map, a phased consolidation roadmap with decommission gates and coexistence-exit criteria, a sustainability/cost model, and a target operating model — plus the read-only tooling to discover, validate, report, remediate, and scope the consolidation.

Documentation

File	What it covers
`executive-summary.md`	One-page business case and outcomes for sponsors/leadership.
`01-solution-overview.md`	What the strategy is, *why* permanent coexistence fails, the target-state thesis (what retires and why — sustainability/security/cost), the estate-mapping method, the consolidation roadmap, coexistence-exit criteria and decommission gates, the sustainability/cost model, benefits, and honest limitations.
`02-requirements.md`	R1–R12 prerequisites (Description / Why / Verify / Implement-if-missing), including the GATING target-platform-decision and executive-decommission-authority requirements, plus a checklist.
`global-requirements-google.md`	Category-wide Google prerequisites (Workspace/Cloud Identity tenant, source M365/Entra, DNS control, identity source of truth, pilot scope, security/governance stakeholders), published once.
`03-implementation.md`	The program runbook: strategy artifacts (strategy, estate map, roadmap, cost model), the target operating model (roles/RACI, KPIs, cadence), and the consolidation roadmap (Wave 0 Baseline → Collaboration → AI → Identity & Management → Decommission & Sustain) with a decommission gate per legacy system.

File	What it covers
`05-testing.md`	Per-wave numbered tests with PASS/FAIL gates, a pilot acceptance gate per wave, and a **decommission gate** (coexistence-exit criteria) per legacy system, plus strategy-readiness and cost/operating-model-health gates.
`06-troubleshooting.md`	Field failure modes and fixes across strategy/target ambiguity, estate mapping, sequencing/dependencies, decommission gates & exit criteria, cost/savings, governance, and tooling.
`07-best-practices.md`	Field-proven practices: strategy discipline, ending coexistence, sequencing & the wave gate, cost efficiency, sustainability & platform health, change control, and the operating model.

> ***Vendor scope:*** *the exact* ***Google Admin console*** *and* ***Microsoft/Entra*** *configuration is named at current detail from the vendors' public documentation;* ***Gemini Enterprise*** *preview/rolling-out capabilities are* ***cited or flagged "verify in your tenant"****. The* ***click-by-click of each underlying migration*** *(mail/Drive/Chat/identity) is a separate engagement this roadmap *sequences and gates* — this kit defines *when a legacy system may be retired*, not how each migration is performed.*

PowerShell scripts

All scripts carry a header with **PURPOSE / HOW TO RUN / EXPECTED RESULTS** and a neutral, white-label note. Current-state estate discovery uses **Microsoft Graph PowerShell**; Discovery, Validation, and Report are strictly **read-only**; Remediation and Set-ScopeTargeting default to `-WhatIf`.

Script	What it does
`scripts\GWCONSOL-Discovery.ps1`	**Read-only estate/redundancy inventory.** Uses Microsoft Graph to capture the consolidation baseline (R4): tenant identity, the wave-scope targeting groups, mail/SharePoint-OneDrive/Teams and Copilot/AI licence footprint, managed devices, and notes for non-discoverable third-party collaboration/AI apps and contracts. The design baseline for the estate map.
`scripts\GWCONSOL-Validation.ps1`	**Target-state conformance validation (read-only).** Checks the consolidation readiness signals per wave — target-platform decision recorded, per-wave scope groups present and correctly named (R7), residual legacy-licence footprint, and coexistence signals — and emits PASS/FAIL per check for the readiness and decommission gates.

Script	What it does
`scripts\GWCONSOL-Report.ps1`	**Consolidation/cost-savings + decommission-readiness report (read-only).** Produces the operating-model KPI view (coexistence footprint, decommission progress, realized savings, licence reduction) and a decommission-readiness matrix per candidate, merging an operator-maintained cost/status CSV with live Graph licence/group signals, as a CSV plus a console summary — the run dashboard.
`scripts\GWCONSOL-Remediation.ps1`	**Safe remediation of readiness gaps.** Fixes the identity-side gaps validation/report surface (create missing wave-scope groups, add pilot members). Runs `-WhatIf` by default; requires `-Apply` to change anything.
`scripts\GWCONSOL-Set-ScopeTargeting.ps1`	**Wave-scope group builder.** Creates/maintains the named Entra security groups that scope each consolidation wave and its pilot (`Consolidation Wave Scope – <Wave> – Pilot` / `– Broad`), per the naming convention. Defaults to `-WhatIf`.

Hero image

File	Purpose
`GWCONSOL-hero.png`	Listing/marketing hero image for the solution.

The Consolidation-Roadmap document template (outline)

The primary deliverable an architect produces from this kit is the **Consolidation Roadmap** document (`Consolidation Roadmap – Platform – Program`). Author it to this outline:

1. **Executive summary** — the consolidation thesis and the target-state decision (R1); the headline savings and end-of-coexistence commitment.
1. **Target-state definition** — the target platform (Google Workspace + Gemini), what retires, and the three drivers (sustainability, security, cost efficiency) per decision.
1. **Current-vs-target estate map** — the inventory mapped to the target; each system marked *replaced / retired / retained*; the decommission-candidate list with duplicate cost.
1. **Dependency map & sequencing** — what depends on each legacy system; the dependency-ordered retirement sequence.

1. **Consolidation waves** — Wave 0 → Collaboration → AI → Identity & Management → Decommission & Sustain,

each with entry criteria, scope groups, pilot scope, and the legacy systems it retires.

1. **Coexistence-exit criteria & decommission gates** — per legacy system: the objective exit criteria, the gate (§05), the named approver, the governance clearance (R10), and the rollback (R11).

1. **Sustainability & cost model** — the run-rate baseline, the projected savings tied to each wave, and the shrinking operational/patch/audit footprint.

1. **Operating model** — roles/RACI, KPIs, and the estate/decommission/cost review cadence.

2. **Risks, retained exceptions & assumptions** — including any Gemini capability flagged "verify in your tenant" the target state depends on.

What the buyer receives

- This strategy as a branded **Word** document and **PDF** (`GWCONSOL-Solution.pdf`).
- All five **PowerShell scripts** in a single ZIP (`GWCONSOL-Scripts.zip`).
- A repeatable consolidation process following the standard model:

Assess → **Configure** → **Pilot** → **Validate** → **Expand**, gated per wave, with a decommission gate per legacy system.

> ***Naming convention reminder:*** *artifacts, waves, roles, groups, and script outputs share the standard* `<Purpose> – <Scope> – <Stage>` *(e.g.* `Consolidation Wave Scope – Collab – Pilot`*) so everything cross-references cleanly across discovery, validation, reporting, and the estate map.*

Outcome

One consolidated collaboration + AI platform — legacy Microsoft systems retired on a deliberate schedule against written coexistence-exit criteria — delivering sustainability, security, and cost efficiency, with a named operating model, a measurable cost model, and a coexistence footprint that trends to zero.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

GWCONSOL-Discovery.ps1

Purpose: Produces the consolidation baseline for a Collaboration & AI Platform Consolidation Strategy engagement. Uses Microsoft Graph to inventory the discoverable legacy Microsoft estate the strategy must retire or map: the tenant, the wave-scope targeting groups (named "Consolidation Wave Scope - ..."), the subscribed SKUs / licence footprint (mail, Teams, SharePoint/OneDrive, Copilot/AI), and managed devices. It also records placeholders for the non-discoverable context (third-party collaboration/AI apps, contracts) the analyst captures manually. The output CSV is the read-only baseline that drives the current-vs-target estate map and the roadmap sequencing. Google Workspace / Gemini target-side details are captured in the Google Admin console per Google documentation; Gemini preview capabilities are verified in your tenant, not assumed. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Discovery.ps1 Required Graph scopes (read-only): Organization.Read.All, Group.Read.All, Directory.Read.All, Device.Read.All, DeviceManagementManagedDevices.Read.All. A global-reader / read-only admin is sufficient. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A CSV (default ".\Consolidation Current State - Platform - Discovery.csv") with one row per discovered object (Area, ObjectType, Name, Detail) plus manual-capture rows for third-party apps and contracts, and a console summary by area. No changes are made to any tenant — this script is strictly read-only (PASS = it completes and writes the baseline CSV). .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

How to run: powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Discovery.ps1 Required Graph scopes (read-only): Organization.Read.All, Group.Read.All, Directory.Read.All, Device.Read.All, DeviceManagementManagedDevices.Read.All. A global-reader / read-only admin is sufficient. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A CSV (default ".\Consolidation Current State - Platform - Discovery.csv") with one row per discovered object (Area, ObjectType, Name, Detail) plus manual-capture rows for third-party apps and contracts, and a console summary by area. No changes are made to any tenant — this script is strictly read-only (PASS = it completes and writes the baseline CSV). .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

GWCONSOL-Remediation.ps1

Purpose: Fixes the identity-side readiness gaps that GWCONSOL-Validation.ps1 / GWCONSOL-Report.ps1 surface, using Microsoft Graph: - CreateScopeGroups : create any missing per-wave scope groups ("Consolidation Wave Scope - <Scope> - Pilot/Broad"). - AddPilotMembers : add users (from an input CSV) to a wave's Pilot group. Every mode is SAFE BY DEFAULT: it runs -WhatIf and only reports what it WOULD do. Pass -Apply to make changes (you will still be asked to confirm). Legacy-system decommissions themselves are NOT performed here — they are gated program actions executed under change control per the roadmap. This script only remediates the Microsoft Graph identity/targeting readiness side. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups Required Graph scopes: Group.ReadWrite.All, User.Read.All. Install once: Install-Module Microsoft.Graph -Scope CurrentUser Preview missing scope groups (default): .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups Apply: .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups -Apply Preview adding pilot members

(CSV column UserPrincipalName): .\GWCONSOL-Remediation.ps1 -Mode AddPilotMembers -Scope Collab -InputCsv .\collab-pilot.csv Apply: add -Apply to the above. EXPECTED RESULTS Without -Apply: a per-item "WOULD ..." report and no changes. With -Apply: each change is made (with confirmation) and reported. A summary of changed/skipped/failed items prints at the end. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

How to run: powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups Required Graph scopes: Group.ReadWrite.All, User.Read.All. Install once: Install-Module Microsoft.Graph -Scope CurrentUser Preview missing scope groups (default): .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups Apply: .\GWCONSOL-Remediation.ps1 -Mode CreateScopeGroups -Apply Preview adding pilot members (CSV column UserPrincipalName): .\GWCONSOL-Remediation.ps1 -Mode AddPilotMembers -Scope Collab -InputCsv .\collab-pilot.csv Apply: add -Apply to the above. EXPECTED RESULTS Without -Apply: a per-item "WOULD ..." report and no changes. With -Apply: each change is made (with confirmation) and reported. A summary of changed/skipped/failed items prints at the end. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

GWCONSOL-Report.ps1

Purpose: Produces the run dashboard for a collaboration + AI platform consolidation: a decommission-readiness matrix per legacy system (candidate) and the operating-model KPI view (coexistence footprint, decommission progress, realized savings, licence reduction). It derives the live licence/group signals from Microsoft Graph (read-only) and merges a small operator-maintained status CSV that records, per candidate, its wave, its exit-criteria status, and the monthly run-rate its retirement removes (from the cost model). Output is a CSV plus a console summary. Why a status CSV: coexistence-exit-criteria status and per-system cost are decided by the program (governance clearance, dependency sign-off, contract run-rate) — not invented here. The operator records each candidate's status/cost in the status CSV; this report combines it with live Graph licence assignment to compute realized vs projected savings and decommission readiness. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Report.ps1 Optional: -StatusCsv (candidate status/cost input; a template is written if absent) and -OutputCsv. Required Graph scopes (read-only): Group.Read.All, Directory.Read.All. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A decommission-readiness CSV (one row per candidate with wave, exit-criteria status, monthly savings, licence assignment, and a Readiness verdict) and a console KPI summary (candidates retired, coexistence footprint, realized vs projected monthly savings, open blockers). No tenant changes are made — strictly read-only. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

How to run: powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Report.ps1 Optional: -StatusCsv (candidate status/cost input; a template is written if absent) and -OutputCsv. Required Graph scopes (read-only): Group.Read.All, Directory.Read.All. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A decommission-readiness CSV (one row per candidate with wave, exit-criteria status, monthly savings, licence assignment, and a Readiness verdict) and a console KPI summary (candidates retired, coexistence footprint, realized vs projected monthly savings, open blockers). No tenant changes are made — strictly read-only. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

GWCONSOL-Set-ScopeTargeting.ps1

Purpose: Creates and maintains the named Microsoft Entra security groups that scope each consolidation wave and its pilot, per the naming convention "<Purpose> - <Scope> - <Stage>": Consolidation Wave Scope - Baseline - Pilot / - Broad Consolidation Wave Scope - Collab - Pilot / - Broad Consolidation Wave Scope - AI - Pilot / - Broad Consolidation Wave Scope - Identity - Pilot / - Broad Consolidation Wave Scope - Decommission - Pilot / - Broad These groups drive waved consolidation, the pilot gate, and coexistence/decommission tracking. The script is idempotent: existing groups are left as-is. It is SAFE BY DEFAULT (-WhatIf); pass -Apply to create. Membership is populated separately (GWCONSOL-Remediation.ps1 -Mode AddPilotMembers, or your normal group-management process). HOW TO RUN powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Set-ScopeTargeting.ps1 Required Graph scope: Group.ReadWrite.All (needed only to apply; preview still connects). Install once: Install-Module Microsoft.Graph -Scope CurrentUser Preview all wave groups (default, no changes): .\GWCONSOL-Set-ScopeTargeting.ps1 Create all wave groups: .\GWCONSOL-Set-ScopeTargeting.ps1 -Apply Only one wave: .\GWCONSOL-Set-ScopeTargeting.ps1 -Scope AI -Apply EXPECTED RESULTS Without -Apply: a "WOULD CREATE" / "EXISTS" line per group and no changes. With -Apply: missing groups are created (with confirmation) and reported; existing ones are skipped. A summary of created/existing/failed groups prints at the end. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

How to run: powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Set-ScopeTargeting.ps1 Required Graph scope: Group.ReadWrite.All (needed only to apply; preview still connects). Install once: Install-Module Microsoft.Graph -Scope CurrentUser Preview all wave groups (default, no changes): .\GWCONSOL-Set-ScopeTargeting.ps1 Create all wave groups: .\GWCONSOL-Set-ScopeTargeting.ps1 -Apply Only one wave: .\GWCONSOL-Set-ScopeTargeting.ps1 -Scope AI -Apply EXPECTED RESULTS Without -Apply: a "WOULD CREATE" / "EXISTS" line per group and no changes. With -Apply: missing groups are created (with confirmation) and reported; existing ones are skipped. A summary of created/existing/failed groups prints at the end. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

GWCONSOL-Validation.ps1

Purpose: Validates the target-state conformance and readiness prerequisites a consolidation wave depends on, using Microsoft Graph, and emits PASS/FAIL per check for the readiness gate (Testing Group 0) and the per-wave decommission gates. Checks cover: the identity tenant reachable, the presence and correct naming of the per-wave scope groups, that each wave's pilot group is populated, and the residual legacy-licence footprint (the lower the assigned count on consolidation-candidate SKUs, the closer to target-state conformance). It is strictly read-only — it asserts state, it does not change it. Google Workspace/Gemini target-side state is verified in the Google Admin console per Google documentation; Gemini preview capabilities are verified in your tenant. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Validation.ps1 Add -Wave to scope: Baseline, Collab, AI, Identity, Decommission (or All). Required Graph scopes (read-only): Organization.Read.All, Group.Read.All, Directory.Read.All. Sign in with a read-only / global-reader account. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A console list of checks, each marked [PASS] or [FAIL], and a final summary line with the pass/fail count. A non-zero exit code if any check FAILS (useful for gate automation). No tenant changes are made. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>

How to run: powershell -ExecutionPolicy Bypass -File .\GWCONSOL-Validation.ps1 Add -Wave to scope: Baseline, Collab, AI, Identity, Decommission (or All). Required Graph scopes (read-only): Organization.Read.All, Group.Read.All, Directory.Read.All. Sign in with a read-only / global-reader

account. Install once: Install-Module Microsoft.Graph -Scope CurrentUser EXPECTED RESULTS A console list of checks, each marked [PASS] or [FAIL], and a final summary line with the pass/fail count. A non-zero exit code if any check FAILS (useful for gate automation). No tenant changes are made. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. #>