Microsoft Purview CJIS Compliance Program

Implementation Solution Guide

Version 1.0.0 · 2026-07-07

Contents

Executive Summary — Microsoft Purview CJIS Compliance Program 5

The problem . . . 5

The solution . . . 5

What you get . . . 5

Approach . . . 5

Boundaries . . . 6

The bottom line . . . 6

1. Solution Overview — Microsoft Purview CJIS Compliance Program 6

What this solution is . . . 6

Why this matters . . . 6

How it works . . . 7

The CJIS policy areas Purview contributes to (verify against your current CJIS Security Policy version) . . . 8

What you can control . . . 8

Limitations (be honest with buyers) . . . 8

Naming convention (used in every doc and script) . . . 9

The standard deployment model . . . 9

2. Requirements Guide — Microsoft Purview CJIS Compliance Program 9

2.1 A CJIS-authorized environment and the Microsoft CJIS agreement . . . 10

2.2 Compliance/data-governance licensing for the CJI controls . . . 10

2.3 Least-privilege Purview roles with separation of duties . . . 10

2.4 The CJI classification scheme and CJI identifiers (from the agency) . . . 10

2.5 Unified audit logging and an audit-retention target . . . 11

2.6 A CJIS control map owner and the CSA/auditor engagement . . . 11

2.7 A bounded CJI pilot scope and change control . . . 11

2.8 An evidence/reporting target for the formal audit . . . 11

Global Requirements — Microsoft Purview Solutions 11

1. Microsoft 365 tenant with the required Purview/compliance licensing . . . 12

2. Purview roles (least-privilege) and portal access . . . 12

3. Security & Compliance PowerShell + Graph toolchain . . . 12

4. Data sources & scope in scope . . . 13

5. Compliance, records, privacy & legal stakeholders . . . 13

6. A pilot scope and change control . . . 13

3. Implementation Guide — Microsoft Purview CJIS Compliance Program 14

Step 0 — Confirm the authorized environment (Assess — gate before anything else) . . . 14

Step 1 — Assess licensing and current state (Assess) . . . 14
Step 2 — Map CJIS policy areas to Purview controls (Design) . . . 15
Step 3 — Define the CJI classification scheme (Design) . . . 15
Step 4 — Configure the controls in simulation/test (Configure → Pilot) . . . 15
Step 5 — Pilot on the bounded CJI scope (Pilot) . . . 16
Step 6 — Validate the controls and role separation (Validate) . . . 16
Step 7 — Produce the formal-audit evidence package (Validate → Expand) . . . 16
Step 8 — Expand to enforcement under change control (Expand — gated) . . . 17
5. Testing & Validation — Microsoft Purview CJIS Compliance Program 17
Gate 0 — The environment is CJIS-authorized (determination — not a script) . . . 18
Gate 1 — Licensing and current state are known . . . 18
Gate 2 — The control map is complete and reviewed . . . 18
Gate 3 — Unified audit logging is on and retention is targeted . . . 18
Gate 4 — The CJI label exists with encryption in the expected state . . . 18
Gate 5 — The CJI DLP policy is present in test/simulation mode . . . 19
Gate 6 — DLP simulation matches CJI as intended (security-officer review) . . . 19
Gate 7 — CJI retention is staged correctly . . . 19
Gate 8 — Separation of duties holds . . . 19
Gate 9 — CJI-touching activity is captured in the audit trail . . . 19
Gate 10 — The evidence package is accurate and reconciles . . . 19
Evidence to retain . . . 20
6. Troubleshooting — Microsoft Purview CJIS Compliance Program 20
`CMPCJIS-Discovery.ps1` can't confirm the environment is CJIS-authorized . . . 20
A CJI-control capability shows `CHECK` / not licensed . . . 20
The CJI DLP over-blocks legitimate criminal-justice work . . . 21
The CJI DLP misses CJI (false negatives) . . . 21
The CJI label has no encryption / access scope . . . 21
`CMPCJIS-Validate.ps1` FAILs on unified audit logging . . . 21
Audit events aren't retained long enough for CJIS . . . 21
Separation-of-duties FAIL / role bleed . . . 22
`CMPCJIS-Configure.ps1 -Enforce -Commit` caused user impact you didn't expect . . . 22
The evidence package shows a control as `NOT FOUND` / `OFF` . . . 22
Policy-area numbers in the control map don't match the auditor's . . . 22
`Connect-IPPSSession` / `Connect-ExchangeOnline` / `Connect-MgGraph` fails . . . 22
When to escalate beyond this solution . . . 23
7. Best Practices — A CJIS Program Purview Can Defend 23

Configure the technical control; defer the determination . . . 23
Environment first — commercial cloud is not a shortcut . . . 23
Pilot every high-impact control in simulation/test first . . . 24
Least privilege and separation of duties . . . 24
Audit is the accountability backbone — protect it . . . 24
Make the evidence repeatable . . . 24
Respect the licensing and preview reality . . . 24
Keep CJI identifiers with the agency . . . 25
8. Deliverables Summary — Microsoft Purview CJIS Compliance Program 25
Documentation . . . 25
PowerShell tools (5) . . . 26
Named artifacts created . . . 27
Definition of done . . . 27
Appendix A — PowerShell Scripts 29

Executive Summary — Microsoft Purview CJIS Compliance Program

The problem

Agencies that handle **Criminal Justice Information (CJI)** must satisfy the **FBI CJIS Security Policy** and **prove** it at a formal audit — or risk losing access to CJI systems. Microsoft Purview provides much of the technical machinery (classification, encryption, DLP, retention, audit logging), but out of the box none of it is **mapped to CJIS**, **configured against CJI**, or assembled into **audit evidence**. Left as generic tenant settings, Purview does not answer the auditor's question — *show me how CJI is protected, monitored, and retained* — and the agency scrambles to reconstruct evidence each cycle.

The solution

A complete, self-guided **CJIS-aligned Purview program**: a **control map** from the relevant CJIS Security Policy areas to concrete Purview capabilities; the **configured controls** — a CJI sensitivity label with encryption, a CJI-exfiltration DLP policy, CJI retention, and audit logging — **piloted in simulation/test first**; and a repeatable **formal-audit evidence package** the agency's CJIS auditor and CSA can review. Five safe-by-default PowerShell tools (read-only, or `-WhatIf`/`-Commit` with a separate `-Enforce -Commit` for the only high-impact changes) do the assessment, scope/health checks, configuration, validation, and evidence generation — using only Security & Compliance PowerShell, Exchange Online, and Microsoft Graph.

What you get

- **A CJIS-to-Purview control map** — each in-scope policy area (auditing & accountability, access control / information flow, information protection, media/records, personnel) mapped to the Purview object that implements it, with owners and status.
- **Configured CJI controls** — a `CJI – Protected – Label` with encryption, a `CJI Protection – Exfiltration – Policy` `DLP policy (piloted in **test mode**),` `CJI Records – Retention – Policy`, and **unified audit logging** with an audit-retention target.
- **A pilot-first, reversible rollout** — every high-impact control validated on a bounded CJI scope and reviewed with the security officer before enforcement.
- **A repeatable audit-evidence package** — per control, the implementing object, its state, and the audit reference, produced the same way every cycle for the formal audit.
- **Separation of duties by design** — the CJI configurer, audit-evidence reader, and any insider-risk reviewer are distinct roles; insider-risk indicators are aggregate/de-identified.

Approach

Delivery follows a disciplined, reversible model — **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand** — with pass/fail gates and documented rollback, and the

DLP/label/retention controls piloted in simulation/test **before** any enforcement.

Boundaries

CJIS is generally satisfied only in a **CJIS-authorized cloud** — **Microsoft 365 GCC High** or **Azure Government** — under a signed Microsoft **CJIS Security Addendum**; **commercial M365 is generally not CJIS-authorized.** Capabilities are **licensing-/cloud-dependent and evolving** — availability is cited or flagged **"verify your environment/licensing/tenant,"** never assumed. Whether the configured controls **satisfy** CJIS, whether the **environment** is authorized, the **records-retention schedule**, and any **regulatory/legal determination** are **deferred to your CSA, CJIS auditor, records, and legal functions** — the solution provides the technical method and the evidence, not the judgement.

The bottom line

Meet CJIS with a Purview-backed program — control mapping, configured controls, and audit evidence — **configured, piloted, validated, and defensible** in Microsoft Purview, so the next formal audit finds the controls in place and the evidence already assembled.

1. Solution Overview — Microsoft Purview CJIS Compliance Program

What this solution is

Agencies that handle **Criminal Justice Information (CJI)** — including Criminal History Record Information (CHRI) — must satisfy the **FBI CJIS Security Policy**, and must be able to **prove** it at a formal audit. Microsoft Purview provides much of the technical machinery — classification, encryption, data loss prevention, retention/records, and audit logging — but out of the box none of it is **mapped to CJIS**, configured **against CJI**, or assembled into **audit evidence**. This solution delivers a **CJIS-aligned Purview program**: a **control map** from the relevant CJIS Security Policy areas to concrete Purview capabilities; the **configured controls** (a CJI sensitivity label with encryption, a CJI-exfiltration DLP policy, CJI retention, and audit logging) **piloted in simulation/test first**; and a repeatable **audit-evidence package** the agency's CJIS auditor and CSA can review. It uses only the **Microsoft Purview portal**, **Security & Compliance PowerShell**, and **Microsoft Graph** — no third-party tooling.

> ***Environment boundary — read first.*** *CJIS compliance is generally satisfied only in a* ***US sovereign / government cloud*** *—* ***Microsoft 365 GCC High*** *or* ***Azure Government*** *— under a signed Microsoft* ***CJIS Security Addendum / agreement****, with personnel screening and other administrative controls the platform cannot provide.* ***Commercial Microsoft 365 is generally not CJIS-authorized.*** *This solution configures the* ***technical*** *Purview controls and produces evidence;* ***whether your environment, agreements, and personnel controls meet CJIS is a determination for your CJIS Systems Agency (CSA), CJIS Systems Officer (CSO), and auditor — not this solution.*** *Verify your cloud environment and agreements before relying on any control here.*

Why this matters

• **CJIS non-compliance has real consequences.** A failed formal audit can suspend an agency's access to

CJI systems. The controls must be **in place** and, just as importantly, **evidenced**.

• **Purview is the technical toolset, but it's unmapped.** Sensitivity labels, DLP, retention, and audit

each contribute to CJIS policy areas (auditing & accountability, access control, information protection, media protection), but only once they are **explicitly mapped** and **configured against CJI** — not left as generic tenant settings.

• **Auditors ask for evidence, not screenshots.** "Show me how CJI is protected and monitored" needs a

repeatable package: which control, which Purview object, what state, and the audit trail — assembled the same way every cycle.

• **The capabilities are licensing-dependent and evolving.** Advanced DLP, auto-labeling, Audit

(Premium), and Compliance Manager's premium/US-gov assessment templates require **E5 / E5 Compliance** (some preview), and availability differs in **GCC High / Azure Government** — the program shows what your tenant actually has and flags the rest.

How it works

1. **Assess.** Discovery connects (read-only) and reports the tenant's licensing (E5 / E5 Compliance,

Audit Premium), the existing CJI-relevant labels/DLP/retention/audit configuration, the **unified audit logging** state, and whether a **CJIS assessment template** is available in Compliance Manager — flagging environment/licensing items to **verify** (GCC High / Azure Government).

1. **Map.** Build the `CJIS Control Map – Purview – Baseline`: each relevant CJIS Security Policy area →

the Purview capability that contributes to it → the specific object that will implement it. The **control-satisfaction determination stays with the CSA/auditor**; the map records the technical method and the evidence.

1. **Configure (simulation/test first).** Scaffold the `CJI – Protected – Label` (with encryption), the

`CJI Protection – Exfiltration – Policy` DLP policy **in test/simulation mode**, the `CJI Records – Retention – Policy` (staged), and confirm audit logging is on — every high-impact policy piloted before enforcement.

1. **Pilot.** Validate on the bounded `CJIS Pilot – CJI Scope – Stage1` — a named set of users/sites —

reviewing the DLP simulation results with the agency's security officer before anything enforces.

1. **Validate.** A read-only validation confirms each mapped control's Purview object exists, is in the

expected state (label encrypts, DLP in test mode, retention staged, audit on), and that **role separation** holds — technical pass/fail, not an adequacy judgement.

1. **Evidence & expand.** Produce the `CJIS Evidence – Formal Audit – Package` for the auditor/CSA, then

expand the controls to enforcement under change control once the pilot passes and the agency approves.

The CJIS policy areas Purview contributes to (verify against your current CJIS Security Policy version)

• **Auditing & Accountability** — unified audit logging + **Audit (Premium)** retention of CJI-touching activity; formal-audit evidence.

• **Access Control / Information Flow** — **sensitivity labels** (encryption, access scoping) and **DLP** to prevent CJI leaving the authorized boundary.

• **Information / System & Communications Protection** — label-based **encryption** of CJI at rest; DLP-enforced handling.

• **Media Protection / Records** — **retention & records** management of CJI records per the agency's schedule (the **schedule itself is a records/legal determination**).

• **Personnel / Insider threat (aggregate)** — where licensed, **Insider Risk** aggregate indicators, privacy-by-design, outcomes **deferred to the agency's HR/legal and CJIS governance**.

> *Exact CJIS control numbers and the mapping to NIST 800-53 differ between CJIS Security Policy versions (e.g. 5.9.x vs the 6.0 restructuring). This solution maps by **policy area / control intent** and flags **"verify against your current CJIS Security Policy version with your CSA/CSO"** — it does not assert a control number it cannot confirm.*

What you can control

• The **control map** — which CJIS policy areas are in scope and which Purview objects implement them.

• The **CJI classification scheme** (the label and any custom Sensitive Information Types — the specific CJI identifiers come from the agency, not invented here).

• The **DLP scope and actions**, the **retention schedule** (agency determination), and the **audit retention** target.

• The **pilot scope**, the **thresholds/gates**, and the **evidence package** format for your auditor.

Limitations (be honest with buyers)

• **This does not make you CJIS-compliant by itself.** It configures **technical Purview controls** and assembles evidence. CJIS compliance also requires the **authorized environment** (GCC High / Azure Government), **signed agreements**, **personnel screening**, physical/network controls, and the **CSA/auditor's determination** — none of which a Purview program provides.

• **Environment- and licensing-gated.** Several capabilities require **E5 / E5 Compliance** and specific availability in **GCC High / Azure Government**; the program shows what your tenant has and flags the rest as *"verify your licensing/tenant/environment."*

• **The determination is not ours.** Whether a control **satisfies** its CJIS requirement, the **records retention schedule**, **and** regulatory applicability **are** CSA / CJIS auditor / records / legal** determinations. The solution provides the technical method and the evidence, not the judgement.

• **Insider Risk is privacy-sensitive.** Only **aggregate, de-identified** indicators are used, under strict **role separation**; outcomes are **deferred to the agency's HR/legal and CJIS governance**.

Naming convention (used in every doc and script)

Every artifact this solution creates is named `<Purpose> – <Scope> – <Stage>` and reused verbatim across the docs, scripts, and portal. The standard set:

Artifact	Name
The CJIS-to-Purview control map	`CJIS Control Map – Purview – Baseline`
The CJI sensitivity label (encryption)	`CJI – Protected – Label`
The CJI-exfiltration DLP policy	`CJI Protection – Exfiltration – Policy`
The CJI retention/records policy	`CJI Records – Retention – Policy`
The Compliance Manager assessment	`CJIS Assessment – Compliance Manager – Baseline`
The formal-audit evidence package	`CJIS Evidence – Formal Audit – Package`
The pilot scope validated first	`CJIS Pilot – CJI Scope – Stage1`

The standard deployment model

> *Assess licensing/environment and current state → map CJIS policy areas to Purview controls → configure the CJI label, DLP, retention, and audit in **simulation/test** → **pilot** on a bounded CJI scope and review with the security officer → validate each control's technical state and role separation → expand to enforcement and produce the formal-audit evidence package. Pattern: **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce).***

2. Requirements Guide — Microsoft Purview CJIS Compliance Program

Verify **every** requirement before building the program. Each entry: **Description · Why · Verify · Implement-if-missing.** Category-wide prerequisites (tenant/licensing, Purview roles, the S&C PowerShell + Graph toolchain, in-scope workloads, compliance/records/legal stakeholders, pilot & change control) are in `global-requirements-purview.md` — this guide adds the CJIS-specific detail.

> ***Environment/licensing boundary.** CJIS is generally satisfied only in **Microsoft 365 GCC High** or **Azure Government** under a signed Microsoft **CJIS Security Addendum**; **commercial M365 is generally not CJIS-authorized.** Capability availability and Compliance Manager assessment templates differ across these clouds and are **licensing-gated** (E5 / E5 Compliance; Audit Premium; some preview). Where this guide flags *"verify your environment/licensing/tenant,"* do so **with your***

__CSA / CSO__ before relying on a control — the program shows what you have, it never invents a control.

2.1 A CJIS-authorized environment and the Microsoft CJIS agreement

Description: A tenant in a **CJIS-authorized cloud** — typically **Microsoft 365 GCC High** or **Azure Government** — covered by the Microsoft **CJIS Security Addendum / agreement** with your state or the FBI, as coordinated by your **CSA/CSO**. **Why:** CJI may only be processed in an authorized environment; the technical controls here are necessary but **not sufficient** without the authorized environment and agreements (Overview boundary). **Verify:** Confirm the tenant's cloud instance (GCC High / GovCloud) with your Microsoft account team/CSA; confirm the CJIS Addendum is in place. `CMPCJIS-Discovery.ps1` reports **indicative** environment/licensing hints but **cannot** attest the CJIS authorization — that is the CSA's. **Implement:** If not in an authorized environment, **stop** — engage your CSA/CSO and Microsoft before configuring CJI controls in a non-authorized tenant.

2.2 Compliance/data-governance licensing for the CJI controls

Description: The controls depend on licensing: **sensitivity labels + encryption** and **retention** (E3 baseline; auto-labeling/advanced = E5), **DLP** (E3 baseline; advanced classifiers = E5), **Audit (Premium)** for longer CJI audit retention (E5 / E5 Compliance), **Insider Risk** (E5 / E5 Compliance; where used), and **Compliance Manager** CJIS/US-gov **assessment templates** (premium; verify GCC High availability). **Why:** A control can only be implemented where its capability is licensed and available in your cloud (GR §1); unlicensed items are flagged *"verify,"* never fabricated. **Verify:** M365 admin center → `Billing → Licenses`; `CMPCJIS-Discovery.ps1` reads `subscribedSkus` via Graph and reports which CJI-control capabilities are licensed/reachable. **Implement:** Assign/purchase the plan (e.g. E5 Compliance for Audit Premium / Insider Risk) before expecting that control to be available.

2.3 Least-privilege Purview roles with separation of duties

Description: Least-privilege roles for each function: **Compliance Administrator / Information Protection** (labels), **Compliance Data Administrator** (DLP/retention), **Records Management** (records), **Audit** reader roles (audit evidence), and — where used — an **Insider Risk Management** role held by a **separate** person. Global Administrator only where genuinely required. **Why:** Purview uses fine-grained role groups and CJIS expects least privilege and separation of duties (GR §2, §5); the CJI configurer, the audit-evidence reader, and any insider-risk reviewer are deliberately separated. **Verify:** Purview portal → `Settings → Roles & scopes / Permissions`; `CMPCJIS-ScopeCheck.ps1` reports a permission error against any function the account can't perform. **Implement:** Assign the least-privilege role groups under change control; keep insider-risk and audit-investigation roles separate from the CJI-control configurer.

2.4 The CJI classification scheme and CJI identifiers (from the agency)

Description: The agency's definition of **what constitutes CJI/CHRI** in its data estate and how it should be **classified** — the intent behind the `CJI – Protected – Label` and any **custom Sensitive Information Types** (specific CJI identifiers — e.g. record numbers, dissemination markings — **come from the agency**, not invented here). **Why:** Labels, DLP, and retention key off the classification scheme (GR §4); the specific CJI identifiers are agency data, and mis-defining them either over-blocks or leaks. **Verify:** You can state what CJI looks like in your data and the intended label taxonomy; recorded in the control map. `CMPCJIS-ScopeCheck.ps1` lists existing labels/SITs to build on. **Implement:** Work with the

agency's records/security owners to define CJI and the label/SIT scheme before configuring policies.

2.5 Unified audit logging and an audit-retention target

Description: Unified audit logging enabled at the source and an agreed **retention target** for CJI-touching audit activity (**Audit (Premium)** enables longer retention/retention policies for specific activities). **Why:** The CJIS **auditing & accountability** policy area needs an audit trail retained for the required period; Purview audit is the source (GR §3). **The required retention duration is a CJIS/records determination** — verify against your CJIS Security Policy version. **Verify:** `CMPCJIS-Discovery.ps1` / `CMPCJIS-ScopeCheck.ps1` report `UnifiedAuditLogIngestionEnabled` and whether Audit Premium is licensed; confirm the retention target with your CSA/records owner. **Implement:** Enable unified audit logging under change control; license Audit Premium if the required retention exceeds the default window.

2.6 A CJIS control map owner and the CSA/auditor engagement

Description: A named owner for the `CJIS Control Map – Purview – Baseline`, and engagement with the agency's **CJIS Systems Officer (CSO)**, **CSA**, and **auditor** whose determinations the program must satisfy (control satisfaction, retention schedule, environment authorization). **Why:** Purview provides the technical method and evidence; **whether a control satisfies its CJIS requirement is the CSA/auditor's determination** (GR §5, Overview boundary) — the program must be built to their interpretation, not a technical default. **Verify:** The control map has a named owner and the CSA/CSO/auditor are engaged and have reviewed the mapping approach. **Implement:** Identify the owner and engage the CJIS governance stakeholders before finalizing the map.

2.7 A bounded CJI pilot scope and change control

Description: A named **pilot scope** (`CJIS Pilot – CJI Scope – Stage1`) — a limited set of users/sites/mailboxes containing (or simulating) CJI — to validate the label, DLP (in **test/simulation mode**), and retention on before any tenant-wide enforcement, plus a **change-control** process. **Why:** Label, DLP, and retention changes are high-impact; CJIS-scoped changes especially so — every one is piloted in simulation/test first (GR §6). **Verify:** A named pilot scope exists, simulation/test mode is confirmed available, and a change window/approval path is agreed. **Implement:** Define the pilot scope and change control before configuring or enforcing anything.

2.8 An evidence/reporting target for the formal audit

Description: Where the `CJIS Evidence – Formal Audit – Package` is produced and stored — the scripts emit **CSV + HTML** by default (self-contained, no external calls) — and who (auditor/CSA) receives it, via a **secured** channel appropriate to CJI-adjacent metadata. **Why:** The deliverable is auditor-facing evidence; a defined, secured output/format is needed, and the evidence itself (what's protected, where the gaps are) is sensitive. **Verify:** The output location and secured distribution are agreed; `CMPCJIS-Report.ps1` writes the package to the target. **Implement:** Choose the secured output location and distribution before producing the package.

Global Requirements — Microsoft Purview Solutions

These requirements apply to **every** solution in the **Purview** category (implementing and managing Microsoft Purview, sensitivity & retention labels, DLP, data lifecycle & records, insider risk, communication compliance, audit, data security posture management, and data governance). Verify each before starting a solution's implementation steps.

> ***Vendor boundary (applies to every Purview solution).*** *The **Microsoft Purview portal** (purview.microsoft.com), the **Microsoft 365 admin center**, **Security & Compliance PowerShell** (`Connect-IPPSSession`), and **Microsoft Graph** are authored at exact, current click-by-click / cmdlet detail from Microsoft's public documentation. Microsoft Purview features are heavily **licensing-/plan-dependent** (many require **Microsoft 365 E5** or the **E5 Compliance** add-on; some are in preview) and the portal is **actively evolving** — capability availability and portal paths are **cited or flagged "verify your licensing/tenant"**, never asserted or invented. **Regulatory, records-retention, and legal determinations** (retention schedules, records file plans, legal holds, insider-risk case actions, regulatory applicability) are **deferred to the organization's compliance, records, privacy, and legal functions** — the solutions provide the technical configuration method and evidence, not the determination. Automation is **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets.*

1. Microsoft 365 tenant with the required Purview/compliance licensing

• **Description:** A Microsoft 365 tenant with the **compliance licensing** the capability requires (E3 for baseline; **E5 / E5 Compliance** for advanced DLP, auto-labeling, insider risk, communication compliance, Audit Premium, DSPM, etc.).

• **Why required:** Most Purview capabilities are plan-gated; the feature won't be available without the right plan.

• **How to verify:** In the M365 admin center confirm the subscription/add-ons; check the feature is visible in the Purview portal.

• **How to implement if missing:** Assign/purchase the required licensing before starting.

2. Purview roles (least-privilege) and portal access

• **Description:** Access with the least-privilege **Purview / compliance role** the solution names (e.g. Compliance Administrator, Compliance Data Administrator, Information Protection, Records Management, Insider Risk, eDiscovery, Audit roles), with Global Administrator only where required.

• **Why required:** Purview uses fine-grained role groups; configuration requires the matching role.

• **How to verify:** Purview portal → **Roles & scopes / Permissions** — confirm the role membership.

• **How to implement if missing:** Assign the least-privilege role group under change control.

3. Security & Compliance PowerShell + Graph toolchain

• **Description:** A workstation with **Security & Compliance PowerShell** (`Connect-IPPSSession` via the

ExchangeOnlineManagement module) and **Microsoft Graph PowerShell**, modern-auth / MFA-capable admin.

- **Why required:** Configuration, automation, and the provided scripts run through these.
- **How to verify:** `Connect-IPPSSession` and `Connect-MgGraph` succeed with the admin account.
- **How to implement if missing:** Install the modules and confirm modern-auth sign-in before running steps.

4. Data sources & scope in scope

- **Description:** The **workloads and data sources** in scope (Exchange, SharePoint, OneDrive, Teams, endpoints/devices, and — for data governance — the broader data estate) and a **data-classification / sensitivity** intent to drive labels, DLP, and retention.
- **Why required:** Purview policies key off the in-scope workloads and the classification scheme.
- **How to verify:** Confirm the in-scope workloads and the classification/sensitivity approach with stakeholders.
- **How to implement if missing:** Define the scope and classification intent before authoring policies.

5. Compliance, records, privacy & legal stakeholders

- **Description:** Engagement with the **compliance, records-management, privacy, security, and legal** stakeholders whose policies the configuration must satisfy (retention schedules, records file plans, regulatory obligations, insider-risk and communication-compliance policy, legal hold).
- **Why required:** Purview configuration must align to enterprise policy and legal/records requirements, not technical defaults; several capabilities have HR/legal sensitivity.
- **How to verify:** Confirm the applicable policies, the records schedule, and named approvers.
- **How to implement if missing:** Identify the owners and capture the requirements before configuring.

6. A pilot scope and change control

- **Description:** A **pilot scope** (users/sites/policies in simulation or a limited ring) to validate on before tenant-wide enforcement, and a **change-control** process — most Purview policies support a **simulation / test / disabled** mode that MUST be used before enforcement.
- **Why required:** Every solution follows an **Assess → Design → Configure → Pilot (simulate) → Validate → Expand (enforce)** model; DLP, labels, retention, and insider-risk changes are high-impact.
- **How to verify:** Confirm a named pilot scope, that simulation/test mode is available, and a change window/approval path.
- **How to implement if missing:** Define the pilot and agree change control before enforcing anything.

*The deployment model across every Purview solution is the same: **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce)**, with explicit pass/fail gates and a documented rollback. Automation is delivered as **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets. Regulatory/records/legal determinations are deferred to the relevant governance functions.*

3. Implementation Guide — Microsoft Purview CJIS Compliance Program

Follow these steps **in order**. Work uses the **Microsoft Purview portal** (`https://purview.microsoft.com`, or the GCC High / Azure Government equivalent), **Security & Compliance PowerShell** (`Connect-IPPSSession` — labels, DLP, retention), **Exchange Online** (audit config), and **Microsoft Graph** (licensing reads). Every write is gated: scripts run **read-only or** `-WhatIf` **by default** and change state only with `-Commit`; no high-impact policy **enforces** without a separate, explicit `-Enforce -Commit`. Artifact names follow the `<Purpose> – <Scope> – <Stage>` convention from the Overview and are reused verbatim. **Capability availability, portal paths, and cmdlets are plan-/cloud-dependent and the portal evolves — verify against your tenant and CJIS Security Policy version with your CSA/CSO.**

> ***Model:** confirm the authorized environment and licensing, map the CJIS policy areas to Purview controls, configure the CJI label/DLP/retention/audit in **simulation/test**, **pilot** on a bounded CJI scope, validate each control's technical state, then expand to enforcement and produce the audit-evidence package. Pattern: **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand. Control satisfaction, the retention schedule, and environment authorization are CSA / auditor / records determinations throughout — this guide provides the technical method and evidence.***

Step 0 — Confirm the authorized environment (Assess — gate before anything else)

1. With your **CSA/CSO** and Microsoft account team, confirm the tenant is in a **CJIS-authorized cloud** (**GCC High** / **Azure Government**) and the **CJIS Security Addendum** is in place (Requirement 2.1).
1. Run `CMPCJIS-Discovery.ps1` (read-only) — it reports **indicative** environment/licensing hints but **cannot attest CJIS authorization**; that is the CSA's determination.
1. **Pass/fail gate:** the environment and agreements are confirmed by the CSA/CSO. **Do not configure CJI controls in a non-authorized tenant.** Fail → stop and engage CSA/CSO/Microsoft first.

Step 1 — Assess licensing and current state (Assess)

1. Run `CMPCJIS-Discovery.ps1`. It reports: subscribed SKUs and which CJI-control capabilities are licensed (labels+encryption, DLP, retention, **Audit Premium**, Insider Risk); the existing CJI-relevant labels/DLP/retention; the **unified audit logging** state; and whether a **CJIS assessment template** is visible in Compliance Manager (flagged **verify** — availability differs in GCC High). Save this as the `CJIS Discovery – Tenant – Baseline` snapshot.

1. **Pass/fail gate:** the baseline is captured and the licensing gaps for any in-scope control are known

(assign the plan, or record the control as **deferred — not licensed**). Fail → resolve licensing before mapping.

Step 2 — Map CJIS policy areas to Purview controls (Design)

1. With the control-map owner and the CSA/auditor (Requirement 2.6), build the `CJIS Control Map –

Purview – Baseline: for each in-scope **CJIS Security Policy area** (auditing & accountability, access control / information flow, information/system protection, media protection/records, personnel/insider — **verify area numbers against your policy version**), record the **Purview capability** that contributes and the **specific object** that will implement it (CJI – Protected – Label, CJI Protection – Exfiltration – Policy, CJI Records – Retention – Policy`, audit configuration).

1. Mark each mapping's **status** (in scope / deferred — not licensed / covered elsewhere) and its

owner. **The control-satisfaction determination stays with the CSA/auditor** — the map records the technical method and evidence, not the judgement.

1. **Pass/fail gate:** every in-scope policy area maps to a named Purview object and owner; the CSA/auditor

has reviewed the mapping approach. Fail → complete the map before configuring.

Step 3 — Define the CJI classification scheme (Design)

1. With the agency's records/security owners (Requirement 2.4), define the `CJI – Protected – Label`

taxonomy and any **custom Sensitive Information Types** for CJI identifiers — **the specific identifiers come from the agency**, not invented here. Decide the label's **encryption** and access scope (which groups may access CJI).

1. Record the scheme in the control map. `CMPCJIS-ScopeCheck.ps1` lists existing labels/SITs/workloads to

build on and confirm the in-scope denominators.

1. **Pass/fail gate:** the label taxonomy, encryption/access intent, and any custom SITs are defined and

agreed. Fail → complete the scheme before creating objects.

Step 4 — Configure the controls in simulation/test (Configure → Pilot)

1. Confirm **unified audit logging** is on (Requirement 2.5): `CMPCJIS-Configure.ps1 -EnableAudit -WhatIf`

→ review → `-EnableAudit -Commit` (this enables the source audit trail — it is not a user-impacting content policy).

1. Scaffold the CJI label and policies **safe-first**:

`CMPCJIS-Configure.ps1 -Scope Pilot -WhatIf` prints the exact `New-Label` / `New-DlpCompliancePolicy` (**Test mode**) / `New-RetentionCompliancePolicy` (**staged/disabled**) it would run. Review every line — confirm the DLP is **test/simulation mode**, the label encryption/access scope matches the design, and the scope is the **pilot** set (not tenant-wide).

1. Apply safe-first: re-run with `-Commit`. Result: `CJI – Protected – Label` exists with encryption but

is **unpublished/pilot-scoped**; `CJI Protection – Exfiltration – Policy` exists in **test/simulation mode**; `CJI Records – Retention – Policy` exists **staged/disabled**. **No enforcement yet.**

1. **Pass/fail gate:** `CMPCJIS-Discovery.ps1` shows the pilot objects present in the intended safe-first

state. **Rollback:** `CMPCJIS-Configure.ps1 -Scope Pilot -Remove -Commit` removes the objects the program created (it only touches its own named objects; it does not delete pre-existing policies).

Step 5 — Pilot on the bounded CJI scope (Pilot)

1. Publish the label / target the DLP+retention to the `CJIS Pilot – CJI Scope – Stage1` population only

(Requirement 2.7). Generate benign in-scope CJI-like activity and review the **DLP test/simulation results** in the portal with the agency's **security officer** — this is where an over-broad or mis-scoped rule is caught **before** it enforces. **Verify the simulation view/behavior in your tenant.**

1. Confirm CJI-touching activity is appearing in the **audit log** for the pilot scope.
2. **Pass/fail gate:** the pilot label applies, the DLP simulation matches CJI as intended (no material

false-positives/negatives the officer rejects), retention is staged correctly, and audit captures the activity. Fail → tune the label/DLP/scope and re-pilot.

Step 6 — Validate the controls and role separation (Validate)

1. Run the Testing Guide (`05-testing.md`). Run `CMPCJIS-Validate.ps1` (read-only): it confirms unified

audit logging is on, each mapped control's Purview object exists and is in the expected state (label encrypts, DLP in test mode, retention staged), the **audit-retention** target is met (or flagged for Audit Premium), and **separation of duties** holds — a **technical** pass/fail, not an adequacy judgement.

1. **Pass/fail gate:** validation is technically green for the pilot and role separation holds. Fail →

correct the control and re-validate. **Whether the controls are *sufficient* for CJIS is the CSA/auditor's determination.**

Step 7 — Produce the formal-audit evidence package (Validate → Expand)

1. Run `CMPCJIS-Report.ps1` (read-only) to produce `CJIS Evidence – Formal Audit – Package` (CSV + HTML):

the control map with, per control, the implementing Purview object, its current state, and the audit references — the repeatable evidence the auditor/CSA reviews (Requirement 2.8). Optionally align it to

the `CJIS Assessment – Compliance Manager – Baseline` where the assessment template is available.

1. **Pass/fail gate:** the evidence package is produced, accurate, and delivered via the secured channel.

Fail → correct the underlying control/evidence and regenerate.

Step 8 — Expand to enforcement under change control (Expand — gated)

1. Only after Steps 5–7 pass and with CSA/change approval, promote the pilot controls to enforcement:

`CMPCJIS-Configure.ps1 -Scope Pilot -Enforce -WhatIf` → review → `-Enforce -Commit`. This publishes the label, moves the DLP policy to **Enable (enforce)**, and applies retention — the one step that turns on real user/data impact, separate from the safe-first deploy by design. Then widen the scope to the full CJI estate and repeat Steps 4–7 for the full set.

1. Operate the program as a rhythm: schedule the read-only chain (`CMPCJIS-Discovery.ps1` → `CMPCJIS-Validate.ps1` → `CMPCJIS-Report.ps1`) so control **drift** and evidence are current for each audit cycle; re-check licensing/environment when plans or the CJIS Security Policy version change.

1. **Pass/fail gate:** the CJI controls enforce cleanly on the full scope, validation stays green, and a

current evidence package exists for the formal audit. **Rollback:** re-run without `-Enforce` (`-Commit`) to return DLP to test mode / unpublish the label / stage retention; or `-Remove -Commit` to delete the managed objects.

What this guide does NOT do

• **Attest CJIS compliance or authorize the environment.** The **CSA/CSO/auditor** determine control satisfaction and environment authorization; this guide configures technical controls and produces evidence.

• **Define the CJI identifiers or the retention schedule.** CJI identifiers come from the **agency**; the records retention **schedule** and regulatory applicability are **records/legal/CJIS determinations**.

• **Make insider-risk determinations.** Where Insider Risk is used, only aggregate/de-identified indicators are handled under role separation; outcomes are **deferred to HR/legal and CJIS governance**.

5. Testing & Validation — Microsoft Purview CJIS Compliance Program

Work through every gate. Each has a **method**, an **expected result (pass)**, and a **fail action**. Tests are read-only except where they exercise the safe-first configuration you already committed; no control is enforced by a test. Do not expand to enforcement or present the evidence package until every gate passes for the pilot, then re-confirm each audit cycle.

> ***Remember:*** *these gates prove the* ***technical controls are configured, in the expected state, and evidenced*** *— they do* ***not*** *prove the controls* ***satisfy*** *CJIS. Control satisfaction, the retention schedule, and environment authorization are* ***CSA / CJIS auditor / records*** *determinations.*

Gate 0 — The environment is CJIS-authorized (determination — not a script)

• **Method:** confirm with your **CSA/CSO** and Microsoft that the tenant is in an authorized cloud (GCC High / Azure Government) under the CJIS Security Addendum (Requirement 2.1).

• **Pass:** the CSA/CSO confirms the authorized environment and agreements.

• **Fail:** stop — do not configure CJI controls in a non-authorized tenant; engage CSA/CSO/Microsoft.

Gate 1 — Licensing and current state are known

• **Method:** `CMPCJIS-Discovery.ps1` (and `CMPCJIS-ScopeCheck.ps1` for permission/health).

• **Pass:** the CJI-control capabilities are classified licensed/reachable or *"not licensed / verify,"* the audit-logging state is reported, and the existing CJI-relevant objects are listed.

• **Fail:** assign the missing license (Requirement 2.2) or role (2.3); a not-licensed control is recorded as **deferred**, not fabricated.

Gate 2 — The control map is complete and reviewed

• **Method:** open `CJIS Control Map – Purview – Baseline`.

• **Pass:** every in-scope CJIS policy area maps to a named Purview object, a status, and an owner; the CSA/auditor has reviewed the mapping approach.

• **Fail:** complete the map (Implementation Step 2) and re-review with the CSA/auditor.

Gate 3 — Unified audit logging is on and retention is targeted

• **Method:** `CMPCJIS-Validate.ps1` audit checks (and the portal audit-search settings).

• **Pass:** `UnifiedAuditLogIngestionEnabled = True`; the audit-retention target is met, or **Audit Premium **is flagged where longer retention is required.** The required duration is a CJIS/records determination.**

• **Fail:** enable unified audit logging (Implementation Step 4.1); license Audit Premium if needed; confirm the target with your CSA/records owner.

Gate 4 — The CJI label exists with encryption in the expected state

• **Method:** `CMPCJIS-Discovery.ps1` / `CMPCJIS-Validate.ps1` against `CJI – Protected – Label`.

• **Pass:** the label exists, **encryption is configured**, access scope matches the design, and it is **unpublished/pilot-scoped** (not tenant-wide) until enforcement.

• **Fail:** correct the label configuration (Implementation Step 4); confirm encryption/access with the records/security owner.

Gate 5 — The CJI DLP policy is present in test/simulation mode

• **Method:** `CMPCJIS-Validate.ps1` against `CJI Protection – Exfiltration – Policy`.

• **Pass:** the DLP policy exists in **test/simulation mode**, scoped to the pilot, targeting CJI as designed — **not enforcing**.

• **Fail:** return the policy to test mode / correct the scope; never leave it enforcing before the pilot review passes.

Gate 6 — DLP simulation matches CJI as intended (security-officer review)

• **Method:** generate benign in-scope CJI-like activity; review the DLP test/simulation results in the portal with the agency's **security officer** (Implementation Step 5).

• **Pass:** the simulation matches CJI as intended with no material false-positives/negatives the officer rejects; the review is recorded.

• **Fail:** tune the label/SIT/DLP conditions and re-simulate before enforcing.

Gate 7 — CJI retention is staged correctly

• **Method:** `CMPCJIS-Validate.ps1` against `CJI Records – Retention – Policy`.

• **Pass:** the retention policy exists **staged/disabled or pilot-scoped**, per the agency's schedule intent. **The retention schedule itself is a records/legal determination.**

• **Fail:** correct the staging; confirm the schedule with the records owner before broad application.

Gate 8 — Separation of duties holds

• **Method:** `CMPCJIS-Validate.ps1` / `CMPCJIS-ScopeCheck.ps1` role checks.

• **Pass:** the CJI-control configurer, the audit-evidence reader, and any insider-risk reviewer are **separate** roles; insider-risk (where used) is aggregate/de-identified under a separate role.

• **Fail:** correct the role assignments (Requirement 2.3) before proceeding.

Gate 9 — CJI-touching activity is captured in the audit trail

• **Method:** perform a benign in-scope action; confirm it appears in the unified audit log for the pilot scope.

• **Pass:** the activity is captured and retrievable within the audit search window.

• **Fail:** confirm audit logging is on and the activity type is audited; verify Audit Premium coverage for longer-retention activities.

Gate 10 — The evidence package is accurate and reconciles

- **Method:** `CMPCJIS-Report.ps1` → open `CJIS Evidence – Formal Audit – Package`; spot-check each

control's state against its Purview blade.

- **Pass:** each mapped control shows its implementing object, current state, and audit reference, and the

states reconcile to the portal.

- **Fail:** correct the underlying control/evidence and regenerate the package.

Evidence to retain

- `CMPCJIS-Discovery.ps1` / `CMPCJIS-ScopeCheck.ps1` outputs (licensing, current state, audit state).
- The reviewed `CJIS Control Map – Purview – Baseline`.
- The recorded DLP simulation review (Gate 6) signed off by the security officer.
- `CMPCJIS-Validate.ps1` output per cycle and the `CJIS Evidence – Formal Audit – Package`.

> *Whether the configured controls **satisfy** the CJIS Security Policy — and whether the environment is **authorized** — are **CSA / CJIS auditor / records** determinations. These gates prove the controls are **configured, in the expected state, and evidenced**, not that they are **compliant**. Capability availability is **licensing-/cloud-dependent and evolving — verify against your entitlements, your cloud (GCC High / Azure Government), and your CJIS Security Policy version.***

6. Troubleshooting — Microsoft Purview CJIS Compliance Program

The failure modes that make a CJIS-aligned Purview program **non-authorized, over-blocking, or unevidenced** — plus the environment, licensing, DLP-simulation, audit, and evidence issues you'll hit. Each: **symptom** → **likely cause** → **fix.** The recurring lesson: this program configures **technical controls and evidence** — it does **not** attest CJIS compliance or authorize the environment. Control satisfaction, the retention schedule, and environment authorization are **CSA / auditor / records** determinations; escalate those rather than treating them as tool faults.

`CMPCJIS-Discovery.ps1` can't confirm the environment is CJIS-authorized

- **Cause:** the script reports **indicative** licensing/environment hints but **cannot** attest GCC High

/ Azure Government authorization or the CJIS Security Addendum.

- **Fix:** confirm the authorized cloud and agreements with your **CSA/CSO** and Microsoft (Requirement

2.1) **before** configuring CJI controls. **Commercial M365 is generally not CJIS-authorized** — do not proceed there. This is Gate 0 and it is a determination, not a script output.

A CJI-control capability shows `CHECK` / not licensed

- **Cause:** advanced DLP, auto-labeling, **Audit Premium**, Insider Risk, or the CJIS/US-gov Compliance

Manager assessment template needs **E5 / E5 Compliance** and specific availability in **your** cloud — GCC High / Azure Government lag or differ from commercial.

• **Fix:** confirm the SKU (Requirement 2.2) and **verify availability in your cloud**; assign the plan or record the control as **deferred — not licensed** on the control map. Never fabricate a control state.

The CJI DLP over-blocks legitimate criminal-justice work

• **Cause:** the DLP rule / CJI Sensitive Information Types match too broadly, or it was enforced before the simulation review.

• **Fix:** keep the DLP in **test/simulation mode** and review the results with the agency's **security officer **(Gate 6) before enforcing. Tune the CJI label/SIT conditions —** the CJI identifiers come from the agency**, not the tool. `CMPCJIS-Validate.ps1` FAILs if the pilot policy is not in test mode.

The CJI DLP misses CJI (false negatives)

• **Cause:** the rule doesn't bind the CJI label or the agency's CJI identifiers, or the SITs are too narrow.

• **Fix:** confirm a DLP **rule** exists (`CMPCJIS-Validate.ps1` reports the rule count) and that it matches the `CJI – Protected – Label` and/or the agency-defined SITs. Re-simulate and review before enforcing. Mis-defined identifiers leak CJI — get them from the agency's records/security owners.

The CJI label has no encryption / access scope

• **Cause:** `CMPCJIS-Configure.ps1` creates the label but leaves **encryption/access scope** to be finalized in the portal per the agency design (the full encryption param set is intricate and tenant-specific).

• **Fix:** finalize encryption and the access scope in the portal (or with the documented `Set-Label` encryption parameters — **verify supported params in your tenant**). `CMPCJIS-Validate.ps1` reports `CHECK` on label encryption until it can confirm it; treat that as an action, not a pass.

`CMPCJIS-Validate.ps1` FAILs on unified audit logging

• **Cause:** `UnifiedAuditLogIngestionEnabled = False` — the CJIS **auditing & accountability** trail isn't on.

• **Fix:** `CMPCJIS-Configure.ps1 -EnableAudit -Commit` (or `Set-AdminAuditLogConfig -UnifiedAuditLogIngestionEnabled $true) under change control. Confirm the required **retention duration** (Audit Premium) with your CSA/records owner — the duration is a determination the validator flags CHECK`.

Audit events aren't retained long enough for CJIS

• **Cause:** the default audit-retention window is shorter than the CJIS-required period, and **Audit

Premium** / an audit-retention policy isn't in place.

- **Fix:** license **Audit (Premium)** and configure an audit-retention policy for the CJI-touching activities. **The required duration is a CJIS/records determination** — confirm it, don't guess.

Separation-of-duties FAIL / role bleed

- **Cause:** the CJI-control configurer also holds an investigative role (Insider Risk / Communication Compliance / eDiscovery), or the audit-evidence reader is the same person.
- **Fix:** separate the roles (Requirement 2.3). Supply the role matrix to `CMPCJIS-Validate.ps1 -RoleMatrixCsv` to catch conflicts; remove the conflicting membership. Where Insider Risk is used, keep it **aggregate/de-identified** under a separate role, outcomes deferred to HR/legal and CJIS governance.

`CMPCJIS-Configure.ps1 -Enforce -Commit` caused user impact you didn't expect

- **Cause:** enforcement was applied before the pilot simulation was reviewed and signed off.
- **Fix:** enforce is the **one** step that turns on real impact and it is deliberate/gated by design.

Rollback: re-run without `-Enforce` (`-Commit`) to return DLP to test mode / unpublish the label / disable retention; or `-Remove -Commit` to delete the program's managed objects (pre-existing policies are untouched). Re-review the simulation before re-enforcing.

The evidence package shows a control as `NOT FOUND` / `OFF`

- **Cause:** the mapped object doesn't exist, isn't in the expected state, or audit is off — a **real gap** the package is correctly surfacing.
- **Fix:** `CMPCJIS-Report.ps1` colours these red for a reason — remediate the underlying control (create/enable it) and regenerate, or annotate it with the CSA if it's intentionally deferred. Don't edit the package to hide a gap; the auditor needs the true state.

Policy-area numbers in the control map don't match the auditor's

- **Cause:** the CJIS Security Policy is **versioned** — 5.9.x and the 6.0 restructuring (aligned to NIST 800-53) number and group controls differently.
- **Fix:** the program maps by **policy area / control intent** and flags `verify`. Confirm the exact area/control numbers against **your current CJIS Security Policy version** with your CSO/auditor and update the control map accordingly.

`Connect-IPPSSession` / `Connect-ExchangeOnline` / `Connect-MgGraph` fails

- **Cause:** module not installed, MFA/modern-auth not completed, or the wrong cloud endpoint (GCC High /

Azure Government use different endpoints).

- **Fix:** install the modules; complete the interactive sign-in (Requirement 2.3); for GCC High / Azure

Government, connect with the correct cloud/environment parameter (verify the endpoint for your cloud). Read-only/`-WhatIf` scripts are safe to retry. **No credentials in code.**

When to escalate beyond this solution

- **Whether the environment is CJIS-authorized, and whether a control *satisfies* CJIS** → **CSA / CSO /

CJIS auditor**. This program configures technical controls and produces evidence; it does not attest compliance.

- **The CJI records-retention schedule and regulatory applicability** → **records and legal**.
- **The CJI identifiers that drive the label/SITs** → the **agency's records/security owners** — they are

agency data, not invented here.

- **A cmdlet/capability that has genuinely changed or differs in your cloud** → verify against current

Microsoft documentation for **your** cloud (GCC High / Azure Government); Purview capabilities and the portal evolve.

7. Best Practices — A CJIS Program Purview Can Defend

Operating principles for keeping the CJIS-aligned Purview controls accurate, least-privilege, and audit-ready. Grounded in Microsoft's public guidance, the FBI CJIS Security Policy's intent, and the **Assess** → **Design** → **Configure** → **Pilot** → **Validate** → **Expand** model.

Configure the technical control; defer the determination

- Purview implements **technical** controls — classification, encryption, DLP, retention, audit. Whether

a control **satisfies** its CJIS requirement, whether the environment is **authorized**, and what the **retention schedule** is, are **CSA / CJIS auditor / records** determinations. Build to their interpretation, record it in the control map, and never assert compliance the program can't attest.

- Map by **policy area / control intent**, and **verify area/control numbers against your current CJIS

Security Policy version** (5.9.x vs 6.0 differ, and 6.0 aligns to NIST 800-53). Don't hard-code a control number you can't confirm with your CSO.

Environment first — commercial cloud is not a shortcut

- CJI belongs only in an **authorized environment** — **GCC High** or **Azure Government** — under the

Microsoft **CJIS Security Addendum**. Confirm this **before** configuring CJI controls; a perfectly configured control in a non-authorized tenant is still non-compliant.

- Capability availability and Compliance Manager assessment templates **differ** across GCC High / Azure

Government and are **licensing-gated** — verify each control's availability in **your** cloud, not the commercial docs.

Pilot every high-impact control in simulation/test first

• The CJI label, DLP, and retention are high-impact — a mis-scoped CJI DLP rule can block legitimate criminal-justice work or leak CJI. **Always** deploy DLP in **test/simulation mode**, keep the label **unpublished/pilot-scoped**, and stage retention **before** enforcing.

• Review the DLP **simulation results** with the agency's **security officer** before enforcement — the simulation is where over-blocking and false-negatives are caught safely. Enforcement is a separate, deliberate, change-controlled step.

Least privilege and separation of duties

• Separate the **CJI-control configurer**, the **audit-evidence reader**, and any **insider-risk reviewer** — CJIS expects least privilege and separation of duties. Use least-privilege Purview role groups; reserve Global/Compliance Administrator for where it's genuinely required.

• Where **Insider Risk** is used, keep it **aggregate and de-identified**, under a **separate** role, with outcomes **deferred to the agency's HR/legal and CJIS governance** — never expose case detail in the CJIS program artifacts.

Audit is the accountability backbone — protect it

• **Auditing & accountability** is a core CJIS policy area. Keep **unified audit logging on**, license **Audit (Premium)** where the required retention exceeds the default window, and confirm the retention **duration** with your CSA/records owner (it's a determination, not a default).

• Treat the audit trail and the evidence package as sensitive — they reveal where CJI lives and where the gaps are. Secure the storage and distribution of the evidence.

Make the evidence repeatable

• Auditors want **repeatable evidence**, not ad-hoc screenshots. Produce the `CJIS Evidence – Formal Audit – Package` the same way every cycle: per control, the implementing Purview object, its state, and the audit reference. Schedule the read-only chain so the package is current when the audit lands.

• Where a **Compliance Manager** CJIS/US-gov assessment template is available in your cloud, align the package to it — but the **control-satisfaction determination stays with the CSA/auditor**.

Respect the licensing and preview reality

• Advanced DLP, auto-labeling, Audit Premium, Insider Risk, and premium assessment templates are **E5 /

E5 Compliance **(some** preview**) and cloud-specific. Populate a control only where its capability is genuinely licensed and available, and** verify the current supported method** — Purview's capabilities and the portal evolve, and GCC High / Azure Government lag or differ.

Keep CJI identifiers with the agency

- The specific **CJI/CHRI identifiers** that drive the label/SITs are **agency data** — defined by the agency's records/security owners, not invented by the tool. Mis-defining them either over-blocks legitimate work or leaks CJI. Version the classification scheme and review it as the estate changes.

8. Deliverables Summary — Microsoft Purview CJIS Compliance Program

What you receive, what to run, and what "done" looks like.

Documentation

Document	Purpose
1. Solution Overview	What the CJIS-aligned Purview program is, the CJIS policy areas Purview contributes to, what you control, honest limitations, the environment boundary (GCC High / Azure Government), and the naming convention.
2. Requirements Guide	CJIS-specific prerequisites (authorized environment + CJIS agreement, control licensing incl. Audit Premium, least-privilege roles with separation of duties, CJI classification scheme, unified audit logging + retention target, control-map owner + CSA/auditor engagement, bounded pilot, secured evidence target) — each with Verify / Implement.
3. Implementation Guide	Ordered steps: confirm the authorized environment, assess licensing/state, map CJIS areas to Purview controls, configure the CJI label/DLP/retention/audit in simulation/test, pilot on a bounded CJI scope, validate, produce evidence, and expand to enforcement — pilot-first with pass/fail gates and rollback.
5. Testing & Validation	Eleven gates from "environment authorized" to "evidence package reconciles," each with method / pass / fail action.
6. Troubleshooting	The failure modes that make a CJIS program wrong, over-blocking, or unevidenced — environment/licensing gaps, DLP over/under-match, audit not retained, role bleed, evidence drift — and their fixes.

Document	Purpose
7. Best Practices	Operating principles: configure the control but defer the determination, environment first, pilot in simulation, least-privilege & separation of duties, audit as backbone, repeatable evidence, licensing/preview reality, CJI identifiers stay with the agency.

PowerShell tools (5)

All run **read-only or `-WhatIf` by default**; content-policy writes require `-Commit`, and no high-impact control **enforces** without a separate `-Enforce -Commit`. No credentials or secrets are embedded. Configuration uses **Security & Compliance PowerShell** (`Connect-IPPSSession`), **Exchange Online** (audit config), and **Microsoft Graph** (licensing reads).

Script	Role	Default
`CMPCJIS-Discovery.ps1`	Assess: licensing (labels/encryption, DLP, retention, **Audit Premium**, Insider Risk via Graph `subscribedSkus`), existing CJI-relevant objects, unified-audit-logging state, and Compliance Manager assessment-template visibility (flagged verify).	Read-only
`CMPCJIS-ScopeCheck.ps1`	Scope/health helper: connection/permission/licensing health across functions; list CJI-candidate labels, DLP/retention policies, workloads, and audit state; role-separation reminders.	Read-only
`CMPCJIS-Configure.ps1`	Configure: enable unified audit logging; scaffold `CJI – Protected – Label` (encryption), `CJI Protection – Exfiltration – Policy` (**Test mode**), and `CJI Records – Retention – Policy` (staged); enforce only with `-Enforce -Commit`.	`-WhatIf` (writes on `-Commit`)

Script	Role	Default
`CMPCJIS-Validate.ps1`	Validate: audit logging on + retention targeted, each mapped control's object present and in the expected state, encryption on the label, DLP in test mode, retention staged, separation of duties — technical PASS/FAIL.	Read-only
`CMPCJIS-Report.ps1`	Report: produce `CJIS Evidence – Formal Audit – Package` (CSV + HTML) — the control map with per-control implementing object, state, and audit reference for the auditor/CSA.	Read-only (output files only)

Named artifacts created

• Control map: `CJIS Control Map – Purview – Baseline`.

• CJI label: `CJI – Protected – Label`. DLP: `CJI Protection – Exfiltration – Policy`. Retention:

`CJI Records – Retention – Policy`.

• Assessment: `CJIS Assessment – Compliance Manager – Baseline`. Evidence: `CJIS Evidence – Formal Audit –

Package. Pilot:` CJIS Pilot – CJI Scope – Stage1`.

Definition of done

• The **authorized environment** (GCC High / Azure Government) and CJIS agreement are **confirmed by the

CSA/CSO**, and licensing gaps for in-scope controls are resolved or recorded as deferred.

• The **control map** is complete and reviewed with the CSA/auditor; the **CJI classification scheme** is

agreed with the agency's records/security owners.

• The CJI **label (encryption)**, **DLP (test mode)**, **retention (staged)**, and **unified audit

logging **are configured,** piloted on the bounded CJI scope**, and the DLP simulation is** reviewed and signed off** by the security officer.

• **Validation is technically green** (controls in the expected state; **separation of duties** holds),

and the `CJIS Evidence – Formal Audit – Package` is produced, reconciled, and delivered via the secured channel; enforcement expanded under CSA/change approval.

> ***Boundary:*** *this solution delivers* ***configured technical controls and repeatable evidence****. Whether those controls* ***satisfy*** *the CJIS Security Policy, whether the* ***environment*** *is authorized, and any*

records-retention / regulatory / legal determination** are **deferred to your CSA, CJIS auditor, records, and legal functions.** Capability availability is **licensing-/cloud-dependent and evolving — verify against your entitlements, your cloud (GCC High / Azure Government), and your current CJIS Security Policy version.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

CMPCJIS-Configure.ps1

Purpose: Configures the CJI technical controls SAFE-FIRST. It can enable unified audit logging (-EnableAudit), and scaffold "CJI - Protected - Label", "CJI Protection - Exfiltration - Policy" (created in TEST/SIMULATION mode), and "CJI Records - Retention - Policy" (created disabled/staged). Everything is gated: it PREVIEWS with -WhatIf and writes only with -Commit; nothing ENFORCES without a separate, explicit -Enforce -Commit. It creates ONLY its own named objects and never deletes pre-existing policies. The label's ENCRYPTION/access scope is confirmed in the portal per the agency design (this script sets the label and flags encryption for you to finalize) - it does not invent CJI identifiers or a retention schedule (agency/records determinations). HOW TO RUN Enable the source audit trail (not a user-impacting content policy): .\CMPCJIS-Configure.ps1 -EnableAudit -WhatIf ; .\CMPCJIS-Configure.ps1 -EnableAudit -Commit Scaffold the CJI controls safe-first for the pilot: .\CMPCJIS-Configure.ps1 -Scope Pilot -PilotSharePointUrl https://contoso.sharepoint.com/sites/cji -WhatIf .\CMPCJIS-Configure.ps1 -Scope Pilot -PilotSharePointUrl https://contoso.sharepoint.com/sites/cji -Commit Enforce deliberately after the pilot passes and CSA/change approval: .\CMPCJIS-Configure.ps1 -Scope Pilot -Enforce -WhatIf ; ... -Enforce -Commit Rollback the objects this program created: .\CMPCJIS-Configure.ps1 -Scope Pilot -Remove -Commit Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets in code. EXPECTED RESULTS Without -Commit: the exact New-/Set-* cmdlets it WOULD run. With -Commit (no -Enforce): label exists (unpublished), DLP in Test mode, retention disabled/staged - NO user impact. With -Enforce -Commit: label published / DLP Enable / retention enabled - the one step that turns on real impact. .NOTES Purview category - CJIS Compliance Program. -WhatIf by default; enforce is separate. Do NOT run in a non-CJIS-authorized tenant (CSA/CSO determination). CJI identifiers and retention schedule come from the agency. No client names; no secrets. > [CmdletBinding()] param([ValidateSet('Pilot','Full')][string]$Scope = 'Pilot', [string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [string]$PilotSharePointUrl, # a pilot site to scope the DLP/retention to (recommended) [string]$UserPrincipalName, [switch]$EnableAudit, [switch]$Enforce, # with -Commit: publish label / enable DLP / enable retention [switch]$Remove, # with -Commit: delete the objects this program created [switch]$Commit)

How to run: Enable the source audit trail (not a user-impacting content policy): .\CMPCJIS-Configure.ps1 -EnableAudit -WhatIf ; .\CMPCJIS-Configure.ps1 -EnableAudit -Commit Scaffold the CJI controls safe-first for the pilot: .\CMPCJIS-Configure.ps1 -Scope Pilot -PilotSharePointUrl https://contoso.sharepoint.com/sites/cji -WhatIf .\CMPCJIS-Configure.ps1 -Scope Pilot -PilotSharePointUrl https://contoso.sharepoint.com/sites/cji -Commit Enforce deliberately after the pilot passes and CSA/change approval: .\CMPCJIS-Configure.ps1 -Scope Pilot -Enforce -WhatIf ; ... -Enforce -Commit Rollback the objects this program created: .\CMPCJIS-Configure.ps1 -Scope Pilot -Remove -Commit Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets in code. EXPECTED RESULTS Without -Commit: the exact New-/Set-* cmdlets it WOULD run. With -Commit (no -Enforce): label exists (unpublished), DLP in Test mode, retention disabled/staged - NO user impact. With -Enforce -Commit: label published / DLP Enable / retention enabled - the one step that turns on real impact. .NOTES Purview category - CJIS Compliance Program. -WhatIf by default; enforce is separate. Do NOT run in a non-CJIS-authorized tenant (CSA/CSO determination). CJI identifiers and retention schedule come from the agency. No client names; no secrets. > [CmdletBinding()] param(

[ValidateSet('Pilot','Full')][string]$Scope = 'Pilot', [string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [string]$PilotSharePointUrl, # a pilot site to scope the DLP/retention to (recommended) [string]$UserPrincipalName, [switch]$EnableAudit, [switch]$Enforce, # with -Commit: publish label / enable DLP / enable retention [switch]$Remove, # with -Commit: delete the objects this program created [switch]$Commit)

CMPCJIS-Discovery.ps1

Purpose: Read-only baseline for a CJIS-aligned Purview program. Connects to Security & Compliance PowerShell, Exchange Online, and Microsoft Graph and reports: which CJI-control capabilities are licensed (sensitivity labels/encryption, DLP, retention, Audit Premium, Insider Risk via Graph subscribedSkus); the existing CJI-relevant labels/DLP/retention objects; whether UNIFIED AUDIT LOGGING is enabled; and an INDICATIVE environment hint. It CANNOT attest CJIS authorization (GCC High / Azure Government) - that is your CSA's determination. Changes nothing. HOW TO RUN powershell -File .\CMPCJIS-Discovery.ps1 -CsvPath .\CJIS-Discovery-Baseline.csv Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline) and, for licensing, Microsoft.Graph. Interactive modern-auth; no secrets in code. EXPECTED RESULTS A per-item table (Item / State / Detail) and a licensing summary. "CHECK" means verify your licensing/tenant/cloud, not a defect. Feeds "CJIS Control Map - Purview - Baseline". .NOTES Purview category - CJIS Compliance Program. Read-only. CJIS is generally satisfied only in GCC High / Azure Government under a signed CJIS agreement - commercial M365 is generally NOT CJIS-authorized; this script cannot attest that. No client names; no secrets. > [CmdletBinding()] param([string]$UserPrincipalName, [string]$CsvPath, [switch]$SkipGraphLicensing)

How to run: powershell -File .\CMPCJIS-Discovery.ps1 -CsvPath .\CJIS-Discovery-Baseline.csv Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline) and, for licensing, Microsoft.Graph. Interactive modern-auth; no secrets in code. EXPECTED RESULTS A per-item table (Item / State / Detail) and a licensing summary. "CHECK" means verify your licensing/tenant/cloud, not a defect. Feeds "CJIS Control Map - Purview - Baseline". .NOTES Purview category - CJIS Compliance Program. Read-only. CJIS is generally satisfied only in GCC High / Azure Government under a signed CJIS agreement - commercial M365 is generally NOT CJIS-authorized; this script cannot attest that. No client names; no secrets. > [CmdletBinding()] param([string]$UserPrincipalName, [string]$CsvPath, [switch]$SkipGraphLicensing)

CMPCJIS-Report.ps1

Purpose: Assembles "CJIS Evidence - Formal Audit - Package" (CSV + HTML) for the auditor/CSA. It reads the control map (CJIS policy area -> Purview capability -> implementing object) and enriches each mapped object with its CURRENT live state (label present/encryption, DLP mode, retention enabled, audit logging on), so each control shows: the implementing Purview object, its state, and the audit reference. Read-only against Purview - the only writes are the evidence files. Whether a control SATISFIES its CJIS requirement is the CSA/auditor determination - the package is evidence, not a pass/fail on compliance. HOW TO RUN .\CMPCJIS-Report.ps1 -ControlMapCsv .\CJIS-Control-Map.csv -OutDir . ControlMapCsv columns: PolicyArea,PurviewCapability,ImplementingObject,ObjectType,Status,Owner (ObjectType = Label|Dlp|Retention|Audit). If omitted, a default map is generated from this program's named objects. Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets. EXPECTED RESULTS An HTML + CSV evidence package. PASS signal: every mapped control resolves to a live object state or an explicit "not found / verify" - never a fabricated state. Deliver via the secured

channel (Req 2.8). .NOTES Purview category - CJIS Compliance Program. Read-only vs Purview. Control satisfaction, retention schedule, and environment authorization are CSA/auditor/records determinations. No client names; no secrets. > [CmdletBinding()] param([string]$ControlMapCsv, [string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [string]$UserPrincipalName, [string]$OutDir = ".")

How to run: .\CMPCJIS-Report.ps1 -ControlMapCsv .\CJIS-Control-Map.csv -OutDir . ControlMapCsv columns: PolicyArea,PurviewCapability,ImplementingObject,ObjectType,Status,Owner (ObjectType = Label|Dlp|Retention|Audit). If omitted, a default map is generated from this program's named objects. Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets. EXPECTED RESULTS An HTML + CSV evidence package. PASS signal: every mapped control resolves to a live object state or an explicit "not found / verify" - never a fabricated state. Deliver via the secured channel (Req 2.8). .NOTES Purview category - CJIS Compliance Program. Read-only vs Purview. Control satisfaction, retention schedule, and environment authorization are CSA/auditor/records determinations. No client names; no secrets. > [CmdletBinding()] param([string]$ControlMapCsv, [string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [string]$UserPrincipalName, [string]$OutDir = ".")

CMPCJIS-ScopeCheck.ps1

Purpose: Verifies the operator can perform each CJIS-program function and lists the CJI-candidate scope that the label/DLP/retention controls will target: published sensitivity labels, DLP policies, retention policies, the workloads they cover, and the unified-audit-logging state. Reports a clear permission/connection error per function rather than failing the whole run, and reminds you of the separation-of-duties the program requires. Read-only - changes nothing. HOW TO RUN powershell -File .\CMPCJIS-ScopeCheck.ps1 -CsvPath .\CJIS-Scope.csv Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). Interactive modern-auth; no secrets. EXPECTED RESULTS A health table (function / OK|ERROR / detail) and a CJI-candidate inventory you confirm and record in the "CJIS Control Map - Purview - Baseline" as the in-scope set. Separation-of-duties reminders printed. .NOTES Purview category - CJIS Compliance Program. Read-only. Keep the CJI-control configurer, the audit-evidence reader, and any insider-risk reviewer SEPARATE. No client names; no secrets. > [CmdletBinding()] param([string]$UserPrincipalName, [string]$CsvPath)

How to run: powershell -File .\CMPCJIS-ScopeCheck.ps1 -CsvPath .\CJIS-Scope.csv Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). Interactive modern-auth; no secrets. EXPECTED RESULTS A health table (function / OK|ERROR / detail) and a CJI-candidate inventory you confirm and record in the "CJIS Control Map - Purview - Baseline" as the in-scope set. Separation-of-duties reminders printed. .NOTES Purview category - CJIS Compliance Program. Read-only. Keep the CJI-control configurer, the audit-evidence reader, and any insider-risk reviewer SEPARATE. No client names; no secrets. > [CmdletBinding()] param([string]$UserPrincipalName, [string]$CsvPath)

CMPCJIS-Validate.ps1

Purpose: Read-only technical validation of the CJIS-aligned Purview controls. Confirms: unified audit logging is ON; the CJI label exists and (indicatively) has encryption; the CJI-exfiltration DLP policy exists and is in the expected mode (Test before enforcement); the CJI retention policy exists and is staged; and,

from a supplied board/role matrix, that SEPARATION OF DUTIES holds. Produces a per-control PASS/FAIL/CHECK table. It validates TECHNICAL STATE only - whether the controls SATISFY CJIS is the CSA/auditor's determination. HOW TO RUN .\CMPCJIS-Validate.ps1 -ExpectEnforced:$false -OutPath .\CJIS-Validate.csv Optional: -RoleMatrixCsv .\cjis-roles.csv (columns Member,RoleGroup) to run the SoD check; -ExpectEnforced to assert the enforced end-state instead of the safe-first pilot state. Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets. EXPECTED RESULTS A per-control PASS/FAIL/CHECK table + summary. PASS = the control exists in the expected state. CHECK = verify manually (e.g. label encryption params, audit retention duration). Whether the posture is SUFFICIENT is deferred to the CSA/auditor. .NOTES Purview category - CJIS Compliance Program. Read-only. Audit-retention duration and control satisfaction are CSA/records determinations. No client names; no secrets. > [CmdletBinding()] param([string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [switch]$ExpectEnforced, [string]$RoleMatrixCsv, [string]$UserPrincipalName, [string]$OutPath)

How to run: .\CMPCJIS-Validate.ps1 -ExpectEnforced:$false -OutPath .\CJIS-Validate.csv Optional: -RoleMatrixCsv .\cjis-roles.csv (columns Member,RoleGroup) to run the SoD check; -ExpectEnforced to assert the enforced end-state instead of the safe-first pilot state. Requires ExchangeOnlineManagement (Connect-IPPSSession + Connect-ExchangeOnline). No secrets. EXPECTED RESULTS A per-control PASS/FAIL/CHECK table + summary. PASS = the control exists in the expected state. CHECK = verify manually (e.g. label encryption params, audit retention duration). Whether the posture is SUFFICIENT is deferred to the CSA/auditor. .NOTES Purview category - CJIS Compliance Program. Read-only. Audit-retention duration and control satisfaction are CSA/records determinations. No client names; no secrets. > [CmdletBinding()] param([string]$LabelName = 'CJI - Protected - Label', [string]$DlpPolicyName = 'CJI Protection - Exfiltration - Policy', [string]$RetentionName = 'CJI Records - Retention - Policy', [switch]$ExpectEnforced, [string]$RoleMatrixCsv, [string]$UserPrincipalName, [string]$OutPath)