Purview AI Hub Governance — Microsoft Purview

Implementation Solution Guide

Version 1.0.0 · 2026-07-07

Contents

Executive Summary — Purview AI Hub Governance (DSPM for AI), Microsoft Purview 5

The problem . . . 5

The solution . . . 5

How it works . . . 5

What is delivered . . . 5

Business outcome . . . 6

Important boundaries . . . 6

1. Solution Overview — Purview AI Hub Governance (DSPM for AI), Microsoft Purview 6

What this solution is . . . 6

Why this matters . . . 6

What DSPM-for-AI governance configures (the levers) . . . 7

Naming convention (used in every doc and script) . . . 7

What you can control . . . 8

Limitations (be honest with buyers) . . . 8

The standard deployment model . . . 8

2. Requirements Guide — Purview AI Hub Governance (DSPM for AI), Microsoft Purview 9

2.1 Licensing for DSPM for AI and the underlying controls . . . 9

2.2 Least-privilege roles for the AI-governance controls . . . 9

2.3 Security & Compliance PowerShell + Graph toolchain . . . 10

2.4 Unified audit enabled (AI visibility depends on it) . . . 10

2.5 A sensitivity-label taxonomy that Copilot can honor . . . 10

2.6 A pilot ring and the pilot-in-simulation commitment . . . 11

2.7 Endpoint / browser onboarding for consumer-AI signals (if in scope) . . . 11

2.8 A privacy-by-design and case-handling decision (insider risk / communication compliance) . . . 12

Global Requirements — Microsoft Purview Solutions 12

1. Microsoft 365 tenant with the required Purview/compliance licensing . . . 12

2. Purview roles (least-privilege) and portal access . . . 13

3. Security & Compliance PowerShell + Graph toolchain . . . 13

4. Data sources & scope in scope . . . 13

5. Compliance, records, privacy & legal stakeholders . . . 13

6. A pilot scope and change control . . . 14

3. Implementation Guide — Purview AI Hub Governance (DSPM for AI), Microsoft Purview 14

Step 1 — Assess current state (read-only) . . . 14

Step 2 — Turn on AI visibility (audit) . . . 15

Step 3 — Design the AI-governance policy set . . . 15

Step 4 — Confirm Copilot honors sensitivity labels . . . 15
Step 5 — Configure the DLP-for-AI policy in TEST/simulation (pilot ring) . . . 15
Step 6 — Configure the recommended insider-risk and communication-compliance detections (portal) . . . 16
Step 7 — (Optional) Configure consumer-AI egress signals (endpoint/browser) . . . 16
Step 8 — Validate on the pilot . . . 16
Step 9 — Expand and enforce . . . 17
Step 10 — Operate: reports, review, and evidence . . . 17
5. Testing & Validation Guide — Purview AI Hub Governance (DSPM for AI) 17
Test 1 — AI visibility is on . . . 18
Test 2 — Copilot honors sensitivity labels (entitlement) . . . 18
Test 3 — The DLP-for-AI policy is in simulation (never enforcing during pilot) . . . 18
Test 4 — The DLP-for-AI policy simulates matches on the right content . . . 18
Test 5 — Risky-AI detections raise reviewable signals (privacy-by-design) . . . 19
Test 6 — (If in scope) consumer-AI egress is surfaced . . . 19
Test 7 — Enforcement change is deliberate and reversible . . . 19
Test 8 — Reports and evidence are complete . . . 20
6. Troubleshooting Guide — Purview AI Hub Governance (DSPM for AI) 20
A. Visibility / setup . . . 20
B. Copilot / label protection . . . 21
C. DLP-for-AI policy . . . 21
D. Insider-risk / communication-compliance detections . . . 21
E. Consumer-AI egress . . . 22
F. Drift / operations . . . 22
Escalation checklist . . . 22
7. Best Practices — Purview AI Hub Governance (DSPM for AI) 23
Start with visibility, then control . . . 23
Rollout discipline (DLP over AI is high-impact — simulate first) . . . 23
Privacy-by-design for the HR-sensitive detections . . . 23
Operating the program . . . 24
Security & safety hygiene . . . 24
8. Deliverables Summary — Purview AI Hub Governance (DSPM for AI), Microsoft Purview 24
What you receive . . . 24
Documentation . . . 25
PowerShell tools (5) . . . 25
Outcomes . . . 26
Explicitly out of scope (deferred) . . . 27

Appendix A — PowerShell Scripts 28

Executive Summary — Purview AI Hub Governance (DSPM for AI), Microsoft Purview

The problem

Generative AI is already in the workday — Microsoft 365 Copilot, Copilot Studio agents, and consumer tools like ChatGPT reached through the browser. Every interaction is a data flow: a prompt can carry sensitive content, and a response can surface data a user shouldn't see or move it somewhere it shouldn't go. Most organizations have **no visibility** into this and **no policy** over it. Left unaddressed, ungoverned AI usage is a compliance gap and a data-risk exposure — sensitive data can leave through a channel no existing control is watching.

The solution

A complete, self-guided configuration of **AI governance from the DSPM-for-AI experience** in Microsoft Purview. It turns on **visibility** into AI interactions, ensures Copilot **honors your sensitivity labels** (so AI only answers over content a user is entitled to and labeled output stays labeled), applies a **DLP policy — piloted in test/simulation** — that keeps the most sensitive labeled content out of AI processing, and enables the recommended **insider-risk and communication-compliance** detections for risky AI usage, configured **privacy-by-design**. Optional endpoint/browser signals surface sensitive data going into consumer AI sites. Everything is piloted on a small ring, validated, then enforced, using the Purview portal, Security & Compliance PowerShell, and Microsoft Graph — no third-party tooling.

How it works

The engagement follows one disciplined model: **Assess** → **Design** → **Configure** → **Pilot (simulate)** → **Validate** → **Expand (enforce).** Assess audit, labels, licensing, and onboarding; design which content Copilot honors, which content is withheld from AI, and which risky patterns are detected; configure visibility plus a **test-mode DLP** scoped to a **pilot ring** and the portal one-click detections; validate that AI honors labels, the DLP policy simulates matches without blocking, and interactions are visible; then enforce and widen scope. Because DLP over AI is high-impact, **simulation is the safety gate** — every scriptable write is previewed with `-WhatIf` first. Five tools — read-only or `-WhatIf` by default — automate discovery, configuration (audit enablement + a test-mode DLP-for-AI policy + mode changes), validation, reporting, and a readiness/health check; the portal-driven detections come with exact portal steps.

What is delivered

- Six implementation documents (Overview, Requirements, Implementation, Testing, Best Practices, Troubleshooting) plus this summary.
- Five PowerShell tools: posture assessment, a configuration/remediation helper (audit + test-mode DLP-for-AI + mode changes), effective-settings validation, activity/evidence reporting, and a readiness/health helper.
- A named, gated, reversible rollout with explicit pass/fail criteria and privacy-by-design guidance at every step.

Business outcome

AI usage that is **visible, labeled, and governed** — Copilot answers only over content users are entitled to, the most sensitive content is kept out of AI, risky patterns are surfaced for review, and consumer-AI egress can be seen. The governance is configured, piloted, validated, and defensible — at a fraction of the cost of a bespoke consulting engagement.

Important boundaries

What AI usage is *acceptable*, which content must be *withheld* from AI, and the adjudication of any flagged interaction are **determinations owned by your governance, compliance, privacy, HR, and legal functions** — this solution provides the technical configuration, detection method, and evidence, not the determination; insider-risk and communication-compliance **outcomes are deferred to HR/legal**. DSPM for AI is **new, partly in preview, and actively evolving** — capability availability, portal paths, policy names, and audit record types are **licensing-/tenant-dependent** and are flagged "verify your licensing/tenant," never assumed or invented. Much of DSPM for AI is portal-driven; the scripts cover what is reliably scriptable and point to the portal for the rest.

1. Solution Overview — Purview AI Hub Governance (DSPM for AI), Microsoft Purview

What this solution is

Generative AI is now inside the workday — Microsoft 365 Copilot, Copilot Studio agents, and consumer tools like ChatGPT reached through the browser. Each of those interactions is a **data-flow**: a prompt can contain sensitive content, and a response can surface data a user shouldn't see or paste somewhere it shouldn't go. Microsoft Purview's **AI Hub / Data Security Posture Management for AI (DSPM for AI)** is the control point that gives you **visibility, policies, and controls** over those AI interactions.

This solution stands up **AI governance from the DSPM-for-AI experience** in the Microsoft Purview portal: it turns on the **visibility** into AI interactions (via unified audit and the DSPM-for-AI activity views), applies the recommended **protective policies** — sensitivity-label protection so Copilot honors your labels, a **DLP policy (piloted in test/simulation)** that keeps the most sensitive labeled content out of AI processing, and the recommended **insider-risk and communication-compliance** detections for risky AI usage — and confirms the **endpoint/browser signals** that surface sensitive data pasted into consumer AI sites. Everything is piloted on a small ring, validated, then expanded, using the Purview portal, Security & Compliance PowerShell, and Microsoft Graph.

> ***Preview / evolving.*** *DSPM for AI is a* ***new and actively evolving*** *area of Purview; some capabilities are* ***in preview*** *and portal paths, policy names, and audit record types change. Every capability here is* ***cited or flagged "verify your licensing/tenant"*** *— none is invented.*

Why this matters

- **You can't govern what you can't see.** DSPM for AI surfaces *which* AI apps are used, *how many*

interactions occur, and *whether sensitive data* appears in prompts/responses — the baseline for any policy.

• **Labels should follow data into AI.** Copilot honors sensitivity labels and their encryption — so a user only gets AI answers over content they're already entitled to, and labeled output stays labeled.

• **The most sensitive content may not belong in AI at all.** A DLP policy can keep specific labeled content **out of AI processing** — configured in **test/simulation first**, because blocking AI over content is high-impact.

• **Risky AI usage is an insider-risk and compliance signal.** Recommended detections flag risky prompts/ responses for review — with **privacy-by-design and role separation**, and outcomes deferred to HR/legal.

• **Consumer AI is the quiet leak.** Sensitive data pasted into ChatGPT/other sites via the browser is a common exfiltration path; endpoint/browser signals surface it.

What DSPM-for-AI governance configures (the levers)

Lever	What it does	Where it is set
AI visibility / audit	Capture AI interactions (Copilot and more) for reporting and eDiscovery	Unified **audit** + DSPM-for-AI activity/reports in the Purview portal
Sensitivity-label protection for Copilot	Copilot honors labels + encryption (answers only over entitled content; output inherits labels)	Sensitivity labels + label policies (Copilot honors them)
DLP for AI (protect labeled content)	Keep specific labeled content out of AI processing	A **DLP policy** with the AI/Copilot scope — **piloted in test** first
Insider risk for risky AI usage	Detect risky AI interactions for review (privacy-by-design)	Insider Risk Management policy (portal one-click recommendation)
Communication compliance for AI	Detect sensitive/risky prompts and responses	Communication Compliance policy (portal one-click recommendation)
Endpoint / browser signals	Surface sensitive data going into consumer AI sites	Endpoint DLP + the Purview browser extension / device onboarding

Naming convention (used in every doc and script)

Artifact	Name
Pilot ring group	`grp-ai-pilot@contoso.com`
DLP policy — protect labeled content from AI (pilot, test mode)	`AI-DLP-ProtectLabeled-Sim`
DLP rule	`AI-DLP-Rule-HighlyConfidential`
Insider-risk policy (portal recommendation)	`AI-IRM-RiskyAIUsage`

Artifact	Name
Communication-compliance policy (portal recommendation)	`AI-CC-PromptResponse`
Sensitivity label Copilot must honor	`Highly Confidential`

What you can control

- **Whether AI interactions are captured** (audit) and visible in DSPM-for-AI reports.
- **Which labeled content Copilot honors**, and which labeled content is **kept out of AI** (DLP).
- **Which risky AI patterns are detected** for insider-risk / communication-compliance review.
- **Whether consumer-AI data egress is surfaced** via endpoint/browser signals.
- **Rollout order** — pilot ring → broad — and rollback (set DLP back to simulation / disable a policy).

Limitations (be honest with buyers)

- **DSPM for AI is new, partly preview, and evolving.** Capability availability, portal paths, policy

names, and audit record types change — this solution flags each; **verify your licensing/tenant**.

- **Much of DSPM for AI is portal-driven ("one-click" recommendations).** Insider-risk and communication-

compliance AI policies are configured in the portal; PowerShell coverage is limited. This solution scripts what is reliably scriptable (audit enablement, a test-mode DLP policy, discovery/validation/ reporting) and gives exact portal steps for the rest — it does not invent cmdlets.

- **DLP over AI is high-impact — pilot in test/simulation.** A DLP policy that keeps content out of AI

changes what Copilot can answer over; always run it in **test/simulation** first (this solution enforces that), then enforce.

- **Insider risk & communication compliance are HR/privacy-sensitive.** Configure with **privacy-by-

design**, pseudonymization where applicable, and strict** role separation**;** outcomes are deferred to HR/legal** — this solution provides the technical method, not the case decision.

- **Endpoint/browser signals require onboarding.** Surfacing consumer-AI egress needs onboarded devices

and the Purview browser extension — **verify device onboarding and extension support in your tenant**.

- **Determinations are deferred.** What AI usage is *acceptable*, which content must be *withheld* from

AI, and any regulatory applicability are **governance/compliance/legal determinations** — this solution provides the configuration method and evidence.

The standard deployment model

> *Assess AI-governance readiness (audit, labels, licensing, onboarding) → design which content Copilot honors, which is withheld from AI, and which risky patterns are detected → configure visibility + a*

> ***test-mode DLP*** *scoped to a* ***pilot ring*** *and the portal one-click detections → validate that AI honors labels, the DLP policy simulates matches without blocking, and interactions are visible →* ***expand*** *(enforce DLP, widen scope) → operate (reports, review, evidence). Pattern:* ***Assess*** *→* ***Design*** *→* ***Configure*** *→* ***Pilot (simulate)*** *→* ***Validate*** *→* ***Expand (enforce).***

2. Requirements Guide — Purview AI Hub Governance (DSPM for AI), Microsoft Purview

Verify **every** requirement below before starting the Implementation Guide. These are the **solution-specific** prerequisites for governing AI interactions from the DSPM-for-AI experience; they build on the shared **Global Requirements — Microsoft Purview Solutions** (licensing, least-privilege roles, Security & Compliance PowerShell + Graph toolchain, in-scope workloads, compliance/records/legal stakeholders, and a pilot scope with change control). Read the Global Requirements first; this guide does not repeat them.

> ***Determination note.*** *What AI usage is *acceptable*, which content must be *withheld* from AI, which risky patterns warrant review, and any regulatory applicability are* ***governance, compliance, privacy, and legal determinations*** *owned by those functions — not technical defaults. Insider-risk and communication-compliance* ***outcomes are deferred to HR/legal****. This solution provides the* ***configuration method and evidence****; confirm the intent and case-handling with the accountable owner.*

2.1 Licensing for DSPM for AI and the underlying controls

• **Description:** DSPM for AI has **free/included** visibility capabilities and **premium** capabilities

that require **Microsoft 365 E5** or the **E5 Compliance** add-on (advanced DLP, insider risk, communication compliance, Audit Premium). Microsoft 365 **Copilot** governance assumes Copilot is licensed. Some DSPM-for-AI capabilities are **in preview**. **Verify your licensing/tenant** — Microsoft's licensing tables and the preview notes are the authority; do not assume a capability is included.

• **Why required:** The recommended AI policies (DLP, insider risk, communication compliance) are plan-gated.

• **How to verify:** M365 admin center → subscriptions/add-ons; confirm the DSPM-for-AI experience and the

specific policy pages are available in the Purview portal (`IPRMS/AIHUB-Readiness.ps1` licensing signal).

• **How to implement if missing:** Assign/purchase the required plan for the pilot users before configuring.

2.2 Least-privilege roles for the AI-governance controls

• **Description:** The controls span several role groups: **Compliance Administrator / DLP** (the DLP

policy), **Insider Risk Management** roles (risky-AI-usage policy — with strict role separation), **Communication Compliance** roles (prompt/response detection), **Information Protection** (labels the

Copilot honors), and **Audit** roles (visibility). Assign the **least-privilege** role for each control to the person who owns it; reserve Global Administrator for where it is genuinely required.

- **Why required:** Each policy type is gated by its own role; insider-risk/communication-compliance

additionally require **role separation** for privacy.

- **How to verify:** Purview → **Roles & scopes / Permissions** confirms the memberships per control.
- **How to implement if missing:** Assign the least-privilege roles under change control; keep insider-risk/

communication-compliance roles separated from general admin.

2.3 Security & Compliance PowerShell + Graph toolchain

- **Description:** A workstation with **ExchangeOnlineManagement** (`Connect-IPPSSession` for the DLP and

audit cmdlets) and **Microsoft Graph PowerShell** (licensing/service signals), with a modern-auth / MFA-capable admin.

- **Why required:** The scriptable parts (audit enablement, the test-mode DLP policy, discovery, validation,

reporting) run through these.

- **How to verify:** `Connect-IPPSSession` then `Get-DlpCompliancePolicy` succeeds; `Connect-MgGraph`

succeeds for the SKU read.

- **How to implement if missing:** Install the modules; confirm modern-auth sign-in. See the Global Requirements.

2.4 Unified audit enabled (AI visibility depends on it)

- **Description: Unified audit logging** must be **enabled** so AI interactions (Copilot and more) are

captured and visible in DSPM-for-AI reports and available to eDiscovery.

- **Why required:** Without audit, there is no visibility into AI interactions — the foundation of the

whole solution.

- **How to verify:** `Get-AdminAuditLogConfig` shows `UnifiedAuditLogIngestionEnabled = True` (the provided

`AIHUB-Discovery.ps1` / `AIHUB-Readiness.ps1` report it); AI activities appear in the audit search.

- **How to implement if missing:** Enable it (`Set-AdminAuditLogConfig -UnifiedAuditLogIngestionEnabled

$true — the config helper does this gated behind -Commit`); allow ingestion latency before expecting data.

2.5 A sensitivity-label taxonomy that Copilot can honor

• **Description:** For label-based AI protection to mean anything, a **sensitivity-label taxonomy** (and,

for the withhold-from-AI control, a specific label such as `Highly Confidential`) must exist and be published. Copilot honors labels and their encryption — content the user isn't entitled to won't surface in AI answers, and labeled output stays labeled.

• **Why required:** The DLP "protect labeled content from AI" rule and the Copilot label-honoring behaviour

key off existing labels.

• **How to verify:** `Get-Label` returns the taxonomy including the label the DLP rule targets; labels are

published in a label policy.

• **How to implement if missing:** Build/publish the taxonomy first (the labels solution); return here once

the target label exists.

2.6 A pilot ring and the pilot-in-simulation commitment

• **Description:** A named **pilot ring** (`grp-ai-pilot@contoso.com`) to receive the DLP-for-AI policy and

detections **first**, and an explicit commitment that the DLP policy runs in **test/simulation** and the detections are validated before broad enforcement. DLP over AI is **high-impact** — simulation-first is mandatory.

• **Why required:** A DLP policy that withholds content from AI changes what Copilot can answer over;

simulation surfaces false positives before they block real work.

• **How to verify:** Confirm the pilot group, a change window, and an approver.

• **How to implement if missing:** Create the pilot group and agree change control before configuring anything.

2.7 Endpoint / browser onboarding for consumer-AI signals (if in scope)

• **Description:** To surface sensitive data going into **consumer AI sites** (e.g. ChatGPT via the browser),

target devices must be **onboarded** to endpoint DLP and the **Purview browser extension** installed on supported browsers. This is optional scope — include it if consumer-AI egress is a concern.

• **Why required:** Consumer-AI egress signals come from endpoint/browser telemetry, which requires onboarding.

• **How to verify:** Purview → **Settings** → **Device onboarding** shows onboarded devices; confirm the browser

extension deployment; **verify current browser/extension support for your tenant**.

• **How to implement if missing:** Onboard devices and deploy the extension before expecting consumer-AI

signals; this can follow the Copilot-governance pilot.

2.8 A privacy-by-design and case-handling decision (insider risk / communication compliance)

• **Description:** A decision, from your **HR, privacy, and legal** stakeholders, on how the risky-AI-usage insider-risk policy and the prompt/response communication-compliance policy are run — **pseudonymization** where applicable, **role separation**, who reviews, and how outcomes are handled. These are HR/privacy- sensitive controls.

• **Why required:** Insider-risk and communication-compliance data is sensitive; the configuration must be privacy-by-design and the **outcomes are HR/legal determinations**, not technical ones.

• **How to verify:** Confirm the review workflow, pseudonymization setting, role separation, and named reviewers with HR/privacy/legal.

• **How to implement if missing:** Get the privacy-by-design model and case-handling signed off before enabling the detections.

Global Requirements — Microsoft Purview Solutions

These requirements apply to **every** solution in the **Purview** category (implementing and managing Microsoft Purview, sensitivity & retention labels, DLP, data lifecycle & records, insider risk, communication compliance, audit, data security posture management, and data governance). Verify each before starting a solution's implementation steps.

> ***Vendor boundary (applies to every Purview solution).*** *The **Microsoft Purview portal** (purview.microsoft.com), the **Microsoft 365 admin center**, **Security & Compliance PowerShell** (`Connect-IPPSSession`), and **Microsoft Graph** are authored at exact, current click-by-click / cmdlet detail from Microsoft's public documentation. Microsoft Purview features are heavily **licensing-/plan-dependent** (many require **Microsoft 365 E5** or the **E5 Compliance** add-on; some are in preview) and the portal is **actively evolving** — capability availability and portal paths are **cited or flagged "verify your licensing/tenant"**, never asserted or invented. **Regulatory, records-retention, and legal determinations** (retention schedules, records file plans, legal holds, insider-risk case actions, regulatory applicability) are **deferred to the organization's compliance, records, privacy, and legal functions** — the solutions provide the technical configuration method and evidence, not the determination. Automation is **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets.*

1. Microsoft 365 tenant with the required Purview/compliance licensing

• **Description:** A Microsoft 365 tenant with the **compliance licensing** the capability requires (E3 for baseline; **E5 / E5 Compliance** for advanced DLP, auto-labeling, insider risk, communication compliance, Audit Premium, DSPM, etc.).

• **Why required:** Most Purview capabilities are plan-gated; the feature won't be available without the right plan.

• **How to verify:** In the M365 admin center confirm the subscription/add-ons; check the feature is visible in the Purview portal.

• **How to implement if missing:** Assign/purchase the required licensing before starting.

2. Purview roles (least-privilege) and portal access

• **Description:** Access with the least-privilege **Purview / compliance role** the solution names (e.g. Compliance Administrator, Compliance Data Administrator, Information Protection, Records Management, Insider Risk, eDiscovery, Audit roles), with Global Administrator only where required.

• **Why required:** Purview uses fine-grained role groups; configuration requires the matching role.

• **How to verify:** Purview portal → **Roles & scopes / Permissions** — confirm the role membership.

• **How to implement if missing:** Assign the least-privilege role group under change control.

3. Security & Compliance PowerShell + Graph toolchain

• **Description:** A workstation with **Security & Compliance PowerShell** (`Connect-IPPSSession` via the ExchangeOnlineManagement module) and **Microsoft Graph PowerShell**, modern-auth / MFA-capable admin.

• **Why required:** Configuration, automation, and the provided scripts run through these.

• **How to verify:** `Connect-IPPSSession` and `Connect-MgGraph` succeed with the admin account.

• **How to implement if missing:** Install the modules and confirm modern-auth sign-in before running steps.

4. Data sources & scope in scope

• **Description:** The **workloads and data sources** in scope (Exchange, SharePoint, OneDrive, Teams, endpoints/devices, and — for data governance — the broader data estate) and a **data-classification / sensitivity** intent to drive labels, DLP, and retention.

• **Why required:** Purview policies key off the in-scope workloads and the classification scheme.

• **How to verify:** Confirm the in-scope workloads and the classification/sensitivity approach with stakeholders.

• **How to implement if missing:** Define the scope and classification intent before authoring policies.

5. Compliance, records, privacy & legal stakeholders

• **Description:** Engagement with the **compliance, records-management, privacy, security, and legal** stakeholders whose policies the configuration must satisfy (retention schedules, records file plans, regulatory obligations, insider-risk and communication-compliance policy, legal hold).

• **Why required:** Purview configuration must align to enterprise policy and legal/records requirements, not technical defaults; several capabilities have HR/legal sensitivity.

• **How to verify:** Confirm the applicable policies, the records schedule, and named approvers.

• **How to implement if missing:** Identify the owners and capture the requirements before configuring.

6. A pilot scope and change control

• **Description:** A **pilot scope** (users/sites/policies in simulation or a limited ring) to validate on before tenant-wide enforcement, and a **change-control** process — most Purview policies support a **simulation / test / disabled** mode that MUST be used before enforcement.

• **Why required:** Every solution follows an **Assess → Design → Configure → Pilot (simulate) → Validate → Expand (enforce)** model; DLP, labels, retention, and insider-risk changes are high-impact.

• **How to verify:** Confirm a named pilot scope, that simulation/test mode is available, and a change window/approval path.

• **How to implement if missing:** Define the pilot and agree change control before enforcing anything.

*The deployment model across every Purview solution is the same: **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce)**, with explicit pass/fail gates and a documented rollback. Automation is delivered as **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets. Regulatory/records/legal determinations are deferred to the relevant governance functions.*

3. Implementation Guide — Purview AI Hub Governance (DSPM for AI), Microsoft Purview

Follow these steps in order. This guide assesses AI-governance readiness, turns on visibility, applies the recommended protective policies — with the **DLP-for-AI policy piloted in test/simulation** and the insider-risk / communication-compliance detections configured via the portal one-click recommendations — validates, then expands. Artifact names are fixed — use the exact names in §1. **DLP over AI is high-impact, so the DLP policy runs in TEST/simulation on a pilot ring first.** Scriptable writes default to `-WhatIf`; add `-Commit` to apply.

> *Model: **Assess** → **Design** → **Configure** → **Pilot (simulate)** → **Validate** → **Expand (enforce).** DSPM for AI is new and partly **preview** — verify current portal paths, policy names, audit record types, licensing, and onboarding/extension support for your tenant as you go; nothing here is invented. Insider-risk and communication-compliance **outcomes are deferred to HR/legal**.*

Step 1 — Assess current state (read-only)

1. Run `AIHUB-Discovery.ps1`. It reports whether **unified audit** is enabled, whether **AI-interaction activity (Copilot and related record types) is present in the audit log, which** sensitivity labels **exist (that Copilot can honor), any existing** DLP policies** and their mode, and endpoint/extension readiness

signals. No changes are made.

1. In the Purview portal open **DSPM for AI** and review the **Overview / recommendations** and **Activity

explorer / reports** — note which recommended policies are already in place and which are recommended.

1. Record gaps against the Requirements checklist. Do **not** proceed past: audit disabled, missing roles,

no target label, or no pilot/privacy decision — remediate first.

Step 2 — Turn on AI visibility (audit)

1. Ensure unified audit is enabled (Req 2.4). If not, `AIHUB-Config.ps1 -EnableAudit -WhatIf`, review, then

`-Commit` (runs `Set-AdminAuditLogConfig -UnifiedAuditLogIngestionEnabled $true`). Allow ingestion latency before expecting AI activity.

1. In DSPM for AI, confirm the **Activity explorer / AI reports** begin to populate for pilot users' AI

interactions. **Pass/fail:** `AIHUB-Discovery.ps1` shows audit enabled and AI-interaction events appear over time.

Step 3 — Design the AI-governance policy set

1. With the accountable owner, decide: which **label** Copilot must honor and which label's content must be

withheld from AI (the DLP target — e.g. `Highly Confidential`); which **risky AI patterns** the insider-risk / communication-compliance detections should flag; whether **consumer-AI egress** (endpoint/browser) is in scope (Req 2.7); and the **privacy-by-design** model for the HR-sensitive detections (Req 2.8).

Step 4 — Confirm Copilot honors sensitivity labels

1. Confirm the target labels exist and are published (Req 2.5). Copilot honors labels and their encryption

natively — a user only gets AI answers over content they are entitled to, and labeled content's protection is respected.

1. **Pass/fail:** as a pilot user, confirm Copilot does **not** surface content the user isn't entitled to,

and that summarizing labeled/encrypted content behaves per the label's rights (validated in Testing).

Step 5 — Configure the DLP-for-AI policy in TEST/simulation (pilot ring)

1. Create the protective DLP policy in **test/simulation**, scoped to the pilot ring:

`AIHUB-Config.ps1 -CreateDlpForAI -PolicyName "AI-DLP-ProtectLabeled-Sim" -RuleName "AI-DLP-Rule-HighlyConfidential" -TargetLabel "Highly Confidential" -PilotGroup "grp-ai-pilot@contoso.com" -WhatIf`. It shows the

`New-DlpCompliancePolicy` (**Mode = TestWithoutNotifications**) and `New-DlpComplianceRule` (condition: content labeled `Highly Confidential`) it would create — **without making changes**. Review, then `-Commit`.

1. **The AI/Copilot-specific scope and action are configured/confirmed in the portal.** The exact DLP

location/action that governs AI/Copilot processing is **portal-driven and evolving** — after creating the policy, open it in **DSPM for AI** → **Policies / DLP** and confirm the AI scope and the protect action. **Verify the current AI DLP action for your tenant**; the script creates the policy in test mode and flags this.

1. **Pass/fail:** `Get-DlpCompliancePolicy "AI-DLP-ProtectLabeled-Sim"` shows **Mode = Test*** (never

Enable during pilot) scoped to the pilot ring. **Rollback:** `AIHUB-Config.ps1 -SetDlpMode -PolicyName … -Mode TestWithoutNotifications -Commit` (or `Remove-DlpCompliancePolicy`).

Step 6 — Configure the recommended insider-risk and communication-compliance detections (portal)

1. In **DSPM for AI** → **Recommendations**, turn on the recommended **insider-risk** policy for risky AI usage

(name it `AI-IRM-RiskyAIUsage`) and the **communication-compliance** policy for prompts/responses (`AI-CC-PromptResponse`). Configure them **privacy-by-design**: pseudonymization where applicable, strict **role separation**, and the named reviewers agreed in Req 2.8.

1. These are **portal-configured** (PowerShell coverage is limited) — follow the portal wizard. **Outcomes

are deferred to HR/legal**: you are enabling detection and review, not deciding cases.

1. **Pass/fail:** the policies appear enabled in their respective solutions with the agreed privacy settings;

`AIHUB-Discovery.ps1` notes their presence where readable.

Step 7 — (Optional) Configure consumer-AI egress signals (endpoint/browser)

1. If in scope (Req 2.7): confirm devices are onboarded and the Purview **browser extension** is deployed,

then enable the recommended endpoint/browser signals in DSPM for AI to surface sensitive data going into **consumer AI sites**. Keep any blocking action in **audit/simulation** first.

1. **Verify current browser/extension support for your tenant. Pass/fail:** consumer-AI activity begins

to surface in the reports for onboarded pilot devices.

Step 8 — Validate on the pilot

1. Run `AIHUB-Validation.ps1` (read-only): confirms audit enabled, the DLP policy is in **Test** (not Enable),

scoped to the pilot ring, and the target label exists.

1. Complete the Testing Guide: AI interactions are visible; Copilot honors labels; the DLP policy **simulates**

matches on labeled content **without blocking**; the detections raise reviewable signals (privacy-by-design); consumer-AI egress surfaces if in scope.

1. **Gate:** visibility works, Copilot honors labels, the DLP policy simulates cleanly (acceptable false-

positive rate), and detections/reports work — before enforcing or widening scope.

Step 9 — Expand and enforce

1. Once the pilot passes and the DLP false-positive rate is acceptable, move the DLP policy from **test** to

enforce for the pilot ring first, then widen scope: `AIHUB-Config.ps1 -SetDlpMode -PolicyName "AI-DLP-ProtectLabeled-Sim" -Mode Enable -WhatIf` then `-Commit`. Widen the insider-risk/communication- compliance scope per the agreed rollout.

1. **Gate:** re-validate after each scope increase (`AIHUB-Validation.ps1`); confirm a documented rollback

(set DLP back to test / disable a policy) per control.

Step 10 — Operate: reports, review, and evidence

1. Run `AIHUB-Report.ps1 -CsvFolder <path>` to export **AI-interaction activity** and the **DLP-for-AI match

summary** as evidence for the governance owner.

1. Run `AIHUB-Readiness.ps1` on a cadence to catch **audit turned off, a DLP-for-AI policy left in test after

expansion (or flipped to enforce prematurely), missing onboarding, or licensing/preview changes**.

1. Operate the insider-risk / communication-compliance **review** with role separation; **case outcomes are

HR/legal determinations** — this solution provides the detections and evidence, not the decisions.

Order of operations

`Assess → Enable audit (visibility) → Design the policy set → Confirm Copilot honors labels → DLP-for-AI in TEST on the pilot ring → Insider-risk + communication-compliance detections (portal, privacy-by-design) → (optional) consumer-AI egress signals → Validate → Expand/enforce → Operate (reports, review, evidence)`

5. Testing & Validation Guide — Purview AI Hub Governance (DSPM for AI)

Run these tests after the Implementation Guide, **in order**. Each has an explicit **pass/fail** signal and a rollback. Do not enforce the DLP-for-AI policy or widen scope until the relevant tests pass — because DLP over AI is high-impact, the **test/simulation pilot** is your safety gate. Checks use the Purview portal (DSPM for AI), Security & Compliance PowerShell, and Graph; the provided scripts automate the read-only ones.

> ***Reminder:*** *you are validating that AI governance *behaves as designed* (visibility on, labels honored, DLP simulates without blocking, detections raise reviewable signals) — not deciding *what AI usage is acceptable* or *adjudicating cases*; those are governance/HR/legal determinations from §2.*

Test 1 — AI visibility is on

- **How:** `AIHUB-Discovery.ps1` (or `Get-AdminAuditLogConfig`), then DSPM for AI → Activity explorer/reports.
- **Pass:** unified audit is enabled and AI-interaction activity (Copilot and related) appears for pilot

users (allow ingestion latency).

- **Fail:** audit off → `AIHUB-Config.ps1 -EnableAudit -Commit`; no activity → allow latency, confirm pilot

users are actually using AI, and **verify the current AI audit record types for your tenant**.

Test 2 — Copilot honors sensitivity labels (entitlement)

- **How:** as a pilot user, ask Copilot to summarize/return content the user is **not** entitled to (labeled/

encrypted content outside their rights).

- **Pass:** Copilot does **not** surface content the user isn't entitled to; labeled output retains its label/

protection.

- **Fail:** Copilot surfaces content the user shouldn't see → confirm the labels are published and the content

is actually labeled/encrypted (Req 2.5); **verify current Copilot label-honoring behaviour for your tenant.**

Test 3 — The DLP-for-AI policy is in simulation (never enforcing during pilot)

- **How:** `AIHUB-Validation.ps1` (or `Get-DlpCompliancePolicy "AI-DLP-ProtectLabeled-Sim"`).
- **Pass:** the policy **Mode** is a **Test*** (simulation) mode — it is **not** `Enable` — and it is scoped

to `grp-ai-pilot@contoso.com` only.

- **Fail:** the policy is `Enable` during the pilot → set it back to test immediately (`AIHUB-Config.ps1

-SetDlpMode -Mode TestWithoutNotifications -Commit`); a training/pilot DLP policy must never enforce.

Test 4 — The DLP-for-AI policy simulates matches on the right content

- **How:** with pilot content labeled `Highly Confidential`, exercise the AI flow the policy governs; review

the simulation matches in the portal and via `AIHUB-Report.ps1`.

- **Pass:** the policy **matches** the labeled content in simulation (a would-be protect action is recorded)

without blocking real work; ordinary content is not matched.

- **Fail (false negatives):** labeled content isn't matched → confirm the rule condition targets the correct

label and the AI scope/action is set in the portal (Step 5). **Fail (false positives):** ordinary content matches → tighten the condition and re-simulate.

Test 5 — Risky-AI detections raise reviewable signals (privacy-by-design)

- **How:** in Insider Risk Management and Communication Compliance, confirm `AI-IRM-RiskyAIUsage` and

`AI-CC-PromptResponse` are enabled and generate reviewable signals for the pilot; confirm pseudonymization and role separation are applied.

- **Pass:** the detections produce signals a designated reviewer can triage, with the agreed privacy settings;

reviewers are role-separated from general admin.

- **Fail:** no signals (confirm the policy scope/conditions) or privacy settings not applied (correct per

Req 2.8). **Outcomes are HR/legal determinations** — you are validating detection, not adjudicating.

Test 6 — (If in scope) consumer-AI egress is surfaced

- **How:** on an onboarded pilot device with the Purview browser extension, paste sample sensitive content

into a consumer AI site; review DSPM-for-AI / endpoint reports.

- **Pass:** the activity is surfaced in the reports (in audit/simulation) for the onboarded device.

- **Fail:** nothing surfaces → confirm device onboarding and extension deployment (Req 2.7); **verify current

browser/extension support for your tenant.**

Test 7 — Enforcement change is deliberate and reversible

- **How:** after the pilot passes, move the DLP policy to `Enable` for the pilot ring

(`AIHUB-Config.ps1 -SetDlpMode -Mode Enable -Commit`) and confirm with `AIHUB-Validation.ps1`.

- **Pass:** the policy enforces only for the intended scope; a documented rollback (set back to test / disable)

is confirmed.

• **Fail:** enforcement leaked beyond the intended scope → correct the scope and re-validate before widening.

Test 8 — Reports and evidence are complete

• **How:** `AIHUB-Report.ps1 -CsvFolder <path>`; review the exported AI-interaction activity and DLP-for-AI

match summary.

• **Pass:** the report reflects AI interactions and DLP simulation/enforcement matches for the pilot scope —

the evidence the governance owner needs.

• **Fail:** a gap → confirm audit/latency and the policy scope, then re-export.

Exit criteria (all must be true before enforcing / widening scope)

`AI visibility on · Copilot honors labels · DLP-for-AI in simulation (never Enable) during pilot · DLP simulates the right matches, acceptable false-positive rate · risky-AI detections raise reviewable signals (privacy-by-design, role-separated) · consumer-AI egress surfaced if in scope · enforcement deliberate and reversible · reports/evidence complete · outcomes deferred to HR/legal`

6. Troubleshooting Guide — Purview AI Hub Governance (DSPM for AI)

Symptom → likely root cause → fix. Use `AIHUB-Discovery.ps1` (posture), `AIHUB-Readiness.ps1` (licensing / audit / pilot sanity), `AIHUB-Validation.ps1` (audit + DLP mode/scope), and `AIHUB-Report.ps1` (AI activity + DLP matches) to confirm before and after each fix. DSPM for AI is **new, partly preview, and evolving** — portal paths, policy names, and audit record types change, and much of the experience is **portal-driven**; where flagged, **verify against current Microsoft guidance / your tenant** rather than assuming. The DSPM-for-AI portal reports are the authoritative view; the scripts supplement them.

A. Visibility / setup

No AI-interaction activity appears

• **Audit disabled.** AI visibility depends on unified audit. **Fix:** `AIHUB-Readiness.ps1`; if off,

`AIHUB-Config.ps1 -EnableAudit -Commit` (Req 2.4); allow ingestion latency.

• **No AI usage yet / record type differs. Fix:** confirm pilot users are actually using AI; the AI

audit **record type/operations evolve** — **verify the current AI record type for your tenant** and widen the report window (`AIHUB-Report.ps1 -Days 30`).

The DSPM-for-AI experience or a recommended policy isn't available

- **Licensing / preview.** Some capabilities need E5 / E5 Compliance and some are **in preview**. **Fix:**

`AIHUB-Readiness.ps1` licensing signal; confirm the plan and the capability's preview status — **verify your licensing/tenant**.

B. Copilot / label protection

Copilot surfaces content the user shouldn't see

- **Content not labeled/encrypted, or labels not published.** Copilot honors labels/encryption only where

they're applied. **Fix:** confirm the content is actually labeled and the labels are published (Req 2.5); **verify current Copilot label-honoring behaviour for your tenant** (Test 2).

Labeled output loses its label after AI processing

- **Label inheritance gap. Fix:** confirm the label policy and Copilot integration; **verify current

behaviour** — this area evolves.

C. DLP-for-AI policy

The DLP-for-AI policy isn't matching labeled content in simulation

- **Rule condition wrong, or AI scope/action not set in the portal. Fix:** confirm the rule targets the

correct sensitivity label; then open the policy in **DSPM for AI** and confirm the **AI/Copilot scope + protect action** — this part is **portal-driven and evolving**, so the scripted skeleton alone won't match. **Verify the current AI DLP action for your tenant** (Step 5).

The DLP-for-AI policy is blocking real work

- **Enforcing during the pilot, or matching too broadly. Fix:** `AIHUB-Validation.ps1` — if `Mode` is

`Enable` during the pilot, set it back to test immediately (`AIHUB-Config.ps1 -SetDlpMode -Mode TestWithoutNotifications -Commit`); if the condition is too broad, tighten it and re-simulate. A pilot DLP-for-AI policy must **never** enforce.

Enforcement leaked beyond the pilot ring

- **Scope too wide. Fix:** confirm the policy scope targets `grp-ai-pilot@contoso.com` only (portal);

correct and re-validate before widening.

D. Insider-risk / communication-compliance detections

No risky-AI signals are generated

- **Policy not enabled / conditions not met / roles. Fix:** confirm `AI-IRM-RiskyAIUsage` and

`AI-CC-PromptResponse` are enabled in their solutions with the intended scope; confirm the reviewer holds the right role. These are **portal-configured** (limited cmdlets).

Privacy settings aren't applied (pseudonymization / role separation)

- **Configured without privacy-by-design. Fix:** re-configure per Req 2.8 — turn on pseudonymization

where applicable and separate reviewer roles from general admin. **Outcomes are HR/legal determinations** — you configure detection and review, not the case decision.

E. Consumer-AI egress

Sensitive data pasted into consumer AI sites isn't surfaced

- **Devices not onboarded / extension missing. Fix:** confirm device onboarding and the Purview browser

extension deployment (Req 2.7); **verify current browser/extension support for your tenant** (Test 6).

F. Drift / operations

Audit, a policy, or a detection changed unexpectedly

- **Config drift, or a preview capability changed. Fix:** run `AIHUB-Discovery.ps1` / `AIHUB-Readiness.ps1`

on a cadence; reconcile audit state, DLP-for-AI mode/scope, and the detections against the signed-off design; re-check the DSPM-for-AI recommendations for new/changed items.

A DLP-for-AI policy is stranded in test after expansion (or enforcing prematurely)

- **Rollout not completed / enforced too early. Fix:** `AIHUB-Readiness.ps1` flags a pilot/sim-named

policy in the wrong mode; move it deliberately (`AIHUB-Config.ps1 -SetDlpMode …`) once the pilot passes, and re-validate.

Escalation checklist

1. `AIHUB-Readiness.ps1` — licensing signal, audit on, DLP-for-AI in the right mode, onboarding/preview reminders?
2. `AIHUB-Discovery.ps1` — is AI activity appearing? do labels exist? is there an AI/Copilot DLP policy?
3. `AIHUB-Validation.ps1` — audit on, DLP in Test (never Enable during pilot), scoped to the pilot ring, target label present?
4. Portal (DSPM for AI) — Copilot honors labels, the AI DLP scope/action is set, and the insider-risk/comms-compliance detections are enabled privacy-by-design?
5. Still stuck → capture the exact behaviour and **verify the current Microsoft DSPM-for-AI guidance / your

tenant** (portal paths, policy names, audit record types, preview status) before a broad change. What AI usage is acceptable, which content is withheld from AI, and case outcomes remain governance/HR/legal determinations — this guide fixes the *technical configuration*, not the *decision*.

7. Best Practices — Purview AI Hub Governance (DSPM for AI)

Field-tested practices for governing AI usage from DSPM for AI — getting visibility and control **without breaking legitimate AI productivity** and **without over-collecting** in HR-sensitive areas. These complement the Implementation and Testing guides.

Start with visibility, then control

- **See before you block.** Turn on audit and read the DSPM-for-AI reports **first**. Understand which AI

apps are used and whether sensitive data appears before you enforce anything — visibility is cheap and reversible; enforcement is not.

- **Let labels do the heavy lifting.** Copilot honors sensitivity labels and encryption natively. A good

label taxonomy already keeps AI from surfacing content users aren't entitled to — invest there before adding AI-specific DLP.

- **Withhold from AI only what truly must be.** Keeping content out of AI processing is powerful but reduces

AI usefulness. Reserve the DLP-for-AI "protect labeled content" control for the **most sensitive** label (e.g. `Highly Confidential`), not broadly.

Rollout discipline (DLP over AI is high-impact — simulate first)

- **Simulation is mandatory, not optional.** A DLP-for-AI policy runs in **TestWithoutNotifications** on the

pilot ring until the match quality is proven. `AIHUB-Validation.ps1` asserts the policy is **not** `Enable` during the pilot — treat any `Enable` during pilot as a stop-and-fix.

- `-WhatIf` **before every commit.** The scriptable writes (audit enablement, the DLP policy, mode changes)

preview with `-WhatIf` and change nothing until `-Commit`. Read the preview.

- **Enforce the pilot ring first, then widen.** Move to `Enable` for `grp-ai-pilot@contoso.com` before the

broad scope, and re-validate after each increase.

- **Verify the AI DLP action in the portal.** The exact DLP location/action that governs AI/Copilot is

portal-driven and evolving — confirm it in DSPM for AI after creating the policy; **verify the current action for your tenant**. Don't assume a scripted skeleton is the whole control.

Privacy-by-design for the HR-sensitive detections

- **Pseudonymize and separate roles.** Insider-risk and communication-compliance data is sensitive. Turn on

pseudonymization where applicable and keep reviewer roles **separated** from general admin — enforce this in configuration, not just policy.

- **Detection is not adjudication.** These policies raise **reviewable signals**; the **outcome** (is this a

violation? what action?) is an **HR/legal determination**. Build the review workflow with HR/legal and keep the decision with them.

- **Minimize collection.** Scope the detections to the risky patterns that matter; don't collect everything

because you can.

Operating the program

- **Re-baseline on a cadence.** DSPM for AI is **new and evolving** — new AI apps, new record types, and

changed portal paths appear. Run `AIHUB-Discovery.ps1` / `AIHUB-Report.ps1` regularly and re-check the DSPM-for-AI recommendations.

- **Watch for drift.** `AIHUB-Readiness.ps1` flags audit turned off, a DLP-for-AI policy stranded in test after

expansion (or flipped to enforce prematurely), missing onboarding, or a licensing/preview change.

- **Document a rollback per control.** Each control is reversible: set DLP back to test, disable a detection,

turn a signal off. Know the exact command/portal step before you enforce.

- **Communicate before you restrict.** Surprise AI restrictions generate tickets and shadow-AI. Tell users what

is changing and why before enforcing.

Security & safety hygiene

- **No credentials in code.** Scripts authenticate interactively via `Connect-IPPSSession` / `Connect-MgGraph`;

never embed secrets. Store exported evidence securely — it may describe sensitive AI usage.

- **Read-only or `-WhatIf` by default.** Discovery/validation/reporting/readiness scripts are read-only; the

config script defaults to `-WhatIf` and requires `-Commit` for any write. Keep it that way.

- **Verify licensing/preview/tenant before relying on a capability.** DSPM for AI mixes free, premium, and

preview features and the portal evolves — flag, don't assume; don't invent portal paths, policy names, or audit record types.

8. Deliverables Summary — Purview AI Hub Governance (DSPM for AI), Microsoft Purview

What you receive

A complete, self-guided package to govern AI interactions from the **DSPM-for-AI** experience in Microsoft Purview — visibility into AI usage, sensitivity-label protection Copilot honors, a **DLP-for-AI policy piloted in test/simulation**, and the recommended **insider-risk / communication-compliance** detections for risky AI usage — piloted on a ring, validated, then enforced, using the Purview portal, Security & Compliance PowerShell, and Microsoft Graph.

Documentation

Document	What it gives you
Solution Overview	The DSPM-for-AI levers (visibility/audit, label protection for Copilot, DLP-for-AI, insider-risk/communication-compliance detections, endpoint/browser signals), the naming convention, and the deployment model — with the preview/evolving caveats.
Requirements Guide	Solution-specific prerequisites (DSPM-for-AI/E5 licensing, least-privilege roles per control, S&C PowerShell + Graph, unified audit enabled, a label taxonomy Copilot can honor, a pilot ring + simulation commitment, optional endpoint/browser onboarding, and a privacy-by-design/case-handling decision) on top of the Purview Global Requirements.
Implementation Guide	Ordered steps: assess → enable audit (visibility) → design the policy set → confirm Copilot honors labels → DLP-for-AI in **test** on the pilot ring → insider-risk + communication-compliance detections (portal, privacy-by-design) → optional consumer-AI egress signals → validate → expand/enforce → operate. Each step named, gated, reversible; `-WhatIf`/simulation first.
Testing & Validation Guide	8 pass/fail tests — visibility on, Copilot honors labels, DLP in simulation (never Enable), DLP simulates the right matches, risky-AI detections raise reviewable signals, consumer-AI egress surfaced, enforcement deliberate/reversible, and reports complete.
Best Practices	Visibility-before-control, simulate-first rollout discipline, privacy-by-design for HR-sensitive detections, operating the program, and safety guidance.
Troubleshooting Guide	The common failure modes (no AI activity, Copilot surfaces content it shouldn't, DLP not matching or blocking too much, detections silent, consumer-AI not surfacing, preview/portal drift) with resolutions.

PowerShell tools (5)

All run through `Connect-IPPSSession` (Security & Compliance PowerShell) and/or `Connect-MgGraph`; read-only or `-WhatIf` by default, writes gated behind `-Commit`. No credentials in code. Much of DSPM for AI is **portal-driven** — the scripts cover what is reliably scriptable and point to the portal for the rest; no cmdlets are invented.

Script	Role	Default
`AIHUB-Discovery.ps1`	**Posture assessment** — report unified-audit state, presence of AI-interaction activity in the audit log, the sensitivity-label taxonomy (that Copilot honors), existing DLP policies + mode, and endpoint/extension readiness signals.	Read-only
`AIHUB-Config.ps1`	**Configuration / remediation helper** — enable unified audit, create the DLP-for-AI policy in **TestWithoutNotifications** scoped to the pilot ring (condition: a target label), and change a DLP policy's mode (test ↔ enforce). Portal one-click detections (insider risk / comms compliance) are flagged with exact portal steps.	`-WhatIf`
`AIHUB-Validation.ps1`	**Effective-settings validation** — confirm audit enabled, the DLP-for-AI policy is in a **Test** mode (never Enable during pilot), scoped to the pilot ring, and the target label exists.	Read-only
`AIHUB-Report.ps1`	**Activity / evidence** — export AI-interaction activity from the audit log and the DLP-for-AI match summary over N days to CSV.	Read-only
`AIHUB-Readiness.ps1`	**Scope/health helper** — licensing signal, audit on, endpoint/extension onboarding reminder, DLP-for-AI pilot-scope sanity (stranded-in-test or premature-enforce), and preview flag.	Read-only

Outcomes

- **Visibility** into AI usage across the tenant, captured and reportable as evidence.

• **Sensitivity-label protection** Copilot honors, plus a **DLP-for-AI** control that keeps the most sensitive labeled content out of AI — piloted in **simulation** before enforcement.

• **Risky-AI detections** (insider risk / communication compliance) configured **privacy-by-design** with role separation — raising reviewable signals, outcomes deferred to HR/legal.

• Optional **consumer-AI egress** signals for onboarded devices.

• Repeatable read-only tooling to report AI activity and catch drift over time.

Explicitly out of scope (deferred)

• **What AI usage is acceptable, which content must be withheld from AI, and case adjudication** — governance/compliance/privacy/legal and HR determinations; this solution provides the detection method, configuration, and evidence, not the decisions.

• **The label taxonomy, broad DLP program, full insider-risk / communication-compliance programs, and eDiscovery **— assumed to exist or covered by separate Purview solutions; this solution configures the** AI-specific** governance over them.

• Any capability your **licensing/tenant** does not include or that is **in preview** — verify before relying on it; DSPM for AI is new and evolving.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

AIHUB-Config.ps1

AIHUB-Discovery.ps1

AIHUB-Readiness.ps1

AIHUB-Report.ps1

AIHUB-Validation.ps1