Microsoft Purview for Legal

Implementation Solution Guide

Version 1.0.0 · 2026-07-07

Contents

Executive Summary — Microsoft Purview for Legal 5

The problem . . . 5

The solution . . . 5

What you get . . . 5

Approach . . . 5

Boundaries . . . 6

The bottom line . . . 6

1. Solution Overview — Microsoft Purview for Legal 6

What this solution is . . . 6

Why this matters . . . 6

How it works . . . 7

The control stack this solution curates . . . 7

What you can control . . . 8

Limitations (be honest with buyers) . . . 8

Naming convention (used in every doc and script) . . . 9

The standard deployment model . . . 9

2. Requirements Guide — Microsoft Purview for Legal 9

2.1 Compliance licensing for labels, DLP, retention, and audit evidence . . . 10

2.2 Least-privilege roles for each control domain . . . 10

2.3 Security & Compliance PowerShell + Graph toolchain . . . 10

2.4 In-scope legal population, matters, workloads, and channels . . . 11

2.5 The obligation-to-control map, privilege scope, and records schedule (from legal/records) . . . 11

2.6 DLP simulation, encryption, and disclosure preconditions . . . 11

2.7 Unified audit logging on, and an evidence-retention requirement . . . 11

2.8 A pilot scope, simulation/test mode, and change control . . . 12

Global Requirements — Microsoft Purview Solutions 12

1. Microsoft 365 tenant with the required Purview/compliance licensing . . . 12

2. Purview roles (least-privilege) and portal access . . . 13

3. Security & Compliance PowerShell + Graph toolchain . . . 13

4. Data sources & scope in scope . . . 13

5. Compliance, records, privacy & legal stakeholders . . . 13

6. A pilot scope and change control . . . 14

3. Implementation Guide — Microsoft Purview for Legal 14

Step 1 — Assess current controls and licensing (Assess) . . . 14

Step 2 — Design the obligation-to-control map (Design) . . . 15

Step 3 — Configure the sensitivity labels (Configure → Pilot) . . . 15
Step 4 — Configure the DLP control — IN SIMULATION (Configure → Pilot) . . . 16
Step 5 — Configure the matter-records retention control (Configure → Pilot) . . . 16
Step 6 — Configure the audit-evidence control (Configure) . . . 17
Step 7 — Track the program in Compliance Manager (Configure, in-portal) . . . 17
Step 8 — Validate the controls and generate evidence (Validate) . . . 17
Step 9 — Expand to enforcement and operationalize (Expand) . . . 17
5. Testing & Validation — Microsoft Purview for Legal 18
Gate 1 — Compliance licensing present for each control . . . 18
Gate 2 — Sensitivity labels published to the pilot . . . 18
Gate 3 — Privileged label encrypts as designed . . . 19
Gate 4 — DLP policy exists IN SIMULATION and matches correctly . . . 19
Gate 5 — Matter-records retention applies and preserves (pilot, non-regulatory first) . . . 19
Gate 6 — Regulatory-records behavior confirmed (only if the schedule requires, post sign-off) . . . 19
Gate 7 — Disposition review configured (where required) . . . 19
Gate 8 — Unified audit on and evidence policy present . . . 20
Gate 9 — Legal-hold coverage is visible (read-only reference) . . . 20
Gate 10 — Control map and evidence binder generated . . . 20
Gate 11 — Validation scorecard is green (pilot) . . . 20
Evidence to retain . . . 20
6. Troubleshooting — Microsoft Purview for Legal 21
A capability is missing from the portal or a cmdlet errors "not recognized" . . . 21
Sensitivity labels don't appear for pilot users . . . 21
The privileged label doesn't encrypt, or encrypts the wrong people out . . . 21
DLP is over-matching — it flags legitimate legal sharing . . . 22
DLP appears to "do nothing" . . . 22
Matter-records retention isn't preserving content . . . 22
A regulatory-records label can't be removed or shortened . . . 22
Disposal happened (or is about to) on content legal needs held . . . 23
Audit shows no evidence / `Get-AdminAuditLogConfig` unavailable . . . 23
"Which cmdlet / which endpoint?" confusion . . . 23
The evidence binder has gaps (MISSING/REVIEW rows) . . . 23
Validation scorecard is red after changes . . . 23
7. Best Practices — A Defensible Legal Program on Microsoft Purview 24
Stay in your lane: configure the control, defer the determination . . . 24
Legal holds and eDiscovery are legal's — provide the method, not the decision . . . 24

Always pilot DLP in simulation — enforcement blind is worse than nothing . . . 24
Treat encryption labels — and regulatory records — as one-way doors . . . 24
Protection is (mostly) not retroactive . . . 25
Make evidence a first-class deliverable . . . 25
Audit is the evidence layer — keep it on and retained . . . 25
Least-privilege everywhere, and keep eDiscovery with legal . . . 25
Pilot every change, keep a rollback (except where you can't) . . . 25
Operate it as a program, not a project . . . 25
8. Deliverables Summary — Microsoft Purview for Legal 26
Documentation . . . 26
PowerShell tools (5) . . . 27
Named artifacts created . . . 28
Definition of done . . . 28
Appendix A — PowerShell Scripts 30

Executive Summary — Microsoft Purview for Legal

The problem

A law firm or corporate legal department holds the tenant's most sensitive concentration of material: **attorney-client privileged** content and **matter records** carrying retention, records, and legal-hold obligations. Generic tenant configuration does not fit that reality — privilege is inadvertently disclosed by a mis-sent email or mislabeled file, matter content is under- or over-retained, and there is no evidence that any control is actually in place. Left unaddressed, that is both a compliance gap and a data-risk exposure, and it surfaces at the worst possible moment: during a matter or an audit.

The solution

A complete, self-guided **Legal-tailored program** built on **Microsoft Purview** — one that *curates and sequences* the granular Purview capabilities for a legal organization rather than re-teaching each one. It maps the in-scope obligations to four configured Purview controls — **sensitivity labels** (privileged and matter-confidential, with encryption), **DLP** (preventing inadvertent disclosure of privileged material across email, SharePoint, OneDrive, Teams and endpoints), **retention & records** (matter-based retention plus governed disposition), and **Audit** (the evidence trail) — tracks them in **Compliance Manager**, **pilots the high-impact ones in simulation/test/disabled mode**, validates them, and produces an **evidence binder** (control → configuration → proof) you can hand to an auditor or produce in a matter. Five safe-by-default PowerShell tools (read-only or `-WhatIf` until you commit) do the assessment, scoping, configuration, validation, and evidence reporting.

What you get

- **An obligation-to-control register** — every in-scope obligation mapped to the Purview object that implements it, with the required behavior and a named approver.
- **Privilege protection** — an encrypted sensitivity label for privileged content and a matter-confidential label, published to the legal population, with encryption scoped to legal's approved design.
- **Inadvertent-disclosure prevention, simulation-first** — a DLP policy built **in simulation** across email/SharePoint/OneDrive/Teams/Endpoint, its matches reviewed and tuned before a single block, then enforced under sign-off.
- **A governed matter-records lifecycle** — matter-based retention piloted with a non-regulatory label first, with disposition review where the schedule requires, and legal-hold coordination (hold decisions stay legal's).
- **An audit-ready evidence binder** — control → configuration → proof, regenerated on a cadence so it is always current.

Approach

Delivery follows a disciplined, reversible model — **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce)** — piloting every high-impact control on a limited scope before enforcement, with pass/fail gates and documented rollback. DLP is validated **in simulation** before it ever blocks; the irreversible **regulatory-records** label is gated hardest of all, applied only under explicit

legal/records sign-off.

Boundaries

Microsoft Purview is **licensing-/plan-dependent** (encryption labels, Teams/Endpoint DLP, records/regulatory records, and Audit Premium require E5 or the E5 Compliance add-on) and the portal is **actively evolving** — capabilities and paths are cited or flagged **"verify your licensing/tenant,"** never assumed. Above all: **what is privileged, how matters map, retention adequacy, disposition triggers, and whether a matter is under legal hold are deferred to your legal, records, and compliance functions** — this solution provides the technical control and the evidence, not the determination. **Legal holds and eDiscovery case actions remain the legal function's; this program references the method read-only and never creates or releases a hold.**

The bottom line

A Legal program that is **configured, piloted, validated, and evidenced** in Microsoft Purview — so when privilege must be protected, a matter's records produced, or a control shown to an auditor, the capability is already in place and defensible.

1. Solution Overview — Microsoft Purview for Legal

What this solution is

A law firm or a corporate legal department holds two things nobody else in the tenant holds in the same concentration: **attorney-client privileged material** and **matter records** that carry retention, records, and legal-hold obligations. Generic tenant configuration does not fit that reality — privilege is inadvertently disclosed, matter content is under- or over-retained, and there is no evidence that any control is actually in place. This solution is a **Legal-tailored Purview program** that *curates and sequences* the granular Purview capabilities for a legal organization rather than re-teaching each one: it stands up (1) **sensitivity labels** for privileged and matter-confidential content — with encryption; (2) **DLP** to prevent the inadvertent disclosure of privileged material across email, SharePoint, OneDrive, Teams and endpoints — **piloted in simulation**; (3) **retention & records** for the matter lifecycle (matter-based retention, disposition review, and legal-hold *coordination*) plus an **audit-evidence** trail; and (4) tracks the whole thing in **Compliance Manager**. It uses only the **Microsoft Purview portal** (`purview.microsoft.com`), **Security & Compliance PowerShell** (`Connect-IPPSSession`), and **Microsoft Graph** — no third-party tooling.

> ***This is a technical-control-and-evidence program, not a legal determination.*** **Which* content is privileged, how matters map to content and retention, what the records schedule is, and whether any given matter is under a* ***legal hold*** *are* ***legal and records determinations*** *owned by your firm's* ***legal, records, and compliance functions****. This solution provides the configured control, the register, and the evidence — it does* ***not*** *decide privilege, matter scope, retention duration, or hold.* ***Legal holds and eDiscovery case actions are the legal function's; this solution provides the technical method and references them, it does not create the hold decision.***

Why this matters

• **Privilege, once disclosed, is hard to claw back.** An email to the wrong recipient or a mislabeled document can waive privilege. Sensitivity labels (with encryption) plus DLP are the Microsoft controls that keep privileged and matter-confidential content inside the firm — but they only protect content **from the point they are applied forward**, which is why configuring now matters.

• **DLP is high-impact and must not be dropped into enforcement blind.** A DLP policy that blocks legal's own routine sharing on day one is worse than none — it trains people to work around it. Purview DLP supports a **simulation (test) mode** that surfaces what *would* have matched without blocking anything; this program always pilots there first.

• **Matter records live and die on retention.** Matter content must be retained per the records schedule and disposed of under governance — not kept forever by accident, not deleted prematurely. Purview retention labels/policies and **disposition review** operationalize the matter lifecycle; **legal hold** overrides disposal, and coordinating that override is a legal function you *support*, not decide.

• **Evidence is the deliverable.** "We protect privileged material" is an assertion; a **control** → **configuration** → **proof** binder is evidence. This program produces one.

• **The controls are licensing-dependent and evolving.** Encryption labels, advanced/endpoint DLP, records/regulatory-records retention, and Audit Premium require **Microsoft 365 E5** or the **E5 Compliance** add-on; the portal changes. Capabilities are **cited or flagged "verify your licensing/tenant"**, never assumed.

How it works

1. **Assess.** Discover what the tenant already has — compliance licensing/plans, the least-privilege roles, existing sensitivity labels and label policies, DLP policies, retention labels/policies, unified-audit state and audit retention, and (read-only) any existing eDiscovery holds — so the program is built on facts.

2. **Design the control map.** With legal/records, map the in-scope obligations (privilege protection, matter confidentiality, matter records retention, disposition, hold coordination, audit evidence) to the four Purview control domains and to the **named artifacts** below. The privilege/matter/retention/hold determinations are legal's; this solution provides the register and the technical control.

3. **Configure — safely.** Create the sensitivity labels (privileged / matter-confidential, with encryption), the DLP policy **in simulation**, the matter-records retention label + publish policy, the audit-evidence retention policy, and the disposition-review stage. Every high-impact change is piloted disabled/simulated before enforcement.

4. **Pilot & validate.** Prove the labels apply and encrypt, the DLP policy matches privileged content **in simulation** (nothing blocked yet), retention preserves matter content, and audit evidence is retained — on a bounded **pilot scope** before tenant-wide enforcement.

5. **Produce the evidence.** Generate the control-mapping + evidence binder (control → Purview object → configuration → proof) for the legal/compliance file.

6. **Expand & operate.** Move DLP from simulation to enforcement and expand the labels/retention on the approved scope, schedule the read-only re-assessment so drift is caught, and hand the register, binder, and runbook to legal/records as a standing procedure.

The control stack this solution curates

• **Sensitivity labels (Information Protection)** — `Get/New-Label` + `Get/New-LabelPolicy`: a label for **attorney-client privileged** content (encrypted, restricted) and one for **matter-confidential / work-product** content, published to the legal population — the confidentiality control.

• **Data Loss Prevention** — `Get/New-DlpCompliancePolicy` + `Get/New-DlpComplianceRule`: a policy that detects privileged/matter-confidential content (by label and/or sensitive info types) across Exchange, SharePoint, OneDrive, Teams and **Endpoint**, **built in simulation/test mode first** — the inadvertent-disclosure control. *High-impact.*

• **Retention & records (Data Lifecycle / Records Management)** — `Get/New-ComplianceTag` + `Get/New-RetentionCompliancePolicy`: matter-based retention labels/policies and a **disposition-review** stage for reviewed disposal — the matter-records lifecycle control. **Legal hold overrides disposal; hold decisions are legal's** (`Get-CaseHoldPolicy` is referenced read-only only).

• **Audit (Standard/Premium)** — unified audit logging and **audit log retention policies** (`Get-UnifiedAuditLogRetentionPolicy`) keeping the evidence of who did what — the audit-trail control.

• **Compliance Manager** — an **assessment** that tracks the legal control implementation and improvement actions — the control-tracking layer (configured in-portal; applicability is legal/compliance's determination).

What you can control

• Which **sensitivity labels** implement privilege / matter-confidentiality, their **encryption** settings, and their publish scope.

• The **DLP** policy's detection (labels + sensitive info types), its **locations** (email/SharePoint/OneDrive/Teams/Endpoint), and — critically — that it runs in **simulation** until validated.

• Which **retention labels/policies** implement the matter-records schedule, and whether disposal is governed by **disposition review**.

• Which operations/users get **extended audit retention** as evidence.

• The **control register** (`Control Map – Legal – Purview`) and the **evidence binder** contents.

• The **pilot scope** validated before any enforcement.

Limitations (be honest with buyers)

• **We configure the control; legal makes the determination.** What is privileged, how matters map to content, the retention schedule, and whether any matter is under **legal hold** are **legal/records** determinations. **Verify with your legal and records functions.**

• **Legal holds and eDiscovery case actions are legal's.** This solution references the technical method (`Get-CaseHoldPolicy` read-only, eDiscovery holds in-portal) but **does not create, release, or scope a hold** — that is a legal decision with legal consequences.

• **Protection is largely not retroactive.** Labels, DLP, and retention act **from application forward**; they do not reach back to protect or preserve content that was never labeled or captured.

• **DLP and encryption are high-impact.** An encryption label can make content unreadable to unlicensed/external parties; a DLP block can interrupt legitimate legal work. Both are **piloted (simulation/test) first** with documented rollback before enforcement.

• **Records/regulatory-records retention can be irreversible by design.** Where the matter schedule calls for a **regulatory record** label (immutable, non-removable), it is gated hardest — applied only under explicit legal/records sign-off. **Verify the exact behavior in your tenant.**

Naming convention (used in every doc and script)

Every artifact this solution creates is named `<Purpose> – <Scope> – <Stage>` and reused verbatim across the docs, scripts, and portal. The standard set:

Artifact	Name
Privileged sensitivity label (encrypted)	`Protect – Legal Privileged – Restricted`
Matter-confidential sensitivity label	`Protect – Legal Matter Confidential – Confidential`
DLP policy for privileged material (simulation)	`DLP – Legal Privileged – Simulate`
Matter-records retention publish policy	`Retention – Legal Matter Records – Publish`
Disposition-review stage	`Disposition – Legal Records – Review`
Audit evidence retention policy	`Audit Retention – Legal Evidence – LongTerm`
Compliance Manager assessment	`Assessment – Legal Controls – Program`
Control-mapping register	`Control Map – Legal – Purview`
Evidence binder export	`Evidence – Legal Controls – Binder`
Pilot validation scope	`Legal Pilot – Privileged Data – Stage1`

The standard deployment model

> *Assess the controls and licensing you have → design the obligation-to-control map with legal/records → configure sensitivity labels, DLP, matter retention, and audit evidence →* ***pilot in simulation/test/disabled mode*** *on a limited scope → validate the controls work and produce evidence → expand to enforcement. Pattern:* ***Assess*** *→* ***Design*** *→* ***Configure*** *→* ***Pilot (simulate/test)*** *→* ***Validate*** *→* ***Expand (enforce).*** *High-impact controls (encryption labels, DLP, records retention) are always piloted before enforcement; legal holds and privilege/retention determinations are legal's.*

2. Requirements Guide — Microsoft Purview for Legal

Verify **every** requirement before configuring. Each entry: **Description · Why · Verify · Implement-if-missing.** Category-wide prerequisites (tenant/licensing, Purview roles, the S&C PowerShell + Graph toolchain, in-scope workloads, compliance/records/legal stakeholders, pilot & change control) are in `global-requirements-purview.md` — this guide adds the **Legal-program** detail.

> ***Legal/licensing boundary.*** *Encryption sensitivity labels, advanced & endpoint DLP, records/regulatory-records retention, and Audit Premium require* ***Microsoft 365 E5*** *or the* ***E5 Compliance*** *add-on and evolve; confirm your entitlements rather than assuming.* ***What is privileged, how matters map to content, the retention schedule, and whether a matter is under legal hold*** *are* ***legal/records determinations*** *— this solution configures the control and produces evidence; it does not make the determination. Where this guide flags "verify your licensing/tenant" or "legal/records to determine," do so before relying on the item.*

2.1 Compliance licensing for labels, DLP, retention, and audit evidence

Description: The program spans four licensed control domains. **Sensitivity labels with encryption** and **auto/advanced-classification** need **E5 / E5 Compliance**; **DLP** for Exchange/SharePoint/OneDrive is broadly available but **Teams DLP and Endpoint DLP** need **E5 / E5 Compliance**; **records / regulatory-records retention** needs **E5 / E5 Compliance**; **Audit Premium** (long-term retention, high-value events) needs **E5 / E5 Compliance / Audit add-on**, assigned **per user**. **Why:** Every control below is plan-gated; the feature won't be available without the right plan (GR §1). **Verify:** M365 admin center → `Billing → Licenses`; run `INDLEGAL-Discovery.ps1`, which reports whether information-protection / DLP-endpoint / records / Audit-Premium-bearing plans are present via Graph. **Confirm plan/service-plan names against your tenant — they change. Implement:** Assign/purchase E5 or the relevant add-ons to the in-scope legal population before expecting the feature.

2.2 Least-privilege roles for each control domain

Description: Distinct least-privilege roles — **Information Protection Admin** for sensitivity labels & policies; **Compliance Administrator / DLP Compliance Management** for DLP; **Records Management / Retention Management** for retention & disposition; **Audit Manager/Reader** for evidence; **Compliance Manager** roles for assessments; and, referenced only, **eDiscovery Manager** for legal holds (owned by legal). Global Administrator only where genuinely required. **Why:** Purview uses fine-grained role groups; configuration requires the matching role, and hold/eDiscovery access is legally sensitive and kept with the legal function (GR §2). **Verify:** Purview portal → `Settings → Roles & scopes / Permissions` — confirm membership per domain; `INDLEGAL-Scope.ps1` reports the role groups it can see and the connection identity. **Implement:** Assign the least-privilege role groups under change control; keep eDiscovery/hold roles with legal.

2.3 Security & Compliance PowerShell + Graph toolchain

Description: A workstation with the `ExchangeOnlineManagement` module (for `Connect-IPPSSession` — `*-Label`/`*-LabelPolicy`, `*-DlpCompliancePolicy`/`*-DlpComplianceRule`, `*-ComplianceTag`, `*-RetentionCompliancePolicy`, `*-UnifiedAuditLogRetentionPolicy`, and read-only `Get-CaseHoldPolicy`) and `Microsoft.Graph` (licensing reads), with a modern-auth / MFA admin. **Why:** All configuration and the provided scripts run through Security & Compliance PowerShell and Graph (GR §3). **Verify:** `Get-Module -ListAvailable ExchangeOnlineManagement`; `Connect-IPPSSession` and `Connect-MgGraph` succeed; `INDLEGAL-Discovery.ps1` reports which endpoints are reachable. **Implement:** `Install-Module ExchangeOnlineManagement -Scope CurrentUser`; `Install-Module Microsoft.Graph -Scope CurrentUser`.

2.4 In-scope legal population, matters, workloads, and channels

Description: The **legal population** in scope (a group/OU of attorneys, paralegals, and legal staff), the **workloads** holding privileged/matter content (Exchange, SharePoint matter sites, OneDrive, Teams), the **channels** DLP must cover (email, Teams chat/channels, endpoints), and a **classification intent** (what privileged / matter-confidential / work-product looks like) to drive labels and DLP. **Why:** Labels, DLP, and retention controls key off the in-scope population/workloads/matters (GR §4). **Verify:** Confirm the legal-population group, the matter sites/workloads, the DLP channels, and the classification approach with legal; `INDLEGAL-Scope.ps1` enumerates the group's members and the mailboxes/sites in scope (read-only). **Implement:** Define the legal-population group, matter workloads, and classification intent before authoring controls.

2.5 The obligation-to-control map, privilege scope, and records schedule (from legal/records)

Description: A documented statement — **from legal and records** — of which content is **privileged** vs **matter-confidential**, how matters map to content, what must be **retained and for how long** (the matter-records schedule), what triggers **disposition review**, and which matters carry a **legal hold**. **Why:** Privilege determination, matter mapping, retention duration, and hold scope are **legal/records determinations**, not technical defaults (GR §5); the solution configures to them and evidences them — it does not decide them. **Verify:** You can name, per control domain, the obligation, the required label/retention/DLP behavior, the disposition trigger, and the named approver; these populate the `Control Map – Legal – Purview` register. **Implement:** Capture the privilege scope, matter map, records schedule, and hold list with approvals before configuring — especially before any **encryption** label or **regulatory-records** (irreversible) label.

2.6 DLP simulation, encryption, and disclosure preconditions

Description: For the high-impact controls specifically: agreement to build **DLP in simulation/test mode** first (surface matches, block nothing), a decision on **encryption** behavior for the privileged label (who can decrypt — internal only, specific groups, external counsel), and how the labels/DLP should treat **external sharing** (co-counsel, courts, clients). **Why:** An encryption label can make content unreadable to intended external recipients, and a DLP block can interrupt legitimate legal sharing; both must be modeled before enforcement (GR §5/§6). **Verify:** A named DLP simulation window, the agreed encryption/permission scope for the privileged label, and the external-sharing exceptions legal requires. **Implement:** Configure the privileged label's encryption/permissions to legal's decision, **build the DLP policy in simulation**, and keep it there until match review and sign-off are complete.

2.7 Unified audit logging on, and an evidence-retention requirement

Description: `UnifiedAuditLogIngestionEnabled` must be **true** so the audit-trail control captures evidence of label/DLP/retention/hold-related activity, plus a documented statement of how long audit **evidence** must be retained for legal purposes. **Why:** No audit evidence is written while ingestion is off, and it is **not retroactive**; retention duration is a legal/compliance determination (GR §5/§6). **Verify:** `INDLEGAL-Discovery.ps1` reports `UnifiedAuditLogIngestionEnabled` and existing audit retention policies. **Implement:** Enable unified audit under change control (Purview Audit solution / Exchange Online), then create the evidence-retention policy in the Implementation Guide.

2.8 A pilot scope, simulation/test mode, and change control

Description: A bounded **pilot scope** (`Legal Pilot – Privileged Data – Stage1` — a small set of attorneys/paralegals, matter sites, and benign test content) and a **change-control** window. Sensitivity labels can be published to the pilot first; DLP supports **simulation mode**; retention can be trialed with a **non-regulatory** label first; audit changes are reversible. **Why:** Encryption labels, DLP, and records retention are **high-impact** — regulatory records are effectively irreversible — so every change is piloted in simulation/test/disabled mode before enforcement (GR §6). **Verify:** A named pilot scope, confirmation that simulation/test/disabled mode is available for each control, and a change window/approval path. **Implement:** Define the pilot scope and agree change control before enabling or enforcing any control — **never enforce a DLP block or apply a regulatory-records label outside the pilot without explicit legal/records sign-off, and never create/release a legal hold as part of this work (legal's decision).**

Global Requirements — Microsoft Purview Solutions

These requirements apply to **every** solution in the **Purview** category (implementing and managing Microsoft Purview, sensitivity & retention labels, DLP, data lifecycle & records, insider risk, communication compliance, audit, data security posture management, and data governance). Verify each before starting a solution's implementation steps.

> ***Vendor boundary (applies to every Purview solution).*** *The **Microsoft Purview portal** (purview.microsoft.com), the **Microsoft 365 admin center**, **Security & Compliance PowerShell** (`Connect-IPPSSession`), and **Microsoft Graph** are authored at exact, current click-by-click / cmdlet detail from Microsoft's public documentation. Microsoft Purview features are heavily **licensing-/plan-dependent** (many require **Microsoft 365 E5** or the **E5 Compliance** add-on; some are in preview) and the portal is **actively evolving** — capability availability and portal paths are **cited or flagged "verify your licensing/tenant"**, never asserted or invented. **Regulatory, records-retention, and legal determinations** (retention schedules, records file plans, legal holds, insider-risk case actions, regulatory applicability) are **deferred to the organization's compliance, records, privacy, and legal functions** — the solutions provide the technical configuration method and evidence, not the determination. Automation is **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets.*

1. Microsoft 365 tenant with the required Purview/compliance licensing

- **Description:** A Microsoft 365 tenant with the **compliance licensing** the capability requires

(E3 for baseline; **E5 / E5 Compliance** for advanced DLP, auto-labeling, insider risk, communication compliance, Audit Premium, DSPM, etc.).

- **Why required:** Most Purview capabilities are plan-gated; the feature won't be available without the

right plan.

- **How to verify:** In the M365 admin center confirm the subscription/add-ons; check the feature is

visible in the Purview portal.

- **How to implement if missing:** Assign/purchase the required licensing before starting.

2. Purview roles (least-privilege) and portal access

- **Description:** Access with the least-privilege **Purview / compliance role** the solution names

(e.g. Compliance Administrator, Compliance Data Administrator, Information Protection, Records Management, Insider Risk, eDiscovery, Audit roles), with Global Administrator only where required.

- **Why required:** Purview uses fine-grained role groups; configuration requires the matching role.
- **How to verify:** Purview portal → **Roles & scopes / Permissions** — confirm the role membership.
- **How to implement if missing:** Assign the least-privilege role group under change control.

3. Security & Compliance PowerShell + Graph toolchain

- **Description:** A workstation with **Security & Compliance PowerShell** (`Connect-IPPSSession` via the

ExchangeOnlineManagement module) and **Microsoft Graph PowerShell**, modern-auth / MFA-capable admin.

- **Why required:** Configuration, automation, and the provided scripts run through these.
- **How to verify:** `Connect-IPPSSession` and `Connect-MgGraph` succeed with the admin account.
- **How to implement if missing:** Install the modules and confirm modern-auth sign-in before running steps.

4. Data sources & scope in scope

- **Description:** The **workloads and data sources** in scope (Exchange, SharePoint, OneDrive, Teams,

endpoints/devices, and — for data governance — the broader data estate) and a **data-classification / sensitivity** intent to drive labels, DLP, and retention.

- **Why required:** Purview policies key off the in-scope workloads and the classification scheme.
- **How to verify:** Confirm the in-scope workloads and the classification/sensitivity approach with

stakeholders.

- **How to implement if missing:** Define the scope and classification intent before authoring policies.

5. Compliance, records, privacy & legal stakeholders

- **Description:** Engagement with the **compliance, records-management, privacy, security, and legal**

stakeholders whose policies the configuration must satisfy (retention schedules, records file plans, regulatory obligations, insider-risk and communication-compliance policy, legal hold).

- **Why required:** Purview configuration must align to enterprise policy and legal/records requirements,

not technical defaults; several capabilities have HR/legal sensitivity.

- **How to verify:** Confirm the applicable policies, the records schedule, and named approvers.
- **How to implement if missing:** Identify the owners and capture the requirements before configuring.

6. A pilot scope and change control

• **Description:** A **pilot scope** (users/sites/policies in simulation or a limited ring) to validate

on before tenant-wide enforcement, and a **change-control** process — most Purview policies support a **simulation / test / disabled** mode that MUST be used before enforcement.

• **Why required:** Every solution follows an **Assess → Design → Configure → Pilot (simulate) → Validate

→ Expand (enforce)** model; DLP, labels, retention, and insider-risk changes are high-impact.

• **How to verify:** Confirm a named pilot scope, that simulation/test mode is available, and a change

window/approval path.

• **How to implement if missing:** Define the pilot and agree change control before enforcing anything.

*The deployment model across every Purview solution is the same: **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce)**, with explicit pass/fail gates and a documented rollback. Automation is delivered as **PowerShell** (Security & Compliance PowerShell / Graph) — never with hardcoded credentials or secrets. Regulatory/records/legal determinations are deferred to the relevant governance functions.*

3. Implementation Guide — Microsoft Purview for Legal

Follow these steps **in order**. Configuration uses the **Microsoft Purview portal** (`https://purview.microsoft.com`), **Security & Compliance PowerShell** (`Connect-IPPSSession` — the `*-Label`/`*-LabelPolicy`, `*-DlpCompliancePolicy`/`*-DlpComplianceRule`, `*-ComplianceTag`, `*-RetentionCompliancePolicy`, and `*-UnifiedAuditLogRetentionPolicy` cmdlets), and **Microsoft Graph** (licensing). Every write is gated: scripts run **read-only or** `-WhatIf` **by default** and only change state with `-Commit`. Artifact names follow the `<Purpose> – <Scope> – <Stage>` convention from the Overview and are reused verbatim.

> ***Model:*** *Assess the controls/licensing you have → design the obligation-to-control map with legal/records → configure sensitivity labels, DLP (in simulation), matter retention, and audit evidence →* ***pilot in simulation/test/disabled mode*** *→ validate and evidence → expand to enforcement. Pattern:* ***Assess*** *→* ***Design*** *→* ***Configure*** *→* ***Pilot (simulate/test)*** *→* ***Validate*** *→* ***Expand (enforce).*** ***Determination boundary:*** *what is privileged, how matters map, retention durations, disposition triggers, and which matters are under* ***legal hold*** *are* ***legal/records*** *determinations. This guide configures the control and evidences it; it does not make the determination.* ***DLP is enforced only after a validated simulation; a*** `regulatory-records` ***label is effectively irreversible — never apply it outside the pilot without explicit legal/records sign-off; legal holds are created/released by legal in eDiscovery, never by this work.***

Step 1 — Assess current controls and licensing (Assess)

1. Run `INDLEGAL-Discovery.ps1` (read-only). It connects to Security & Compliance PowerShell and Graph and reports:

• compliance licensing present (information-protection / DLP-endpoint / records / Audit-Premium-bearing plans — **verify plan names for your tenant**),

• existing **sensitivity labels** (`Get-Label`) and **label policies** (`Get-LabelPolicy`), flagging any with **encryption**,

• existing **DLP policies** (`Get-DlpCompliancePolicy`), flagging **mode** (Enable / TestWithNotifications / TestWithoutNotifications),

• existing **retention labels** (`Get-ComplianceTag`) and **retention policies** (`Get-RetentionCompliancePolicy`), flagging any that are **records**/**regulatory records**,

• `UnifiedAuditLogIngestionEnabled` and existing **audit retention policies** (`Get-UnifiedAuditLogRetentionPolicy`),

• **read-only reference only:** any existing eDiscovery **case holds** (`Get-CaseHoldPolicy`) — so hold coverage is visible; the script never creates or changes a hold.

1. Run `INDLEGAL-Scope.ps1` (read-only) to enumerate the intended legal-population group, in-scope mailboxes/matter sites, and the role groups it can see (Requirement 2.2/2.4).

2. Record the gaps against the four control domains. **Pass gate:** a written current-state for labels, DLP, retention, and audit.

Step 2 — Design the obligation-to-control map (Design)

1. With legal/records (Requirement 2.5), populate the `Control Map – Legal – Purview` register: for each in-scope obligation, name the Purview control object that implements it, the required label/DLP/retention behavior, the disposition trigger, and the approver. **Privilege, matter mapping, retention, and hold are legal's determination; you provide the register and the technical control.**

2. Map the obligations to the standard named artifacts:

• Privilege/confidentiality → `Protect – Legal Privileged – Restricted` (encrypted label) + `Protect – Legal Matter Confidential – Confidential` (label), published to the legal population.

• Inadvertent disclosure → `DLP – Legal Privileged – Simulate` (built in simulation).

• Matter records → `Retention – Legal Matter Records – Publish` (retention label + publish policy) + `Disposition – Legal Records – Review` (disposition stage).

• Audit evidence → `Audit Retention – Legal Evidence – LongTerm`.

• Control tracking → `Assessment – Legal Controls – Program` (Compliance Manager).

1. Define the pilot scope `Legal Pilot – Privileged Data – Stage1` (Requirement 2.8) and the encryption/DLP/external-sharing decisions (Requirement 2.6). **Pass gate:** the control map, privilege scope, records schedule, pilot, and approvals are documented.

Step 3 — Configure the sensitivity labels (Configure → Pilot)

1. Create the two labels with the helper, `-WhatIf` first (prints the exact `New-Label`/`New-LabelPolicy` it would run):

• `INDLEGAL-Configure.ps1 -Control Labels -WhatIf` → review → `-Commit` (creates `Protect – Legal Privileged – Restricted` **with encryption** per legal's decryption/permission decision, and `Protect – Legal Matter Confidential – Confidential`; then a label policy publishing both to the **pilot** legal population).

1. **Publish to the pilot population first.** Confirm the labels appear in Office/Outlook for pilot users and that applying the privileged label encrypts as designed (Testing Gate 2/3). **Encryption/permission scope is legal's decision — do not broaden decryption beyond what legal approved.**

2. **Pass gate:** `INDLEGAL-Discovery.ps1` lists both labels and the pilot label policy, with the privileged label flagged encrypted. **Rollback:** unpublish the label policy / remove the pilot labels (`-Control Labels -Remove -Commit`); already-encrypted content stays encrypted (by design) — pilot with benign content so this is inconsequential.

Step 4 — Configure the DLP control — IN SIMULATION (Configure → Pilot)

1. **Build the DLP policy in simulation/test mode** so it surfaces what *would* match and **blocks nothing**. The helper creates it in `TestWithNotifications` (or `TestWithoutNotifications`) scoped to the pilot:

• `INDLEGAL-Configure.ps1 -Control DLP -Mode TestWithNotifications -WhatIf` → review → `-Commit` (creates `DLP – Legal Privileged – Simulate` via `New-DlpCompliancePolicy` across Exchange/SharePoint/OneDrive/Teams/Endpoint scoped to the pilot, plus a `New-DlpComplianceRule` matching the **privileged/matter labels** and/or the sensitive info types your legal function specified — **the match criteria are legal's determination**).

1. Let the simulation run, then review its matches: are the right items caught, and — critically — is legitimate legal sharing being **over-matched**? Tune the rule (labels, info types, exceptions for approved external counsel/court sharing) **still in simulation**. **Do not switch to Enable until the match review is clean and legal signs off.**

2. **Pass gate:** the DLP policy exists in a **test/simulation** mode, scoped to the pilot, and its match report is reviewed. **Rollback:** remove the policy (`-Control DLP -Remove -Commit`); in simulation nothing was ever blocked, so there is nothing to unwind.

Step 5 — Configure the matter-records retention control (Configure → Pilot)

1. **Pilot with a non-regulatory records label first** to prove behavior safely. Create the retention label + publish policy with the helper, `-WhatIf` first:

• `INDLEGAL-Configure.ps1 -Control Retention -WhatIf` → review → `-Commit` (creates a **records** — not regulatory — matter-retention label and the `Retention – Legal Matter Records – Publish` policy scoped to the pilot matter workloads, at the duration your records function specified — **duration/trigger are records' determination**).

1. Validate the label applies and preserves matter content (Testing Gate 5). Where the records schedule requires reviewed disposal, configure the `Disposition – Legal Records – Review` stage in-portal so end-of-retention disposal is reviewed, not automatic. **Only after legal/records sign-off**, and only where the schedule requires it, create any **regulatory-records** (immutable, non-removable) label — gated hardest of all.

2. **Legal hold note:** where a matter is under **legal hold**, the hold overrides disposal. **Creating, scoping, or releasing a hold is the legal function's action in eDiscovery** — this step references it (`Get-CaseHoldPolicy` read-only in Discovery) but never performs it. **Pass gate:** `INDLEGAL-Discovery.ps1` lists the retention label/policy with the expected records behavior and scope. **Rollback:** the **non-regulatory** pilot label/policy is removable (`-Control Retention -Remove -Commit`); a **regulatory-records** label is **not** removable by design — verify behavior in your tenant before committing.

Step 6 — Configure the audit-evidence control (Configure)

1. Confirm unified audit is on (Requirement 2.7). Create the evidence-retention policy pilot-first:

• `INDLEGAL-Configure.ps1 -Control Audit -PolicyName "Audit Retention – Legal Evidence – LongTerm" -WhatIf` → review → `-Commit` (creates a `New-UnifiedAuditLogRetentionPolicy` for the record types/operations your legal function requires as evidence — e.g. label changes, DLP matches, file/mail activity — at the agreed duration and a unique priority). **Verify accepted** `RetentionDuration` **values and that the long-term tier is licensed** (Requirement 2.1).

1. **Pass gate:** `INDLEGAL-Discovery.ps1` lists the audit retention policy with the expected duration/priority. **Rollback:** `INDLEGAL-Configure.ps1 -Control Audit -PolicyName "…" -Remove -Commit` (already-retained records age out under remaining rules).

Step 7 — Track the program in Compliance Manager (Configure, in-portal)

1. In the Purview portal → **Compliance Manager**, create/assign the assessment `Assessment – Legal Controls – Program` from a relevant **assessment template** (**template availability depends on your licensing — verify in-portal**). Map its improvement actions to the Purview controls configured above.

2. Record, per improvement action, the implementing Purview object and its evidence location (this cross-links to the `Control Map – Legal – Purview` register). **Pass gate:** the assessment reflects the configured controls with evidence links. *(Compliance Manager assessment content and applicability are legal/compliance's determination; no cmdlet invents this — it is authored in-portal.)*

Step 8 — Validate the controls and generate evidence (Validate)

1. Run `INDLEGAL-Validate.ps1` (read-only) to score the program across gates: both labels present (privileged encrypted), DLP present **in simulation/test**, matter-records retention present and scoped, audit ingestion on with the evidence policy in place, and the pilot scope covered.

2. Run `INDLEGAL-Report.ps1` (read-only) to produce `Evidence – Legal Controls – Binder` — a control → Purview object → configuration → proof export (CSV/JSON) for the legal/compliance file, cross-referenced to `Control Map – Legal – Purview`.

3. Complete the **Testing Guide** before expanding. **Pass gate:** the validation scorecard is green for the pilot scope and the evidence binder is generated.

Step 9 — Expand to enforcement and operationalize (Expand)

1. Once the pilot passes and legal/records sign off: publish the labels to the full legal population, **switch the DLP policy from simulation (Test) to Enable** on the approved scope, expand the matter-retention and audit-evidence policies, and — where the schedule requires — apply the regulatory-records label under sign-off. Each change is under change control.

2. Confirm the `Disposition – Legal Records – Review` stage governs end-of-retention disposal for the matters the schedule requires. **Coordinate — do not perform — legal-hold overrides with the legal function** (holds are created/released by legal in eDiscovery).

3. Schedule the read-only chain (`INDLEGAL-Discovery.ps1` → `INDLEGAL-Validate.ps1` → `INDLEGAL-Report.ps1`) on a cadence so drift — a DLP policy slipped back to test, an unpublished label, a lapsed license, audit turned off, a removed retention scope — is caught, and re-generate the evidence binder ahead of audits or matters. **Pass gate:** controls enforced on the approved scope, evidence binder current, monitoring cadence scheduled. Hand the register, binder, and runbook to legal/records as the standing procedure.

5. Testing & Validation — Microsoft Purview for Legal

Work through every gate. Each has a **method**, an **expected result (pass)**, and a **fail action**. Tests are read-only or use **benign, self-generated pilot content** — no real privileged material, no matter records, and no legal hold is created or actioned. Do not declare "Legal-ready" until every gate passes for the pilot scope, then re-confirm on expand.

> ***Boundary:*** *these gates prove the* ***technical control works and is evidenced****. Whether content is* ***privileged****, how matters map, whether retention is* ***adequate****, and whether a matter needs a* ***legal hold*** *are* ***legal/records determinations****, not test outcomes.* ***Never create or release a legal hold during testing — that is the legal function's action in eDiscovery.***

Gate 1 — Compliance licensing present for each control

• **Method:** `INDLEGAL-Discovery.ps1` licensing section (Graph `subscribedSkus` / service plans).

• **Pass:** information-protection (encryption labels), DLP-endpoint, records/regulatory-records, and Audit-Premium-bearing plans are present and assigned to the legal population.

• **Fail:** assign the license (Requirement 2.1); a missing plan makes the corresponding control unavailable — that is a licensing gap, not a config defect. **Verify plan names for your tenant.**

Gate 2 — Sensitivity labels published to the pilot

• **Method:** `INDLEGAL-Discovery.ps1` / portal — confirm `Protect – Legal Privileged – Restricted` and `Protect – Legal Matter Confidential – Confidential` exist (`Get-Label`) and are published (`Get-LabelPolicy`) to the pilot population; confirm they appear in Outlook/Office for a pilot user.

• **Pass:** both labels exist, the label policy targets the pilot, and pilot users can see/apply them.

• **Fail:** confirm the label policy scope and publication latency; retest. Labels can take time to appear for end users.

Gate 3 — Privileged label encrypts as designed

• **Method:** apply `Protect – Legal Privileged – Restricted` to a **benign** pilot document/email; confirm it is encrypted and that only the permitted identities (per legal's decision) can open it.

• **Pass:** the label applies encryption and the permission scope matches legal's approved design (internal-only / named groups / external counsel as decided).

• **Fail:** correct the label's encryption/permission settings; retest with benign content. **Do not broaden decryption beyond legal's approval.**

Gate 4 — DLP policy exists IN SIMULATION and matches correctly

• **Method:** `INDLEGAL-Discovery.ps1` / portal — confirm `DLP – Legal Privileged – Simulate` exists (`Get-DlpCompliancePolicy`), is in a **test/simulation** mode (`TestWithNotifications`/`TestWithoutNotifications`), scoped to the pilot; generate **benign** content matching the criteria and confirm it appears as a **simulated** match (blocked nothing).

• **Pass:** the policy is in simulation, scoped to the pilot, and surfaces the right matches without blocking; over-matching of legitimate legal sharing is reviewed and tuned.

• **Fail:** tune the rule (labels/info types/exceptions) **still in simulation**; retest. **Do not switch to Enable until the match review is clean and legal signs off.**

Gate 5 — Matter-records retention applies and preserves (pilot, non-regulatory first)

• **Method:** apply the **non-regulatory** pilot matter-retention label to benign pilot content, attempt to delete it, then confirm via `INDLEGAL-Discovery.ps1` / portal that retention held and the publish policy is scoped to the pilot matter workloads.

• **Pass:** the label applies, records behavior prevents disallowed deletion, and `Get-ComplianceTag`/`Get-RetentionCompliancePolicy` show it scoped to the pilot at the agreed duration.

• **Fail:** confirm the label type (`-IsRecordLabel`), the publish policy scope, and label latency; retest. **Do not proceed to any regulatory-records label until this passes and legal/records sign off.**

Gate 6 — Regulatory-records behavior confirmed (only if the schedule requires, post sign-off)

• **Method:** *only where the records schedule requires it and after sign-off*, confirm the regulatory-records label exists as a **regulatory** record label (immutable, retention non-shortenable) on the approved scope.

• **Pass:** the label is present and typed regulatory; its irreversibility is understood and documented.

• **Fail:** verify the regulatory-record behavior in your tenant before wider application; a regulatory label **cannot be undone**, so treat any doubt as a stop.

Gate 7 — Disposition review configured (where required)

• **Method:** portal — confirm the `Disposition – Legal Records – Review` stage governs end-of-retention disposal for the matters the schedule requires.

• **Pass:** disposal is reviewed (not automatic) for the in-scope matter records, with the correct reviewers.

• **Fail:** configure disposition review in-portal; the disposition trigger/reviewers are records' determination.

Gate 8 — Unified audit on and evidence policy present

• **Method:** `INDLEGAL-Discovery.ps1` audit section (`UnifiedAuditLogIngestionEnabled`, `Get-UnifiedAuditLogRetentionPolicy`).

• **Pass:** ingestion is `True` and `Audit Retention – Legal Evidence – LongTerm` exists with the agreed duration and a unique priority.

• **Fail:** enable ingestion under change control; create/correct the policy (Implementation Step 6); verify the `RetentionDuration` value and licensing.

Gate 9 — Legal-hold coverage is visible (read-only reference)

• **Method:** `INDLEGAL-Discovery.ps1` reference section (`Get-CaseHoldPolicy`, read-only) — confirm existing eDiscovery holds are visible so the legal function can see coverage.

• **Pass:** existing holds (if any) are listed for legal's review. **This gate never creates or changes a hold.**

• **Fail:** if legal expects a hold that is not present, that is a **legal action** in eDiscovery — refer it to the legal function; do not create it here.

Gate 10 — Control map and evidence binder generated

• **Method:** `INDLEGAL-Report.ps1` → `Evidence – Legal Controls – Binder`, cross-referenced to `Control Map – Legal – Purview`.

• **Pass:** every in-scope obligation maps to a Purview object with its configuration and a proof reference; the binder exports cleanly.

• **Fail:** fill the gap (missing control or missing evidence) and re-run. A control with no evidence fails an audit.

Gate 11 — Validation scorecard is green (pilot)

• **Method:** `INDLEGAL-Validate.ps1`.

• **Pass:** every gate above is green for the pilot scope (and, on expand, for the approved production scope with DLP moved to Enable).

• **Fail:** address the specific red item and re-run before enforcing anything tenant-wide.

Evidence to retain

• `INDLEGAL-Discovery.ps1` and `INDLEGAL-Validate.ps1` outputs (before/after).

• The `-WhatIf` transcripts for every label, DLP, retention, and audit change, and the DLP **simulation match report**.

• The `Evidence – Legal Controls – Binder` export and the `Control Map – Legal – Purview` register.

• The legal/records sign-offs (encryption scope, DLP enforcement, retention schedule, regulatory-records application) and the pilot roster/approvals (Requirement 2.5/2.6/2.8).

*Privilege determination, matter mapping, retention adequacy, disposition triggers, and legal-hold scope are **legal/records determinations** — these gates prove the Purview controls work and are evidenced, not that the program satisfies a legal obligation. **Legal holds and eDiscovery actions remain legal's.***

6. Troubleshooting — Microsoft Purview for Legal

Common failure modes across the four control domains and their fixes. Each: **Symptom** → **Likely cause** → **Resolution.** Stay read-only or `-WhatIf` while diagnosing; keep high-impact changes (encryption, DLP enforcement, regulatory records) piloted. Determinations (privilege, matter mapping, retention, legal hold) stay with legal/records — a "fix" here means the *control* behaves as designed, not that the program *satisfies* a legal obligation.

A capability is missing from the portal or a cmdlet errors "not recognized"

• **Likely cause:** the feature is **not licensed** (encryption labels, Teams/Endpoint DLP, records/regulatory records, Audit Premium need **E5 / E5 Compliance**), or the module/role is missing.

• **Resolution:** run `INDLEGAL-Discovery.ps1` licensing section and confirm the plan is present **and assigned to the legal population**;** verify plan/service-plan names for your tenant — they change.** Install `ExchangeOnlineManagement` / `Microsoft.Graph`, and confirm the least-privilege role (Requirement 2.2). A missing plan is a licensing gap, not a config defect.

Sensitivity labels don't appear for pilot users

• **Likely cause:** the label **policy** isn't published to those users, or publication latency (labels can take time to appear in Office/Outlook).

• **Resolution:** `Get-LabelPolicy` — confirm `Legal Pilot – Privileged Data – Stage1` targets the pilot population; wait for propagation and re-check. Confirm the user's app is signed in with the licensed account.

The privileged label doesn't encrypt, or encrypts the wrong people out

• **Likely cause:** encryption isn't enabled on the label, or the **permission/decryption scope** doesn't match legal's approved design (external counsel/courts blocked, or too broad).

• **Resolution:** `Get-Label` — confirm `EncryptionEnabled`/`EncryptionProtectionType` on

`Protect – Legal Privileged – Restricted`; set the rights/permissions **to legal's approved scope** in-portal. **Test with benign content**, confirm intended internal/external recipients can open it. **Do not broaden decryption beyond legal's approval.** Remember already-encrypted content stays encrypted by design.

DLP is over-matching — it flags legitimate legal sharing

• **Likely cause:** the rule's match criteria (labels / sensitive info types) are too broad, or there are no exceptions for approved co-counsel/court/client sharing.

• **Resolution:** because the policy is **in simulation**, nothing is blocked — review the simulation match report, tune the rule (tighten info types, match on the privileged/matter **labels**, add the external-sharing exceptions legal specified) **still in simulation**, and re-review. Match criteria are **legal's determination** — operationalize what they define. **Do not switch to Enable until the match review is clean and legal signs off.**

DLP appears to "do nothing"

• **Likely cause:** this is expected — the policy is in **simulation/test** mode (`TestWithNotifications` / `TestWithoutNotifications`), which surfaces matches but **blocks nothing** by design.

• **Resolution:** confirm mode with `Get-DlpCompliancePolicy` / `INDLEGAL-Discovery.ps1`. Review the **simulation matches** in-portal; that *is* the pilot working. Move to `Enable` **in-portal only** after match review and legal sign-off (Implementation Step 9). Note Teams/Endpoint locations require E5.

Matter-records retention isn't preserving content

• **Likely cause:** the publish policy isn't scoped to the matter workloads, the label isn't a **record** label, or publication latency.

• **Resolution:** `Get-RetentionCompliancePolicy` / `Get-ComplianceTag` — confirm `Retention – Legal Matter Records – Publish` covers the pilot matter sites and the label has `IsRecordLabel = $true`; correct scope/type with `INDLEGAL-Configure.ps1 -Control Retention` and re-verify. Retention duration is **records' determination**.

A regulatory-records label can't be removed or shortened

• **Likely cause:** this is **by design** — a **regulatory record** label is immutable, non-removable, and its retention cannot be shortened.

• **Resolution:** there is no "fix" — this is the intended irreversibility. This is exactly why you **pilot with a non-regulatory label first** and apply the regulatory label only under explicit legal/records sign-off, on the approved scope. **Verify the exact behavior in your tenant before wider application.** When in doubt, stop.

Disposal happened (or is about to) on content legal needs held

- **Likely cause:** a matter is under (or should be under) a **legal hold** that overrides disposal, but the hold interaction wasn't coordinated with retention/disposition.
- **Resolution: legal hold is the legal function's action in eDiscovery** — refer it to legal to create/confirm the hold; this solution only **references** hold coverage read-only (`Get-CaseHoldPolicy` in `INDLEGAL-Discovery.ps1`). Surface the retention↔hold interaction; do **not** create, release, or scope a hold yourself. Configure `Disposition – Legal Records – Review` so disposal is reviewed, not automatic.

Audit shows no evidence / `Get-AdminAuditLogConfig` unavailable

- **Likely cause:** unified audit ingestion is **off** (it can be disabled and is **not retroactive**), or `Get-AdminAuditLogConfig` needs an **Exchange Online** (not just S&C) connection.
- **Resolution:** `Connect-ExchangeOnline`, confirm `UnifiedAuditLogIngestionEnabled = True`; enable under change control if off. Then confirm `Audit Retention – Legal Evidence – LongTerm` exists with the agreed duration/priority (`Get-UnifiedAuditLogRetentionPolicy`). No evidence is written for the period ingestion was off.

"Which cmdlet / which endpoint?" confusion

- **Likely cause:** label/DLP/retention/hold cmdlets live in **Security & Compliance PowerShell** (`Connect-IPPSSession`); `Get-AdminAuditLogConfig` lives in **Exchange Online** (`Connect-ExchangeOnline`); licensing reads use **Microsoft Graph** (`Connect-MgGraph`).
- **Resolution:** connect to the right endpoint for the task; `INDLEGAL-Discovery.ps1` / `INDLEGAL-Scope.ps1` report which endpoints are reachable. Confirm cmdlet availability for your tenant — the portal and cmdlet surface evolve.

The evidence binder has gaps (MISSING/REVIEW rows)

- **Likely cause:** a control isn't configured yet, or a control exists with no captured proof.
- **Resolution:** `INDLEGAL-Report.ps1` lists each control's Status — fill the specific gap (configure the missing control or capture its proof) and re-run. A control with no evidence fails an audit. Cross-check every row against `Control Map – Legal – Purview`.

Validation scorecard is red after changes

- **Likely cause:** a policy slipped (DLP reverted to test post-enforcement, a label unpublished, retention disabled, audit turned off, a lapsed license).
- **Resolution:** run `INDLEGAL-Validate.ps1`, address the specific red gate, and re-run. Schedule the

read-only chain (`Discovery → Validate → Report`) so drift is caught before an auditor or opposing party finds it. Use `-RequireEnforced` on `INDLEGAL-Validate.ps1` post-expand to assert DLP is in Enable.

> ***Boundary reminder:*** *these fixes make the* ***control*** *behave as designed. Whether the control* ***satisfies*** *a legal obligation — privilege determination, matter mapping, retention adequacy, disposition triggers, legal-hold scope — is a* ***legal/records determination****.* ***Legal holds and eDiscovery actions remain the legal function's; verify capability availability against your licensing and current Microsoft documentation.***

7. Best Practices — A Defensible Legal Program on Microsoft Purview

Operating principles for a Legal-tailored control-and-evidence program that protects privilege, governs matter records, and survives an audit or a matter. Grounded in Microsoft's public guidance and the **Assess** → **Design** → **Configure** → **Pilot (simulate/test)** → **Validate** → **Expand (enforce)** model.

Stay in your lane: configure the control, defer the determination

• **You implement and evidence controls; legal/records decide the rules.** What is privileged, how matters map to content, retention durations and disposition triggers, and whether a matter is under **legal hold** are **their** determinations. Capture them in the `Control Map – Legal – Purview` register with named approvers — the register is your defensibility.

• Write findings as "the control is configured as specified and evidenced," never "the firm is protected" or "privilege is preserved."

Legal holds and eDiscovery are legal's — provide the method, not the decision

• **Never create, scope, or release a legal hold** as part of this work. The program **references** hold coverage read-only (`Get-CaseHoldPolicy`) so legal can see it, but hold decisions have legal consequences and belong to the legal function in eDiscovery.

• Coordinate: make sure retention/disposition does not silently dispose of content the legal function needs held — surface the interaction, let legal decide the hold.

Always pilot DLP in simulation — enforcement blind is worse than nothing

• **Build** `DLP – Legal Privileged – Simulate` **in test/simulation mode** and review its matches before enforcing. A DLP policy that blocks legal's routine sharing on day one trains people to work around it and can disrupt a live matter.

• Tune for **over-matching** as much as under-matching: legitimate sharing with co-counsel, courts, and clients must have modeled exceptions **before** you switch to Enable. Match criteria (labels, sensitive info types, exceptions) are **legal's determination** — you operationalize what they define.

Treat encryption labels — and regulatory records — as one-way doors

• An **encryption** sensitivity label can render content unreadable to intended external recipients (co-counsel, courts). Set the decryption/permission scope to **legal's approved design**, pilot with **benign** content, and confirm external-sharing paths still work.

• A **regulatory-records** label is **immutable and cannot be removed**, and its retention **cannot be shortened** — by design. Use it only where the records schedule requires, pilot with a **non-regulatory** label first, and apply it only under **explicit legal/records sign-off**. When in doubt, stop.

Protection is (mostly) not retroactive

• Labels, DLP, and retention act **from application forward**. Configure now; content that was never labeled or captured is not reached. This is the strongest argument for building the program before a matter or audit, not during one.

Make evidence a first-class deliverable

• An auditor or opposing party wants **control** → **configuration** → **proof**. Generate the `Evidence – Legal Controls – Binder` regularly, not just at audit time, so evidence is always current and gaps surface early.

• Retain the `-WhatIf` transcripts, the DLP **simulation match report**, before/after discovery outputs, and sign-offs — the *change history* of the control is itself evidence of a governed program.

Audit is the evidence layer — keep it on and retained

• Ensure **unified audit logging** stays on (it can be disabled) and that `Audit Retention – Legal Evidence – LongTerm` keeps the evidence your legal function requires — label changes, DLP matches, file/mail activity — at a verified duration and licensing tier.

• Treat "is auditing on and retaining?" as a **standing monitored control**, caught by the scheduled read-only chain.

Least-privilege everywhere, and keep eDiscovery with legal

• Information Protection, DLP, Records/Retention Management, Audit, and Compliance Manager roles are **distinct and least-privilege**; reserve Global Administrator for one-time enablement. Keep **eDiscovery/legal-hold roles with the legal function** — access to holds and case content is legally sensitive. Review membership periodically.

Pilot every change, keep a rollback (except where you can't)

• Publish labels, run DLP, and trial retention **pilot-first** in simulation/test/disabled mode; validate with the scorecard before expanding. Label policies, DLP-in-simulation, non-regulatory retention labels, and audit policies are reversible — record the exact rollback with every change.

• The deliberate exceptions are the **encryption** behavior (already-encrypted content stays encrypted) and the **regulatory-records** label (meant to be irreversible) — pilot both with benign content and gate the regulatory label hardest of all.

Operate it as a program, not a project

• Schedule `INDLEGAL-Discovery.ps1` → `INDLEGAL-Validate.ps1` → `INDLEGAL-Report.ps1` on a cadence so drift (a DLP policy slipped back to test, an unpublished label, a narrowed retention scope, a lapsed license, audit turned off) is caught before an auditor or opponent finds it, and re-generate the evidence binder ahead of audits and matters. Hand the register, binder, and runbook to legal/records as the standing procedure.

8. Deliverables Summary — Microsoft Purview for Legal

What you receive, what to run, and what "done" looks like.

Documentation

Document	Purpose
1. Solution Overview	What the Legal-tailored program is, the four Purview control domains (sensitivity labels, DLP, matter retention, audit evidence), what you control, honest limitations, and the naming convention.
2. Requirements Guide	Legal-program prerequisites (licensing per control, least-privilege roles, S&C PowerShell + Graph toolchain, in-scope legal population/matters/channels, the obligation-to-control map, DLP-simulation/encryption preconditions, audit, pilot) — each with Verify / Implement.
3. Implementation Guide	Ordered steps: assess, design the control map, configure labels, DLP (in simulation), matter retention & disposition, audit evidence, track in Compliance Manager, validate & evidence, expand to enforcement — pilot-in-simulation/test-first with pass/fail gates and rollback (and the regulatory-records irreversibility gate; legal holds referenced, never performed).
5. Testing & Validation	Eleven gates from "licensing present" to "validation scorecard green," each with method / pass / fail action — read-only or benign pilot content; DLP validated in simulation; legal-hold coverage read-only.
6. Troubleshooting	The failure modes — label/encryption behavior, DLP over-matching, retention scope, disposition, audit off, licensing, endpoint confusion, evidence gaps, hold/retention interaction — and their fixes.
7. Best Practices	Defensible-program principles: defer determinations, keep legal holds with legal, always pilot DLP in simulation, treat encryption/regulatory records as one-way, make evidence first-class, operate it as a program.

PowerShell tools (5)

All run **read-only or `-WhatIf` by default**; writes require `-Commit`. No credentials or secrets are embedded. Sensitivity labels, DLP, retention labels/policies, and audit retention cmdlets use **Security & Compliance PowerShell** (`Connect-IPPSSession`); licensing reads use **Microsoft Graph**. `Get-CaseHoldPolicy` is used **read-only reference only** — the tools never create, change, or release a legal hold.

Script	Role	Default			
`INDLEGAL-Discovery.ps1`	Assess: licensing, sensitivity labels/policies (encryption), DLP policies (mode), retention labels/policies (records/regulatory), unified-audit state + audit retention, and read-only reference to eDiscovery holds.	Read-only			
`INDLEGAL-Scope.ps1`	Scope/health helper: legal-population group members, in-scope mailboxes/matter sites, visible role groups, connection identity/health.	Read-only			
`INDLEGAL-Configure.ps1`	Configure/Remediate: create labels (+encryption), DLP **in simulation**, matter-records retention, and audit-evidence retention — `-Control Labels\	DLP\	Retention\	Audit`.	`-WhatIf` (writes on `-Commit`)
`INDLEGAL-Validate.ps1`	Validate: program scorecard across labels (encryption), DLP (in simulation/test), matter retention, audit, pilot coverage.	Read-only			

Script	Role	Default			
`INDLEGAL-Report.ps1`	Report: control → object → configuration → proof export (`Evidence – Legal Controls – Binder`), cross-referenced to the control map.	Read-only			

Named artifacts created

- Sensitivity labels: `Protect – Legal Privileged – Restricted` (encrypted), `Protect – Legal Matter Confidential – Confidential`.
- DLP: `DLP – Legal Privileged – Simulate` (built and validated in simulation/test mode).
- Matter records: `Retention – Legal Matter Records – Publish` (retention label + publish policy), `Disposition – Legal Records – Review` (disposition stage).
- Audit evidence: `Audit Retention – Legal Evidence – LongTerm`.
- Program tracking: `Assessment – Legal Controls – Program` (Compliance Manager, in-portal).
- Governance/evidence: `Control Map – Legal – Purview`, `Evidence – Legal Controls – Binder`, pilot `Legal Pilot – Privileged Data – Stage1`.

Definition of done

- Compliance **licensing confirmed** for labels/encryption, DLP (incl. Teams/Endpoint), records retention, and audit evidence on the legal population.
- **Sensitivity labels** published — privileged label encrypting to legal's approved scope, matter-confidential label available.
- **DLP** present and validated **in simulation**, its match report reviewed and tuned — then moved to **Enable** on the approved scope under legal sign-off.
- **Matter-records retention** in place — pilot **non-regulatory** label validated, disposition review configured where the schedule requires, and any **regulatory-records** label applied only under sign-off.
- **Unified audit on** with `Audit Retention – Legal Evidence – LongTerm` retaining evidence; eDiscovery hold coverage **visible** (read-only) for legal.
- The `Control Map – Legal – Purview` register complete and the `Evidence – Legal Controls – Binder` generated; the **validation scorecard green** for the pilot — then expanded to enforcement with a monitoring cadence and disposition review scheduled.

Boundary: *this solution delivers the technical control configuration and the evidence.* ***Privilege determination, matter mapping, retention adequacy, disposition triggers, and legal-hold scope are deferred to your legal, records, and compliance functions; legal holds and eDiscovery***

actions remain legal's. *Feature availability is* ***licensing-/tenant-dependent and evolving — verify against your entitlements and current Microsoft documentation.***

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

INDLEGAL-Configure.ps1

Purpose: Configures one Legal control domain at a time (-Control Labels|DLP|Retention|Audit) using Security & Compliance PowerShell. SAFE BY DEFAULT: prints the exact cmdlet it WOULD run and makes NO change unless -Commit is passed. Labels: creates the privileged (ENCRYPTED) and matter-confidential labels plus a pilot label policy. DLP: ALWAYS created in SIMULATION/TEST mode (blocks nothing) scoped to the pilot. Retention: defaults to a NON-regulatory pilot matter-records label + publish policy; the irreversible regulatory-records label requires the explicit -Regulatory switch and sign-off. Audit: creates an evidence-retention policy. This script NEVER creates, changes, or releases a legal hold — holds are the legal function's action in eDiscovery. No secrets in code. HOW TO RUN 1) Sensitivity labels (privileged encrypted + matter-confidential) + pilot policy — preview then commit: .\INDLEGAL-Configure.ps1 -Control Labels -WhatIf .\INDLEGAL-Configure.ps1 -Control Labels -Commit 2) DLP policy IN SIMULATION (never Enable from this script): .\INDLEGAL-Configure.ps1 -Control DLP -Mode TestWithNotifications -WhatIf .\INDLEGAL-Configure.ps1 -Control DLP -Mode TestWithNotifications -Commit 3) Matter-records retention (non-regulatory pilot label first): .\INDLEGAL-Configure.ps1 -Control Retention -RecordsDuration SevenYears -WhatIf 4) Audit evidence retention: .\INDLEGAL-Configure.ps1 -Control Audit -PolicyName "Audit Retention – Legal Evidence – LongTerm" -RecordTypes AzureActiveDirectory -Duration TenYears -Priority 150 -WhatIf Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin. EXPECTED RESULTS -WhatIf prints each intended create/remove with no change. -Commit performs it and re-reads the object. DLP is created only in SIMULATION/TEST — switch to Enable IN-PORTAL after match review + legal sign-off, never from this script. A -Regulatory retention label is IRREVERSIBLE — only under sign-off. Remove non-regulatory objects with -Remove. This script performs NO legal-hold action. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). High-impact: encryption labels, DLP, and records retention are piloted in simulation/test/disabled mode first. Privilege determination, matter mapping, retention durations, DLP match criteria, and legal-hold scope are legal/records determinations — supplied by you, not invented here. Legal holds/eDiscovery actions are legal's. Verify cmdlet/plan availability for your tenant. > [CmdletBinding(DefaultParameterSetName='Labels')] param([Parameter(Mandatory)][ValidateSet('Labels','DLP','Retention','Audit')][string]$Control,

How to run: 1) Sensitivity labels (privileged encrypted + matter-confidential) + pilot policy — preview then commit: .\INDLEGAL-Configure.ps1 -Control Labels -WhatIf .\INDLEGAL-Configure.ps1 -Control Labels -Commit 2) DLP policy IN SIMULATION (never Enable from this script): .\INDLEGAL-Configure.ps1 -Control DLP -Mode TestWithNotifications -WhatIf .\INDLEGAL-Configure.ps1 -Control DLP -Mode TestWithNotifications -Commit 3) Matter-records retention (non-regulatory pilot label first): .\INDLEGAL-Configure.ps1 -Control Retention -RecordsDuration SevenYears -WhatIf 4) Audit evidence retention: .\INDLEGAL-Configure.ps1 -Control Audit -PolicyName "Audit Retention – Legal Evidence – LongTerm" -RecordTypes AzureActiveDirectory -Duration TenYears -Priority 150 -WhatIf Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin. EXPECTED RESULTS -WhatIf prints each intended create/remove with no change. -Commit performs it and re-reads the object. DLP is created only in SIMULATION/TEST — switch to Enable IN-PORTAL after match review + legal sign-off, never from this script. A -Regulatory retention label is IRREVERSIBLE — only under sign-off. Remove non-regulatory objects with -Remove. This script performs NO legal-hold action. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). High-impact: encryption labels, DLP,

and records retention are piloted in simulation/test/disabled mode first. Privilege determination, matter mapping, retention durations, DLP match criteria, and legal-hold scope are legal/records determinations — supplied by you, not invented here. Legal holds/eDiscovery actions are legal's. Verify cmdlet/plan availability for your tenant. > [CmdletBinding(DefaultParameterSetName='Labels')] param([Parameter(Mandatory)][ValidateSet('Labels','DLP','Retention','Audit')][string]$Control,

INDLEGAL-Discovery.ps1

Purpose: Reports the current Purview control posture for a legal organization with no changes: compliance licensing present (information-protection / DLP-endpoint / records / Audit Premium-bearing plans), existing sensitivity labels and label policies (flagging encryption), DLP policies (flagging mode: Enable vs Test/simulation), retention labels and policies (flagging records / regulatory records), unified audit ingestion state, existing audit log retention policies, and — read-only reference only — existing eDiscovery case holds so legal-hold coverage is visible. Read-only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Discovery.ps1 Requires the ExchangeOnlineManagement module (Connect-IPPSSession) and, for the licensing section, Microsoft.Graph with delegated Organization.Read.All / Directory.Read.All. Uses an interactive modern-auth / MFA admin sign-in; no secrets in code. EXPECTED RESULTS A posture summary per control domain. Any capability whose plan/behavior must be confirmed is flagged "verify your licensing/tenant", not asserted. PASS = each in-scope control is present and correctly typed (DLP in simulation until validated); FAIL = a control is missing or mis-typed (drives the Implementation Guide). The eDiscovery-hold section is REFERENCE ONLY — it never changes a hold. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. Feature availability is licensing-/tenant-dependent and evolving; privilege/matter/retention/legal-hold determinations are deferred to your legal, records, and compliance functions. Legal holds and eDiscovery actions are the legal function's — this script only references them. Confirm cmdlet/plan names against your entitlements and current Microsoft documentation. > [CmdletBinding()] param([string]$UserPrincipalName, # optional: admin UPN to pass to Connect-* prompts [switch]$SkipGraphLicensing # skip the Graph licensing section if Graph is unavailable)

How to run: powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Discovery.ps1 Requires the ExchangeOnlineManagement module (Connect-IPPSSession) and, for the licensing section, Microsoft.Graph with delegated Organization.Read.All / Directory.Read.All. Uses an interactive modern-auth / MFA admin sign-in; no secrets in code. EXPECTED RESULTS A posture summary per control domain. Any capability whose plan/behavior must be confirmed is flagged "verify your licensing/tenant", not asserted. PASS = each in-scope control is present and correctly typed (DLP in simulation until validated); FAIL = a control is missing or mis-typed (drives the Implementation Guide). The eDiscovery-hold section is REFERENCE ONLY — it never changes a hold. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. Feature availability is licensing-/tenant-dependent and evolving; privilege/matter/retention/legal-hold determinations are deferred to your legal, records, and compliance functions. Legal holds and eDiscovery actions are the legal function's — this script only references them. Confirm cmdlet/plan names against your entitlements and current Microsoft documentation. > [CmdletBinding()] param([string]$UserPrincipalName, # optional: admin UPN to pass to Connect-* prompts [switch]$SkipGraphLicensing # skip the Graph licensing section if Graph is unavailable)

INDLEGAL-Report.ps1

Purpose: Produces the 'Evidence – Legal Controls – Binder' — a control -> Purview object -> configuration -> proof export (CSV + JSON) cross-referenced to the 'Control Map – Legal – Purview'

register — with no changes. It reads the configured objects (sensitivity labels + encryption, DLP policy + mode, matter-records retention label/policy, audit ingestion + retention policy) and, read-only reference only, existing eDiscovery holds, and records each control's presence, key configuration, and a proof pointer for the legal/compliance/audit file. Read-only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Report.ps1 -OutputDir .\evidence Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin; no secrets. Writes only the export files under -OutputDir; it changes NO Purview object and performs NO legal-hold action. EXPECTED RESULTS Two files in -OutputDir: 'Evidence – Legal Controls – Binder.csv' and '...json', one row per control with Status/Configuration/Proof. PASS = every in-scope obligation maps to a present Purview object with a proof reference; gaps are listed as MISSING for follow-up. Whether the evidenced controls are legally sufficient is legal/records' determination, not this report. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only (writes only the export files you request). Evidence, not a determination: privilege/matter/retention/legal-hold adequacy are legal/records'. Legal holds/eDiscovery are legal's — referenced read-only only. Verify cmdlet/plan names for your tenant. > [CmdletBinding()] param([string]$OutputDir = '.', [string]$PrivilegedLabel = 'Protect – Legal Privileged – Restricted', [string]$MatterLabel = 'Protect – Legal Matter Confidential – Confidential', [string]$DlpPolicy = 'DLP – Legal Privileged – Simulate', [string]$RetentionPolicy = 'Retention – Legal Matter Records – Publish', [string]$AuditPolicy = 'Audit Retention – Legal Evidence – LongTerm')

How to run: powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Report.ps1 -OutputDir .\evidence Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin; no secrets. Writes only the export files under -OutputDir; it changes NO Purview object and performs NO legal-hold action. EXPECTED RESULTS Two files in -OutputDir: 'Evidence – Legal Controls – Binder.csv' and '...json', one row per control with Status/Configuration/Proof. PASS = every in-scope obligation maps to a present Purview object with a proof reference; gaps are listed as MISSING for follow-up. Whether the evidenced controls are legally sufficient is legal/records' determination, not this report. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only (writes only the export files you request). Evidence, not a determination: privilege/matter/retention/legal-hold adequacy are legal/records'. Legal holds/eDiscovery are legal's — referenced read-only only. Verify cmdlet/plan names for your tenant. > [CmdletBinding()] param([string]$OutputDir = '.', [string]$PrivilegedLabel = 'Protect – Legal Privileged – Restricted', [string]$MatterLabel = 'Protect – Legal Matter Confidential – Confidential', [string]$DlpPolicy = 'DLP – Legal Privileged – Simulate', [string]$RetentionPolicy = 'Retention – Legal Matter Records – Publish', [string]$AuditPolicy = 'Audit Retention – Legal Evidence – LongTerm')

INDLEGAL-Scope.ps1

Purpose: Enumerates the intended in-scope legal population and confirms toolchain health with no changes: members of the legal-population group, the mailboxes/matter sites in scope, the compliance role groups it can see (for least-privilege review, keeping eDiscovery/hold roles with legal), and which endpoints (S&C PowerShell / Graph) are reachable. Use before configuring so the pilot scope is grounded in real objects. Read-only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Scope.ps1 -LegalGroup "Legal Department" Requires ExchangeOnlineManagement (Connect-IPPSSession) and, for group membership, Microsoft.Graph with delegated Group.Read.All / User.Read.All. Interactive modern-auth / MFA admin; no secrets. EXPECTED RESULTS A scope summary: group member count, sample in-scope mailboxes, visible role groups, and endpoint reachability. PASS = the legal-population group resolves and both endpoints are reachable; FAIL = group not found or an endpoint unreachable (resolve before configuring). .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. In-scope population and matter mapping are legal determinations; this

only enumerates what you name. Keep eDiscovery/legal-hold roles with the legal function. Confirm cmdlet/role names against your tenant. > [CmdletBinding()] param([string]$LegalGroup, # display name of the legal-population group (optional) [string]$UserPrincipalName, [switch]$SkipGraph)

How to run: powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Scope.ps1 -LegalGroup "Legal Department" Requires ExchangeOnlineManagement (Connect-IPPSSession) and, for group membership, Microsoft.Graph with delegated Group.Read.All / User.Read.All. Interactive modern-auth / MFA admin; no secrets. EXPECTED RESULTS A scope summary: group member count, sample in-scope mailboxes, visible role groups, and endpoint reachability. PASS = the legal-population group resolves and both endpoints are reachable; FAIL = group not found or an endpoint unreachable (resolve before configuring). .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. In-scope population and matter mapping are legal determinations; this only enumerates what you name. Keep eDiscovery/legal-hold roles with the legal function. Confirm cmdlet/role names against your tenant. > [CmdletBinding()] param([string]$LegalGroup, # display name of the legal-population group (optional) [string]$UserPrincipalName, [switch]$SkipGraph)

INDLEGAL-Validate.ps1

Purpose: Scores the Legal-tailored program across the four control domains with no changes: sensitivity labels present (privileged label encrypted), DLP policy present and IN SIMULATION/TEST (blocks nothing until validated), matter-records retention present and scoped, and unified audit on with the evidence-retention policy present. Emits a PASS/FAIL per gate mirroring the Testing Guide. Read-only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Validate.ps1 Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin; no secrets. For audit ingestion state it also uses Connect-ExchangeOnline where available. EXPECTED RESULTS A scorecard: each gate GREEN (pass) or RED (fail) with the remediation pointer. PASS overall = every in-scope gate green for the pilot scope (DLP GREEN while still in simulation is expected pre-enforcement). Determination-level adequacy (privilege, matter mapping, retention fit, legal hold) is NOT scored here — that is legal/records'. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. Proves the technical control works and is present; does not certify legal adequacy. Legal holds/eDiscovery are legal's and are not scored here. Verify cmdlet/plan names for your tenant. > [CmdletBinding()] param([string]$PrivilegedLabel = 'Protect – Legal Privileged – Restricted', [string]$MatterLabel = 'Protect – Legal Matter Confidential – Confidential', [string]$DlpPolicy = 'DLP – Legal Privileged – Simulate', [string]$RetentionPolicy = 'Retention – Legal Matter Records – Publish', [string]$AuditPolicy = 'Audit Retention – Legal Evidence – LongTerm', [switch]$RequireEnforced # if set, DLP must be in Enable (post-expand) to pass; default accepts simulation/test)

How to run: powershell -ExecutionPolicy Bypass -File .\INDLEGAL-Validate.ps1 Requires ExchangeOnlineManagement (Connect-IPPSSession). Interactive modern-auth / MFA admin; no secrets. For audit ingestion state it also uses Connect-ExchangeOnline where available. EXPECTED RESULTS A scorecard: each gate GREEN (pass) or RED (fail) with the remediation pointer. PASS overall = every in-scope gate green for the pilot scope (DLP GREEN while still in simulation is expected pre-enforcement). Determination-level adequacy (privilege, matter mapping, retention fit, legal hold) is NOT scored here — that is legal/records'. .NOTES Purview category — Microsoft Purview for Legal (industry bundle). Read-only. Proves the technical control works and is present; does not certify legal adequacy. Legal holds/eDiscovery are legal's and are not scored here. Verify cmdlet/plan names for your tenant. > [CmdletBinding()] param([string]$PrivilegedLabel = 'Protect – Legal Privileged – Restricted', [string]$MatterLabel = 'Protect – Legal Matter Confidential – Confidential', [string]$DlpPolicy = 'DLP – Legal Privileged – Simulate', [string]$RetentionPolicy = 'Retention – Legal Matter Records – Publish',

[string]$AuditPolicy = 'Audit Retention – Legal Evidence – LongTerm', [switch]$RequireEnforced # if set, DLP must be in Enable (post-expand) to pass; default accepts simulation/test)