iOS/iPadOS Enterprise SSO App Extension for Corporate-Owned iPhones (Microsoft Enterprise SSO Plug-in via Intune)

Implementation Solution Guide

Version 1.0.0 · 2026-07-28

Contents

Executive Summary — iOS/iPadOS Enterprise SSO App Extension (COD iPhones) 4

1. Solution Overview — iOS/iPadOS Enterprise SSO App Extension for Corporate-Owned iPhones 4

What this solution is . . . 4

How Apple Extensible SSO works (the two types) . . . 5

How it works, step by step . . . 5

What silent SSO covers (and what it needs) . . . 6

Benefits . . . 6

Limitations (be honest with buyers) . . . 6

The standard deployment model . . . 7

2. Requirements — iOS/iPadOS Enterprise SSO App Extension (COD iPhones) 7

R1. Corporate-owned iPhones/iPads enrolled in Intune . . . 7

R2. Supported iOS/iPadOS version . . . 7

R3. Microsoft Authenticator app (extension host) . . . 8

R4. Microsoft Entra ID as the identity provider . . . 8

R5. Extensible SSO app-extension configuration profile . . . 8

R6. Target app bundle IDs and Entra URLs identified . . . 8

R7. Supported browsers for silent SSO (awareness) . . . 8

R8. Network access to Microsoft Entra login endpoints . . . 9

R9. Company Portal for Conditional Access compliance (recommended) . . . 9

R10. Pilot user and pilot device . . . 9

Global Requirements — Intune Solutions (category-level) 9

G1. Microsoft Entra ID tenant . . . 9

G2. Microsoft Intune subscription . . . 9

G3. Administrative roles . . . 10

G4. Device enrollment in Intune . . . 10

G5. Pilot security group . . . 10

G6. Supported Windows baseline . . . 10

G7. Network access to Microsoft cloud endpoints . . . 10

3. Implementation — iOS/iPadOS Enterprise SSO App Extension (COD iPhones) 10

Phase 1 — Prepare the device for the extension . . . 11

Phase 2 — Create the Extensible SSO app-extension profile . . . 11

Phase 3 — Pilot . . . 13

Phase 4 — Validate and expand . . . 13

5. Testing & Validation — iOS/iPadOS Enterprise SSO App Extension 14

Test 1 — Tenant readiness . . . 14
Test 2 — Profile assignment . . . 14
Test 3 — Profile applied on the device . . . 14
Test 4 — Broker primed (first sign-in) . . . 14
Test 5 — Silent SSO in apps and browsers . . . 15
Test 6 — Managed-app coverage behaves . . . 15
Test 7 — Coverage report . . . 15
Test 8 — No enrollment/identity change (negative test) . . . 15
Acceptance gate . . . 15
6. Troubleshooting — iOS/iPadOS Enterprise SSO App Extension 15
Symptom: The SSO profile never appears on the device . . . 16
Symptom: Profile shows "Error" / "Conflict" in Device status . . . 16
Symptom: Apps/browsers still prompt for a password (no silent SSO) . . . 16
Symptom: Silent SSO works in Safari but not in Chrome/Edge/Firefox . . . 16
Symptom: One specific app is not brokered . . . 17
Symptom: Repeated MFA prompts even after priming . . . 17
Symptom: Sign-in loops or fails after the profile applies . . . 17
Symptom: Works for some users, not others . . . 17
Symptom: Coverage report shows fewer devices than the group . . . 18
Escalation checklist . . . 18
7. Best Practices — iOS/iPadOS Enterprise SSO App Extension (App/URL Scoping) 18
Get the broker host right . . . 18
Prefer managed-app-wide SSO, scope only when you must . . . 18
Scope URLs to the right cloud . . . 19
Set browser and MFA expectations . . . 19
Deploy pilot-first and reversibly . . . 19
Operate and monitor . . . 19
Change control . . . 19
8. Deliverables Summary — iOS/iPadOS Enterprise SSO App Extension 20
Documentation (this guide) . . . 20
PowerShell scripts (Microsoft Graph) — `IOSSSOEXT-Scripts.zip` . . . 20
Hero image . . . 21
How it's delivered . . . 21
Appendix A — PowerShell Scripts 22

Executive Summary — iOS/iPadOS Enterprise SSO App Extension (COD iPhones)

Users on corporate iPhones still hit repeated sign-in prompts — and repeated MFA — in apps and Safari because the **Microsoft Enterprise SSO plug-in** isn't deployed as an **app extension**. This solution deploys that plug-in as an Apple **Extensible Single Sign-On (SSO) app extension** — a **redirect-type** extension hosted in **Microsoft Authenticator** — via **Microsoft Intune**, so apps and browsers get **silent, shared single sign-on** to **Microsoft Entra ID**: the user signs in once and the device broker satisfies subsequent Entra sign-ins across cooperating apps and Safari — no repeated passwords, no repeat MFA.

A deliberately scoped, distinct capability. This is the **app/browser** SSO extension for **corporate-owned, Intune-enrolled** iPhones/iPads. It is **not** device enrollment (ADE/ABM is a prerequisite), **not** the two-phone personal+corporate model, and **not** shared-device identity — each of those is a separate solution. It deploys a single configuration profile, silences prompts *inside apps and Safari*, and is fully reversible by unassigning the profile — no re-enrollment, no re-imaging.

The iOS story differs from the Mac in two ways this package makes explicit: the extension is hosted in **Microsoft Authenticator** (not Company Portal), and iOS offers a one-key coverage lever — `Enable_SSO_On_All_ManagedApps` — that extends SSO to every Intune-managed app at once.

This package delivers the complete, field-tested method to stand it up in Intune — written so a single administrator can follow it end to end:

- **One profile, one purpose.** An iOS/iPadOS **SSO app extension (Microsoft Entra ID / Redirect)**

configuration profile carrying the Microsoft Enterprise SSO identifiers, the Entra login URLs, and precise **managed-app / URL scoping** — deployed pilot-first.

- **Silent SSO where it counts.** Safari and MSAL/broker-aware apps get silent Entra sign-in after a

single priming sign-in; browser coverage is set honestly (Safari reliable; others best-effort).

- **Precise, reversible scoping.** `Enable_SSO_On_All_ManagedApps`, `AppPrefixAllowList`, and URL

lists target exactly the apps and browsers you intend — widen in waves after each gate.

The package follows the standard repeatable shape — **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** — with exact, click-by-click Intune steps, a requirements guide that tells you how to verify *and* fix each prerequisite, five ready-to-run PowerShell scripts (Microsoft Graph), and testing/troubleshooting guides with clear pass/fail gates.

Outcome: silent, shared sign-in to Entra apps and browsers across every corporate iPhone — the Enterprise SSO app extension deployed and proven on a pilot before you scale, without a consulting engagement, and without touching how the device is enrolled.

1. Solution Overview — iOS/iPadOS Enterprise SSO App Extension for Corporate-Owned iPhones

What this solution is

This solution deploys the **Microsoft Enterprise SSO plug-in** as an Apple **Extensible Single Sign-On (SSO) app extension** on **corporate-owned (COD) iPhones and iPads** managed by **Microsoft Intune**. Once in place, apps and browsers that authenticate against **Microsoft Entra ID** get **silent, shared single sign-on** — the user signs in once and the on-device broker satisfies subsequent Entra sign-ins across cooperating apps and Safari, without repeated password prompts or per-app MFA.

Apple's **Extensible SSO** framework lets an identity provider register a system-wide authentication extension. On iOS/iPadOS, Microsoft ships the Enterprise SSO plug-in **inside the Microsoft Authenticator app** — this is the first important difference from the Mac, where the same extension ships inside Company Portal:

- **iOS/iPadOS broker host = Microsoft Authenticator.** The extension binary lives in the

Microsoft Authenticator app; without Authenticator installed, the extension identifier the profile references does not exist on the device.

- **macOS broker host = Company Portal.** (Covered by the separate *macOS Enterprise SSO App

Extension* solution — do not confuse the two; the identifiers differ.)

> ***Scope, stated plainly.*** *This solution delivers the **app/browser SSO extension** for **corporate-owned, Intune-enrolled** iPhones/iPads. It is the identity-experience layer — it silences sign-in prompts *inside apps and Safari*. It is **not** device enrollment (ADE/ABM is a prerequisite, covered by the enrollment solutions), it is **not** the two-phone personal+corporate scenario (see *Dual-Device iPhone Management with SSO*), and it is **not** shared-device identity (see *iOS iPhone Shared Device Mode — Frontline SSO*). It assumes each COD iPhone is assigned to **one** user.*

How Apple Extensible SSO works (the two types)

An Extensible SSO configuration profile carries a **type**:

- **Redirect** — for identity providers that use **OpenID Connect / OAuth 2 redirect** flows.

Microsoft Entra ID is a redirect IdP, so the Enterprise SSO plug-in is a **redirect-type** extension. It intercepts authentication requests to a defined set of **Entra URLs** and completes them silently using the broker. **This solution uses the redirect type.**

- **Credential** — for **challenge/response (Kerberos-style)** providers. **Out of scope here.**

On iOS/iPadOS, Intune's **Device features** template exposes a convenient **SSO app extension type = Microsoft Entra ID** option that pre-populates the Microsoft extension identifiers for you; the underlying type is still Redirect. This solution uses that path (with the raw Redirect values given as well, so you can verify or script them).

How it works, step by step

1. **Microsoft Authenticator delivers the extension binary.** The Enterprise SSO plug-in ships inside

the **Microsoft Authenticator** app for iOS/iPadOS. Authenticator must be installed (deployed **Required** from Intune) on the COD device.

1. **Intune deploys the redirect profile.** A **configuration profile** (Device features → *Single

sign-on app extension*, type **Microsoft Entra ID**) activates the extension, setting the **Extension Identifier** `com.microsoft.azureauthenticator.ssoextension`, **Team Identifier** `UBF8T346G9`, **Type =**

Redirect, and the **Entra URLs** to intercept.

1. **First sign-in primes the broker.** The user signs in once to a Microsoft app or web property (for example Outlook, or `https://outlook.office.com` in Safari) with their Entra credentials, completing MFA. The extension registers a **Primary Refresh Token (PRT)**–backed session on the device.

1. **Silent SSO afterward.** Subsequent Entra sign-ins from **cooperating apps and Safari** are satisfied **silently** — no password re-entry, no repeat MFA — until the session expires.

1. **Scoping (optional but recommended).** Extension-configuration keys tune coverage: turn on SSO for **all managed apps**, allow-list app bundle-ID prefixes, and enable browser interaction.

What silent SSO covers (and what it needs)

• **Safari and native apps built on the Microsoft Authentication Library (MSAL)** or the iOS broker get silent SSO automatically once the extension is active and the broker is primed.

• **Managed apps** (deployed and managed by Intune) can all be brought into SSO with the iOS-specific key `Enable_SSO_On_All_ManagedApps = 1` — a coverage lever the Mac does not have.

• **Non-Safari browsers** (Chrome, Edge, Firefox on iOS) get broker SSO **only** when they support the iOS SSO extension; otherwise they fall back to normal interactive sign-in. Best-effort by design — set that expectation with users.

• The device must have **Microsoft Authenticator** present so the broker can register and issue the PRT.

Benefits

• **Fewer prompts, less MFA fatigue** — one sign-in, then silent Entra SSO across apps and Safari on the corporate iPhone.

• **Managed-app-wide SSO** — one key (`Enable_SSO_On_All_ManagedApps`) extends SSO to every Intune-managed app on the device.

• **No enrollment change** — deploys a configuration profile only; it does **not** re-enroll or re-image the device and is reversible by unassigning the profile.

• **Conditional Access friendly** — the broker PRT session supports device-based Entra policies for the apps that use it.

• **Precise scoping** — target exactly the apps/URLs you want via bundle-ID prefixes and URL lists.

Limitations (be honest with buyers)

• **Corporate-owned, enrolled devices.** This targets Intune-enrolled COD iPhones/iPads. It is not a BYOD/MAM-only capability (personal-device SSO for unenrolled phones is a different model).

• Requires the **Microsoft Authenticator** app (the extension lives inside it) and a supported

iOS/iPadOS release (**iOS/iPadOS 13+**; a current release recommended).

• **Browser coverage varies.** Only browsers with iOS SSO-extension support get silent SSO; others sign in normally.

• Apps must use the **Microsoft broker/MSAL** or Safari to benefit; legacy apps with embedded webviews may not.

• Requires **Microsoft Entra ID** as the IdP and outbound access to the Entra login endpoints.

• **Identifiers can change.** The extension identifier and template options above reflect current Microsoft documentation — **verify them in your tenant** before fleet rollout rather than assuming.

The standard deployment model

This solution uses **one** repeatable model across our catalog:

> ***Corporate-owned, Intune-enrolled iPhones/iPads receive the Microsoft Enterprise SSO plug-in (hosted in Microsoft Authenticator) as a redirect-type Extensible SSO app extension, scoped to Entra login URLs and managed apps, deployed pilot-first and reversible.***

Every step follows the repeatable pattern: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

2. Requirements — iOS/iPadOS Enterprise SSO App Extension (COD iPhones)

Confirm **every** requirement below before you begin. Each entry follows the same pattern: **Description · Why required · How to verify · How to implement if missing.** Category-wide prerequisites (tenant, Intune licensing, admin roles, pilot group, network) are covered once in the **Global Requirements — Intune Solutions** document; the items here are specific to the Microsoft Enterprise SSO **app extension** for corporate-owned iPhones/iPads.

> ***Scope reminder.*** *These requirements are for the **app/browser** SSO extension (redirect type) on **enrolled, corporate-owned** iPhones/iPads. They deliberately do **not** include shared-device identity (Shared Device Mode) or the personal+corporate dual-device model — those are separate solutions.*

R1. Corporate-owned iPhones/iPads enrolled in Intune

Description: The target devices are Intune-enrolled corporate-owned iOS/iPadOS devices (supervised via Apple Business Manager + Automated Device Enrollment is the recommended COD path). **Why:** The SSO app-extension configuration profile is delivered by Intune MDM; it only reaches enrolled devices. **Verify:** Intune admin center (`https://intune.microsoft.com`) → **Devices** → **iOS/iPadOS** → **iOS/iPadOS devices**; the device is listed and **managed** (and, for COD, **supervised**). **Implement:** Enroll the device via **Automated Device Enrollment (ADE)** with an ABM/ADE token and enrollment profile so it appears under **Devices** → **iOS/iPadOS** as supervised/corporate. (Device enrollment itself is covered by the ADE enrollment solutions.)

R2. Supported iOS/iPadOS version

Description: An iOS/iPadOS release that supports the Extensible SSO **app** extension (**iOS/iPadOS 13 or later**; a current, patched release recommended). **Why:** Apple's Extensible SSO app-extension framework and the Microsoft Enterprise SSO plug-in require iOS/iPadOS 13+; recent releases improve broker reliability. **Verify:** On the device, **Settings** → **General** → **About** → **Software Version**; or Intune → device → **Hardware**. **Implement:** Update via **Settings** → **General** → **Software Update**, or deploy a **minimum-OS compliance policy** so older devices are flagged.

R3. Microsoft Authenticator app (extension host)

Description: The **Microsoft Authenticator** app installed on the device. **Why:** On iOS/iPadOS the **Microsoft Enterprise SSO extension binary ships inside Microsoft Authenticator** (unlike macOS, where it ships in Company Portal). Without Authenticator the extension identifier the profile references does not exist on the device. **Verify:** Intune → **Apps** → **iOS/iPadOS**; **Microsoft Authenticator** is added and assigned to your pilot group, and the app is installed on the device. **Implement:** Intune → **Apps** → **iOS/iPadOS** → **Add** → **iOS store app**; add **Microsoft Authenticator** (publisher **Microsoft Corporation**, bundle ID `com.microsoft.azureauthenticator`), assign it **Required** to the pilot group so it installs automatically.

R4. Microsoft Entra ID as the identity provider

Description: Apps and browsers you want covered authenticate against **Microsoft Entra ID**. **Why:** The redirect extension intercepts the **Entra login URLs**; only Entra-secured authentication is brokered. **Verify:** The target apps/sites sign in at `https://login.microsoftonline.com` (or your sovereign-cloud equivalent). **Implement:** Confirm the apps are registered in Entra and use Entra sign-in; non-Entra IdPs are out of scope.

R5. Extensible SSO app-extension configuration profile

Description: An iOS/iPadOS **SSO app extension** (redirect / **Microsoft Entra ID** type) configuration profile carrying the Microsoft Enterprise SSO identifiers and Entra URLs. **Why:** This profile is what activates and scopes the extension. **Verify:** Intune → **Devices** → **Configuration**; a profile with an **SSO app extension** section (extension identifier `com.microsoft.azureauthenticator.ssoextension`) exists and is assigned to your pilot group. **Implement:** Create it during deployment (Implementation Guide, Phase 2), or set/adjust its assignment with the included `IOSSSOEXT-Set-ScopeTargeting.ps1`.

R6. Target app bundle IDs and Entra URLs identified

Description: The **app bundle identifiers** and **Entra URLs** the extension should cover. **Why:** Correct scoping decides which apps/browsers get silent SSO; a missing URL means that flow is not brokered. On iOS you can also enable SSO for **all managed apps** at once. **Verify:** You have the bundle IDs (for example `com.microsoft.Office.Outlook`, `com.apple.mobilesafari`) and the Entra login URLs for your cloud. **Implement:** Collect bundle IDs from the app vendors / the app's store listing; use the standard Entra URL set (see Implementation) plus any sovereign-cloud URLs. Prefer `Enable_SSO_On_All_ManagedApps = 1` for managed apps.

R7. Supported browsers for silent SSO (awareness)

Description: Awareness of which iOS browsers honor the SSO extension. **Why: Safari** flows are brokered natively; other browsers get silent SSO only if they support the extension. Setting expectations prevents "it still prompts in Chrome" tickets. **Verify:** Test each browser you support (Testing, Test 5). **Implement:** Where a browser lacks support, document the fallback (normal interactive sign-in) or standardize on Safari for brokered flows.

R8. Network access to Microsoft Entra login endpoints

Description: Outbound HTTPS to the Entra sign-in endpoints for your cloud. **Why:** The broker and the extension complete token requests against these endpoints. **Verify:** From the device network, reach `https://login.microsoftonline.com` (commercial) or the sovereign equivalent (`login.microsoftonline.us`, `login.partner.microsoftonline.cn`). **Implement:** Allow Microsoft's published Entra/Office 365 URLs through proxy/firewall; do **not** TLS-inspect the Microsoft login endpoints.

R9. Company Portal for Conditional Access compliance (recommended)

Description: The Intune **Company Portal** app present for compliance/registration where Conditional Access requires a compliant device. **Why:** Silent SSO and device-based Conditional Access work best when the device is registered and reporting compliance; Authenticator provides the SSO broker, Company Portal the MDM compliance channel. **Verify:** Intune → **Apps** → **iOS/iPadOS**; Company Portal is assigned; the device shows **compliant**. **Implement:** Assign **Company Portal** (bundle ID `com.microsoft.CompanyPortal`) **Required** to the pilot group if your CA policies gate the target apps on compliance.

R10. Pilot user and pilot device

Description: At least one pilot user with a licensed Entra identity and one enrolled pilot COD iPhone/iPad. **Why:** Every solution is validated on a pilot before fleet rollout. **Verify:** The pilot user can sign in to a Microsoft 365 app; the pilot device is enrolled (R1) and has Microsoft Authenticator (R3). **Implement:** Add the pilot user/device to the **pilot security group** (Global Requirement G5) used for the profile assignment.

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation — iOS/iPadOS Enterprise SSO App Extension (COD iPhones)

Follow these steps **in order**. The *why* for each capability lives in the Solution Overview; the steps below are deliberately short and exact so you can **click to implement**. Throughout, the repeatable pattern applies: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.** Do everything against a **pilot group** first.

All admin-center steps use the Microsoft Intune admin center at `https://intune.microsoft.com` unless noted.

> ***This deploys the app/browser SSO extension only*** *on* ***enrolled, corporate-owned*** *iPhones/iPads. It does not enroll devices and does not configure shared-device identity. Every setting below uses the* ***Redirect / Microsoft Entra ID*** *extension type.*

Phase 1 — Prepare the device for the extension

Step 1. Confirm iOS/iPadOS enrollment and version

1. Go to **Devices** → **iOS/iPadOS** → **iOS/iPadOS devices** and confirm the pilot device is **managed**

(and, for COD, **supervised**).

1. Open the device → **Hardware** and confirm iOS/iPadOS **13+** (current release recommended).

Step 2. Add and assign Microsoft Authenticator (hosts the extension)

1. Go to **Apps** → **iOS/iPadOS** → **Add**.
2. **App type = iOS store app**, **Select**. Search **Microsoft Authenticator** — publisher

Microsoft Corporation, bundle ID `com.microsoft.azureauthenticator` (*not* "Authenticator" by another publisher). **Select**.

1. Assign it **Required** to your **pilot group** so it installs automatically. Microsoft

Authenticator is what delivers the Enterprise SSO extension binary on iOS — the profile in Phase 2 only *activates* it.

1. *(Recommended, if Conditional Access gates the target apps on compliance — R9)* Repeat for

Company Portal (bundle ID `com.microsoft.CompanyPortal`), assigned **Required**.

Step 3. Gather scoping inputs

1. Record the **Entra login URLs** for your cloud (defaults below in Step 5).
2. Decide the app coverage. The simplest, most complete option on iOS is to enable SSO for **all

managed apps **(Step 6). If you prefer an allow-list, record the** app bundle IDs**, for example:

- Safari — `com.apple.mobilesafari`
- Microsoft Outlook — `com.microsoft.Office.Outlook`
- Microsoft Teams — `com.microsoft.skype.teams`
- Microsoft Edge — `com.microsoft.msedge`

Phase 2 — Create the Extensible SSO app-extension profile

Step 4. Create the configuration profile

1. Go to **Devices** → **Configuration** → **Create** → **New policy**.
2. **Platform** = **iOS/iPadOS**; **Profile type** = **Templates** → **Device features** → **Create**.

3. **Basics** → **Name: iOS SSO App Extension – Pilot**. Add a description, e.g. *Microsoft Enterprise SSO app extension (redirect) for apps and browsers on COD iPhones.* Click **Next**.

Step 5. Configure the Single sign-on app extension (Microsoft Entra ID)

1. On **Configuration settings**, expand **Single sign-on app extension**.
2. **SSO app extension type:** select **Microsoft Entra ID**. This pre-populates the Microsoft extension for you. *(If you choose **Redirect** instead, set these values by hand:)*

- **Extension identifier:** `com.microsoft.azureauthenticator.ssoextension`
- **Team identifier:** `UBF8T346G9`
- **URLs** (the Entra endpoints to intercept — commercial cloud):
- `https://login.microsoftonline.com`
- `https://login.microsoft.com`
- `https://sts.windows.net`
- `https://login.windows.net`
- `https://login.microsoftonline.us` *(US Gov)*
- `https://login.partner.microsoftonline.cn` *(21Vianet)*
- Keep only the URLs for the cloud(s) you actually use.

Step 6. Add the extension configuration (scoping) keys

Still in the **Single sign-on app extension** section, under **Additional configuration**, add the key/value pairs that scope and tune the Microsoft extension (each row: Key · Type · Value):

- `Enable_SSO_On_All_ManagedApps` · Integer · `1` — extends SSO to **all Intune-managed apps** (the recommended iOS coverage lever).
- `browser_sso_interaction_enabled` · Integer · `1` — lets Safari (and supporting browsers) do interactive broker sign-in through the extension.
- `disable_explicit_app_prompt` · Integer · `1` — reduces redundant prompts from apps that would otherwise force interactive sign-in.
- *(Optional, if you did **not** enable all managed apps)* `AppPrefixAllowList` · String · `com.microsoft.,com.apple.` — comma-separated bundle-ID prefixes allowed to use the extension.

> *These keys are the Microsoft-documented extension parameters for the iOS Enterprise SSO plug-in. Add only the ones you need; leave the rest at default. **Verify current key names in your tenant** — Microsoft occasionally revises them.*

Step 7. Scope tags, assignment, review

1. **Next** through **Scope tags** (set if you use them).
2. **Assignments:** add the **pilot group**. Click **Next**.
3. **Review + create** → **Create**.

*Prefer automation? Run the included `IOSSSOEXT-Set-ScopeTargeting.ps1` (Microsoft Graph) to set or adjust the assignment (defaults to **-WhatIf** — preview first, then re-run to apply), and `IOSSSOEXT-Discovery.ps1` to confirm the profile is present and correctly configured.*

Phase 3 — Pilot

Step 8. Push and confirm the profile

1. On the pilot device, open the **Company Portal** or **Settings** app and force a sync

(**Settings** → **General** → **VPN & Device Management** → **(MDM profile)**, or Company Portal → **Check status**), and confirm **Microsoft Authenticator** is installed.

1. In Intune → **Devices** → **Configuration** → **iOS SSO App Extension – Pilot** → **Device status**, confirm

the pilot device shows **Succeeded**.

Step 9. Prime the broker (first interactive sign-in)

1. On the pilot device, open **Microsoft Authenticator** once so the extension is active, then open

Safari and sign in to a Microsoft 365 web app (`https://outlook.office.com`) with the pilot user's Entra credentials; complete MFA if prompted.

1. This first sign-in establishes the broker session (PRT) the extension will reuse silently.

Step 10. Confirm silent SSO

1. Open a **second** Entra-secured app or site (for example the **Outlook** app, or

`https://portal.office.com` in Safari).

1. Confirm sign-in is **silent** — no password prompt and no repeat MFA — using the same identity.
2. Repeat in each supported browser to record which give silent SSO (see Testing, Test 5).

Phase 4 — Validate and expand

Step 11. Validate with the scripts

1. Run `IOSSSOEXT-Discovery.ps1` (tenant readiness: SSO app-extension profile present with the

correct identifier, Microsoft Authenticator assigned).

1. Run `IOSSSOEXT-Validation.ps1` to confirm the profile is **assigned** to the intended group and

the pilot device shows the profile **applied**.

1. Run `IOSSSOEXT-Report.ps1` to produce an SSO-coverage report (which iOS/iPadOS devices have the

extension profile applied).

Step 12. Remediate gaps (safe by default)

1. If devices are missing or mis-scoped, run `IOSSSOEXT-Remediation.ps1` — it **defaults to

`-WhatIf`** and prints exactly what it would change. Review, then re-run to apply.

Step 13. Expand in waves

1. Once the pilot passes (Testing gate), broaden the profile assignment to the next group, or make it the standard iOS SSO extension profile for corporate devices.

1. Add any additional **app bundle IDs / URLs** discovered during the pilot to the scoping keys (Step 6) and re-validate — or confirm `Enable_SSO_On_All_ManagedApps` already covers them.

1. Roll out in waves, validating each wave with `IOSSSOEXT-Report.ps1` before widening.

5. Testing & Validation — iOS/iPadOS Enterprise SSO App Extension

Validate against a **pilot device** before expanding. Each test has an explicit **pass/fail gate**. Use the included PowerShell scripts (Microsoft Graph) for tenant-side checks and the on-device steps for the user experience.

> ***What "pass" means here:*** *apps and browsers on the corporate iPhone get* ***silent*** *Entra SSO after one priming sign-in. This solution does* ***not*** *enroll the device or change shared-device identity.*

Test 1 — Tenant readiness

Procedure: Run `IOSSSOEXT-Discovery.ps1`. **Pass:** An **SSO app extension** configuration profile exists with Extension Identifier `com.microsoft.azureauthenticator.ssoextension` (redirect / Microsoft Entra ID type); Microsoft Authenticator (iOS) is added/assigned. **Fail:** Missing profile, wrong identifier, or missing Authenticator → resolve before piloting.

Test 2 — Profile assignment

Procedure: Run `IOSSSOEXT-Validation.ps1` (or check **Devices** → **Configuration** → **(profile)** → **Assignments**). **Pass:** The profile is assigned to the intended **pilot group** and to no unintended broad group. **Fail:** Not assigned, or assigned to "All devices" prematurely → correct the assignment (Implement Step 7 / `IOSSSOEXT-Set-ScopeTargeting.ps1`).

Test 3 — Profile applied on the device

Procedure: On the pilot device, **Settings** → **General** → **VPN & Device Management** → **(MDM profile)** (or Intune → profile → **Device status**). **Pass:** The **iOS SSO App Extension – Pilot** profile is installed and Intune shows **Succeeded**; Microsoft Authenticator is present. **Fail:** Not installed / error → force a sync and confirm Microsoft Authenticator is installed (R3).

Test 4 — Broker primed (first sign-in)

Procedure: Open Microsoft Authenticator once, then in Safari sign in to `https://outlook.office.com` with the pilot user's Entra credentials (complete MFA if prompted). **Pass:** Interactive sign-in succeeds and completes cleanly. **Fail:** Sign-in loops or errors → verify the Entra

URLs in the profile (Step 5) and network access to the login endpoints (R8).

Test 5 — Silent SSO in apps and browsers

Procedure: Without re-entering credentials, open a **second** Entra-secured target: a native Microsoft app (e.g. the **Outlook** app) and each supported browser (**Safari** first). **Pass:** Sign-in is **silent** (no password prompt, no repeat MFA) using the same identity in Safari and in MSAL/broker-aware apps. **Fail (Safari/native):** Still prompting → verify Extension Identifier/Team ID and that the app is covered by `Enable_SSO_On_All_ManagedApps` or the `AppPrefixAllowList` (Step 6). **Expected variance (other browsers):** Chrome/Firefox without SSO-extension support fall back to interactive sign-in — record this as expected, not a failure (R7).

Test 6 — Managed-app coverage behaves

Procedure: Confirm the coverage lever: with `Enable_SSO_On_All_ManagedApps = 1`, open two different Intune-managed Microsoft apps and confirm both are silent; if you used `AppPrefixAllowList` instead, confirm an app outside the prefix is not brokered while one inside it is. **Pass:** The intended apps get silent SSO; apps you did not scope do not. **Fail:** Unexpected apps brokered or intended apps skipped → adjust the scoping keys (Step 6) and re-sync.

Test 7 — Coverage report

Procedure: Run `IOSSSOEXT-Report.ps1`. **Pass:** The report lists the pilot device(s) as **profile applied**; counts match the assigned group. **Fail:** Devices missing from the report → run `IOSSSOEXT-Remediation.ps1` (`-WhatIf` first) to fix assignment/scoping.

Test 8 — No enrollment/identity change (negative test)

Procedure: Confirm the device is still enrolled and assigned to the same single user; sign out of one app. **Pass:** The device enrollment and its single-user assignment are **unchanged**; this solution only adds the SSO extension profile and does not alter enrollment or introduce a shared session. **Fail:** If device ownership/affinity changed, an unintended enrollment or shared-device policy is also present — confirm this solution deployed the **SSO extension profile** only.

Acceptance gate

Proceed to **Expand** only when Tests 1–7 pass on at least one pilot device, Test 8 confirms enrollment/identity is unchanged, and a real pilot user confirms silent SSO across the intended apps and Safari.

6. Troubleshooting — iOS/iPadOS Enterprise SSO App Extension

Work top-down: confirm the **profile is applied**, then **Microsoft Authenticator is present and the broker is primed**, then **scoping**. Most "still prompting" cases are a missing Authenticator app, a mis-typed identifier, or an app outside the coverage keys. Each symptom below gives the **likely cause** and the **fix**.

> ***Before you start:*** *verify this is the app/browser extension problem you think it is. If the device is *shared between people* and users see each other's sessions, that is a shared-device identity problem (**Shared Device Mode**, separate solution), not this per-user app extension.*

Symptom: The SSO profile never appears on the device

Likely cause: Device not synced, not assigned, or not enrolled. **Fix:**

1. Confirm the device is in the **pilot group** and the profile is **assigned**

(`IOSSSOEXT-Validation.ps1`).

1. Force sync from Company Portal (**Check status**) or **Settings → General → VPN & Device

Management**.

1. Check **Devices** → **Configuration** → **(profile)** → **Device status** for an error.
2. Confirm **Microsoft Authenticator** is installed (R3) — the extension identifier is invalid

without it.

Symptom: Profile shows "Error" / "Conflict" in Device status

Likely cause: A second SSO app-extension profile conflicts, or a duplicate profile targets the same device. **Fix:**

1. Run `IOSSSOEXT-Discovery.ps1` to list SSO extension profiles.
2. Ensure only **one** SSO app-extension (redirect / Microsoft Entra ID) profile targets the device.
3. Remove or re-scope the duplicate.

Symptom: Apps/browsers still prompt for a password (no silent SSO)

Likely cause: Authenticator missing, broker not primed, wrong identifiers, or app not covered. **Fix:**

1. Confirm **Microsoft Authenticator** is installed, then open it once to activate the extension.
2. Complete **one interactive sign-in** in Safari to prime the broker (Implementation Step 9).
3. Verify **Extension Identifier** `com.microsoft.azureauthenticator.ssoextension` and **Team

Identifier** `UBF8T346G9` exactly (Step 5).

1. Confirm the app is covered by `Enable_SSO_On_All_ManagedApps = 1` or by your `AppPrefixAllowList`

(Step 6), and that the app authenticates against a URL in the profile's list.

Symptom: Silent SSO works in Safari but not in Chrome/Edge/Firefox

Likely cause: Expected — those browsers may not support the iOS SSO extension. **Fix:**

1. Set `browser_sso_interaction_enabled = 1` (Step 6) to enable interactive broker sign-in where

supported.

1. Where a browser has no extension support, document the fallback and steer web SSO to **Safari**.
2. This is a browser limitation, not a profile error — set expectations with users (R7).

Symptom: One specific app is not brokered

Likely cause: App not managed (so `Enable_SSO_On_All_ManagedApps` doesn't cover it), bundle ID outside the allow-list, or the app uses a non-MSAL/embedded webview auth stack. **Fix:**

1. If you rely on `Enable_SSO_On_All_ManagedApps`, confirm the app is actually deployed as a **managed** app.
1. Otherwise add the exact bundle ID (or its prefix) to `AppPrefixAllowList` (Step 6).
2. If the app uses a legacy embedded webview (not the broker/MSAL or Safari), silent SSO may not be possible — note it as a known limitation.

Symptom: Repeated MFA prompts even after priming

Likely cause: Broker session not established, or Conditional Access re-challenging. **Fix:**

1. Confirm Authenticator registered the device (open Authenticator; the work account is present).
2. Set `disable_explicit_app_prompt = 1` (Step 6).
3. Review Conditional Access sign-in frequency / device-compliance policies gating the app; confirm the device reports **compliant** (R9) so CA is satisfied by the device rather than re-prompting.

Symptom: Sign-in loops or fails after the profile applies

Likely cause: Missing Entra URL, blocked login endpoint, or TLS inspection. **Fix:**

1. Confirm the correct **Entra URLs** for your cloud are present (Step 5) — commercial vs US Gov vs 21Vianet differ.
1. From the device network, reach `https://login.microsoftonline.com` (or sovereign equivalent) (R8).
2. **Exempt Microsoft login endpoints from TLS inspection** — inspection breaks token exchange.

Symptom: Works for some users, not others

Likely cause: Group membership, licensing, or Authenticator not installed on those devices. **Fix:**

1. Confirm affected users/devices are in the assigned group (`IOSSSOEXT-Report.ps1`).
2. Confirm each user has a licensed Entra identity (R10) and each device has Microsoft Authenticator (R3).
1. Have the affected user open Authenticator and complete the one-time interactive sign-in to prime the broker.

Symptom: Coverage report shows fewer devices than the group

Likely cause: Some devices not synced, not enrolled, or missing Authenticator. **Fix:**

1. Run `IOSSSOEXT-Report.ps1` to list which devices lack the applied profile.
2. Run `IOSSSOEXT-Remediation.ps1` **(**`-WhatIf` **first)** to correct assignment/scoping.
3. Re-sync stragglers and confirm enrollment (R1) and Authenticator (R3).

Escalation checklist

Before opening a Microsoft support case, collect: the `IOSSSOEXT-Discovery.ps1` output, the profile's Device status export, the exact Extension/Team identifiers and URL list, the affected app bundle IDs, iOS/iPadOS version, whether Authenticator is installed and registered, and whether Safari brokers silently (isolates the extension from browser-specific issues).

7. Best Practices — iOS/iPadOS Enterprise SSO App Extension (App/URL Scoping)

These practices keep the app/browser SSO extension precise, predictable, and reversible on corporate-owned iPhones/iPads. They assume the deployment model in the Solution Overview: a **redirect-type** Extensible SSO app extension hosted in **Microsoft Authenticator**, deployed via Intune, pilot-first.

Get the broker host right

• **Deploy Microsoft Authenticator first, Required.** On iOS the extension lives in Authenticator (not Company Portal). Make it a **Required** app assigned to the same group as the SSO profile so the extension binary is always present before the profile lands.

• **Add Company Portal where Conditional Access needs compliance.** Authenticator brokers the token; Company Portal carries MDM compliance. If CA gates the target apps on a compliant device, deploy both.

Prefer managed-app-wide SSO, scope only when you must

• **Start with** `Enable_SSO_On_All_ManagedApps = 1`**.** On iOS this is the cleanest coverage: every Intune-managed app gets SSO without enumerating bundle IDs. Use an `AppPrefixAllowList` only if you deliberately want a narrower set.

• **If you allow-list, prefer prefixes over long ID lists.** A prefix like `com.microsoft.` covers the Office suite and Teams without listing every bundle ID; add specific IDs only for outliers.

• **Record every bundle ID you add.** Keep a short table (app → bundle ID → why included) so the next admin understands the scope.

Scope URLs to the right cloud

- **Only your cloud's Entra URLs.** Commercial uses `login.microsoftonline.com` / `login.microsoft.com` / `sts.windows.net` / `login.windows.net`. US Gov uses `login.microsoftonline.us`; 21Vianet uses `login.partner.microsoftonline.cn`. Do **not** add clouds you don't use — extra URLs widen the interception surface for no benefit.
- **Use the "Microsoft Entra ID" template type** to auto-populate identifiers, then **verify** them against current Microsoft docs before you widen the rollout.

Set browser and MFA expectations

- **Safari is the reliable path.** Safari flows broker natively. Standardize on Safari for brokered web SSO where you can.
- **Enable** `browser_sso_interaction_enabled = 1` so supporting browsers can complete interactive broker sign-in; document that non-supporting browsers fall back to normal sign-in.
- **Prime once, then measure.** Expect one interactive sign-in (with MFA) per user to seed the broker; measure silent SSO from the *second* sign-in onward. Use `disable_explicit_app_prompt = 1` to cut redundant app prompts.

Deploy pilot-first and reversibly

- **Assign to a pilot group, never "All devices" first.** Expand in waves after each gate passes.
- **Rollback is unassignment.** Because this only adds a configuration profile, removing the assignment cleanly reverts behavior to pre-SSO — no enrollment or account cleanup needed. Keep the profile so you can re-target quickly.

Operate and monitor

- **Report before you widen.** Run `IOSSSOEXT-Report.ps1` each wave; only broaden when coverage matches the assigned group.
- **Remediate with** `-WhatIf` **first.** `IOSSSOEXT-Remediation.ps1` and `IOSSSOEXT-Set-ScopeTargeting.ps1` preview by default — read the plan, then apply.
- **Keep Microsoft Authenticator current.** The extension binary ships in Authenticator; keep it assigned **Required** and updated so the extension identifier stays valid.
- **Don't TLS-inspect Microsoft login endpoints** — it breaks the broker token exchange.

Change control

- **Version scope changes.** When you add bundle IDs/URLs or flip a coverage key, note the date and

reason; re-run Discovery and Report to confirm no regressions.

• **Review after iOS major upgrades.** Confirm the extension still applies and silent SSO holds after significant iOS/iPadOS releases before expanding further.

8. Deliverables Summary — iOS/iPadOS Enterprise SSO App Extension

Everything included in this solution package, and what each piece is for.

Documentation (this guide)

• **Executive Summary** — the business case and outcome in one page, and the explicit scope: the app/browser SSO extension for corporate-owned iPhones/iPads, not device enrollment and not shared-device identity.

• **Solution Overview** — how Apple's Extensible SSO (redirect vs credential types) and the Microsoft Enterprise SSO plug-in work on iOS (hosted in **Microsoft Authenticator**), how silent SSO is achieved, and how this differs from the Mac product and the shared-device / dual-device solutions.

• **Requirements Guide** — every Intune/Entra/iOS prerequisite with how to **verify** and how to **implement if missing**, plus the category-level Global Requirements.

• **Implementation Guide** — exact, ordered, click-by-click steps across four phases: prepare the device (Microsoft Authenticator), create the Device-features SSO app-extension profile with managed-app / URL scoping, pilot, then validate and expand.

• **Testing & Validation** — eight tests with explicit pass/fail gates (including a negative test that enrollment/identity is unchanged) and an acceptance gate.

• **Troubleshooting** — top-down diagnosis for "still prompting," repeated MFA, scoping, browser, and conflict cases.

• **Best Practices** — managed-app-wide SSO vs allow-listing, getting the Authenticator broker host right, browser/MFA expectations, and reversible pilot-first rollout.

PowerShell scripts (Microsoft Graph) — `IOSSSOEXT-Scripts.zip`

All scripts are tenant-side (run from an admin workstation with the Microsoft Graph PowerShell SDK); each has a header explaining **Purpose · How to run · Expected results**. Discovery, Validation, and Report are **read-only**; Remediation and Set-ScopeTargeting **default to** `-WhatIf` (preview first, then apply).

1. `IOSSSOEXT-Discovery.ps1` — tenant readiness: the SSO app-extension profile is present with the correct Microsoft Enterprise SSO extension identifier, and Microsoft Authenticator (iOS) is added/assigned.
1. `IOSSSOEXT-Validation.ps1` — validates the profile's **assignment** and per-device **applied**

state, with a clear PASS/FAIL summary.

1. `IOSSSOEXT-Report.ps1` — tenant-wide CSV report of iOS/iPadOS devices and whether the SSO app-extension profile is applied — the SSO coverage report.

1. `IOSSSOEXT-Remediation.ps1` — safe remediation of missing/mis-scoped profiles (re-assign to a target group, flag conflicts). `-WhatIf` **by default**; applies only when re-run to commit.

1. `IOSSSOEXT-Set-ScopeTargeting.ps1` — sets/adjusts the profile's group assignment (target-group builder). `-WhatIf` **by default.**

Hero image

- `IOSSSOEXT-hero.png` — the product image used on the marketplace listing.

How it's delivered

A **Word** document and **PDF** (cover, table of contents, page numbers, and a scripts appendix), plus all five PowerShell scripts in a single **ZIP** — yours to keep and reuse across **unlimited devices**.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

IOSSSOEXT-Discovery.ps1

Purpose: Confirms the Intune tenant is ready to deliver the Microsoft Enterprise SSO plug-in as an Apple Extensible SSO app extension (redirect / Microsoft Entra ID type) for apps and browsers on corporate-owned iPhones/iPads: an iOS SSO app-extension profile exists with the correct extension identifier 'com.microsoft.azureauthenticator.ssoextension' (or the Microsoft Entra ID SSO extension type), and the Microsoft Authenticator app for iOS (which hosts the extension binary) is added. This checks the APP/BROWSER SSO extension only — not shared-device identity or device enrollment. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Discovery.ps1 (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementApps.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows an iOS SSO app-extension profile with the Microsoft Authenticator extension identifier present and the Microsoft Authenticator (iOS) app added. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param()

How to run: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Discovery.ps1 (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementApps.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows an iOS SSO app-extension profile with the Microsoft Authenticator extension identifier present and the Microsoft Authenticator (iOS) app added. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param()

IOSSSOEXT-Remediation.ps1

Purpose: Remediates the common gaps that leave the Microsoft Enterprise SSO app extension undeployed on corporate iPhones/iPads: creates the iOS Device-features SSO app-extension profile if none exists (Microsoft Entra ID extension type, Entra login URLs, and the managed-app SSO key) and assigns it to a target group. Defaults to -WhatIf, so it previews every change and modifies nothing until re-run to apply. Remediates the app/browser SSO extension only — never shared-device identity or enrollment. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Remediation.ps1 -GroupId your-entra-group-object-id Apply the change: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Remediation.ps1 -GroupId your-entra-group-object-id -WhatIf:$false (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: a report of what is missing and exactly what WOULD be created/assigned. When applied: an iOS SSO app-extension profile (Microsoft Entra ID type) exists and is assigned to the group. Re-run IOSSSOEXT-Discovery.ps1 to confirm READY. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$Name = 'iOS SSO App Extension - Pilot', [string[]]$Urls = @('https://login.microsoftonline.com','https://login.microsoft.com', 'https://sts.windows.net','https://login.windows.net'))

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Remediation.ps1 -GroupId your-entra-group-object-id Apply the change: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Remediation.ps1 -GroupId your-entra-group-object-id -WhatIf:$false (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: a report of what is missing and exactly what WOULD be created/assigned. When applied: an iOS SSO app-extension profile (Microsoft Entra ID type) exists and is assigned to the group. Re-run IOSSSOEXT-Discovery.ps1 to confirm READY. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$Name = 'iOS SSO App Extension - Pilot', [string[]]$Urls = @('https://login.microsoftonline.com','https://login.microsoft.com', 'https://sts.windows.net','https://login.windows.net'))

IOSSSOEXT-Report.ps1

Purpose: Produces an SSO-coverage report across iOS/iPadOS devices: for each managed iPhone/iPad, whether the Microsoft Enterprise SSO app-extension profile is applied. Use it to measure coverage before widening a rollout and to find corporate devices still missing the app/browser SSO extension. Read-only. Reports the app/browser SSO extension only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Report.ps1 Optional: -ProfileName "iOS SSO App Extension - Pilot" -CsvPath .\IOSSSOEXT-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of iOS/iPadOS devices with an Applied column (Yes/No/Error) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'iOS SSO App Extension - Pilot', [string]$CsvPath)

How to run: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Report.ps1 Optional: -ProfileName "iOS SSO App Extension - Pilot" -CsvPath .\IOSSSOEXT-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of iOS/iPadOS devices with an Applied column (Yes/No/Error) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'iOS SSO App Extension - Pilot', [string]$CsvPath)

IOSSSOEXT-Set-ScopeTargeting.ps1

Purpose: Sets or adjusts which Entra security group the Microsoft Enterprise SSO app-extension profile is assigned to — the target-group builder for pilot-first, wave-based rollout on corporate iPhones/iPads. Optionally adds an assignment exclusion group. Defaults to -WhatIf, previewing the assignment change and modifying nothing until re-run to apply. Targets the app/browser SSO extension profile only, not shared-device identity or enrollment. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "iOS SSO App Extension - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and

the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with IOSSSOEXT-Validation.ps1. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'iOS SSO App Extension - Pilot')

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "iOS SSO App Extension - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with IOSSSOEXT-Validation.ps1. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'iOS SSO App Extension - Pilot')

IOSSSOEXT-Validation.ps1

Purpose: Validates the iOS/iPadOS Enterprise SSO app-extension profile is assigned to the intended group and applied on target devices. Confirms the profile exists (Microsoft Entra ID / Redirect SSO extension), that it is assigned, and reports each iOS device's applied state (Succeeded / Error / Not applied). Read-only. Validates the app/browser SSO extension only, not shared-device identity or enrollment. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Validation.ps1 -ProfileName "iOS SSO App Extension - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found, assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'iOS SSO App Extension - Pilot', [string]$GroupId)

How to run: powershell -ExecutionPolicy Bypass -File .\IOSSSOEXT-Validation.ps1 -ProfileName "iOS SSO App Extension - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found, assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'iOS SSO App Extension - Pilot', [string]$GroupId)