Microsoft Edge for Business — Enterprise Configuration & Security Baseline (Intune)

Implementation Solution Guide

Version 1.0.0 · 2026-07-29

Contents

Executive Summary — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune) 5

1. Solution Overview — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune) 6

- What this solution is . . . 6
- Why this exists (the findings, and the bigger picture) . . . 6
- The named objects you will build (and reuse everywhere) . . . 6
- What the baseline configures . . . 7
- How default-browser enforcement works on Windows via Intune . . . 8
- How IE mode works (for legacy line-of-business apps) . . . 8
- The Microsoft Edge security baseline (the hardening floor) . . . 8
- Benefits . . . 8
- Limitations (be honest with buyers) . . . 9
- The standard deployment model . . . 9

2. Requirements — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune) 9

- R1. Microsoft Edge (Chromium) installed on target Windows devices . . . 10
- R2. Edge policies visible in the Intune Settings Catalog . . . 10
- R3. Enterprise password solution in place (for the password-manager finding) . . . 10
- R4. Enterprise Mode Site List authored (for IE mode) . . . 10
- R5. Default application associations XML (for default-browser enforcement) . . . 10
- R6. Microsoft Edge security baseline available in Endpoint security . . . 11
- R7. Windows devices enrolled and in scope . . . 11
- R8. Pilot target group . . . 11
- R9. Internal hosting reachable for the site list (IE mode) . . . 11
- R10. Change-control awareness for browser policy . . . 11

Global Requirements — Intune Solutions (category-level) 12

- G1. Microsoft Entra ID tenant . . . 12
- G2. Microsoft Intune subscription . . . 12
- G3. Administrative roles . . . 12
- G4. Device enrollment in Intune . . . 12
- G5. Pilot security group . . . 12
- G6. Supported Windows baseline . . . 12
- G7. Network access to Microsoft cloud endpoints . . . 13

3. Implementation — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune) 13

Phase 1 — Assess and prepare . . . 13
Phase 2 — Configure Edge (Settings Catalog baseline) . . . 14
Phase 2 (continued) — Make Edge the default browser . . . 17
Phase 2 (continued) — Apply the Microsoft Edge security baseline . . . 17
Phase 3 — Pilot . . . 18
Phase 4 — Validate and expand . . . 18
5. Testing & Validation — Microsoft Edge for Business Enterprise Configuration & Security Baseline 19
Test 1 — Tenant readiness . . . 19
Test 2 — Assignment . . . 20
Test 3 — Profiles applied on the device . . . 20
Test 4 — Password manager is off (Finding #1) . . . 20
Test 5 — Edge is the default browser (Finding #2) . . . 20
Test 6 — Security/config baseline behaves . . . 20
Test 7 — IE mode renders a legacy site . . . 21
Test 8 — Microsoft Edge security baseline applied . . . 21
Test 9 — No unintended breakage (negative test) . . . 21
Test 10 — Coverage report . . . 21
Acceptance gate . . . 21
6. Troubleshooting — Microsoft Edge for Business Enterprise Configuration & Security Baseline 21
Symptom: A profile never appears / policies not in `edge://policy` . . . 22
Symptom: Device status shows "Conflict" . . . 22
Symptom: Edge still offers to save passwords (Finding #1 not resolved) . . . 22
Symptom: Edge is not the default browser (Finding #2 not resolved) . . . 22
Symptom: A legacy site does not open in IE mode . . . 23
Symptom: An approved extension is blocked (or a bad one installs) . . . 23
Symptom: A policy from the guide is not in the Settings Catalog . . . 23
Symptom: The Microsoft Edge security baseline shows "Error"/"Not applicable" . . . 23
Symptom: Works for some devices, not others . . . 24
Symptom: Coverage report shows fewer devices than the group . . . 24
Escalation checklist . . . 24
7. Best Practices — Microsoft Edge for Business Enterprise Configuration & Security Baseline 24
Resolve Settings Catalog ↔ security baseline conflicts deliberately . . . 24
Password manager: pair the "off" with an alternative . . . 25
Extension control: block-all, then allow . . . 25
Default browser: enforce, but set expectations . . . 25

IE mode: keep the site list short, current, and reachable . . . 25
Sync & work-profile sign-in . . . 26
Update channel & cadence . . . 26
Deploy pilot-first and reversibly . . . 26
Operate and monitor . . . 26
Change control . . . 26
8. Deliverables Summary — Microsoft Edge for Business Enterprise Configuration & Security Baseline 27
Documentation (this guide) . . . 27
PowerShell scripts (Microsoft Graph) — `EDGEBIZ-Scripts.zip` . . . 27
Hero image . . . 28
How it's delivered . . . 28
Appendix A — PowerShell Scripts 29

Executive Summary — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune)

Most organizations deploy Microsoft Edge and then leave it at its out-of-the-box defaults: the built-in password manager is on and quietly competing with the corporate password vault, browser SmartScreen and PUA protection are unmanaged, extensions install freely, sync and sign-in are uncontrolled, and there is no Enterprise Mode Site List so legacy line-of-business web apps limp along in a modern engine. Security assessments repeatedly surface two of these as explicit findings — the **Edge password manager is enabled** and **Edge is not enforced as the primary browser** — but the real exposure is broader: an unmanaged browser is the single most-used piece of software on every endpoint.

This solution turns Microsoft Edge into a **managed, hardened, standardized browser** across the Windows fleet using **Microsoft Intune** — the **Settings Catalog** → **Microsoft Edge (ADMX-backed)** policies for configuration and the **Microsoft Edge security baseline** in **Endpoint security** for the hardening floor. It is delivered so a single administrator can follow it end to end.

What it does, concretely:

- **Makes Edge the default browser org-wide** via Intune (a Windows default-associations configuration),

and configures **IE mode** with an **Enterprise Mode Site List** so legacy IE-dependent line-of-business apps keep working inside Edge — no second browser, no compatibility limbo.

- **Turns off the built-in password manager** (`PasswordManagerEnabled` = **Disabled**) so users are

steered to the enterprise password solution instead of scattering credentials in the browser.

- **Applies a pragmatic security/config baseline** — SmartScreen + PUA protection on, an extension

allow/block model that controls sideloading, sync and work-profile sign-in controls, website typo-protection (typosquatting), a defined update channel and cadence, and managed startup/home pages — then layers the **Microsoft Edge security baseline** on top as the enforced hardening floor.

Every object you create is **named once and reused** — the pilot baseline profile is `Edge for Business - Baseline - Pilot`, assigned to the `Edge for Business - Pilot Devices` group — so the same names carry through implementation, testing, and troubleshooting.

The package follows the standard repeatable shape — **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** — with exact, click-by-click Intune steps, a requirements guide that tells you how to **verify** *and* **fix** each prerequisite, five ready-to-run PowerShell scripts (Microsoft Graph), and testing and troubleshooting guides with clear pass/fail gates. Read-only discovery, validation, and reporting scripts tell you where you stand; the remediation and targeting scripts **default to a safe preview** and change nothing until you re-run them to apply.

Outcome: a browser that is default, standardized, and hardened on every Windows endpoint — the two assessment findings resolved directly, the broader browser attack surface reduced, and legacy web apps kept alive through IE mode — proven on a pilot before you scale, without a consulting engagement.

1. Solution Overview — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune)

What this solution is

This solution configures and hardens **Microsoft Edge for Business** on **Windows** devices managed by **Microsoft Intune**. It combines two Intune surfaces that together turn Edge from an unmanaged default install into a **managed, standardized, hardened** browser:

- **Settings Catalog** → **Microsoft Edge (ADMX-backed)** — the full set of Edge browser policies (password manager, SmartScreen, extensions, sync/sign-in, IE mode, startup/home, update channel, and more), delivered as one or more configuration profiles.
- **Endpoint security** → **Security baselines** → **Microsoft Edge security baseline** — Microsoft's pre-hardened set of Edge settings, applied as the enforced security floor on top of your configuration.

Plus a Windows **default-application-associations** configuration that makes Edge the **default browser org-wide**, and an **Enterprise Mode Site List** that lets legacy IE-dependent apps run in **IE mode** inside Edge.

Why this exists (the findings, and the bigger picture)

Two items show up as explicit findings in most browser/security assessments:

1. **The Edge built-in password manager is enabled.** Users save work credentials into the browser instead of the sanctioned enterprise password solution, scattering secrets and undermining the vault.
1. **Edge is not enforced as the primary browser.** Without a default-browser policy, links open in whatever browser a user last set, so managed-browser protections (SmartScreen, extension control, Conditional Access via the work profile) are inconsistently applied.

Resolving those two is the immediate win. But an unmanaged browser is the most-used app on every endpoint, so this solution also delivers the **broader browser-hardening value**: SmartScreen + PUA, extension sideloading control, sync/sign-in governance, typosquatting protection, a defined update cadence, managed startup pages, and the Microsoft-authored security baseline.

The named objects you will build (and reuse everywhere)

This solution creates a small, deliberately named set of objects. **These exact names are reused across the Implementation, Testing, and Troubleshooting guides** — do not rename them mid-stream.

Object	Type / where	Name used throughout
Pilot target group	Entra security group	`Edge for Business - Pilot Devices`
Edge configuration baseline	Settings Catalog (Windows, Microsoft Edge ADMX-backed)	`Edge for Business - Baseline - Pilot`
Default-browser associations	Windows config profile (default app associations)	`Edge for Business - Default Browser - Pilot`
Microsoft Edge security baseline	Endpoint security → Security baselines	`Edge for Business - Security Baseline - Pilot`

Object	Type / where	Name used throughout
Enterprise Mode Site List file	XML hosted at an internal URL	`EdgeForBusiness-EMSiteList.xml`

> ***One baseline profile, or several?*** *The Settings Catalog lets you put every Edge setting in one profile. This guide keeps* ***all browser policy in*** `Edge for Business - Baseline - Pilot` *for simplicity and treats the* ***default-browser associations*** *and the* ***Microsoft Edge security baseline*** *as their own objects because they live on different Intune surfaces. Split the Settings Catalog profile later only if your change-control process needs finer ownership.*

What the baseline configures

`Edge for Business - Baseline - Pilot` sets the following (each is detailed click-by-click in the Implementation guide, with the Edge policy name and its underlying policy CSP key where confident; anything version-sensitive is flagged **verify in your tenant**):

- **Password manager OFF** — `PasswordManagerEnabled` = **Disabled**. Steers users to the enterprise

password solution.

- **SmartScreen + PUA** — Microsoft Defender SmartScreen **Enabled** (`SmartScreenEnabled`), block

potentially unwanted apps **Enabled** (`SmartScreenPuaEnabled`), and prevent users bypassing SmartScreen warnings (`PreventSmartScreenPromptOverride`, `PreventSmartScreenPromptOverrideForFiles`).

- **Extension control (sideloading)** — block-all-then-allow model using `ExtensionInstallBlocklist`

(`*`), `ExtensionInstallAllowlist` (approved extension IDs), optional `ExtensionInstallForcelist` (auto-deploy), and `BlockExternalExtensions` = **Enabled** to stop out-of-store sideloading.

- **Sync & work-profile sign-in** — `BrowserSignin` (force sign-in with the work account),

`SyncDisabled` to control what syncs to Microsoft consumer sync. This is how you get a governed **work profile** rather than a personal one.

- **Website typo protection (typosquatting)** — `TyposquattingCheckerEnabled` = **Enabled** (Edge

"Website typo protection"; a newer policy — **verify availability** for your Edge version).

- **Update channel & cadence** — the **Microsoft Edge Update** ADMX policies (target channel, e.g.

Stable, and auto-update check cadence) so the fleet stays on a known, patched channel.

- **Startup & home pages** — `RestoreOnStartup` / `RestoreOnStartupURLs`, `HomepageLocation`, and

`NewTabPageLocation` so Edge opens to your portal rather than an arbitrary page.

- **IE mode + Enterprise Mode Site List** — `InternetExplorerIntegrationLevel` = **Internet Explorer

mode** and `InternetExplorerIntegrationSiteList` pointed at `EdgeForBusiness-EMSiteList.xml`, so listed legacy sites render in the Trident (IE) engine inside Edge.

How default-browser enforcement works on Windows via Intune

Windows does not expose a single "make Edge default" switch to MDM. The supported, fleet-wide method is a **default application associations** configuration: you export a default-associations XML (which maps `http`, `https`, `.htm`, `.html`, `.pdf`, etc. to Edge), then deliver it through Intune using the `ApplicationDefaults/DefaultAssociationsConfiguration` policy CSP. Once applied, those file/URL types open in Edge and users cannot silently change them. The Implementation guide gives the exact export → encode → deploy steps in the profile named `Edge for Business - Default Browser - Pilot`.

> ***Honest limitation.*** *Default-associations enforcement applies at user profile creation / policy refresh and is a fleet default, not a per-click lock. Communicate the change; it is reversible by removing the profile.*

How IE mode works (for legacy line-of-business apps)

IE mode renders specific sites using the Internet Explorer (Trident) engine *inside* Edge, so legacy web apps that require IE keep working after IE itself is retired. You control which sites use IE mode with an **Enterprise Mode Site List** — an XML file (authored in the free **Enterprise Mode Site List Manager**) that lists each legacy URL and the engine to use. You host that XML at an internal URL and point Edge at it with the `InternetExplorerIntegrationSiteList` policy. Only listed sites use IE mode; everything else uses the modern engine.

The Microsoft Edge security baseline (the hardening floor)

Intune's **Endpoint security** → **Security baselines** → **Microsoft Edge security baseline** is a Microsoft-curated, versioned set of recommended Edge security settings. Applied as `Edge for Business - Security Baseline - Pilot`, it enforces a known-good floor. Where a baseline setting and your Settings Catalog profile both set the same policy, **plan for the interaction** (see Best Practices — conflicts) so they agree rather than fight.

Benefits

- **Two findings resolved directly** — password manager off; Edge enforced as the default browser.
- **Reduced browser attack surface** — SmartScreen/PUA, extension sideloading control, and the Microsoft

security baseline harden the most-used app on every endpoint.

- **Legacy apps preserved** — IE mode + Enterprise Mode Site List keep IE-dependent line-of-business apps

alive without a second browser.

- **Standardized experience** — every managed Windows device gets the same governed Edge: same startup,

same work-profile sign-in, same update channel.

• **Pilot-first and reversible** — everything deploys as Intune profiles to a pilot group first and is

removed by unassignment; no re-imaging.

Limitations (be honest with buyers)

• **Windows-focused.** This solution targets **Microsoft Edge on Windows** via Intune. macOS/iOS/Android

Edge management uses different surfaces and is out of scope here.

• **Policy names drift.** Edge ships new policies frequently and Microsoft occasionally renames settings.

Every policy is given with its Edge name and CSP key where confident, and version-sensitive items are flagged **verify in your tenant** — do not assume, confirm in the Settings Catalog for your Edge version.

• **Default-browser enforcement is a fleet default**, not a per-action lock (see above).

• **IE mode depends on a maintained site list.** IE mode only helps for sites you add to

`EdgeForBusiness-EMSiteList.xml`; the list is a living document you must keep current.

• **Security baseline versioning.** Microsoft periodically releases new baseline versions; you must review

and migrate to new versions deliberately rather than auto-adopting.

The standard deployment model

This solution uses **one** repeatable model across our catalog:

> ***Windows devices receive a named Microsoft Edge configuration baseline (Settings Catalog, ADMX-backed), a default-browser associations profile, and the Microsoft Edge security baseline — plus an Enterprise Mode Site List for IE mode — deployed pilot-first to*** `Edge for Business - Pilot Devices` ***and reversible by unassignment.***

Every step follows the repeatable pattern: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

2. Requirements — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune)

Confirm **every** requirement below before you begin. Each entry follows the same pattern: **Description · Why required · How to verify · How to implement if missing.** Category-wide prerequisites (tenant, Intune licensing, admin roles, device enrollment, pilot group, supported Windows baseline, network) are covered once in the **Global Requirements — Intune Solutions** document; the items here are specific to configuring and hardening **Microsoft Edge for Business on Windows** via Intune.

> ***Scope reminder.*** *These requirements are for* ***Microsoft Edge on Windows*** *managed by Intune — Settings Catalog (Microsoft Edge ADMX-backed) configuration plus the Microsoft Edge security baseline, default-browser enforcement, and IE mode. macOS/iOS/Android Edge management is out of scope.*

R1. Microsoft Edge (Chromium) installed on target Windows devices

Description: A current channel of **Microsoft Edge for Business** (the Chromium-based Edge) is installed on the target Windows devices. **Why:** Policies and the security baseline apply to the installed browser; ADMX-backed settings only take effect where Edge is present. **Verify:** On a device, open `edge://version` (shows the version and channel); or Intune → **Apps** → **Windows** to confirm any managed Edge deployment. On Windows 11 and current Windows 10, Edge is in-box. **Implement:** Edge ships in-box with supported Windows. If you manage the channel explicitly, deploy **Microsoft Edge for Business (Stable)** from Intune → **Apps** → **Windows** → **Add** → **Microsoft Edge for Business**, or rely on the in-box browser and manage its channel with the **Microsoft Edge Update** policies (Implementation, Step 8).

R2. Edge policies visible in the Intune Settings Catalog

Description: The **Microsoft Edge** ADMX-backed policy category is available in Intune's **Settings Catalog**. **Why:** This solution configures Edge through the Settings Catalog (not a legacy custom ADMX import). **Verify:** Intune (`https://intune.microsoft.com`) → **Devices** → **Configuration** → **Create** → **New policy** → Platform **Windows 10 and later**, Profile type **Settings catalog** → **Add settings** → search **Microsoft Edge**; you should see the **Microsoft Edge** and **Microsoft Edge Update** setting groups. **Implement:** The Edge settings are built in; no import is needed. If a specific setting is missing, your Edge/Settings-Catalog version may predate it — **verify the exact policy name** for your version and use the equivalent, or import the Edge ADMX as a fallback.

R3. Enterprise password solution in place (for the password-manager finding)

Description: A sanctioned enterprise password solution (corporate password manager / vault) users can use instead of the Edge built-in password manager. **Why:** Turning off `PasswordManagerEnabled` steers users **to** the enterprise solution; disabling the browser manager without an alternative causes support tickets. **Verify:** Confirm the organization's approved password manager is deployed/available to the pilot users. **Implement:** Deploy or confirm the enterprise password solution and brief users before enabling the policy. (Selecting or deploying that product is out of scope for this solution.)

R4. Enterprise Mode Site List authored (for IE mode)

Description: An **Enterprise Mode Site List** XML (`EdgeForBusiness-EMSiteList.xml`) listing the legacy line-of-business URLs that must render in **IE mode**. **Why:** IE mode only applies to sites in this list; without it, `InternetExplorerIntegrationLevel` has nothing to act on. **Verify:** You have a valid site-list XML (schema version 2), and it is (or will be) reachable at an internal URL the devices can reach. **Implement:** Author it with the free **Enterprise Mode Site List Manager** (add each legacy site with open-in = **IE11** / engine = IE mode), export the XML as `EdgeForBusiness-EMSiteList.xml`, and host it at an internal HTTPS URL (or a `file://` share) reachable by the pilot devices. Only the sites you list use IE mode. **Start with a short, verified list.**

R5. Default application associations XML (for default-browser enforcement)

Description: A Windows **default associations** XML that maps `http`, `https`, `.htm`, `.html` (and optionally `.pdf`, `.svg`) to Microsoft Edge. **Why:** Fleet-wide default-browser enforcement on Windows via Intune uses the `ApplicationDefaults/DefaultAssociationsConfiguration` policy CSP, which takes this XML. **Verify:** You have an `AppAssociations.xml` produced from a reference device where Edge is already the default for the relevant types. **Implement:** On a reference Windows device with Edge set as default, run (elevated) `dism /online /Export-DefaultAppAssociations:C:\AppAssociations.xml`, then keep only the http/https/html (and any additional) entries you want to enforce. This XML is deployed in `Edge for Business - Default Browser - Pilot` (Implementation, Phase 2).

R6. Microsoft Edge security baseline available in Endpoint security

Description: The **Microsoft Edge security baseline** is available under **Endpoint security** → **Security baselines**. **Why:** It is the enforced hardening floor applied as `Edge for Business - Security Baseline - Pilot`. **Verify:** Intune → **Endpoint security** → **Security baselines**; a **Microsoft Edge Baseline** entry with a version is listed. **Implement:** It is provided by Intune; no import needed. Note the **baseline version** shown — you will reference it in change control (Best Practices).

R7. Windows devices enrolled and in scope

Description: The target Windows devices are Intune-enrolled and manageable (Global Requirement G4). **Why:** Configuration profiles and baselines only reach enrolled devices. **Verify:** Intune → **Devices** → **Windows** → **Windows devices**; the pilot device is listed and **compliant**. **Implement:** Enroll via Entra join + automatic enrollment, or Autopilot (covered by the enrollment solutions).

R8. Pilot target group

Description: An Entra security group named `Edge for Business - Pilot Devices` containing the pilot device(s) or user(s). **Why:** Every solution is piloted before fleet rollout; all four objects assign to this group first. **Why:** Consistent naming keeps the assignment, testing, and reporting steps unambiguous. **Verify:** Entra → **Groups**; `Edge for Business - Pilot Devices` exists and contains the pilot members. **Implement:** Entra → **Groups** → **New group** → **Security**, name it `Edge for Business - Pilot Devices`, add the pilot device(s)/user(s). (This is the solution-specific instance of Global Requirement G5.)

R9. Internal hosting reachable for the site list (IE mode)

Description: The devices can reach the URL that hosts `EdgeForBusiness-EMSiteList.xml`. **Why:** Edge fetches the site list from `InternetExplorerIntegrationSiteList`; an unreachable URL means IE mode never applies. **Verify:** From a pilot device, browse to the site-list URL and confirm the XML loads. **Implement:** Host the XML on an internal web server / SharePoint / file share reachable by the fleet, and allow it through any proxy. Use HTTPS where possible.

R10. Change-control awareness for browser policy

Description: Acknowledgement that browser policy changes affect every user's daily tool, and a plan to communicate them. **Why:** Disabling the password manager, forcing a default browser, and controlling extensions are user-visible; unannounced changes generate tickets. **Verify:** You have a comms plan and

a rollback owner for the pilot. **Implement:** Draft a short user notice (what changes, when, why, where to store passwords now), and keep the rollback plan (unassign the profiles) documented before you pilot.

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation — Microsoft Edge for Business: Enterprise Configuration & Security Baseline (Intune)

Follow these steps **in order**. The *why* for each capability lives in the Solution Overview; the steps below are deliberately short and exact so you can **click to implement**. Throughout, the repeatable pattern applies: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.** Do everything against the `Edge for Business - Pilot Devices` group first.

All admin-center steps use the Microsoft Intune admin center at `https://intune.microsoft.com` unless noted.

> ***Policy names & CSP keys.*** *Each setting is given with its* ***Edge policy name*** *(as it appears in the Settings Catalog search) and its* ***policy CSP key*** *where confident. Edge adds/renames policies often — anything flagged* ***verify in your tenant*** *should be confirmed for your Edge version before fleet rollout rather than assumed.*

Phase 1 — Assess and prepare

Step 1. Confirm scope and the pilot group

1. Go to **Groups** (in Entra) and confirm `Edge for Business - Pilot Devices` exists with your pilot

device(s)/user(s) (Requirement R8). If not, create it: **Groups** → **New group** → **Security**, name it exactly `Edge for Business - Pilot Devices`, add members.

1. In Intune → **Devices** → **Windows** → **Windows devices**, confirm the pilot device is **managed** and **compliant** (R7).

1. On the pilot device, open `edge://version` and record the **Edge version and channel** (R1) — you will confirm certain policies exist for that version.

Step 2. Baseline the current state (the two findings)

1. On the pilot device, open `edge://policy` — this lists every Edge policy currently applied. Before you deploy anything, note that `PasswordManagerEnabled` is absent or `true`, and that Edge is not forced as default. This is your "before" evidence for the two assessment findings.

1. *(Optional, tenant-side)* Run `EDGEBIZ-Discovery.ps1` to confirm no conflicting Edge configuration

profile already exists.

Step 3. Author the Enterprise Mode Site List (for IE mode)

1. Download and open the **Enterprise Mode Site List Manager** (Microsoft's free tool).
2. **Add** each legacy line-of-business site that must use IE: enter the URL, set **Open in = IE11**

(this is IE mode inside Edge), and set the **Compat Mode** if the app needs a specific document mode.

1. **File** → **Save to XML** as `EdgeForBusiness-EMSiteList.xml` (schema **version 2**).
2. Host the file at an internal URL reachable by the pilot devices (R9) — for example

`https://intranet.corp.example/edge/EdgeForBusiness-EMSiteList.xml`. Record that URL; you will paste it into the IE-mode policy in Step 9.

Step 4. Produce the default-associations XML (for default-browser)

1. On a reference Windows device where **Edge is already the default** browser, open an **elevated**

command prompt and run: `dism /online /Export-DefaultAppAssociations:C:\AppAssociations.xml`

1. Open `C:\AppAssociations.xml` and keep the association lines you want to enforce — at minimum the

`http`, `https`, `.htm`, `.html` entries whose `ProgId` points at Edge (e.g. `MSEdgeHTM`). Remove unrelated entries so you enforce **only** the browser associations.

1. Save this file; you will Base64-encode and deploy it in Step 10.

Phase 2 — Configure Edge (Settings Catalog baseline)

Step 5. Create the Edge configuration baseline profile

1. Go to **Devices** → **Configuration** → **Create** → **New policy**.
2. **Platform** = **Windows 10 and later**; **Profile type** = **Settings catalog**. Click **Create**.
3. **Basics** → **Name:** `Edge for Business - Baseline - Pilot`. **Description:** *Microsoft Edge for

Business enterprise configuration baseline — password manager off, SmartScreen/PUA, extension control, sync/sign-in, typosquatting, startup/home, IE mode.* Click **Next**.

1. On **Configuration settings**, click **+ Add settings** to open the settings picker, then add the

settings in Steps 6–9. In the picker, search the **category** (e.g. *Microsoft Edge*), tick the setting, then set its value in the profile.

Step 6. Turn off the built-in password manager (Finding #1)

1. In **+ Add settings**, search **Microsoft Edge** and select **"Enable saving passwords to the password

manager"** (policy CSP `PasswordManagerEnabled`).

1. Set it to **Disabled**. This prevents Edge from offering to save passwords and steers users to the enterprise password solution (R3).

Step 7. Apply the security/config hardening settings

Still under **+ Add settings** in `Edge for Business - Baseline - Pilot`, add each of the following. Names are the Settings Catalog labels; the CSP key is in parentheses. Set the value shown.

SmartScreen + PUA:

- **"Configure Microsoft Defender SmartScreen"** (`SmartScreenEnabled`) → **Enabled**.
- **"Configure Microsoft Defender SmartScreen to block potentially unwanted apps"** (`SmartScreenPuaEnabled`) → **Enabled**.
- **"Prevent bypassing Microsoft Defender SmartScreen prompts for sites"** (`PreventSmartScreenPromptOverride`) → **Enabled**.
- **"Prevent bypassing of Microsoft Defender SmartScreen warnings about downloads"** (`PreventSmartScreenPromptOverrideForFiles`) → **Enabled**.

Extension control (sideloading):

- **"Control which extensions cannot be installed"** (`ExtensionInstallBlocklist`) → add one entry with value `*` (block everything by default).
- **"Allow specific extensions to be installed"** (`ExtensionInstallAllowlist`) → add the **extension IDs** your organization approves (leave empty to allow none).
- *(Optional)* **"Control which extensions are installed silently"** (`ExtensionInstallForcelist`) → add IDs of extensions you want auto-deployed.
- **"Blocks external extensions from being installed"** (`BlockExternalExtensions`) → **Enabled** (stops out-of-store sideloading).

Sync & work-profile sign-in:

- **"Browser sign-in settings"** (`BrowserSignin`) → **Force users to sign in to use the browser** (forces the managed **work profile**). *(Choose **Enable** rather than **Force** if you want optional sign-in — decide per your identity posture.)*
- **"Disable synchronization of data using Microsoft sync services"** (`SyncDisabled`) → **Enabled** to stop consumer sync of browser data (or leave unmanaged if you use Edge enterprise sync — **decide per policy**).

Website typo protection (typosquatting):

- **"Configure Edge TyposquattingChecker" / "Website typo protection"** (`TyposquattingCheckerEnabled`) →

Enabled. *(Newer Edge policy — **verify in your tenant** it exists for your version; if absent, skip and note it.)*

Startup & home pages:

- **"Action to take on startup"** (`RestoreOnStartup`) → **Open a list of URLs** (value 4).
- **"Sites to open when the browser starts"** (`RestoreOnStartupURLs`) → add your portal URL(s), e.g.

`https://portal.office.com`.

- **"Configure the home page URL"** (`HomepageLocation`) → your intranet/portal URL.
- **"Configure the new tab page URL"** (`NewTabPageLocation`) → your chosen new-tab URL (optional).

Step 8. Configure the update channel & cadence

1. In **+ Add settings**, search **Microsoft Edge Update** (a separate ADMX group from *Microsoft Edge*).
2. Add **"Target Channel override"** (or the equivalently named per-app channel override) and set the

channel to **Stable** so the fleet stays on the supported channel. **Verify the exact policy name** for your version.

1. *(Optional)* Add **"Auto-update check period override"** and set a cadence (e.g. every 10 hours /

remain within a supported window) so devices update predictably. Leave at default if you have no specific cadence requirement.

Step 9. Configure IE mode + the Enterprise Mode Site List

1. In **+ Add settings**, search **Microsoft Edge** and select **"Configure Internet Explorer

integration"** (`InternetExplorerIntegrationLevel`).

1. Set it to **Internet Explorer mode** — this enables IE mode inside Edge.
2. Add **"Configure the Enterprise Mode Site List"** (`InternetExplorerIntegrationSiteList`) and set its

value to the URL of `EdgeForBusiness-EMSiteList.xml` from Step 3 (e.g. `https://intranet.corp.example/edge/EdgeForBusiness-EMSiteList.xml`).

1. *(Optional but recommended)* Add **"Send all intranet sites to Internet Explorer mode"**

(`InternetExplorerIntegrationReloadInIEModeAllowed` / the "reload in IE mode" allowance) per your compatibility needs — **verify the exact policy name** for your version and use only if your legacy apps require it.

Step 10. Scope tags, assignment, review — the baseline profile

1. Click **Next** to **Scope tags** (set if you use them), then **Next**.
2. **Assignments:** under **Included groups** → **Add groups**, select `Edge for Business - Pilot Devices`.

Do **not** assign to "All devices" yet. Click **Next**.

1. **Review + create** → **Create**.

Prefer automation? `EDGEBIZ-Set-ScopeTargeting.ps1` *sets/adjusts the assignment for* `Edge for Business - Baseline - Pilot` *(defaults to* ***-WhatIf*** *— preview first, then re-run to apply), and* `EDGEBIZ-Remediation.ps1` *creates the baseline with the core settings if it is missing (also* ***-WhatIf*** *by default).*

Phase 2 (continued) — Make Edge the default browser

Step 11. Create the default-browser associations profile

1. Base64-encode the default-associations XML from Step 4. On any Windows/PowerShell prompt:

`[Convert]::ToBase64String([IO.File]::ReadAllBytes("C:\AppAssociations.xml"))` — copy the output.

1. Go to **Devices** → **Configuration** → **Create** → **New policy** → Platform **Windows 10 and later**,

Profile type **Templates** → **Custom**. Click **Create**.

1. **Name:** `Edge for Business - Default Browser - Pilot`. **Description:** *Enforces Microsoft Edge as

the default browser via DefaultAssociationsConfiguration.* Click **Next**.

1. **Configuration settings** → **Add** an OMA-URI row:

• **Name:** `Default App Associations - Edge`

• **OMA-URI:** `./Vendor/MSFT/Policy/Config/ApplicationDefaults/DefaultAssociationsConfiguration`

• **Data type: String**

• **Value:** paste the **Base64** string from step 1.

1. Click **Next** through **Scope tags**, then **Assignments** → add **`Edge for Business - Pilot

Devices` → Next → Review + create → Create**.

Once applied, `http/https/.htm/.html` *open in Edge fleet-wide and users cannot silently change the default. This is reversible by unassigning the profile.*

Phase 2 (continued) — Apply the Microsoft Edge security baseline

Step 12. Create the Edge security baseline instance

1. Go to **Endpoint security** → **Security baselines** → **Microsoft Edge Baseline**.
2. Click **+ Create profile**. Note the **baseline version** offered (record it for change control).
3. **Basics** → **Name:** `Edge for Business - Security Baseline - Pilot`. Click **Next**.
4. **Configuration settings:** accept the Microsoft-recommended defaults for the first pilot (you can

customize later). Review the settings so you know which ones overlap your Settings Catalog baseline (Best Practices — conflicts). Click **Next**.

1. **Scope tags** → **Next**. **Assignments:** add `Edge for Business - Pilot Devices` → **Next**.
2. **Review + create** → **Create**.

> ***Conflict awareness:*** *if the same policy is set by both* `Edge for Business - Baseline - Pilot` *and* `Edge for Business - Security Baseline - Pilot`*, make the values agree. A mismatch shows as a* ***conflict*** *in Device status. See Troubleshooting.*

Phase 3 — Pilot

Step 13. Sync and confirm the profiles land

1. On the pilot device, force a sync: **Settings → Accounts → Access work or school → (your account) →

Info → Sync**, or Company Portal** → Check status**.

1. In Intune, confirm each object reports success against the pilot device:

• **Devices** → **Configuration** → `Edge for Business - Baseline - Pilot` → **Device status** → **Succeeded**.

• **Devices** → **Configuration** → `Edge for Business - Default Browser - Pilot` → **Device status** →

Succeeded.

• **Endpoint security → Security baselines → `Edge for Business - Security Baseline - Pilot` → Device

status → Succeeded**.

Step 14. Confirm the policies on the device

1. On the pilot device open `edge://policy` and confirm the applied policies include

`PasswordManagerEnabled = false`, `SmartScreenEnabled = true`, the extension block/allow lists, the sign-in/sync settings, the IE-mode policies, and the startup/home URLs. Use **Reload policies** if needed.

1. Confirm Edge is the default: open a `.html` file or an `http(s)` link from outside a browser and confirm

it opens in **Edge**.

1. Confirm IE mode: browse to one of the sites in `EdgeForBusiness-EMSiteList.xml` and confirm the **IE

mode** indicator appears (the IE logo in the address bar) and the legacy app renders correctly.

Phase 4 — Validate and expand

Step 15. Validate with the scripts

1. Run `EDGEBIZ-Discovery.ps1` (tenant readiness: the baseline profile, default-browser profile, and

Edge security baseline exist with the expected core settings).

1. Run `EDGEBIZ-Validation.ps1` to confirm each object is **assigned** to `Edge for Business - Pilot

Devices` and the pilot device reports the policies **applied**.

1. Run `EDGEBIZ-Report.ps1` to produce a coverage report (which Windows devices have the Edge baseline

applied).

Step 16. Remediate gaps (safe by default)

1. If the baseline profile is missing or mis-scoped, run `EDGEBIZ-Remediation.ps1` — it **defaults to

`-WhatIf`** and prints exactly what it would create/assign. Review, then re-run with `-WhatIf:$false` to apply.

1. To (re)point the assignment at a different group, run **`EDGEBIZ-Set-ScopeTargeting.ps1 -GroupId

<id>` **(also** -WhatIf** by default).

Step 17. Expand in waves

1. Once the pilot passes the Testing gate, broaden each object's assignment to the next group, or make the

Edge baseline, default-browser profile, and security baseline the standard for all corporate Windows devices.

1. Grow `EdgeForBusiness-EMSiteList.xml` as you discover additional legacy apps, re-host it, and

re-validate IE mode — the site-list URL policy does not change, only the file behind it.

1. Roll out in waves, validating each wave with `EDGEBIZ-Report.ps1` before widening, and keep the

Settings Catalog and security baseline values in agreement as you go.

5. Testing & Validation — Microsoft Edge for Business Enterprise Configuration & Security Baseline

Validate against a **pilot device** in `Edge for Business - Pilot Devices` before expanding. Each test has an explicit **pass/fail gate**. Use the included PowerShell scripts (Microsoft Graph) for tenant-side checks and the on-device steps for the user experience.

> ***What "pass" means here:*** *on a managed Windows device, Edge is the **default browser**, the built-in **password manager is off**, the **security/config baseline** (SmartScreen/PUA, extensions, sync/sign-in, typosquatting, startup) is applied, the **Microsoft Edge security baseline** reports Succeeded, and listed legacy sites open in **IE mode**.*

Test 1 — Tenant readiness

Procedure: Run `EDGEBIZ-Discovery.ps1`. **Pass:** The `Edge for Business - Baseline - Pilot` Settings Catalog profile exists with `PasswordManagerEnabled = disabled` and SmartScreen enabled; the `Edge for Business - Default Browser - Pilot` custom profile exists; the `Edge for Business - Security Baseline - Pilot` Edge security baseline exists. **Fail:** Any of the three objects missing, or the baseline lacks the password-manager/SmartScreen settings → create/fix before piloting (Implementation Steps 5–12 / `EDGEBIZ-Remediation.ps1`).

Test 2 — Assignment

Procedure: Run `EDGEBIZ-Validation.ps1` (or check each object's **Assignments** tab). **Pass:** All three objects are assigned to `Edge for Business - Pilot Devices` and to no unintended broad group. **Fail:** Not assigned, or assigned to "All devices" prematurely → correct with Implementation Step 10/11/12 or `EDGEBIZ-Set-ScopeTargeting.ps1`.

Test 3 — Profiles applied on the device

Procedure: Intune → Device status for each object; and on the device open `edge://policy`. **Pass:** `Edge for Business - Baseline - Pilot`, `Edge for Business - Default Browser - Pilot`, and `Edge for Business - Security Baseline - Pilot` all show **Succeeded**; `edge://policy` lists the expected policies. **Fail:** Not applied / error → force a sync and re-check; if it shows **Conflict**, resolve the overlapping setting (Troubleshooting).

Test 4 — Password manager is off (Finding #1)

Procedure: On the device, open `edge://policy` and confirm `PasswordManagerEnabled = false`; then in Edge go to **Settings** → **Profiles** → **Passwords** and attempt to enable "Offer to save passwords". **Pass:** `PasswordManagerEnabled` shows **false**; the "Offer to save passwords" toggle is **managed/greyed out (off)** and Edge does not prompt to save a password on a test sign-in. **Fail:** Toggle still user-controllable or Edge prompts to save → confirm the setting value and that the baseline applied (Test 3).

Test 5 — Edge is the default browser (Finding #2)

Procedure: From outside a browser (e.g. a link in Notepad or an email client) open an `https://` link and open a local `.html` file. **Pass:** Both open in **Microsoft Edge**; **Settings** → **Apps** → **Default apps** shows Edge for the web/HTML associations and they are **managed** (not freely changeable). **Fail:** Opens in another browser, or the default is user-changeable → verify the Base64 `DefaultAssociationsConfiguration` value and that `Edge for Business - Default Browser - Pilot` applied.

Test 6 — Security/config baseline behaves

Procedure: Confirm the hardening settings: SmartScreen blocks a known test-warning page; try to install an extension outside the allow-list; confirm the browser opens to the configured **startup/home** page and the **work-profile sign-in** behavior matches policy. **Pass:** SmartScreen warns as configured (and cannot be bypassed where set); a non-allow-listed extension is **blocked**; startup/home pages match; sign-in/work-profile behaves per `BrowserSignin`. **Fail:** Any control not behaving → check the specific policy in `edge://policy` and its value in the baseline profile (Implementation Step 7).

Test 7 — IE mode renders a legacy site

Procedure: Browse to a site listed in `EdgeForBusiness-EMSiteList.xml`. **Pass:** The **IE mode indicator** (IE logo) appears in the address bar and the legacy app renders/works; a site **not** on the list uses the modern engine. **Fail:** No IE-mode indicator → confirm `InternetExplorerIntegrationLevel = IEMode`, that the site-list URL is reachable (R9), and that the site is actually in the list.

Test 8 — Microsoft Edge security baseline applied

Procedure: Run `EDGEBIZ-Report.ps1`, and check **Endpoint security** → **Security baselines** → `Edge for Business - Security Baseline - Pilot` → **Device status**. **Pass:** The pilot device reports the Edge security baseline **Succeeded**; the coverage report lists it as applied. **Fail:** Missing/error/conflict → resolve overlapping settings between the security baseline and the Settings Catalog baseline so they agree (Best Practices — conflicts).

Test 9 — No unintended breakage (negative test)

Procedure: With a real pilot user, use Edge for a normal workday: internal apps, SSO/sign-in, an IE-mode app, and saving a password (should route to the enterprise solution, not the browser). **Pass:** Normal browsing works; the only *intended* changes are visible (no browser password save, Edge is default, extensions controlled); no legacy app is broken that IE mode should cover. **Fail:** A legacy app breaks → add it to `EdgeForBusiness-EMSiteList.xml`; unexpected block → adjust the specific policy.

Test 10 — Coverage report

Procedure: Run `EDGEBIZ-Report.ps1`. **Pass:** The report lists the pilot device(s) as **baseline applied**; counts match the assigned group. **Fail:** Devices missing → run `EDGEBIZ-Remediation.ps1` (`-WhatIf` first) to fix assignment/scoping and re-sync.

Acceptance gate

Proceed to **Expand** only when Tests 1–8 and Test 10 pass on at least one pilot device, Test 9 confirms no unintended breakage, and a real pilot user confirms the two findings are resolved (no browser password save; Edge is the default) and that IE-mode legacy apps still work.

6. Troubleshooting — Microsoft Edge for Business Enterprise Configuration & Security Baseline

Work top-down: confirm the **profiles applied** (Intune Device status + `edge://policy` on the device), then check **conflicts** between the Settings Catalog baseline and the Edge security baseline, then the **specific policy** in question. Most issues are an unassigned/unsynced device, a policy-name mismatch for your Edge version, or two objects setting the same policy to different values. Each symptom below gives the **likely cause** and the **fix**.

> ***Before you start:*** *open* `edge://policy` *on the affected device — it shows exactly which Edge policies applied and their values. This is faster ground truth than Intune reporting, which can lag.*

Symptom: A profile never appears / policies not in `edge://policy`

Likely cause: Device not synced, not assigned, or not enrolled. **Fix:**

1. Confirm the device is in `Edge for Business - Pilot Devices` and each object is **assigned** (`EDGEBIZ-Validation.ps1`).
1. Force a sync (**Settings** → **Accounts** → **Access work or school** → **Sync**, or Company Portal → **Check status**).
1. Check **Devices** → **Configuration** → **(profile)** → **Device status** (and **Endpoint security** → Security baselines → …** for the baseline) for an error.
1. On the device, open `edge://policy` and click **Reload policies**.

Symptom: Device status shows "Conflict"

Likely cause: The same Edge policy is set to **different values** by `Edge for Business - Baseline - Pilot` and `Edge for Business - Security Baseline - Pilot` (or a duplicate profile). **Fix:**

1. Run `EDGEBIZ-Discovery.ps1` to list the Edge configuration objects.
2. Identify the overlapping setting (e.g. SmartScreen) and make the values **agree**, or unset it in one object so a single owner remains (Best Practices — conflicts).
1. Remove any duplicate Edge profile targeting the same device.

Symptom: Edge still offers to save passwords (Finding #1 not resolved)

Likely cause: `PasswordManagerEnabled` not applied, or set to Enabled somewhere. **Fix:**

1. In `edge://policy`, confirm `PasswordManagerEnabled = false`. If absent, the baseline did not apply (see the first symptom).
1. Confirm no other profile / security baseline sets `PasswordManagerEnabled = true` (conflict).
2. Confirm the setting in `Edge for Business - Baseline - Pilot` is **Disabled** (Implementation Step 6), then re-sync.

Symptom: Edge is not the default browser (Finding #2 not resolved)

Likely cause: The `DefaultAssociationsConfiguration` value is wrong/empty, or the associations XML does not point at Edge. **Fix:**

1. Confirm `Edge for Business - Default Browser - Pilot` shows **Succeeded** in Device status.
2. Re-check the **Base64** value in the custom OMA-URI row — decode it and confirm the XML maps

`http`/`https`/`.htm`/`.html` to an Edge ProgId (e.g. `MSEdgeHTM`).

1. Rebuild the XML from a reference device where Edge is default (Implementation Step 4), re-encode, update

the profile, and re-sync. Note associations apply at policy refresh / profile creation.

Symptom: A legacy site does not open in IE mode

Likely cause: IE mode not enabled, the site not in the list, or the site-list URL unreachable. **Fix:**

1. In `edge://policy`, confirm `InternetExplorerIntegrationLevel` = IE mode and

`InternetExplorerIntegrationSiteList` points at your `EdgeForBusiness-EMSiteList.xml` URL.

1. From the device, browse to the **site-list URL** and confirm the XML loads (R9). Fix hosting/proxy if it

does not.

1. Confirm the exact site URL is in `EdgeForBusiness-EMSiteList.xml` with **Open in = IE11**; check

`edge://compat/enterprise` to see the parsed site list on the device.

Symptom: An approved extension is blocked (or a bad one installs)

Likely cause: Allow-list missing the extension ID, or block-list not set to `*`. **Fix:**

1. Confirm `ExtensionInstallBlocklist` contains `*` and the approved extension **ID** is in

`ExtensionInstallAllowlist` (Implementation Step 7). Extension IDs are case-sensitive — copy from `edge://extensions`.

1. If out-of-store extensions still install, confirm `BlockExternalExtensions = Enabled`.
2. Re-sync and re-check `edge://policy`.

Symptom: A policy from the guide is not in the Settings Catalog

Likely cause: Your Edge / Settings-Catalog version predates that policy, or Microsoft renamed it. **Fix:**

1. Confirm the pilot device's Edge version (`edge://version`). Newer policies (e.g.

`TyposquattingCheckerEnabled`) require a recent Edge.

1. Search the Settings Catalog for the **current** name; if renamed, use the equivalent and note it.
2. If truly unavailable, skip that single setting and document it — do not block the rest of the baseline.

Symptom: The Microsoft Edge security baseline shows "Error"/"Not applicable"

Likely cause: Device not fully enrolled/compliant, or a baseline-version/setting not applicable to the device's Edge/Windows version. **Fix:**

1. Confirm the device is enrolled and compliant (R7, G4) and synced.
2. Check the baseline **version** — if you created it on an older version, review and consider migrating to

the current version (Best Practices — change control).

1. Reconcile any setting the baseline reports can't apply against the device's Edge/Windows level.

Symptom: Works for some devices, not others

Likely cause: Group membership, sync timing, or Edge version differences. **Fix:**

1. Confirm affected devices are in the assigned group (`EDGEBIZ-Report.ps1`).
2. Re-sync stragglers; confirm enrollment (R7).
3. Confirm the affected devices run an Edge version that supports the missing policy (`edge://version`).

Symptom: Coverage report shows fewer devices than the group

Likely cause: Some devices not synced, not enrolled, or on an unsupported Edge/Windows level. **Fix:**

1. Run `EDGEBIZ-Report.ps1` to list which devices lack the applied baseline.
2. Run `EDGEBIZ-Remediation.ps1` **(**`-WhatIf` **first)** to correct assignment/scoping.
3. Re-sync stragglers and confirm enrollment (R7) and Edge version (R1).

Escalation checklist

Before opening a Microsoft support case, collect: the `EDGEBIZ-Discovery.ps1` output, each object's Device status export, the on-device `edge://policy` export, `edge://version` and `edge://compat/enterprise` output, the exact policy name/value in dispute, the assignment groups, and whether the issue reproduces on a freshly synced device (isolates policy from device state).

7. Best Practices — Microsoft Edge for Business Enterprise Configuration & Security Baseline

These practices keep the managed Edge configuration precise, predictable, and reversible on corporate Windows devices. They assume the deployment model in the Solution Overview: a named Settings Catalog baseline (`Edge for Business - Baseline - Pilot`), a default-browser associations profile (`Edge for Business - Default Browser - Pilot`), and the Microsoft Edge security baseline (`Edge for Business - Security Baseline - Pilot`), deployed via Intune, pilot-first.

Resolve Settings Catalog ↔ security baseline conflicts deliberately

• **Decide who owns each overlapping setting.** SmartScreen, extension controls, and password-manager

settings can be set by *both* the Settings Catalog baseline and the Microsoft Edge security baseline. If both set the same policy to **different** values, the device reports a **conflict** and the setting may not apply. Choose one owner per setting and make the other agree (or leave it unset there).

• **Prefer the security baseline for the hardening floor, the Settings Catalog for org specifics.** Let

the Edge security baseline carry Microsoft's recommended hardening; use `Edge for Business - Baseline - Pilot` for organization-specific choices (startup pages, IE mode, extension allow-list, update channel).

- **Document the ownership map.** Keep a short table of "setting → which object sets it → value" so the next admin does not reintroduce a conflict.

Password manager: pair the "off" with an alternative

- **Never disable the browser password manager without the enterprise solution in place** (R3). Turning off `PasswordManagerEnabled` is only half the change; users need somewhere sanctioned to store credentials, or you generate tickets and shadow IT.
- **Communicate before you enforce.** A one-line notice ("Edge will no longer save passwords; use <enterprise vault>") prevents most confusion.

Extension control: block-all, then allow

- **Start from `ExtensionInstallBlocklist = *` and allow-list explicitly.** A block-everything default with a short `ExtensionInstallAllowlist` is far safer than trying to enumerate bad extensions. Add `BlockExternalExtensions = Enabled` to stop out-of-store sideloading.
- **Record every allow-listed extension ID** (extension → ID → why approved) so the list stays auditable.
- **Use `ExtensionInstallForcelist` sparingly** — only for extensions the org genuinely wants everywhere.

Default browser: enforce, but set expectations

- **Enforce with `DefaultAssociationsConfiguration`**, and know it is a **fleet default** applied at policy refresh, not a per-click lock. Communicate the change and keep the associations XML minimal (browser/HTML types only) so you do not accidentally reassign unrelated file types.
- **Rebuild the XML from a clean reference device** whenever Windows/Edge progIDs change across major releases, and re-deploy.

IE mode: keep the site list short, current, and reachable

- **List only what genuinely needs IE**, with `Open in = IE11`. Every site you add is a legacy dependency you are choosing to keep alive — treat the list as a retirement backlog, not a dumping ground.
- **Host the site list reliably** (R9) and monitor that the URL stays reachable; an unreachable list

silently disables IE mode.

- **Version the site list.** The policy points at a stable URL; change the file behind it and note the date and reason for each addition/removal.

Sync & work-profile sign-in

- **Choose your sign-in posture explicitly.** `BrowserSignin = Force` gives a governed work profile and is the cleanest for Conditional Access; `Enable` leaves it optional. Decide once and apply consistently.
- **Be intentional about sync.** `SyncDisabled = Enabled` stops consumer sync of browser data; if you use Edge enterprise sync, leave it unmanaged and govern via profile instead. Do not half-configure both.

Update channel & cadence

- **Pin the fleet to a supported channel (usually Stable)** with the Microsoft Edge Update policies, and set a predictable auto-update cadence so security fixes land without manual effort. Review after major Edge releases.

Deploy pilot-first and reversibly

- **Assign every object to `Edge for Business - Pilot Devices`, never "All devices" first.** Expand in waves after each gate passes.
- **Rollback is unassignment.** Because these are Intune profiles/baselines, removing the assignment reverts behavior; keep the objects so you can re-target quickly.

Operate and monitor

- **Report before you widen.** Run `EDGEBIZ-Report.ps1` each wave; only broaden when coverage matches the assigned group.
- **Remediate with `-WhatIf` first.** `EDGEBIZ-Remediation.ps1` and `EDGEBIZ-Set-ScopeTargeting.ps1` preview by default — read the plan, then apply.
- **Verify policy on the device with `edge://policy`.** It is the fastest ground truth for what actually applied, independent of Intune's reporting lag.

Change control

• **Version the security baseline migration.** Microsoft periodically releases new **Edge security baseline

versions** — review the diff and migrate `Edge for Business - Security Baseline - Pilot` deliberately rather than auto-adopting.

• **Confirm policy names after Edge upgrades.** Edge adds/renames policies frequently. After a major Edge

release, re-run Discovery and spot-check `edge://policy` before expanding.

8. Deliverables Summary — Microsoft Edge for Business Enterprise Configuration & Security Baseline

Everything included in this solution package, and what each piece is for.

Documentation (this guide)

• **Executive Summary** — the business case and outcome in one page: the two assessment findings resolved

(password manager off; Edge enforced as default) plus the broader browser-hardening value.

• **Solution Overview** — the two Intune surfaces used (Settings Catalog Microsoft Edge ADMX-backed +

Endpoint security Microsoft Edge security baseline), how default-browser enforcement and IE mode work, and the named objects you build and reuse.

• **Requirements Guide** — every Intune/Entra/Edge prerequisite with how to **verify** and how to

implement if missing, plus the category-level Global Requirements.

• **Implementation Guide** — exact, ordered, click-by-click steps across four phases: assess and prepare

(site list + associations XML), configure the named Settings Catalog baseline (password manager off, SmartScreen/PUA, extensions, sync/sign-in, typosquatting, startup, update channel, IE mode), enforce the default browser, apply the Microsoft Edge security baseline, pilot, then validate and expand.

• **Testing & Validation** — ten tests with explicit pass/fail gates (including confirming both findings

are resolved and a negative test for unintended breakage) and an acceptance gate.

• **Troubleshooting** — top-down diagnosis using `edge://policy`: profiles not applying, conflicts, the two

findings, IE mode, extension control, and missing/renamed policies.

• **Best Practices** — resolving Settings-Catalog ↔ security-baseline conflicts, block-all-then-allow

extensions, IE-mode site-list hygiene, sign-in/sync posture, update cadence, and reversible pilot-first rollout.

PowerShell scripts (Microsoft Graph) — `EDGEBIZ-Scripts.zip`

All scripts are tenant-side (run from an admin workstation with the Microsoft Graph PowerShell SDK); each has a header explaining **Purpose · How to run · Expected results**. Discovery, Validation, and Report are **read-only**; Remediation and Set-ScopeTargeting **default to** `-WhatIf` (preview first, then apply).

1. `EDGEBIZ-Discovery.ps1` — tenant readiness: the `Edge for Business - Baseline - Pilot` Settings

Catalog profile exists with the core settings (`PasswordManagerEnabled = disabled`, SmartScreen), the `Edge for Business - Default Browser - Pilot` custom profile exists, and the Microsoft Edge security baseline is created.

1. `EDGEBIZ-Validation.ps1` — validates each object's **assignment** and per-device **applied** state,

with a clear PASS/FAIL summary.

1. `EDGEBIZ-Report.ps1` — tenant-wide CSV report of Windows devices and whether the Edge configuration

baseline is applied — the Edge coverage report.

1. `EDGEBIZ-Remediation.ps1` — safe remediation: creates the Settings Catalog Edge baseline with the

core settings if missing and assigns it to a target group. `-WhatIf` **by default**; applies only when re-run with `-WhatIf:$false`.

1. `EDGEBIZ-Set-ScopeTargeting.ps1` — sets/adjusts the baseline profile's group assignment (target-group

builder). `-WhatIf` **by default.**

Hero image

- `EDGEBIZ-hero.png` — the product image used on the marketplace listing.

How it's delivered

A **Word** document and **PDF** (cover, table of contents, page numbers, and a scripts appendix), plus all five PowerShell scripts in a single **ZIP** — yours to keep and reuse across **unlimited devices**.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

EDGEBIZ-Discovery.ps1

Purpose: Confirms the Intune tenant is ready to deliver a managed, hardened Microsoft Edge on Windows: - a Settings Catalog profile named 'Edge for Business - Baseline - Pilot' exists and carries the core Edge policies (PasswordManagerEnabled = disabled, SmartScreen enabled), - a custom OMA-URI profile named 'Edge for Business - Default Browser - Pilot' exists (the DefaultAssociationsConfiguration that makes Edge the default browser), and - a Microsoft Edge security baseline instance named 'Edge for Business - Security Baseline - Pilot' exists. Read-only. Checks Microsoft Edge on WINDOWS only — not macOS/iOS/Android Edge. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Discovery.ps1 (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows the three named objects present, with the Edge baseline profile carrying the password-manager-off and SmartScreen settings. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. Setting definition IDs and profile names may vary by Edge/Intune version — verify in your tenant. > [CmdletBinding()] param([string]$BaselineName = 'Edge for Business - Baseline - Pilot', [string]$DefaultBrowserName = 'Edge for Business - Default Browser - Pilot', [string]$SecurityBaselineName = 'Edge for Business - Security Baseline - Pilot')

How to run: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Discovery.ps1 (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows the three named objects present, with the Edge baseline profile carrying the password-manager-off and SmartScreen settings. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. Setting definition IDs and profile names may vary by Edge/Intune version — verify in your tenant. > [CmdletBinding()] param([string]$BaselineName = 'Edge for Business - Baseline - Pilot', [string]$DefaultBrowserName = 'Edge for Business - Default Browser - Pilot', [string]$SecurityBaselineName = 'Edge for Business - Security Baseline - Pilot')

EDGEBIZ-Remediation.ps1

Purpose: Remediates the common gap that leaves Microsoft Edge unmanaged on corporate Windows devices: creates the Settings Catalog Edge baseline profile ('Edge for Business - Baseline - Pilot') with the two most important settings pre-set — PasswordManagerEnabled = Disabled (assessment Finding #1) and SmartScreen Enabled — and assigns it to a target group. Defaults to -WhatIf, so it previews every change and modifies nothing until re-run to apply. Remediates the Windows Edge configuration baseline only — it does not create the default-browser profile or the Edge security baseline (do those in the Implementation guide). HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Remediation.ps1 -GroupId your-entra-group-object-id Apply the change: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Remediation.ps1 -GroupId your-entra-group-object-id -WhatIf:$false (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: a report of what is missing and exactly what WOULD be created/assigned. When applied: an 'Edge for Business - Baseline - Pilot' Settings Catalog profile exists (password manager off, SmartScreen on) and is assigned to the group. Re-run EDGEBIZ-Discovery.ps1 to confirm. .NOTES White-label — the repeatable way. Defaults to

-WhatIf; changes require -WhatIf:$false. The Edge setting definition IDs below reflect current Microsoft documentation; Edge revises policies frequently — VERIFY the setting definition IDs in your tenant's Settings Catalog before relying on them, and add the remaining hardening settings (extensions, sync/sign-in, IE mode, startup) per Implementation Step 7 either here or in the portal. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$Name = 'Edge for Business - Baseline - Pilot')

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Remediation.ps1 -GroupId your-entra-group-object-id Apply the change: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Remediation.ps1 -GroupId your-entra-group-object-id -WhatIf:$false (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: a report of what is missing and exactly what WOULD be created/assigned. When applied: an 'Edge for Business - Baseline - Pilot' Settings Catalog profile exists (password manager off, SmartScreen on) and is assigned to the group. Re-run EDGEBIZ-Discovery.ps1 to confirm. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. The Edge setting definition IDs below reflect current Microsoft documentation; Edge revises policies frequently — VERIFY the setting definition IDs in your tenant's Settings Catalog before relying on them, and add the remaining hardening settings (extensions, sync/sign-in, IE mode, startup) per Implementation Step 7 either here or in the portal. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$Name = 'Edge for Business - Baseline - Pilot')

EDGEBIZ-Report.ps1

Purpose: Produces a coverage report across managed Windows devices: for each device, whether the Microsoft Edge configuration baseline ('Edge for Business - Baseline - Pilot') is applied. Use it to measure coverage before widening a rollout and to find corporate devices still missing the managed Edge baseline. Read-only. Reports the Windows Edge configuration baseline only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Report.ps1 Optional: -ProfileName "Edge for Business - Baseline - Pilot" -CsvPath .\EDGEBIZ-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of Windows devices with an Applied column (Yes/No/Error/Conflict) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Edge for Business - Baseline - Pilot', [string]$CsvPath)

How to run: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Report.ps1 Optional: -ProfileName "Edge for Business - Baseline - Pilot" -CsvPath .\EDGEBIZ-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of Windows devices with an Applied column (Yes/No/Error/Conflict) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Edge for Business - Baseline - Pilot', [string]$CsvPath)

EDGEBIZ-Set-ScopeTargeting.ps1

Purpose: Sets or adjusts which Entra security group the Edge configuration baseline ('Edge for Business - Baseline - Pilot') is assigned to — the target-group builder for pilot-first, wave-based rollout on corporate Windows devices. Optionally adds an assignment exclusion group. Defaults to -WhatIf, previewing the assignment change and modifying nothing until re-run to apply. Targets the Windows Edge configuration baseline profile only. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "Edge for Business - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with EDGEBIZ-Validation.ps1. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'Edge for Business - Baseline - Pilot')

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "Edge for Business - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with EDGEBIZ-Validation.ps1. .NOTES White-label — the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'Edge for Business - Baseline - Pilot')

EDGEBIZ-Validation.ps1

Purpose: Validates the Settings Catalog Edge baseline profile ('Edge for Business - Baseline - Pilot') is assigned to the intended group and applied on target Windows devices. Confirms the profile exists, that it is assigned (and, if -GroupId is supplied, to that group), and reports each device's applied state (Succeeded / Error / Conflict / Not applied). Read-only. Validates the Windows Edge baseline profile only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Validation.ps1 -ProfileName "Edge for Business - Baseline - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found, assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Edge for Business - Baseline - Pilot', [string]$GroupId)

How to run: powershell -ExecutionPolicy Bypass -File .\EDGEBIZ-Validation.ps1 -ProfileName "Edge for Business - Baseline - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found,

assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Edge for Business - Baseline - Pilot', [string]$GroupId)