Windows Advanced Audit Policy & Security Event Logging Baseline (Intune)

Implementation Solution Guide

Version 1.0.0 · 2026-07-29

Contents

Executive Summary — Windows Advanced Audit Policy & Security Logging Baseline (Intune) 5

1. Solution Overview — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune) 6

- What this solution is . . . 6
- What this solution is (and is not) . . . 6
- How it works, step by step . . . 7
- What the baseline audits (and why) . . . 7
- The event-volume trade-off (be honest with yourself) . . . 7
- Benefits . . . 8
- Limitations (be honest with buyers) . . . 8
- The standard deployment model . . . 8

2. Requirements — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune) 9

- R1. Windows 10/11 devices enrolled in Intune . . . 9
- R2. Supported, patched Windows baseline . . . 9
- R3. Settings Catalog audit profile . . . 9
- R4. "Force audit policy subcategory settings" is (or will be) enabled . . . 10
- R5. No conflicting basic (legacy) audit policy . . . 10
- R6. Security event log sized for retention . . . 10
- R7. Decision on the Success/Failure profile per subcategory . . . 10
- R8. (For forwarding) awareness of the SIEM solution — not built here . . . 10
- R9. Pilot device . . . 11

Global Requirements — Intune Solutions (category-level) 11

- G1. Microsoft Entra ID tenant . . . 11
- G2. Microsoft Intune subscription . . . 11
- G3. Administrative roles . . . 11
- G4. Device enrollment in Intune . . . 11
- G5. Pilot security group . . . 12
- G6. Supported Windows baseline . . . 12
- G7. Network access to Microsoft cloud endpoints . . . 12

3. Implementation — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune) 12

- Phase 1 — Prepare . . . 12
- Phase 2 — Build the Settings Catalog audit profile . . . 13
- Phase 3 — Pilot . . . 16
- Phase 4 — Validate and expand . . . 17

5. Testing & Validation — Windows Advanced Audit Policy & Security Logging Baseline 17
Test 1 — Tenant readiness . . . 18
Test 2 — Profile assignment . . . 18
Test 3 — Profile applied on the device . . . 18
Test 4 — The force-subcategory override is active (the gate everything depends on) . . . 18
Test 5 — Subcategories are set as intended . . . 18
Test 6 — Events are actually generated (including command line) . . . 18
Test 7 — Security log is sized for retention . . . 19
Test 8 — Coverage report . . . 19
Test 9 — Reversibility / no unintended change (negative test) . . . 19
Acceptance gate . . . 19
6. Troubleshooting — Windows Advanced Audit Policy & Security Logging Baseline 19
Symptom: The profile never appears / shows no status on the device . . . 19
Symptom: Device status is "Succeeded" but `auditpol` shows nothing changed . . . 20
Symptom: Profile shows "Error" / "Conflict" in Device status . . . 20
Symptom: 4688 Process Creation events appear but have no command line . . . 20
Symptom: A specific subcategory isn't auditing what you expect . . . 20
Symptom: The Security log fills up / events disappear within hours . . . 21
Symptom: Too many events / SIEM ingestion cost spiked after rollout . . . 21
Symptom: Works on some devices, not others . . . 21
Symptom: Coverage report shows fewer devices than the group . . . 22
Escalation checklist . . . 22
7. Best Practices — Windows Advanced Audit Policy & Security Logging Baseline 22
Set the override first, and prove it . . . 22
Audit for detection, not for volume . . . 22
Split workstation and server baselines . . . 23
Size and forward the logs . . . 23
Deploy pilot-first and reversibly . . . 23
Operate and monitor . . . 23
Change control . . . 24
8. Deliverables Summary — Windows Advanced Audit Policy & Security Logging Baseline 24
Documentation (this guide) . . . 24
PowerShell scripts (Microsoft Graph) — `WINAUDIT-Scripts.zip` . . . 25
Hero image . . . 25
How it's delivered . . . 25
Related solutions (not included here) . . . 25

Appendix A — PowerShell Scripts 26

Executive Summary — Windows Advanced Audit Policy & Security Logging Baseline (Intune)

Most Windows fleets are under-audited without anyone realizing it: the default audit policy captures too little to investigate an incident, it drifts from machine to machine, and — worst of all — the modern **Advanced Audit Policy** subcategories are often silently ignored because a single override switch is off. When a breach or insider event happens, the events you needed were never written. This solution fixes that at the source. It configures the full **Windows Advanced Audit Policy Configuration** on **Windows 10/11** endpoints via **Microsoft Intune** — a consistent, **CIS / Microsoft security baseline-aligned** audit trail on every device, deployed pilot-first and fully reversible.

A deliberately scoped, distinct capability. This is the audit **configuration** baseline — which subcategories to audit, at what Success/Failure level, plus **command-line process auditing** and a right-sized Security log. It is **not** SIEM forwarding (getting those events into Microsoft Sentinel is the separate *Entra ID & Intune Audit Telemetry to Microsoft Sentinel* solution), and it is **not** a broad CIS/STIG hardening baseline (that is a separate, wider product). It deploys a single Settings Catalog profile and is reversible by unassigning it — no re-enrollment, no re-imaging.

Two things this package makes explicit that teams routinely miss:

- **The override that makes everything work.** Windows only honors the advanced subcategories when

"Force audit policy subcategory settings to override audit policy category settings" is enabled (`SCENoApplyLegacyAuditPolicy = 1`). The baseline sets it explicitly and the scripts verify it — so your audit settings can't be silently voided by a leftover legacy policy.

- **The event that catches attackers. Process Creation with the full command line** (Event ID 4688)

is the highest-value detection for living-off-the-land activity. The baseline turns it on, sizes the log for it, and hands the volume decision to your SIEM instead of turning it off.

This package delivers the complete, field-tested method to stand it up in Intune — written so a single administrator can follow it end to end:

- **One profile, one purpose.** A `Win Audit Policy - Baseline - Pilot` Settings Catalog profile

carrying the force-subcategory override, all ~24 recommended audit subcategories, command-line process auditing, and the Security-log size — deployed pilot-first.

- **Baseline-aligned and role-aware.** Recommended Success/Failure values cited to CIS / Microsoft, tuned

for workstations, with explicit guidance to clone a server variant for high-volume roles.

- **Honest about volume.** The loud subcategories (Process Creation, File Share, Filtering Platform

Connection) are flagged, tuned, and paired with the forwarding solution so auditing is never turned off for the wrong reason.

The package follows the standard repeatable shape — **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** — with exact, click-by-click Intune steps, a requirements guide that tells you how to verify *and* fix each prerequisite, five ready-to-run PowerShell scripts (Microsoft Graph), and testing/troubleshooting guides with clear pass/fail gates.

Outcome: a consistent, baseline-aligned Windows audit trail — with command-line process auditing and a right-sized log — on every corporate endpoint, deployed and proven on a pilot before you scale, without a consulting engagement and without touching how the device is enrolled. This one product resolves the cluster of "Configure Auditing for …" and "Audit Logon" findings a typical Windows client security assessment raises.

1. Solution Overview — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune)

What this solution is

This solution configures the full **Windows Advanced Audit Policy Configuration** on **Windows 10/11** endpoints managed by **Microsoft Intune**, using a single **Settings Catalog** configuration profile. Once deployed, every domain- and Entra-joined Windows device writes a **consistent, security-relevant audit trail** to the local **Security** event log — sign-ins, account and group changes, process creation (with the full command line), removable-storage use, privilege use, and audit/policy changes — aligned to the **CIS Benchmark / Microsoft security baseline** recommendations for what to audit and whether to capture **Success**, **Failure**, or both.

Windows has two layers of auditing. The legacy **basic audit policy** (nine broad categories) and the modern **Advanced Audit Policy Configuration** (~60 fine-grained subcategories). Modern security baselines are written entirely against the **advanced** subcategories, because they let you turn on exactly the events you need without the noise of a whole category. This solution deploys the advanced subcategories via Intune and — critically — sets the switch that makes Windows honor them.

> ***The one switch everything depends on.*** *Windows only applies the advanced subcategory settings when* ***"Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings"*** *is* ***Enabled*** *(the registry value* `SCENoApplyLegacyAuditPolicy = 1`*). Modern Windows defaults this on, but a leftover basic-audit GPO, an image, or a third-party tool can flip it off — silently discarding every subcategory setting you push. This solution sets it* ***explicitly*** *so the baseline is deterministic, and the validation scripts check it.*

What this solution is (and is not)

- **It IS** the audit-policy **configuration baseline** — which subcategories to audit, at what

Success/Failure level, plus command-line process auditing and a right-sized Security log — deployed and validated via Intune, pilot-first and reversible.

- **It is NOT** a broad security-configuration baseline. If you want the full CIS/STIG hardening baseline

(hundreds of settings across firewall, BitLocker, account policy, etc.), that is a **separate, broader product** — this one is the focused *audit* slice and complements it without duplication.

- **It is NOT** log forwarding to a SIEM. This solution makes each endpoint **generate and retain** the

right events locally. **Getting those logs off the box into Microsoft Sentinel** (Azure Monitor Agent + Data Collection Rules, Windows Security Events connector) is handled by the separate **Entra ID & Intune Audit Telemetry to Microsoft Sentinel** solution — cross-reference it, don't rebuild it here. Endpoint auditing is the *source*; forwarding is the *transport*.

How it works, step by step

1. **One Settings Catalog profile carries the baseline.** A single Windows Settings Catalog

configuration profile named `Win Audit Policy - Baseline - Pilot` contains all ~24 audit subcategory settings, the "force subcategory" override, command-line process auditing, and the Security-log maximum size.

1. **Intune delivers it to enrolled devices.** The profile is assigned to a **pilot** Entra security

group (`Win Audit Policy - Pilot Devices`), then widened in waves.

1. **Windows applies the advanced subcategories.** With the force-subcategory override enabled, each

device begins writing the specified Success/Failure events to the **Security** log.

1. **Events accumulate with room to breathe.** The Security log maximum size is raised so higher-volume

subcategories (Process Creation, File Share) don't roll over and lose evidence within hours.

1. **Validate, then expand.** Read-only scripts confirm the profile is present, correctly scoped, and

applied; then the baseline widens to the rest of the fleet.

What the baseline audits (and why)

The baseline turns on the subcategories that detect the attacker behaviors defenders actually hunt for:

• **Account Logon / Logon-Logoff** — who authenticated, from where, failed sign-ins, lockouts, and the

privileged/special logons that indicate admin activity or token theft.

• **Account & Security Group Management** — creation, deletion, and privilege changes to accounts and

groups (a classic persistence and privilege-escalation signal).

• **Detailed Tracking** → **Process Creation with command line** — every process launch *with its full

command line* (Event ID 4688). This is one of the single most valuable detections for living-off-the-land attacks (PowerShell, `rundll32`, `mshta`, etc.).

• **Object Access** → **File Share / Removable Storage** — access to shares and USB storage, for

data-exfiltration and insider investigations.

• **Privilege Use, Policy Change, System** — use of sensitive privileges, tampering with audit/policy,

and security-subsystem state changes.

The exact **Success/Failure** recommendation per subcategory is given in the Implementation Guide and is cited to the **CIS Benchmark / Microsoft security baseline**.

The event-volume trade-off (be honest with yourself)

More auditing means more events, more disk, and more to forward. Two subcategories are notably high-volume:

- **Detailed Tracking** → **Process Creation** — on a busy workstation this is the loudest single source.

It is also the most useful; keep it **Success**, size the log accordingly, and forward it.

- **Object Access** → **File Share / Detailed File Share / Filtering Platform Connection** — file-share and

network-connection auditing can be very chatty on file servers and heavily networked hosts.

The baseline is tuned for **workstations**; the Implementation Guide flags where to dial specific subcategories down (or up) for **servers** and for high-volume environments, and points you to the forwarding solution so volume is a SIEM-ingestion decision, not a reason to stop auditing.

Benefits

- **A consistent, baseline-aligned audit trail** on every Windows endpoint — no more per-machine drift

in what is (or isn't) being logged.

- **Detection-ready by default** — command-line process auditing and the logon/account/privilege events

that SOC playbooks and SIEM rules expect.

- **Deterministic** — the force-subcategory override is set explicitly, so the baseline can't be

silently voided by a legacy audit setting.

- **No re-enrollment, fully reversible** — it deploys a configuration profile only; unassigning it

cleanly reverts the device to its prior audit state.

- **Right-sized retention** — a larger Security log so evidence survives long enough to be collected or

forwarded.

Limitations (be honest with buyers)

- **Endpoint auditing only.** This makes devices *generate and keep* events; it does **not** forward

them to a SIEM (see the Sentinel forwarding solution).

- **Windows 10/11 enrolled devices.** It targets Intune-managed Windows 10/11; it is not a macOS/iOS or

a Linux capability, and it is not a Group Policy deliverable (though the same subcategories map 1:1 to GPO if you also manage domain controllers that way).

- **Settings-Catalog setting IDs can change.** The setting definition names below reflect current

Microsoft documentation — **verify them in your tenant** before fleet rollout rather than assuming.

- **Volume is real.** High-value subcategories are high-volume; size logs and plan SIEM ingest

accordingly.

The standard deployment model

This solution uses **one** repeatable model across our catalog:

> ***Windows 10/11 endpoints receive the Advanced Audit Policy baseline (CIS / Microsoft-aligned Success/Failure subcategories + command-line process auditing + a right-sized Security log) as a single Intune Settings Catalog profile, with the force-subcategory override set explicitly, deployed pilot-first and reversible.***

Every step follows the repeatable pattern: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

2. Requirements — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune)

Confirm **every** requirement below before you begin. Each entry follows the same pattern: **Description · Why required · How to verify · How to implement if missing.** Category-wide prerequisites (tenant, Intune licensing, admin roles, pilot group, network) are covered once in the **Global Requirements — Intune Solutions** document; the items here are specific to configuring the **Windows Advanced Audit Policy** baseline via Intune Settings Catalog.

> ***Scope reminder.*** *These requirements are for the audit-policy **configuration baseline** on **enrolled Windows 10/11** devices. They deliberately do **not** include forwarding logs to a SIEM (that is the separate *Entra ID & Intune Audit Telemetry to Microsoft Sentinel* solution) or a broad CIS/STIG security-hardening baseline.*

R1. Windows 10/11 devices enrolled in Intune

Description: The target devices are Intune-enrolled Windows 10 (21H2+) or Windows 11 endpoints. **Why:** The Settings Catalog audit profile is delivered by Intune MDM; it only reaches enrolled, managed devices. **Verify:** Intune admin center (`https://intune.microsoft.com`) → **Devices** → **Windows** → **Windows devices**; the device is listed and **managed**. **Implement:** Enroll the device via **Automatic Enrollment** (Entra join + MDM auto-enroll) or Autopilot so it appears under **Devices** → **Windows**. (Enrollment itself is covered by the enrollment solutions and Global Requirement G4.)

R2. Supported, patched Windows baseline

Description: Windows 10 **21H2 or later** or Windows 11, with current cumulative updates. **Why:** The Advanced Audit Policy subcategories and the Settings Catalog audit setting definitions assume a modern, patched OS; older builds may lack specific subcategories (e.g. Group Membership, PNP Activity). **Verify:** On the device run `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** / **Feature update** policy, or upgrade to Windows 11 (Global Requirement G6).

R3. Settings Catalog audit profile

Description: A Windows **Settings Catalog** configuration profile named `Win Audit Policy - Baseline - Pilot` carrying the audit subcategory settings, the force-subcategory override, command-line process auditing, and the Security-log maximum size. **Why:** This single profile is what applies and scopes the entire baseline. **Verify:** Intune → **Devices** → **Configuration**; a profile named `Win Audit Policy - Baseline - Pilot` (Platform **Windows 10 and later**, profile type **Settings catalog**) exists and is assigned to your pilot group. **Implement:** Create it during deployment (Implementation Guide, Phase 2), or scaffold/assign it with the included `WINAUDIT-Remediation.ps1` /

`WINAUDIT-Set-ScopeTargeting.ps1`.

R4. "Force audit policy subcategory settings" is (or will be) enabled

Description: The security option **"Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy category settings"** must be **Enabled** (registry `SCENoApplyLegacyAuditPolicy = 1`). **Why:** Windows only honors the *advanced* subcategory settings when this override is on. If a legacy basic-audit policy or image left it off, every subcategory you push is silently ignored. **Verify:** On a device, `auditpol /get /category:*` should reflect your subcategory settings (not a blanket category state); or check `HKLM\SYSTEM\CurrentControlSet\Control\Lsa\SCENoApplyLegacyAuditPolicy = 1`. **Implement:** The baseline profile sets this override **Enabled** explicitly (Implementation Step 6a), so deploying the profile satisfies this. Remove any conflicting legacy **basic** audit GPO/policy.

R5. No conflicting basic (legacy) audit policy

Description: No Group Policy or third-party tool is still setting the **basic** nine-category audit policy (or the force-subcategory override to Disabled). **Why:** A legacy basic-audit policy can override or fight the advanced subcategories and produce inconsistent results across the fleet. **Verify:** In any co-managing GPO, confirm **Computer Configuration** → **Policies** → **Windows Settings** → **Security Settings** → **Local Policies** → **Audit Policy** (the *basic* nine) is **Not Defined**; only **Advanced Audit Policy Configuration** is used. **Implement:** Set the basic **Audit Policy** entries back to *Not Defined* in any GPO, and standardize on the Intune advanced baseline. Confirm with `auditpol` after the next sync.

R6. Security event log sized for retention

Description: The **Security** event log maximum size raised from the small default so higher-volume subcategories don't overwrite evidence quickly. **Why:** With Process Creation and File Share auditing on, the default log can wrap in hours on a busy host, losing the events you turned on to capture. **Verify:** On a device, **Event Viewer** → **Windows Logs** → **Security** → **(right-click) Properties** → **Maximum log size**; or `wevtutil gl Security`. **Implement:** The baseline sets a recommended maximum (Implementation Step 6d). Size it to your retention/forwarding window — larger if you forward on a schedule rather than continuously.

R7. Decision on the Success/Failure profile per subcategory

Description: A decision on which subcategories audit **Success**, **Failure**, or **both**, aligned to the **CIS Benchmark / Microsoft security baseline** and adjusted for **workstation vs server**. **Why:** The recommended level differs by subcategory and by device role; over-auditing the wrong subcategory (e.g. Filtering Platform Connection on a busy server) creates noise with little value. **Verify:** Use the recommended table in the Implementation Guide (Step 6b) as your default; confirm the values match your compliance requirement (CIS L1/L2, STIG, or your own standard). **Implement:** Start from the workstation-tuned table in Step 6b; create a **server** variant of the profile where the guide flags a different value.

R8. (For forwarding) awareness of the SIEM solution — not built here

Description: Awareness that getting these events into a SIEM is a **separate** capability. **Why:** This baseline makes endpoints *generate and retain* events; it does not forward them. Buyers sometimes expect "auditing" to include SIEM ingestion. **Verify:** Confirm whether you already forward Windows Security events (Azure Monitor Agent + Data Collection Rule to Microsoft Sentinel, or WEF/WEC). **Implement:** Deploy the **Entra ID & Intune Audit Telemetry to Microsoft Sentinel** solution (or your existing WEF/AMA pipeline) to collect the events this baseline produces. Do not attempt to solve forwarding inside this audit profile.

R9. Pilot device

Description: At least one enrolled Windows 10/11 pilot device in the pilot security group. **Why:** Every solution is validated on a pilot before fleet rollout. **Verify:** The pilot device is enrolled (R1), on a supported build (R2), and is a member of `Win Audit Policy - Pilot Devices`. **Implement:** Add the pilot device (or its user) to the **pilot security group** (Global Requirement G5) used for the profile assignment.

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation — Windows Advanced Audit Policy & Security Event Logging Baseline (Intune)

Follow these steps **in order**. The *why* for each capability lives in the Solution Overview; the steps below are deliberately short and exact so you can **click to implement**. Throughout, the repeatable pattern applies: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.** Do everything against a **pilot group** first.

All admin-center steps use the Microsoft Intune admin center at `https://intune.microsoft.com` unless noted. (For US sovereign clouds — GCC High / DoD — use `https://intune.microsoft.us`; the Settings Catalog paths are the same, but **verify in your tenant**.)

> ***This deploys the audit-policy configuration baseline only*** *on* ***enrolled Windows 10/11*** *devices. It does not forward logs to a SIEM and does not apply a broad CIS/STIG hardening baseline. Every setting below is delivered through a single* ***Settings Catalog*** *profile.*

Phase 1 — Prepare

Step 1. Confirm enrollment and Windows build

1. Go to **Devices** → **Windows** → **Windows devices** and confirm the pilot device is **managed**.
2. Open the device → **Hardware** (or run `winver` on the device) and confirm **Windows 10 21H2+** or **Windows 11**.

Step 2. Create (or confirm) the pilot security group

1. Go to `https://entra.microsoft.com` → **Groups** → **All groups** → **New group**.

2. **Group type** = **Security**; **Group name** = `Win Audit Policy - Pilot Devices`;

Membership type = **Assigned**.

1. Add your pilot device(s) (or pilot users) as members → **Create**. You will assign the profile to

this group in Step 7.

Step 3. Check for a conflicting legacy audit policy (R4/R5)

1. On the pilot device, open an elevated Command Prompt and run `auditpol /get /category:*` and

note the current state (baseline for comparison after deployment).

1. Confirm no co-managing GPO still sets the **basic** *Audit Policy* (the nine categories under

Local Policies → **Audit Policy**). If one does, set those entries to **Not Defined** so only the Advanced Audit Policy applies.

Phase 2 — Build the Settings Catalog audit profile

Step 4. Create the profile

1. Go to **Devices** → **Configuration** → **Create** → **New policy**.
2. **Platform** = **Windows 10 and later**; **Profile type** = **Settings catalog** → **Create**.
3. **Basics** → **Name:** `Win Audit Policy - Baseline - Pilot`. **Description:** *Advanced Audit Policy

baseline (CIS / Microsoft-aligned) + command-line process auditing + Security log sizing for Windows 10/11.* Click **Next**.

Step 5. Open the settings picker

1. On **Configuration settings**, click **+ Add settings**.
2. In the **Settings picker**, browse or search the categories below. In current Settings Catalog the

audit subcategories appear under the **Auditing** category (each maps 1:1 to the **Audit** policy CSP); the override and log-size settings appear under **Administrative Templates** and **Local Policies Security Options**. **Search by the subcategory name** (e.g. *Audit Credential Validation*) if the tree layout differs — **verify the exact category tree in your tenant**.

Step 6. Select and set every setting

6a. The force-subcategory override (set this first — R4)

Search **Local Policies Security Options** → **Audit** and add:

- **`Audit: Force audit policy subcategory settings (Windows Vista or later) to override audit policy

category settings → `Enabled**. *(Policy CSP:` LocalPoliciesSecurityOptions/Audit_ForceAuditPolicySubcategorySettingsToOverrideAuditPolicyCategorySettings`; registry` SCENoApplyLegacyAuditPolicy = 1`.)* Without this, nothing below takes effect.

6b. The audit subcategories (recommended Success/Failure)

Search the **Auditing** category and add each subcategory below, setting the value to the recommended level. Values map to the **Audit** CSP: `0` = No Auditing, `1` = Success, `2` = Failure, `3` = Success and Failure. Recommendations are aligned to the **CIS Windows 10/11 Enterprise Benchmark (Level 1)** and the **Microsoft security baseline**; **verify against the exact benchmark version you must meet**.

#	Category → Subcategory	Recommended	Notes / signal
1	Account Logon → **Audit Credential Validation**	Success and Failure	Auth attempts against local SAM (4776)
2	Account Management → **Audit User Account Management**	Success and Failure	Account create/enable/delete/reset (4720–4726)
3	Account Management → **Audit Security Group Management**	Success and Failure	Group add/remove, privilege changes (4728/4732/4756)
4	Logon/Logoff → **Audit Logon**	Success and Failure	Interactive/network logons, failures (4624/4625)
5	Logon/Logoff → **Audit Account Lockout**	Failure	Lockouts (4740)
6	Logon/Logoff → **Audit Group Membership**	Success	Groups in the logon token (4627)
7	Logon/Logoff → **Audit Special Logon**	Success	Admin/special-privilege logons (4672)
8	Logon/Logoff → **Audit Other Logon/Logoff Events**	Success and Failure	RDP session connect/disconnect, lock/unlock
9	Object Access → **Audit File Share**	Success and Failure	Share access (5140) — **higher volume**
10	Object Access → **Audit Detailed File Share**	Failure	Per-file share access (5145) — **very high volume**; Failure only on workstations
11	Object Access → **Audit Removable Storage**	Success and Failure	USB storage read/write (4663) — insider/exfil
12	Object Access → **Audit Filtering Platform Connection**	*Optional* — see note	WFP allow/block (5156/5157) — **very high volume**; enable only when investigating
13	Object Access → **Audit Other Object Access Events**	Success and Failure	Scheduled-task/COM+ object events

#	Category → Subcategory	Recommended	Notes / signal
14	Detailed Tracking → **Audit Process Creation**	Success	Process launch (4688) — **highest value, high volume**; pair with 6c
15	Detailed Tracking → **Audit PNP Activity**	Success	Plug-and-play device connect (6416)
16	Privilege Use → **Audit Sensitive Privilege Use**	Success and Failure	Use of sensitive rights (4672/4673/4674) — **high volume**
17	Policy Change → **Audit Audit Policy Change**	Success and Failure	Tampering with the audit policy itself (4719)
18	Policy Change → **Audit Authentication Policy Change**	Success	Trust/Kerberos/logon-right changes (4713/4717)
19	Policy Change → **Audit MPSSVC Rule-Level Policy Change**	Success and Failure	Windows Firewall rule changes (4946–4948)
20	Policy Change → **Audit Other Policy Change Events**	Failure	Crypto/boot-config policy failures
21	System → **Audit Security State Change**	Success and Failure	Startup/shutdown, system time (4608/4616)
22	System → **Audit Security System Extension**	Success and Failure	Service/driver/LSA extension load (4610/4697)
23	System → **Audit System Integrity**	Success and Failure	RPC/integrity violations, audit-log gaps (4612/4618)
24	System → **Audit Other System Events**	Success and Failure	Firewall service state, misc. system events

> ***Row 12 (Filtering Platform Connection):*** *the baseline leaves this* ***No Auditing*** *on workstations because 5156/5157 are extremely high volume; turn it to* ***Success and Failure*** *only on hosts you are actively investigating, and only if your SIEM can absorb it. The remediation script exposes it as an opt-in.*

6c. Command-line process auditing (pairs with row 14)

Search **Administrative Templates** → **System** → **Audit Process Creation** and add:

- `Include command line in process creation events` → **Enabled**.

(Policy CSP: `ProcessCreationIncludeCmdLine_Enabled`.) This adds the full command line to Event ID **4688** — the difference between "`powershell.exe` ran" and "`powershell.exe -enc <base64>` ran".

6d. Security event log size (R6)

Search **Administrative Templates** → **Windows Components** → **Event Log Service** → **Security** and add:

• `Specify the maximum log file size (KB)` → **Enabled**, value `196608` (≈ 192 MB).

This is the Microsoft security baseline recommendation; the CIS minimum is **32768** (32 MB). Size it larger if you forward on a schedule rather than continuously. **Verify the field accepts your value in your tenant.**

• *(Optional)* set the retention behavior to **Overwrite events as needed (oldest first)** if your build

exposes it, so a full log never blocks new events.

Step 7. Scope tags, assignment, review

1. **Next** through **Scope tags** (set if you use them).
2. **Assignments:** add the `Win Audit Policy - Pilot Devices` group. Click **Next**.
3. **Review + create** → **Create**.

> *Prefer automation? Run the included* `WINAUDIT-Set-ScopeTargeting.ps1` *(Microsoft Graph) to set or adjust the assignment (defaults to* ***-WhatIf*** *— preview first, then re-run to apply), and* `WINAUDIT-Discovery.ps1` *to confirm the profile is present and correctly configured. To create the whole profile from scratch,* `WINAUDIT-Remediation.ps1` *scaffolds it (also* ***-WhatIf*** *by default).*

Phase 3 — Pilot

Step 8. Push and confirm the profile

1. On the pilot device, open **Settings → Accounts → Access work or school → (your account) → Info →

Sync**, or wait for the next MDM check-in.

1. In Intune → **Devices** → **Configuration** → `Win Audit Policy - Baseline - Pilot` → **Device status**,

confirm the pilot device shows **Succeeded**.

Step 9. Confirm auditing is actually applied on the device

1. On the pilot device, open an elevated Command Prompt and run `auditpol /get /category:*`.
2. Confirm the subcategories from Step 6b reflect the recommended Success/Failure state (compare against

your Step 3 baseline). For example, *Process Creation* should show **Success**.

1. Confirm the override: `reg query "HKLM\SYSTEM\CurrentControlSet\Control\Lsa" /v

SCENoApplyLegacyAuditPolicy returns 0x1`.

Step 10. Confirm events are being written (and the log is sized)

1. Perform a couple of auditable actions on the pilot device: sign out and back in (Logon), and launch

`cmd.exe` then `powershell.exe` (Process Creation).

1. Open **Event Viewer** → **Windows Logs** → **Security** and confirm **4624** (logon) and **4688** (process creation) events appear — and that the **4688** events include a **Process Command Line** field.

1. Right-click **Security** → **Properties** and confirm **Maximum log size** is **196608 KB** (Step 6d).

Phase 4 — Validate and expand

Step 11. Validate with the scripts

1. Run `WINAUDIT-Discovery.ps1` (tenant readiness: the Settings Catalog audit profile exists with the force-subcategory override and the audit subcategories present).

1. Run `WINAUDIT-Validation.ps1` to confirm the profile is **assigned** to the intended group and the pilot device shows the profile **applied** (Succeeded).

1. Run `WINAUDIT-Report.ps1` to produce a coverage report (which Windows devices have the audit baseline applied).

Step 12. Remediate gaps (safe by default)

1. If the profile is missing or mis-scoped, run `WINAUDIT-Remediation.ps1` — it **defaults to `-WhatIf`** and prints exactly what it would create/assign (the full subcategory set, the override, command-line auditing, and log size). Review, then re-run with `-WhatIf:$false` to apply.

Step 13. Expand in waves (and split workstation vs server)

1. Once the pilot passes (Testing gate), broaden the assignment to the next group, or make `Win Audit Policy - Baseline - Pilot` the standard audit profile for corporate Windows devices (consider renaming to drop "- Pilot" once fleet-wide).

1. For **servers**, clone the profile as `Win Audit Policy - Baseline - Servers` and adjust the high-volume subcategories (rows 9, 10, 12, 16) per your server role and SIEM capacity, then assign it to a server group instead of the workstation baseline.

1. **Forwarding:** once the baseline is applied fleet-wide, deploy the separate *Entra ID & Intune Audit Telemetry to Microsoft Sentinel* solution to collect these events into your SIEM — this audit baseline is the source, that solution is the transport.

1. Roll out in waves, validating each wave with `WINAUDIT-Report.ps1` before widening.

5. Testing & Validation — Windows Advanced Audit Policy & Security Logging Baseline

Validate against a **pilot device** before expanding. Each test has an explicit **pass/fail gate**. Use the included PowerShell scripts (Microsoft Graph) for tenant-side checks and the on-device steps for the actual audit behavior.

> ***What "pass" means here:*** *enrolled Windows 10/11 devices apply the* `Win Audit Policy - Baseline - Pilot` *profile, the advanced subcategories are actually in effect on the device (force-subcategory override on), and auditable actions produce the expected Security-log events — including command-line in 4688. This solution does* ***not*** *forward events to a SIEM.*

Test 1 — Tenant readiness

Procedure: Run `WINAUDIT-Discovery.ps1`. **Pass:** A **Settings Catalog** profile named `Win Audit Policy - Baseline - Pilot` exists (Platform Windows 10 and later), contains the force-subcategory override and audit subcategory settings, and includes command-line process auditing. **Fail:** Missing profile, missing override, or no audit settings → resolve before piloting (`WINAUDIT-Remediation.ps1`).

Test 2 — Profile assignment

Procedure: Run `WINAUDIT-Validation.ps1` (or check **Devices** → **Configuration** → `Win Audit Policy - Baseline - Pilot` → **Assignments**). **Pass:** The profile is assigned to `Win Audit Policy - Pilot Devices` and to no unintended broad group. **Fail:** Not assigned, or assigned to "All devices" prematurely → correct the assignment (Implement Step 7 / `WINAUDIT-Set-ScopeTargeting.ps1`).

Test 3 — Profile applied on the device

Procedure: On the pilot device, sync; then Intune → profile → **Device status**. **Pass:** The `Win Audit Policy - Baseline - Pilot` profile shows **Succeeded** on the pilot device. **Fail:** Not applied / error → force a sync, check for a conflicting profile, and review Device status detail.

Test 4 — The force-subcategory override is active (the gate everything depends on)

Procedure: On the pilot device (elevated): `reg query "HKLM\SYSTEM\CurrentControlSet\Control\Lsa" /v SCENoApplyLegacyAuditPolicy`. **Pass:** Returns `0x1` — advanced subcategory settings will be honored. **Fail:** Returns `0x0` or missing → a legacy basic-audit policy is overriding; remove it (R5) and re-sync. Until this is `1`, every subcategory below is ignored.

Test 5 — Subcategories are set as intended

Procedure: On the pilot device (elevated): `auditpol /get /category:*`. **Pass:** The 24 subcategories from Implementation Step 6b show the recommended Success/Failure state — e.g. *Process Creation* = **Success**, *Credential Validation* = **Success and Failure**, *Account Lockout* = **Failure**. **Fail:** Any subcategory shows an unexpected state → confirm Test 4 passed, then re-check the profile values (Step 6b) and re-sync.

Test 6 — Events are actually generated (including command line)

Procedure: On the pilot device, sign out and back in, then launch `cmd.exe` and `powershell.exe`. In **Event Viewer** → **Windows Logs** → **Security**, find the resulting events. **Pass: 4624** (logon) and **4688** (process creation) events appear, and the **4688** events include a populated **Process Command Line**

field. **Fail (no 4688 command line):** Command-line auditing not applied → confirm Step 6c (`ProcessCreationIncludeCmdLine_Enabled = Enabled`) and re-sync.

Test 7 — Security log is sized for retention

Procedure: Event Viewer → **Security** → **Properties** (or `wevtutil gl Security`). **Pass: Maximum log size** is **196608 KB** (or your chosen value ≥ CIS minimum 32768 KB), and retention is *overwrite as needed*. **Fail:** Still at the small default → confirm Step 6d applied and re-sync.

Test 8 — Coverage report

Procedure: Run `WINAUDIT-Report.ps1`. **Pass:** The report lists the pilot device(s) as **applied**; counts match the assigned group. **Fail:** Devices missing → run `WINAUDIT-Remediation.ps1` (`-WhatIf` first) to fix assignment/scoping, re-sync stragglers.

Test 9 — Reversibility / no unintended change (negative test)

Procedure: Note the device is otherwise unchanged (no enrollment change, no other policy applied by this profile). Optionally unassign the profile from a spare pilot device and re-run `auditpol`. **Pass:** This solution only adds the `Win Audit Policy - Baseline - Pilot` configuration profile; unassigning it cleanly reverts the audit state — no re-enrollment or cleanup needed. **Fail:** If enrollment or unrelated settings changed, an unintended policy is also present — confirm this solution deployed the **audit Settings Catalog profile** only.

Acceptance gate

Proceed to **Expand** only when Tests 1–8 pass on at least one pilot device (Test 4 is mandatory — the override must be `0x1`), Test 9 confirms the change is isolated and reversible, and Event Viewer shows the expected 4624/4688 events with command line.

6. Troubleshooting — Windows Advanced Audit Policy & Security Logging Baseline

Work top-down: confirm the **profile is applied**, then the **force-subcategory override is on**, then the **individual subcategories**, then the **log**. The overwhelming majority of "it says applied but nothing is audited" cases are the override being off (`SCENoApplyLegacyAuditPolicy = 0`) or a legacy basic-audit policy fighting the advanced one. Each symptom below gives the **likely cause** and the **fix**.

> ***Before you start:*** *decide which problem you have. "Nothing is being audited" is an *override / conflict* problem. "Events are audited but I can't find them in my SIEM" is a *forwarding* problem — that is the separate *Entra ID & Intune Audit Telemetry to Microsoft Sentinel* solution, not this baseline.*

Symptom: The profile never appears / shows no status on the device

Likely cause: Device not synced, not assigned, or not enrolled. **Fix:**

1. Confirm the device is in `Win Audit Policy - Pilot Devices` and the profile is **assigned**

(`WINAUDIT-Validation.ps1`).

1. Force a sync (**Settings** → **Accounts** → **Access work or school** → **Info** → **Sync**) and wait a check-in.

2. Check **Devices** → **Configuration** → `Win Audit Policy - Baseline - Pilot` → **Device status** for an

error.

Symptom: Device status is "Succeeded" but `auditpol` shows nothing changed

Likely cause: The **force-subcategory override is off** — advanced subcategories are being ignored. **This is the most common failure. Fix:**

1. On the device (elevated): `reg query "HKLM\SYSTEM\CurrentControlSet\Control\Lsa" /v SCENoApplyLegacyAuditPolicy. If it is 0x0` or missing, the override is off.

1. Confirm the profile sets **"Audit: Force audit policy subcategory settings … to override audit policy category settings" = Enabled** (Implementation Step 6a).

1. Find and remove any **legacy basic Audit Policy** (the nine categories) still applied by GPO or a third-party tool (R5) — a basic policy re-disables the override. Re-sync and re-check.

Symptom: Profile shows "Error" / "Conflict" in Device status

Likely cause: A second configuration profile sets the same audit settings or the override to a different value. **Fix:**

1. Run `WINAUDIT-Discovery.ps1` and review **Devices** → **Configuration** for other profiles touching auditing or `SCENoApplyLegacyAuditPolicy`.

1. Ensure only **one** profile owns the audit baseline for a given device; remove or re-scope the duplicate so a device is not targeted by two.

Symptom: 4688 Process Creation events appear but have no command line

Likely cause: Command-line process auditing not applied. **Fix:**

1. Confirm the profile includes **Administrative Templates → System → Audit Process Creation → Include

command line in process creation events = Enabled** (Step 6c).

1. Re-sync; new 4688 events (created *after* the setting applies) will carry the **Process Command Line** field — existing events are not retroactively updated.

Symptom: A specific subcategory isn't auditing what you expect

Likely cause: Wrong value in the profile, the override is off (see above), or the subcategory doesn't exist on that Windows build. **Fix:**

1. On the device: `auditpol /get /category:*` and compare against the recommended table (Step 6b).
2. If one subcategory is wrong, correct its value in `Win Audit Policy - Baseline - Pilot` and re-sync.
3. If the subcategory is missing entirely (e.g. Group Membership / PNP Activity on an old build),

confirm the device meets the supported baseline (R2).

Symptom: The Security log fills up / events disappear within hours

Likely cause: Log too small for the enabled volume, or retention set to "do not overwrite." **Fix:**

1. Confirm **Specify the maximum log file size (KB)** is set (Step 6d) — 196608 KB baseline, larger if

you forward on a schedule.

1. Set retention to **overwrite events as needed (oldest first)** so a full log never blocks new

auditing.

1. If a specific host is still overrun, it is likely a high-volume subcategory (Detailed File Share,

Filtering Platform Connection, Process Creation on a build host) — dial that subcategory down on a **server** variant of the profile (Best Practices) and forward to a SIEM rather than retaining locally.

Symptom: Too many events / SIEM ingestion cost spiked after rollout

Likely cause: A high-volume subcategory enabled fleet-wide (often Filtering Platform Connection or Detailed File Share at Success). **Fix:**

1. Identify the noisy Event IDs (5156/5157 = Filtering Platform Connection; 5145 = Detailed File Share).
2. Set those subcategories back to the baseline default (Filtering Platform Connection = **No

Auditing **on workstations; Detailed File Share =** Failure**) in the profile, and re-sync.

1. Keep the high-value, lower-volume subcategories on; only enable the loud ones where you are actively

investigating.

Symptom: Works on some devices, not others

Likely cause: Group membership, unsupported build, or a per-device legacy audit conflict. **Fix:**

1. Confirm affected devices are in the assigned group (`WINAUDIT-Report.ps1`).
2. Confirm each device meets the supported build (R2) and shows `SCENoApplyLegacyAuditPolicy = 1`.
3. Re-run `WINAUDIT-Remediation.ps1` **(**`-WhatIf` **first)** to correct assignment/scoping, then re-sync

the stragglers.

Symptom: Coverage report shows fewer devices than the group

Likely cause: Some devices not synced, not enrolled, or on an unsupported build. **Fix:**

1. Run `WINAUDIT-Report.ps1` to list which devices lack the applied baseline.
2. Run `WINAUDIT-Remediation.ps1` **(**`-WhatIf` **first)** to correct assignment/scoping.
3. Re-sync stragglers and confirm enrollment (R1) and build (R2).

Escalation checklist

Before opening a Microsoft support case, collect: the `WINAUDIT-Discovery.ps1` output, the profile's Device status export, the on-device `auditpol /get /category:*` output, the `SCENoApplyLegacyAuditPolicy` registry value, a sample of the expected Security events (4624/4688 with command line), the Windows build, and whether any legacy basic-audit GPO is still applied (isolates a policy conflict from a device-side issue).

7. Best Practices — Windows Advanced Audit Policy & Security Logging Baseline

These practices keep the audit baseline consistent, useful, and reversible across Windows 10/11 endpoints. They assume the deployment model in the Solution Overview: a single Intune **Settings Catalog** profile carrying CIS/Microsoft-aligned subcategories, the force-subcategory override, command-line process auditing, and a right-sized Security log, deployed pilot-first.

Set the override first, and prove it

- **Enable "Force audit policy subcategory settings" explicitly.** Never rely on the default. Put it in

the same `Win Audit Policy - Baseline - Pilot` profile (Step 6a) so the baseline is deterministic, and confirm `SCENoApplyLegacyAuditPolicy = 1` on-device (Test 4) before trusting any subcategory result.

- **Kill legacy basic audit policy.** If any GPO still sets the nine basic **Audit Policy** categories,

set them to *Not Defined*. Basic and advanced audit fighting each other is the top cause of "the setting shows applied but nothing is audited."

Audit for detection, not for volume

- **Start from the workstation-tuned table (Step 6b).** It is CIS/Microsoft-aligned and captures the

events SOC playbooks expect without drowning the log.

- **Keep Process Creation with command line.** Row 14 + Step 6c (Event ID 4688 with the command line) is

the single most valuable pairing for detecting living-off-the-land attacks. Size the log for it rather than turning it off.

- **Treat the loud subcategories deliberately.** *Detailed File Share* (5145) and *Filtering Platform Connection* (5156/5157) are very high volume. Leave Filtering Platform Connection off on workstations (baseline default); enable it only on hosts under active investigation and only if the SIEM can absorb it.

Split workstation and server baselines

- **Clone, don't overload.** Create `Win Audit Policy - Baseline - Servers` for server roles and adjust the high-volume subcategories (File Share, Detailed File Share, Filtering Platform Connection, Sensitive Privilege Use) to match the role. A file server and a laptop have very different noise profiles.
- **Assign by group, not by "All devices."** Keep workstations and servers in separate Entra groups so each gets the right variant.

Size and forward the logs

- **Right-size the Security log (Step 6d).** 196608 KB (192 MB) is the Microsoft baseline; go larger if you forward on a schedule rather than continuously, so evidence survives between collections.
- **Overwrite oldest, never block.** Set the Security log to *overwrite events as needed* so a full log can't stop new auditing.
- **Auditing is the source; forwarding is separate.** This baseline makes devices *generate and keep* events. Pair it with the **Entra ID & Intune Audit Telemetry to Microsoft Sentinel** solution (Azure Monitor Agent + Data Collection Rule / Windows Security Events) to get them into your SIEM. Don't try to solve forwarding inside this profile.

Deploy pilot-first and reversibly

- **Assign to** `Win Audit Policy - Pilot Devices`**, never "All devices" first.** Expand in waves after each gate passes.
- **Rollback is unassignment.** Because this only adds a configuration profile, removing the assignment cleanly reverts to the prior audit state — no re-enrollment or cleanup. Keep the profile so you can re-target quickly.

Operate and monitor

- **Report before you widen.** Run `WINAUDIT-Report.ps1` each wave; only broaden when coverage matches the assigned group.
- **Remediate with** `-WhatIf` **first.** `WINAUDIT-Remediation.ps1` and `WINAUDIT-Set-ScopeTargeting.ps1` preview by default — read the plan, then apply.

- **Re-run** `auditpol` **after major Windows upgrades.** A feature update or a new co-managing policy can

reintroduce a legacy audit setting; confirm the override is still `1` and subcategories still match.

Change control

- **Version scope changes.** When you change a subcategory level or the log size, note the date and

reason, and re-run Discovery + Report to confirm no regressions.

- **Map to your compliance requirement.** Record which benchmark (CIS L1/L2, a STIG, or your own

standard) and which version the baseline targets, so an auditor can trace each subcategory value back to its source.

8. Deliverables Summary — Windows Advanced Audit Policy & Security Logging Baseline

Everything included in this solution package, and what each piece is for.

Documentation (this guide)

- **Executive Summary** — the business case and outcome in one page, and the explicit scope: the audit

configuration baseline for Windows 10/11 via Intune — not SIEM forwarding and not a broad CIS/STIG hardening baseline.

- **Solution Overview** — how Windows advanced (subcategory) auditing works, the all-important

force-subcategory override (`SCENoApplyLegacyAuditPolicy`), what the baseline audits and why, the event-volume trade-offs, and how this relates to the Sentinel forwarding solution.

- **Requirements Guide** — every Intune/Windows prerequisite with how to **verify** and how to

implement if missing, plus the category-level Global Requirements.

- **Implementation Guide** — exact, ordered, click-by-click steps to build one Settings Catalog profile

(`Win Audit Policy - Baseline - Pilot`): the override, all ~24 audit subcategories with recommended Success/Failure values (CIS / Microsoft-aligned), command-line process auditing, and the Security-log size — then pilot, validate, and expand (including a server variant).

- **Testing & Validation** — nine tests with explicit pass/fail gates, including the mandatory

override check and an on-device `auditpol` / Event Viewer verification, plus an acceptance gate.

- **Troubleshooting** — top-down diagnosis for "settings applied but nothing audited," missing 4688

command line, log rollover, conflicts, and per-device gaps.

- **Best Practices** — override-first discipline, detection-over-volume tuning, workstation vs server

split, log sizing/forwarding, and reversible pilot-first rollout.

PowerShell scripts (Microsoft Graph) — `WINAUDIT-Scripts.zip`

All scripts are tenant-side (run from an admin workstation with the Microsoft Graph PowerShell SDK); each has a header explaining **Purpose · How to run · Expected results**. Discovery, Validation, and Report are **read-only**; Remediation and Set-ScopeTargeting **default to** `-WhatIf` (preview first, then apply).

1. `WINAUDIT-Discovery.ps1` — tenant readiness: the `Win Audit Policy - Baseline - Pilot` Settings

Catalog profile is present with the force-subcategory override and the audit subcategory settings.

1. `WINAUDIT-Validation.ps1` — validates the profile's **assignment** and per-device **applied**

state, with a clear PASS/FAIL summary.

1. `WINAUDIT-Report.ps1` — tenant-wide CSV report of Windows 10/11 devices and whether the audit

baseline profile is applied — the audit-coverage report.

1. `WINAUDIT-Remediation.ps1` — scaffolds the full Settings Catalog audit profile if missing (the

override, all subcategories at their recommended values, command-line auditing, log size) and assigns it to a target group. `-WhatIf` **by default**; applies only when re-run to commit.

1. `WINAUDIT-Set-ScopeTargeting.ps1` — sets/adjusts the profile's group assignment (target-group

builder, with optional exclusion group). `-WhatIf` **by default.**

Hero image

- `WINAUDIT-hero.png` — the product image used on the marketplace listing.

How it's delivered

A **Word** document and **PDF** (cover, table of contents, page numbers, and a scripts appendix), plus all five PowerShell scripts in a single **ZIP** — yours to keep and reuse across **unlimited devices**.

Related solutions (not included here)

- **Entra ID & Intune Audit Telemetry to Microsoft Sentinel** — forwards the Windows Security events

this baseline produces into your SIEM (Azure Monitor Agent + Data Collection Rules). This solution is the *source*; that one is the *transport*.

- **CIS / STIG Windows Security Baseline** — the broad hardening baseline; this audit baseline is the

focused auditing slice and complements it without duplication.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

WINAUDIT-Discovery.ps1

Purpose: Confirms the Intune tenant is ready to deliver the Windows Advanced Audit Policy configuration baseline via a Settings Catalog profile: a Windows 10/11 Settings Catalog policy (default name 'Win Audit Policy - Baseline - Pilot') exists and carries (a) the force-subcategory override (SCENoApplyLegacyAuditPolicy / Audit_ForceAuditPolicySubcategorySettings...), (b) advanced audit subcategory settings (the Audit policy CSP nodes), and (c) command-line process auditing (ProcessCreationIncludeCmdLine). This checks the AUDIT CONFIGURATION baseline only — not SIEM forwarding and not a broad CIS/STIG hardening baseline. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Discovery.ps1 Optional: -ProfileName "Win Audit Policy - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows the Settings Catalog audit profile present, with the force-subcategory override enabled, audit subcategory settings present, and command-line process auditing enabled. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot')

How to run: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Discovery.ps1 Optional: -ProfileName "Win Audit Policy - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL line per check and an overall verdict. A READY tenant shows the Settings Catalog audit profile present, with the force-subcategory override enabled, audit subcategory settings present, and command-line process auditing enabled. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot')

WINAUDIT-Remediation.ps1

Purpose: Remediates the common gap that leaves Windows endpoints under-audited: creates the Windows 10/11 Settings Catalog audit profile if none exists (the force-subcategory override plus all ~24 advanced audit subcategories at their CIS / Microsoft-aligned Success/Failure values) and assigns it to a target group. Defaults to -WhatIf, so it previews every change and modifies nothing until re-run to apply. Remediates the audit configuration baseline only - never SIEM forwarding or a broad hardening baseline.

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Remediation.ps1 -GroupId your-entra-group-object-id Apply the change: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Remediation.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -Name "Win Audit Policy - Baseline - Pilot" ; -EnableFilteringPlatformConnection (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: a report of what is missing and exactly what WOULD be created/assigned (each subcategory and its recommended value). When applied: a Settings Catalog audit profile exists (override + subcategories) and is assigned to the group. Re-run WINAUDIT-Discovery.ps1 to confirm READY, and add the two ADMX settings. .NOTES White-label - the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. Setting definition IDs and choice-option suffixes follow the current documented Settings Catalog / Audit-CSP pattern - VERIFY THEM IN YOUR TENANT before fleet rollout; Microsoft occasionally revises. >

[CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$Name = 'Win Audit Policy - Baseline - Pilot', [switch]$EnableFilteringPlatformConnection)

WINAUDIT-Report.ps1

Purpose: Produces an audit-coverage report across Windows 10/11 devices: for each managed device, whether the Windows Advanced Audit Policy Settings Catalog profile is applied. Use it to measure coverage before widening a rollout and to find corporate devices still missing the audit baseline. Read-only. Reports the audit configuration baseline only. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Report.ps1 Optional: -ProfileName "Win Audit Policy - Baseline - Pilot" -CsvPath .\WINAUDIT-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of Windows devices with an Applied column (Yes/No/Error) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot', [string]$CsvPath)

How to run: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Report.ps1 Optional: -ProfileName "Win Audit Policy - Baseline - Pilot" -CsvPath .\WINAUDIT-coverage.csv (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS A table (and optional CSV) of Windows devices with an Applied column (Yes/No/Error) plus a coverage summary. Full coverage = every intended device shows Applied = Yes. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot', [string]$CsvPath)

WINAUDIT-Set-ScopeTargeting.ps1

Purpose: Sets or adjusts which Entra security group the Windows Advanced Audit Policy Settings Catalog profile is assigned to - the target-group builder for pilot-first, wave-based rollout across Windows 10/11 devices. Optionally adds an assignment exclusion group (e.g. to hold back a high-volume server group that gets its own variant). Defaults to -WhatIf, previewing the assignment change and modifying nothing until re-run to apply. Targets the audit configuration baseline profile only, not SIEM forwarding. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "Win Audit Policy - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with WINAUDIT-Validation.ps1. .NOTES White-label - the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'Win Audit Policy - Baseline - Pilot')

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Set-ScopeTargeting.ps1 -GroupId your-entra-group-object-id Apply the assignment: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Set-ScopeTargeting.ps1 -GroupId

your-entra-group-object-id -WhatIf:$false Optional: -ExcludeGroupId your-exclusion-group-object-id ; -ProfileName "Win Audit Policy - Baseline - Pilot" (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.ReadWrite.All EXPECTED RESULTS In preview: the profile found and the assignment that WOULD be set. When applied: the profile is assigned to the include group (and excludes the exclusion group). Confirm in Intune - Devices - Configuration, or with WINAUDIT-Validation.ps1. .NOTES White-label - the repeatable way. Defaults to -WhatIf; changes require -WhatIf:$false. > [CmdletBinding(SupportsShouldProcess)] param([Parameter(Mandatory)] [string]$GroupId, [string]$ExcludeGroupId, [string]$ProfileName = 'Win Audit Policy - Baseline - Pilot')

WINAUDIT-Validation.ps1

Purpose: Validates the Windows Advanced Audit Policy Settings Catalog profile is assigned to the intended group and applied on target devices. Confirms the profile exists, that it is assigned (optionally to a specified group), and reports each Windows device's applied state (Succeeded / Error / Not applied). Read-only. Validates the audit configuration baseline only, not SIEM forwarding. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Validation.ps1 -ProfileName "Win Audit Policy - Baseline - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found, assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot', [string]$GroupId)

How to run: powershell -ExecutionPolicy Bypass -File .\WINAUDIT-Validation.ps1 -ProfileName "Win Audit Policy - Baseline - Pilot" Optional: -GroupId your-entra-group-object-id (assert the profile is assigned to this group) (Install once: Install-Module Microsoft.Graph -Scope CurrentUser) Required Graph scopes: DeviceManagementConfiguration.Read.All EXPECTED RESULTS A PASS/FAIL summary: profile found, assigned (to -GroupId if supplied), and a per-device applied-state table. PASS when the profile is assigned and pilot devices report Succeeded. .NOTES White-label - the repeatable way. Read-only against Microsoft Graph. > [CmdletBinding()] param([string]$ProfileName = 'Win Audit Policy - Baseline - Pilot', [string]$GroupId)