Intune Administrative Governance — RBAC & Multi-Admin Approval — Government (GCC High)

Implementation Solution Guide

Version 1.0.0 · 2026-07-01

Contents

Executive Summary — Intune Administrative Governance: RBAC & Multi-Admin Approval — Government (GCC High) (Microsoft Intune) 5

What you get . . . 5

What this delivers . . . 5

The standard deployment model . . . 6

Outcome . . . 6

1. Solution Overview — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 6

What Intune administrative governance is . . . 6

Commercial vs GCC High — what's different . . . 6

How it works . . . 7

What you can control . . . 8

Why this matters (the why lives here, in the Overview) . . . 8

Limitations (be honest with buyers) . . . 9

The standard deployment model . . . 9

2. Requirements Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 9

2.0 GCC High tenant (not GCC, not Commercial) . . . 10

2.1 Intune licensing (Government) . . . 10

2.2 Entra ID groups for admins and approvers . . . 10

2.3 Operator holds an RBAC-capable role . . . 11

2.4 A break-glass administrator (do not lock yourself out) . . . 11

2.5 An admin-role design (least privilege) . . . 11

2.6 A scope-tag taxonomy . . . 11

2.7 A list of high-risk resource types to gate . . . 11

2.8 A change-control process for approvals . . . 12

2.9 Network access to US Gov Microsoft Graph / Intune endpoints . . . 12

Checklist . . . 12

Global Requirements — Intune Solutions (category-level) 12

G1. Microsoft Entra ID tenant . . . 12

G2. Microsoft Intune subscription . . . 13

G3. Administrative roles . . . 13

G4. Device enrollment in Intune . . . 13

G5. Pilot security group . . . 13

G6. Supported Windows baseline . . . 13

G7. Network access to Microsoft cloud endpoints . . . 13

3. Implementation Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 14
Step 1 — Build the admin and approver scope groups . . . 14
Step 2 — Create the scope tag . . . 14
Step 3 — Create the custom roles . . . 14
Step 4 — Assign the custom role . . . 15
Step 5 — Apply the scope tag to objects . . . 15
Step 6 — Prepare the approver group for MAA (GCC High requirement) . . . 15
Step 7 — Enable multi-admin approval for high-risk apps . . . 15
Step 8 — Enable multi-admin approval for high-risk scripts . . . 16
Step 9 — Pilot one approval (the pilot gate) . . . 16
Step 10 — Validate and report . . . 17
Step 11 — Expand to production . . . 17
5. Testing Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 17
Test 1 — Custom roles exist and are scoped . . . 17
Test 2 — Role assignment is correct . . . 17
Test 3 — Scope tags limit visibility . . . 18
Test 4 — Least privilege holds . . . 18
Test 5 — Access policies exist and target the approver group . . . 18
Test 6 — Approver group is correctly wired (GCC High) . . . 18
Test 7 — A gated change requires approval . . . 18
Test 8 — Rejection blocks the change . . . 18
Test 9 — Governance coverage report . . . 18
Test 10 — Sovereign endpoint check (GCC High) . . . 18
Pass/fail gate . . . 19
6. Troubleshooting Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 19
A. Sign-in / wrong-cloud errors (GCC High specific — check this first) . . . 19
B. Admin can see/do too much or too little . . . 19
C. Multi-admin approval not gating changes . . . 20
D. GCC-High-specific gotchas . . . 20
E. Locked out (no one can make changes) . . . 21
F. Pending approval requests stuck . . . 21
G. Scripts cannot read governance data . . . 21
H. Diagnostics quick reference (US Gov) . . . 21
I. When to escalate . . . 21

7. Best Practices — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 22

8. Deliverables Summary — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High) 23

Documentation 23

PowerShell scripts (all connect with `-Environment USGov` → `graph.microsoft.us`) 24

What the buyer receives 24

Outcome 24

Appendix A — PowerShell Scripts 25

Executive Summary — Intune Administrative Governance: RBAC & Multi-Admin Approval — Government (GCC High) (Microsoft Intune)

White-label · Intune Solutions · Government (GCC High) edition

When everyone is an Intune Administrator, mistakes and blast radius follow — a bad app assignment or a destructive script can hit the whole fleet, and a single compromised admin account can do unlimited damage. Modern governance fixes both with least-privilege RBAC and a second pair of eyes on risky changes. This solution implements Intune administrative governance: custom roles and scope tags that limit who can touch what, plus access policies (multi-admin approval) so high-risk actions — such as app or script deployments — require a second admin to approve before they go live.

This is the **Government (GCC High)** edition. It is authored for the **US sovereign cloud** — every step uses the `*.us` admin portals (`intune.microsoft.us`, `entra.microsoft.us`, `portal.office365.us`, `portal.azure.us`) and US Government Microsoft Graph (`graph.microsoft.us`, `-Environment USGov`), and the Commercial-vs-GCC-High parity gaps are called out so a government tenant is configured correctly — not with Commercial steps that silently fail to sign in or reference features (like Copilot-assisted approval) that GCC High does not have.

This is a complete, deploy-it-today package for governing Intune administration, written for an administrator with no prior RBAC experience.

What you get

• A plain-language Solution Overview of Intune RBAC (built-in vs custom roles, permissions, scope tags, scope groups) and the multi-admin approval / access-policy model — plus an explicit *Commercial vs GCC High — what's different* section and a cited parity reference.

• A Requirements Guide with verify / implement-if-missing for every prerequisite on the sovereign portals, including a break-glass admin so you never lock yourself out.

• An Implementation Guide of precise, ordered `*.us` portal steps: design roles and scope tags, create custom roles and assignments, tag objects, wire the approver group, enable access policies for high-risk resource types, then pilot, validate, and expand — with GCC-High caveats inline.

• Five PowerShell scripts (pre-wired for `-Environment USGov`) for governance discovery, role-assignment and approval-policy validation, a coverage and over-privilege report, safe remediation of over-privileged assignments, and an admin/approver scope-group builder.

• Testing and Troubleshooting guides — including a sovereign-endpoint check — for a confident rollout.

What this delivers

A least-privilege RBAC model — custom roles such as `App Manager – Region A – Prod` bounded by scope tags such as `Region A – Devices – Prod` — combined with multi-admin approval gates (App

`Deploy Approval – All – Prod`, `Script Deploy Approval – All – Prod`) that require a second admin to approve high-risk changes, all configured through the correct GCC High portals and proven on a pilot before broad enforce.

The standard deployment model

Assess → Configure → Pilot → Validate → Expand.

Outcome

Intune locked down to least privilege on GCC High, with a required second-admin approval on high-risk changes — so mistakes and blast radius shrink, separation of duties is enforced, and every risky change has an audit trail — all inside the US Government cloud boundary, deployable by a single administrator and validated before fleet rollout.

1. Solution Overview — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

> *This is the **Government (GCC High)** edition. It is authored for the **US sovereign cloud** (GCC High / DoD, built on Azure Government). Everything you do runs against `*.us` **admin portals** and **US Gov Microsoft Graph** (`-Environment USGov`), not the Commercial `*.com` portals. The capability is the same idea as Commercial Intune, but the URLs differ and a few adjacent features are absent — those gaps are called out inline and in `gcc-high-parity-notes.md`.*

What Intune administrative governance is

Intune administrative governance is the practice of controlling *who* can administer Intune, *what* they can touch, and *which* high-risk changes need a second person to sign off. It combines two native Intune capabilities:

1. Role-based access control (RBAC) — built-in and custom roles, granular permissions, and scope

tags that limit each admin to a defined slice of objects and a defined set of actions.

1. Multi-admin approval (access policies) — `operationApprovalPolicies` that require a second admin

to approve high-risk operations (such as app or script deployments) before they take effect.

Together they replace the "everyone is an Intune Administrator" anti-pattern with least-privilege roles and a required second pair of eyes on the changes that can break a fleet — the same model in GCC High as in Commercial, just reached through the sovereign portals.

Commercial vs GCC High — what's different

This is the most important section for a government tenant. The governance *capability* (RBAC, scope tags, multi-admin approval / access policies) is part of Intune's **standard MDM feature set**, which Microsoft lists as available in GCC High and DoD. What changes is **where** you do it and a few **adjacent** features you cannot rely on:

Area	Commercial	GCC High (this edition)
Intune admin center	`https://intune.microsoft.com` or `https://endpoint.microsoft.com`	`https://intune.microsoft.us` (and `https://endpoint.microsoft.us`)
Entra admin center	`https://entra.microsoft.com`	`https://entra.microsoft.us`
Microsoft 365 admin	`https://admin.microsoft.com`	`https://portal.office365.us/adminportal/`
Azure portal	`https://portal.azure.com`	`https://portal.azure.us`
Sign-in authority	`login.microsoftonline.com`	`login.microsoftonline.us`
Microsoft Graph	`https://graph.microsoft.com` (`-Environment Global`)	`https://graph.microsoft.us` (`-Environment USGov`)
RBAC roles, scope tags, role assignments	GA	Standard MDM feature — available in GCC High/DoD [verify for your tenant]
Multi-admin approval / access policies (`operationApprovalPolicies`)	GA	Part of the RBAC/MAA fundamentals surface in the shared government instance [verify for GCC High — Microsoft does not enumerate MAA separately in the government service description]
Change Review Agent (Security Copilot suggestions inside Multi Admin Approval)	Available	**Not available** — Microsoft Security Copilot is listed as *not yet supported* in GCC High/DoD. Approvals are fully manual.
Remote Help (an adjacent admin-assist feature)	Available	**Not yet available** in GCC High/DoD (planned)

The takeaway: **do not follow Commercial steps verbatim.** They point at `*.com` URLs and, in the case of Copilot-assisted approval, at a feature that does not exist in your cloud. This edition gives you the correct sovereign portals, the US Gov Graph endpoint, and the parity gaps so a government tenant is configured right the first time — not with Commercial steps that silently fail to sign in or reference features you don't have.

> *Note on "GCC" vs "GCC High": Microsoft runs Intune as **one instance** for Commercial *and* GCC (state/local government uses the same commercial service), and a **separate government instance** for **GCC High and DoD**. This edition is written for **GCC High / DoD** — the sovereign `*.us` cloud. If you are actually a *GCC* (not High) tenant, you use the Commercial `*.com` portals; use the Commercial edition instead.*

How it works

1. An Intune custom role bundles a precise set of permissions (for example, manage apps but not manage devices) into a reusable definition under `roleDefinitions`.

1. A scope tag (under `roleScopeTags`) is a label applied to Intune objects (apps, policies,

profiles) and to a role assignment, so an admin only sees and manages the objects that carry the same tag — a who-touches-what boundary.

1. A role assignment (under `roleAssignments`) binds a role definition to admin members, targets a set of managed objects (scope groups), and carries scope tags — defining the admin's effective reach.

1. An access policy (under `operationApprovalPolicies`, surfaced in the portal as Multi Admin Approval) names a resource type (for example, apps or scripts) and an approver group; any create/change/delete of that resource type is held as a request until a different admin in the approver group approves it.

1. Approvers review pending requests, approve or reject with a note, and only then does the change apply — so no single admin can unilaterally push a high-risk change. In GCC High this review is **fully manual** (no Change Review Agent / Copilot suggestions).

What you can control

• Built-in vs custom roles — start from a built-in role or define a custom role with exactly the permissions an admin needs.

• Permissions — granular read/create/update/delete rights per Intune workload.

• Scope tags — partition objects (by site, business unit, platform) so admins manage only their slice.

• Scope groups — the admin members and the targeted managed groups on each assignment.

• Access policies (multi-admin approval) — which resource types require approval and which group approves them.

Intune supports access policies for these resource types (confirm the current list in your tenant portal): Apps, Compliance policies, Configuration policies (settings catalog), Device actions (wipe, retire, delete), Role-based access control, Scripts (Windows), and Tenant Configuration (device categories). Changes to access policies themselves are always protected and require a second approver.

Why this matters (the why lives here, in the Overview)

• Blast radius — when every admin is a full Intune Administrator, one mistake (a bad app assignment, a destructive script) can hit the whole fleet. Least-privilege roles and scope tags shrink the radius of any single account.

• Insider and compromised-account risk — a stolen or rogue admin credential can do far less when it holds a narrow custom role, and high-risk actions still need a second approver. In a government tenant this maps directly to separation-of-duties controls auditors expect.

• Separation of duties — multi-admin approval enforces that the person who *requests* a high-risk change is not the person who *approves* it.

• Accountability and audit — named roles, scope tags, and approval records make it clear who can do

what and who approved each risky change; Intune audit logs record every request and approval.

• Sovereign correctness — doing this in the right `*.us` portals with US Gov Graph keeps the whole control plane inside the government cloud boundary.

Limitations (be honest with buyers)

• Multi-admin approval covers specific resource types (such as apps and scripts); it is not a blanket approval gate over every Intune action. Confirm the current supported resource types in the sovereign portal.

• Scope tags govern visibility/management of taggable Intune objects; not every object type supports tagging — verify coverage for the workloads you care about.

• RBAC controls Intune; tenant-wide identity roles live in Entra ID (`entra.microsoft.us`) and are governed separately.

• No Copilot-assisted approval — the Change Review Agent is Commercial-only; GCC High approvals are manual.

• Over-tightening can lock admins (or yourself) out — always keep a break-glass administrator outside the restricted roles and outside the approval gate.

• Where Microsoft's government service description does not explicitly enumerate a sub-feature (MAA is documented under Intune fundamentals, not called out separately in the government service description), treat it as **[verify for GCC High]** on your tenant before committing to a design.

The standard deployment model

> *Design roles and scope tags, build admin/approver scope groups, create custom roles and assignments, apply scope tags to objects, enable access policies for high-risk resource types, then pilot one approval before broad enforce — all in the GCC High portals. Repeatable pattern: Assess → Configure → Pilot → Validate → Expand.*

Sources: Microsoft Learn — "Microsoft Intune Government Service overview" (learn.microsoft.com/intune/fundamentals/government-service); "Use Multi Admin Approval in Intune" (learn.microsoft.com/intune/fundamentals/role-based-access-control/multi-admin-approval); "Network endpoints for US government deployments"; Microsoft Graph national cloud deployments (learn.microsoft.com/graph/deployments). GCC High portal URLs verified against Microsoft government-cloud portal references.

2. Requirements Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

Verify every requirement before configuring. Each entry: Description · Why · Verify · Implement-if-missing. Category-wide prerequisites are in `global-requirements-intune-solutions.md`.

> *GCC High note: every "Verify" and "Implement" step below uses the **sovereign** `*.us` **portals** and **US Gov Graph** (`-Environment USGov`, `https://graph.microsoft.us`). Do not use the Commercial `*.com` URLs — GCC High credentials fail against them.*

Named artifacts used throughout this solution (create them in section 2.6–2.9 and reuse the names verbatim):

Artifact	Name
Custom role	`App Manager – Region A – Prod`
Custom role	`Policy Reader – All – Audit`
Scope tag	`Region A – Devices – Prod`
Admin scope group	`Intune Admins – Region A – Prod`
Approver scope group	`Change Approvers – Apps – Prod`
Role assignment	`App Manager Assignment – Region A – Prod`
Access policy	`App Deploy Approval – All – Prod`
Access policy	`Script Deploy Approval – All – Prod`

2.0 GCC High tenant (not GCC, not Commercial)

Description: An Intune GCC High or DoD tenant on Azure Government, with the appropriate US Government licensing (for example Microsoft 365 G3/G5 Government, or Intune Plan 1 for Government). Why: This edition's portals and Graph endpoints only work against the government instance; a GCC (state/local, commercial-instance) or Commercial tenant uses the `*.com` portals instead. Verify: `https://intune.microsoft.us` loads and you can sign in with your government account; Microsoft 365 admin at `https://portal.office365.us/adminportal/` shows US Government licensing. Implement: Procure GCC High / DoD licensing through your government-authorized reseller; if you are actually a GCC (not High) tenant, use the Commercial edition of this solution.

2.1 Intune licensing (Government)

Description: Intune (Plan 1 or via M365 G3/G5 Government / Business Premium equivalent). RBAC and multi-admin approval are built-in Intune features and part of the standard MDM feature set that Microsoft lists as available in GCC High/DoD. Why: Roles, scope tags, and access policies are delivered by Intune. Verify: `https://portal.office365.us/adminportal/` → Billing → Licenses. Implement: Assign M365 G3/G5 Government (Intune included) or standalone Intune for Government.

2.2 Entra ID groups for admins and approvers

Description: Microsoft Entra **security** groups for admin members and for approvers. Why: Role assignments target admin groups; access policies target an approver group. Note: the approver group **must be a security group** — distribution lists, Microsoft 365 groups, and mail-enabled security groups silently fail to resolve approver membership. Verify: `https://entra.microsoft.us` → Groups; confirm

the groups exist (or run RBACGOVG-Discovery.ps1). Implement: Entra (entra.microsoft.us) → Groups → New group → Security; or build them with RBACGOVG-Set-ScopeTargeting.ps1. Use the names Intune Admins – Region A – Prod and Change Approvers – Apps – Prod.

2.3 Operator holds an RBAC-capable role

Description: The person configuring governance holds Intune Administrator (or Global Administrator for the initial setup) in the GCC High tenant. Why: Creating role definitions, scope tags, and access policies requires elevated rights. Microsoft recommends a least-privileged custom Intune role for routine access-policy management over the privileged Intune Administrator role. Verify: https://entra.microsoft.us → Roles and administrators → confirm Intune Administrator. Implement: Assign Intune Administrator to the operator; reserve Global Administrator for tenant-wide changes.

2.4 A break-glass administrator (do not lock yourself out)

Description: At least one emergency Global Administrator account that is excluded from the restricted custom roles and from the multi-admin approval gate. Why: Tight RBAC plus an approval gate can lock out all working admins; a break-glass account is the recovery path. This is especially important in GCC High where support turnaround can be slower. Verify: https://entra.microsoft.us → Roles and administrators → Global Administrator → confirm a dedicated, monitored emergency account exists and is excluded from the approver group it would otherwise gate. Implement: Create/confirm a cloud-only break-glass Global Administrator with a stored, sealed credential and exclude it from Change Approvers – Apps – Prod.

2.5 An admin-role design (least privilege)

Description: A written design of which admins need which permissions and which slice of objects. Why: Custom roles and scope tags are only as good as the least-privilege design behind them. Verify: A documented map of admin personas → permissions → scope; run RBACGOVG-Discovery.ps1 to inventory current roles and assignments as a baseline. Implement: Draft the persona-to-role map; define App Manager – Region A – Prod and Policy Reader – All – Audit from it.

2.6 A scope-tag taxonomy

Description: A consistent set of scope tags (for example by region, business unit, or platform). Why: Scope tags are the who-touches-what boundary; an inconsistent taxonomy defeats the purpose. Verify: https://intune.microsoft.us → Tenant administration → Roles → Scope tags; run RBACGOVG-Discovery.ps1. Implement: Define the taxonomy; create Region A – Devices – Prod and apply it to that region's objects.

2.7 A list of high-risk resource types to gate

Description: The resource types whose changes should require a second approver (for example apps and scripts). Why: Multi-admin approval is configured per resource type; you must decide which to gate. Verify: https://intune.microsoft.us → Tenant administration → Multi Admin Approval → Access policies; run RBACGOVG-Validation.ps1. Implement: Decide the gated types and create App Deploy Approval – All – Prod and Script Deploy Approval – All – Prod.

2.8 A change-control process for approvals

Description: An agreed process for who approves, the SLA to respond, and how rejections are communicated. Why: An approval gate with no process becomes a bottleneck and is bypassed. Intune does **not** send notifications when requests are created; approvers must be told out-of-band. There is no Copilot/Change Review Agent assist in GCC High, so the human SLA matters even more. Verify: A documented approval SLA and approver roster; the approver group is populated. Remember a request that isn't completed within **3 days expires** and must be resubmitted. Implement: Define the SLA; populate `Change Approvers – Apps – Prod`.

2.9 Network access to US Gov Microsoft Graph / Intune endpoints

Description: Outbound HTTPS to **US Government** Microsoft Graph and Intune service URLs for the PowerShell scripts and portal. Why: The discovery, validation, and report scripts call **US Gov** Microsoft Graph (`https://graph.microsoft.us`) via `login.microsoftonline.us`. SSL inspection is **not supported** on `*.manage.microsoft.us`. Verify: From the admin workstation, reach `https://graph.microsoft.us` and `https://login.microsoftonline.us`. Implement: Allow the published US Government Intune/Graph URL & IP ranges through proxy/firewall; do not TLS-inspect `*.manage.microsoft.us`. See Microsoft's "Network endpoints for US government deployments."

Checklist

- GCC High / DoD tenant confirmed (not GCC/Commercial)
- Government Intune licensing assigned
- Admin + approver Entra **security** groups exist — `RBACGOVG-Discovery.ps1`
- Operator holds Intune Administrator (least-privilege custom role for routine work)
- Break-glass Global Administrator exists and is excluded from the gate
- Least-privilege admin-role design documented
- Scope-tag taxonomy defined
- High-risk resource types to gate chosen
- Approval change-control process and SLA agreed (no Copilot assist in GCC High)
- Network allows US Gov Microsoft Graph / Intune endpoints (no SSL inspection of `*.manage.microsoft.us`)

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

Follow these steps in order, in the **Microsoft Intune admin center for US Government** (`https://intune.microsoft.us`). Entra steps use `https://entra.microsoft.us`.

> *GCC High caveat: these are the sovereign portals. If a step below tells you to open a portal, use the `*.us` URL — the Commercial `*.com` URL will refuse your government credentials. The governance model itself is identical to Commercial; only the URLs and a couple of adjacent features differ (see `gcc-high-parity-notes.md`).*
>
> *Model: Design least-privilege roles and a scope-tag taxonomy, build admin/approver scope groups, create custom roles and assignments, apply scope tags to objects, then enable access policies (multi-admin approval) for high-risk resource types. Pilot one approval before broad enforce, and keep a break-glass admin so you never lock yourself out.*

All artifact names below are used verbatim; reuse them exactly.

Step 1 — Build the admin and approver scope groups

1. `https://entra.microsoft.us` → Groups → New group → **Security** → `Intune Admins – Region A – Prod`

(the admins who will hold the custom role). Add members. Create.

1. New group → **Security** → `Change Approvers – Apps – Prod` (the second-approver group). Add the

approvers. Create.

• GCC High caveat: the approver group **must be a security group**. Distribution lists, Microsoft

365 groups, and mail-enabled security groups silently fail to resolve approver membership.

1. Optionally build both groups in one pass with `RBACGOVG-Set-ScopeTargeting.ps1` (connects with

`-Environment USGov`).

Step 2 — Create the scope tag

1. `https://intune.microsoft.us` → Tenant administration → Roles → Scope tags → Create.
2. Name: `Region A – Devices – Prod`. Next.
3. Assignments → add the groups/objects this tag should be visible to as needed. Create.

Step 3 — Create the custom roles

1. Intune (`intune.microsoft.us`) → Tenant administration → Roles → All roles → Create → Custom role.
2. Name: `App Manager – Region A – Prod`. Under Permissions, enable only the app-management

permissions this persona needs (for example Mobile apps: Read/Create/Update/Assign); leave device and policy permissions off. Next.

1. Scope (Tags): select `Region A – Devices – Prod`. Next → Create.

2. Create a second custom role `Policy Reader – All – Audit` with read-only permissions across the

workloads an auditor must view, no write permissions. Create.

• Tip: to manage MAA access policies with least privilege later, a custom role can carry the

Multi Admin Approval permissions (Create/Read/Update/Delete access policy) instead of using the privileged Intune Administrator role.

Step 4 — Assign the custom role

1. Tenant administration → Roles → All roles → open `App Manager – Region A – Prod` → Assignments →

Assign.

1. Assignment name: `App Manager Assignment – Region A – Prod`.

2. Admin Groups (members): add `Intune Admins – Region A – Prod`.

3. Scope (Groups): add the managed group(s) this role may administer.

4. Scope (Tags): select `Region A – Devices – Prod`. Next → Create.

Step 5 — Apply the scope tag to objects

1. For each app/policy/profile this region owns, open the object → Properties → Scope tags → add

`Region A – Devices – Prod` → Save.

1. This makes the object visible/manageable only to admins whose assignment carries the same tag.

Run `RBACGOVG-Discovery.ps1` to confirm tag coverage.

Step 6 — Prepare the approver group for MAA (GCC High requirement)

1. The approver group `Change Approvers – Apps – Prod` must itself be **added to an Intune role

assignment as a member group**, or Intune periodically removes members from the approver group. Add it to a suitable role assignment (for example a read-scoped role that matches what approvers need to review).

1. Approvers also need the **resource-specific Read permission** for the policy type they approve

(for example Read on Mobile apps to approve app changes).

1. Enable **Allow access to unlicensed admins** only if an approver has no Intune license — note

this setting is **irreversible** once turned on.

Step 7 — Enable multi-admin approval for high-risk apps

1. `https://intune.microsoft.us` → Tenant administration → Multi Admin Approval → Access policies →

Create.

1. On *Basics*: Name `App Deploy Approval – All – Prod`.

2. Profile type: select the **Apps** resource type (so app create/change/delete requires approval).

Each policy supports a single profile type.

1. Approvers → Add groups → `Change Approvers – Apps – Prod`. (Exclude-group configurations are not

supported.) Review + Create.

1. A **different** admin (with **Approval for Multi Admin Approval** permission) signs in and

approves the new access policy, then the original admin re-opens it and selects **Complete** to activate it.

Step 8 — Enable multi-admin approval for high-risk scripts

1. Multi Admin Approval → Access policies → Create.

2. Name: `Script Deploy Approval – All – Prod`.

3. Profile type: select the **Scripts** resource type (Windows scripts).

4. Approvers → `Change Approvers – Apps – Prod`. Review + Create, then approve + Complete as in

Step 7.

Step 9 — Pilot one approval (the pilot gate)

1. As an admin in `Intune Admins – Region A – Prod`, make a small change to a gated resource (for

example edit a test app assignment). On the **Save + Review** surface, enter a **Business justification** and submit. The change is held as a pending request.

1. As a **different** admin in `Change Approvers – Apps – Prod`, go to Tenant administration → Multi

Admin Approval → **Received requests**, open the Business justification, add Approver notes, and **Approve**.

1. Back as the requester, open **My requests** and select **Complete** to apply the change. Confirm

the change applies only after approval, and that a rejection blocks it.

• GCC High caveat: there is **no Change Review Agent / Copilot** suggestion column — review is

fully manual. There are **no notifications**; tell approvers out-of-band. Requests **expire in 3 days** if not completed.

1. Run `RBACGOVG-Validation.ps1` (`-Environment USGov`) to confirm the policy is active and the role

assignment is correct.

Step 10 — Validate and report

1. Run `RBACGOVG-Validation.ps1` → confirms role assignments and approval policies match the design.
2. Run `RBACGOVG-Report.ps1` → governance coverage and any over-privileged assignments.
3. Complete the Testing Guide before expanding.

Step 11 — Expand to production

1. Roll the scope-tag taxonomy out to the remaining regions/business units; create additional custom roles and assignments following the same naming pattern.
1. Add access policies for any other high-risk resource types once the pilot approval is proven.
2. Re-validate each change with `RBACGOVG-Validation.ps1` / `RBACGOVG-Report.ps1`.

*Role-policy deadlock warning: if you create an access policy for the **Role** (RBAC) profile type, every role change — including the RBAC assignments MAA itself needs — then requires approval, which can deadlock you. Configure and verify all other MAA and RBAC assignments **first**; add a Role access policy last. To break a deadlock: Multi Admin Approval → Access policies → delete the Role policy, wait 3–5 minutes, complete the RBAC assignment, then re-create the Role policy if desired.*

Rollback note: if an assignment or approval gate is too tight, loosen or remove it using your break-glass Global Administrator (excluded from the gate). `RBACGOVG-Remediation.ps1` *runs with* `-WhatIf` *by default so you can preview any tightening before it is applied.*

Order of operations

`Scope groups → Scope tag → Custom roles → Role assignment → Tag objects → Approver group into a role → App approval policy → Script approval policy → Pilot approval → Validate/report → Expand`

5. Testing Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

Run after the pilot approval is configured (Implementation Step 9) and after each governance change. All portal steps use `https://intune.microsoft.us`; all scripts connect with `-Environment USGov`.

Test 1 — Custom roles exist and are scoped

Do: `intune.microsoft.us` → Tenant administration → Roles → All roles → confirm `App Manager – Region A – Prod` and `Policy Reader – All – Audit`; or run `RBACGOVG-Validation.ps1`. Expected: Both custom roles exist with only their intended permissions and scope tags.

Test 2 — Role assignment is correct

Do: Open `App Manager – Region A – Prod` → Assignments → confirm `App Manager Assignment – Region A – Prod`. Expected: Members = `Intune Admins – Region A – Prod`; scope tag = `Region A – Devices – Prod`; scope groups as designed.

Test 3 — Scope tags limit visibility

Do: Sign in to `intune.microsoft.us` as a member of `Intune Admins – Region A – Prod`. Expected: Only objects carrying `Region A – Devices – Prod` are visible/manageable; objects without the tag are hidden.

Test 4 — Least privilege holds

Do: As the app-manager admin, attempt an action outside the role (for example create a device compliance policy). Expected: The action is blocked / not available — the role grants app permissions only.

Test 5 — Access policies exist and target the approver group

Do: Tenant administration → Multi Admin Approval → Access policies → confirm `App Deploy Approval – All – Prod` and `Script Deploy Approval – All – Prod`; or run `RBACGOVG-Validation.ps1`. Expected: Both policies exist, target the correct resource types, and approver = `Change Approvers – Apps – Prod`.

Test 6 — Approver group is correctly wired (GCC High)

Do: Confirm `Change Approvers – Apps – Prod` is a **security group**, is added to an Intune role assignment as a member group, and its members hold the resource-specific Read permission. Expected: Approver membership resolves and persists (Intune does not periodically strip it), and approvers can open Received requests.

Test 7 — A gated change requires approval

Do: As an app-manager admin, change a gated app with a Business justification; as a **different** approver, review under Multi Admin Approval → Received requests and Approve; requester selects **Complete**. Expected: The change is held pending until a second admin approves; it does not apply on its own, and only applies after the requester completes it.

Test 8 — Rejection blocks the change

Do: Submit another gated change and have the approver reject it with a note. Expected: The change is not applied; the requester sees the rejection and the Approver notes.

Test 9 — Governance coverage report

Do: Run `RBACGOVG-Report.ps1`. Expected: A clear report of roles, scope-tag coverage, assignments, approval-policy coverage, and any over-privileged assignments flagged.

Test 10 — Sovereign endpoint check (GCC High)

Do: Run any script and confirm the sign-in prompt is `login.microsoftonline.us` and Graph calls hit `graph.microsoft.us`; from the admin workstation reach `https://graph.microsoft.us`. Expected: Authentication and Graph calls stay in the US Government cloud — never `*.com`.

Pass/fail gate

Gate	Requirement
Pilot pass	Tests 1–8, 10 pass on the pilot scope; one approval and one rejection behave correctly, all against `*.us` endpoints
Broad pass	Tests 1–6, 9, 10 pass across the expanded scope before declaring governance complete

6. Troubleshooting Guide — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

Use `RBACGOVG-Discovery.ps1` and `RBACGOVG-Validation.ps1` for current state, `RBACGOVG-Report.ps1` for coverage/over-privilege, and `RBACGOVG-Remediation.ps1` (`-WhatIf` by default) for safe fixes. All scripts connect to **US Gov Graph** (`-Environment USGov`).

A. Sign-in / wrong-cloud errors (GCC High specific — check this first)

Symptom	Cause	Remediation
Portal rejects your government account / redirect loop	You opened a Commercial `*.com` portal	Use the sovereign `*.us` URL: `intune.microsoft.us`, `entra.microsoft.us`, `portal.office365.us/adminportal/`
`Connect-MgGraph` fails auth or returns no data	Missing `-Environment USGov`; module hit `login.microsoftonline.com`	Add `-Environment USGov` (DoD: `-Environment USGovDoD`); confirm it targets `graph.microsoft.us`
Graph calls time out behind proxy	US Gov endpoints or `*.manage.microsoft.us` blocked / TLS-inspected	Allow US Government Intune/Graph URLs; **do not SSL-inspect** `*.manage.microsoft.us`

B. Admin can see/do too much or too little

Symptom	Cause	Remediation
Admin sees objects they should not	Object missing the scope tag, or assignment carries the wrong tag	Apply `Region A – Devices – Prod` to the object; confirm the assignment's scope tag with `RBACGOVG-Validation.ps1`
Admin cannot see objects they should manage	Object not tagged, or admin in the wrong group	Tag the object; confirm membership of `Intune Admins – Region A – Prod`
Admin can perform actions outside their role	Over-broad custom role or a second, wider assignment	Run `RBACGOVG-Report.ps1` to find over-privilege; tighten with `RBACGOVG-Remediation.ps1`

C. Multi-admin approval not gating changes

Symptom	Cause	Remediation
Gated change applies without approval	Access policy missing or wrong resource type, or not yet **Completed**	Confirm `App Deploy Approval – All – Prod` / `Script Deploy Approval – All – Prod` exist, target the right type, and were finalized with **Complete** — `RBACGOVG-Validation.ps1`
No approvers can act	Approver group empty, not a security group, or not added to a role	Populate `Change Approvers – Apps – Prod`; ensure it is a **security group** added to an Intune role assignment as a member group
Approver membership keeps disappearing	Approver group not added to any Intune role assignment (Intune strips it periodically)	Add the approver group to a role assignment as a member group
Requester can self-approve	Requester is also in the approver group	An admin cannot approve their own request; a **different** approver must act — keep requesters and approvers distinct
Multi Admin Approval node not present	MAA not surfaced on this tenant	Run `RBACGOVG-Discovery.ps1`; if `operationApprovalPolicies` errors or the node is absent, treat MAA as **[verify for GCC High]** and open a Microsoft support case

D. GCC-High-specific gotchas

- **No Change Review Agent / Copilot column.** Security Copilot is not available in GCC High/DoD, so

the MAA node has no Agent Response suggestions — approvals are fully manual. This is expected, not a bug.

- **No notifications.** Intune never emails on new/changed requests; if an approval seems ignored, the approver simply wasn't told — escalate out-of-band per your SLA.
- **Requests expire in 3 days.** A "stuck" request that passed 3 days is **Expired** and must be resubmitted.
- **"Allow access to unlicensed admins" is irreversible.** If an approver lost access after you toggled licensing, review the unlicensed-admin limits; you cannot turn the setting back off.

E. Locked out (no one can make changes)

- Symptom: every admin is blocked by the approval gate or by an over-tight role, or a **Role**-type access policy deadlocked RBAC.
- Remediation: sign in with the break-glass Global Administrator (excluded from the gate) at `intune.microsoft.us`. For a Role-policy deadlock: Tenant administration → Multi Admin Approval → Access policies → delete the **Role** policy, wait 3–5 minutes, complete the RBAC assignment (add the approver group), then re-create the Role policy if desired. This is why the break-glass account in requirement 2.4 is mandatory.

F. Pending approval requests stuck

- Approvers not responding within the SLA → escalate per the change-control process (requirement 2.8); confirm the approver group is populated and someone with **Approval for Multi Admin Approval** permission is available. Remember there are no notifications and a 3-day expiry.

G. Scripts cannot read governance data

- The discovery/validation/report scripts need **US Gov** Microsoft Graph access and the right read scopes (for example `DeviceManagementRBAC.Read.All`, `DeviceManagementConfiguration.Read.All`). Confirm the operator consented to the requested scopes, that `-Environment USGov` is in effect, and that the workstation can reach `https://graph.microsoft.us`.

H. Diagnostics quick reference (US Gov)

```
Connect-MgGraph -Environment USGov -Scopes 'DeviceManagementRBAC.Read.All' -NoWelcome
(Invoke-MgGraphRequest -Method GET -Uri '/beta/deviceManagement/roleDefinitions').value | Select-Object di
(Invoke-MgGraphRequest -Method GET -Uri '/beta/deviceManagement/roleScopeTags').value | Select-Object disp
(Invoke-MgGraphRequest -Method GET -Uri '/beta/deviceManagement/operationApprovalPolicies').value | Select
```

If `operationApprovalPolicies` returns an error on your GCC High tenant, MAA may not be surfaced — capture the error and open a Microsoft support case.

I. When to escalate

If roles, scope tags, and access policies match the design (confirmed by `RBACGOVG-Validation.ps1`), the approver group is a security group added to a role and populated, and the break-glass path works, but approvals still do not behave as expected, capture the `RBACGOVG-Report.ps1` output and open a Microsoft support case referencing your GCC High / DoD tenant.

7. Best Practices — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

• Always use the sovereign portals. Do every step in `https://intune.microsoft.us` / `https://entra.microsoft.us` and connect PowerShell with `-Environment USGov` (`https://graph.microsoft.us`). Commercial `*.com` URLs reject government credentials.

• Least privilege by default. Start every admin from a narrow custom role (for example `App Manager – Region A – Prod`), not the full Intune Administrator role; grant only the permissions the persona actually uses. Use a custom role carrying the Multi Admin Approval permissions for routine access-policy work instead of the privileged Intune Administrator role.

• Always keep a break-glass admin. Maintain a cloud-only Global Administrator excluded from the custom roles and from the approver group, so a too-tight policy can never lock everyone out — doubly important in GCC High where support turnaround is slower.

• Use security groups for approvers. The approver group **must** be a security group and **must** be added to an Intune role assignment as a member group, or Intune periodically strips its members. Distribution lists, M365 groups, and mail-enabled security groups silently fail.

• Design the scope-tag taxonomy first. A consistent tag scheme (region/business unit/platform) is the who-touches-what boundary; apply tags to objects as you create them, not as an afterthought.

• Separate request from approval. Configure access policies so the admin who makes a high-risk change is never the one who approves it — an admin cannot approve their own request even if in the approver group. This is the whole point of multi-admin approval.

• Gate the changes that actually hurt. Start with the highest-blast-radius resource types (apps, scripts) via `App Deploy Approval – All – Prod` and `Script Deploy Approval – All – Prod`; add more only as the process matures.

• Add a Role-type access policy last. A Role/RBAC access policy gates all role changes and can deadlock the very RBAC assignments MAA needs. Configure and verify all other MAA/RBAC first.

• Plan approvals as a human process — there is no Copilot. GCC High has **no Change Review Agent / Security Copilot **assist and Intune sends** no notifications**; agree an approval SLA, keep an approver roster, and notify approvers out-of-band. Remember requests** expire in 3 days**.

• Pilot one approval before broad enforce. Prove an approval and a rejection on a test change before enforcing the gate across the fleet (the pilot gate).

• Name everything consistently. Use `<Purpose> – <Scope> – <Stage>` for every role, tag, group, assignment, and policy so the model is self-documenting and auditable.

• Review for over-privilege regularly. Run `RBACGOVG-Report.ps1` on a schedule to catch assignments that drifted broader than the design.

• Remediate safely. `RBACGOVG-Remediation.ps1` defaults to `-WhatIf`; preview every tightening before applying, and apply during a change window.

• Verify sub-features on your tenant. Where Microsoft's government service description does not enumerate a sub-feature separately, treat it as **[verify for GCC High]** before committing a design, and record what you confirmed for your audit trail.

• Document the governance model. Record roles, tags, assignments, gated resource types, the approver roster, and the portal/endpoint set (sovereign) for audits and repeatability.

8. Deliverables Summary — Intune Administrative Governance (RBAC & Multi-Admin Approval) — Government (GCC High)

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box (GCC High edition)
1. Solution Overview	What Intune RBAC + multi-admin approval is, the model, benefits, limitations, the why, and a *Commercial vs GCC High — what's different* section
2. Requirements Guide	Every prerequisite with Verify / Implement-if-missing, on the sovereign portals
Global Requirements (Intune Solutions)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered Intune steps on `*.us` portals with GCC-High caveats inline
5. Testing Guide	Validation procedures with pass/fail gates, including a sovereign-endpoint check
6. Troubleshooting Guide	Field issues and remediation, including GCC-High-specific gotchas
7. Best Practices	Field-proven recommendations for a government tenant
GCC High Parity Notes	Cited Commercial-vs-GCC-High feature parity reference

PowerShell scripts (all connect with `-Environment USGov` → `graph.microsoft.us`)

Script	What it does
`RBACGOVG-Discovery.ps1`	Inventories role definitions, scope tags, role assignments, and access policies (read-only)
`RBACGOVG-Validation.ps1`	Validates role assignments and approval policies against the design (read-only)
`RBACGOVG-Report.ps1`	Governance-coverage and over-privilege report (read-only)
`RBACGOVG-Remediation.ps1`	Safely tightens over-privileged assignments; defaults to `-WhatIf`
`RBACGOVG-Set-ScopeTargeting.ps1`	Builds the admin/approver scope groups

What the buyer receives

- This implementation guide as a Word document and PDF (white-label).
- All five PowerShell scripts in a single ZIP, pre-wired for US Gov Graph (`-Environment USGov`).
- A repeatable process following the standard model: Assess → Configure → Pilot → Validate → Expand.

Outcome

Intune locked down to least privilege on a **GCC High** tenant — custom roles and scope tags limiting who can touch what, and a required second-admin approval on high-risk changes — configured through the correct sovereign `*.us` portals and US Gov Graph, with Commercial-vs-GCC-High parity gaps handled, and proven on a pilot before you scale.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

RBACGOVG-Discovery.ps1

Purpose: Read-only inventory of the Intune administrative governance surface on a US Government (GCC High / DoD) tenant: custom and built-in role definitions, scope tags, role assignments (with their scope tags and members), and multi-admin approval access policies. Use it as a baseline before designing least-privilege roles and approval gates. Placeholders like your-tenant-id are literal — replace them with your own values. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Discovery.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All and DeviceManagementConfiguration.Read.All. EXPECTED RESULTS Console listing of role definitions (built-in vs custom), scope tags, role assignments, and access policies. Read-only — no changes are made. Pass = the inventory prints without error; if operationApprovalPolicies errors, multi-admin approval may not be surfaced on your tenant. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All','DeviceManagementConfiguration.Read.All' -NoWelcome

How to run: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Discovery.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All and DeviceManagementConfiguration.Read.All. EXPECTED RESULTS Console listing of role definitions (built-in vs custom), scope tags, role assignments, and access policies. Read-only — no changes are made. Pass = the inventory prints without error; if operationApprovalPolicies errors, multi-admin approval may not be surfaced on your tenant. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All','DeviceManagementConfiguration.Read.All' -NoWelcome

RBACGOVG-Remediation.ps1

Purpose: Tightens over-privileged role assignments on a US Government (GCC High / DoD) tenant by applying a target scope tag to assignments that currently have none (the most common over-privilege: an assignment with unbounded reach). Defaults to a WhatIf preview so it only shows what it would change; pass -Apply to actually write. Provide the roleScopeTag id as ScopeTagId (a number such as 5, not a name). HOW TO RUN Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Remediation.ps1 -ScopeTagId 5 Apply changes: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Remediation.ps1 -ScopeTagId 5 -Apply Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.ReadWrite.All (write happens only with -Apply; preview needs read only).

EXPECTED RESULTS In preview: a WHATIF line per assignment that would be tightened, no changes made. With -Apply: each no-scope-tag assignment receives ScopeTagId. Always run RBACGOVG-Validation.ps1 afterward. Keep a break-glass admin excluded from the gate so you never lock yourself out. .NOTES White-label — the repeatable way. Defaults to -WhatIf. Writes only with -Apply, against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [Parameter(Mandatory)][string]$ScopeTagId, # the roleScopeTag id to apply to unbounded assignments [switch]$Apply # omit for -WhatIf preview (default)) $whatIf = -not $Apply if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop $scopes = if ($Apply) { @('DeviceManagementRBAC.ReadWrite.All') } else { @('DeviceManagementRBAC.Read.All') } Connect-MgGraph -Environment $Environment -Scopes $scopes -NoWelcome

How to run: Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Remediation.ps1 -ScopeTagId 5 Apply changes: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Remediation.ps1 -ScopeTagId 5 -Apply Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.ReadWrite.All (write happens only with -Apply; preview needs read only). EXPECTED RESULTS In preview: a WHATIF line per assignment that would be tightened, no changes made. With -Apply: each no-scope-tag assignment receives ScopeTagId. Always run RBACGOVG-Validation.ps1 afterward. Keep a break-glass admin excluded from the gate so you never lock yourself out. .NOTES White-label — the repeatable way. Defaults to -WhatIf. Writes only with -Apply, against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [Parameter(Mandatory)][string]$ScopeTagId, # the roleScopeTag id to apply to unbounded assignments [switch]$Apply # omit for -WhatIf preview (default)) $whatIf = -not $Apply if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop $scopes = if ($Apply) { @('DeviceManagementRBAC.ReadWrite.All') } else { @('DeviceManagementRBAC.Read.All') } Connect-MgGraph -Environment $Environment -Scopes $scopes -NoWelcome

RBACGOVG-Report.ps1

Purpose: Read-only report summarizing governance coverage and flagging over-privileged assignments on a US Government (GCC High / DoD) tenant: how many roles are custom vs built-in, scope-tag coverage, which assignments lack a scope tag, which use a broad built-in role, and which high-risk resource types are NOT covered by an access policy (multi-admin approval). HOW TO RUN powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Report.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All. EXPECTED RESULTS A coverage summary plus an OVER-PRIVILEGE section listing assignments with no scope tag or a broad built-in role, and gated-resource gaps. Read-only — no changes are made. Pass = no over-privilege findings and no gated-resource gaps. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module

Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All' -NoWelcome

How to run: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Report.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All. EXPECTED RESULTS A coverage summary plus an OVER-PRIVILEGE section listing assignments with no scope tag or a broad built-in role, and gated-resource gaps. Read-only — no changes are made. Pass = no over-privilege findings and no gated-resource gaps. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All' -NoWelcome

RBACGOVG-Set-ScopeTargeting.ps1

Purpose: Creates (idempotently) the Entra security groups this solution uses on a US Government (GCC High / DoD) tenant: the admin group that custom-role assignments target, and the approver group that multi-admin approval access policies target. Both are created as security groups, which multi-admin approval requires. Run once during setup; safe to re-run (skips groups that already exist). Change AdminGroup / ApproverGroup if you use different names. This script defaults to -WhatIf; pass -Apply to actually create groups. HOW TO RUN Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Set-ScopeTargeting.ps1 Create the groups: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Set-ScopeTargeting.ps1 -Apply Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to Group.ReadWrite.All (write happens only with -Apply). EXPECTED RESULTS In preview: WHATIF lines for any group that would be created. With -Apply: the groups 'Intune Admins – Region A – Prod' and 'Change Approvers – Apps – Prod' exist (created if missing). Add members in Entra, add the approver group to an Intune role assignment, then use them on the role assignment and access policies. Creates groups only; it does not assign roles. .NOTES White-label — the repeatable way. Defaults to -WhatIf. Writes only with -Apply, against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [string]$AdminGroup = 'Intune Admins – Region A – Prod', [string]$ApproverGroup = 'Change Approvers – Apps – Prod', [switch]$Apply) $whatIf = -not $Apply if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop $scopes = if ($Apply) { @('Group.ReadWrite.All') } else { @('Group.Read.All') } Connect-MgGraph -Environment $Environment -Scopes $scopes -NoWelcome

How to run: Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Set-ScopeTargeting.ps1 Create the groups: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Set-ScopeTargeting.ps1 -Apply Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to Group.ReadWrite.All (write happens only with -Apply). EXPECTED RESULTS In preview: WHATIF lines for any group that would be created. With -Apply: the groups 'Intune Admins – Region A – Prod' and 'Change Approvers – Apps – Prod' exist (created if missing). Add members in Entra, add the approver group to an Intune role assignment, then use them on the role assignment and access policies. Creates groups only; it does not assign roles. .NOTES White-label — the repeatable way. Defaults to -WhatIf. Writes only with -Apply, against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param(

[ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [string]$AdminGroup = 'Intune Admins – Region A – Prod', [string]$ApproverGroup = 'Change Approvers – Apps – Prod', [switch]$Apply) $whatIf = -not $Apply if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop $scopes = if ($Apply) { @('Group.ReadWrite.All') } else { @('Group.Read.All') } Connect-MgGraph -Environment $Environment -Scopes $scopes -NoWelcome

RBACGOVG-Validation.ps1

Purpose: Read-only check that the expected custom roles, role assignments (with scope tags), and access policies (multi-admin approval) exist and target the right approver group on a US Government (GCC High / DoD) tenant. Confirms the governance design is actually in force. Edit the Expected* parameters to match your design; the defaults use the solution's named artifacts (for example App Manager – Region A – Prod). HOW TO RUN powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Validation.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All. EXPECTED RESULTS PASS/FAIL lines for each expected role, assignment, and access policy. Read-only — no changes. Pass = every expected artifact reports PASS. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [string[]]$ExpectedRoles = @('App Manager – Region A – Prod','Policy Reader – All – Audit'), [string[]]$ExpectedPolicies = @('App Deploy Approval – All – Prod','Script Deploy Approval – All – Prod'), [string] $ApproverGroup = 'Change Approvers – Apps – Prod') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All' -NoWelcome

How to run: powershell -ExecutionPolicy Bypass -File .\RBACGOVG-Validation.ps1 Connects to US Gov Graph with -Environment USGov (graph.microsoft.us). Requires the Microsoft Graph SDK and consent to DeviceManagementRBAC.Read.All. EXPECTED RESULTS PASS/FAIL lines for each expected role, assignment, and access policy. Read-only — no changes. Pass = every expected artifact reports PASS. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([ValidateSet('USGov','USGovDoD')][string]$Environment = 'USGov', [string[]]$ExpectedRoles = @('App Manager – Region A – Prod','Policy Reader – All – Audit'), [string[]]$ExpectedPolicies = @('App Deploy Approval – All – Prod','Script Deploy Approval – All – Prod'), [string] $ApproverGroup = 'Change Approvers – Apps – Prod') if (-not (Get-Module -ListAvailable -Name Microsoft.Graph.Authentication)) { Install-Module Microsoft.Graph -Scope CurrentUser -Force -AllowClobber } Import-Module Microsoft.Graph.Authentication -ErrorAction Stop Connect-MgGraph -Environment $Environment -Scopes 'DeviceManagementRBAC.Read.All' -NoWelcome