Deploy Microsoft Sentinel — Workspace, Data Connectors & Ingestion — Government (GCC High)

Implementation Solution Guide

Version 1.0.0 · 2026-07-10

Contents

Executive Summary — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High) 5

The problem . . . 5

The solution . . . 5

How it works . . . 6

Why it matters . . . 6

Important boundaries . . . 6

Solution Overview — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High) 7

What this is . . . 7

How the technology works (the mental model) . . . 7

The standard deployment model . . . 8

Scope — what this solution covers . . . 8

Out of scope (handled elsewhere) . . . 9

Authentication and connections used (Government / GCC High endpoints) . . . 9

Requirements — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion 9

R1. A deliberate workspace region and residency decision . . . 10

R2. Least-privilege Sentinel RBAC groups . . . 10

R3. A resource group for the security telemetry resources . . . 10

R4. The Content hub connectors installed for the in-scope sources . . . 11

R5. Source-side rights to enable each connector . . . 11

R6. A Linux log-forwarder for syslog/CEF (AMA path) . . . 12

R7. A written table plan and retention decision per table . . . 12

R8. The PowerShell toolchain . . . 12

Global Requirements — Sentinel Solutions 13

G1. An Azure subscription . . . 13

G2. A Log Analytics workspace . . . 13

G3. Microsoft Sentinel enabled on the workspace . . . 14

G4. Administrative roles (least privilege) . . . 14

G5. Ingestion and retention cost plan . . . 14

G6. Diagnostic settings capability on each source . . . 14

G7. Change control & rollback posture . . . 15

GCC High Parity Notes — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

1. National cloud endpoints . . . 15

2. Feature-parity considerations . . . 16

3. Compliance & data-residency context (why GCC High) . . . 17
4. DoD (IL5) note . . . 18
Implementation — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High) 18
Object naming (used verbatim throughout) . . . 19
Phase 0 — Assess (confirm you can build safely) . . . 19
Phase 1 — Configure the workspace, Sentinel, and RBAC . . . 20
Phase 2 — Pilot the low-risk connector (Azure Activity) . . . 21
Phase 3 — Pilot the NOISY path (syslog/CEF via AMA + filtering DCR) . . . 21
Phase 4 — Validate (prove the foundation before you scale) . . . 22
Phase 5 — Expand (roll out the remaining high-value connectors) . . . 23
Rollback (for any step) . . . 24
Testing & Validation — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion 24
Gate 1 — Workspace exists in the correct region . . . 24
Gate 2 — Microsoft Sentinel enabled . . . 24
Gate 3 — Least-privilege RBAC is correct . . . 25
Gate 4 — Azure Activity is ingesting (first source proven) . . . 25
Gate 5 — Syslog/CEF arrives AND the DCR filter is working . . . 25
Gate 6 — Ingestion volume is within the cost budget . . . 25
Gate 7 — Table plan and retention applied . . . 26
Gate 8 — Connector / ingestion health is monitored . . . 26
Gate 9 — Rollback is documented and reversible . . . 26
Troubleshooting — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion 27
A connector shows "Connected" but no data arrives . . . 27
Ingestion volume (and cost) explodes after enabling syslog/CEF . . . 27
Syslog/CEF: nothing arrives at all . . . 27
Entra ID sign-in / audit logs missing despite a diagnostic setting . . . 28
Data lands in the workspace but not visible to analysts . . . 28
Retention / tier change did not take effect . . . 28
PowerShell: "resource not found" / authentication or context errors . . . 28
A previously healthy source silently stopped (ingestion drift) . . . 29
Duplicate data / double billing for a source . . . 29
Best Practices — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion 29
Design the workspace once, deliberately . . . 29
Collect what detections consume — not everything . . . 30
Use the log tiers on purpose . . . 30
Govern access with least privilege . . . 30

Prove data is arriving — continuously . . . 30
Change safely . . . 31
Where to go next . . . 31
Deliverables Summary — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High) 31
Documentation . . . 31
PowerShell tools (5) . . . 32
Named objects (verbatim — used across docs, scripts, and tests) . . . 34
What this solution deliberately does NOT do . . . 34
How it is delivered . . . 34
Appendix A — PowerShell Scripts 35

Executive Summary — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High)

> ***Government (GCC High) edition.*** *This is the US Government national-cloud edition for public-sector and defense-industrial-base tenants — the same disciplined method as the commercial version, adapted for* ***Microsoft Sentinel on Azure Government*** *(`portal.azure.us`, `security.microsoft.us`, `login.microsoftonline.us`, `graph.microsoft.us`) and the FedRAMP High / DoD IL4–IL5 / CMMC context. Connector and feature availability in GCC High/DoD can lag or differ from commercial; every such point is flagged* ***"verify against current Microsoft Government documentation"*** *(see `gcc-high-parity-notes.md`).*

The problem

Most Microsoft Sentinel deployments start the same way: someone clicks **Enable**, connects every data source on the list, and turns on every rule template. Within a month the workspace is ingesting hundreds of gigabytes a day, the monthly bill is a surprise, half the connected sources feed detections nobody wrote, and no one can say whether a critical log is actually arriving. The result is a SIEM that is simultaneously **too expensive** and **not trustworthy** — the two things a SIEM must never be.

The failure is not the tool; it is the order of operations. Sentinel is built on a Log Analytics workspace, and once telemetry lands in that workspace it costs money to ingest and to retain. Decisions about **which workspace, which region, which sources, which tier, and how long to keep the data** are cheap to make up front and expensive to unwind later.

The solution

This solution stands Sentinel up **in the right order**. It builds a properly sized, governed Log Analytics workspace with least-privilege access, connects the **high-value** data sources a real detection program needs — **Microsoft Entra ID, Microsoft Defender XDR, Office 365, Azure Activity, and syslog/CEF via the Azure Monitor Agent (AMA) and Data Collection Rules (DCRs)** — and shapes ingestion so you collect **what detections actually consume**, not everything a connector can emit.

Concretely, it delivers:

• A **workspace and RBAC design** — one right-sized workspace (`Security Telemetry - Tenant - Workspace`) with reader/responder/contributor access split across named security groups.

• A **connector plan** — the five high-value sources above, each with a named diagnostic setting or DCR so you know exactly what is flowing and can turn it off cleanly.

• **Data Collection Rules that filter noise before it is billed** — dropping the informational syslog and verbose CEF that inflate cost without improving detection.

• A **table plan** — which tables belong on the **Analytics** tier (queryable, detection-driving) and which belong on **Basic/Auxiliary** logs (cheap, search-only) — plus a **retention and archive** decision per table.

• **Connector health monitoring** — so you can prove data is still arriving and catch ingestion drift before a detection silently goes blind.

How it works

We follow the same repeatable model every solution in this program uses — **Assess** → **Configure** → **Pilot** → **Validate** → **Expand**. We confirm the workspace design and cost plan first, connect one high-value source and prove it end to end, add the noisy AMA/syslog/CEF path behind a **filtering DCR**, validate that the right data is arriving at a controlled volume, and only then expand to the full source list. Every object is named and reused; every ingestion change is reversible.

The solution ships as **self-guided, click-by-click documentation plus five PowerShell tools** (Az / Microsoft.Graph modules, with KQL for the reporting) that discover the current workspace and connector state, preview and apply diagnostic settings and retention with `-WhatIf` **by default**, validate the build against pass/fail gates, and report ingestion volume and connector health — all **read-only or preview-first**, with **no credentials in code**.

Why it matters

• **The right data, not all data** — detections are fed by the sources that matter, at a volume you chose deliberately.

• **Cost under control from day one** — DCR filtering and a deliberate Analytics-vs-Basic table plan stop the runaway bill before it starts.

• **Governed access** — least-privilege RBAC on the workspace, not blanket contributor for everyone.

• **Provable and reversible** — you can show what is arriving and how much it costs, and unwind any change cleanly.

• **A fraction of consulting cost** — the same disciplined method a specialist would use, delivered as a repeatable, tested runbook you reuse on every rollout.

Important boundaries

This solution builds the **foundation** — a governed workspace collecting the right data at a controlled cost. It **does not** author the analytics rules or MITRE ATT&CK coverage that turn this data into detections; that is the companion **Sentinel Analytics Rules & MITRE ATT&CK Coverage** solution, which this foundation is designed to feed. Sentinel and Log Analytics pricing, tier availability (Basic vs Auxiliary logs), and some connector capabilities **change over time and differ by cloud (Commercial vs Government)** — capability and cost should be **verified against your tenant, region, and current Microsoft pricing** before you commit. Data-residency, retention-duration, and log-category decisions that carry regulatory weight are **determinations for your organization's compliance and security functions**; this solution provides the technical controls, not the decision.

Solution Overview — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High)

> ***Government (GCC High) edition.*** *This is the US Government national-cloud edition for public-sector and defense-industrial-base (DIB) tenants running in* ***Microsoft Sentinel on Azure Government*** *(`portal.azure.us`), the* ***Microsoft Defender portal for US Gov*** *(`security.microsoft.us`), and the* ***US Gov identity/token endpoints*** *(`login.microsoftonline.us`, `graph.microsoft.us`). It mirrors the commercial method exactly, adapted for the sovereign cloud. Feature, connector, and preview availability in GCC High (and DoD/IL5) can* ***lag or differ from commercial*** *— every such point is flagged* ***"verify against current Microsoft Government documentation."*** *See `gcc-high-parity-notes.md` for the national-cloud endpoint table and parity considerations.*

What this is

A complete, self-guided method for standing up **Microsoft Sentinel** on a **governed, right-sized Log Analytics workspace**, connecting the **high-value data sources** a detection program depends on, and **controlling ingestion** so you collect what your detections need at a cost you chose deliberately.

It is the **foundation** layer of a Sentinel program. It produces a workspace that is connected, governed, cost-aware, and health-monitored — ready for the analytics rules, hunting, and automation that come next.

How the technology works (the mental model)

- **Log Analytics workspace.** The container that stores all ingested telemetry. It has a **region**

(chosen once, fixed for the life of the workspace — it drives data residency), a **pricing/commitment tier**, and **retention** settings. Everything Sentinel does runs against this workspace.

- **Microsoft Sentinel.** The SIEM/SOAR layer **enabled on** the workspace. It adds data connectors,

analytics rules, hunting, watchlists, workbooks, incidents, and automation on top of the raw logs.

- **Data connectors.** The mechanisms that route a source's telemetry into the workspace. Modern

connectors take one of three shapes:

- **Diagnostic-settings connectors** (e.g. **Azure Activity**, **Microsoft Entra ID**) — a

diagnostic setting on the source forwards selected **log categories** to the workspace.

- **First-party API connectors** (e.g. **Microsoft Defender XDR**, **Office 365 / Microsoft 365**) —

Microsoft services stream their own audit/alert data via a native integration you enable in the Content hub.

- **Agent-based connectors** (**syslog** and **Common Event Format / CEF**) — the **Azure Monitor

Agent (AMA) **on a Linux collector VM, driven by a** Data Collection Rule (DCR)**, receives syslog/CEF from network appliances and servers and forwards it to the workspace.

- **GCC High note:** which specific connectors and connector shapes are available, and whether a given

connector is generally available vs preview, **can differ in GCC High/DoD from commercial** — do not assume a commercial connector exists in the sovereign cloud. **Verify each in-scope connector against current Microsoft Government documentation** before you plan on it (see `gcc-high-parity-notes.md`).

- **Data Collection Rules (DCRs).** The rules that tell the Azure Monitor Agent **what to collect and

what to drop **(which syslog facilities/severities, which CEF streams). A DCR is where you** filter noise before it is ingested and billed** — the single most effective cost control in the whole pipeline.

• **Table plan & log tiers.** Each source lands in one or more **tables** (e.g. `SigninLogs`, `AzureActivity`, `CommonSecurityLog`, `Syslog`). Every table can sit on a **log tier**:

• **Analytics logs** — full query, drives analytics rules, higher per-GB cost. Use for detection-driving data.

• **Basic / Auxiliary logs** — cheap ingestion, limited/search-only query, not for scheduled rules. Use for high-volume, low-signal data you keep for hunting/forensics. *(Basic vs Auxiliary tier availability differs by table and evolves — verify current availability in your tenant.)*

• **Retention & archive.** Data is kept in **interactive retention** (fully queryable) for a chosen period, then can move to **long-term/archive** (cheaper, restore-to-query). Retention is set per workspace and can be overridden **per table**.

• **Connector / ingestion health.** Sentinel's **health monitoring** surfaces the `SentinelHealth` table and data-connector status so you can prove data is still arriving and detect **ingestion drift** (a source that quietly stopped sending).

The standard deployment model

Every solution in this program follows the same five stages so each rollout feels familiar and low-risk:

1. **Assess.** Confirm subscription, region/residency decision, roles, and a written ingestion/cost plan. Discover any existing workspace and connectors (run `SENTDEPG-Discovery.ps1`).
1. **Configure.** Create/confirm the workspace `Security Telemetry - Tenant - Workspace`, enable Sentinel, set up least-privilege RBAC groups, and stage the table plan and retention.
1. **Pilot.** Connect **one** high-value source end to end (Azure Activity), then stand up the **AMA/DCR syslog+CEF** path behind a **filtering DCR** on a single pilot forwarder — proving the noisy path is controlled before it scales.
1. **Validate.** Confirm data is arriving in the expected tables at the expected volume, RBAC is least-privilege, DCR filtering is working, and health monitoring reports the connectors as healthy (run `SENTDEPG-Validate.ps1`, review `SENTDEPG-Report.ps1`).
1. **Expand.** Roll the remaining connectors (Entra ID, Defender XDR, Office 365) and additional forwarders/appliances into the same named pattern, re-checking volume and cost at each step.

Scope — what this solution covers

• Workspace **design and sizing** decisions (region/residency, tier, resource group placement).

• **RBAC** on the workspace using least-privilege Sentinel roles mapped to named security groups.

• Enabling and configuring the **five high-value connectors**: Entra ID, Defender XDR, Office 365,

Azure Activity, and syslog/CEF via AMA + DCR.

- **Data Collection Rules** that filter noise at ingestion.
- A **table plan** (Analytics vs Basic/Auxiliary) and a **retention/archive** strategy per table.
- **Connector and ingestion health** monitoring, drift detection, and gap reporting.

Out of scope (handled elsewhere)

- **Analytics rules, detections, and MITRE ATT&CK coverage** — the companion *Sentinel Analytics Rules

& MITRE ATT&CK Coverage* solution (this foundation feeds it).

- **SOAR playbooks / automation rules** beyond enabling the platform to support them.
- **Third-party / non-Microsoft cloud connectors** beyond the generic syslog/CEF path (AWS, GCP, and

specific appliance connectors follow the same pattern but are per-vendor — deferred to Microsoft's connector docs; *verify current availability in your tenant*).

- **The regulatory determination** of how long data must be retained or where it must reside — that is

your compliance function's decision; this solution implements the control you choose.

Authentication and connections used (Government / GCC High endpoints)

- **Azure Government portal** (`portal.azure.us`) and the **Microsoft Defender portal for US Gov**

(`security.microsoft.us`) for configuration. The Entra admin center is reached at `entra.microsoft.us` (*verify the current GCC High portal URL*).

- **PowerShell** with the **Az** modules (`Az.Accounts`, `Az.OperationalInsights`, `Az.Monitor`,

`Az.SecurityInsights`) for workspace, DCR, diagnostic-setting, retention, and reporting operations, and **Microsoft.Graph** (`Connect-MgGraph`) for the Entra ID diagnostic-setting and group checks. In GCC High the delivered scripts default to `Connect-AzAccount -Environment AzureUSGovernment` and Graph should use `Connect-MgGraph -Environment USGov` (Graph host `graph.microsoft.us`; **DoD/IL5 uses** `dod-graph.microsoft.us` **— verify your cloud**).

- **KQL** run against the workspace (via `Invoke-AzOperationalInsightsQuery`) for ingestion-volume and

connector-health reporting.

- All tools authenticate **interactively** with an MFA-capable admin against the **US Gov token host

`login.microsoftonline.us`; no credentials are stored in code**. Endpoints differ between GCC High and DoD — *verify the correct endpoints for your cloud against current Microsoft Government documentation* (see `gcc-high-parity-notes.md`).

Requirements — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

These are the **solution-specific** prerequisites for this deployment. The **platform baseline** — an Azure subscription, a Log Analytics workspace, Sentinel enabled, least-privilege roles, an ingestion/retention cost plan, diagnostic-settings capability, and change control — is covered once in `global-requirements-sentinel-solutions.md` (requirements **G1–G7**). Read that first; the items below layer on top of it and are not repeated here.

Each requirement is stated as **Description / Why required / How to verify / How to implement if missing**.

R1. A deliberate workspace region and residency decision

• **Description:** A chosen Azure region for the Log Analytics workspace `Security Telemetry - Tenant - Workspace`, made **before** any ingestion starts.

• **Why required:** The workspace region fixes **data residency** and cannot be changed later — moving data means building a new workspace and re-connecting every source. It also affects cross-region egress and which features/tiers are available.

• **How to verify:** `portal.azure.us` → **Log Analytics workspaces** → open the workspace → **Overview** shows its region. Confirm the region matches your residency requirement.

• **How to implement if missing:** Agree the region with your compliance/security function (this is a determination for them, not a technical default), then create the workspace in that region. If a workspace already exists in the wrong region, plan a rebuild — do not try to relocate it.

R2. Least-privilege Sentinel RBAC groups

• **Description:** Three Entra ID security groups mapped to Sentinel's built-in roles: `SG-Sentinel-Reader-Tenant` (**Microsoft Sentinel Reader**), `SG-Sentinel-Responder-Tenant` (**Microsoft Sentinel Responder**), and `SG-Sentinel-Contributor-Tenant` (**Microsoft Sentinel Contributor**).

• **Why required:** Sentinel access should be **role-scoped**, not blanket subscription Contributor. Analysts need to read and triage; only a small team should change configuration. Groups make access reviewable and revocable.

• **How to verify:** `entra.microsoft.us` → **Groups** — confirm the three groups exist. On the workspace, **Access control (IAM)** → **Role assignments** — confirm each group holds the matching Sentinel role at the **workspace/resource-group** scope (not subscription-wide).

• **How to implement if missing:** Create the three groups; assign the Sentinel roles at the resource group `RG-Security-Sentinel` (or workspace) scope. Prefer **PIM-eligible** activation for the Contributor group where Entra ID P2 is available (*verify licensing*).

R3. A resource group for the security telemetry resources

• **Description:** A dedicated resource group, `RG-Security-Sentinel`, holding the workspace, DCRs, and

the log-forwarder VM.

• **Why required:** Grouping the Sentinel resources makes RBAC scoping, cost tracking, and clean

teardown/rollback straightforward, and keeps security telemetry separate from application resources.

• **How to verify:** `portal.azure.us` → **Resource groups** → confirm `RG-Security-Sentinel` exists

and contains the workspace.

• **How to implement if missing:** Create the resource group in the same subscription and region family

as the workspace; place the workspace and all subsequent DCRs/forwarders in it.

R4. The Content hub connectors installed for the in-scope sources

• **Description:** The Microsoft Sentinel **Content hub** solution packages for **Microsoft Entra ID**,

Microsoft Defender XDR, **Microsoft 365 (Office 365)**, **Azure Activity**, and the **Syslog / Common Event Format (CEF) via AMA** connectors.

• **Why required:** Modern Sentinel connectors are delivered as Content hub solutions; the connector

page and its parsers/workbooks only appear once the solution is installed.

• **How to verify:** Sentinel → **Content hub** — confirm each solution shows **Installed**. Sentinel →

Data connectors — the corresponding connectors are listed.

• **How to implement if missing:** Content hub → search each solution → **Install**. Installation only

adds the connector definitions; it does **not** start ingestion (that happens in `03-implementation.md`).

• **GCC High parity check:** Content hub catalog contents and connector availability **can lag or differ

in GCC High/DoD **— a solution or connector present in commercial may be delayed, in preview, or absent in the sovereign cloud.** Confirm each of the five in-scope connectors is available in your Government cloud, and whether it is GA or preview, against current Microsoft Government documentation** before committing the plan. Do not assume commercial parity (see `gcc-high-parity-notes.md`).

R5. Source-side rights to enable each connector

• **Description:** The specific rights each connector needs on **its own source**, beyond workspace

access:

• **Entra ID:** a role that can edit **Entra ID** → **Diagnostic settings** (e.g. Security Administrator

/ Global Administrator for the tenant diagnostic setting).

• **Defender XDR & Office 365:** appropriate Defender/Security roles to enable the connector.

• **Azure Activity:** Owner/Contributor (or a role with `Microsoft.Insights` diagnostic-setting

rights) on each **subscription** being connected.

• **Why required:** Each connector switches on telemetry at the source; without source-side rights the connector page will show as connectable but the data will never flow.

• **How to verify:** For each source, confirm the operating account can open that source's diagnostic settings / connector enablement page **without an access error**.

• **How to implement if missing:** Assign the minimum source-side role (prefer PIM-eligible), or hand the specific step to whoever holds it. Record who enabled each source in the change record (G7).

R6. A Linux log-forwarder for syslog/CEF (AMA path)

• **Description:** A supported Linux VM, `Log Forwarder - Perimeter - Pilot`, reachable from the appliances/servers that emit **syslog** and **CEF**, onto which the **Azure Monitor Agent (AMA)** is installed and driven by DCRs.

• **Why required:** Network appliances and many servers cannot talk to Sentinel directly; they send syslog/CEF to a collector, and the AMA on that collector forwards it to the workspace under a DCR.

• **How to verify:** Confirm a Linux VM exists (or is planned), is network-reachable from the log sources (typically UDP/TCP 514), and can host the AMA extension. `portal.azure.us` → the VM → **Extensions** shows whether **AzureMonitorLinuxAgent** is present.

• **How to implement if missing:** Provision a small supported Linux VM in `RG-Security-Sentinel`; ensure the sources can route syslog/CEF to it; the AMA and DCRs are installed in `03-implementation.md`. *(Confirm current supported distributions in Microsoft's AMA documentation.)*

R7. A written table plan and retention decision per table

• **Description:** A short table listing each expected table (`SigninLogs`, `AuditLogs`, `AzureActivity`, `OfficeActivity`, `CommonSecurityLog`, `Syslog`, Defender tables, etc.), its intended **log tier** (Analytics vs Basic/Auxiliary), and its **interactive retention** and **archive** duration.

• **Why required:** Tier and retention are the two biggest cost levers and are set per table. Deciding them up front prevents both overspend (everything on Analytics forever) and blind spots (detection data on a search-only tier).

• **How to verify:** Confirm a written plan exists and that each in-scope table has an assigned tier and retention. Sentinel/Log Analytics → **Tables** shows current tier and retention per table.

• **How to implement if missing:** Draft the plan from the source categories in scope (put detection-driving tables on Analytics; high-volume, low-signal tables on Basic/Auxiliary where supported); agree retention with compliance (R1 owner). The plan is applied via `SENTDEPG-Set-Retention.ps1` (`-WhatIf` first). *(Basic/Auxiliary eligibility varies by table — verify in your tenant.)*

R8. The PowerShell toolchain

• **Description:** A workstation with the **Az** modules (`Az.Accounts`, `Az.OperationalInsights`,

`Az.Monitor`, `Az.SecurityInsights`) and **Microsoft.Graph**, signed in with an MFA-capable admin.

• **Why required:** The five delivered tools use these modules to discover state, preview/apply diagnostic settings and retention, validate the build, and report ingestion/health.

• **How to verify:** In PowerShell 7+: `Get-Module Az.OperationalInsights,Az.Monitor,Az.SecurityInsights -ListAvailable` returns versions; in GCC High, `Connect-AzAccount -Environment AzureUSGovernment` and `Connect-MgGraph -Environment USGov` succeed against the US Gov endpoints.

• **How to implement if missing:** `Install-Module Az -Scope CurrentUser` and `Install-Module Microsoft.Graph -Scope CurrentUser`; sign in. For this Government (GCC High) edition, connect with -Environment AzureUSGovernment (Az) and -Environment USGov (Graph, host graph.microsoft.us); the delivered scripts already default their -Environment parameter to AzureUSGovernment. DoD/IL5 uses dod-graph.microsoft.us — verify the correct endpoints for your cloud against current Microsoft Government documentation.

Global Requirements — Sentinel Solutions

These requirements are common to **every** Sentinel Solutions solution in the standard program model. They are the baseline Azure Monitor / Microsoft Sentinel platform prerequisites that any telemetry, detection, or SIEM engagement assumes. Each is structured **Description / Why / Verify / Implement-if-missing**. Solution-specific requirements (see `02-requirements.md`) are layered on top of these.

> *Naming convention: every created object is named `<Purpose> - <Scope> - <Stage>` and reused verbatim throughout the engagement (for example `Audit Telemetry - Tenant - Pilot`).*

G1. An Azure subscription

• **Description:** An active Azure subscription in the tenant in scope, with billing enabled.

• **Why:** A Log Analytics workspace and Microsoft Sentinel are Azure resources billed against a subscription; nothing can be provisioned without one.

• **Verify:** Sign in to `https://portal.azure.com`, open `Subscriptions`, and confirm an active subscription resolves and shows status `Active`.

• **Implement-if-missing:** Create or associate an Azure subscription (Enterprise Agreement, CSP, or pay-as-you-go) and confirm billing is in place.

G2. A Log Analytics workspace

• **Description:** A Log Analytics workspace to receive and store ingested telemetry, sized to the data volume and retention in scope.

• **Why:** Microsoft Sentinel runs on top of a Log Analytics workspace; all log data lands here and all queries/analytics run against it.

• **Why region matters:** the workspace region determines data residency and affects egress; pick one deliberately before ingestion starts (it cannot be moved later).

• **Verify:** `portal.azure.com` → `Log Analytics workspaces` → confirm the target workspace exists, note its region and resource group.

• **Implement-if-missing:** Create a workspace named `Security Telemetry - Tenant - Workspace`; choose the region for residency; select the pricing tier that fits expected daily ingestion.

G3. Microsoft Sentinel enabled on the workspace

• **Description:** Microsoft Sentinel added to (enabled on) the Log Analytics workspace in scope.

• **Why:** Connectors, analytics rules, hunting, and incidents are Sentinel features layered on the workspace; without Sentinel enabled you have logs but no SIEM.

• **Verify:** `portal.azure.com` → `Microsoft Sentinel` → confirm the workspace is listed.

• **Implement-if-missing:** `Microsoft Sentinel` → `Create` → select the workspace → `Add`.

G4. Administrative roles (least privilege)

• **Description:** Appropriately scoped roles for the work — Microsoft Sentinel Contributor (or Log Analytics Contributor) on the workspace for configuration, plus the tenant roles needed to set diagnostic settings on the sources (for example a role that can edit Entra ID diagnostic settings).

• **Why:** Each configuration action requires sufficient privilege; least-privilege scoping limits blast radius and satisfies audit requirements.

• **Verify:** On the workspace/resource group, `Access control (IAM)` → confirm the operating accounts hold the required roles. In Entra → `Roles & admins`, confirm the role that can edit diagnostic settings.

• **Implement-if-missing:** Assign the minimum roles needed at the resource-group or workspace scope; prefer eligible (PIM) activation over standing access where available.

G5. Ingestion and retention cost plan

• **Description:** A documented estimate of daily ingestion (GB/day) and a retention decision (interactive retention vs long-term/archive), with a budget owner.

• **Why:** Sentinel and Log Analytics are billed primarily on data ingested and data retained; identity and device audit logs can be high-volume, so cost must be planned before connectors are switched on.

• **Verify:** Confirm a written estimate exists (sources × expected GB/day) and that retention periods are agreed per table or workspace.

• **Implement-if-missing:** Estimate volume from the source log categories in scope; choose pay-as-you-go or a commitment tier; set workspace/table retention; record the budget and owner.

G6. Diagnostic settings capability on each source

• **Description:** The ability to create diagnostic settings (or enable the relevant data connector) on every source whose telemetry is in scope.

• **Why:** Telemetry only flows to the workspace when a diagnostic setting (or connector) routes the source's log categories to it; this is the switch that turns the pipeline on.

• **Verify:** For each source, confirm a diagnostic setting can be created and that no existing setting already routes the same categories elsewhere (to avoid duplicate ingestion and double billing).

• **Implement-if-missing:** Plan one named diagnostic setting per source that forwards the in-scope categories to the workspace (named per G's convention).

G7. Change control & rollback posture

• **Description:** An approved change process with a scheduled window, plus a documented rollback (which diagnostic settings/connectors/analytics rules were added) before any change.

• **Why:** Enabling connectors and analytics rules changes ingestion volume (and therefore cost) and can generate incidents; controlled changes and a recorded back-out keep the pipeline safe and auditable.

• **Verify:** Confirm an approved change record and a written list of objects to be created (so they can be removed cleanly).

• **Implement-if-missing:** Stand up a lightweight change/approval process; capture the pre-change configuration; document the rollback (delete the named diagnostic setting / disable the connector / disable the rule).

GCC High Parity Notes — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

This document is specific to the **Government (GCC High)** edition of this solution. It records the national-cloud endpoints this deployment uses, the feature/connector parity questions you must resolve against Microsoft's Government documentation (do **not** assume commercial parity), and the compliance / data-residency context that motivates GCC High. It complements — it does not replace — the main implementation, requirements, and testing docs.

> ***Golden rule for the sovereign cloud:*** *GCC High and DoD (IL5) frequently* ***lag commercial*** *or lack features entirely, and endpoints differ. Wherever this document says* ***"verify against current Microsoft Government documentation,"*** *treat it as a required pre-work step, not a formality. Availability, GA-vs-preview status, pricing, and endpoints change; confirm them for* ***your*** *cloud before you plan on them.*

1. National cloud endpoints

These are the US Government hosts/portals this solution uses. Replace every commercial endpoint from the sibling documentation with the GCC High equivalent below. **DoD (IL5) tenants use different Graph (and in some cases portal) endpoints — see the DoD note.**

Purpose	Commercial	GCC High (this edition)	DoD / IL5
Sign-in / token (Azure AD authority)	`login.microsoftonline.com`	`login.microsoftonline.us`	`login.microsoftonline.us`
Azure / Microsoft Sentinel portal	`portal.azure.com`	`portal.azure.us` (Azure Government)	`portal.azure.us`
Microsoft Defender / unified security portal	`security.microsoft.com`	`security.microsoft.us`	`security.microsoft.us` *(verify)*
Entra / Azure AD admin center	`entra.microsoft.com`	`entra.microsoft.us` *(verify current GCC High URL)*	*(verify)*
Microsoft Graph	`graph.microsoft.com`	`graph.microsoft.us`	`dod-graph.microsoft.us`
PowerShell — Az environment	`AzureCloud`	`AzureUSGovernment` (`Connect-AzAccount -Environment AzureUSGovernment`)	`AzureUSGovernment`
PowerShell — Microsoft.Graph environment	`Global`	`USGov` (`Connect-MgGraph -Environment USGov`)	`USGovDoD` *(verify)*
Microsoft 365 / Purview compliance portals	`*.office.com` / `compliance.microsoft.com`	`*.office365.us` **/ GCC High** `*.microsoft.us` **equivalents** *(verify current URL)*	*(verify)*

The delivered PowerShell scripts (`SENTDEPG-*.ps1`) default their `-Environment` parameter to `AzureUSGovernment` for this edition. If you pass the value explicitly, keep it on the US Gov value.

2. Feature-parity considerations

Each item below **may differ, lag, or be unavailable** in GCC High/DoD relative to commercial. Confirm each **against current Microsoft Government documentation** before you commit the ingestion/connector plan.

- **Content hub catalog & data connectors.** The set of solutions and connectors published to Content hub can differ in GCC High/DoD. Confirm each of the five in-scope connectors — **Microsoft Entra ID, Microsoft Defender XDR, Microsoft 365 (Office 365), Azure Activity, and Syslog/CEF via AMA** — is present and **GA (not preview or unavailable)** in your Government cloud. *Verify.*

- **Microsoft Defender XDR connector & advanced-hunting tables.** The XDR connector, unified incident

sync, and the specific advanced-hunting `Device*` event tables available in GCC High/DoD may lag commercial. *Verify which tables and sync behavior are supported in your cloud.*

- **Log tiers (Analytics vs Basic vs Auxiliary).** Table-tier eligibility and the Basic/Auxiliary log

options evolve and can differ by cloud and by table. *Verify current tier eligibility per table in your Government tenant.*

- **Azure Monitor Agent (AMA) & supported Linux distributions.** The AMA is the syslog/CEF path here;

supported distributions and the exact CEF installer command are region/cloud-specific. *Use the exact command shown on the connector page in your Government portal; verify distro support.*

- **Preview / AI capabilities.** Any preview feature, and AI-assisted capabilities (e.g. Copilot for

Security integrations), are commonly delayed or absent in GCC High/DoD. Do **not** plan on them without confirmation. *Verify.*

- **Unified Defender portal onboarding for Sentinel.** Whether and how Microsoft Sentinel surfaces inside

the US Gov Defender portal (`security.microsoft.us`) can differ from commercial. *Verify current onboarding path.*

- **Pricing & commitment tiers.** Sentinel / Log Analytics pricing differs by cloud; the `SENTDEPG-Report.ps1`

cost projection is indicative only. *Verify current Government pricing before committing a commitment tier.*

- **Third-party / non-Microsoft connectors.** AWS, GCP, and specific appliance connectors follow the

generic syslog/CEF pattern but per-vendor availability in GCC High/DoD varies. *Verify per vendor.*

3. Compliance & data-residency context (why GCC High)

This context explains *why* a public-sector or defense-industrial-base tenant chooses GCC High and what the operator must confirm. **Accreditation-boundary and impact-level determinations are the customer's ISSO / compliance decision — this document provides technical context, not an authorization.**

- **FedRAMP High.** Azure Government / GCC High services are offered to support **FedRAMP High** baselines.

Which specific services in your architecture carry a current authorization is a determination to confirm with your compliance function. *Verify service-by-service authorization status.*

- **DoD Impact Levels (IL4 / IL5).** GCC High supports workloads up to **IL4**; **IL5** typically maps to

the **DoD** cloud with its own endpoints (see §4). Confirm the impact level of the data you will ingest into the Sentinel workspace and that the target cloud matches it. *This is an ISSO determination.*

- **CMMC 2.0.** Defense-industrial-base tenants handling **CUI** commonly select GCC High to support

CMMC 2.0 Level 2 and NIST SP 800-171 control objectives. Sentinel telemetry (sign-in, audit, security logs) supports audit/accountability control families, but the accreditation itself is the customer's. *Verify scope with your assessor.*

- **ITAR / EAR & data residency.** GCC High provides **US-sovereign data residency** and US-persons

operational handling, which is why **ITAR/EAR**-regulated data is kept out of commercial. Confirm the workspace **region** (fixed for life — see R1) satisfies your residency obligation, and that all ingestion paths keep data in the sovereign boundary. *Compliance determination.*

- **US-persons handling.** GCC High is operated with US-persons support screening. Confirm this satisfies

the personnel-handling requirements applicable to your data. *Verify.*

The operator must confirm, with their compliance/security function: the required **impact level**, the **accreditation boundary**, the **residency region**, and that every in-scope service carries the needed authorization — before ingesting regulated data.

4. DoD (IL5) note

Where a tenant is **DoD / IL5** rather than GCC High, key differences apply and each must be **verified against current Microsoft Government documentation**:

- **Microsoft Graph host is** `dod-graph.microsoft.us` (not `graph.microsoft.us`). Use

`Connect-MgGraph -Environment USGovDoD` (verify the exact environment name for your module version).

- **Azure / PowerShell** still uses `-Environment AzureUSGovernment`, but service **endpoints and feature

availability** for the DoD cloud can differ further from GCC High. *Verify.*

- **Portal URLs** for the Defender / compliance experiences may differ for DoD. *Verify current URLs.*
- **Feature and connector parity** is generally **most constrained** at IL5 — assume nothing is available

without confirmation.

If you are unsure whether your tenant is GCC High or DoD, resolve that **before** running the scripts or enabling connectors — the wrong environment/endpoint is the most common failure mode in the sovereign cloud (see `06-troubleshooting.md`).

Implementation — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High)

This is the ordered, do-this-then-that guide for the **US Government (GCC High)** edition. It follows the standard model (**Assess** → **Configure** → **Pilot** → **Validate** → **Expand**) and is **pilot-first**: you connect and prove one source, stand up the **noisy syslog/CEF path behind a filtering DCR** on a single forwarder, validate volume and cost, and only then expand. Every object is named verbatim so the scripts, testing, and troubleshooting line up. Replace `contoso.com` / `contoso.onmicrosoft.com` and the sample subscription names with your own.

National-cloud endpoints. *This edition runs in* ***Azure Government****. Use the US Gov hosts throughout: Azure/Sentinel portal* `portal.azure.us`*, Defender portal* `security.microsoft.us`*, Entra admin* `entra.microsoft.us`*, token host* `login.microsoftonline.us`*, Graph* `graph.microsoft.us` *(****DoD/IL5*** `dod-graph.microsoft.us`*). PowerShell uses* `-Environment AzureUSGovernment` *(Az) /* `-Environment USGov` *(Graph). If a portal path or URL differs,* ***verify against current Microsoft Government documentation.***

Portal note. *Portal navigation evolves. Microsoft Sentinel is reached either from* `portal.azure.us` *→* ***Microsoft Sentinel****, or from the unified* ***Defender portal for US Gov*** *(*`security.microsoft.us`*) once onboarded. Paths below use the Azure Government portal; if your tenant uses the Defender portal, the same pages appear under* ***Microsoft Sentinel*** *there. Where a tier, connector, or capability may differ by tenant/region/cloud (GCC High vs DoD vs commercial),* ***verify against current Microsoft Government documentation.***

Cost gate. *Every step in this guide adds ingestion, and ingestion is billed. Do* ***not*** *connect a source or remove a DCR filter until the ingestion/cost plan (global requirement* ***G5*** *+* ***R7****) is agreed and has a budget owner. Connect one source, read the volume with* `SENTDEPG-Report.ps1`*, then proceed.*

Object naming (used verbatim throughout)

Object	Name
Resource group	`RG-Security-Sentinel`
Log Analytics workspace	`Security Telemetry - Tenant - Workspace`
Reader access group	`SG-Sentinel-Reader-Tenant` (Microsoft Sentinel Reader)
Responder access group	`SG-Sentinel-Responder-Tenant` (Microsoft Sentinel Responder)
Contributor access group	`SG-Sentinel-Contributor-Tenant` (Microsoft Sentinel Contributor)
Entra ID diagnostic setting	`Diag-EntraID-SignInAudit-Pilot`
Azure Activity DCR	`DCR-AzureActivity-Subscription-Pilot`
Linux log forwarder VM	`Log Forwarder - Perimeter - Pilot`
Syslog DCR (filtered)	`DCR-Syslog-Linux-Pilot`
CEF DCR (filtered)	`DCR-CEF-Appliances-Pilot`
Ingestion-health workbook	`Workbook-IngestionHealth-Tenant`

Phase 0 — Assess (confirm you can build safely)

1. **Confirm the platform baseline (G1–G7).** Active subscription, the region/residency decision (**R1**), roles, the ingestion/cost plan (**G5**/**R7**), and a change record (**G7**).

1. **Discover the current state.** Run `SENTDEPG-Discovery.ps1` (read-only). It reports whether a

workspace exists, whether Sentinel is enabled, which connectors and DCRs are already present, table tiers, and retention — so you build on reality, not assumption.

• **Gate 0:** you know the current workspace/connector state and have a written cost plan → continue.

1. **Confirm the toolchain (R8).** `Connect-AzAccount` and `Connect-MgGraph` both succeed with an

MFA-capable admin.

Phase 1 — Configure the workspace, Sentinel, and RBAC

Step 1 — Create the resource group and workspace

1. `portal.azure.us` → **Resource groups** → **Create** → name `RG-Security-Sentinel`, choose your

subscription and the region from **R1** → **Review + create** → **Create**.

1. **Log Analytics workspaces** → **Create** → resource group `RG-Security-Sentinel`, name **`Security

Telemetry - Tenant - Workspace`, region per** R1 → Review + create → Create**.

1. Open the workspace → **Usage and estimated costs** → set the **pricing tier**. Start on

Pay-as-you-go unless your estimated daily volume (G5) already justifies a **commitment tier** — you can move up later once `SENTDEPG-Report.ps1` shows real volume.

Step 2 — Enable Microsoft Sentinel on the workspace

1. `portal.azure.us` → **Microsoft Sentinel** → **Create** → select **`Security Telemetry - Tenant -

Workspace` → Add**.

1. Wait for Sentinel to finish onboarding; the workspace now appears in the Sentinel list.

Step 3 — Set least-privilege RBAC (R2)

1. `entra.microsoft.us` → **Groups** → create the three security groups if they do not exist:

`SG-Sentinel-Reader-Tenant`, `SG-Sentinel-Responder-Tenant`, `SG-Sentinel-Contributor-Tenant`.

1. `portal.azure.us` → **Resource groups** → `RG-Security-Sentinel` → **Access control (IAM)** → **Add

role assignment**:

• **Microsoft Sentinel Reader** → `SG-Sentinel-Reader-Tenant`.

• **Microsoft Sentinel Responder** → `SG-Sentinel-Responder-Tenant`.

• **Microsoft Sentinel Contributor** → `SG-Sentinel-Contributor-Tenant`.

1. Do **not** grant subscription-wide Contributor for day-to-day SOC work. Keep the Contributor group

small; where **Entra ID P2** is available, make it **PIM-eligible** (*verify licensing*).

Step 4 — Stage the table plan and retention (R7) — plan now, apply after pilot

1. Draft the table plan: for each expected table, decide **Analytics** (detection-driving) vs

Basic/Auxiliary (high-volume, low-signal — *verify eligibility per table*), plus interactive retention and archive months.

1. Preview it with `SENTDEPG-Set-Retention.ps1` (`-WhatIf` by default) — it prints the intended

per-table tier/retention plan and changes nothing yet. You apply it in Phase 4 once real tables exist.

Phase 2 — Pilot the low-risk connector (Azure Activity)

Azure Activity is the safest first source: it is a diagnostic-settings connector, it is high-value for detections, and its volume is predictable.

1. Sentinel → **Content hub** → install the **Azure Activity** solution (**R4**) if not already

installed.

1. Sentinel → **Data connectors** → **Azure Activity** → **Open connector page** → **Launch Azure Policy

Assignment Wizard **(or** Add subscription**) → select the pilot subscription → this creates the Data Collection Rule `DCR-AzureActivity-Subscription-Pilot` that forwards Activity logs to the workspace.

1. Give it 15–30 minutes, then confirm data is arriving:

• Sentinel → **Logs** → run `AzureActivity | take 10` → rows return.

• Or run `SENTDEPG-Report.ps1` — `AzureActivity` shows a non-zero ingestion volume.

• **Gate 1:** `AzureActivity` returns rows and reports a bounded volume → continue.

Phase 3 — Pilot the NOISY path (syslog/CEF via AMA + filtering DCR)

This is the path that most often blows up ingestion cost, so it is piloted behind a **filtering DCR** on a single forwarder before it scales.

Step 1 — Stand up the forwarder and install the agent

1. Confirm the Linux collector VM `Log Forwarder - Perimeter - Pilot` exists in

`RG-Security-Sentinel` and is reachable from the appliances/servers (typically UDP/TCP **514**) (**R6**).

1. Sentinel → **Content hub** → install **Syslog via AMA** and **Common Event Format (CEF) via AMA**

(**R4**).

Step 2 — Create the FILTERING syslog DCR

1. Sentinel → **Data connectors** → **Syslog via AMA** → **Open connector page** → **Create data

collection rule** → name `DCR-Syslog-Linux-Pilot`, resource group `RG-Security-Sentinel`.

1. Add the forwarder VM `Log Forwarder - Perimeter - Pilot` as a resource (this installs the AMA on

it automatically).

1. **Select only the facilities and minimum severity you actually need** — for example

`auth`, `authpriv`, `cron`, and `security` at severity `LOG_WARNING` **and above**. **Do not** select all facilities at `LOG_DEBUG`/`LOG_INFO` — that is the classic cost-blowout. This selection **is** the noise filter.

1. Save. The syslog data lands in the `Syslog` table.

Step 3 — Create the FILTERING CEF DCR

1. Sentinel → **Data connectors** → **Common Event Format (CEF) via AMA** → **Open connector page** →

Create data collection rule → name `DCR-CEF-Appliances-Pilot`, add the same forwarder VM.

1. Constrain the CEF stream to the appliance log sources you need; CEF lands in the

`CommonSecurityLog` table.

1. On the forwarder, run Microsoft's provided installer command (shown on the connector page) to

configure the syslog daemon to hand CEF messages to the AMA. *(Use the exact command from the portal for your distribution — it changes; do not hand-copy an old one.)*

Step 4 — Point ONE appliance/server at the forwarder

1. Configure a **single** pilot appliance/server to send syslog/CEF to `Log Forwarder - Perimeter -

Pilot` on 514. Keep it to one source until volume is confirmed.

1. After ~30 minutes, confirm arrival and, critically, **volume**:

• `Syslog | where TimeGenerated > ago(1h) | summarize count() by SeverityLevel` — confirm the

filtered severities only.

• `CommonSecurityLog | take 10` — CEF rows return.

• Run `SENTDEPG-Report.ps1` — `Syslog` and `CommonSecurityLog` volumes are **bounded** and match

the filter, not the full firehose.

• **Gate 2:** filtered syslog/CEF arrives at a **controlled** volume → the DCR filter works.

Phase 4 — Validate (prove the foundation before you scale)

1. Run `SENTDEPG-Validate.ps1` — it checks, as pass/fail lines aligned to `05-testing.md`: workspace

exists in the right region; Sentinel enabled; the three RBAC groups assigned at resource-group scope and **no** subscription-wide Contributor for the SOC; Azure Activity DCR present and ingesting; the syslog/CEF DCRs present with **facility/severity filtering applied**; table tiers/retention set.

1. Run `SENTDEPG-Report.ps1` — review **ingestion GB/day per table**, project the monthly cost

against the G5 budget, and confirm connector **health** (no source with zero rows in the last N hours).

1. **Apply the table plan/retention** now that tables exist: `SENTDEPG-Set-Retention.ps1` — review

the `-WhatIf` output, then re-run with `-Commit` to move low-signal tables to Basic/Auxiliary (where eligible) and set per-table interactive retention + archive.

• **Gate 3 (go/no-go to expand):** all validation lines PASS and projected cost is within budget →

expand. Any FAIL → fix before adding more sources.

Phase 5 — Expand (roll out the remaining high-value connectors)

Add the remaining sources one at a time, re-reading volume/cost after each.

> ***GCC High connector parity.*** *Before enabling each source below, confirm the connector exists and is GA (not preview or unavailable) in your Government cloud — Entra ID, Defender XDR, and Office/Microsoft 365 connectors, and specific advanced-hunting event tables,* ***can lag or differ in GCC High/DoD from commercial****. Do not assume availability;* ***verify against current Microsoft Government documentation*** *(see* `gcc-high-parity-notes.md`*).*

Microsoft Entra ID (identity — highest-value)

1. Sentinel → **Content hub** → install **Microsoft Entra ID** (**R4**).

2. `entra.microsoft.us` → **Identity** → **Monitoring & health** → **Diagnostic settings** → **Add diagnostic

setting → **name** `Diag-EntraID-SignInAudit-Pilot` → **select categories** `SignInLogs`**,** `AuditLogs` **(add** `NonInteractiveUserSignInLogs`**,** `ManagedIdentitySignInLogs` **only if your detections need them — they are high-volume)** → Send to Log Analytics workspace → `Security Telemetry - Tenant - Workspace` → Save **(**R5**).

1. Confirm: `SigninLogs | take 10` and `AuditLogs | take 10` return rows within ~30 minutes. Re-run

`SENTDEPG-Report.ps1` and check the added volume.

Microsoft Defender XDR

1. Sentinel → **Content hub** → install **Microsoft Defender XDR** (**R4**).

2. Sentinel → **Data connectors** → **Microsoft Defender XDR** → **Open connector page** → **Connect

incidents & alerts**; enable the** advanced-hunting event tables **you need (be selective —** `DeviceEvents`**/**`DeviceNetworkEvents` **are high-volume) (**R5**).

1. Confirm `SecurityIncident` and any selected `Device*` tables populate; check volume.

Office 365 / Microsoft 365

1. Sentinel → **Content hub** → install **Microsoft 365 (Office 365)** (**R4**).

2. Sentinel → **Data connectors** → **Office 365** → **Open connector page** → enable **Exchange**,

SharePoint, **Teams** as needed (**R5**).

1. Confirm `OfficeActivity` populates; check volume.

After each connector

• Re-run `SENTDEPG-Report.ps1` and confirm cumulative GB/day stays within the G5 budget.

• Add each new forwarder/appliance to the **existing** `DCR-Syslog-Linux-Pilot` / `DCR-CEF-Appliances-

Pilot `pattern (rename the -Pilot DCRs to a production stage in a change window if you standardize on a -Prod` suffix — keep the convention consistent).

• Set up ongoing health: Sentinel → **Settings** → **Settings** → **Health monitoring** (enable the

SentinelHealth table) and deploy the Workbook-IngestionHealth-Tenant workbook (start from the Microsoft *Data collection health monitoring* workbook in Content hub) so ingestion drift is visible.

Rollback (for any step)

- **A connector:** delete its diagnostic setting (Diag-EntraID-SignInAudit-Pilot) or DCR, or disable

the connector on its page — ingestion for that source stops immediately.

- **The syslog/CEF path:** delete DCR-Syslog-Linux-Pilot / DCR-CEF-Appliances-Pilot (the AMA stops

forwarding) and/or stop the source sending to the forwarder.

- **RBAC:** remove the role assignment from the security group.
- **The workspace/Sentinel:** removing Sentinel from the workspace stops SIEM features but **retains

already-ingested data** until retention expires; deleting the workspace deletes the data. Treat workspace deletion as a change-controlled, last-resort action.

Testing & Validation — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

Work these gates **in order**. Each is **pass/fail**: do not advance a phase until its gate passes. The delivered scripts automate most checks; the KQL queries can be run in Sentinel → **Logs**. Run SENTDEPG-Validate.ps1 for a consolidated pass/fail summary and SENTDEPG-Report.ps1 for volume/cost/health.

Gate 1 — Workspace exists in the correct region

- **Check:** portal.azure.us → **Log Analytics workspaces** → `Security Telemetry - Tenant -

Workspace exists, in the region agreed in **R1**, inside RG-Security-Sentinel`.

- **Automated:** SENTDEPG-Discovery.ps1 / SENTDEPG-Validate.ps1 report the workspace name, region, and

resource group.

- **Pass:** workspace present, correct region, correct resource group. **Fail:** missing or wrong region

→ rebuild in the correct region (region cannot be changed).

Gate 2 — Microsoft Sentinel enabled

- **Check:** portal.azure.us → **Microsoft Sentinel** → the workspace is listed.
- **Automated:** SENTDEPG-Validate.ps1 confirms the Sentinel SecurityInsights solution/onboarding

state on the workspace.

- **Pass:** Sentinel enabled. **Fail:** enable it (implementation Phase 1, Step 2).

Gate 3 — Least-privilege RBAC is correct

- **Check:** Workspace / `RG-Security-Sentinel` → **Access control (IAM)** → **Role assignments** — the

three groups hold **Reader / Responder / Contributor** at resource-group scope; **no** broad subscription Contributor is used for routine SOC work.

- **Automated:** `SENTDEPG-Validate.ps1` lists the Sentinel role assignments and flags any subscription-

scope Owner/Contributor granting Sentinel access.

- **Pass:** roles mapped to the named groups at RG/workspace scope; no over-broad grants. **Fail:**

correct the assignments (implementation Phase 1, Step 3).

Gate 4 — Azure Activity is ingesting (first source proven)

- **Check (KQL):** `AzureActivity | where TimeGenerated > ago(1h) | count` → non-zero.
- **Automated:** `SENTDEPG-Report.ps1` shows `AzureActivity` with a bounded GB/day figure; the DCR

`DCR-AzureActivity-Subscription-Pilot` is present.

- **Pass:** rows arriving, volume bounded. **Fail:** re-check the connector/DCR and source-side rights

(**R5**); see troubleshooting.

Gate 5 — Syslog/CEF arrives AND the DCR filter is working

- **Check (KQL):**
- `Syslog | where TimeGenerated > ago(1h) | summarize count() by SeverityLevel` — **only** the

severities you allowed appear (no `Debug`/`Info` flood).

- `CommonSecurityLog | where TimeGenerated > ago(1h) | count` — non-zero from the pilot appliance.
- **Automated:** `SENTDEPG-Validate.ps1` confirms `DCR-Syslog-Linux-Pilot` and `DCR-CEF-Appliances-Pilot`

exist and that facility/severity filtering is configured (not "all facilities / all severities").

- **Pass:** filtered syslog/CEF arriving at a controlled volume. **Fail:** the filter is missing or the

forwarder path is broken → see troubleshooting (this is the top cost risk).

Gate 6 — Ingestion volume is within the cost budget

- **Check:** `SENTDEPG-Report.ps1` totals GB/day per table and projects the monthly cost; compare to the

G5 budget.

- **KQL cross-check:**

```
Usage | where TimeGenerated > ago(24h) | summarize GB=sum(Quantity)/1024 by DataType | sort by GB desc
```

- **Pass:** projected cost ≤ budget (or an accepted, signed-off variance). **Fail:** move high-volume

low-signal tables to Basic/Auxiliary, tighten DCR filters, or drop non-detection categories, then re-measure.

Gate 7 — Table plan and retention applied

- **Check:** Sentinel/Log Analytics → **Tables** — each in-scope table shows the intended **tier**

(Analytics vs Basic/Auxiliary) and **retention/archive** per the **R7** plan.

- **Automated:** `SENTDEPG-Set-Retention.ps1 -WhatIf` shows no remaining drift between plan and live

state after you have run it with `-Commit`.

- **Pass:** tiers and retention match the plan. **Fail:** apply with `SENTDEPG-Set-Retention.ps1

-Commit`.

Gate 8 — Connector / ingestion health is monitored

- **Check (KQL):**

- `SentinelHealth | where TimeGenerated > ago(24h) | summarize by SentinelResourceName, Status` —

connectors report healthy.

- Drift probe: `union withsource=Tbl * | where TimeGenerated > ago(24h) | summarize LastSeen=max(TimeGenerated) by Tbl`

— every expected table has a recent `LastSeen`.

- **Automated:** `SENTDEPG-Report.ps1` flags any expected source with **zero rows** in the last N hours

(ingestion drift) and summarizes `SentinelHealth`.

- **Pass:** health monitoring enabled, no unexplained silent source. **Fail:** enable health monitoring

and deploy `Workbook-IngestionHealth-Tenant`; investigate any silent source.

Gate 9 — Rollback is documented and reversible

- **Check:** The change record (**G7**) lists every object created — the workspace, Sentinel, the three

role assignments, `Diag-EntraID-SignInAudit-Pilot`, `DCR-AzureActivity-Subscription-Pilot`, `DCR-Syslog-Linux-Pilot`, `DCR-CEF-Appliances-Pilot` — so each can be removed cleanly.

- **Pass:** a named, complete rollback list exists. **Fail:** complete it before expanding further.

Consolidated pass criteria

The foundation is **validated and ready for detections** when **Gates 1–9 pass**: a governed workspace in the right region with least-privilege RBAC, high-value sources ingesting, the noisy syslog/CEF path filtered at the DCR, total volume within budget, tiers/retention applied, health monitored, and a clean rollback documented.

Troubleshooting — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

Common failures, each as **symptom** → **cause** → **fix**. Start with `SENTDEPG-Discovery.ps1` (state) and `SENTDEPG-Report.ps1` (volume/health) — most issues here are visible in one of the two.

A connector shows "Connected" but no data arrives

- **Symptom:** The connector page reads connected, but `TableName | take 10` returns nothing after 30+

minutes.

- **Cause:** Source-side telemetry was never switched on, or the diagnostic setting routes categories to

a **different** workspace. "Connected" reflects the Sentinel side, not that the source is emitting.

- **Fix:** Confirm the source-side switch (**R5**): for Entra ID, that `Diag-EntraID-SignInAudit-Pilot`

exists and points at `Security Telemetry - Tenant - Workspace` with the right categories; for Azure Activity, that `DCR-AzureActivity-Subscription-Pilot` targets this workspace. Allow up to ~30 minutes for first data. Check for a competing diagnostic setting sending the same categories elsewhere.

Ingestion volume (and cost) explodes after enabling syslog/CEF

- **Symptom:** GB/day jumps sharply right after the AMA path goes live; `Syslog`/`CommonSecurityLog`

dominate `Usage`.

- **Cause:** The DCR was created **without** a facility/severity filter (all facilities at

`Debug`/`Info`), so the full firehose is being ingested and billed.

- **Fix:** Edit `DCR-Syslog-Linux-Pilot` to select **only** the needed facilities at `LOG_WARNING+`;

constrain `DCR-CEF-Appliances-Pilot` to the required streams. Re-check with `Syslog | summarize count() by SeverityLevel`. This filter is the single biggest cost control — treat a missing filter as a Sev-2.

Syslog/CEF: nothing arrives at all

- **Symptom:** `Syslog`/`CommonSecurityLog` stay empty after configuring the forwarder.

• **Cause:** The AMA is not installed on `Log Forwarder - Perimeter - Pilot`, the source cannot reach it

on 514, the local syslog daemon is not handing messages to AMA, or (CEF) the portal installer command was not run for the correct distribution.

• **Fix:** Confirm the VM shows the **AzureMonitorLinuxAgent** extension; confirm the appliance can

reach the forwarder on UDP/TCP 514 (NSG/firewall); re-run the **exact** CEF installer command from the connector page for your distro; check the daemon (`rsyslog`/`syslog-ng`) is running and forwarding.

Entra ID sign-in / audit logs missing despite a diagnostic setting

• **Symptom:** `SigninLogs` or `AuditLogs` empty though `Diag-EntraID-SignInAudit-Pilot` exists.

• **Cause:** The needed **categories were not selected** (e.g. `SignInLogs` unchecked), the setting

targets the wrong workspace, or the operator lacked rights to save it so it silently reverted.

• **Fix:** `entra.microsoft.us` → **Diagnostic settings** → open `Diag-EntraID-SignInAudit-Pilot`,

confirm `SignInLogs` + `AuditLogs` are checked and the destination is the correct workspace, saved by an account with the required Entra role (**R5**).

Data lands in the workspace but not visible to analysts

• **Symptom:** An analyst cannot see logs/incidents others can.

• **Cause:** The analyst is not in `SG-Sentinel-Reader-Tenant`/`Responder`, or the role was assigned at

the wrong scope, or **table-level / resource-context RBAC** is restricting the table.

• **Fix:** Add the analyst to the correct group; confirm the role is assigned at

`RG-Security-Sentinel`/workspace scope (Gate 3); check for table-level RBAC that narrows access.

Retention / tier change did not take effect

• **Symptom:** A table still shows the old retention or is still on Analytics after you meant to move it.

• **Cause:** The plan was previewed with `-WhatIf` but never committed, the table is not eligible for

the target tier, or the change is still propagating.

• **Fix:** Re-run `SENTDEPG-Set-Retention.ps1 -Commit`; confirm the table supports Basic/Auxiliary

(*eligibility varies — verify*); allow propagation, then confirm in **Tables**.

PowerShell: "resource not found" / authentication or context errors

• **Symptom:** A script errors on connect, on the workspace, or with an access-denied.

• **Cause:** Wrong Azure subscription context, missing Az/Graph modules, insufficient role, or — the most

common GCC High cause — connecting to the **commercial** cloud instead of US Gov (wrong environment endpoint), so the workspace/resources are "not found."

- **Fix (GCC High):** `Connect-AzAccount -Environment AzureUSGovernment` then `Set-AzContext

-Subscription <id>; for Graph use Connect-MgGraph -Environment USGov (host graph.microsoft.us; DoD/IL5 dod-graph.microsoft.us). Install-Module Az, Microsoft.Graph; confirm at least Sentinel Reader on the workspace. The delivered scripts default -Environment to AzureUSGovernment; if you override it, keep it on the US Gov value (R8) — verify endpoints for your cloud against current Microsoft Government documentation.

A previously healthy source silently stopped (ingestion drift)

- **Symptom:** A table has no recent rows; a detection depending on it is now blind, with no error.
- **Cause:** A diagnostic setting/DCR was deleted or changed, the forwarder VM is down, source-side

logging was disabled, or a credential/permission lapsed.

- **Fix:** `SENTDEPG-Report.ps1` flags any source with zero rows in the last N hours;

`SentinelHealth | summarize by SentinelResourceName, Status` shows connector health. Restore the setting/DCR or the forwarder; enable health monitoring (Gate 8) so drift is caught proactively next time.

Duplicate data / double billing for a source

- **Symptom:** A source's volume looks doubled; the same events appear twice.
- **Cause:** Two diagnostic settings/DCRs route the **same** categories to the workspace (e.g. a legacy

connector plus the new AMA path), so everything is ingested (and billed) twice.

- **Fix:** Inventory settings/DCRs per source (`SENTDEPG-Discovery.ps1`); remove the redundant one so

only one path per source per category remains (global requirement **G6**).

Best Practices — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion

Keep-it-clean guidance for a Sentinel foundation that stays governed, cost-aware, and detection-ready over time.

Design the workspace once, deliberately

- **Region is forever.** The workspace region fixes data residency and cannot be changed — decide it

with compliance **before** ingestion, not after (**R1**).

- **One security workspace, not many.** Prefer a single, well-governed workspace for security telemetry

over a sprawl of per-team workspaces; cross-workspace queries and RBAC get complex fast. Consolidate unless residency or hard tenancy boundaries force a split.

- **Separate security telemetry from application/ops logs.** Mixing a chatty application's logs into the SIEM workspace inflates cost and clutters detections. Keep `RG-Security-Sentinel` for security data.

Collect what detections consume — not everything

- **Every GB is a recurring bill.** Ingestion and retention are the dominant Sentinel costs. Connect a source because a **detection or investigation needs it**, not because the connector exists.
- **Filter at the DCR, not after.** The cheapest log is the one you never ingest. Constrain syslog facilities/severities and CEF streams in `DCR-Syslog-Linux-Pilot` / `DCR-CEF-Appliances-Pilot` — do not ingest `Debug`/`Info` firehoses and try to filter in queries later.
- **Be selective with high-volume Microsoft tables.** `NonInteractiveUserSignInLogs`, Defender `DeviceNetworkEvents`, and full Office activity can dwarf everything else. Enable them only when a detection or hunt genuinely needs them.

Use the log tiers on purpose

- **Analytics** for detection-driving, frequently queried tables (sign-ins, audit, incidents, key CEF).
- **Basic / Auxiliary** for high-volume, low-signal data kept for hunting/forensics — cheaper to ingest, search-only. *(Tier eligibility varies by table and evolves — verify per table.)*
- **Match retention to purpose, not habit.** Interactive retention for what analysts query day to day; **archive** for what you keep for compliance/forensics but rarely touch. Set retention **per table**, not one blanket number.

Govern access with least privilege

- **Role-scoped groups, not blanket Contributor.** `SG-Sentinel-Reader/Responder/Contributor-Tenant` mapped to Sentinel's built-in roles at the resource-group/workspace scope. Analysts read and triage; only a small team changes configuration.
- **Make Contributor just-in-time** where Entra ID P2 allows (PIM-eligible) so standing high privilege is minimized (*verify licensing*).
- **Review assignments regularly** — access that made sense at rollout drifts.

Prove data is arriving — continuously

- **Enable health monitoring** (`SentinelHealth`) and deploy `Workbook-IngestionHealth-Tenant`. A source that silently stops sending is a **blind detection** — the most dangerous failure in a SIEM because it is invisible until an incident is missed.

• **Alert on ingestion drift**, not just spikes. A table going to **zero** matters as much as a table doubling.

• **Watch the cost trend, not just the day.** Re-run `SENTDEPG-Report.ps1` on a schedule and compare GB/day against the G5 budget; catch creep early.

Change safely

• **Pilot the noisy path first.** Syslog/CEF via AMA is where cost blows up — one forwarder, one appliance, a filtering DCR, measured, before you scale.

• **Name everything and record rollback.** Every diagnostic setting and DCR is named per convention and listed in the change record so it can be removed cleanly.

• **Move to commitment tiers with evidence.** Only step up to a commitment tier once real measured volume (not a guess) justifies it.

Where to go next

With the foundation collecting the right data at a controlled cost, the natural next steps in this catalog are:

• **Sentinel Analytics Rules & MITRE ATT&CK Coverage** — turn this telemetry into tuned detections mapped to the ATT&CK matrix, with false-positive control and detection-as-code. *(The direct companion to this solution.)*

• **Sentinel SOAR / automation** — automation rules and playbooks to respond to the incidents those detections raise.

• **Microsoft Defender XDR** and **Microsoft Entra ID** hardening solutions — strengthen the sources feeding this workspace.

• **Microsoft Purview** solutions — for the data-governance and insider-risk signals that complement security telemetry.

Deliverables Summary — Deploy Microsoft Sentinel: Workspace, Data Connectors & Ingestion — Government (GCC High)

Everything included in this **Government (GCC High)** edition, and what each piece is for. This edition mirrors the commercial method, adapted for Microsoft Sentinel on Azure Government (national-cloud endpoints, USGov PowerShell environment) and ships an added **GCC High parity-notes** document.

Documentation

Document	Purpose
Executive Summary (`executive-summary.md`)	One-page business framing: the drown-in-noise-and-cost problem, the right-order foundation, and the boundary (foundation, not detections).
Solution Overview (`01-solution-overview.md`)	What it is, how the technology works (workspace, Sentinel, connector shapes, DCRs, table tiers, retention, health), the Assess→Configure→Pilot→Validate→Expand model, scope, out-of-scope, and connections used.
Requirements (`02-requirements.md`)	Solution-specific prerequisites (region/residency, RBAC groups, resource group, Content hub connectors, source-side rights, Linux forwarder, table/retention plan, toolchain) — layered on the shared `global-requirements-sentinel-solutions.md` (G1–G7).
Implementation (`03-implementation.md`)	Exact, ordered, click-by-click build: workspace + Sentinel + RBAC, pilot Azure Activity, pilot the noisy syslog/CEF path behind a filtering DCR, validate, then expand Entra/Defender/O365 — every object named, with rollback.
Testing & Validation (`05-testing.md`)	Nine pass/fail gates from workspace/region and RBAC through source ingestion, DCR-filter proof, cost-within-budget, tier/retention, and health monitoring, referencing the scripts by name.
Troubleshooting (`06-troubleshooting.md`)	The common failure modes (connector connected but no data, syslog/CEF cost blowout, missing Entra logs, RBAC visibility, retention not applied, PowerShell/context errors, ingestion drift, duplicate billing) as symptom → cause → fix.
Best Practices (`07-best-practices.md`)	Design-once workspace, collect-what-detections-consume, use the tiers on purpose, least-privilege access, prove-data-is-arriving, change safely — plus where to go next in the catalog.
GCC High Parity Notes (`gcc-high-parity-notes.md`)	The national-cloud endpoint table for this solution, GCC High/DoD feature-parity considerations to verify (connectors, tiers, previews), and the FedRAMP High / IL4–IL5 / CMMC / ITAR data-residency compliance context — each parity/availability point flagged "verify against current Microsoft Government documentation."

PowerShell tools (5)

All tools are **read-only or `-WhatIf` by default**, authenticate **interactively** (no credentials in code), and use the **Az** modules (`Az.Accounts`, `Az.OperationalInsights`, `Az.Monitor`, `Az.SecurityInsights`), **Microsoft.Graph** where needed, and **KQL** (via `Invoke-AzOperationalInsightsQuery`) for reporting. Government-cloud tenants pass the matching environment — *verify endpoints for your cloud*.

Script	Type	What it does
`SENTDEPG-Discovery.ps1`	Read-only	Discovers the current state: whether `Security Telemetry - Tenant - Workspace` exists (name/region/RG), whether Sentinel is enabled, which data connectors and DCRs are present, per-table tier and retention, and existing diagnostic settings — so you build on reality and can spot duplicate-ingestion paths. Changes nothing.
`SENTDEPG-Validate.ps1`	Read-only	Runs the `05-testing.md` gates as pass/fail lines: workspace/region, Sentinel enabled, least-privilege RBAC (flags over-broad grants), Azure Activity DCR ingesting, syslog/CEF DCRs present **with filtering applied**, and table tiers/retention set.
`SENTDEPG-Report.ps1`	Read-only	Ingestion + health rollup via KQL: GB/day per table (`Usage`), projected monthly cost against the budget, `SentinelHealth` connector status, and an **ingestion-drift** flag for any expected source with zero rows in the last N hours. Exports to CSV.
`SENTDEPG-Set-Diagnostics.ps1`	`-WhatIf` default	Diagnostic-setting helper: previews (and, with `-Commit`, applies) the Entra ID diagnostic setting `Diag-EntraID-SignInAudit-Pilot` and the Azure Activity routing to the workspace with only the in-scope categories — preview-first, fully reversible.
`SENTDEPG-Set-Retention.ps1`	`-WhatIf` default	Table-plan / retention helper: prints the intended per-table **tier** (Analytics vs Basic/Auxiliary) and **interactive retention + archive** plan; its `-Commit` path applies it. Notes where Basic/Auxiliary eligibility must be verified per table.

Named objects (verbatim — used across docs, scripts, and tests)

- **Resource group:** `RG-Security-Sentinel`
- **Workspace:** `Security Telemetry - Tenant - Workspace`
- **RBAC groups:** `SG-Sentinel-Reader-Tenant` (Reader), `SG-Sentinel-Responder-Tenant` (Responder),

`SG-Sentinel-Contributor-Tenant` (Contributor)

- **Entra ID diagnostic setting:** `Diag-EntraID-SignInAudit-Pilot`
- **Azure Activity DCR:** `DCR-AzureActivity-Subscription-Pilot`
- **Linux log forwarder VM:** `Log Forwarder - Perimeter - Pilot`
- **Syslog DCR (filtered):** `DCR-Syslog-Linux-Pilot`
- **CEF DCR (filtered):** `DCR-CEF-Appliances-Pilot`
- **Ingestion-health workbook:** `Workbook-IngestionHealth-Tenant`

What this solution deliberately does NOT do

- It does **not** author analytics rules or MITRE ATT&CK coverage — that is the companion *Sentinel Analytics Rules & MITRE ATT&CK Coverage* solution, which this foundation feeds.
- It does **not** connect a source before the ingestion/cost plan (G5) is agreed, or remove a DCR filter without measuring the cost impact.
- It does **not** grant blanket subscription Contributor for SOC work — access is least-privilege and role-scoped.
- It does **not** decide **data residency or retention duration** — those are compliance determinations; the solution implements the control you choose.
- It does **not** invent pricing, tier, or connector-capability facts — where Basic/Auxiliary eligibility, pricing, or a capability may differ by tenant/region/cloud, it says **verify in your tenant**.

How it is delivered

This solution is delivered as a **Complete Solution Package (PDF + Word + scripts)** — the documentation as a formatted Word document and PDF, plus all five PowerShell scripts, in a single ZIP (`SENTDEPG-Complete-Solution.zip`) — yours to keep and reuse on every rollout.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

SENTDEPG-Discovery.ps1

Purpose: Inventories the current Microsoft Sentinel / Log Analytics state so the build starts from reality: whether the target workspace exists (name/region/resource group), whether Sentinel is enabled on it, which data connectors and Data Collection Rules (DCRs) are present, per-table log tier and retention, and existing diagnostic settings that could indicate duplicate ingestion. Read-only — it changes nothing. HOW TO RUN pwsh -File .\SENTDEPG-Discovery.ps1 -ResourceGroup RG-Security-Sentinel `-WorkspaceName "Security Telemetry - Tenant - Workspace"` pwsh -File `.\SENTDEPG-Discovery.ps1 -ResourceGroup RG-Security-Sentinel` -WorkspaceName "Security Telemetry - Tenant - Workspace" -Environment AzureUSGovernment

How to run: pwsh -File .\SENTDEPG-Discovery.ps1 -ResourceGroup RG-Security-Sentinel `-WorkspaceName "Security Telemetry - Tenant - Workspace"` pwsh -File `.\SENTDEPG-Discovery.ps1 -ResourceGroup RG-Security-Sentinel` -WorkspaceName "Security Telemetry - Tenant - Workspace" -Environment AzureUSGovernment

SENTDEPG-Report.ps1

Purpose: Runs KQL against the workspace to produce the cost/health rollup used at Gate 6 and Gate 8: GB/day per table (from the Usage table), a projected monthly cost, Sentinel connector health (from SentinelHealth), and an INGESTION-DRIFT flag for any expected source table that has had zero rows in the last N hours. Exports the per-table volume to CSV. Read-only — it changes nothing. HOW TO RUN pwsh -File .\SENTDEPG-Report.ps1 -ResourceGroup RG-Security-Sentinel ` -WorkspaceName "Security Telemetry - Tenant - Workspace" -PricePerGB 2.76 -DriftHours 24 (PricePerGB is a placeholder for YOUR negotiated per-GB analytics rate — verify current Sentinel pricing for your region/cloud; the projection is indicative only.)

How to run: pwsh -File .\SENTDEPG-Report.ps1 -ResourceGroup RG-Security-Sentinel ` -WorkspaceName "Security Telemetry - Tenant - Workspace" -PricePerGB 2.76 -DriftHours 24 (PricePerGB is a placeholder for YOUR negotiated per-GB analytics rate — verify current Sentinel pricing for your region/cloud; the projection is indicative only.)

SENTDEPG-Set-Diagnostics.ps1

Purpose: Configures the diagnostic-settings connectors that route high-value telemetry to the workspace: the Entra ID diagnostic setting Diag-EntraID-SignInAudit-Pilot (SignInLogs + AuditLogs) and the Azure Activity subscription routing. It runs in PREVIEW (-WhatIf) by default, printing exactly what it would create/change; only -Commit applies it. Every change is a named object that can be deleted for a clean rollback. HOW TO RUN Preview (default, changes nothing): pwsh -File .\SENTDEPG-Set-Diagnostics.ps1 -ResourceGroup RG-Security-Sentinel `-WorkspaceName "Security Telemetry - Tenant - Workspace"` Apply: `pwsh -File .\SENTDEPG-Set-Diagnostics.ps1 -ResourceGroup RG-Security-Sentinel` -WorkspaceName "Security Telemetry - Tenant - Workspace" -Commit

How to run: Preview (default, changes nothing): pwsh -File .\SENTDEPG-Set-Diagnostics.ps1 -ResourceGroup RG-Security-Sentinel `-WorkspaceName "Security Telemetry - Tenant - Workspace"` Apply: `pwsh -File .\SENTDEPG-Set-Diagnostics.ps1 -ResourceGroup`

RG-Security-Sentinel -WorkspaceName "Security Telemetry - Tenant - Workspace" -Commit

SENTDEPG-Set-Retention.ps1

Purpose: Applies the R7 table plan: for each table, the intended log TIER (Analytics for detection-driving data; Basic/Auxiliary for high-volume low-signal data) and the interactive RETENTION + total (archive) retention in days. It runs in PREVIEW (-WhatIf) by default, printing the plan vs the live state; only -Commit applies changes. Notes where Basic/Auxiliary eligibility must be verified per table. HOW TO RUN Preview (default): pwsh -File .\SENTDEPG-Set-Retention.ps1 -ResourceGroup RG-Security-Sentinel -WorkspaceName "Security Telemetry - Tenant - Workspace" -PlanPath .\table-plan.csv Apply: pwsh -File .\SENTDEPG-Set-Retention.ps1 -ResourceGroup RG-Security-Sentinel -WorkspaceName "Security Telemetry - Tenant - Workspace" -PlanPath .\table-plan.csv -Commit

How to run: Preview (default): pwsh -File .\SENTDEPG-Set-Retention.ps1 -ResourceGroup RG-Security-Sentinel -WorkspaceName "Security Telemetry - Tenant - Workspace" -PlanPath .\table-plan.csv Apply: pwsh -File .\SENTDEPG-Set-Retention.ps1 -ResourceGroup RG-Security-Sentinel -WorkspaceName "Security Telemetry - Tenant - Workspace" -PlanPath .\table-plan.csv -Commit

SENTDEPG-Validate.ps1

Purpose: Validates the deployed foundation as pass/fail lines aligned to 05-testing.md: workspace exists in the expected region; Sentinel enabled; least-privilege RBAC (the three Sentinel groups at resource-group scope, with a flag for over-broad subscription grants); Azure Activity DCR present and ingesting; the syslog/CEF DCRs present WITH facility/severity filtering applied; and table tiers/retention set. Read-only — it changes nothing. HOW TO RUN pwsh -File .\SENTDEPG-Validate.ps1 -ResourceGroup RG-Security-Sentinel ` -WorkspaceName "Security Telemetry - Tenant - Workspace"

How to run: pwsh -File .\SENTDEPG-Validate.ps1 -ResourceGroup RG-Security-Sentinel ` -WorkspaceName "Security Telemetry - Tenant - Workspace"