Remote Help

Implementation Solution Guide

Version 1.0.0 · 2026-06-14

Contents

Executive Summary — Remote Help (Microsoft Intune) 4

What you get . . . 4

What this delivers . . . 4

The standard deployment model . . . 4

Outcome . . . 4

1. Solution Overview — Remote Help 4

What Remote Help is . . . 4

How it works . . . 5

Security model . . . 5

Benefits . . . 5

Limitations (be honest with buyers) . . . 5

The standard deployment model . . . 5

2. Requirements Guide — Remote Help 5

2.1 Remote Help licensing . . . 6

2.2 Intune + enrollment . . . 6

2.3 The Remote Help app . . . 6

2.4 RBAC roles . . . 6

2.5 Network access . . . 6

2.6 Supported OS . . . 6

Checklist . . . 6

Global Requirements — Intune Solutions (category-level) 7

G1. Microsoft Entra ID tenant . . . 7

G2. Microsoft Intune subscription . . . 7

G3. Administrative roles . . . 7

G4. Device enrollment in Intune . . . 7

G5. Pilot security group . . . 7

G6. Supported Windows baseline . . . 7

G7. Network access to Microsoft cloud endpoints . . . 8

3. Implementation Guide — Remote Help 8

Step 1 — Create the pilot groups . . . 8

Step 2 — Enable Remote Help . . . 8

Step 3 — Deploy the Remote Help app . . . 8

Step 4 — Assign RBAC roles . . . 8

Step 5 — Verify app delivery on pilot devices . . . 9

Step 6 — Run a pilot session . . . 9

Step 7 — Validate . . . 9
Step 8 — Expand to production . . . 9
5. Testing Guide — Remote Help 9
Test 1 — Remote Help enabled . . . 9
Test 2 — App deployed . . . 10
Test 3 — RBAC gates access . . . 10
Test 4 — Session connects with consent . . . 10
Test 5 — Compliance is surfaced . . . 10
Test 6 — Session is audited . . . 10
Test 7 — Unenrolled-device policy honored . . . 10
Pass/fail gate . . . 10
6. Troubleshooting Guide — Remote Help 10
A. Remote Help won't enable . . . 10
B. App not present . . . 11
C. Can't start a session . . . 11
D. Control/compliance issues . . . 11
E. Diagnostics quick reference . . . 11
F. When to escalate . . . 12
7. Best Practices — Remote Help 12
8. Deliverables Summary — Remote Help 12
Documentation . . . 12
PowerShell scripts . . . 13
What the buyer receives . . . 13
Outcome . . . 13
Appendix A — PowerShell Scripts 14

Executive Summary — Remote Help (Microsoft Intune)

White-label · Intune Solutions

Ad-hoc remote-support tools are a security liability: unverified helpers, no role controls, no audit trail, and third-party software you don't fully trust. **Remote Help** is Microsoft's cloud remote-assistance solution built into the Intune ecosystem — helpers are authenticated with Microsoft Entra, gated by **role-based access control**, shown the device's **compliance** state, and every session is **audited**.

This is a complete, **deploy-it-today** package for implementing Remote Help with Microsoft Intune, written for an administrator with no prior Remote Help experience.

What you get

- A plain-language **Solution Overview** of how Remote Help works and its security model.
- A **Requirements Guide** with verify / implement-if-missing for every prerequisite (including licensing).
- An **Implementation Guide** of precise, click-by-click Intune steps in the required order.
- Five **PowerShell scripts** for app discovery, validation, tenant settings/assignment checks, remediation, and a session/usage report.
- **Testing** and **Troubleshooting** guides for confident rollout.

What this delivers

Remote Help **enabled** in your tenant, the Remote Help **app deployed** to devices via Intune, **RBAC roles** assigned to your help desk, and the security options (require Entra auth, RBAC, compliance warnings) configured — piloted, then expanded.

The standard deployment model

Assess → **Configure** → **Pilot** → **Validate** → **Expand.**

Outcome

Secure, audited, role-controlled remote assistance for your help desk — replacing risky ad-hoc tools — deployable by a single administrator and validated before rollout.

1. Solution Overview — Remote Help

What Remote Help is

Remote Help is Microsoft's cloud-based remote-assistance application, integrated with Microsoft Intune. A help-desk technician (the **helper**) can securely view and, with consent, control an enrolled user's device (the **sharer**) — authenticated through Microsoft Entra, governed by **role-based access control (RBAC)**, shown the device's **compliance** status, and recorded in an **audit** trail.

How it works

1. Remote Help is **enabled** in the Intune tenant settings (license required).
2. The **Remote Help app** is deployed to devices through Intune.
3. **RBAC roles** determine who can help, who can request help, and whether full control is allowed.
4. A session starts with both parties signing in with **Entra** credentials; the sharer grants consent; the helper sees the device's **compliance** state before assisting.
5. The session is **audited** (who helped whom, when).

Security model

- **Entra-authenticated** helpers and sharers — no anonymous access.
- **RBAC** — least-privilege roles (e.g. Help Desk Operator) control capabilities.
- **Compliance visibility** — helpers see if the device is compliant before connecting.
- **Conditional control** — view-only vs full control configurable; elevation prompts respected.
- **Audited** — sessions are logged for accountability.

Benefits

- **Secure** — replaces risky third-party/ad-hoc tools with an Entra-governed, audited service.
- **Least privilege** — RBAC ensures only authorized staff assist, with the right capabilities.
- **Trust signals** — compliance state surfaces device risk to the helper.
- **Integrated** — managed and reported within the Intune ecosystem you already run.

Limitations (be honest with buyers)

- Requires a **Remote Help license** (Intune Suite or the Remote Help standalone add-on).
- The **Remote Help app** must be deployed to participating devices.
- Network access to the Remote Help service endpoints is required.
- Cross-tenant / unenrolled-device assistance has specific settings and limits.

The standard deployment model

> ***Enable Remote Help*** → ***deploy the app via Intune*** → ***assign RBAC roles*** → ***configure security options*** → ***pilot a session*** → ***expand.*** *repeatable pattern:* ***Assess*** → ***Configure*** → ***Pilot*** → ***Validate*** → ***Expand.***

2. Requirements Guide — Remote Help

Verify **every** requirement before configuring. Each entry: **Description · Why · Verify · Implement-if-missing.** Category-wide prerequisites are in

`global-requirements-intune-solutions.md`.

2.1 Remote Help licensing

Description: A Remote Help license — the **Intune Suite** or the standalone **Remote Help add-on**. **Why:** Remote Help is an add-on capability; it won't enable without the license. **Verify:** M365 admin center → **Billing** → **Licenses** (look for Intune Suite / Remote Help); Intune → **Tenant administration** → **Remote Help**. **Implement:** Purchase the Intune Suite or Remote Help add-on and assign to helpers (and sharers as required).

2.2 Intune + enrollment

Description: Intune subscription with target devices enrolled. **Why:** Remote Help is deployed and governed through Intune. **Verify:** Intune → **Devices** → **All devices**. **Implement:** Enable automatic enrollment; enroll devices.

2.3 The Remote Help app

Description: The Remote Help application installed on participating devices. **Why:** Both helper and sharer run the app to connect. **Verify:** App present at `C:\Program Files\Remote help\` (or run `RHELP-Discovery.ps1`). **Implement:** Deploy the Remote Help app via Intune (Win32/Store) as **Required** to the relevant groups.

2.4 RBAC roles

Description: Intune RBAC roles defining who can help and with what capabilities. **Why:** Least-privilege control over remote assistance. **Verify:** Intune → **Tenant administration** → **Roles**. **Implement:** Assign **Help Desk Operator** (or a custom role with Remote Help permissions) to your support staff.

2.5 Network access

Description: Outbound HTTPS to the Remote Help / Intune service endpoints. **Why:** Sessions are brokered through the cloud service. **Verify:** Helpers and sharers can reach the Remote Help endpoints (the app connects). **Implement:** Allow the Remote Help service URLs through proxy/firewall.

2.6 Supported OS

Description: Windows 10/11 (Remote Help also supports certain macOS/Android scenarios). **Why:** The app and features require supported platforms. **Verify:** `winver`. **Implement:** Patch/upgrade as needed.

Checklist

- Remote Help license (Intune Suite / add-on) assigned
- Devices enrolled in Intune
- Remote Help app deployed — `RHELP-Discovery.ps1`
- RBAC roles assigned to help-desk staff

- Network allows Remote Help endpoints
- Supported OS
- Pilot Entra group (helpers + sharers) created

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy

Update rings or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation Guide — Remote Help

Follow these steps **in order**, in the **Microsoft Intune admin center** (`https://intune.microsoft.com`).

> ***Model:*** *Enable Remote Help → deploy the app → assign RBAC → configure security → pilot a session → expand.*

Step 1 — Create the pilot groups

1. Entra → **Groups** → **New group** → Security → `RemoteHelp-Helpers` (add help-desk staff). **Create**.
2. Create `RemoteHelp-Sharers` (add pilot end-user devices/users). **Create**.

Step 2 — Enable Remote Help

1. Intune → **Tenant administration** → **Remote Help**.
2. Set **Enable Remote Help** to **Enabled**. Review and accept the terms.
3. Configure options:

• **Allow Remote Help to unenrolled devices** = your policy (default **No** for tighter control).

• **Allow remote control** = **Yes** (or view-only if preferred).

• **Disable chat** = as preferred.

1. **Save**.

Step 3 — Deploy the Remote Help app

1. Intune → **Apps** → **Windows** → **Add**.
2. Add **Remote Help** (Microsoft Store app / Win32 per your packaging).
3. **Assignments** → **Required** → `RemoteHelp-Helpers` and `RemoteHelp-Sharers`. **Create**.

Step 4 — Assign RBAC roles

1. Intune → **Tenant administration** → **Roles** → **Help Desk Operator** (or a custom role with Remote Help permissions).
2. **Assignments** → **Assign** → scope to `RemoteHelp-Helpers`; set the member/scope groups. **Save**.
3. Confirm the role grants the Remote Help capabilities you intend (view vs full control, elevation).

Step 5 — Verify app delivery on pilot devices

1. On a pilot helper and a pilot sharer device, confirm the **Remote Help** app installed (Step 3) — run `RHELP-Validation.ps1`.

Step 6 — Run a pilot session

1. On the **sharer** device, open **Remote Help** → **Get help** (or the helper sends a request).
2. On the **helper** device, open **Remote Help** → **Give help**, sign in with Entra, enter the session.
3. Confirm the helper sees the device **compliance** state, the sharer **consents**, and (if enabled) control works.

Step 7 — Validate

1. Run `RHELP-SettingsCheck.ps1` → confirms Remote Help is enabled with the chosen options.
2. Run `RHELP-SessionReport.ps1` → confirms the pilot session appears in the audit/usage data.
3. Complete the **Testing Guide** (Section 5).

Step 8 — Expand to production

1. Add production helper and sharer groups to the app assignment and RBAC scope.
2. Roll out in waves; confirm app delivery and a successful session per wave.
3. Re-validate with `RHELP-Validation.ps1` / `RHELP-SessionReport.ps1`.

Order of operations

```
Pilot groups → Enable Remote Help → Deploy app → Assign RBAC → Verify app → Pilot session → Validate → Expand
```

5. Testing Guide — Remote Help

Run after the pilot setup (Implementation Step 7) and after each production wave.

Test 1 — Remote Help enabled

Do: Intune → **Tenant administration** → **Remote Help**; or run `RHELP-SettingsCheck.ps1`. **Expected:** Remote Help is **Enabled** with your chosen options (remote control, unenrolled policy).

Test 2 — App deployed

Do: On pilot helper and sharer devices run `RHELP-Validation.ps1` (checks the app is installed). **Expected:** The Remote Help app is present (and the assignment shows Succeeded in Intune → Apps).

Test 3 — RBAC gates access

Do: Have a non-help-desk account attempt to give help. **Expected:** Only members of the help-desk role can initiate a "Give help" session.

Test 4 — Session connects with consent

Do: Run a session: sharer requests help, helper joins, sharer consents. **Expected:** The session connects; the helper sees the device, and control works if enabled.

Test 5 — Compliance is surfaced

Do: During the session, observe the device compliance indicator shown to the helper. **Expected:** The helper sees whether the device is compliant before assisting.

Test 6 — Session is audited

Do: Run `RHELP-SessionReport.ps1` (or review Intune audit/Remote Help usage). **Expected:** The session appears with helper, sharer, and timestamp.

Test 7 — Unenrolled-device policy honored

Do: If "allow unenrolled" is **No**, attempt to help an unenrolled device. **Expected:** The session is not permitted, per policy.

Pass/fail gate

Gate	Requirement
Pilot pass	Tests 1–6 pass for the pilot helpers/sharers
Wave pass	Tests 2, 4, 6 pass before the next wave

6. Troubleshooting Guide — Remote Help

Use `RHELP-Validation.ps1` / `RHELP-Discovery.ps1` for app state and `RHELP-SettingsCheck.ps1` for tenant settings, `RHELP-Remediation.ps1` for safe fixes.

A. Remote Help won't enable

Symptom	Cause	Remediation
"Enable" greyed out / error	No Remote Help license	Confirm Intune Suite / Remote Help add-on is purchased and assigned; `RHELP-SettingsCheck.ps1`

Symptom	Cause	Remediation
Enabled but options missing	Tenant not refreshed	Wait/refresh; re-open Tenant administration → Remote Help

B. App not present

Symptom	Cause	Remediation
`RHELP-Validation.ps1` says not installed	App not deployed/assigned, or not synced	Confirm the app assignment (Required) to the device's group; `RHELP-Remediation.ps1` forces a sync; check Intune → Apps install status
Old app version	Auto-update off	Redeploy the current Remote Help app via Intune

C. Can't start a session

Symptom	Cause	Remediation
Helper can't "Give help"	Missing RBAC role	Assign Help Desk Operator (or a role with Remote Help permissions) to the helper
Connection fails	Network/endpoints blocked	Allow Remote Help service URLs through proxy/firewall; avoid SSL inspection of those endpoints
Unenrolled device refused	Policy disallows unenrolled	Expected if "allow unenrolled" = No; change the setting or enroll the device

D. Control/compliance issues

- Helper can view but not control → "Allow remote control" is off, or the role/role-scope doesn't grant control. Adjust the Remote Help setting and the RBAC role.
- Compliance shows unknown → the device hasn't reported compliance; ensure it's enrolled and evaluated (Device Compliance solution).

E. Diagnostics quick reference

```
Get-Process remotehelp -ErrorAction SilentlyContinue        # is the app running?
Test-Path 'C:\Program Files\Remote help\remotehelp.exe'      # is it installed?
dsregcmd /status                                             # Entra state (auth for sessions)
```

Tenant setting + usage: Intune → **Tenant administration** → **Remote Help** (status + usage report).

F. When to escalate

If the license is assigned, Remote Help is enabled, the app is installed, RBAC is correct, and sessions still fail to connect, capture the app version and a session error and open a Microsoft Intune support case.

7. Best Practices — Remote Help

- **Assign least-privilege RBAC.** Give help-desk staff the minimum role needed; reserve full control for roles that truly require it.
- **Decide the unenrolled-device policy deliberately.** Default to **not** allowing assistance to unenrolled devices unless you have a clear need.
- **Deploy the app as Required.** Push Remote Help to helper and sharer groups via Intune so it's always present when needed.
- **Pilot a real session.** Validate helper + sharer + consent + control end-to-end before broad rollout.
- **Use compliance signals.** Train helpers to check the device compliance indicator before assisting.
- **Keep the app current.** Ensure the Remote Help app updates so features and fixes stay in place.
- **Don't SSL-inspect Remote Help traffic.** Exclude the service endpoints from inspection to avoid broken sessions.
- **Review the audit/usage data.** Periodically run `RHELP-SessionReport.ps1` to monitor who is assisting whom.
- **Communicate consent.** Make sure end users know sessions require their consent and are audited — it builds trust.
- **Document the role model.** Record which roles can help, control, and assist unenrolled devices for audits.

8. Deliverables Summary — Remote Help

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box
1. Solution Overview	What Remote Help is, the security model, benefits, limitations
2. Requirements Guide	Every prerequisite with Verify / Implement-if-missing (incl. licensing)
Global Requirements (Intune Solutions)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered Intune steps (enable, deploy app, RBAC, session)
5. Testing Guide	Validation procedures with pass/fail gates
6. Troubleshooting Guide	Field issues and remediation

Document	Purpose
7. Best Practices	Field-proven recommendations

PowerShell scripts

Script	What it does
`RHELP-Discovery.ps1`	Reports OS, network reachability, and whether the Remote Help app is present
`RHELP-Validation.ps1`	Confirms the Remote Help app is installed and ready on the device
`RHELP-SettingsCheck.ps1`	Confirms Remote Help is enabled tenant-wide with the chosen options (Microsoft Graph)
`RHELP-Remediation.ps1`	Safe remediation; forces an app/policy sync to (re)install the app
`RHELP-SessionReport.ps1`	Reports Remote Help session/usage activity for auditing (Microsoft Graph)

What the buyer receives

- This implementation guide as a branded **Word** document and **PDF**.
- All five **PowerShell scripts** in a single ZIP.
- A repeatable process following the repeatable model: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

Outcome

Secure, audited, role-controlled remote assistance for your help desk — replacing risky ad-hoc tools.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

RHELP-Discovery.ps1

RHELP-Remediation.ps1

RHELP-SessionReport.ps1

RHELP-SettingsCheck.ps1

RHELP-Validation.ps1