Workspace ONE to Intune Coexistence & Cutover Runbook

Implementation Solution Guide

Version 1.0.0 · 2026-06-29

Contents

Executive Summary — Workspace ONE to Intune Coexistence & Cutover Runbook 4

What you get . . . 4

What this delivers . . . 4

The deployment model . . . 4

Outcome . . . 4

1. Solution Overview — Workspace ONE to Intune Coexistence & Cutover Runbook 5

What this runbook is . . . 5

Why coexistence is the dangerous part . . . 5

How the runbook works . . . 5

What you control with this runbook . . . 6

What is in scope vs deferred . . . 6

Limitations (be honest with buyers) . . . 6

The standard deployment model . . . 6

2. Requirements Guide — Workspace ONE to Intune Coexistence & Cutover Runbook 6

2.1 Both-platform admin access (target and source) . . . 7

2.2 Single compliance authority decided . . . 7

2.3 Conditional Access readiness (scoped, not tenant-wide) . . . 7

2.4 Cohort plan and cohort groups . . . 7

2.5 Target enrollment channels active . . . 7

2.6 No-double-targeting rule for apps and profiles . . . 8

2.7 Change control and a tested rollback . . . 8

2.8 Coexistence and cutover status reporting . . . 8

Checklist . . . 8

3. Implementation Guide — Workspace ONE to Intune Coexistence & Cutover Runbook 9

Stage A — Assess . . . 9

Stage B — Configure (the coexistence guardrails) . . . 9

Stage C — Pilot (cut over the first cohort) . . . 10

Stage D — Validate . . . 11

Stage E — Expand . . . 11

5. Testing Guide — Workspace ONE to Intune Coexistence & Cutover Runbook 11

Pre-cutover gate (before Step 5) . . . 11

Post-cutover gate (after Step 5) . . . 12

Pass/fail gate . . . 12

6. Troubleshooting Guide — Workspace ONE to Intune Coexistence & Cutover Runbook 13

A. Conditional Access lockouts during coexistence . . . 13

B. Double management / conflicting policy . . . 13
C. App and certificate conflicts . . . 13
D. Cutover gate fails . . . 14
E. Rollback did not fully revert . . . 14
F. Discovery shows unexpected dual-managed devices . . . 14
G. When to escalate . . . 14
7. Best Practices — Workspace ONE to Intune Coexistence & Cutover Runbook 14
8. Deliverables Summary — Workspace ONE to Intune Coexistence & Cutover Runbook 15
Documentation . . . 15
PowerShell scripts . . . 16
Named artifacts (reuse verbatim) . . . 16
What the buyer receives . . . 16
Outcome . . . 17
Appendix A — PowerShell Scripts 18

Executive Summary — Workspace ONE to Intune Coexistence & Cutover Runbook

During a Workspace ONE to Microsoft Intune migration you inevitably run **both MDMs at once**, and that overlap is where migrations break: devices end up double-managed, Conditional Access locks users out mid-transition, and apps and certificates collide. Without a runbook, the coexistence window is improvised — and improvisation on live production devices is how a migration turns into an outage.

This is the operational runbook for that window. It is not a feature guide; it is the order of operations, the guardrails, the go/no-go gates, the per-cohort cutover sequence, and the tested rollback that keep both platforms running safely in parallel until every device has cleanly cut over.

What you get

• A **Solution Overview** of the coexistence model and the three risks it controls — double management, Conditional Access lockouts, and app/certificate conflicts — and *why* each matters.

• A **Requirements Guide** with verify / implement-if-missing for every coexistence prerequisite.

• An **Implementation Guide** of precise, ordered steps: establish guardrails, define cohorts and order, run the per-cohort cutover sequence behind a go/no-go gate, roll back on failure, then expand.

• Five **PowerShell scripts** for dual-management discovery, per-device cutover-readiness validation, a coexistence/cutover status report, a safe rollback helper, and a cohort group builder.

• **Testing** and **Troubleshooting** guides with explicit pass/fail gates.

What this delivers

A controlled coexistence-and-cutover process: a single compliance authority, Conditional Access scoped to one cohort at a time, a no-double-targeting rule for apps and profiles, a risk-ordered cohort sequence, a go/no-go gate before and after each cutover, and a rollback proven on the pilot before any production wave. Workspace ONE internals are deferred to VMware's documentation; the Intune and Microsoft Entra side is given with exact navigation.

The deployment model

Assess → **Configure** → **Pilot** → **Validate** → **Expand** — with a per-cohort go/no-go gate and a tested rollback at the Validate step. This is the repeatable way: assign the guardrails once, then repeat the cohort sequence everywhere.

Outcome

A calm migration window instead of a chaotic one — guardrails against double management, gated cutovers, a per-cohort sequence, and a tested rollback — proven on a pilot cohort before you scale.

1. Solution Overview — Workspace ONE to Intune Coexistence & Cutover Runbook

What this runbook is

This is an operational runbook for the riskiest phase of a Workspace ONE to Microsoft Intune migration: the window where **both MDMs are live at the same time**. It is not a feature guide — it is the order of operations, the guardrails, the go/no-go gates, the per-cohort cutover sequence, and the tested rollback that keep that window controlled instead of chaotic. The destination side (Intune and Microsoft Entra) is given with exact navigation; Workspace ONE internals are deferred to VMware's own documentation, because the source console changes independently of this runbook.

Why coexistence is the dangerous part

During a migration you cannot flip an entire fleet at once, so for a period each device is in transit between two management authorities. Three things break in that period:

- **Double management** — a device that is still enrolled in Workspace ONE while also enrolled in

Intune can receive conflicting policy (two compliance engines, two sets of profiles, two app catalogs), get pushed contradictory settings, or silently drop one authority's payloads.

- **Conditional Access lockouts** — if Microsoft Entra Conditional Access starts requiring a

compliant or enrolled device before the device is actually managed by Intune and reporting compliant, users get locked out of email and apps mid-migration.

- **App and certificate conflicts** — the same app, Wi-Fi/VPN profile, or certificate delivered by

both platforms can collide, duplicate, or revoke each other.

The *why* lives only in this Overview. Everything after this file is procedure.

How the runbook works

1. Establish the `Coexistence Guardrails – Tenant – Configure` so the two platforms cannot fight:

one compliance authority, scoped Conditional Access, and a no-double-targeting rule for apps and profiles.

1. Define cohorts and their order with the `Cohort Cutover Order – Fleet – Pilot` plan — small,

low-risk groups first; high-impact groups last.

1. For each cohort, run the `Cutover Sequence – Cohort – Validate` steps behind the

`Go/No-Go Checklist – Cohort – Validate`. A cohort only proceeds if every gate passes.

1. If a gate fails, execute the `Rollback Plan – Cohort – Validate` to return the cohort to

Workspace ONE management with no user lockout.

1. Repeat per cohort, expanding only after each prior cohort is validated and stable.

What you control with this runbook

- Which platform owns **device compliance** during coexistence (the single compliance authority).
- The **Conditional Access scope** so policies tighten only as devices actually become Intune-managed.
- The **cutover order** — cohort sequencing from pilot to fleet.
- The **go/no-go gates** that must pass before each cohort proceeds.
- The **rollback** path that reverses a cohort cleanly if a gate fails.

What is in scope vs deferred

- **In scope, exact:** Intune (`https://intune.microsoft.com`) and Microsoft Entra (`https://entra.microsoft.com`) configuration — managed devices, Conditional Access, security groups, enrollment readiness, compliance.
- **Deferred to VMware documentation:** Workspace ONE UEM console navigation, unenrollment/retirement steps, smart-group and profile internals, and the Workspace ONE Intelligent Hub behavior. Where the runbook needs a Workspace ONE action it is flagged as `[WS1 — see VMware docs]` rather than invented.

Limitations (be honest with buyers)

- This runbook governs the **coexistence and cutover** phase. Building the target estate (apps, configuration profiles, compliance policies, enrollment connectors) is the prerequisite work and is assumed complete or in progress per the category global requirements.
- It does **not** automate Workspace ONE-side unenrollment; that action is performed in the source console per VMware's documentation and is represented here as a flagged step.
- Conditional Access changes affect live sign-ins; every CA change in this runbook is **scoped to a cohort group**, never the whole tenant, until the final expand stage.

The standard deployment model

> ***Assess*** → ***Configure*** → ***Pilot*** → ***Validate*** → ***Expand***, *with a* ***per-cohort go/no-go gate and a tested rollback*** *at the Validate step. No cohort expands until the prior cohort passes its gate. This is the repeatable way: assign the guardrails once, then repeat the cohort sequence everywhere.*

2. Requirements Guide — Workspace ONE to Intune Coexistence & Cutover Runbook

Verify **every** requirement before running any cutover. Each entry: **Description · Why · Verify · Implement-if-missing.** Category-wide prerequisites are in `global-requirements-migrations.md` (G1–G7); this guide adds the coexistence-and-cutover-specific requirements.

2.1 Both-platform admin access (target and source)

Description: Intune Administrator (target) plus administrative access to the Workspace ONE UEM console (source). **Why:** Coexistence is operated from both sides — you assign and validate in Intune/Entra, and you retire devices in Workspace ONE. **Verify:** `https://intune.microsoft.com` loads and you hold Intune Administrator; you can sign in to the Workspace ONE UEM console. Run `WS1COEX-Discovery.ps1` to confirm Graph access to the target. **Implement:** Obtain the Intune Administrator role (least privilege) and the source-console admin role from the platform owner `[WS1 – see VMware docs]`.

2.2 Single compliance authority decided

Description: A documented decision on which platform owns device compliance during coexistence (the migration target, Intune, is the recommended authority once a cohort is enrolled). **Why:** Two compliance engines reporting to Conditional Access produce inconsistent compliant/non-compliant states and lockouts. **Verify:** The decision is written into the `Coexistence Guardrails – Tenant – Configure` and Conditional Access references the chosen authority. **Implement:** Document the authority; ensure Intune compliance policies exist and are assigned to the migration target groups before tightening Conditional Access.

2.3 Conditional Access readiness (scoped, not tenant-wide)

Description: Conditional Access policies that can require compliant/Intune-enrolled devices must be **scoped to cohort groups**, not all users, during coexistence. **Why:** A tenant-wide "require compliant device" policy will lock out every user whose device is not yet Intune-managed. **Verify:** Entra → **Protection** → **Conditional Access** — any device-compliance/enrollment policy targets a cohort group, not All users. Run `WS1COEX-Validation.ps1` for per-device readiness. **Implement:** Create or edit the policy to assign only the current cohort group; expand assignment one cohort at a time. See Implementation Step 2.

2.4 Cohort plan and cohort groups

Description: A `Cohort Cutover Order – Fleet – Pilot` plan and one Microsoft Entra security group per cohort. **Why:** Cutover is sequenced; each cohort is a unit that is gated, cut over, validated, or rolled back together. **Verify:** Entra → **Groups** — cohort groups exist (e.g. `Cutover Cohort – Pilot – Stage1`); the order plan is documented. **Implement:** Build cohort groups with `WS1COEX-Set-CohortTargeting.ps1`; define order by risk (pilot, low-impact, high-impact) per the global requirement G6.

2.5 Target enrollment channels active

Description: The enrollment plumbing for each in-scope platform is live in Intune (APNs for Apple, managed Google Play for Android, automatic enrollment for Windows). **Why:** A device cannot become Intune-managed during cutover if the target enrollment channel is not active. **Verify:** Intune shows the

relevant connector/cert/token **Active** for each platform in scope (global requirement G5). Run `WS1COEX-Validation.ps1`. **Implement:** Configure the APNs certificate, ABM/ADE token, managed Google Play, and Windows automatic enrollment as needed (global requirement G5).

2.6 No-double-targeting rule for apps and profiles

Description: A written rule that the same app, Wi-Fi/VPN profile, or certificate is not delivered by both platforms to the same cohort at the same time. **Why:** Dual delivery causes app duplication, profile collisions, and certificate revocation conflicts. **Verify:** Intune app/profile assignments for a cohort do not overlap with still-active Workspace ONE assignments for that cohort `[WS1 — see VMware docs]`. Captured in the `Coexistence Guardrails – Tenant – Configure`. **Implement:** Sequence delivery — keep the source delivering until the cohort cuts over, then remove the source assignment as part of the cutover step.

2.7 Change control and a tested rollback

Description: An approved change window, a comms channel, and a `Rollback Plan – Cohort – Validate` that has been tested on the pilot cohort before any production cutover. **Why:** Cutover touches live production devices and live sign-ins; it must be reversible and coordinated (global requirement G7). **Verify:** The rollback procedure is written, approved, and proven once on the pilot. Run `WS1COEX-Remediation.ps1 -WhatIf` to preview the rollback actions. **Implement:** Write the rollback per platform, schedule the change window, and rehearse rollback on the pilot cohort before expanding.

2.8 Coexistence and cutover status reporting

Description: The ability to report which devices are Workspace ONE-only, Intune-only, dual-managed, or compliant. **Why:** Go/no-go gates depend on knowing the exact management state of every device in a cohort. **Verify:** Run `WS1COEX-Report.ps1` and confirm it returns per-device management/compliance state. **Implement:** Install the Microsoft Graph PowerShell SDK and grant the read scopes the scripts request (see Implementation).

Checklist

- Intune Administrator (target) and Workspace ONE UEM admin (source) access — `WS1COEX-Discovery.ps1`
- Single compliance authority decided and documented
- Conditional Access scoped to cohort groups (not All users) — `WS1COEX-Validation.ps1`
- Cohort plan written; cohort Entra groups created — `WS1COEX-Set-CohortTargeting.ps1`
- Target enrollment channels Active for each in-scope platform
- No-double-targeting rule for apps/profiles in place
- Change window approved; rollback tested on the pilot — `WS1COEX-Remediation.ps1 -WhatIf`
- Coexistence/cutover status report runs — `WS1COEX-Report.ps1`

3. Implementation Guide — Workspace ONE to Intune Coexistence & Cutover Runbook

Follow these steps **in order**. Intune steps are in the **Microsoft Intune admin center** (`https://intune.microsoft.com`); identity/Conditional Access steps are in the **Microsoft Entra admin center** (`https://entra.microsoft.com`). Any Workspace ONE-side action is flagged `[WS1 — see VMware docs]` and performed in the source console per VMware's documentation.

> ***Model:*** *Establish guardrails once, then repeat the cohort sequence everywhere. Each cohort passes through a go/no-go gate; a failed gate triggers the tested rollback. No cohort expands until the prior cohort is validated and stable. This is the repeatable way.*

Stage A — Assess

Step 1 — Discover the current management state

1. Run `WS1COEX-Discovery.ps1` to inventory managed devices in the target, flag **dual-managed**

devices (present in Intune while still Workspace ONE-enrolled), and snapshot Conditional Access policies and cohort groups. Read-only.

1. Record the baseline counts: Workspace ONE-only, Intune-only, dual-managed, and unmanaged.
2. Confirm every requirement in `02-requirements.md` and `global-requirements-migrations.md` is met.

Stage B — Configure (the coexistence guardrails)

Step 2 — Establish `Coexistence Guardrails – Tenant – Configure`

1. **Single compliance authority.** In Intune confirm compliance policies exist and are assigned to

the migration-target groups. Decide and document that Intune owns compliance for cohorts once they enroll. Keep Workspace ONE compliance reporting for not-yet-cut-over devices `[WS1 — see VMware docs]`.

1. **Scope Conditional Access to cohorts.** Entra → **Protection** → **Conditional Access**. For any

policy that requires a compliant or Intune-enrolled device, set **Assignments** → **Users** → **Include** → **Select users and groups** to the **current cohort group only** — never **All users** during coexistence. Leave non-cohort users unaffected.

1. **No-double-targeting rule.** Record that an app, Wi-Fi/VPN profile, or certificate is delivered by

only one platform to a given cohort at a time; the source keeps delivering until the cohort cuts over `[WS1 — see VMware docs]`.

1. Save this configuration as the named `Coexistence Guardrails – Tenant – Configure` artifact and

reuse it verbatim for every cohort.

Step 3 — Build the cohorts and their order

1. Define the `Cohort Cutover Order – Fleet – Pilot` plan: order cohorts by risk — a small pilot

first, then low-impact groups, then high-impact groups last.

1. Create one Microsoft Entra security group per cohort (e.g. `Cutover Cohort – Pilot – Stage1`).

Use `WS1COEX-Set-CohortTargeting.ps1` to create the group and add members from a device or user list. Run it with `-WhatIf` first to preview membership changes.

Stage C — Pilot (cut over the first cohort)

Step 4 — Pre-cutover go/no-go gate

1. Run `WS1COEX-Validation.ps1` against the pilot cohort to confirm per-device cutover readiness:

target enrollment channel active, Conditional Access scoped to this cohort, no conflicting double assignment, and device reachable.

1. Apply the `Go/No-Go Checklist – Cohort – Validate` (see `05-testing.md`). Proceed only if **every**

gate passes; otherwise hold and remediate.

Step 5 — Execute `Cutover Sequence – Cohort – Validate` for the pilot

1. **Enroll into the target.** Add the cohort group to the relevant Intune enrollment/app/compliance

assignments so devices become Intune-managed.

1. **Confirm Intune compliance.** Wait for the cohort's devices to report compliant in Intune

(`WS1COEX-Report.ps1` shows the live state).

1. **Tighten Conditional Access for the cohort.** With the cohort compliant in Intune, the

cohort-scoped Conditional Access policy from Step 2 now safely enforces compliant/enrolled device.

1. **Remove the source assignment / retire from Workspace ONE.** Remove the cohort's Workspace ONE

app/profile assignments and unenroll/retire the devices from the source `[WS1 — see VMware docs]` so the device is no longer double-managed.

1. **Confirm single management.** Re-run `WS1COEX-Report.ps1`; the cohort should now show Intune-only,

not dual-managed.

Step 6 — Roll back the pilot if a gate fails

1. If validation fails at any point, execute `Rollback Plan – Cohort – Validate`:

run `WS1COEX-Remediation.ps1 -WhatIf` to preview, then re-run without `-WhatIf` to remove the cohort group from the cohort-scoped Conditional Access policy and from Intune assignments, returning the cohort to Workspace ONE management with no user lockout.

1. Re-enroll/keep the device in Workspace ONE per the source console as needed `[WS1 — see VMware docs]`.

2. Confirm with `WS1COEX-Report.ps1` that the cohort is back to its pre-cutover state, then diagnose the failed gate before retrying.

Stage D — Validate

Step 7 — Validate the pilot cohort

1. Complete the **Testing Guide** (`05-testing.md`) for the pilot cohort; confirm every pass/fail gate.
2. Confirm the rollback was tested at least once on the pilot (requirement 2.7).
3. Record results; the pilot is the proof that the guardrails and the cutover sequence are sound.

Stage E — Expand

Step 8 — Repeat per cohort, then expand

1. For each subsequent cohort in `Cohort Cutover Order – Fleet – Pilot`, repeat Steps 4–7 verbatim:

pre-cutover gate → cutover sequence → validate (or roll back).

1. Add the next cohort group to the cohort-scoped Conditional Access policy only after the prior cohort is Intune-only and stable — never widen Conditional Access ahead of the cutover.

1. After the final cohort, the migration-target groups cover the fleet; only then consider broadening Conditional Access to the full population.

1. Re-validate each cohort with `WS1COEX-Report.ps1` before moving on.

Order of operations

`Discover → Guardrails → Cohorts & order → Pre-cutover gate → Cutover sequence → Validate (or Rollback) → Repeat per cohort → Expand`

5. Testing Guide — Workspace ONE to Intune Coexistence & Cutover Runbook

Run these tests as the `Go/No-Go Checklist – Cohort – Validate`. They apply **per cohort**: once before cutover (the pre-cutover gate, Implementation Step 4) and again after cutover (the validate gate, Implementation Step 7). A cohort only proceeds when every gate in the relevant stage passes; any failure triggers the `Rollback Plan – Cohort – Validate`.

Pre-cutover gate (before Step 5)

Test 1 — Cohort group is correct

Do: Entra → **Groups** → the cohort group → **Members**; or run `WS1COEX-Validation.ps1`. **Expected:** Membership matches the intended cohort exactly — no extra or missing devices/users.

Test 2 — Conditional Access is cohort-scoped

Do: Entra → **Protection** → **Conditional Access**; check every compliance/enrollment policy. **Expected:** Each such policy includes the **cohort group**, not **All users**. No tenant-wide "require compliant device" is active during coexistence.

Test 3 — Target enrollment channel active

Do: Confirm the relevant connector/cert/token shows **Active** for the cohort's platform; run `WS1COEX-Validation.ps1`. **Expected:** Apple APNs / ABM-ADE, managed Google Play, or Windows automatic enrollment is **Active**.

Test 4 — No double-targeting for the cohort

Do: Compare Intune app/profile assignments for the cohort against still-active Workspace ONE assignments `[WS1 — see VMware docs]`. **Expected:** The same app/profile/certificate is not delivered by both platforms to this cohort at once.

Post-cutover gate (after Step 5)

Test 5 — Devices are Intune-managed and compliant

Do: Run `WS1COEX-Report.ps1` for the cohort, or Intune → **Devices** → **All devices**. **Expected:** Cohort devices are enrolled in Intune and report **compliant**.

Test 6 — No longer dual-managed

Do: Run `WS1COEX-Report.ps1`; review the management-state column. **Expected:** Cohort devices show **Intune-only** — not dual-managed (Workspace ONE assignment/enrollment removed) `[WS1 — see VMware docs]`.

Test 7 — No Conditional Access lockout

Do: With a pilot user in the cohort, confirm sign-in to a Conditional-Access-protected app succeeds; check Entra → **Sign-in logs**. **Expected:** The compliant Intune device satisfies the cohort-scoped policy; no unexpected block.

Test 8 — Rollback proven (pilot cohort only)

Do: On the pilot cohort, run `WS1COEX-Remediation.ps1 -WhatIf` then execute the rollback once, and confirm with `WS1COEX-Report.ps1`. **Expected:** The cohort returns to Workspace ONE management with no user lockout; state matches pre-cutover.

Pass/fail gate

Gate	Requirement
Pre-cutover go	Tests 1–4 pass for the cohort
Post-cutover go	Tests 5–7 pass for the cohort
Pilot complete	Tests 1–8 pass, including a proven rollback (Test 8)

Gate	Requirement
No-go → rollback	Any gate fails → execute `Rollback Plan – Cohort – Validate`, then diagnose before retry

6. Troubleshooting Guide — Workspace ONE to Intune Coexistence & Cutover Runbook

Use `WS1COEX-Discovery.ps1` and `WS1COEX-Validation.ps1` for state, `WS1COEX-Report.ps1` for the live management/compliance picture, and `WS1COEX-Remediation.ps1` (default `-WhatIf`) for the safe rollback helper. Workspace ONE-side actions are flagged `[WS1 — see VMware docs]`.

A. Conditional Access lockouts during coexistence

Symptom	Cause	Remediation
Users locked out of email/apps after a cutover	A compliance/enrollment Conditional Access policy is scoped to All users, or to a cohort whose devices are not yet Intune-compliant	Re-scope the policy to the **cohort group only**; confirm devices are compliant in Intune first (`WS1COEX-Report.ps1`); if needed, execute `Rollback Plan – Cohort – Validate` to remove the cohort from the policy
Cohort blocked even though enrolled	Devices enrolled but not yet reporting compliant	Wait for compliance to evaluate; re-run `WS1COEX-Report.ps1`; tighten Conditional Access only once compliant

B. Double management / conflicting policy

Symptom	Cause	Remediation
Device shows in both platforms after cutover	Source assignment/enrollment not removed	Remove the Workspace ONE assignment and retire the device from the source `[WS1 — see VMware docs]`; confirm Intune-only with `WS1COEX-Report.ps1`
Conflicting/duplicated profiles or settings	The same payload delivered by both platforms	Enforce the no-double-targeting rule from the `Coexistence Guardrails – Tenant – Configure`; remove one platform's assignment for that cohort

C. App and certificate conflicts

• The same app installed twice, or a certificate revoked unexpectedly, usually means both platforms targeted the cohort. Keep the source delivering until cutover, then remove the source assignment; re-issue the certificate from the surviving authority only `[WS1 — see VMware docs]`.

D. Cutover gate fails

• If `WS1COEX-Validation.ps1` fails a pre-cutover gate, do **not** proceed. Hold the cohort, fix the flagged item (enrollment channel, Conditional Access scope, double-targeting), and re-run the gate.

• If a post-cutover gate fails, execute the `Rollback Plan – Cohort – Validate` (`WS1COEX-Remediation.ps1 -WhatIf` to preview, then run for real).

E. Rollback did not fully revert

• Confirm the cohort group was removed from both the cohort-scoped Conditional Access policy **and** the Intune assignments; re-run `WS1COEX-Remediation.ps1 -WhatIf` to see remaining actions, then re-enroll/keep the device in Workspace ONE per the source console `[WS1 — see VMware docs]`. Verify with `WS1COEX-Report.ps1`.

F. Discovery shows unexpected dual-managed devices

• Devices appearing as dual-managed before any cutover indicate a prior overlap; quarantine them out of the current cohort, resolve the source enrollment `[WS1 — see VMware docs]`, then re-add to a later cohort.

G. When to escalate

If gates pass, Conditional Access is correctly cohort-scoped, devices report compliant in Intune, and users are still blocked or devices still show dual-managed after a clean rollback, collect the `WS1COEX-Report.ps1` output and the Entra **Sign-in logs** for the affected user and open a Microsoft support case (and a VMware case for source-side enrollment issues).

7. Best Practices — Workspace ONE to Intune Coexistence & Cutover Runbook

• **Never run a tenant-wide "require compliant device" during coexistence.** Scope every Conditional Access compliance/enrollment policy to the **current cohort group** and widen it one cohort at a time. This is the single most important guardrail against migration lockouts.

• **Pick one compliance authority and write it down.** Two compliance engines reporting to Conditional Access produce flapping compliant/non-compliant states. Let the target (Intune) own compliance for a cohort the moment it enrolls.

• **Cut over in cohorts, smallest and lowest-risk first.** A pilot cohort proves the guardrails and the cutover sequence before any high-impact group is touched.

• **Gate every cohort.** Apply the `Go/No-Go Checklist – Cohort – Validate` before and after each

cutover; a cohort that fails a gate rolls back rather than limping forward.

• **Test the rollback on the pilot before you need it in production.** A rollback that has never been run is not a rollback. Prove it once on the pilot cohort.

• **Never double-target the same app, profile, or certificate.** Keep the source delivering until the cohort cuts over, then remove the source assignment as part of the cutover — not before, not after.

• **Remove the source assignment as part of cutover, not later.** A device left dual-managed is a device waiting to receive conflicting policy. Confirm Intune-only with the status report.

• **Assign once, repeat everywhere.** Build the `Coexistence Guardrails – Tenant – Configure` one

time and reuse it verbatim per cohort; only the cohort group changes between waves.

• **Report before every gate.** Run `WS1COEX-Report.ps1` so go/no-go decisions are based on the live management state, not assumptions.

• **Defer Workspace ONE internals to VMware.** Perform source-console actions per VMware's documentation; this runbook flags them rather than guessing at a console that changes independently.

• **Communicate the window to users.** A short note about the cutover and what to expect dramatically reduces tickets during the coexistence period.

• **Document each cohort's result.** Record gate outcomes, the cutover date, and any rollback for audits and repeatability across the remaining waves.

8. Deliverables Summary — Workspace ONE to Intune Coexistence & Cutover Runbook

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box
1. Solution Overview	The coexistence model, the risks (double management, Conditional Access, app conflicts), the cutover sequence, go/no-go gates, and rollback — and *why*
2. Requirements Guide	Every coexistence/cutover prerequisite with Verify / Implement-if-missing
Global Requirements (Migrations)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered steps: guardrails, cohorts, per-cohort cutover sequence, validate, rollback, expand

Document	Purpose
5. Testing Guide	The `Go/No-Go Checklist – Cohort – Validate` with pass/fail gates
6. Troubleshooting Guide	Field issues and remediation
7. Best Practices	Field-proven recommendations for the assign-once, repeat-everywhere model

PowerShell scripts

Script	What it does
`WS1COEX-Discovery.ps1`	Read-only. Inventories target managed devices, flags dual-managed devices, and snapshots Conditional Access policies and cohort groups
`WS1COEX-Validation.ps1`	Read-only. Per-device cutover-readiness gate: enrollment channel, Conditional Access scope, double-targeting, reachability
`WS1COEX-Report.ps1`	Read-only. Coexistence/cutover status report: Workspace ONE-only / Intune-only / dual-managed / compliant per device
`WS1COEX-Remediation.ps1`	Safe remediation and rollback helper (default `-WhatIf`); removes a cohort from cohort-scoped Conditional Access and Intune assignments to revert a cutover
`WS1COEX-Set-CohortTargeting.ps1`	Builds a cohort Entra security group and sets its membership (default `-WhatIf`)

Named artifacts (reuse verbatim)

Artifact	Scope · Stage
`Coexistence Guardrails – Tenant – Configure`	One compliance authority, scoped Conditional Access, no-double-targeting
`Cohort Cutover Order – Fleet – Pilot`	The risk-ordered cohort sequence
`Go/No-Go Checklist – Cohort – Validate`	The per-cohort gate (Testing Guide)
`Cutover Sequence – Cohort – Validate`	The ordered per-cohort cutover steps
`Rollback Plan – Cohort – Validate`	The tested per-cohort rollback

What the buyer receives

- This runbook as a branded **Word** document and **PDF**.

- All five **PowerShell scripts** in a single ZIP (read-only discovery/validation/report; `-WhatIf`-default remediation and cohort builder).
- A repeatable process: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand**, with a per-cohort go/no-go gate and a tested rollback.

Outcome

A controlled transition while both MDMs run in parallel — guardrails against double management, go/no-go gates, a per-cohort cutover sequence, and a tested rollback — proven on a pilot cohort before you scale.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

WS1COEX-Discovery.ps1

Purpose: Inventories Windows/Apple/Android devices managed in the Intune target, flags likely DUAL-MANAGED devices (still carrying a Workspace ONE / AirWatch management agent while present in Intune), and snapshots Conditional Access policies and Entra cohort groups so you can baseline before any cutover. Read-only against Microsoft Graph. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1COEX-Discovery.ps1 -CsvPath C:\Temp\ws1coex-discovery.csv Requires the Microsoft Graph PowerShell SDK. Consents to read-only scopes: DeviceManagementManagedDevices.Read.All, Policy.Read.All, Group.Read.All. EXPECTED RESULTS A summary of devices by management state (Intune-only vs likely dual-managed), a list of Conditional Access policies that require a compliant/Entra-joined device, the existing cohort groups, and an optional per-device CSV. No changes are made. NOTE: Workspace ONE-side enrollment is authoritative in the source console — see VMware docs; this script infers dual management from Intune-side signals only. #> [CmdletBinding()] param([string]$CsvPath)

How to run: powershell -ExecutionPolicy Bypass -File .\WS1COEX-Discovery.ps1 -CsvPath C:\Temp\ws1coex-discovery.csv Requires the Microsoft Graph PowerShell SDK. Consents to read-only scopes: DeviceManagementManagedDevices.Read.All, Policy.Read.All, Group.Read.All. EXPECTED RESULTS A summary of devices by management state (Intune-only vs likely dual-managed), a list of Conditional Access policies that require a compliant/Entra-joined device, the existing cohort groups, and an optional per-device CSV. No changes are made. NOTE: Workspace ONE-side enrollment is authoritative in the source console — see VMware docs; this script infers dual management from Intune-side signals only. #> [CmdletBinding()] param([string]$CsvPath)

WS1COEX-Remediation.ps1

Purpose: Executes the Rollback Plan – Cohort – Validate when a go/no-go gate fails: it removes a cohort group from the cohort-scoped Conditional Access policy (so a not-yet-compliant cohort is no longer blocked) and removes the cohort group from a named Intune configuration/compliance policy assignment (so the cohort stops drawing target policy). This returns the cohort toward Workspace ONE management with no user lockout. SAFETY: runs in -WhatIf mode BY DEFAULT — it only PREVIEWS the changes. Re-run with -Execute (and without -WhatIf) to apply them. Re-enrolling/retaining the device in Workspace ONE is performed in the source console (see VMware docs); this helper covers the Intune/Entra side only. HOW TO RUN Preview (default): powershell -ExecutionPolicy Bypass -File .\WS1COEX-Remediation.ps1 -CohortGroupId -CaPolicyId Apply: powershell -ExecutionPolicy Bypass -File .\WS1COEX-Remediation.ps1 -CohortGroupId -CaPolicyId -Execute Requires the Microsoft Graph PowerShell SDK. Scopes (write): Policy.ReadWrite.ConditionalAccess, DeviceManagementConfiguration.ReadWrite.All, Group.Read.All. EXPECTED RESULTS In preview: a list of the exact removals that WOULD occur. When applied: the cohort group is removed from the named CA policy's include-groups and from the named Intune policy assignment; re-run WS1COEX-Report.ps1 to confirm the cohort is reverting to its pre-cutover state. #> [CmdletBinding(SupportsShouldProcess,ConfirmImpact='High')] param([Parameter(Mandatory)][string]$CohortGroupId, [string]$CaPolicyId, [string]$IntunePolicyId, [switch]$Execute)

How to run: Preview (default): powershell -ExecutionPolicy Bypass -File .\WS1COEX-Remediation.ps1 -CohortGroupId <guid> -CaPolicyId <guid> Apply: powershell -ExecutionPolicy Bypass -File .\WS1COEX-Remediation.ps1 -CohortGroupId <guid> -CaPolicyId <guid> -Execute Requires the Microsoft Graph PowerShell SDK. Scopes (write): Policy.ReadWrite.ConditionalAccess, DeviceManagementConfiguration.ReadWrite.All, Group.Read.All. EXPECTED RESULTS In preview: a list of the exact removals that WOULD occur. When applied: the cohort group is removed from the named CA policy's include-groups and from the named Intune policy assignment; re-run WS1COEX-Report.ps1 to confirm the cohort is reverting to its pre-cutover state. #> [CmdletBinding(SupportsShouldProcess,ConfirmImpact='High')] param([Parameter(Mandatory)][string]$CohortGroupId, [string]$CaPolicyId, [string]$IntunePolicyId, [switch]$Execute)

WS1COEX-Report.ps1

Purpose: Produces the live management-state picture used for go/no-go decisions: for each managed device, whether it is Intune-only or likely DUAL-MANAGED (still carrying a Workspace ONE / AirWatch agent), plus its compliance state and last sync. Optionally narrows the report to a single cohort group. Read-only against Microsoft Graph. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1COEX-Report.ps1 -CsvPath C:\Temp\ws1coex-status.csv (optional) -CohortGroupId Requires the Microsoft Graph PowerShell SDK. Scopes: DeviceManagementManagedDevices.Read.All, Group.Read.All. EXPECTED RESULTS Counts by management state (Intune-only / likely dual-managed) and compliance, and a per-device CSV. After a clean cutover a cohort should be Intune-only and compliant. NOTE: dual-management is inferred from Intune-side signals only — the Workspace ONE console is authoritative for source enrollment (see VMware docs). #> [CmdletBinding()] param([string]$CsvPath,[string]$CohortGroupId)

How to run: powershell -ExecutionPolicy Bypass -File .\WS1COEX-Report.ps1 -CsvPath C:\Temp\ws1coex-status.csv (optional) -CohortGroupId <entra-group-guid> Requires the Microsoft Graph PowerShell SDK. Scopes: DeviceManagementManagedDevices.Read.All, Group.Read.All. EXPECTED RESULTS Counts by management state (Intune-only / likely dual-managed) and compliance, and a per-device CSV. After a clean cutover a cohort should be Intune-only and compliant. NOTE: dual-management is inferred from Intune-side signals only — the Workspace ONE console is authoritative for source enrollment (see VMware docs). #> [CmdletBinding()] param([string]$CsvPath,[string]$CohortGroupId)

WS1COEX-Set-CohortTargeting.ps1

Purpose: Creates (or reuses) a Microsoft Entra security group for one cutover cohort and adds the supplied members (user UPNs and/or device object IDs), so the cohort can be targeted by the Coexistence Guardrails, the cohort-scoped Conditional Access policy, and the Intune assignments. Name the group with the runbook convention, e.g. "Cutover Cohort - Pilot - Stage1". SAFETY: runs in -WhatIf mode BY DEFAULT — it only PREVIEWS the group creation and membership adds. Re-run with -Execute (and without -WhatIf) to apply them. HOW TO RUN Preview (default): powershell -ExecutionPolicy Bypass -File .\WS1COEX-Set-CohortTargeting.ps1 ` -CohortGroupName "Cutover Cohort - Pilot - Stage1" -MemberUpn user1@contoso.com,user2@contoso.com Apply: ... -Execute Requires the Microsoft Graph PowerShell SDK. Scopes (write): Group.ReadWrite.All, User.Read.All. EXPECTED RESULTS In preview: the group that WOULD be created/reused and the members that WOULD be added. When applied: the cohort group exists with the requested membership; its object id is printed for use with WS1COEX-Validation.ps1 / WS1COEX-Report.ps1 / WS1COEX-Remediation.ps1. #>

[CmdletBinding(SupportsShouldProcess,ConfirmImpact='Medium')] param([Parameter(Mandatory)][string]$CohortGroupName, [string[]]$MemberUpn, [string[]]$MemberDeviceObjectId, [switch]$Execute)

How to run: Preview (default): powershell -ExecutionPolicy Bypass -File .\WS1COEX-Set-CohortTargeting.ps1 ` -CohortGroupName "Cutover Cohort - Pilot - Stage1" -MemberUpn user1@contoso.com,user2@contoso.com Apply: ... -Execute Requires the Microsoft Graph PowerShell SDK. Scopes (write): Group.ReadWrite.All, User.Read.All. EXPECTED RESULTS In preview: the group that WOULD be created/reused and the members that WOULD be added. When applied: the cohort group exists with the requested membership; its object id is printed for use with WS1COEX-Validation.ps1 / WS1COEX-Report.ps1 / WS1COEX-Remediation.ps1. #> [CmdletBinding(SupportsShouldProcess,ConfirmImpact='Medium')] param([Parameter(Mandatory)][string]$CohortGroupName, [string[]]$MemberUpn, [string[]]$MemberDeviceObjectId, [switch]$Execute)

WS1COEX-Validation.ps1

Purpose: Runs the pre-cutover go/no-go checks for one cohort group: (1) the cohort group exists and has members; (2) every Conditional Access policy that requires a compliant/Entra-joined device is scoped to a cohort group, NOT All users; (3) the cohort's devices are present and reporting a compliance state in Intune. Read-only against Microsoft Graph — it decides GO / NO-GO, it does not change anything. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1COEX-Validation.ps1 -CohortGroupId (or) -CohortGroupName "Cutover Cohort - Pilot - Stage1" Requires the Microsoft Graph PowerShell SDK. Scopes: Group.Read.All, DeviceManagementManagedDevices.Read.All, Policy.Read.All. EXPECTED RESULTS A PASS/FAIL line per gate and an overall GO / NO-GO verdict for the cohort. A NO-GO means hold the cohort and remediate before running the cutover sequence. NOTE: Workspace ONE enrollment-channel and source-assignment checks are deferred to the Workspace ONE console — see VMware docs. #> [CmdletBinding(DefaultParameterSetName='ById')] param([Parameter(ParameterSetName='ById',Mandatory)][string]$CohortGroupId, [Parameter(ParameterSetName='ByName',Mandatory)][string]$CohortGroupName)

How to run: powershell -ExecutionPolicy Bypass -File .\WS1COEX-Validation.ps1 -CohortGroupId <entra-group-guid> (or) -CohortGroupName "Cutover Cohort - Pilot - Stage1" Requires the Microsoft Graph PowerShell SDK. Scopes: Group.Read.All, DeviceManagementManagedDevices.Read.All, Policy.Read.All. EXPECTED RESULTS A PASS/FAIL line per gate and an overall GO / NO-GO verdict for the cohort. A NO-GO means hold the cohort and remediate before running the cutover sequence. NOTE: Workspace ONE enrollment-channel and source-assignment checks are deferred to the Workspace ONE console — see VMware docs. #> [CmdletBinding(DefaultParameterSetName='ById')] param([Parameter(ParameterSetName='ById',Mandatory)][string]$CohortGroupId, [Parameter(ParameterSetName='ByName',Mandatory)][string]$CohortGroupName)