Endpoint Health & Digital Experience Monitoring

Implementation Solution Guide

Version 1.0.0 · 2026-06-28

Contents

Executive Summary — Endpoint Health & Digital Experience Monitoring (Microsoft Intune) 4

What you get . . . 4

What this delivers . . . 4

The repeatable deployment model . . . 4

Outcome . . . 4

1. Solution Overview — Endpoint Health & Digital Experience Monitoring 5

What endpoint health and digital experience monitoring is . . . 5

Why it matters . . . 5

How it works . . . 5

What you can see and control . . . 6

Where a dedicated DEX platform fits (optional) . . . 6

Limitations (be honest with buyers) . . . 6

Object naming convention (used throughout) . . . 6

The repeatable deployment model . . . 6

2. Requirements Guide — Endpoint Health & Digital Experience Monitoring 7

2.1 Licensing . . . 7

2.2 Device enrollment . . . 7

2.3 Supported Windows OS . . . 7

2.4 Endpoint analytics enabled . . . 7

2.5 Device data collection / diagnostic data . . . 7

2.6 Network access for Endpoint analytics telemetry . . . 8

2.7 Baseline period (data warm-up) . . . 8

2.8 (Optional) Dedicated DEX platform licensing . . . 8

Checklist . . . 8

3. Implementation Guide — Endpoint Health & Digital Experience Monitoring 8

Step 1 — Enable Endpoint analytics . . . 9

Step 2 — Create the pilot group . . . 9

Step 3 — Confirm device data collection . . . 9

Step 4 — Let the pilot collect a baseline . . . 9

Step 5 — Interpret the scores . . . 10

Step 6 — Wire proactive remediations for common issues . . . 10

Step 7 — (Optional) Integrate a dedicated DEX platform . . . 10

Step 8 — Validate the pilot . . . 10

Step 9 — Expand to production . . . 11

5. Testing Guide — Endpoint Health & Digital Experience Monitoring 11

Test 1 — Endpoint analytics is enabled and reporting . . . 11
Test 2 — Pilot devices are onboarded for analytics . . . 11
Test 3 — Startup performance data is present . . . 11
Test 4 — Application reliability data is present . . . 11
Test 5 — Resource performance data is present . . . 12
Test 6 — Proactive remediation runs and fixes . . . 12
Test 7 — Fleet report . . . 12
Pass/fail gate . . . 12
6. Troubleshooting Guide — Endpoint Health & Digital Experience Monitoring 12
A. No data / scores not appearing . . . 12
B. Device not reporting telemetry . . . 12
C. Startup / resource scores look wrong or volatile . . . 13
D. Proactive remediation not running or not fixing . . . 13
E. Optional DEX platform issues . . . 13
F. Diagnostics quick reference . . . 13
G. When to escalate . . . 13
7. Best Practices — Endpoint Health & Digital Experience Monitoring 14
8. Deliverables Summary — Endpoint Health & Digital Experience Monitoring 14
Documentation . . . 14
PowerShell scripts . . . 15
What the buyer receives . . . 15
Outcome . . . 15
Appendix A — PowerShell Scripts 16

Executive Summary — Endpoint Health & Digital Experience Monitoring (Microsoft Intune)

Most endpoint problems are invisible until a user complains: slow boots, app crashes, failing disks, battery wear, devices that never restart. By then the productivity is already lost. This package stands up **endpoint health and digital experience monitoring** using `Microsoft Intune Endpoint analytics` — startup performance, application reliability, work-from-anywhere, and resource performance scores — with `proactive remediations` that fix common degradations automatically, so you find and resolve issues before the help-desk call.

This is a complete, deploy-it-today package, written for an administrator with no prior experience-monitoring background. It centers on the built-in Intune capability and treats a dedicated digital-experience (DEX) platform such as Nexthink or Tanium as an **optional** integration path — useful where deeper telemetry is required, with vendor-specific setup deferred to that vendor's own documentation.

What you get

- A plain-language **Solution Overview** of Endpoint analytics (startup, app reliability, work-from-anywhere, resource performance), the Endpoint analytics score, and proactive remediations.
- A **Requirements Guide** with verify / implement-if-missing for every prerequisite, including the baseline period and optional DEX licensing.
- An **Implementation Guide** of precise, click-by-click steps in the Intune admin center, in the required order.
- Five **PowerShell scripts** for monitoring-readiness discovery, device data-collection validation, a fleet health-score and issues report, safe remediation of common degradations, and a monitoring-scope group builder.
- **Testing** and **Troubleshooting** guides for a confident rollout.

What this delivers

A working **endpoint health and digital experience monitoring** layer — Endpoint analytics enabled, devices onboarded and reporting, a baseline established, scores interpreted, and proactive remediations wired for the most common issues — proven on a pilot before it scales, with an optional path to a dedicated DEX platform when you need it.

The repeatable deployment model

Assess → Configure → Pilot → Validate → Expand.

Outcome

Proactive visibility into how every endpoint really performs — startup, reliability, and resource health scored and trending, common issues remediated quietly — deployable by a single administrator and

validated on a pilot before fleet rollout.

1. Solution Overview — Endpoint Health & Digital Experience Monitoring

What endpoint health and digital experience monitoring is

Digital experience monitoring (DEX) measures how technology actually *feels* to the people using it — not just whether a server is up, but whether a laptop boots quickly, apps stay responsive, and hardware is healthy. `Microsoft Intune Endpoint analytics` is the built-in DEX capability in Intune: it collects telemetry from enrolled Windows devices and turns it into scores and recommendations for startup performance, application reliability, work-from-anywhere readiness, and resource performance. This solution stands that capability up end to end, and treats a dedicated DEX platform (such as Nexthink or Tanium) as an optional path for organizations needing deeper telemetry.

Why it matters

Reactive support is expensive and invisible until users complain. By the time a slow-booting laptop or a crash-prone app generates a ticket, productivity is already lost. Endpoint analytics flips this: degradations surface as falling scores and named recommendations *before* the call, so you fix the trend instead of the symptom.

How it works

1. You enable `Endpoint analytics` in the Intune admin center and choose the data sources (Intune enrolled devices, and optionally Configuration Manager devices).

1. Enrolled Windows devices send device-performance telemetry; Intune aggregates it into an **Endpoint analytics score** (0–100) with sub-scores.

1. `Startup performance` scores boot and sign-in time and breaks it down (core boot, group policy, sign-in) so you can see what is slow.

1. `Application reliability` scores app crashes and hangs per app and per device, surfacing the least reliable apps in your fleet.

1. `Work from anywhere` reports modern-management readiness (cloud identity, cloud management, Windows, and Autopilot eligibility).

1. `Resource performance` scores CPU and RAM (spike time) so you can spot under-resourced devices.

2. `Proactive remediations` run script packages (detection + remediation) on a schedule to fix common issues automatically and report on what they found.

1. A **baseline** lets you compare your scores against your own history or a tenant/industry median, so you measure improvement over time.

What you can see and control

- The overall **Endpoint analytics score** and its startup, reliability, work-from-anywhere, and resource sub-scores, trended over time.
- Per-device and per-model breakdowns so you can target the worst offenders.
- The list of **model scores** to see whether a specific hardware model drags the fleet down.
- **Recommended software** and configuration changes Intune surfaces to raise the score.
- **Proactive remediation** packages (detect + fix) scoped to groups, with run history and output.
- A **baseline** you set once so every later report is measured against it.

Where a dedicated DEX platform fits (optional)

Endpoint analytics covers the most valuable signals for most organizations at no extra cost. A dedicated DEX platform (Nexthink, Tanium, or similar) adds deeper real-time telemetry, richer sentiment/experience scoring, and broader OS coverage where that is required. This solution treats such a platform as an **optional integration path**: decide whether you need it, license it, then follow the **vendor's own documentation** to deploy its collector and dashboards. We do not reproduce vendor-specific setup here — the repeatable core is Endpoint analytics.

Limitations (be honest with buyers)

- Endpoint analytics primarily covers **Windows** enrolled (and Configuration Manager-attached) devices; macOS/mobile experience monitoring needs a dedicated DEX platform.
- Scores require a **data-collection period** — a fresh tenant shows limited data until devices have reported for several days (the baseline period).
- It measures **performance and reliability signals**, not deep root-cause forensics; complex issues may still need device logs.
- Some sub-scores depend on **diagnostic data** being enabled and devices checking in regularly.
- A dedicated DEX platform is a **separate licensed product** — its setup, cost, and capabilities are the vendor's, not part of this solution.

Object naming convention (used throughout)

Every object you create is named `<Purpose> – <Scope> – <Stage>` so it is self-documenting and repeatable. Examples reused verbatim later: `Endpoint Analytics – Pilot Devices – Monitoring`, `Endpoint Analytics – All Windows – Monitoring`, `Proactive Remediation – Restart Stale Devices – Pilot`.

The repeatable deployment model

Enable Endpoint analytics → onboard devices and set a baseline → interpret scores → wire proactive remediations → pilot → validate → expand. The repeatable way: ***Assess*** *→* ***Configure*** *→* ***Pilot*** *→* ***Validate*** *→* ***Expand.***

2. Requirements Guide — Endpoint Health & Digital Experience Monitoring

Verify **every** requirement before configuring. Each entry: Description · Why · Verify · Implement-if-missing. Category-wide prerequisites are in `global-requirements-infrastructure.md`.

2.1 Licensing

Description: Microsoft Intune (Plan 1). Endpoint analytics is included at no extra cost. Why: Endpoint analytics is delivered by Intune; proactive remediations require Intune (and, for device-scoped remediations, an eligible Windows Enterprise/Education entitlement). Verify: M365 admin center → **Billing** → **Licenses**; Intune is assigned. Implement: Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

2.2 Device enrollment

Description: Targeted Windows devices enrolled in Intune (or Configuration Manager-attached). Why: Endpoint analytics only scores devices it manages and that report telemetry. Verify: Intune → **Devices** → **All devices**; targeted devices appear. Run `EHEM-Discovery.ps1`. Implement: Enable automatic enrollment; Entra-join and enroll the devices.

2.3 Supported Windows OS

Description: Windows 10 (Pro/Enterprise/Education) or Windows 11, current build. Why: Endpoint analytics data collection and proactive remediations require a supported build. Verify: `winver`; run `EHEM-Discovery.ps1`. Implement: Patch/upgrade to a supported build (deploy update rings or upgrade to Windows 11).

2.4 Endpoint analytics enabled

Description: Endpoint analytics is turned on for the tenant with a data source selected. Why: No scores or reports exist until the capability is enabled and devices are onboarded. Verify: `https://intune.microsoft.com` → **Reports** → **Endpoint analytics**; the dashboard loads with a score (not the "get started" prompt). Implement: Enable it in Implementation Step 1 (Reports → Endpoint analytics → Start).

2.5 Device data collection / diagnostic data

Description: Devices send the device-performance telemetry Endpoint analytics uses, with required diagnostic data permitted by policy. Why: Startup, reliability, and resource sub-scores depend on this telemetry; remediation output reporting benefits from it too. Verify: Intune → **Reports** → **Endpoint analytics** → **Settings**; devices show as **enrolled** for analytics. Run `EHEM-Validation.ps1` on a device. Implement: Confirm the Endpoint analytics data collection policy is assigned; ensure no policy forces

diagnostic data below the required level.

2.6 Network access for Endpoint analytics telemetry

Description: Outbound HTTPS from devices to the Intune/Endpoint analytics and Microsoft telemetry endpoints. Why: Devices must reach the service to upload performance data. Verify: From a device, reach `https://login.microsoftonline.com` and the Microsoft telemetry/Intune endpoints (see Microsoft's published URL list). Implement: Allow the Microsoft 365 / Intune / connected-experiences URL and IP ranges through the proxy/firewall.

2.7 Baseline period (data warm-up)

Description: A short period (typically several days) after onboarding before scores are meaningful. Why: Scores are computed from collected telemetry; a fresh tenant has too little data to trust. Verify: Endpoint analytics → **Startup performance** shows device counts climbing day over day. Implement: Onboard the pilot, then wait the baseline period before judging scores (the pilot gate).

2.8 (Optional) Dedicated DEX platform licensing

Description: Licensing and tenant for a dedicated DEX platform (e.g. Nexthink, Tanium) — only if you need deeper telemetry than Endpoint analytics provides. Why: A dedicated platform is a separate product with its own collector, console, and cost. Verify: Confirm the platform subscription and admin access exist. Implement: Acquire the licensing, then follow the **vendor's own documentation** to deploy its collector and dashboards. Vendor-specific steps are intentionally out of scope here.

Checklist

- Intune licensing assigned
- Devices enrolled (or Configuration Manager-attached) — `EHEM-Discovery.ps1`
- Windows 10/11 supported build — `EHEM-Discovery.ps1`
- Endpoint analytics enabled with a data source
- Device data collection / diagnostic data permitted — `EHEM-Validation.ps1`
- Network allows Endpoint analytics telemetry
- Baseline period planned (data warm-up = pilot gate)
- Pilot Entra group created (`Endpoint Analytics – Pilot Devices – Monitoring`)
- (Optional) Dedicated DEX platform licensed — vendor docs for setup

3. Implementation Guide — Endpoint Health & Digital Experience Monitoring

Follow these steps **in order**, in the **Microsoft Intune admin center** (`https://intune.microsoft.com`). Navigation for the dashboard is `Reports → Endpoint`

`analytics`.

> ***Model:*** *Enable Endpoint analytics, onboard a small **pilot**, let it collect a **baseline**, interpret the scores, wire **proactive remediations** for common issues, validate, then expand to the fleet. The pilot's baseline period is the gate.*
>
> ***Naming:*** *every object is named `<Purpose> – <Scope> – <Stage>`. Reuse the names below verbatim.*

Step 1 — Enable Endpoint analytics

1. Go to `Reports` → `Endpoint analytics`.
2. On the **Overview** tab, select **Start** (first run only). This enables the capability.
3. Open the **Settings** tab and confirm the data source includes **Intune enrolled devices** (add **Configuration Manager** devices only if you use co-management).
1. Leave the default startup-performance data collection on. Endpoint analytics begins collecting from enrolled devices.

Step 2 — Create the pilot group

1. Entra → **Groups** → **New group** → **Security**.
2. **Name:** `Endpoint Analytics – Pilot Devices – Monitoring`. Add a few representative devices (mix of models). **Create**.
1. (Optional, for later) create `Endpoint Analytics – All Windows – Monitoring` for the broad scope — or use the script `EHEM-Set-MonitoringScopeTargeting.ps1` to build it.

Step 3 — Confirm device data collection

1. In `Reports` → `Endpoint analytics` → `Settings`, confirm devices are enrolling for analytics.
2. On a pilot device, run `EHEM-Validation.ps1` to confirm the device is reporting and diagnostic data is at the required level.
1. If devices are not appearing, ensure they are enrolled and have synced (`EHEM-Remediation.ps1` can force a sync).

Step 4 — Let the pilot collect a baseline

1. Allow the **baseline period** (typically several days) for the pilot devices to report.
2. Watch device counts climb in **Startup performance**, **Application reliability**, and **Resource performance**.
1. Do not judge scores until enough data has accrued — this warm-up is the pilot gate.

Step 5 — Interpret the scores

1. **Overview** — read the overall Endpoint analytics score (0–100) and the four sub-scores.

2. **Startup performance** — sort by **Core boot time** and **Core sign-in time**; note the slowest

models and devices.

1. **Application reliability** — review the least reliable apps (crashes/hangs) across the pilot.

2. **Resource performance** — find devices with high CPU/RAM spike time (under-resourced hardware).

3. **Work from anywhere** — review cloud-management and Autopilot readiness gaps.

4. Run `EHEM-Report.ps1` to pull the same scores and the top issues into a summary you can share.

Step 6 — Wire proactive remediations for common issues

1. Go to `Reports` → `Endpoint analytics` → `Proactive remediations` → `Create script package`.

2. **Name:** `Proactive Remediation – Restart Stale Devices – Pilot` (this example nudges devices

that have not restarted in N days — a frequent cause of slow, flaky endpoints).

1. Upload a **detection** script and a **remediation** script (Microsoft publishes sample packages;

start from those, or use your own tested scripts). Set **Run this script using the logged-on credentials** as appropriate and **Enforce script signature check** per your policy.

1. **Scope tags / Assignments** → **Add groups** → `Endpoint Analytics – Pilot Devices – Monitoring`. Set

the schedule (e.g. daily). **Create**.

1. Repeat for other common issues you found in Step 5 (e.g. clear temp files, reset a stuck service),

each named `Proactive Remediation – <Issue> – Pilot`.

Step 7 — (Optional) Integrate a dedicated DEX platform

1. Only if Step 5 shows you need deeper telemetry than Endpoint analytics provides, and you have

licensing (Requirement 2.8).

1. Follow the **vendor's own documentation** (Nexthink, Tanium, etc.) to deploy the collector to a

pilot group and stand up its console. Vendor-specific steps are intentionally out of scope here — use the vendor's deployment guide.

1. Keep Endpoint analytics running alongside it; treat the dedicated platform as additive.

Step 8 — Validate the pilot

1. Run `EHEM-Validation.ps1` on pilot devices → confirms they are reporting for analytics.

2. Run `EHEM-Report.ps1` → confirms scores and the top issues are populated.

3. Confirm each proactive remediation shows **run history** with detections and successful fixes in `Proactive remediations → (package) → Device status`. Complete the **Testing Guide**.

Step 9 — Expand to production

1. Re-point (or re-create) the proactive remediation assignments to `Endpoint Analytics – All Windows – Monitoring` once the pilot passes.
1. Continue to monitor the overall score trend; chase the worst models/devices.
2. Re-validate each cycle with `EHEM-Report.ps1`; add new remediation packages as new common issues

emerge.

Order of operations

`Enable analytics → pilot group → confirm data collection → baseline period → interpret scores → proactive remediations → (optional DEX platform) → validate → expand`

5. Testing Guide — Endpoint Health & Digital Experience Monitoring

Run after the pilot has collected its baseline (Implementation Step 4) and after wiring proactive remediations (Step 6). Repeat each monitoring cycle.

Test 1 — Endpoint analytics is enabled and reporting

Do: `Reports → Endpoint analytics → Overview`. **Expected:** A score (0–100) and the four sub-scores are shown — not the "get started" prompt.

Test 2 — Pilot devices are onboarded for analytics

Do: On a pilot device run `EHEM-Validation.ps1`; cross-check `Endpoint analytics → Settings`. **Expected:** The device reports as enrolled for analytics; diagnostic data is at the required level.

Test 3 — Startup performance data is present

Do: `Endpoint analytics → Startup performance`; or run `EHEM-Report.ps1`. **Expected:** Pilot devices appear with boot/sign-in times; counts grew over the baseline period.

Test 4 — Application reliability data is present

Do: `Endpoint analytics → Application reliability`. **Expected:** Apps are listed with crash/hang scores for the pilot devices.

Test 5 — Resource performance data is present

Do: `Endpoint analytics` → `Resource performance`. **Expected:** Devices show CPU/RAM spike-time scores; outliers are identifiable.

Test 6 — Proactive remediation runs and fixes

Do: `Endpoint analytics` → `Proactive remediations` → open the pilot package → **Device status**. **Expected:** Run history shows detections and successful remediations on pilot devices.

Test 7 — Fleet report

Do: Run `EHEM-Report.ps1`. **Expected:** A clear summary of the overall/sub-scores and the top startup, reliability, and resource issues across the monitored devices.

Pass/fail gate

Gate	Requirement
Pilot pass	Tests 1–6 pass; the baseline period completed and scores are populated for the pilot
Broad pass	Tests 1, 3–5, 7 pass for the broad scope, and remediation run history is healthy

6. Troubleshooting Guide — Endpoint Health & Digital Experience Monitoring

Use `EHEM-Validation.ps1` / `EHEM-Discovery.ps1` for device state, `EHEM-Report.ps1` for fleet scores, and `EHEM-Remediation.ps1` (default `-WhatIf`) for safe fixes.

A. No data / scores not appearing

Symptom	Cause	Remediation
Overview shows "get started", no score	Endpoint analytics not enabled	Reports → Endpoint analytics → Start (Implementation Step 1)
Devices missing from analytics	Not enrolled, not synced, or data collection blocked	Run `EHEM-Validation.ps1`; confirm enrollment; run `EHEM-Remediation.ps1` to force a sync
Scores look empty after enabling	Baseline period not elapsed	Wait the data warm-up; watch device counts climb day over day

B. Device not reporting telemetry

- Confirm the device is enrolled and checking in (Intune → device → **last check-in**).

• Confirm diagnostic data is not forced below the required level by another policy; run `EHEM-Validation.ps1`.

• Confirm the device can reach the Microsoft telemetry/Intune endpoints through the proxy/firewall (Requirement 2.6).

C. Startup / resource scores look wrong or volatile

• Low device counts produce volatile averages — wait for more data and judge the **trend**.

• A single bad model can skew the fleet score; use the **model** breakdown to isolate it rather than reacting to the overall number.

D. Proactive remediation not running or not fixing

Symptom	Cause	Remediation
Package shows no run history	Not assigned, or device not synced	Confirm assignment to the scope group; run `EHEM-Remediation.ps1` (sync); check schedule
Detection runs, remediation skipped	Detection script exit code not signalling "issue found"	Detection must exit non-zero (or per package contract) to trigger remediation; re-test the script
Remediation blocked	Signature check on, script unsigned	Sign the script or adjust the package's signature-check setting per policy

E. Optional DEX platform issues

• Endpoint analytics is the supported core here. For a dedicated DEX platform (Nexthink, Tanium, etc.), collector/console problems are **vendor-specific** — use the vendor's documentation and support. Confirm only that the platform is licensed and its collector reaches its own service.

F. Diagnostics quick reference

```
Get-ComputerInfo | Select-Object WindowsProductName, OsBuildNumber, WindowsVersion
Get-CimInstance Win32_OperatingSystem | Select-Object LastBootUpTime   # restart age
dsregcmd /status                                                       # Entra join / MDM state
```

Force a management sync from the device, then re-check after a policy cycle:

```
Start-Process "$env:WINDIR\System32\deviceenroller.exe" -ArgumentList "/c /AutoEnrollMDM" -WindowStyle Hid
```

G. When to escalate

If the device is enrolled, syncing, diagnostic data is permitted, the network reaches the service, and the device still does not appear in Endpoint analytics after the baseline period, collect `dsregcmd /status` output and the device's last check-in time and open a Microsoft support case. For dedicated DEX platform

problems, escalate to that vendor.

7. Best Practices — Endpoint Health & Digital Experience Monitoring

• **Pilot first, always.** Onboard a small representative pilot and let it collect a baseline before judging scores — the baseline period is the gate that keeps you from chasing noise.

• **Name everything consistently.** Use `<Purpose> – <Scope> – <Stage>` for every group and remediation package (e.g. `Proactive Remediation – Restart Stale Devices – Pilot`) so the tenant stays self-documenting and repeatable.

• **Trend, don't snapshot.** A single score means little; watch the overall and sub-scores move over weeks and react to declines, not one-off dips.

• **Target the worst models and devices.** Endpoint analytics breaks scores down by model and device — fix the heaviest offenders first for the biggest fleet-wide gain.

• **Start remediations from tested packages.** Begin with Microsoft's sample proactive-remediation packages or your own validated scripts; pilot every package before broad assignment and review its run history.

• **Keep remediations safe and reversible.** Detection scripts should be read-only; remediation scripts should do one well-understood thing and log what they changed.

• **Don't over-collect.** Enable the diagnostic data Endpoint analytics needs and no more; respect your data-governance policy.

• **Treat a dedicated DEX platform as additive and optional.** Only adopt Nexthink/Tanium when Endpoint analytics genuinely falls short, and follow the vendor's own documentation for its setup.

• **Close the loop with users.** Pair proactive fixes (e.g. restart nudges) with a short user message to reduce confusion and tickets.

• **Document the cadence.** Record which scores you review, on what schedule, and which remediation packages run where — for audits and repeatability.

8. Deliverables Summary — Endpoint Health & Digital Experience Monitoring

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box

Document	Purpose
1. Solution Overview	What endpoint health/DEX monitoring is, the Endpoint analytics model, proactive remediations, where a dedicated DEX platform fits, benefits, limitations
2. Requirements Guide	Every prerequisite with Verify / Implement-if-missing
Global Requirements (Infrastructure)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered Intune steps (enable analytics, onboard, baseline, interpret, remediations, optional DEX)
5. Testing Guide	Validation procedures with pass/fail gates
6. Troubleshooting Guide	Field issues and remediation
7. Best Practices	Field-proven recommendations

PowerShell scripts

Script	What it does
`EHEM-Discovery.ps1`	Reports OS build, enrollment/diagnostic-data posture, restart age, and Endpoint analytics readiness (read-only)
`EHEM-Validation.ps1`	Confirms a device is reporting for Endpoint analytics and diagnostic data is at the required level (read-only)
`EHEM-Report.ps1`	Fleet Endpoint analytics scores + top startup/reliability/resource issues via Microsoft Graph (read-only)
`EHEM-Remediation.ps1`	Safe remediation of common degradations; forces an MDM sync and re-collection (default `-WhatIf`)
`EHEM-Set-MonitoringScopeTargeting.ps1`	Builds/updates the monitoring-scope Entra group and assignment for the analytics population

What the buyer receives

- This implementation guide as a branded **Word** document and **PDF**.
- All five **PowerShell scripts** in a single ZIP.
- A repeatable process following the model: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

Outcome

Proactive endpoint visibility — startup, reliability, and resource health scored and trending, common issues remediated automatically, with an optional path to a dedicated DEX platform — proven on a pilot before you scale.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

EHEM-Discovery.ps1

Purpose: Reports the OS build, Entra-join / MDM-enrollment state, diagnostic-data (telemetry) level, time since last restart, and basic resource snapshot — the signals that determine whether a device is ready to be monitored by Intune Endpoint analytics. HOW TO RUN Elevated: powershell -ExecutionPolicy Bypass -File .\EHEM-Discovery.ps1 EXPECTED RESULTS OS build, join/MDM state, telemetry level, restart age, and a readiness verdict. Read-only — makes no changes. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only. #> [CmdletBinding()] param()

How to run: Elevated: powershell -ExecutionPolicy Bypass -File .\EHEM-Discovery.ps1 EXPECTED RESULTS OS build, join/MDM state, telemetry level, restart age, and a readiness verdict. Read-only — makes no changes. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only. #> [CmdletBinding()] param()

EHEM-Remediation.ps1

Purpose: Fixes the most common, low-risk causes of poor endpoint health and missing analytics data: forces an MDM/Intune sync so policy and data collection re-apply, ensures diagnostic data is at the Required level, and restarts a device that has not rebooted in -StaleRestartDays days (a frequent cause of slow, flaky endpoints). SAFE BY DEFAULT: runs in -WhatIf preview mode and changes nothing until you pass -WhatIf:$false. HOW TO RUN Preview (default): powershell -ExecutionPolicy Bypass -File .\EHEM-Remediation.ps1 Apply: powershell -ExecutionPolicy Bypass -File .\EHEM-Remediation.ps1 -WhatIf:$false Optional: -StaleRestartDays 7 (override the restart threshold; 0 = never restart) EXPECTED RESULTS In preview: a list of the actions that WOULD run. When applied: MDM sync requested, diagnostic data set to Required if it was lower, and an optional scheduled restart of a stale device. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Default -WhatIf (preview). #> [CmdletBinding(SupportsShouldProcess=$true, ConfirmImpact='Medium')] param([int]$StaleRestartDays = 0)

How to run: Preview (default): powershell -ExecutionPolicy Bypass -File .\EHEM-Remediation.ps1 Apply: powershell -ExecutionPolicy Bypass -File .\EHEM-Remediation.ps1 -WhatIf:$false Optional: -StaleRestartDays 7 (override the restart threshold; 0 = never restart) EXPECTED RESULTS In preview: a list of the actions that WOULD run. When applied: MDM sync requested, diagnostic data set to Required if it was lower, and an optional scheduled restart of a stale device. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Default -WhatIf (preview). #> [CmdletBinding(SupportsShouldProcess=$true, ConfirmImpact='Medium')] param([int]$StaleRestartDays = 0)

EHEM-Report.ps1

Purpose: Pulls Intune Endpoint analytics (user experience analytics) data with Microsoft Graph: the overall/sub-scores, the slowest devices by startup, the least reliable apps, and the busiest devices by resource performance — so you can see fleet health and the worst offenders. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\EHEM-Report.ps1 -CsvPath C:\Temp\ehem.csv Requires the Microsoft Graph PowerShell SDK and DeviceManagementManagedDevices.Read.All. EXPECTED RESULTS The

overall Endpoint analytics scores, plus top-N tables for startup, app reliability, and resource performance, and an optional per-device CSV. Read-only against Graph. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only against Graph. #> [CmdletBinding()] param([string]$CsvPath, [int]$Top = 10)

How to run: powershell -ExecutionPolicy Bypass -File .\EHEM-Report.ps1 -CsvPath C:\Temp\ehem.csv Requires the Microsoft Graph PowerShell SDK and DeviceManagementManagedDevices.Read.All. EXPECTED RESULTS The overall Endpoint analytics scores, plus top-N tables for startup, app reliability, and resource performance, and an optional per-device CSV. Read-only against Graph. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only against Graph. #> [CmdletBinding()] param([string]$CsvPath, [int]$Top = 10)

EHEM-Set-MonitoringScopeTargeting.ps1

Purpose: Creates (or reuses) the Microsoft Entra security group used to scope the Endpoint analytics monitoring population and its proactive remediations, following the naming convention " - - " (e.g. "Endpoint Analytics - All Windows - Monitoring"). Optionally seeds the group with all Windows managed devices so monitoring/remediations can be assigned to one consistent target. Idempotent. HOW TO RUN Preview: powershell -ExecutionPolicy Bypass -File .\EHEM-Set-MonitoringScopeTargeting.ps1 ` -GroupName "Endpoint Analytics - All Windows - Monitoring" -WhatIf Apply: powershell -ExecutionPolicy Bypass -File .\EHEM-Set-MonitoringScopeTargeting.ps1 ` -GroupName "Endpoint Analytics - All Windows - Monitoring" -SeedWindowsDevices Requires the Microsoft Graph SDK and Group.ReadWrite.All + DeviceManagementManagedDevices.Read.All. EXPECTED RESULTS The named security group exists; with -SeedWindowsDevices, all Windows managed devices are added as members. Assign Endpoint analytics proactive remediations to this group in Intune. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Naming: - - . #> [CmdletBinding(SupportsShouldProcess=$true)] param([Parameter(Mandatory=$true)][string]$GroupName, [switch]$SeedWindowsDevices)

How to run: Preview: powershell -ExecutionPolicy Bypass -File .\EHEM-Set-MonitoringScopeTargeting.ps1 `-GroupName "Endpoint Analytics - All Windows - Monitoring" -WhatIf Apply: powershell -ExecutionPolicy Bypass -File .\EHEM-Set-MonitoringScopeTargeting.ps1` -GroupName "Endpoint Analytics - All Windows - Monitoring" -SeedWindowsDevices Requires the Microsoft Graph SDK and Group.ReadWrite.All + DeviceManagementManagedDevices.Read.All. EXPECTED RESULTS The named security group exists; with -SeedWindowsDevices, all Windows managed devices are added as members. Assign Endpoint analytics proactive remediations to this group in Intune. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Naming: <Purpose> - <Scope> - <Stage>. #> [CmdletBinding(SupportsShouldProcess=$true)] param([Parameter(Mandatory=$true)][string]$GroupName, [switch]$SeedWindowsDevices)

EHEM-Validation.ps1

Purpose: Verifies the device is MDM-enrolled and that diagnostic data (telemetry) is at the Required level or higher, which Endpoint analytics needs to collect startup, reliability, and resource signals. Reports a clear PASS/FAIL. HOW TO RUN Elevated: powershell -ExecutionPolicy Bypass -File .\EHEM-Validation.ps1 EXPECTED RESULTS "MONITORING READY" when MDM enrolled and diagnostic data is sufficient; otherwise "NOT READY" with the reason. Read-only — makes no changes. Exit 0 on pass, 1 on fail. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only. #> [CmdletBinding()] param()

How to run: Elevated: powershell -ExecutionPolicy Bypass -File .\EHEM-Validation.ps1 EXPECTED RESULTS "MONITORING READY" when MDM enrolled and diagnostic data is sufficient; otherwise "NOT READY" with the reason. Read-only — makes no changes. Exit 0 on pass, 1 on fail. .NOTES Endpoint Health & Digital Experience Monitoring — Infrastructure. Read-only. #> [CmdletBinding()] param()