Workspace ONE to Intune — Android Enterprise Device Migration

Implementation Solution Guide

Version 1.0.0 · 2026-06-29

Contents

Executive Summary — Workspace ONE to Intune: Android Enterprise Device Migration 4

What you get . . . 4

What this delivers . . . 4

The deployment model . . . 4

Outcome . . . 4

1. Solution Overview — Workspace ONE to Intune: Android Enterprise Device Migration 4

What this migration is . . . 5

The why — why this is harder than it looks . . . 5

The Android Enterprise management modes . . . 5

How the migration works . . . 6

What you control in the target (Intune) . . . 6

Limitations (be honest with buyers) . . . 6

The deployment model . . . 6

2. Requirements Guide — Workspace ONE to Intune: Android Enterprise Device Migration 7

2.1 Managed Google Play connection (the Android app channel) . . . 7

2.2 Source management-mode mapping (per device) . . . 7

2.3 Enrollment profiles per management mode (target design) . . . 7

2.4 App parity target (managed Google Play) . . . 7

2.5 Configuration profile parity target . . . 8

2.6 Compliance and Conditional Access target . . . 8

2.7 Migration ring groups . . . 8

2.8 User communications and reset readiness . . . 8

Checklist . . . 8

3. Implementation Guide — Workspace ONE to Intune: Android Enterprise Device Migration 9

Step 1 — Connect managed Google Play (gate zero) . . . 9

Step 2 — Build the enrollment profiles per management mode . . . 9

Step 3 — Rebuild app parity in managed Google Play . . . 10

Step 4 — Rebuild configuration profile parity . . . 10

Step 5 — Set compliance and retarget Conditional Access . . . 10

Step 6 — Build the migration ring groups . . . 10

Step 7 — Pilot cutover (re-enroll the pilot ring) . . . 11

Step 8 — Validate the pilot (gate) . . . 11

Step 9 — Expand by wave . . . 11

5. Testing Guide — Workspace ONE to Intune: Android Enterprise Device Migration 12

Test 1 — Managed Google Play connection active . . . 12

Test 2 — Enrollment profiles exist per in-scope mode . . . 12
Test 3 — Device landed in the correct mode . . . 12
Test 4 — App parity present . . . 12
Test 5 — Configuration parity applied . . . 12
Test 6 — Compliance and access . . . 12
Test 7 — Migration status report . . . 12
Pass/fail gate . . . 13
6. Troubleshooting Guide — Workspace ONE to Intune: Android Enterprise Device Migration 13
A. No apps deploy to migrated devices . . . 13
B. Device landed in the wrong management mode . . . 13
C. Enrollment fails or hangs . . . 14
D. Configuration / connectivity broken after migration . . . 14
E. Compliance or access problems . . . 14
F. Rollback (pilot or wave fails) . . . 14
G. When to escalate . . . 15
7. Best Practices — Workspace ONE to Intune: Android Enterprise Device Migration 15
8. Deliverables Summary — Workspace ONE to Intune: Android Enterprise Device Migration 16
Documentation . . . 16
PowerShell scripts . . . 16
What the buyer receives . . . 16
Outcome . . . 17
Appendix A — PowerShell Scripts 18

Executive Summary — Workspace ONE to Intune: Android Enterprise Device Migration

Moving Android devices off Workspace ONE and into Microsoft Intune is not a copy-paste of settings — it is an Android Enterprise re-enrollment program. The outcome depends on three things done correctly: picking the right management mode for each device (work profile for BYOD, fully managed or dedicated for corporate), connecting managed Google Play so apps deploy at all, and accepting the re-enrollment reality (a factory reset for fully managed and dedicated devices). This solution is the repeatable way to run that migration: connect managed Google Play, build the right enrollment profiles per mode, rebuild app and profile parity, and cut over by ring with clear user communication.

This is a complete, deploy-it-today package, written for an administrator with no prior Workspace ONE to Intune migration experience.

What you get

- A plain-language Solution Overview of the Android Enterprise migration model, the management modes, managed Google Play app parity, the re-enrollment reality, and the ringed cutover.
- A Requirements Guide with verify and implement-if-missing for every prerequisite.
- An Implementation Guide of precise, ordered Intune steps in the required sequence.
- Five PowerShell scripts for migration-readiness discovery, per-device validation, a migration and app-parity report, safe remediation of failed enrollments, and a migration-ring group builder.
- Testing and Troubleshooting guides for a confident, reversible rollout.

What this delivers

A working Android Enterprise estate in Intune: managed Google Play connected, named enrollment profiles for each in-scope management mode, app and profile parity rebuilt from the source, and a ringed re-enrollment plan with a pilot gate and a documented rollback — proven on a pilot before you scale.

The deployment model

Assess to Configure to Pilot to Validate to Expand.

Outcome

Android devices moved from Workspace ONE to Intune the Android Enterprise way — correct management mode, real managed Google Play app parity, and ringed re-enrollment — validated on a pilot ring before fleet cutover, with a rollback path the whole way.

1. Solution Overview — Workspace ONE to Intune: Android Enterprise Device Migration

What this migration is

This is a platform migration of Android devices from Workspace ONE UEM to Microsoft Intune. On Android, both platforms manage devices through Google's `Android Enterprise` framework, so the migration is fundamentally an Android Enterprise re-enrollment: the device leaves Workspace ONE's management, and re-enrolls into Intune under the correct management mode, with apps delivered by managed Google Play and configuration rebuilt to match what the device had before.

Because Android management binds to the enterprise enrollment that was set on the device, you cannot silently swap MDM authorities the way you might re-point a single agent. The device must be released from the old authority and enrolled into the new one — which, for corporate-owned modes, means a factory reset.

The why — why this is harder than it looks

Three realities drive the whole plan, and they are the reason a structured migration beats an ad-hoc one:

1. Management mode is a property set at enrollment and cannot be changed in place. A device

enrolled as a personal work profile cannot become fully managed without re-enrolling, and vice versa. Choosing the wrong mode in Intune means re-doing the migration.

1. Apps only deploy on Android Enterprise through managed Google Play. If that connection is not

live in Intune, no app reaches the device — so connecting it is gate zero, not a later step.

1. Re-enrollment for corporate modes requires a factory reset. Fully managed and dedicated

devices must be wiped and re-provisioned to land in the right mode; only the personal work profile (BYOD) can re-enroll without a wipe. This is the single biggest source of user disruption and the reason cutover is ringed and communicated.

The repeatable way contains that risk: connect Google Play once, design the profiles per mode once, rebuild parity once, then re-use those artifacts across every ring.

The Android Enterprise management modes

• Personal work profile (BYOD): a managed container on a user-owned device. Personal apps and

data stay private; work apps and policy live in the work profile. Re-enrolls without a factory reset.

• Fully managed (corporate-owned, COBO): the whole device is corporate-managed. Requires a

factory reset to enroll.

• Dedicated (corporate-owned single/kiosk use, COSU): a locked-down corporate device for a task

(scanner, kiosk, signage). Requires a factory reset and is typically enrolled without a user identity. (A corporate-owned work profile / COPE variant exists on supported OS versions; map it during Assess if in scope, and treat its re-enrollment like fully managed.)

The source-side mapping of which Workspace ONE device sits in which mode is read from the Workspace ONE console. Workspace ONE internals are deferred to VMware documentation; this guide defines the Intune target and the parity you rebuild there.

How the migration works

1. Connect managed Google Play to Intune so apps can deploy at all.

2. Inventory the source: which devices, which management modes, which apps and configuration profiles each device has (read from Workspace ONE — see VMware docs for source export).

1. Build a named enrollment profile in Intune for each in-scope management mode.

2. Rebuild app and profile parity in Intune: the same apps (from managed Google Play) and the same configuration (Wi-Fi, email, VPN, certificates, restrictions, compliance) targeted to the migration groups.

1. Re-enroll devices by ring: un-enroll from Workspace ONE, then enroll into Intune (factory reset for fully managed and dedicated; container re-enroll for work profile).

1. Validate each device landed in the right mode with parity, then expand to the next ring.

What you control in the target (Intune)

- Managed Google Play connection (the Android app channel).
- Enrollment profiles per management mode, including enrollment tokens for corporate modes.
- App parity from managed Google Play (work apps, store apps, managed configurations).
- Configuration profile parity (Wi-Fi, email, VPN, certificates, device restrictions).
- Compliance policy and Conditional Access for the migrated estate.
- Migration ring groups and staged assignment.

Limitations (be honest with buyers)

- Fully managed and dedicated devices require a factory reset to re-enroll — there is no in-place mode conversion. Plan for data backup and user downtime on those devices.
- App parity is limited to what managed Google Play offers in your region; internally distributed apps must be re-published as managed Google Play private apps.
- Workspace ONE-specific configuration (its profile internals, its enrollment flows) is owned by VMware; this solution maps the intent to the Intune equivalent rather than translating XML.
- Conditional Access and compliance changes affect access during cutover; coordinate the change window.

The deployment model

> *Connect managed Google Play, build enrollment profiles per mode, rebuild app/profile parity, re-enroll by ring (reset where required), validate on the pilot, then expand. Model: Assess to Configure to Pilot to Validate to Expand.*

2. Requirements Guide — Workspace ONE to Intune: Android Enterprise Device Migration

Verify every requirement before configuring. Each entry: Description · Why · Verify · Implement-if-missing. Category-wide prerequisites are in `global-requirements-migrations.md` (target Entra tenant, Intune licensing, source access, inventory, enrollment prerequisites, a pilot group and waves, and change control/rollback) — confirm those first; the items below are the Android-specific additions.

2.1 Managed Google Play connection (the Android app channel)

Description: A live managed Google Play connection between Intune and a Google enterprise binding. Why: On Android Enterprise, all apps deploy through managed Google Play; with no connection, no app reaches any migrated device — this is gate zero. Verify: In Intune at `https://intune.microsoft.com` go to Devices > Android > Enrollment, then Connectors and tokens > Managed Google Play; the binding shows a linked Google account and status active. Run `WS1DROID-Discovery.ps1` (reports the connection state via Graph). Implement: In the same blade choose to connect, sign in with a corporate Google account that is not tied to a personal Gmail, and accept the binding. See Implementation Step 1.

2.2 Source management-mode mapping (per device)

Description: A mapping of each in-scope Workspace ONE Android device to its current management mode (work profile / fully managed / dedicated) and therefore its target Intune mode. Why: Mode is fixed at enrollment; the right Intune enrollment profile and whether a factory reset is needed both depend on this mapping. Verify: Produce the device-to-mode export from the Workspace ONE console (Workspace ONE internals deferred to VMware docs). Confirm each row has a target mode. Implement: Build the mapping from the source inventory before scoping rings; record it alongside the wave plan.

2.3 Enrollment profiles per management mode (target design)

Description: A named Intune enrollment profile for each in-scope mode: `Android Enrollment Profile – Work Profile BYOD – Migration`, `Android Enrollment Profile – Fully Managed – Migration`, `Android Enrollment Profile – Dedicated – Migration`. Why: Devices re-enroll into a specific mode; a missing profile means that class of device cannot be migrated. Verify: Intune > Devices > Android > Enrollment; the relevant profiles exist (corporate modes show an enrollment token / QR). Run `WS1DROID-Validation.ps1`. Implement: Create only the profiles for modes you actually have in scope. See Implementation Step 2.

2.4 App parity target (managed Google Play)

Description: The set of apps each migrated device must have, sourced from managed Google Play, named as the parity policy `App Parity – Android Estate – Migration`. Why: A device that re-enrolls without its apps is a failed migration from the user's view; parity is what makes the new platform invisible to the user. Verify: Intune > Apps > Android; the in-scope apps are added and assigned. Cross-check against the source app list. Run `WS1DROID-Report.ps1` for the parity gap. Implement: Add each app from managed Google Play by its exact publisher and package id; re-publish internal apps as managed Google Play private apps. See Implementation Step 3.

2.5 Configuration profile parity target

Description: The configuration each migrated device must have — Wi-Fi, email, VPN, certificates, device restrictions — named `Config Parity – Android Estate – Migration`. Why: Connectivity and security settings must survive the move or the device is non-functional after re-enrollment. Verify: Intune > Devices > Android > Configuration profiles; the parity profiles exist and target the migration groups. Implement: Recreate the source profiles as Intune configuration profiles for the matching Android Enterprise profile type. See Implementation Step 4.

2.6 Compliance and Conditional Access target

Description: An Android compliance policy and the Conditional Access posture for the migrated estate, named `Compliance Baseline – Android Estate – Migration`. Why: Access control must follow the device to Intune so security is not weaker (or stricter and blocking) during cutover. Verify: Intune > Devices > Compliance policies (Android); Entra > Conditional Access references the right groups. Implement: Create the Android compliance policy and confirm Conditional Access targets the migration groups, not the Workspace ONE groups. See Implementation Step 5.

2.7 Migration ring groups

Description: Microsoft Entra security groups for staged cutover: `Migration Ring – Pilot – Android`, `Migration Ring – Wave 1 – Android`, `Migration Ring – Wave 2 – Android` (extend as needed). Why: Re-enrollment touches live, sometimes wiped devices; ringing contains blast radius and gates expansion on a healthy pilot. Verify: Entra > Groups; the ring groups exist. Run `WS1DROID-Set-MigrationRingTargeting.ps1` (builds/populates them). Implement: Create the groups and seed the pilot with a few representative devices per in-scope mode. See Implementation Step 6.

2.8 User communications and reset readiness

Description: A user comms plan and, for fully managed / dedicated devices, confirmed data backup and a reset window. Why: Factory reset is destructive; users need warning, a backup path, and a known downtime, or the migration generates tickets and data loss. Verify: The comms template and per-ring schedule are written; corporate-mode devices have a backup confirmation step. Implement: Draft the comms per ring (what, when, what to back up, how long); pair each corporate-mode ring with a reset window.

Checklist

- Managed Google Play connection active — `WS1DROID-Discovery.ps1`
- Source device-to-mode mapping produced (from Workspace ONE / VMware docs)
- Enrollment profiles per in-scope mode created — `WS1DROID-Validation.ps1`
- App parity target built in managed Google Play — `WS1DROID-Report.ps1`
- Configuration profile parity rebuilt

- Compliance + Conditional Access retargeted to migration groups
- Migration ring groups created — `WS1DROID-Set-MigrationRingTargeting.ps1`
- User comms + reset windows planned for corporate modes

3. Implementation Guide — Workspace ONE to Intune: Android Enterprise Device Migration

Follow these steps in order, in the Microsoft Intune admin center (`https://intune.microsoft.com`). Workspace ONE-side actions (export, un-enrollment) are flagged and deferred to VMware documentation; the Intune target is specified exactly here.

> *Model: Connect managed Google Play, build enrollment profiles per mode, rebuild app and profile parity, re-enroll by ring (factory reset for fully managed and dedicated), validate on the pilot, then expand. Assess to Configure to Pilot to Validate to Expand.*

Step 1 — Connect managed Google Play (gate zero)

1. Go to Devices > Android > Enrollment.
2. Open Connectors and tokens > Managed Google Play.
3. Choose to connect, then sign in with a corporate Google account (not a personal Gmail; this account becomes the enterprise binding owner). Accept the agreement.
1. Confirm the blade shows the linked Google account and an active status.
2. Verify with `WS1DROID-Discovery.ps1` (reports the Android enterprise binding state). This is gate zero — do not proceed until it is active, because no app deploys without it.

Step 2 — Build the enrollment profiles per management mode

Create only the profiles for modes in your scope (from requirement 2.2). Use these exact names so every later artifact and the scripts line up.

1. Work profile (BYOD): Devices > Android > Enrollment > Personally-owned devices with work profile. Confirm enrollment is enabled for personal work profile. The reusable artifact name is `Android Enrollment Profile – Work Profile BYOD – Migration`. (BYOD re-enrolls without a wipe.)
1. Fully managed: Devices > Android > Enrollment > Corporate-owned, fully managed user devices > set to Yes (allow). Note the enrollment method (token / QR / NFC / zero-touch) you will use. Artifact name: `Android Enrollment Profile – Fully Managed – Migration`.
1. Dedicated: Devices > Android > Enrollment > Corporate-owned dedicated devices > Create profile. Enter a name `Android Enrollment Profile – Dedicated – Migration`, choose the token type, and create the enrollment token / QR. (Dedicated and fully managed both require a factory reset to enroll.)
1. Verify with `WS1DROID-Validation.ps1` (confirms the in-scope profiles exist).

Step 3 — Rebuild app parity in managed Google Play

1. Go to Apps > Android > Add.

2. For each in-scope app, choose Managed Google Play app, search the store, and select it by its exact publisher name and package id (disambiguate from similarly named apps — the package id is what guarantees the right app). Approve it.

1. For internally distributed source apps, publish them as managed Google Play private apps, then add them the same way.

1. Set any required app configuration policy (managed configurations) to match the source behavior.

2. Assign the apps to the migration ring groups (Step 6). The reusable artifact name for this set is `App Parity – Android Estate – Migration`.

1. Verify the parity gap with `WS1DROID-Report.ps1` (source list vs Intune-assigned apps).

Step 4 — Rebuild configuration profile parity

1. Go to Devices > Android > Configuration profiles > Create profile.

2. Choose the platform/profile type matching the target mode (work profile vs fully managed / dedicated have distinct profile types).

1. Recreate each source profile's intent — Wi-Fi, email, VPN, certificate (SCEP/PKCS), device restrictions — as Intune configuration profiles. (Source profile internals are deferred to VMware docs; rebuild the intended setting in Intune, do not translate XML.)

1. Name the set `Config Parity – Android Estate – Migration` and assign to the migration ring groups.

Step 5 — Set compliance and retarget Conditional Access

1. Go to Devices > Compliance policies > Create policy > Android.

2. Build `Compliance Baseline – Android Estate – Migration` (minimum OS, encryption, threat level, rooted-device block as appropriate) and assign to the migration ring groups.

1. In Entra > Conditional Access, confirm the access policies that gate corporate resources reference the migration ring groups, so migrated devices keep (and only keep) the intended access.

Step 6 — Build the migration ring groups

1. Create Entra security groups `Migration Ring – Pilot – Android`, `Migration Ring – Wave 1 – Android`, `Migration Ring – Wave 2 – Android` (extend as needed).

1. Seed the pilot with a few representative devices covering each in-scope mode.

2. Confirm Steps 3 to 5 artifacts are assigned to these ring groups.

3. Run `WS1DROID-Set-MigrationRingTargeting.ps1` to create/populate the groups from your mapping

(run with `-WhatIf` first to preview).

Step 7 — Pilot cutover (re-enroll the pilot ring)

1. Communicate to the pilot users (what is changing, when, what to back up, expected downtime).

2. Un-enroll the pilot devices from Workspace ONE (source action — see VMware docs for the

un-enrollment / enterprise wipe procedure).

1. Re-enroll into Intune by mode:

• Work profile (BYOD): enroll via the Company Portal app; the work profile re-provisions without

a factory reset.

• Fully managed / dedicated: factory reset the device, then enroll during out-of-box setup using

the enrollment token / QR from Step 2.

1. Confirm each pilot device lands in the correct mode with apps and configuration applied.

Step 8 — Validate the pilot (gate)

1. Run `WS1DROID-Validation.ps1` (per-device mode + enrollment correctness).

2. Run `WS1DROID-Report.ps1` (migration status + app-parity gaps for the pilot ring).

3. For any failed enrollments, run `WS1DROID-Remediation.ps1` (preview with `-WhatIf`).

4. Complete the Testing Guide. Pilot-ring gate: do not expand until the pilot passes the gate in

Section 5. Rollback note: if the pilot fails, re-enroll affected devices back into Workspace ONE (source action, VMware docs) and revert their migration-group membership.

Step 9 — Expand by wave

1. Move to `Migration Ring – Wave 1 – Android`: communicate, un-enroll from source, re-enroll into

Intune (reset where required), validate.

1. Repeat for subsequent waves. Re-validate each wave with `WS1DROID-Report.ps1` before starting the

next.

1. After the final wave validates, decommission the Workspace ONE Android estate per change control.

Order of operations

```
Managed Google Play -> Enrollment profiles per mode -> App parity -> Config
parity -> Compliance/CA -> Ring groups -> Pilot cutover -> Validate (gate) ->
```

Expand by wave

5. Testing Guide — Workspace ONE to Intune: Android Enterprise Device Migration

Run after the pilot ring re-enrolls (Implementation Step 8) and again for each wave before expanding. Each test states Do and Expected.

Test 1 — Managed Google Play connection active

Do: Intune > Devices > Android > Enrollment > Connectors and tokens > Managed Google Play; or run `WS1DROID-Discovery.ps1`. Expected: The binding shows a linked Google account and active status. (No connection = no apps; this gates everything.)

Test 2 — Enrollment profiles exist per in-scope mode

Do: Intune > Devices > Android > Enrollment; or run `WS1DROID-Validation.ps1`. Expected: Each in-scope profile is present (`Android Enrollment Profile – Work Profile BYOD – Migration`, `Android Enrollment Profile – Fully Managed – Migration`, `Android Enrollment Profile – Dedicated – Migration`); corporate modes have a valid token / QR.

Test 3 — Device landed in the correct mode

Do: For a re-enrolled pilot device, Intune > Devices > All devices > (device) > check Ownership and the management/enrollment type; or run `WS1DROID-Validation.ps1`. Expected: The device shows the intended Android Enterprise mode (work profile vs fully managed vs dedicated) — not the wrong mode.

Test 4 — App parity present

Do: Run `WS1DROID-Report.ps1` (source app list vs Intune-assigned), and on the device confirm the work apps are installed. Expected: Every in-scope app from `App Parity – Android Estate – Migration` is installed/available; the parity gap is zero for the device.

Test 5 — Configuration parity applied

Do: On the device, confirm Wi-Fi/email/VPN/certificate and restrictions behave as before; in Intune the device shows `Config Parity – Android Estate – Migration` profiles as succeeded. Expected: Connectivity and security settings match the pre-migration state; no failed profiles.

Test 6 — Compliance and access

Do: Intune > Devices > Compliance; confirm the device is compliant. Attempt access to a Conditional-Access-gated resource. Expected: The device is compliant under `Compliance Baseline – Android Estate – Migration` and access works (or is blocked) exactly as intended.

Test 7 — Migration status report

Do: Run `WS1DROID-Report.ps1` for the ring. Expected: A clear per-device migration status (mode, enrollment, app-parity gap) for the ring with no unexpected failures.

Pass/fail gate

Gate	Requirement
Pilot pass	Tests 1 to 6 pass for every pilot device across all in-scope modes; Test 7 shows zero unresolved failures
Wave pass	Tests 3 to 7 pass for the wave before the next wave begins

If the pilot gate fails, do not expand: remediate (`WS1DROID-Remediation.ps1`) or roll the affected devices back to Workspace ONE per Implementation Step 8.

6. Troubleshooting Guide — Workspace ONE to Intune: Android Enterprise Device Migration

Use `WS1DROID-Discovery.ps1` and `WS1DROID-Validation.ps1` for connection and per-device state, `WS1DROID-Report.ps1` for migration/parity status, and `WS1DROID-Remediation.ps1` (defaults to `-WhatIf`) for safe fixes.

A. No apps deploy to migrated devices

Symptom	Cause	Remediation
Device enrolls but no work apps install	Managed Google Play not connected, or binding broken	Run `WS1DROID-Discovery.ps1`; reconnect at Devices > Android > Enrollment > Connectors and tokens > Managed Google Play
Some apps missing	App not approved / not assigned, or wrong package id	Run `WS1DROID-Report.ps1` for the parity gap; approve and assign the correct managed Google Play app by exact package id
Internal app unavailable	Not published as a managed Google Play private app	Publish it as a private app, then add/assign it

B. Device landed in the wrong management mode

Symptom	Cause	Remediation
Corporate device shows as work profile (or vice versa)	Enrolled with the wrong method; mode is fixed at enrollment	Factory reset and re-enroll using the correct profile's token / QR (`Android Enrollment Profile – Fully Managed – Migration` or `– Dedicated – Migration`); confirm with `WS1DROID-Validation.ps1`
Wanted fully managed, got nothing on reset	Corporate fully-managed enrollment not allowed in Intune	Devices > Android > Enrollment > Corporate-owned, fully managed user devices > set to Yes; re-run enrollment

C. Enrollment fails or hangs

Symptom	Cause	Remediation
Token / QR rejected	Expired or wrong-mode token	Regenerate the enrollment token for the correct dedicated/fully-managed profile
Still managed by old authority	Device not un-enrolled from Workspace ONE	Complete the source un-enrollment / enterprise wipe (VMware docs) before enrolling into Intune
Enrollment loops	Account / Google Play services issue on device	Run `WS1DROID-Remediation.ps1` (preview with `-WhatIf`); for corporate modes, factory reset and re-enroll

D. Configuration / connectivity broken after migration

- A device with no Wi-Fi/email/VPN after re-enrollment is missing

`Config Parity – Android Estate – Migration` — confirm the profiles target the device's ring group and the correct Android Enterprise profile type for its mode; check certificate (SCEP/PKCS) delivery first, since Wi-Fi and VPN often depend on it.

E. Compliance or access problems

- Device blocked from resources after migration: confirm it is compliant under

`Compliance Baseline – Android Estate – Migration` and that Conditional Access now targets the migration ring groups, not the old Workspace ONE groups.

F. Rollback (pilot or wave fails)

• Re-enroll the affected devices back into Workspace ONE (source action — VMware docs) and revert their migration-group membership so the parity/compliance artifacts no longer target them. Do not expand to the next ring until the gate in Section 5 passes.

G. When to escalate

If managed Google Play is connected, the device un-enrolled cleanly from the source, the correct enrollment profile/token was used, and the device still will not enroll or stay in the right mode after a factory reset, capture the device enrollment details and open a Microsoft support case; for source-side un-enrollment issues, engage VMware support.

7. Best Practices — Workspace ONE to Intune: Android Enterprise Device Migration

• Connect managed Google Play first, always. It is gate zero — verify it active before touching anything else, because no app deploys on Android Enterprise without it.

• Map every device to a mode before you start. Management mode is fixed at enrollment; getting the mapping right up front prevents re-doing the migration for whole device classes.

• Plan the factory reset honestly. Fully managed and dedicated devices must be wiped to re-enroll — pair every corporate-mode ring with a backup step, a reset window, and clear user comms. Only work profile (BYOD) re-enrolls without a wipe.

• Build parity once, reuse everywhere. Define `App Parity – Android Estate – Migration` and `Config Parity – Android Estate – Migration` once and assign them to every ring, so each wave is a re-run, not a rebuild.

• Use exact app identity. Add managed Google Play apps by their exact publisher name and package id so you deploy the right app, not a similarly named imposter; re-publish internal apps as private managed Google Play apps.

• Ring it, gate it. A small `Migration Ring – Pilot – Android` across all in-scope modes catches mode/parity mistakes before the fleet; do not expand until the pilot gate passes.

• Retarget access before cutover. Move compliance and Conditional Access to the migration groups so migrated devices keep the intended access and security is never weaker mid-cutover.

• Keep a rollback path. Until a device validates in Intune, re-enrolling it back to Workspace ONE must remain possible; document it per ring before you cut over.

• Communicate per ring. A short, specific note (what changes, when, what to back up, downtime) before each ring dramatically reduces tickets and data-loss incidents.

• Decommission deliberately. Only retire the Workspace ONE Android estate after the final wave validates, per change control — not device-by-device on a hunch.

8. Deliverables Summary — Workspace ONE to Intune: Android Enterprise Device Migration

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box
1. Solution Overview	The Android Enterprise migration model, management modes, managed Google Play parity, the re-enrollment reality, ringed cutover, and the why
2. Requirements Guide	Every prerequisite with Verify / Implement-if-missing
Global Requirements (Migrations)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered Intune steps (Google Play, profiles per mode, parity, rings, cutover)
5. Testing Guide	Validation procedures with pass/fail gates
6. Troubleshooting Guide	Field issues and remediation
7. Best Practices	Field-proven recommendations

PowerShell scripts

Script	What it does
`WS1DROID-Discovery.ps1`	Read-only: reports the managed Google Play / Android enterprise binding state, enrollment profiles, and Android device inventory by ownership (Microsoft Graph)
`WS1DROID-Validation.ps1`	Read-only: confirms per-device management mode and enrollment correctness, and that the in-scope enrollment profiles exist (Microsoft Graph)
`WS1DROID-Report.ps1`	Read-only: migration status and app-parity gap (assigned apps vs an expected list) across the migrated estate (Microsoft Graph)
`WS1DROID-Remediation.ps1`	Safe remediation of failed enrollments (sync / retire-and-re-enroll prompts); defaults to `-WhatIf` preview (Microsoft Graph)
`WS1DROID-Set-MigrationRingTargeting.ps1`	Builds/populates the migration ring Entra groups from a device-to-ring mapping (Microsoft Graph)

What the buyer receives

- This implementation guide as a branded Word document and PDF.

- All five PowerShell scripts in a single ZIP.
- A repeatable process: Assess to Configure to Pilot to Validate to Expand.

Outcome

Android devices moved from Workspace ONE to Intune the Android Enterprise way — correct management mode, managed Google Play app parity, and ringed re-enrollment — validated on a pilot before fleet cutover, with a documented rollback.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

WS1DROID-Discovery.ps1

Purpose: Reports the Intune target readiness for an Android Enterprise migration: the managed Google Play / Android enterprise binding state, the Android enrollment profiles that exist, and an inventory of Android managed devices by ownership/mode. Read-only — it changes nothing. Workspace ONE-side inventory (source device-to-mode export) is deferred to VMware docs. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1DROID-Discovery.ps1 Requires the Microsoft Graph PowerShell SDK and read scopes (DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All). EXPECTED RESULTS Prints whether managed Google Play is bound (gate zero), lists Android enrollment profiles, and summarizes Android devices by ownership. No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param()

How to run: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Discovery.ps1 Requires the Microsoft Graph PowerShell SDK and read scopes (DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All). EXPECTED RESULTS Prints whether managed Google Play is bound (gate zero), lists Android enrollment profiles, and summarizes Android devices by ownership. No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param()

WS1DROID-Remediation.ps1

Purpose: Remediates devices that did not migrate cleanly. For a named ring group it can request a sync on stuck devices (work-profile devices often recover with a sync) and, for corporate-mode devices that must be wiped to land in the right mode, it can issue a retire (un-manage) so the device can be factory-reset and re-enrolled with the correct enrollment profile. SAFETY: it runs in preview (-WhatIf) by default and performs NO change until you pass -Execute. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WS1DROID-Remediation.ps1 -GroupName 'Migration Ring – Pilot – Android' -Action Sync Apply: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Remediation.ps1 -GroupName 'Migration Ring – Pilot – Android' -Action Sync -Execute -Action Sync : request a device sync (non-destructive). -Action Retire : un-manage so the device can be reset + re-enrolled (use only for corporate-mode re-enroll). Requires the Microsoft Graph SDK and scopes (DeviceManagementManagedDevices.PrivilegedOperations.All, DeviceManagementManagedDevices.Read.All, Group.Read.All). EXPECTED RESULTS In preview, prints exactly which devices WOULD be synced/retired and stops. With -Execute, performs the chosen action and reports per-device success. Re-run WS1DROID-Validation.ps1 afterward. .NOTES Workplace Marketplace — Migrations. Defaults to -WhatIf; retire is destructive to management (not user data by itself, but corporate re-enroll requires a factory reset) — review the preview before -Execute. #> [CmdletBinding(SupportsShouldProcess = $true, ConfirmImpact = 'High')] param([Parameter(Mandatory = $true)][string]$GroupName, [ValidateSet('Sync','Retire')][string]$Action = 'Sync', [switch]$Execute)

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WS1DROID-Remediation.ps1 -GroupName 'Migration Ring – Pilot – Android' -Action Sync Apply: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Remediation.ps1 -GroupName 'Migration Ring – Pilot – Android' -Action Sync -Execute -Action Sync : request a device sync (non-destructive). -Action

Retire : un-manage so the device can be reset + re-enrolled (use only for corporate-mode re-enroll). Requires the Microsoft Graph SDK and scopes (DeviceManagementManagedDevices.PrivilegedOperations.All, DeviceManagementManagedDevices.Read.All, Group.Read.All). EXPECTED RESULTS In preview, prints exactly which devices WOULD be synced/retired and stops. With -Execute, performs the chosen action and reports per-device success. Re-run WS1DROID-Validation.ps1 afterward. .NOTES Workplace Marketplace — Migrations. Defaults to -WhatIf; retire is destructive to management (not user data by itself, but corporate re-enroll requires a factory reset) — review the preview before -Execute. #> [CmdletBinding(SupportsShouldProcess = $true, ConfirmImpact = 'High')] param([Parameter(Mandatory = $true)][string]$GroupName, [ValidateSet('Sync','Retire')][string]$Action = 'Sync', [switch]$Execute)

WS1DROID-Report.ps1

Purpose: Produces a migration status report for the Android estate in Intune: per-device mode, compliance, and last check-in, plus an app-parity gap — the in-scope managed Google Play apps assigned in Intune compared against an expected app list (your source parity target). Helps you confirm a ring re-enrolled cleanly with full app parity. Read-only — changes nothing. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1DROID-Report.ps1 -ExpectedAppsCsv .\expected-apps.csv The CSV is optional and has a single column 'packageId' (one expected app package per row). Requires the Microsoft Graph SDK and read scopes (DeviceManagementApps.Read.All, DeviceManagementManagedDevices.Read.All). EXPECTED RESULTS A per-device status table and, if a CSV is supplied, a list of expected app package ids that are NOT currently present as assigned Android apps in Intune (the parity gap). No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param([string]$ExpectedAppsCsv)

How to run: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Report.ps1 -ExpectedAppsCsv .\expected-apps.csv The CSV is optional and has a single column 'packageId' (one expected app package per row). Requires the Microsoft Graph SDK and read scopes (DeviceManagementApps.Read.All, DeviceManagementManagedDevices.Read.All). EXPECTED RESULTS A per-device status table and, if a CSV is supplied, a list of expected app package ids that are NOT currently present as assigned Android apps in Intune (the parity gap). No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param([string]$ExpectedAppsCsv)

WS1DROID-Set-MigrationRingTargeting.ps1

Purpose: Creates the migration ring Entra security groups (if missing) and populates them from a device-to-ring mapping CSV, so app/config/compliance parity artifacts can be assigned per ring and cutover proceeds Pilot -> Wave 1 -> Wave 2. Use this to seed the pilot and stage each wave. HOW TO RUN Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WS1DROID-Set-MigrationRingTargeting.ps1 -MappingCsv .\ring-mapping.csv Apply: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Set-MigrationRingTargeting.ps1 -MappingCsv .\ring-mapping.csv -Execute The CSV has two columns: 'azureADDeviceId' and 'ring' (Pilot / Wave 1 / Wave 2). Group names built: 'Migration Ring – Pilot – Android', 'Migration Ring – Wave 1 – Android', 'Migration Ring – Wave 2 – Android'. Requires the Microsoft Graph SDK and scopes (Group.ReadWrite.All, Device.Read.All). EXPECTED RESULTS In preview, prints which groups would be created and which devices would be added to which ring. With -Execute, creates missing groups and adds the device objects as members; reports per-device. .NOTES Workplace Marketplace — Migrations. Defaults to preview; pass -Execute to make changes. #> [CmdletBinding(SupportsShouldProcess = $true)] param([Parameter(Mandatory = $true)][string]$MappingCsv, [switch]$Execute)

How to run: Preview (default, no changes): powershell -ExecutionPolicy Bypass -File .\WS1DROID-Set-MigrationRingTargeting.ps1 -MappingCsv .\ring-mapping.csv Apply: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Set-MigrationRingTargeting.ps1 -MappingCsv .\ring-mapping.csv -Execute The CSV has two columns: 'azureADDeviceId' and 'ring' (Pilot / Wave 1 / Wave 2). Group names built: 'Migration Ring – Pilot – Android', 'Migration Ring – Wave 1 – Android', 'Migration Ring – Wave 2 – Android'. Requires the Microsoft Graph SDK and scopes (Group.ReadWrite.All, Device.Read.All). EXPECTED RESULTS In preview, prints which groups would be created and which devices would be added to which ring. With -Execute, creates missing groups and adds the device objects as members; reports per-device. .NOTES Workplace Marketplace — Migrations. Defaults to preview; pass -Execute to make changes. #> [CmdletBinding(SupportsShouldProcess = $true)] param([Parameter(Mandatory = $true)][string]$MappingCsv, [switch]$Execute)

WS1DROID-Validation.ps1

Purpose: Confirms migration correctness in Intune: that the in-scope Android enrollment profiles exist, and that migrated Android devices report the expected Android Enterprise management mode (work profile vs fully managed vs dedicated) for their ownership. Read-only — changes nothing. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1DROID-Validation.ps1 Optional: -GroupName 'Migration Ring – Pilot – Android' to scope devices to one ring group. Requires the Microsoft Graph SDK and read scopes (DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All, Group.Read.All when -GroupName is used). EXPECTED RESULTS Lists which expected enrollment profiles are present/missing, and a per-device mode line so you can spot any device that landed in the wrong management mode. No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param([string]$GroupName)

How to run: powershell -ExecutionPolicy Bypass -File .\WS1DROID-Validation.ps1 Optional: -GroupName 'Migration Ring – Pilot – Android' to scope devices to one ring group. Requires the Microsoft Graph SDK and read scopes (DeviceManagementConfiguration.Read.All, DeviceManagementManagedDevices.Read.All, Group.Read.All when -GroupName is used). EXPECTED RESULTS Lists which expected enrollment profiles are present/missing, and a per-device mode line so you can spot any device that landed in the wrong management mode. No changes are made. .NOTES Workplace Marketplace — Migrations. Read-only against Microsoft Graph. #> [CmdletBinding()] param([string]$GroupName)