Workspace ONE to Intune — Windows Device Migration

Implementation Solution Guide

Version 1.0.0 · 2026-06-29

Contents

Executive Summary — Workspace ONE to Intune (Windows Device Migration) 4

What you get . . . 4

What this delivers . . . 4

The deployment model . . . 4

Outcome . . . 4

1. Solution Overview — Workspace ONE to Intune (Windows Device Migration) 5

What this migration is . . . 5

Why it is done this way (the *why* — this section only) . . . 5

How it works . . . 5

The named artifacts (used verbatim throughout) . . . 6

What you control . . . 6

Vendor boundary (read this) . . . 6

Limitations (be honest with buyers) . . . 7

The deployment model . . . 7

2. Requirements Guide — Workspace ONE to Intune (Windows Device Migration) 7

2.1 Windows automatic enrollment (MDM user scope) . . . 7

2.2 Source MDM removed before Intune enrollment (no dual management) . . . 7

2.3 Parity target defined from the Workspace ONE baseline . . . 8

2.4 Intune configuration profile(s) for parity . . . 8

2.5 Intune compliance policy for parity . . . 8

2.6 Conditional Access continuity . . . 8

2.7 Migration groups . . . 8

2.8 Supported Windows build and Entra join method . . . 9

Checklist . . . 9

3. Implementation Guide — Workspace ONE to Intune (Windows Device Migration) 9

Step 1 — Confirm identity and enrollment (Assess) . . . 9

Step 2 — Create the migration groups . . . 10

Step 3 — Build the parity configuration in Intune . . . 10

Step 4 — Build the compliance policy in Intune . . . 10

Step 5 — Establish Conditional Access continuity . . . 11

Step 6 — Pilot cutover: unenroll from Workspace ONE . . . 11

Step 7 — Pilot cutover: join Entra and enroll to Intune . . . 11

Step 8 — Validate the pilot (pilot-ring gate) . . . 12

Step 9 — Turn Conditional Access continuity On . . . 12

Step 10 — Expand to the broad ring . . . 12

5. Testing Guide — Workspace ONE to Intune (Windows Device Migration) 13
Test 1 — Source MDM removed (no Workspace ONE) . . . 13
Test 2 — Enrolled in Intune (single authority) . . . 13
Test 3 — Parity configuration applied . . . 13
Test 4 — Compliance green . . . 13
Test 5 — Conditional Access continuity (access works) . . . 13
Test 6 — No dual management across the ring . . . 14
Test 7 — Ring targeting correct . . . 14
Pass/fail gate . . . 14
6. Troubleshooting Guide — Workspace ONE to Intune (Windows Device Migration) 14
A. Dual management (managed by both) . . . 14
B. Device left unmanaged . . . 15
C. Parity not applied . . . 15
D. Compliance stuck . . . 15
E. Access broken after cutover . . . 16
F. Enrollment fails on a specific device . . . 16
G. Diagnostics quick reference . . . 16
H. When to escalate . . . 16
7. Best Practices — Workspace ONE to Intune (Windows Device Migration) 16
8. Deliverables Summary — Workspace ONE to Intune (Windows Device Migration) 17
Documentation . . . 17
PowerShell scripts . . . 18
Named artifacts (created during implementation, reused verbatim) . . . 18
What the buyer receives . . . 19
Outcome . . . 19
Appendix A — PowerShell Scripts 20

Executive Summary — Workspace ONE to Intune (Windows Device Migration)

Migrating Windows endpoints off Workspace ONE is risky in three specific ways: a device can end up managed by *neither* platform, managed by *both* at once, or re-enrolled into Intune *without* the configuration, compliance, and access it had before. Any of those breaks users or weakens security.

This is a complete, deploy-it-today package for the repeatable Workspace ONE to Intune Windows device migration: prepare identity and enrollment, build configuration and compliance parity in Intune, unenroll from Workspace ONE and enroll to Intune in controlled rings, and validate every device before moving to the next ring. It is written for an administrator with no prior migration experience.

What you get

- A plain-language Solution Overview of the migration model — unenroll from Workspace ONE, Entra join, automatic enrollment to Intune, configuration and compliance parity, Conditional Access continuity, and the ringed cutover that avoids dual management.
- A Requirements Guide with `Verify` and `Implement-if-missing` for every prerequisite.
- An Implementation Guide of precise, ordered Intune and Entra steps in the required sequence.
- Five PowerShell scripts for migration-readiness discovery, per-device enrollment and parity validation, a migration status and compliance report, safe remediation of dual or failed enrollment, and a migration-ring group builder.
- Testing and Troubleshooting guides with explicit pass/fail gates.

What this delivers

A ringed cutover built on named, reusable artifacts: a `Parity Configuration – Windows – Migration` that recreates the source settings in Intune, a `Compliance Policy – Windows – Migration` that mirrors the source compliance bar, Conditional Access continuity so access never depends on the old MDM, and two rings — `Migration Ring – Pilot – Windows` and `Migration Ring – Broad – Windows` — that move devices in safe, validated waves.

The deployment model

`Assess` → `Configure` → `Pilot` → `Validate` → `Expand`, with a pilot-ring gate and a documented rollback.

Outcome

Windows devices moved from Workspace ONE to Intune — re-enrolled with full configuration and compliance parity, access uninterrupted, none left dual- or un-managed — proven on a pilot ring before you scale.

1. Solution Overview — Workspace ONE to Intune (Windows Device Migration)

What this migration is

This solution moves managed Windows devices from VMware Workspace ONE UEM to Microsoft Intune. Each device is cleanly removed from Workspace ONE management, joined to (or confirmed in) Microsoft Entra ID, and enrolled into Intune via Windows automatic enrollment — landing the same configuration, compliance posture, and access it had before. The work is done in controlled rings so that risk is contained to a small pilot before the fleet moves.

Why it is done this way (the *why* — this section only)

A Windows device can only have one MDM authority at a time. If you enroll into Intune without first removing Workspace ONE, you risk *dual management* — two MDMs fighting over the same settings, producing unpredictable policy, broken compliance reporting, and confused users. If you remove Workspace ONE without a confirmed Intune enrollment path, you risk an *unmanaged* device with no policy and no compliance signal. And if you re-enroll without first rebuilding the device's configuration and compliance in Intune, the device loses settings it depended on and may fail Conditional Access, locking the user out of corporate resources.

The repeatable way removes all three risks in order:

1. Build configuration and compliance parity in Intune *first*, so the target is ready before any

device moves.

1. Make access depend on Entra ID and Intune compliance — not on Workspace ONE — *before* cutover,

so removing the old MDM never breaks sign-in.

1. Cut over in rings, unenrolling from Workspace ONE and enrolling into Intune one wave at a time,

validating each device before the next ring begins.

How it works

1. The target is prepared: Entra ID, Intune licensing, and Windows automatic enrollment are confirmed,

and a `Parity Configuration – Windows – Migration` and `Compliance Policy – Windows – Migration` are built in Intune to match the Workspace ONE baseline.

1. Conditional Access is set so corporate access requires a compliant, Entra-joined device — call this

`Conditional Access Continuity – Windows – Migration` — independent of Workspace ONE.

1. Devices are grouped: `Group – Migration Pilot – Windows` (a few representative devices) and

`Group – Migration Broad – Windows` (the rest), with parity and compliance assigned to both up front so policy is waiting when each device enrolls.

1. Pilot devices unenroll from Workspace ONE (the unenrollment is performed per VMware's Workspace ONE

documentation — see the vendor note below), join Entra ID, and enroll into Intune automatically.

1. Each migrated device is validated — enrollment state, parity configuration applied, compliance

green, access working — using the included scripts.

1. Once the pilot passes its gate, the broad ring follows the same path; remediation handles any

device left dual- or un-managed.

The named artifacts (used verbatim throughout)

- `Parity Configuration – Windows – Migration` — the Intune configuration profile(s) that recreate the

Workspace ONE Windows settings in the target.

- `Compliance Policy – Windows – Migration` — the Intune compliance policy that mirrors the source

compliance bar (e.g. encryption, firewall, minimum OS).

- `Conditional Access Continuity – Windows – Migration` — the Conditional Access policy that ties

access to a compliant, Entra-joined Windows device.

- `Migration Ring – Pilot – Windows` and `Migration Ring – Broad – Windows` — the cutover waves.

- `Group – Migration Pilot – Windows`, `Group – Migration Broad – Windows` — the Entra security groups

the rings target.

- `Group – Workspace ONE Managed – Windows` — the inventory/exclusion group of devices still on the

source, used to track progress and scope assignments.

What you control

- The parity target (which Workspace ONE Windows settings are recreated in Intune).
- The compliance bar carried over to Intune.
- The Conditional Access policy that keeps access continuous through cutover.
- Ring membership and the order/pace of the cutover.

Vendor boundary (read this)

Workspace ONE internals — how to unenroll a Windows device, retire/wipe behavior, the Workspace ONE UEM console navigation, and any Workspace ONE Intelligent Hub steps — are owned by VMware and are deferred to the official VMware Workspace ONE documentation. This solution gives exact navigation for

the Intune and Entra side and flags each point where a Workspace ONE action is required.

Limitations (be honest with buyers)

• Parity is a *recreation*, not an export/import — Workspace ONE profiles do not convert to Intune profiles; you rebuild the equivalent settings in Intune.

• A device cannot be Intune-enrolled while Workspace ONE still holds MDM authority; the unenroll step is a hard prerequisite for each device.

• User-driven steps (sign-in, restart) may be required during cutover depending on your join method; plan communications accordingly.

The deployment model

> `Build parity + compliance + Conditional Access continuity → group into rings → unenroll from Workspace ONE + enroll to Intune by ring → validate each device → expand.` *Standard model:* `Assess → Configure → Pilot → Validate → Expand.`

2. Requirements Guide — Workspace ONE to Intune (Windows Device Migration)

Verify **every** requirement before configuring. Each entry: `Description · Why · Verify · Implement-if-missing`. Category-wide prerequisites (Entra tenant, Intune licensing, source access, inventory, enrollment prerequisites, pilot/wave structure, change control) are in `global-requirements-migrations.md` — confirm those first; the requirements below are specific to the Workspace ONE to Intune Windows device migration.

2.1 Windows automatic enrollment (MDM user scope)

Description: Intune Windows automatic enrollment is enabled so an Entra-joining Windows device enrolls into Intune without manual MDM setup. **Why:** Migrated devices must enroll into Intune the moment they join Entra; without automatic enrollment each device needs manual enrollment, which does not scale and leaves gaps. **Verify:** Intune admin center → `Devices > Windows > Windows enrollment > Automatic enrollment`; confirm MDM user scope is `All` (or the migration users' group). Run `WS1WIN-Validation.ps1` on a test device to confirm it enrolls after join. **Implement:** In `Automatic enrollment`, set MDM user scope to `All` (or scope it to the migration group) and save. MAM user scope can stay `None` for device migration.

2.2 Source MDM removed before Intune enrollment (no dual management)

Description: Each in-scope Windows device is fully unenrolled from Workspace ONE before (or as part of) its Intune enrollment, so only one MDM authority exists. **Why:** Windows allows one MDM enrollment; a device still held by Workspace ONE cannot cleanly enroll in Intune, and a device in both is dual-managed with conflicting policy. **Verify:** Run `WS1WIN-Discovery.ps1` — it reports the device's current MDM

enrollment(s) and flags a Workspace ONE provider or a second enrollment alongside Intune. **Implement:** Unenroll from Workspace ONE per the official VMware Workspace ONE documentation (the unenroll/retire action is a VMware-owned step). For devices left in a dual or failed state, run `WS1WIN-Remediation.ps1` (defaults to `-WhatIf`).

2.3 Parity target defined from the Workspace ONE baseline

Description: A documented list of the Workspace ONE Windows settings in scope (security baseline, configuration profiles, certificates, Wi-Fi/VPN, restrictions) that must be recreated in Intune. **Why:** Parity is a recreation in Intune — you cannot validate parity without first knowing exactly what the source enforced. **Verify:** You can produce the Workspace ONE Windows configuration export/inventory for the scope (see global G3/G4). The parity list is written and reviewed. **Implement:** Inventory the source configuration per VMware documentation, then map each setting to its Intune equivalent in `Parity Configuration – Windows – Migration` (built in the Implementation Guide).

2.4 Intune configuration profile(s) for parity

Description: The Intune configuration that recreates the source Windows settings — named `Parity Configuration – Windows – Migration`. **Why:** A migrated device must land the same settings it had under Workspace ONE, or users lose function and security drops. **Verify:** Intune → `Devices > Windows > Configuration`; the `Parity Configuration – Windows – Migration` profile(s) exist and are assigned to `Group – Migration Pilot – Windows` and `Group – Migration Broad – Windows`. Run `WS1WIN-Validation.ps1` on a migrated device to confirm the profile reports as applied. **Implement:** Build the profile(s) in the Implementation Guide (Step 3) from the parity target in 2.3.

2.5 Intune compliance policy for parity

Description: An Intune Windows compliance policy mirroring the source compliance bar — named `Compliance Policy – Windows – Migration`. **Why:** Conditional Access continuity depends on Intune compliance; without it, migrated devices are "not evaluated" and may be blocked. **Verify:** Intune → `Devices > Compliance`; `Compliance Policy – Windows – Migration` exists and is assigned to both migration groups. `WS1WIN-Report.ps1` shows migrated devices as compliant. **Implement:** Build the compliance policy in the Implementation Guide (Step 4).

2.6 Conditional Access continuity

Description: A Conditional Access policy — `Conditional Access Continuity – Windows – Migration` — that grants access only to a compliant, Entra-joined Windows device, independent of Workspace ONE. **Why:** If access ever depends on the Workspace ONE state, removing the source MDM breaks sign-in. Tying access to Entra + Intune compliance makes cutover safe. **Verify:** Entra → `Protection > Conditional Access`; the policy exists, targets the migration users, and requires device compliance. Confirm a migrated, compliant device can sign in. **Implement:** Build/confirm the policy in the Implementation Guide (Step 5); start in report-only and move to On after pilot validation.

2.7 Migration groups

Description: Two Entra security groups — `Group – Migration Pilot – Windows` and `Group – Migration Broad – Windows` — plus an inventory/exclusion group `Group – Workspace ONE`

`Managed – Windows`. **Why:** Rings target groups; the inventory group tracks what is still on the source and scopes assignments cleanly. **Verify:** Entra → `Groups`; the three groups exist with the expected members. Run `WS1WIN-Set-MigrationRingTargeting.ps1` (defaults to `-WhatIf`) to preview membership. **Implement:** Create the groups in the Implementation Guide (Step 2) / with `WS1WIN-Set-MigrationRingTargeting.ps1`.

2.8 Supported Windows build and Entra join method

Description: In-scope devices run a supported Windows 10/11 build and can join Entra ID (Entra join, or Hybrid Entra join if you keep on-prem AD). **Why:** Automatic enrollment and modern compliance require a supported build and a working Entra join. **Verify:** `winver`; run `WS1WIN-Discovery.ps1` (reports OS build and current join state). **Implement:** Patch/upgrade to a supported build; configure Entra join (or Hybrid join) per your identity model before cutover.

Checklist

- Global Migrations requirements confirmed (`global-requirements-migrations.md`)
- Windows automatic enrollment enabled — `WS1WIN-Validation.ps1`
- Source MDM removal path confirmed; no dual management — `WS1WIN-Discovery.ps1`
- Parity target documented from the Workspace ONE baseline
- `Parity Configuration – Windows – Migration` built and assigned
- `Compliance Policy – Windows – Migration` built and assigned
- `Conditional Access Continuity – Windows – Migration` in place
- `Group – Migration Pilot – Windows` / `Group – Migration Broad – Windows` / `Group – Workspace ONE Managed – Windows` created
- Supported Windows build and Entra join method confirmed — `WS1WIN-Discovery.ps1`

3. Implementation Guide — Workspace ONE to Intune (Windows Device Migration)

Follow these steps **in order**. Intune steps are in the Microsoft Intune admin center (`https://intune.microsoft.com`); identity and Conditional Access steps are in the Microsoft Entra admin center (`https://entra.microsoft.com`). Workspace ONE actions are flagged and deferred to the official VMware Workspace ONE documentation.

> ***Model:*** *Build the target (parity + compliance + Conditional Access continuity) first, group devices into rings, then cut over ring by ring — unenroll from Workspace ONE, enroll to Intune, validate — pilot before broad. Deployment model:* `Assess → Configure → Pilot → Validate → Expand`.

Step 1 — Confirm identity and enrollment (Assess)

1. Entra → `Identity > Overview` — confirm the target tenant (global G1).

2. Intune → `Devices > Windows > Windows enrollment > Automatic enrollment` — confirm MDM user scope is

`All` or the migration users' group (requirement 2.1).

1. Confirm each in-scope device's join method (Entra join or Hybrid Entra join) is working and the OS

build is supported — run `WS1WIN-Discovery.ps1` against the scope.

1. Confirm you have the Workspace ONE Windows configuration inventory (global G3/G4) and a written

parity target (requirement 2.3).

Step 2 — Create the migration groups

1. Entra → `Groups > New group` → Type `Security` → Name `Group – Migration Pilot – Windows` (a few

representative devices/users). `Create`.

1. Repeat for `Group – Migration Broad – Windows` (the rest of the fleet).

2. Repeat for `Group – Workspace ONE Managed – Windows` (the inventory/exclusion group of devices still

on the source).

1. You can preview/seed membership with `WS1WIN-Set-MigrationRingTargeting.ps1` (defaults to `-WhatIf`).

Step 3 — Build the parity configuration in Intune

1. Intune → `Devices > Windows > Configuration > Create > New policy`.

2. Platform `Windows 10 and later`; profile type `Settings catalog` (or the template that matches each

source setting). `Create`.

1. Name `Parity Configuration – Windows – Migration`. `Next`.

2. Add the settings that recreate the Workspace ONE Windows baseline from your parity target

(requirement 2.3) — for example encryption/BitLocker, firewall, restrictions, Wi-Fi/VPN, and certificates. Build additional profiles under the same name with a suffix (`Parity Configuration – Windows – Migration (Wi-Fi)`) if one profile type cannot hold them all.

1. `Next > Assignments > Add groups` → add `Group – Migration Pilot – Windows` **and** `Group – Migration Broad – Windows`. `Next > Create`.

> *Why assign both groups now: policy is then waiting for each device the instant it enrolls, so a migrated device lands parity immediately rather than sitting unconfigured.*

Step 4 — Build the compliance policy in Intune

1. Intune → `Devices > Compliance > Create policy`. Platform `Windows 10 and later`. `Create`.
2. Name `Compliance Policy – Windows – Migration`. `Next`.
3. Set the compliance rules to mirror the source bar (e.g. BitLocker required, firewall on, minimum OS version, Defender). `Next`.
1. `Actions for noncompliance` — keep the default `Mark device noncompliant` immediately for the pilot so you see real status; add a user email if desired. `Next`.
1. `Assignments > Add groups` → `Group – Migration Pilot – Windows` and `Group – Migration Broad – Windows`. `Next > Create`.

Step 5 — Establish Conditional Access continuity

1. Entra → `Protection > Conditional Access > Policies > New policy`.
2. Name `Conditional Access Continuity – Windows – Migration`.
3. `Users` → the migration users (or a group containing them).
4. `Target resources` → the corporate apps/resources users must keep reaching.
5. `Conditions > Device platforms` → include `Windows`.
6. `Grant` → `Grant access` → check `Require device to be marked as compliant`.
7. `Enable policy` → start in `Report-only`. `Create`.
8. After the pilot validates (Step 8), switch the policy to `On`.

This makes access depend on Entra + Intune compliance, not on Workspace ONE — so unenrolling the source MDM never breaks sign-in.

Step 6 — Pilot cutover: unenroll from Workspace ONE

1. For each device in `Group – Migration Pilot – Windows`, unenroll the device from Workspace ONE.

This is a VMware-owned action — perform the unenroll/retire per the official VMware Workspace ONE documentation; do not improvise the source-side steps.

1. After unenroll, confirm the device no longer reports a Workspace ONE MDM enrollment — run `WS1WIN-Discovery.ps1` (it flags a remaining Workspace ONE provider or a dual enrollment).

Step 7 — Pilot cutover: join Entra and enroll to Intune

1. Ensure the device is Entra-joined (or Hybrid Entra-joined per your model). For a user-driven Entra join: `Settings > Accounts > Access work or school > Connect > Join this device to Microsoft Entra ID`, then sign in and restart if prompted.
1. With automatic enrollment enabled (Step 1), the device enrolls into Intune on join. Confirm in

Intune → `Devices > Windows > Windows devices` that the device appears as managed by Intune.

1. Trigger a sync if needed: `Settings > Accounts > Access work or school > (account) > Info > Sync`.
2. Run `WS1WIN-Validation.ps1` on the device to confirm: single MDM authority (Intune), parity profile

applied, compliance evaluated.

Step 8 — Validate the pilot (pilot-ring gate)

1. Run `WS1WIN-Validation.ps1` per migrated pilot device → confirms single-MDM, parity applied,

compliant.

1. Run `WS1WIN-Report.ps1` → fleet view of migration status, MDM authority, and compliance from

Microsoft Graph.

1. Confirm a migrated, compliant pilot device can sign in to the Conditional Access target resources.
2. Complete the Testing Guide. **Do not proceed to the broad ring until every pilot device passes the

gate** (single-MDM, parity applied, compliant, access working). If a device is stuck dual- or un-managed, run `WS1WIN-Remediation.ps1` (defaults to `-WhatIf`; review, then re-run with `-WhatIf:$false`).

> ***Rollback note:*** *if the pilot fails, the documented rollback (global G7) is to re-enroll the affected devices into Workspace ONE per VMware documentation and revert the Conditional Access policy to* `Report-only`*. The parity and compliance objects can stay in place; they affect only migrated devices.*

Step 9 — Turn Conditional Access continuity On

1. Once the pilot passes, Entra → `Conditional Access` → open

`Conditional Access Continuity – Windows – Migration` → set `Enable policy` to `On` → `Save`.

Step 10 — Expand to the broad ring

1. Move devices from `Group – Workspace ONE Managed – Windows` into `Group – Migration Broad – Windows`

in waves (use `WS1WIN-Set-MigrationRingTargeting.ps1`, `-WhatIf` first).

1. For each wave, repeat Steps 6–8: unenroll from Workspace ONE (VMware), Entra join + Intune enroll,

validate. Parity, compliance, and Conditional Access are already assigned, so each device lands configured and protected.

1. Re-run `WS1WIN-Report.ps1` each wave to confirm progress and catch laggards; remediate dual/failed

devices with `WS1WIN-Remediation.ps1`.

1. When `Group – Workspace ONE Managed – Windows` is empty, the migration is complete; decommission the

source per global G7.

Order of operations

`Confirm identity/enrollment → create groups → build parity config → build compliance → Conditional Access continuity → pilot unenroll (VMware) → pilot Entra join + Intune enroll → validate pilot (gate) → CA On → expand broad by wave → validate → decommission source`

5. Testing Guide — Workspace ONE to Intune (Windows Device Migration)

Run after the pilot ring cuts over (Implementation Step 8) and again for each broad wave. The goal of every test is to prove the device is managed by **only** Intune, has **parity**, is **compliant**, and keeps **access**.

Test 1 — Source MDM removed (no Workspace ONE)

Do: On a migrated device run `WS1WIN-Discovery.ps1`; in Intune check `Devices > Windows > Windows devices` for the device. **Expected:** No Workspace ONE MDM enrollment remains; the device shows a single MDM authority.

Test 2 — Enrolled in Intune (single authority)

Do: Run `WS1WIN-Validation.ps1` on the device. **Expected:** Exactly one MDM enrollment, and it is Intune; no dual-enrollment warning.

Test 3 — Parity configuration applied

Do: Intune → `Devices > Windows > Configuration` → `Parity Configuration – Windows – Migration` → `Device status`; and run `WS1WIN-Validation.ps1`. **Expected:** The device reports the parity profile(s) as `Succeeded`/applied; key settings match the Workspace ONE baseline.

Test 4 — Compliance green

Do: Intune → `Devices > Compliance > Compliance Policy – Windows – Migration > Device status`; and run `WS1WIN-Report.ps1`. **Expected:** The migrated device is `Compliant` (not `Not evaluated` / `Not compliant`).

Test 5 — Conditional Access continuity (access works)

Do: From the migrated, compliant device sign in to a Conditional Access target resource. **Expected:** Access is granted; `Conditional Access Continuity – Windows – Migration` shows the device satisfied the `compliant device` grant. The Entra sign-in log confirms the policy applied.

Test 6 — No dual management across the ring

Do: Run `WS1WIN-Report.ps1` for the whole ring. **Expected:** No device appears with both a Workspace ONE and an Intune enrollment; none appear unmanaged.

Test 7 — Ring targeting correct

Do: Run `WS1WIN-Set-MigrationRingTargeting.ps1` with `-WhatIf` and review the report. **Expected:** Pilot members are in `Group – Migration Pilot – Windows`; broad members in `Group – Migration Broad – Windows`; un-migrated devices remain in `Group – Workspace ONE Managed – Windows`.

Pass/fail gate

Gate	Requirement
Pilot pass (gate before broad)	Tests 1–5 pass for **every** device in `Migration Ring – Pilot – Windows`; no device dual- or un-managed (Test 6)
Broad wave pass	Tests 1–4 and 6 pass for the wave before the next wave begins; access (Test 5) spot-checked
Migration complete	`Group – Workspace ONE Managed – Windows` empty; all devices single-MDM (Intune), parity applied, compliant

6. Troubleshooting Guide — Workspace ONE to Intune (Windows Device Migration)

Use `WS1WIN-Discovery.ps1` / `WS1WIN-Validation.ps1` for device state, `WS1WIN-Report.ps1` for fleet status, and `WS1WIN-Remediation.ps1` (defaults to `-WhatIf`) for safe fixes to dual/failed enrollment. Workspace ONE-side actions (unenroll/retire) are deferred to the official VMware Workspace ONE documentation.

A. Dual management (managed by both)

Symptom	Cause	Remediation
Device shows both a Workspace ONE and an Intune enrollment	Enrolled in Intune before Workspace ONE was fully removed	Unenroll from Workspace ONE per VMware docs, then run `WS1WIN-Remediation.ps1` to clear the stale enrollment and resync; confirm with `WS1WIN-Discovery.ps1`

Symptom	Cause	Remediation
Conflicting/flapping policy on the device	Two MDM authorities	Resolve to single MDM (Intune) as above; re-validate parity with `WS1WIN-Validation.ps1`

B. Device left unmanaged

Symptom	Cause	Remediation
Removed from Workspace ONE but never appears in Intune	Automatic enrollment off, or device not Entra-joined	Confirm `Devices > Windows > Windows enrollment > Automatic enrollment` MDM user scope; ensure Entra join; trigger enroll/sync; run `WS1WIN-Remediation.ps1`
Device enrolled but no policy	Not a member of a migration group	Add to `Group – Migration Pilot – Windows` / `Group – Migration Broad – Windows` (use `WS1WIN-Set-MigrationRingTargeting.ps1`); sync

C. Parity not applied

Symptom	Cause	Remediation
Migrated device missing settings it had under Workspace ONE	`Parity Configuration – Windows – Migration` not assigned to the device's group, or a setting was not recreated	Confirm assignment to both migration groups; check the parity target covers the setting; sync and re-run `WS1WIN-Validation.ps1`
Profile shows `Error`/`Conflict` in Intune	Conflicting profile or unsupported setting	Open `Configuration > Parity Configuration – Windows – Migration > Device status`; resolve the conflicting policy; re-sync

D. Compliance stuck

Symptom	Cause	Remediation
Device `Not evaluated`	Compliance policy not assigned, or device just enrolled	Confirm `Compliance Policy – Windows – Migration` assignment; allow a policy cycle; sync; re-check `WS1WIN-Report.ps1`
Device `Not compliant`	A compliance rule is failing (e.g. BitLocker, firewall)	Identify the failing rule in `Compliance > … > Device status`; remediate the setting via the parity profile; re-evaluate

E. Access broken after cutover

- Confirm the user/device is in scope of `Conditional Access Continuity – Windows – Migration` and the

device is `Compliant` — a non-compliant device will be blocked by the `require compliant device` grant. Check the Entra sign-in log for the policy result.

- If you switched the policy to `On` before the device was compliant, return it to `Report-only`,

bring the device compliant, then re-enable.

F. Enrollment fails on a specific device

- Run `WS1WIN-Discovery.ps1` — confirm the source MDM is gone, the OS build is supported, and Entra

join succeeded. A leftover Workspace ONE enrollment is the most common blocker; remove it per VMware docs first.

G. Diagnostics quick reference

```
dsregcmd /status                # Entra join + MDM enrollment state
Get-ChildItem 'HKLM:\SOFTWARE\Microsoft\Enrollments' -Recurse -EA SilentlyContinue   # enrollment(s)
Get-ScheduledTask -TaskPath '\Microsoft\Windows\EnterpriseMgmt\*' -EA SilentlyContinue  # MDM sync tasks
```

H. When to escalate

- For Workspace ONE unenroll/retire behavior that will not complete, escalate to VMware Workspace ONE

support per their documentation — those internals are outside this solution's scope.

- For Intune enrollment that still fails after the source MDM is confirmed gone, the build is

supported, Entra join succeeded, and a sync has run, collect `dsregcmd /status` output and open a Microsoft support case.

7. Best Practices — Workspace ONE to Intune (Windows Device Migration)

- **Build the target before you move a device.** Have `Parity Configuration – Windows – Migration`,

`Compliance Policy – Windows – Migration`, and `Conditional Access Continuity – Windows – Migration` in place and assigned to both rings *first*, so every device lands configured, compliant, and able to sign in the moment it enrolls.

- **Never dual-manage.** A Windows device has one MDM authority — unenroll from Workspace ONE (per

VMware documentation) before, or as part of, Intune enrollment. Run `WS1WIN-Discovery.ps1` to catch any device still held by the source.

• **Make access depend on Entra + Intune, not Workspace ONE.** Tying Conditional Access to a compliant,

Entra-joined device means removing the old MDM never breaks sign-in.

• **Always pilot, always ring.** Move `Migration Ring – Pilot – Windows` first and hold the gate; only

expand to `Migration Ring – Broad – Windows` after every pilot device passes. This catches a parity or compliance gap on a handful of devices instead of the fleet.

• **Hold the pilot-ring gate honestly.** Single-MDM, parity applied, compliant, access working — all

four, every pilot device. A partial pass is a fail.

• **Keep a written rollback.** Re-enroll to Workspace ONE (VMware) and revert Conditional Access to

report-only is the documented fallback; confirm it before cutover (global G7).

• **Validate per device, not per ring.** Run `WS1WIN-Validation.ps1` on each migrated device; a ring

is only as migrated as its worst device.

• **Track what is left.** Keep `Group – Workspace ONE Managed – Windows` accurate; the migration is

done when it is empty. Use `WS1WIN-Report.ps1` each wave to chase laggards.

• **Recreate, don't expect to import.** Workspace ONE profiles do not convert to Intune — map each

source setting to its Intune equivalent in the parity target and verify with `WS1WIN-Validation.ps1`.

• **Communicate cutover to users.** A short note about the sign-in/restart and what "managed by your

organization" means dramatically reduces tickets.

• **Reuse the names verbatim.** The same artifact names across config, compliance, Conditional Access,

groups, and scripts make the process auditable and repeatable for the next wave and the next estate.

8. Deliverables Summary — Workspace ONE to Intune (Windows Device Migration)

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box
1. Solution Overview	The migration model, the *why* (no dual/un-managed, parity, access continuity), named artifacts, vendor boundary, limitations
2. Requirements Guide	Every prerequisite with `Verify` / `Implement-if-missing`

Document	Purpose
Global Requirements (Migrations)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered Entra + Intune steps; Workspace ONE actions flagged to VMware docs
5. Testing Guide	Validation procedures with pass/fail gates
6. Troubleshooting Guide	Field issues and remediation
7. Best Practices	Field-proven recommendations

PowerShell scripts

Script	What it does
`WS1WIN-Discovery.ps1`	Read-only. Reports OS build, Entra/join state, and current MDM enrollment(s); flags a Workspace ONE provider or dual enrollment
`WS1WIN-Validation.ps1`	Read-only. Per-device check: single MDM (Intune), parity profile applied, compliance evaluated
`WS1WIN-Report.ps1`	Read-only. Fleet migration status, MDM authority, and compliance via Microsoft Graph
`WS1WIN-Remediation.ps1`	Safe remediation (defaults to `-WhatIf`) of dual/failed enrollment — forces MDM sync and resolves a stuck enrollment state
`WS1WIN-Set-MigrationRingTargeting.ps1`	Builds/updates the migration-ring Entra groups and previews membership (defaults to `-WhatIf`)

Named artifacts (created during implementation, reused verbatim)

Artifact	Scope · Stage
`Parity Configuration – Windows – Migration`	Intune configuration profile(s) — Windows — Migration
`Compliance Policy – Windows – Migration`	Intune compliance policy — Windows — Migration
`Conditional Access Continuity – Windows – Migration`	Entra Conditional Access policy — Windows — Migration
`Migration Ring – Pilot – Windows` / `Migration Ring – Broad – Windows`	Cutover waves
`Group – Migration Pilot – Windows` / `Group – Migration Broad – Windows` / `Group – Workspace ONE Managed – Windows`	Entra security groups

What the buyer receives

- This implementation guide as a branded Word document and PDF.
- All five PowerShell scripts in a single ZIP.
- A repeatable process following the model: `Assess` → `Configure` → `Pilot` → `Validate` → `Expand`.

Outcome

Windows devices moved from Workspace ONE to Intune — re-enrolled with full configuration and compliance parity, access uninterrupted, none left dual- or un-managed — proven on a pilot ring before you scale.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

WS1WIN-Discovery.ps1

Purpose: Reports the device's OS build, Entra join state, and current MDM enrollment(s). Flags a remaining Workspace ONE (AirWatch) MDM provider and any dual enrollment alongside Intune — the #1 blocker to a clean migration. Read-only: changes nothing. HOW TO RUN Elevated on the device: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Discovery.ps1 EXPECTED RESULTS OS build, Entra/MDM join state (dsregcmd), the list of MDM enrollments with their provider, and a WARNING if Workspace ONE is still present or the device is dual- or un-managed. .NOTES Workplace Marketplace — Migrations. Read-only. Workspace ONE unenroll is a VMware-owned action. #> [CmdletBinding()] param()

How to run: Elevated on the device: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Discovery.ps1 EXPECTED RESULTS OS build, Entra/MDM join state (dsregcmd), the list of MDM enrollments with their provider, and a WARNING if Workspace ONE is still present or the device is dual- or un-managed. .NOTES Workplace Marketplace — Migrations. Read-only. Workspace ONE unenroll is a VMware-owned action. #> [CmdletBinding()] param()

WS1WIN-Remediation.ps1

Purpose: Helps a device end up managed by Intune ONLY. It (1) reports the current MDM enrollment(s) and flags a remaining Workspace ONE provider, (2) triggers an Entra/MDM auto-enroll + sync so a clean Intune enrollment can complete or re-apply, and (3) kicks the MDM sync scheduled task so policy re-evaluates. Defaults to -WhatIf: it shows what it WOULD do and changes nothing until you re-run with -WhatIf:$false.

How to run: Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\WS1WIN-Remediation.ps1 Apply: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Remediation.ps1 -WhatIf:$false Run elevated on the affected device. EXPECTED RESULTS In -WhatIf: a report of enrollments and the actions that would run. Applied: an MDM auto-enroll + sync requested; re-run WS1WIN-Validation.ps1 after a policy cycle. .NOTES Workplace Marketplace — Migrations. Defaults to -WhatIf. Workspace ONE unenroll deferred to VMware. #> [CmdletBinding(SupportsShouldProcess=$true, ConfirmImpact='High')] param() # Default to WhatIf unless the caller explicitly turns it off. if (-not $PSBoundParameters.ContainsKey('WhatIf')) { $WhatIfPreference = $true }

WS1WIN-Report.ps1

Purpose: Produces a fleet-wide view of the Workspace ONE to Intune Windows migration from Microsoft Graph: which Windows devices are managed by Intune, their management/ownership and compliance state, and the migration-ring group membership — so you can track progress and catch laggards. Read-only against Graph: changes nothing. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\WS1WIN-Report.ps1 Requires the Microsoft Graph PowerShell SDK and: DeviceManagementManagedDevices.Read.All, Group.Read.All EXPECTED RESULTS A per-device table (name, OS, managementAgent, compliance) for Windows devices, a summary count by compliance state, and the member counts of the migration groups. .NOTES Workplace Marketplace — Migrations. Read-only against Graph. #> [CmdletBinding()] param([string]$PilotGroup = 'Group - Migration Pilot - Windows', [string]$BroadGroup = 'Group - Migration Broad - Windows', [string]$SourceGroup = 'Group -

Workspace ONE Managed - Windows')

How to run: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Report.ps1 Requires the Microsoft Graph PowerShell SDK and: DeviceManagementManagedDevices.Read.All, Group.Read.All EXPECTED RESULTS A per-device table (name, OS, managementAgent, compliance) for Windows devices, a summary count by compliance state, and the member counts of the migration groups. .NOTES Workplace Marketplace — Migrations. Read-only against Graph. #> [CmdletBinding()] param([string]$PilotGroup = 'Group - Migration Pilot - Windows', [string]$BroadGroup = 'Group - Migration Broad - Windows', [string]$SourceGroup = 'Group - Workspace ONE Managed - Windows')

WS1WIN-Set-MigrationRingTargeting.ps1

Purpose: Ensures the migration ring groups exist in Microsoft Entra ID and previews/sets membership for the ringed cutover: "Group - Migration Pilot - Windows" "Group - Migration Broad - Windows" "Group - Workspace ONE Managed - Windows" (inventory/source) Given a list of pilot device names, it shows which devices would move into the pilot group (and out of the source group). Defaults to -WhatIf: it reports the planned changes and creates/changes nothing until you re-run with -WhatIf:$false. HOW TO RUN Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\WS1WIN-Set-MigrationRingTargeting.ps1 -PilotDeviceNames PC01,PC02 Apply: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Set-MigrationRingTargeting.ps1 -PilotDeviceNames PC01,PC02 -WhatIf:$false Requires the Microsoft Graph PowerShell SDK and: Group.ReadWrite.All, Device.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS Confirmation that the three groups exist (created in apply mode if missing), and a preview/ application of pilot-device membership. Read WS1WIN-Report.ps1 afterwards to see counts. .NOTES Workplace Marketplace — Migrations. Defaults to -WhatIf. Creates only the named ring groups. #> [CmdletBinding(SupportsShouldProcess=$true, ConfirmImpact='Medium')] param([string[]]$PilotDeviceNames = @(), [string]$PilotGroup = 'Group - Migration Pilot - Windows', [string]$BroadGroup = 'Group - Migration Broad - Windows', [string]$SourceGroup = 'Group - Workspace ONE Managed - Windows') if (-not $PSBoundParameters.ContainsKey('WhatIf')) { $WhatIfPreference = $true }

How to run: Preview (safe, default): powershell -ExecutionPolicy Bypass -File .\WS1WIN-Set-MigrationRingTargeting.ps1 -PilotDeviceNames PC01,PC02 Apply: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Set-MigrationRingTargeting.ps1 -PilotDeviceNames PC01,PC02 -WhatIf:$false Requires the Microsoft Graph PowerShell SDK and: Group.ReadWrite.All, Device.Read.All, DeviceManagementManagedDevices.Read.All EXPECTED RESULTS Confirmation that the three groups exist (created in apply mode if missing), and a preview/ application of pilot-device membership. Read WS1WIN-Report.ps1 afterwards to see counts. .NOTES Workplace Marketplace — Migrations. Defaults to -WhatIf. Creates only the named ring groups. #> [CmdletBinding(SupportsShouldProcess=$true, ConfirmImpact='Medium')] param([string[]]$PilotDeviceNames = @(), [string]$PilotGroup = 'Group - Migration Pilot - Windows', [string]$BroadGroup = 'Group - Migration Broad - Windows', [string]$SourceGroup = 'Group - Workspace ONE Managed - Windows') if (-not $PSBoundParameters.ContainsKey('WhatIf')) { $WhatIfPreference = $true }

WS1WIN-Validation.ps1

Purpose: Confirms a migrated device is managed by Intune ONLY (no Workspace ONE / no dual enrollment), that "Parity Configuration – Windows – Migration" reports applied, and that the device's Intune compliance state is evaluated. Read-only: changes nothing. HOW TO RUN Elevated on the migrated device: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Validation.ps1 (Local checks need no Graph.

The optional -UseGraph switch reads this device's compliance/config state from Intune via the Microsoft Graph PowerShell SDK and requires DeviceManagementManagedDevices.Read.All + DeviceManagementConfiguration.Read.All.) EXPECTED RESULTS PASS lines for: single MDM = Intune; Workspace ONE absent; parity profile applied; compliance evaluated. Any FAIL line names what to remediate. .NOTES Workplace Marketplace — Migrations. Read-only. Workspace ONE specifics deferred to VMware docs. #> [CmdletBinding()] param([switch]$UseGraph, [string]$ParityProfileName = 'Parity Configuration - Windows - Migration')

How to run: Elevated on the migrated device: powershell -ExecutionPolicy Bypass -File .\WS1WIN-Validation.ps1 (Local checks need no Graph. The optional -UseGraph switch reads this device's compliance/config state from Intune via the Microsoft Graph PowerShell SDK and requires DeviceManagementManagedDevices.Read.All + DeviceManagementConfiguration.Read.All.) EXPECTED RESULTS PASS lines for: single MDM = Intune; Workspace ONE absent; parity profile applied; compliance evaluated. Any FAIL line names what to remediate. .NOTES Workplace Marketplace — Migrations. Read-only. Workspace ONE specifics deferred to VMware docs. #> [CmdletBinding()] param([switch]$UseGraph, [string]$ParityProfileName = 'Parity Configuration - Windows - Migration')