Secure Mobile Access to SharePoint Online under MAM (App Protection + Conditional Access) — Government (GCC High)

Implementation Solution Guide

Version 1.0.0 · 2026-07-01

Contents

Executive Summary — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 5

What you get . . . 5

What this delivers . . . 5

The standard deployment model . . . 6

Outcome . . . 6

1. Solution Overview — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 6

The problem . . . 6

The solution . . . 6

How it works (the flow) . . . 7

Commercial vs GCC High — what's different . . . 7

Benefits . . . 8

Limitations / scope . . . 8

The standard deployment model . . . 8

2. Requirements Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 8

R1. GCC High tenant (not Commercial / not GCC Moderate) . . . 9

R2. US Gov licensing that includes Intune App Protection + Entra P1 . . . 9

R3. Administrative roles (Intune + Conditional Access) . . . 9

R4. Break-glass (emergency access) accounts excluded from CA . . . 9

R5. Pilot security group (users, not devices) . . . 9

R6. Supported Microsoft mobile apps available for GCC High . . . 10

R7. Broker app for app-based Conditional Access . . . 10

R8. Network access to GCC High endpoints (allow-list) . . . 10

Global Requirements — Intune Solutions (category-level) 10

G1. Microsoft Entra ID tenant . . . 10

G2. Microsoft Intune subscription . . . 11

G3. Administrative roles . . . 11

G4. Device enrollment in Intune . . . 11

G5. Pilot security group . . . 11

G6. Supported Windows baseline . . . 11

G7. Network access to Microsoft cloud endpoints . . . 11

3. Implementation Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 12

Phase 1 — Assess (gate: R1–R8 pass) . . . 12

Phase 2 — Configure . . . 12
Phase 3 — Pilot . . . 14
Phase 4 — Validate . . . 14
Phase 5 — Expand . . . 15
5. Testing Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 16
T0. Sovereign-cloud check (do this first) . . . 16
T1. App Protection Policies exist and target the right apps . . . 16
T2. App PIN is enforced on the device . . . 16
T3. Data-leak prevention fires . . . 16
T4. Conditional Access requires app protection (Report-only) . . . 16
T5. Negative test — unprotected access is blocked . . . 16
T6. Break-glass exclusion verified . . . 17
T7. Selective wipe works . . . 17
T8. GCC High parity behavior confirmed . . . 17
6. Troubleshooting Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 17
First, rule out the wrong-cloud mistake . . . 17
Lockout / access-blocked recovery (do this before anything drastic) . . . 17
App PIN never prompts / App Protection Policy not applied . . . 18
Conditional Access not applying to mobile . . . 18
"Require approved client app" behaving oddly / deprecation . . . 18
Data still leaks to unmanaged apps . . . 18
Broker app / registration failures . . . 19
GCC-High-specific gotchas . . . 19
When to escalate . . . 19
7. Best Practices — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 19
Sovereign-cloud discipline . . . 20
Policy design . . . 20
Safety and rollout . . . 20
GCC High specifics to plan around . . . 21
Operations . . . 21
8. Deliverables Summary — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High) 21
Documentation . . . 21
PowerShell scripts (all connect to US Gov Graph — `-Environment USGov`) . . . 22
What the buyer receives . . . 22

Outcome 22
Appendix A — PowerShell Scripts 24

Executive Summary — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

White-label · Intune Solutions · US Sovereign Cloud (GCC High)

Government staff want to open SharePoint sites and files from their phones — often on **personal (BYO) devices** you cannot fully manage. The risk is not the reading; it is the **leaving**: a document copied into a personal note-taking app, saved to a consumer cloud, or forwarded from an unmanaged mail client. This solution lets people work from mobile **without enrolling the whole device**, by wrapping SharePoint access in **Intune App Protection Policies (MAM/APP)** and gating sign-in with **Conditional Access** so that only the approved, protected Microsoft mobile apps can reach SharePoint Online — and corporate data cannot escape them.

This is the **Government (GCC High) edition**. A GCC High tenant is a **separate US sovereign cloud**. It uses different admin portals (`intune.microsoft.us`, `entra.microsoft.us`, `portal.azure.us`, `portal.office365.us`), a different sign-in endpoint (`login.microsoftonline.us`), a different Microsoft Graph endpoint (`graph.microsoft.us`, reached in PowerShell with `Connect-MgGraph -Environment USGov`), and SharePoint tenants on `*.sharepoint.us` rather than `*.sharepoint.com`. Some capabilities also lag, are limited, or are **absent** versus Commercial. Running Commercial steps on a GCC High tenant sends you to the wrong URLs and to features that silently do not exist. This package delivers the solution for the sovereign cloud with the **correct portals and endpoints** and the **Commercial-vs-GCC-High parity gaps called out** at the step where they matter.

What you get

• A plain-language **Solution Overview** of how MAM + Conditional Access protect mobile SharePoint access, including an explicit **Commercial vs GCC High — what's different** section.

• A **Requirements Guide** with verify / implement-if-missing for every prerequisite, on the `*.us` endpoints.

• An **Implementation Guide** of precise, click-by-click steps in the required order — on the GCC High portals, piloted in Report-only first, with parity caveats inline.

• Five **PowerShell scripts** (discovery, validation, reporting, safe remediation, and scope targeting) — all connecting to **US Gov Graph** (`-Environment USGov`).

• A **GCC High Parity Notes** reference plus **Testing** and **Troubleshooting** guides for a confident, lockout-free rollout.

What this delivers

A working, enforced posture on GCC High: staff open SharePoint Online **only** in the approved Microsoft mobile apps (**SharePoint**, **OneDrive**, **Office/Microsoft 365**, **Edge**, **Teams**, **Outlook**), those apps carry an **App Protection Policy** (PIN, encryption, block copy/paste and "Save As" to unmanaged locations, selective wipe), and **Conditional Access requires the app protection policy** before SharePoint will serve data on iOS or Android — piloted in Report-only mode before enforcement, with break-glass

accounts excluded, and GCC-High-specific gaps (e.g. SharePoint's **Graph-dependent mobile features are disabled in GCC High**) handled up front.

The standard deployment model

Assess → **Configure** → **Pilot** → **Validate** → **Expand.**

Outcome

Secure mobile access to SharePoint Online under MAM deployed **correctly on GCC High** — right portals, right endpoints, parity gaps handled — so staff stay productive on their phones while corporate data cannot leak out of the managed apps, proven on a pilot before you scale.

1. Solution Overview — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

The problem

Users expect to reach SharePoint Online sites and documents from their phones and tablets. In government, many of those devices are **personal / BYO** — you cannot (and often should not) fully enroll them into device management. The exposure is data **leaving** the sanctioned apps: content copied into a personal note app, "Save As" to a consumer cloud, screenshots, or an unmanaged mail client attaching a work file. You need mobile access **without** managing the whole device, and you need corporate data to stay inside apps you control.

The solution

This solution uses two Microsoft technologies together:

1. **Intune App Protection Policies (App Protection Policy / APP — commonly "MAM")** — a policy that

is applied to the **app**, not the device. It requires a PIN, encrypts app data, blocks copy/paste and "Save As" out of managed apps, and lets you **selectively wipe** just the corporate data. It works on unenrolled (BYO) devices.

1. **Conditional Access (CA)** — the sign-in gate. A CA policy scoped to **Office 365 / SharePoint

Online **and to** iOS/Android **requires** app protection policy **before the service will return data. The result: SharePoint Online can only be opened in the** approved Microsoft mobile apps** that support App Protection Policies — the mobile browser and unmanaged apps are blocked or limited.

The **supported mobile access path** is the Microsoft mobile apps that honor App Protection Policies — **SharePoint**, **OneDrive**, **Microsoft 365 (Office)**, **Microsoft Edge**, **Teams**, and **Outlook**. Browsing SharePoint from a mobile browser is constrained by the CA policy; where browser access is needed, it is routed through **managed Microsoft Edge** so protection still applies. ([Intune — App Protection Policies overview](https://learn.microsoft.com/en-us/intune/app-management/protection/overview), [Entra — Require app protection policy](https://learn.microsoft.com/en-us/entra/identity/conditional-access/policy-all-users-approved-app-or-app-protection))

How it works (the flow)

1. User installs the **SharePoint** (or OneDrive / Office / Edge / Teams) mobile app and signs in with their **GCC High work account** (`login.microsoftonline.us`).
1. Sign-in hits a **Conditional Access** policy that, for iOS/Android against Office 365, **requires app protection policy**.
1. Intune delivers the **App Protection Policy** to the app; the app enforces PIN, encryption, and data-transfer restrictions.
1. SharePoint Online serves data **only inside** the protected app. Attempts to move data to unmanaged apps are blocked per policy. If the user leaves or the device is lost, a **selective wipe** removes only corporate data.

Commercial vs GCC High — what's different

This edition is authored for a **GCC High** tenant. The differences are not cosmetic — using Commercial steps points you at URLs and features that do not exist in the sovereign cloud.

Area	Commercial	GCC High
Intune admin center	`intune.microsoft.com`	`intune.microsoft.us`
Entra admin center	`entra.microsoft.com`	`entra.microsoft.us`
Azure portal	`portal.azure.com`	`portal.azure.us`
Microsoft 365 admin	`admin.microsoft.com`	`portal.office365.us`
Sign-in / auth endpoint	`login.microsoftonline.com`	`login.microsoftonline.us`
Microsoft Graph	`graph.microsoft.com`	`graph.microsoft.us` (`Connect-MgGraph -Environment USGov`)
SharePoint tenant URLs	`*.sharepoint.com`	`*.sharepoint.us`

Feature parity gaps that matter for this solution (all cited in **GCC High Parity Notes**):

- **SharePoint mobile apps are supported** in GCC High/DoD, **but Graph-dependent SharePoint Online features are currently disabled in GCC High** — anything that relies on Microsoft Graph inside SharePoint (some rollups, activity notifications, stock images, Internet-service web parts) will not behave as in Commercial. ([SharePoint for US government environments](https://learn.microsoft.com/en-us/office365/servicedescriptions/office-365-platform-service-description/office-365-us-government/sharepoint))
- **Mobile apps must resolve the GCC High cloud instance** — only the user's government account can be added; personal accounts are blocked, and some in-app cloud features are FedRAMP-restricted. ([Outlook for iOS/Android in the government cloud](https://learn.microsoft.com/en-us/exchange/clients-and

-mobile-in-exchange-online/outlook-for-ios-and-android/outlook-for-ios-and-android-in-the-government-cloud))

• **"Require approved client app"** is **retiring (early March 2026)** — new CA policies must use **"Require app protection policy."** This solution uses the app-protection-policy control throughout. ([Entra — migrate approved client app](https://learn.microsoft.com/en-us/entra/identity/conditional-access/migrate-approved-client-app))

• **App Protection Policies, Conditional Access, and MFA are available in GCC High** — the core building blocks of this solution are present in the sovereign cloud. ([Entra feature availability — US Gov](https://learn.microsoft.com/en-us/entra/identity/authentication/feature-availability))

> *Where Microsoft does not publish a definitive GCC-High statement, the guide flags it **"verify for GCC High"** and tells you to pilot in Report-only before depending on it. Nothing here is invented.*

Benefits

• **Data stays in managed apps** — copy/paste, "Save As", and backup out of SharePoint content are blocked on unmanaged targets.

• **No device enrollment required** — protection is applied at the app layer, ideal for BYO.

• **Selective wipe** — remove corporate data without touching the user's personal device.

• **Sovereign-correct** — every portal, endpoint, and app instance is the GCC High one.

Limitations / scope

• This solution secures **mobile** (iOS/Android) access to **SharePoint Online**; desktop and fully-managed device scenarios are covered by companion solutions.

• App Protection Policies protect data **inside** supported Microsoft apps; they do not stop a user from photographing the screen with a second device.

• GCC High **feature lag** applies — a capability demoed on Commercial may not yet be live in your tenant. Verify in `intune.microsoft.us` / `entra.microsoft.us` before designing around it.

The standard deployment model

Assess → **Configure** → **Pilot** → **Validate** → **Expand.** Every step below is built on this model, with a gate between each phase.

2. Requirements Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

Confirm each requirement **before** you configure anything. The **Global Requirements (Intune Solutions)** document covers the category-wide basics (tenant, Intune subscription, admin roles, pilot group, network access) — this guide adds the requirements **specific to this solution on GCC High**. Each entry:

Description · Why · Verify · Implement-if-missing, on the `*.us` sovereign endpoints.

> ***Sovereign-cloud reminder:*** *every portal below is a `*.us` URL. If you land on a `.com` portal you are in the wrong cloud. Sign in with your **GCC High** admin account at `login.microsoftonline.us`.*

R1. GCC High tenant (not Commercial / not GCC Moderate)

Description: An active Microsoft 365 **GCC High** tenant with SharePoint Online provisioned. **Why:** This edition's portals, endpoints, and app cloud instances only apply to GCC High. **Verify:** Sign in to `https://portal.office365.us`; your SharePoint sites resolve at `https://<tenant>.sharepoint.us`. **Implement:** Provision through a Microsoft GCC High agreement; this is not a setting you toggle on a Commercial tenant.

R2. US Gov licensing that includes Intune App Protection + Entra P1

Description: Licensing that provides **Intune** (App Protection Policies) and **Entra ID P1** (Conditional Access) for targeted users — e.g. **Microsoft 365 G3/G5 (Gov)** or **EMS G3/G5 (Gov)**. **Why:** App Protection Policies require an Intune license; Conditional Access requires Entra ID P1. **Verify:** `https://portal.office365.us` → **Billing** → **Licenses**; confirm an Intune-bearing and Entra P1-bearing plan is assigned to pilot users. **Implement:** Assign M365 G3/G5 Gov (or EMS G3/G5 Gov + a SharePoint plan) to the pilot group. [Entra feature availability — US Gov](https://learn.microsoft.com/en-us/entra/identity/authentication/feature-availability)

R3. Administrative roles (Intune + Conditional Access)

Description: Roles that permit creating App Protection Policies and Conditional Access policies. **Why:** APP creation needs **Intune Administrator**; CA policy creation needs **Conditional Access Administrator** (or Security Administrator). **Verify:** `https://entra.microsoft.us` → **Roles and administrators**; confirm the operator holds **Intune Administrator** and **Conditional Access Administrator**. **Implement:** Assign those roles; reserve **Global Administrator** for tenant-wide changes only.

R4. Break-glass (emergency access) accounts excluded from CA

Description: At least two cloud-only emergency-access accounts, **excluded from all Conditional Access policies**. **Why:** A misconfigured CA policy can lock everyone out; break-glass accounts are the recovery path. **Verify:** `https://entra.microsoft.us` → **Protection** → **Conditional Access**; confirm your break-glass group is in **Exclude** on every policy. **Implement:** Create two cloud-only accounts, place them in a dedicated group, and exclude that group from CA. (Script `SPMAMG-Validation.ps1` checks this.)

R5. Pilot security group (users, not devices)

Description: An Entra **security group of pilot users** for MAM (App Protection targets **users**). **Why:** Every rollout is piloted before fleet expansion; App Protection Policies and the CA policy are assigned to this group first. **Verify:** `https://entra.microsoft.us` → **Groups**; the pilot group exists and contains test users. **Implement: Groups** → **New group** → **Security**, add pilot members. (Script `SPMAMG-Set-ScopeTargeting.ps1` can build the include/exclude scope.)

R6. Supported Microsoft mobile apps available for GCC High

Description: The **SharePoint**, **OneDrive**, **Microsoft 365 (Office)**, **Edge**, **Teams**, and **Outlook** mobile apps, able to sign in to the **GCC High** cloud instance. **Why:** These are the App-Protection-Policy-aware apps that form the supported mobile access path; they must resolve the government cloud, not Commercial. **Verify:** On a test iOS/Android device, install the **SharePoint** app, sign in with a GCC High account, and confirm your `*.sharepoint.us` sites load. Only the government account can be added. **Implement:** Distribute via Company Portal or the public app stores; confirm accounts resolve to GCC High. Note: **Graph-dependent SharePoint mobile features are disabled in GCC High** (see parity notes). [SharePoint for US government environments](https://learn.microsoft.com/en-us/office365/servicedescriptions/office-365-platform-service-description/office-365-us-government/sharepoint) · [Outlook for iOS/Android in the government cloud](https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/outlook-for-ios-and-android/outlook-for-ios-and-android-in-the-government-cloud)

R7. Broker app for app-based Conditional Access

Description: Microsoft Authenticator on **iOS** and **Intune Company Portal** on **Android** installed on pilot devices. **Why:** App-based CA uses a broker app to register the app/device with Entra; without it, the protected apps cannot satisfy the CA control. **Verify:** On the test device, Authenticator (iOS) / Company Portal (Android) is installed and the work account is added. **Implement:** Install from the store; sign in with the GCC High account. [App-based Conditional Access with Intune](https://learn.microsoft.com/en-us/intune/device-security/conditional-access-integration/app-based-policies)

R8. Network access to GCC High endpoints (allow-list)

Description: Mobile devices can reach the **GCC High** service endpoints through any filtering. **Why:** Sign-in, policy sync, and SharePoint data all use `*.us` endpoints that differ from Commercial. **Verify:** From a test device, reach `https://login.microsoftonline.us` and your `https://<tenant>.sharepoint.us`. **Implement:** Allow the **Office 365 U.S. Government GCC High** published URL/IP ranges (SharePoint Online & OneDrive, Entra/auth, Intune) through proxy/MDM/firewall. [GCC High endpoints](https://learn.microsoft.com/en-us/microsoft-365/enterprise/microsoft-365-u-s-government-gcc-high-endpoints)

Requirements gate (Assess): do not proceed to **Configure** until R1–R8 pass. Run `SPMAMG-Discovery.ps1` (US Gov Graph) to capture the current App Protection Policy and CA inventory before you change anything.

Global Requirements — Intune Solutions (category-level)

These requirements apply to **every** solution in the **Intune Solutions** category. They are published once at the category level so individual listings stay small. Confirm these before deploying *any* Intune solution. Each entry: **Description · Why · Verify · Implement-if-missing.**

G1. Microsoft Entra ID tenant

Description: An active Microsoft Entra ID (Azure AD) tenant. **Why:** It is the identity backbone for every cloud and Intune-managed resource. **Verify:** Sign in to `https://entra.microsoft.com` as an administrator. **Implement:** Create a Microsoft 365/Azure subscription, which provisions a tenant.

G2. Microsoft Intune subscription

Description: An Intune-bearing license plan. **Why:** Intune delivers all configuration, compliance, and security policies. **Verify:** `https://intune.microsoft.com` loads; **Tenant administration** → **Tenant status** shows active. **Implement:** Assign Microsoft 365 E3/E5, Business Premium, or standalone Intune Plan 1.

G3. Administrative roles

Description: Appropriate Entra/Intune admin roles for the operator. **Why:** Creating policies and enrollment settings requires elevated rights. **Verify:** Entra → **Roles and administrators**; confirm **Intune Administrator**. **Implement:** Assign **Intune Administrator**; reserve Global Administrator for tenant-wide changes.

G4. Device enrollment in Intune

Description: Targeted Windows devices are enrolled and manageable. **Why:** Policies only reach enrolled devices. **Verify:** Intune → **Devices** → **All devices**; the device appears and is **compliant**. **Implement:** Enable **Automatic Enrollment** and join devices to Entra ID.

G5. Pilot security group

Description: A Microsoft Entra security group for pilot/targeted users or devices. **Why:** Every solution is piloted before fleet rollout. **Verify:** Entra → **Groups**; the pilot group exists. **Implement:** Entra → **Groups** → **New group** → **Security** → add members.

G6. Supported Windows baseline

Description: Windows 10 21H2+ or Windows 11 with current updates. **Why:** Modern Intune features assume a patched, supported OS. **Verify:** `winver`, or Intune → device → **Hardware**. **Implement:** Deploy **Update rings** or upgrade to Windows 11.

G7. Network access to Microsoft cloud endpoints

Description: Outbound HTTPS to Microsoft 365, Entra, and Intune service URLs. **Why:** Enrollment, policy sync, and authentication depend on these endpoints. **Verify:** From a device, reach `https://login.microsoftonline.com` and `https://enrollment.manage.microsoft.com`. **Implement:** Allow Microsoft's published Office 365/Intune URL & IP ranges through proxy/firewall.

The standard deployment model (all solutions): Assess → Configure → Pilot → Validate → Expand.

3. Implementation Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

This guide gives **exact, ordered, click-by-click steps** on the **GCC High** portals. It follows the standard model — **Assess** → **Configure** → **Pilot** → **Validate** → **Expand** — with a **gate** between phases. Do not skip the gates.

> ***Before you start — you are in the sovereign cloud.*** *Sign in with your **GCC High** admin account at* `login.microsoftonline.us`*. The Intune portal is* `https://intune.microsoft.us` *and the Entra portal is* `https://entra.microsoft.us`*. If a URL ends in* `.com`*, stop — you are in Commercial.*

Named objects created in this guide (reuse these exact names):

- App Protection Policy (iOS): `APP-SPO-iOS-Enterprise`
- App Protection Policy (Android): `APP-SPO-Android-Enterprise`
- Conditional Access policy: `CA-SPO-Mobile-Require-App-Protection`
- Pilot group (from R5): `SG-SPMAMG-Pilot`
- Break-glass exclusion group (from R4): `SG-BreakGlass-Exclude`

Phase 1 — Assess (gate: R1–R8 pass)

1. Confirm requirements R1–R8 in **Requirements Guide** are all green.
2. Run `SPMAMG-Discovery.ps1` (connects to `graph.microsoft.us` via `-Environment USGov`).

Save the output — it lists existing App Protection Policies and Conditional Access policies so you don't collide with an existing configuration.

1. On a test iOS and a test Android device, install the **SharePoint** app, sign in with a GCC High

account, and confirm your `*.sharepoint.us` site loads. This proves the mobile app resolves the **government cloud** (R6) before you add policy.

Gate: all requirements pass and a baseline SharePoint mobile sign-in works. Proceed.

Phase 2 — Configure

Step 2.1 — Create the iOS App Protection Policy (`APP-SPO-iOS-Enterprise`)

1. Go to `https://intune.microsoft.us` → **Apps** → **App protection policies**.
2. Click **+ Create policy** → **iOS/iPadOS**.
3. **Basics** — Name: `APP-SPO-iOS-Enterprise`. Description: "Protects SharePoint/OneDrive/Office

data on iOS (BYO) — GCC High." Click **Next**.

1. **Apps** — **Target policy to**: **Selected apps**. Add the supported public apps:

Microsoft SharePoint, **Microsoft OneDrive**, **Microsoft 365 (Office)**, **Microsoft Edge**, **Microsoft Teams**, **Microsoft Outlook**. Click **Next**.

1. **Data protection** — set an **Enterprise (Level 2)** baseline

([Data protection framework](https://learn.microsoft.com/en-us/intune/app-management/protection/data-protection-framework)):

• **Backup org data to iTunes and iCloud backups: Block**

• **Send org data to other apps: Policy managed apps** (blocks copy/"Save As" to unmanaged

apps)

• **Save copies of org data: Block** — under **Allow user to save copies to selected

services**, leave only** OneDrive for Business **/** SharePoint** if your policy permits.

• **Receive data from other apps: Policy managed apps**

• **Restrict cut, copy, and paste between other apps: Policy managed apps with paste in**

• **Screen capture and Google Assistant** (Android equivalent) / **Third-party keyboards:** set

per your risk posture.

• **Encrypt org data: Require**

• Click **Next**.

1. **Access requirements** — **PIN for access: Require**; **Work or school account credentials for

access: Require**;** Recheck the access requirements after (minutes of inactivity): 30**. Click** Next**.

1. **Conditional launch** — keep the defaults (e.g. **Max PIN attempts** → **Reset PIN**, **Jailbroken/

rooted devices → Block access**,** Offline grace period → Wipe data**). Click** Next**.

1. **Assignments** — **Included groups**: `SG-SPMAMG-Pilot`. **Excluded groups**:

`SG-BreakGlass-Exclude`. Click **Next** → **Create**.

Step 2.2 — Create the Android App Protection Policy (`APP-SPO-Android-Enterprise`)

Repeat Step 2.1 choosing **Android** at **+ Create policy**. Name it `APP-SPO-Android-Enterprise`, target the same apps, apply the same Level 2 data-protection settings, and assign to `SG-SPMAMG-Pilot` (exclude `SG-BreakGlass-Exclude`).

> ***GCC High caveat:*** *target the* ***government-cloud*** *versions of the apps that resolve* `*.sharepoint.us`. *Personal accounts cannot be added to these apps in GCC High, and* ***Graph-dependent SharePoint mobile features are disabled*** *— see* ***GCC High Parity Notes****.*

Step 2.3 — Create the Conditional Access policy (`CA-SPO-Mobile-Require-App-Protection`)

1. Go to `https://entra.microsoft.us` → **Protection** → **Conditional Access** → **Policies**.

2. Click **+ New policy**. **Name:** `CA-SPO-Mobile-Require-App-Protection`.

3. **Users** — **Include**: `SG-SPMAMG-Pilot`. **Exclude**: `SG-BreakGlass-Exclude` (always).

4. **Target resources** — **Cloud apps** → **Include** → **Select apps** → **Office 365** (this covers SharePoint

Online). *(If you prefer, select **SharePoint Online** specifically.)*

1. **Conditions** → **Device platforms** — **Include** → **Select device platforms** → **iOS** and

Android only.

1. **Conditions** → **Client apps** — **Configure: Yes** → select **Mobile apps and desktop clients**

(and, if you want to steer browsers, **Browser** — combined with the Edge routing note below).

1. **Grant** — **Grant access** → check **Require app protection policy**. If you also selected

Browser, add **Require approved client app OR app protection policy** only as a temporary bridge — **note:** *"Require approved client app" is retiring in early March 2026; use "Require app protection policy" going forward.* ([Entra — migrate approved client app](https://learn.microsoft.com/en-us/entra/identity/conditional-access/migrate-approved-client-app)) For **multiple controls**, choose **Require one of the selected controls** only if you intentionally allow either; otherwise **Require all**.

1. **Enable policy** — set to **Report-only** (not On). Click **Create**.

Gate: iOS + Android App Protection Policies created and assigned to the pilot; the CA policy exists in **Report-only**. Proceed to Pilot.

Phase 3 — Pilot

1. On the pilot devices (already carrying Authenticator on iOS / Company Portal on Android per R7),

open the **SharePoint** app and sign in with a `SG-SPMAMG-Pilot` account.

1. The app should prompt to **set an app PIN** (App Protection Policy applied). Open a `*.sharepoint.us`

site and a document.

1. Test data-leak prevention: try to **copy** text from a SharePoint doc into a personal note app

(should be blocked), and try **"Save a copy"** to a consumer cloud (should be blocked/limited).

1. Watch enforcement without risk: in `entra.microsoft.us` → **Conditional Access** →

`CA-SPO-Mobile-Require-App-Protection` → **Report-only**, review that the pilot sign-ins would be **satisfied** by the app-protection control (use the **What If** tool and **Sign-in logs** → **Report-only** tab).

Gate: pilot users can work in the protected apps, data-leak controls fire, and Report-only shows the CA control being **satisfied** (not blocking legitimate sign-ins). Proceed to Validate.

Phase 4 — Validate

1. Run `SPMAMG-Validation.ps1` (US Gov Graph). It confirms: the two App Protection Policies exist

and target the supported apps, the CA policy scopes iOS/Android + Office 365 with **Require app protection policy**, and **break-glass accounts are excluded** from the CA policy.

1. Run `SPMAMG-Report.ps1` to produce a summary of policies + recent mobile sign-in results

(Report-only outcomes) for your change record.

1. Confirm the **negative test**: on a device **without** the app protection policy (or in a mobile

browser outside managed Edge), SharePoint access is blocked/limited as designed once the policy is enforced.

Gate: validation script is clean and negative test behaves as designed. Proceed to Expand.

Phase 5 — Expand

1. Flip `CA-SPO-Mobile-Require-App-Protection` from **Report-only** to **On** (start with the

pilot group still, then widen).

1. Widen scope with `SPMAMG-Set-ScopeTargeting.ps1` (defaults to `-WhatIf` — review the plan,

then re-run with `-Confirm` to apply). Add production groups to the **Include** of both App Protection Policies **and** the CA policy; keep `SG-BreakGlass-Exclude` excluded.

1. Communicate to users that SharePoint on mobile now requires the approved Microsoft apps + an app

PIN.

1. Re-run `SPMAMG-Report.ps1` after each wave to confirm healthy enforcement and no unexpected

blocks.

> ***If anything locks out or misbehaves:*** *set the CA policy back to* ***Report-only*** *(or* ***Off****), use a* ***break-glass*** *account to sign in, and see* ***Troubleshooting****.* `SPMAMG-Remediation.ps1` *(defaults to* `-WhatIf`*) can re-assert break-glass exclusion and revert the CA policy to Report-only.*

Cited references

• App Protection Policies overview — https://learn.microsoft.com/en-us/intune/app-management/protection/overview

• Data protection framework — https://learn.microsoft.com/en-us/intune/app-management/protection/data-protection-framework

• App-based Conditional Access with Intune — https://learn.microsoft.com/en-us/intune/device-security/conditional-access-integration/app-based-policies

• Require app protection policy (CA) — https://learn.microsoft.com/en-us/entra/identity/conditional-access/policy-all-users-approved-app-or-app-protection

• Migrate approved client app → app protection policy — https://learn.microsoft.com/en-us/entra/identity/conditional-access/migrate-approved-client-app

• SharePoint for US government environments — https://learn.microsoft.com/en-us/office365/servicedescriptions/office-365-platform-service-description/office-365-us-government/sharepoint

• GCC High endpoints — https://learn.microsoft.com/en-us/microsoft-365/enterprise/microsoft-365-u-s-government-gcc-high-endpoints

5. Testing Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

Every test has an explicit **pass/fail gate**. Run these on the **GCC High** portals (`intune.microsoft.us`, `entra.microsoft.us`) and on real iOS/Android test devices signed in with `login.microsoftonline.us`. Where a script is named, it connects to **US Gov Graph** (`-Environment USGov`).

T0. Sovereign-cloud check (do this first)

Steps: Confirm you are administering the correct cloud. **Pass:** Portals are `*.us`; the SharePoint test site is `https://<tenant>.sharepoint.us`; `SPMAMG-Discovery.ps1` reports it connected to `graph.microsoft.us`. **Fail:** Any `.com` portal or `graph.microsoft.com` — you are in Commercial; stop and switch.

T1. App Protection Policies exist and target the right apps

Steps: `intune.microsoft.us` → **Apps** → **App protection policies**. Confirm `APP-SPO-iOS-Enterprise` and `APP-SPO-Android-Enterprise` exist and target SharePoint, OneDrive, Office/M365, Edge, Teams, Outlook. **Pass:** Both policies present, correct apps, assigned to `SG-SPMAMG-Pilot`, excluding `SG-BreakGlass-Exclude`. `SPMAMG-Validation.ps1` confirms. **Fail:** Missing policy, wrong app list, or missing exclusion.

T2. App PIN is enforced on the device

Steps: On a pilot iOS and Android device, open the **SharePoint** app signed in as a pilot user. **Pass:** The app prompts to **set/enter an app PIN** and encrypts data. **Fail:** No PIN prompt — policy not applied (check assignment, license, and that the app is the government-cloud instance).

T3. Data-leak prevention fires

Steps: Open a document in the SharePoint app. Attempt to (a) copy text into a personal note app, (b) "Save a copy" to a consumer cloud, (c) open in an unmanaged app. **Pass:** All three are **blocked or restricted** to policy-managed apps. **Fail:** Data moves freely to unmanaged apps — re-check **Data protection** settings in the APP.

T4. Conditional Access requires app protection (Report-only)

Steps: `entra.microsoft.us` → **Conditional Access** → `CA-SPO-Mobile-Require-App-Protection`. Use **What If** for a pilot user on iOS against Office 365; review **Sign-in logs** → **Report-only**. **Pass:** The policy **applies** and the **Require app protection policy** control is **satisfied** for the protected app. **Fail:** Policy not applied to mobile/Office 365, or control not evaluated — re-check Users, Target resources, Device platforms, Client apps.

T5. Negative test — unprotected access is blocked

Steps: After enforcing the CA policy (**On**), try SharePoint from a mobile **browser** outside managed Edge, or from an app without the app protection policy. **Pass:** Access is **blocked or limited** as designed. **Fail:** Unprotected access still returns data — CA policy scope/grant is wrong.

T6. Break-glass exclusion verified

Steps: Run `SPMAMG-Validation.ps1`; also confirm in the CA policy's **Exclude** list. **Pass:** `SG-BreakGlass-Exclude` is excluded from `CA-SPO-Mobile-Require-App-Protection`. **Fail:** Break-glass not excluded — fix immediately (a bad policy could otherwise lock everyone out).

T7. Selective wipe works

Steps: In `intune.microsoft.us` → **Apps** → **App selective wipe**, issue a wipe for a pilot user's device. **Pass:** Corporate data is removed from the managed apps; the user's personal data is untouched. **Fail:** Wipe not delivered — check the user has checked in recently and the device is reachable.

T8. GCC High parity behavior confirmed

Steps: In the SharePoint mobile app, confirm the **known GCC High limitations** (Graph-dependent features such as certain rollups/notifications) behave as documented, not as Commercial. **Pass:** Behavior matches **GCC High Parity Notes**; no reliance on a feature that is disabled in GCC High. **Fail:** A workflow depends on a Graph-dependent SharePoint feature that is disabled in GCC High — redesign per parity notes.

Overall gate: T0–T8 all **pass** before declaring the rollout validated. Capture `SPMAMG-Report.ps1` output as evidence for your change record.

6. Troubleshooting Guide — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

Field issues, lockout recovery, and **GCC-High-specific gotchas**. Work top-down. All portals are `*.us`; all scripts connect to **US Gov Graph** (`-Environment USGov`).

First, rule out the wrong-cloud mistake

Symptom: Portal blades look different, a policy "disappears," or PowerShell shows no policies. **Cause:** You're in the Commercial cloud (`.com`) instead of GCC High. **Fix:** Confirm you signed in at `login.microsoftonline.us`; use `intune.microsoft.us` / `entra.microsoft.us`; ensure scripts print `graph.microsoft.us`. Re-run `SPMAMG-Discovery.ps1` and check the endpoint line.

Lockout / access-blocked recovery (do this before anything drastic)

Symptom: Users (or admins) can't sign in to SharePoint on mobile after enforcing CA. **Fix:**

1. Sign in with a **break-glass** account (excluded from all CA — R4).

2. `entra.microsoft.us` → **Conditional Access** → `CA-SPO-Mobile-Require-App-Protection` → set to **Report-only** (or **Off**).

1. Run `SPMAMG-Remediation.ps1` (defaults to `-WhatIf`) to re-assert break-glass exclusion and revert the policy to Report-only; re-run with `-Confirm` to apply.

1. Diagnose with **Sign-in logs** before re-enforcing.

App PIN never prompts / App Protection Policy not applied

Symptom: SharePoint app opens with no PIN, no encryption. **Checks:**

- User is in `SG-SPMAMG-Pilot` and has an **Intune** license (R2).
- The app is the **government-cloud** instance signed in with the GCC High account (personal accounts are blocked in GCC High).
- `intune.microsoft.us` → **Apps** → **Monitor** → **App protection status** shows the user as targeted.
- Allow time / force an app check-in; App Protection Policy applies on next app launch after sign-in.

Conditional Access not applying to mobile

Symptom: Report-only shows the policy **not applied** for mobile SharePoint sign-ins. **Checks:**

- **Target resources** includes **Office 365** (or SharePoint Online specifically).
- **Conditions** → **Device platforms** includes **iOS** and **Android**.
- **Conditions** → **Client apps** includes **Mobile apps and desktop clients** (and **Browser** if you intend to gate the browser).
- **Grant** has **Require app protection policy** checked.
- The user is in **Include** and not accidentally in **Exclude**.

"Require approved client app" behaving oddly / deprecation

Symptom: A legacy policy using **Require approved client app** blocks or is flagged as deprecated. **Cause:** That grant is **retiring early March 2026**. **Fix:** Rebuild on **Require app protection policy** (this solution's default). [Migrate approved client app](https://learn.microsoft.com/en-us/entra/identity/conditional-access/migrate-approved-client-app)

Data still leaks to unmanaged apps

Symptom: Copy/paste or "Save As" out of SharePoint content succeeds. **Checks (App Protection Policy** → **Data protection):**

- **Send org data to other apps: Policy managed apps**.
- **Save copies of org data: Block** (allow only OneDrive/SharePoint if intended).
- **Restrict cut/copy/paste: Policy managed apps with paste in**.

- Confirm the target app is **not** itself a policy-managed app you inadvertently allowed.

Broker app / registration failures

Symptom: The app can't satisfy the CA control; sign-in loops. **Checks: Microsoft Authenticator** (iOS) or **Intune Company Portal** (Android) is installed and signed in with the GCC High account (R7). Reinstall the broker app and retry. [App-based Conditional Access with Intune](https://learn.microsoft.com/en-us/intune/device-security/conditional-access-integration/app-based-policies)

GCC-High-specific gotchas

- **SharePoint mobile feature missing entirely.** If a rollup, activity notification, stock-images

tab, or Internet-service web part doesn't work, that is **expected** — Graph-dependent SharePoint features are **disabled in GCC High**. Don't chase it as a policy bug; redesign the site per **GCC High Parity Notes**. ([SharePoint for US government environments](https://learn.microsoft.com/en-us/office365/servicedescriptions/office-365-platform-service-description/office-365-us-government/sharepoint))

- **User tries to add a personal account.** Blocked by design in GCC High — communicate this; it is

not a fault. ([Outlook for iOS/Android in the government cloud](https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/outlook-for-ios-and-android/outlook-for-ios-and-android-in-the-government-cloud))

- **Site or sign-in unreachable from mobile.** Confirm the **GCC High endpoint ranges** (`*.us`

SharePoint/Entra/Intune) are allowed through your MDM/proxy/firewall — Commercial ranges won't cover them. ([GCC High endpoints](https://learn.microsoft.com/en-us/microsoft-365/enterprise/microsoft-365-u-s-government-gcc-high-endpoints))

- **A capability from a Commercial article is absent.** GCC High lags Commercial. **Verify for GCC

High** in `intune.microsoft.us` / `entra.microsoft.us`; if the option isn't there, it isn't released yet.

When to escalate

- Break-glass access itself fails → this is a tenant-level identity incident; engage Microsoft

support for GCC High immediately.

- App Protection status shows the user targeted but the app never enforces after repeated check-ins →

collect app logs (Settings → Help → Share Diagnostic Logs) and open a support case.

Golden rule: if enforcement misbehaves, **fall back to Report-only, sign in with break-glass, diagnose with sign-in logs, then re-enforce.** Never leave a broken enforcing policy live.

7. Best Practices — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

Field-proven recommendations for running this solution on the **US sovereign cloud**.

Sovereign-cloud discipline

- **Bookmark the** `*.us` **portals** (`intune.microsoft.us`, `entra.microsoft.us`, `portal.azure.us`,

`portal.office365.us`) and remove Commercial bookmarks from admin machines to avoid cross-cloud mistakes.

- **Always connect PowerShell with** `-Environment USGov` so Graph targets `graph.microsoft.us`.

Every script in this package does this and prints the endpoint it reached — verify it before trusting output.

- **Never assume Commercial parity.** GCC High receives features later and some are absent. If a

capability isn't on a Microsoft US Gov page, treat it as **"verify for GCC High"** and pilot in Report-only.

Policy design

- **Use "Require app protection policy," not "Require approved client app."** The approved-client-app

control is retiring (early March 2026); build new policies on app protection policy. ([Migrate approved client app](https://learn.microsoft.com/en-us/entra/identity/conditional-access/migrate-approved-client-app))

- **Target users, not devices, for MAM.** App Protection Policies apply to users and work on BYO /

unenrolled devices — that is the whole point of the mobile scenario.

- **Standardize on the Enterprise (Level 2) data-protection baseline** and only deviate with a

documented reason. ([Data protection framework](https://learn.microsoft.com/en-us/intune/app-management/protection/data-protection-framework))

- **Route mobile browser access through managed Edge** so protection still applies where a browser is

genuinely needed; otherwise keep users in the SharePoint/OneDrive/Office apps.

- **Keep the app list consistent across iOS and Android** so the user experience and the security

posture match on both platforms.

Safety and rollout

- **Report-only first, always.** Never publish an enforcing CA policy without observing it in

Report-only against the pilot.

- **Two break-glass accounts, excluded from every CA policy**, checked on every change. The

validation script verifies this — run it after each edit.

- **Assess** → **Configure** → **Pilot** → **Validate** → **Expand**, with the gate at each step. Widen scope in

waves using `SPMAMG-Set-ScopeTargeting.ps1` (defaults to `-WhatIf` — review before applying).

- **Change on** `-WhatIf` **by default.** Remediation and scope-targeting scripts preview their actions;

apply only after you've read the plan.

GCC High specifics to plan around

• **Graph-dependent SharePoint mobile features are disabled in GCC High.** Do not design user

workflows around notifications, activity rollups, stock images, or Internet-service web parts on mobile. ([SharePoint for US government environments](https://learn.microsoft.com/en-us/office365/servicedescriptions/office-365-platform-service-description/office-365-us-government/sharepoint))

• **Only the government account can be added** to the mobile apps; some in-app cloud features are

FedRAMP-restricted by default. Communicate this to users so they don't try to add personal accounts. ([Outlook for iOS/Android in the government cloud](https://learn.microsoft.com/en-us/exchange/clients-and-mobile-in-exchange-online/outlook-for-ios-and-android/outlook-for-ios-and-android-in-the-government-cloud))

• **Allow the GCC High endpoint ranges** through your MDM/proxy/firewall — the `*.us` SharePoint,

Entra, and Intune URLs, which differ from Commercial. ([GCC High endpoints](https://learn.microsoft.com/en-us/microsoft-365/enterprise/microsoft-365-u-s-government-gcc-high-endpoints))

Operations

• **Re-run** `SPMAMG-Report.ps1` **after every expansion wave** and keep the output as change evidence.

• **Review App Protection Policy status** monthly (`intune.microsoft.us` → **Apps → Monitor → App

protection status**) to catch users who never received policy.

• **Practice selective wipe** on a test account so the help desk can execute it confidently when a

device is lost or a user offboards.

8. Deliverables Summary — Secure Mobile Access to SharePoint Online under MAM (Government / GCC High)

Documentation

Document	Purpose
Executive Summary	Business case and what's in the box (Government edition)
1. Solution Overview	What MAM + Conditional Access do for mobile SharePoint access, **Commercial vs GCC High — what's different**, benefits, limitations
2. Requirements Guide	Every prerequisite with Verify / Implement-if-missing, on the `*.us` sovereign endpoints

Document	Purpose
Global Requirements (Intune Solutions)	Category-wide prerequisites, published once
3. Implementation Guide	Exact, ordered steps on the GCC High portals — Report-only first, break-glass safety, parity caveats inline
5. Testing Guide	Validation procedures with pass/fail gates, including a sovereign-cloud check
6. Troubleshooting Guide	Field issues, lockout recovery, and GCC-High-specific gotchas
7. Best Practices	Field-proven recommendations for the sovereign cloud
GCC High Parity Notes	Cited reference of Commercial-vs-GCC-High capability gaps

PowerShell scripts (all connect to US Gov Graph — `-Environment USGov`)

Script	What it does
`SPMAMG-Discovery.ps1`	Confirms the US Gov Graph environment and inventories current App Protection Policies + Conditional Access policies before you change anything (read-only)
`SPMAMG-Validation.ps1`	Confirms the iOS/Android App Protection Policies target the supported apps, the CA policy requires app protection for mobile Office 365, and break-glass accounts are excluded (read-only)
`SPMAMG-Report.ps1`	Summarizes App Protection Policies, the CA policy, and recent mobile sign-in results for the change record (read-only, US Gov Graph)
`SPMAMG-Remediation.ps1`	Safe fixes — re-asserts break-glass exclusion and reverts a runaway CA policy to Report-only; **defaults to** `-WhatIf`
`SPMAMG-Set-ScopeTargeting.ps1`	Builds pilot→production scope (include/exclude groups) on the App Protection Policies and CA policy; **defaults to** `-WhatIf`

What the buyer receives

- This implementation guide as a branded **Word** document and **PDF**.
- All five **PowerShell scripts** in a single ZIP, all targeting `graph.microsoft.us`.
- A repeatable process following the model: **Assess** → **Configure** → **Pilot** → **Validate** → **Expand.**

Outcome

Secure mobile access to SharePoint Online under MAM deployed **correctly on GCC High** — right portals, right endpoints, parity gaps handled — so staff work from their phones in the approved, protected Microsoft apps while corporate data cannot leak to unmanaged apps, proven on a pilot before scale, with break-glass accounts and Report-only piloting preventing lockouts.

Appendix A — PowerShell Scripts

Included in the accompanying ZIP. Each script's header documents full usage.

SPMAMG-Discovery.ps1

Purpose: Confirms you are targeting the US Government (GCC High) cloud, then inventories the objects this solution depends on: Intune App Protection Policies (iOS/Android) and Conditional Access policies. Read-only. Run it first, before making any changes, to avoid colliding with existing config. Replace placeholders like your-tenant-id only if you pin a tenant; none are required to run. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\SPMAMG-Discovery.ps1 Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All' EXPECTED RESULTS Graph host = graph.microsoft.us (USGov), a count of iOS/Android App Protection Policies, and a Conditional Access policy count. PASS when the environment shows USGov; FAIL/wrong-cloud if it shows graph.microsoft.com. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param()

How to run: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Discovery.ps1 Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All' EXPECTED RESULTS Graph host = graph.microsoft.us (USGov), a count of iOS/Android App Protection Policies, and a Conditional Access policy count. PASS when the environment shows USGov; FAIL/wrong-cloud if it shows graph.microsoft.com. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param()

SPMAMG-Remediation.ps1

Purpose: Recovers a misbehaving deployment safely. Ensures the break-glass group is excluded from the Conditional Access policy, and can revert the policy to Report-only so it stops enforcing while you investigate. Defaults to -WhatIf: it PREVIEWS every change and applies nothing until you re-run with -Confirm. Pass the CA policy name and break-glass group name (defaults match the guide). HOW TO RUN Preview (default): powershell -ExecutionPolicy Bypass -File .\SPMAMG-Remediation.ps1 Apply: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Remediation.ps1 -Confirm Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.ReadWrite.ConditionalAccess','Group.Read.All' EXPECTED RESULTS In preview, a list of intended changes. With -Confirm, the break-glass group is added to the CA policy exclusions (if missing) and the policy is set to Report-only. .NOTES White-label — the repeatable way. Write actions are gated behind -Confirm; default is read-only preview. #> [CmdletBinding()] param([string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude', [switch]$Confirm, [switch]$WhatIf)

How to run: Preview (default): powershell -ExecutionPolicy Bypass -File .\SPMAMG-Remediation.ps1 Apply: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Remediation.ps1 -Confirm Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.ReadWrite.ConditionalAccess','Group.Read.All' EXPECTED RESULTS In preview, a list of intended changes. With -Confirm, the break-glass group is added to the CA policy exclusions (if missing) and the policy is set to Report-only. .NOTES White-label — the repeatable way. Write actions are gated behind -Confirm; default is read-only preview. #> [CmdletBinding()] param([string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude',

[switch]$Confirm, [switch]$WhatIf)

SPMAMG-Report.ps1

Purpose: Produces a change-record summary: the App Protection Policies (iOS/Android) and their assignments, the Conditional Access policy state, and recent mobile (iOS/Android) sign-in results against Office 365 / SharePoint Online. Read-only. Optionally write the summary to a file with -OutFile. HOW TO RUN powershell -ExecutionPolicy Bypass -File .\SPMAMG-Report.ps1 powershell -ExecutionPolicy Bypass -File .\SPMAMG-Report.ps1 -OutFile .\spmamg-report.txt Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All','AuditLog.Read.All' EXPECTED RESULTS A printed (and optionally saved) report of policies and recent mobile sign-in outcomes. Use it as evidence after each pilot/expansion wave. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([string]$OutFile)

How to run: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Report.ps1 powershell -ExecutionPolicy Bypass -File .\SPMAMG-Report.ps1 -OutFile .\spmamg-report.txt Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All','AuditLog.Read.All' EXPECTED RESULTS A printed (and optionally saved) report of policies and recent mobile sign-in outcomes. Use it as evidence after each pilot/expansion wave. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([string]$OutFile)

SPMAMG-Set-ScopeTargeting.ps1

Purpose: Widens (or sets) the include/exclude group scope on the Conditional Access policy as you move from pilot to production, while always keeping the break-glass group excluded. Defaults to -WhatIf: it PREVIEWS the resulting scope and applies nothing until you re-run with -Confirm. Provide the include group name to add and, optionally, the break-glass group name (defaults match the guide). HOW TO RUN Preview (default): powershell -ExecutionPolicy Bypass -File .\SPMAMG-Set-ScopeTargeting.ps1 -IncludeGroup 'SG-SPMAMG-Wave2' Apply: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Set-ScopeTargeting.ps1 -IncludeGroup 'SG-SPMAMG-Wave2' -Confirm Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.ReadWrite.ConditionalAccess','Group.Read.All' EXPECTED RESULTS In preview, the include/exclude group scope that would result. With -Confirm, the include group is added and the break-glass group is confirmed excluded on the CA policy. .NOTES White-label — the repeatable way. Write actions are gated behind -Confirm; default is read-only preview. #> [CmdletBinding()] param([Parameter(Mandatory=$true)][string]$IncludeGroup, [string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude', [switch]$Confirm, [switch]$WhatIf)

How to run: Preview (default): powershell -ExecutionPolicy Bypass -File .\SPMAMG-Set-ScopeTargeting.ps1 -IncludeGroup 'SG-SPMAMG-Wave2' Apply: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Set-ScopeTargeting.ps1 -IncludeGroup 'SG-SPMAMG-Wave2' -Confirm Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.ReadWrite.ConditionalAccess','Group.Read.All' EXPECTED RESULTS In preview, the include/exclude group scope that would result. With -Confirm, the include group is added and the break-glass group is confirmed excluded on the CA policy. .NOTES White-label — the repeatable way. Write actions are gated behind -Confirm; default is read-only preview. #> [CmdletBinding()] param(

[Parameter(Mandatory=$true)][string]$IncludeGroup, [string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude', [switch]$Confirm, [switch]$WhatIf)

SPMAMG-Validation.ps1

Purpose: Confirms the solution is configured correctly: iOS and Android App Protection Policies exist and target the supported apps, a Conditional Access policy requires app protection for mobile Office 365 access, and break-glass accounts are excluded from that CA policy. Read-only. Pass the CA policy name and break-glass group name as parameters (defaults match the implementation guide). HOW TO RUN powershell -ExecutionPolicy Bypass -File .\SPMAMG-Validation.ps1 Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All','Group.Read.All' EXPECTED RESULTS A PASS/FAIL line per check. Overall PASS requires: two App Protection Policies present, the CA policy requires app protection, scopes iOS+Android, and excludes the break-glass group. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude')

How to run: powershell -ExecutionPolicy Bypass -File .\SPMAMG-Validation.ps1 Connects to US Gov Graph: Connect-MgGraph -Environment USGov -Scopes 'Policy.Read.All','DeviceManagementApps.Read.All','Group.Read.All' EXPECTED RESULTS A PASS/FAIL line per check. Overall PASS requires: two App Protection Policies present, the CA policy requires app protection, scopes iOS+Android, and excludes the break-glass group. .NOTES White-label — the repeatable way. Read-only against Microsoft Graph US Gov endpoints. #> [CmdletBinding()] param([string]$CaPolicyName = 'CA-SPO-Mobile-Require-App-Protection', [string]$BreakGlassGroup = 'SG-BreakGlass-Exclude')