

Hight Resolution Results

Dong Zhao, Long Xu, Lin Ma, Jia Li, Yihua Yan

More Results of Pyramid Global Context Network for Image Dehazing




Fig. 1. Qualitative results on SOTS database [1]. (a) is the hazy image. (b)-(d) are the results of EPDN [2], GridDN [3] and our model. (e) is the ground truth.




Fig. 2. Qualitative results on HazeRD database [4]. (a) is the hazy image. (b)-(d) are the results of EPDN [2], GridDN [3] and our model. (e) is the ground truth.



Fig. 3. Qualitative results on O-HAZE database [5]. (a) is the hazy image. (b)-(d) are the results of EPDN [2], GridDN [3] and our model. (e) is the ground truth.




Fig. 4. Qualitative results of real-world image dehazing. (a) is the hazy image, (b)-(d) are the results of EPDN [2], GridDDN [3] and our model.

REFERENCES

- [1] B. Li, W. Ren, D. Fu, D. Tao, D. Feng, W. Zeng, and Z. Wang, "Benchmarking single-image dehazing and beyond," *IEEE Transactions on Image Processing*, vol. 28, no. 1, pp. 492–505, 2018.
- [2] Y. Qu, Y. Chen, J. Huang, and Y. Xie, "Enhanced pix2pix dehazing network," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition*, 2019, pp. 8160–8168.
- [3] X. Liu, Y. Ma, Z. Shi, and J. Chen, "Griddehazenet: Attention-based multi-scale network for image dehazing," in *Proceedings of the IEEE International Conference on Computer Vision*, 2019, pp. 7314–7323.
- [4] Y. Zhang, L. Ding, and G. Sharma, "Hazerd: an outdoor scene dataset and benchmark for single image dehazing," in *2017 IEEE International Conference on Image Processing (ICIP)*. IEEE, 2017, pp. 3205–3209.
- [5] C. O. Ancuti, C. Ancuti, R. Timofte, and C. De Vleeschouwer, "O-haze: a dehazing benchmark with real hazy and haze-free outdoor images," in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, 2018, pp. 754–762.