

Research and Education in Computational Science and Engineering*

Officers of the SIAM Activity Group on Computational Science and
Engineering (SIAG/CSE), 2013–2014:

Ulrich Rüde[†]

Karen Willcox[‡]

Lois Curfman McInnes[§]

Hans De Sterck[¶]

*This document is dedicated to the memory of Hans Petter Langtangen (1962–2016),
a passionate scholar, teacher, and advocate of computational science and engineering*

Abstract. This report presents challenges, opportunities, and directions for computational science and engineering (CSE) research and education for the next decade. Over the past two decades the field of CSE has penetrated both basic and applied research in academia, industry, and laboratories to advance discovery, optimize systems, support decision-makers, and educate the scientific and engineering workforce. Informed by centuries of theory and experiment, CSE performs computational experiments to answer questions that neither theory nor experiment alone is equipped to answer. CSE provides scientists and engineers with algorithmic inventions and software systems that transcend disciplines and scales. CSE brings the power of parallelism to bear on troves of data. Mathematics-based advanced computing has become a prevalent means of discovery and innovation in essentially all areas of science, engineering, technology, and society, and the CSE community is at the core of this transformation. However, a combination of disruptive developments—including the architectural complexity of extreme-scale computing, the data revolution and increased attention to data-driven discovery, and the specialization required to follow the applications to new frontiers—is redefining the scope and reach of the CSE endeavor. With these many current and expanding opportunities for the CSE field, there is a growing demand for CSE graduates and a need to expand CSE educational offerings. This need includes CSE programs at both the undergraduate and graduate levels, as well as continuing education and professional development programs, exploiting the synergy between computational science and data science. Yet, as institutions consider new and evolving educational programs, it is essential to consider the broader research challenges and opportunities that provide the context for CSE education and workforce development.

Key words. computational science and engineering, education, high-performance computing, large data analytics, predictive science

*Received by the editors October 3, 2016; accepted for publication (in revised form) November 28, 2017; published electronically August 8, 2018. Report from a workshop sponsored by the Society for Industrial and Applied Mathematics (SIAM) and the European Exascale Software Initiative (EESI-2), August 4–6, 2014, Breckenridge, CO.

<http://www.siam.org/journals/sirev/60-3/M109684.html>

Funding: The work of the first author was supported by the Institute of Mathematical Sciences at the National University of Singapore during the work on this report. The work of the third author was supported by the U.S. Department of Energy, Office of Science, under contract DE-AC02-06CH11357.

[†]Lehrstuhl für Informatik, Universität Erlangen-Nürnberg, Erlangen 91058, Germany (ulrich.ruede@fau.de).


[‡]Center for Computational Engineering, Massachusetts Institute of Technology, Cambridge, MA 02139 (kwillcox@mit.edu).

[§]Department of Mathematics and Computer Science, Argonne National Laboratory, Lemont, IL 60439 (curfman@mcs.anl.gov).

[¶]School of Mathematical Sciences, Monash University, Melbourne, VIC 3800, Australia (hans.desterck@monash.edu).

Additional Contributors

George Biros, University of Texas at Austin
 Hans Bungartz, Technische Universität München
 James Corones, Krell Institute
 Evin Cramer, Boeing
 James Crowley, SIAM
 Omar Ghattas, University of Texas at Austin
 Max Gunzburger, Florida State University
 Michael Hanke, KTH Stockholm
 Robert Harrison, Brookhaven National Laboratory and Stonybrook University
 Michael Heroux, Sandia National Laboratories
 Jan Hesthaven, École Polytechnique Fédérale de Lausanne
 Peter Jimack, University of Leeds
 Chris Johnson, University of Utah
 Kirk E. Jordan, IBM
 David E. Keyes, KAUST
 Rolf Krause, Università della Svizzera Italiana, Lugano
 Vipin Kumar, University of Minnesota
 Stefan Mayer, MSC Software, Munich
 Juan Meza, U.S. National Science Foundation
 Knut Martin Mørken, University of Oslo
 J. Tinsley Oden, University of Texas at Austin
 Linda Petzold, University of California, Santa Barbara
 Padma Raghavan, Vanderbilt University
 Suzanne M. Shontz, University of Kansas
 Anne Trefethen, University of Oxford
 Peter Turner, Clarkson University
 Vladimir Voevodin, Moscow State University
 Barbara Wohlmuth, Technische Universität München
 Carol S. Woodward, Lawrence Livermore National Laboratory



Contents

I CSE: Driving Scientific and Engineering Progress	709
1.1 Definition of CSE	709
1.2 Goal of This Document	710
1.3 Importance of CSE	710
1.4 Challenges and Opportunities for the Next Decade	713
1.5 The Broad CSE Community	714
1.6 Organization of This Document	715
2 Challenges and Opportunities in CSE Research	715
2.1 Advances in CSE through Mathematical Methods and Algorithms	715
2.1.1 Impact of Algorithms in CSE	716
2.1.2 Challenges and Opportunities in CSE Methods and Algorithms	717
2.2 CSE and High-Performance Computing – Ubiquitous Parallelism	725
2.2.1 Symbiotic Relationship between CSE and HPC	726
2.2.2 Ubiquitous Parallelism: A Phase Change for CSE Research and Education	726

RESEARCH AND EDUCATION IN COMPUTATIONAL SCIENCE AND ENGINEERING	709
2.2.3 Emergent Topics in HPC-Related Research and Education	726
2.3 CSE and the Data Revolution: The Synergy between Computational Science and Data Science	729
2.3.1 CSE and the Data Revolution: The Paradigms of Scientific Discovery	730
2.3.2 The Role of Big Data in CSE Applications	730
2.3.3 Synergy between Computational Science and Data Science	733
2.4 CSE Software	734
2.4.1 Importance and Scope of CSE Software	734
2.4.2 Challenges of CSE Software	734
2.4.3 Software as a Research Agenda for CSE	736
2.5 Emergence of Predictive Science	738
3 CSE Education and Workforce Development	738
3.1 Growing Demand for CSE Graduates	739
3.2 Future Landscape of CSE Educational Programs	740
3.3 Graduate Program Learning Outcomes	742
3.4 Education in Parallel Computing and Extreme-Scale Computing	744
3.5 CSE Education in Uncertainty Quantification and Data Science	747
3.6 Software Sustainability, Data Management, and Reproducibility	747
3.7 Changing Educational Infrastructure	748
4 Conclusions and Recommendations	749
4.1 Summary	749
4.2 Central Findings	750
4.3 General Recommendations	750
4.4 Recommendations for CSE Education	750
Acknowledgments	751
References	751

I. CSE: Driving Scientific and Engineering Progress.

I.1. Definition of CSE. Computational science and engineering (CSE) is a multi-disciplinary field lying at the intersection of mathematics and statistics, computer science, and core disciplines of science and engineering (Figure 1). While CSE builds on these disciplinary areas, its focus is on the integration of knowledge and methodologies from all of them and the development of new ideas at their interfaces. As such, CSE is a field in its own right, distinct from any of the core disciplines. CSE is devoted to the development and use of computational methods for scientific discovery in all branches of the sciences, for the advancement of innovation in engineering and technology, and for the support of decision-making across a spectrum of societally important application areas. CSE is a broad and vitally important field encompassing methods of high-performance computing (HPC) and playing a central role in the data revolution.

While CSE is rooted in the mathematical and statistical sciences, computer science, the physical sciences, and engineering, today it increasingly pursues its own unique research agenda. CSE is now widely recognized as an essential cornerstone




Fig. 1 *CSE at the intersection of mathematics and statistics, computer science, and core disciplines from the sciences and engineering. This combination gives rise to a new field whose character is different from its original constituents.*

that drives scientific and technological progress in conjunction with theory and experiment. Over the past two decades CSE has grown beyond its classical roots in mathematics and the physical sciences and has started to revolutionize the life sciences and medicine. In the 21st century its pivotal role continues to expand to broader areas that now include the social sciences, humanities, business, finance, and government policy.

1.2. Goal of This Document. The 2001 report on graduate education in CSE by the SIAM Working Group on CSE Education [38] (see page 711) was instrumental in setting directions for the then nascent CSE field. While its target focus was CSE education, the report more broadly emphasized the critical need to consider research and education together when contemplating future directions. Thus, recognizing that much has changed since the 2001 report, the goal of this document is twofold: (1) examine and assess the rapidly expanding role of CSE in the 21st-century landscape of research and education, and (2) discuss new directions for CSE research and education in the coming decade. We explore challenges and opportunities across CSE methods, algorithms, and software, while examining the impact of disruptive developments resulting from emerging extreme-scale computing systems, data-driven discovery, and comprehensive broadening of the application fields of CSE. We discuss particular advances in CSE methods and algorithms, the ubiquitous parallelism of all future computing, the sea change provoked by the data revolution and the synergy with data science, the importance of software as a foundation for sustained CSE collaboration, and the resulting challenges for CSE education and workforce development.

1.3. Importance of CSE. The impact of CSE on our society has been so enormous—and the role of modeling and simulation so ubiquitous—that it is nearly impossible to measure CSE’s impact and too easy to take it for granted. It is hard to imagine the design or control of a system or process that has not been thoroughly transformed by predictive modeling and simulation. Advances in CSE have led to more efficient aircraft, safer cars, higher-density transistors, more compact electronic devices, more powerful chemical and biological process systems, cleaner power plants, higher-resolution medical imaging devices, and more accurate geophysical exploration technologies—to name just a few. A rich variety of fundamental advances have been enabled by CSE in areas such as astrophysics, biology, climate modeling, fusion-energy science, hazard analysis, human sciences and policy, management of greenhouse gases,

CSE Success Story: SIAM Working Group Inspires Community to Create CSE Education Programs

The landmark 2001 report on “Graduate Education in Computational Science and Engineering” by L. Petzold et al. [38] played a critical role in helping define the then nascent field of CSE. The report proposed a concrete definition of CSE’s core areas and scope, and it laid out a vision for CSE graduate education. In doing so, it contributed a great deal to establishing CSE’s identity, to identifying CSE as a priority interdisciplinary area for funding agencies, to expanding and strengthening the global offerings of CSE graduate education, and ultimately to creating the current generation of early-career CSE researchers.

Much of the 2001 report remains relevant today; yet much has changed. Now there is a sustained significant demand for a workforce versed in mathematics-based computational modeling and simulation, as well as a high demand for graduates with the interdisciplinary expertise needed to develop and/or utilize computational techniques and methods in many fields across science, engineering, business, and society. These demands necessitate that we continue to strengthen existing programs as well as leverage new opportunities to create innovative programs.

SIAM REVIEW
Vol. 43, No. 1, pp. 163–177

© 2001 Society for Industrial and Applied Mathematics

Graduate Education in Computational Science and Engineering*

SIAM Working Group on CSE Education†

Abstract. Computational science and engineering (CSE) is a rapidly growing multidisciplinary area with connections to the sciences, engineering, mathematics, and computer science. In this report we attempt to define the core areas and scope of CSE, to provide ideas, advice, and information regarding curriculum and graduate programs in CSE, and to give recommendations regarding the potential for SIAM to contribute.

PII. S0036144500379745

materials science, nuclear energy, particle accelerator design, and virtual product design [27, 3, 36, 5, 34, 13, 6, 37, 28, 30].

CSE as a Complement to Theory and Experiment. CSE closes the centuries-old gap between theory and experiment by providing technology that converts theoretical models into predictive simulations. It creates a systematic method to integrate experimental data with algorithmic models. CSE has become the essential driving force for progress in science when classical experiments or conventional theory reach their limits, and in applications where experimental approaches are too costly, slow, dangerous, or impossible. Examples include automobile crash tests, nuclear test explosions, emergency flight maneuvers, and operator emergency response training. Experiments in fundamental science may be impossible when the systems under study span microscopic or macroscopic scales in space or time that are beyond reach. Although traditional theoretical analysis would not suffer from these limitations, theory alone is insufficient to create predictive capabilities. For example, while the well-established mathematical models for fluid dynamics provide an accurate theoretical description of the atmosphere, the equations elude analytical solutions for problems of interest because of their nonlinearity. When combined with the power of numerical simulation and techniques to assimilate vast amounts of measured data, these mathematical models become useful for complex problems such as predicting tomorrow’s




Fig. 2 CSE cycle—from physical problem to model and algorithms to efficient implementation in simulation software with verification and validation driven by data—leading to new insight in science and engineering.


weather or designing more energy-efficient aircraft wings. Another example is the use of simulation models to conduct systematic virtual experiments of exploding supernovae: CSE technology serves as a virtual telescope reaching farther than any real telescope, expanding human reach into outer space. And computational techniques can equally well serve as a virtual microscope, being used to understand quantum phenomena at scales so small that no physical microscope could resolve them.

CSE and the Data Revolution. The emergence and growing importance of massive data sets in many areas of science, technology, and society, in conjunction with the availability of ever-increasing parallel computing power, are transforming the world. Data-driven approaches enable novel ways of scientific discovery. Using massive amounts of data and mathematical techniques to assimilate the data in computational models offers new ways of quantifying uncertainties in science and engineering and thus helps make CSE truly predictive. At the same time, relying on new forms of massive data, we can now use the scientific approach of quantitative, evidence-based analysis to drive progress in many areas of society where qualitative forms of analysis, understanding, and decision-making were the norm until recently. Here the CSE paradigm contributes as a keystone technology to the data revolution, in synergy with data science.

CSE Cycle. Many CSE problems can be characterized by a *cycle* that includes mathematical modeling techniques (based on physical or other principles), simulation techniques (such as discretizations of equations and scalable solvers), and analysis techniques (data mining, data management, and visualization, as well as the analysis of error, sensitivity, stability, and uncertainty)—all encapsulated in high-performance scientific software. The CSE cycle is more than a sequential pipeline since it is connected through multiple feedbacks, as illustrated in Figure 2. Models are revised and

updated with new data. When they reach a sufficient level of predictive fidelity, they can be used for design and control, which are often posed formally as optimization problems.

CSE Success Stories. Throughout this document, we highlight a few examples of CSE success stories in call-out boxes to illustrate how combined advances in CSE theory, analysis, algorithms, and software have made CSE technology indispensable for applications throughout science and industry.



1.4. Challenges and Opportunities for the Next Decade. While the past several decades have witnessed tremendous progress in the development of CSE methods and their application within a broad spectrum of science and engineering problems, a number of challenges and opportunities are arising that define important research directions for CSE in the coming decade.

In science and engineering simulations, large differences in temporal and spatial scales must be resolved together with handling uncertainty in parameters and data, and often different models must be coupled together to become complex multi-physics simulations. This integration is necessary in order to tackle **applications in a multitude of new fields** such as the biomedical sciences. High-fidelity predictive simulations require feedback loops that involve inverse problems, data assimilation, and optimal design and control. Algorithmic advances in these areas are at the core of CSE research; in order to deal with the requirements of ever more complex science

¹Parallel and adaptive simulation method described in T. Dickopf, D. Krause, R. Krause, and M. Potse, *SIAM J. Sci. Comput.*, 36 (2) (2014), pp. C163–C189.

and engineering applications, new **fundamental mathematical and algorithmic developments** are required.

Several recent disruptive developments yield the promise of further fundamental progress if new obstacles can be overcome. Since single-processor clock speeds have stagnated, any further increase in computational power must result from a further increase in parallelism. New mathematical and computer science techniques need to be explored that can guide development of modern algorithms that are effective in the new era of **ubiquitous parallelism** and extreme-scale computing. In addition, the sea change provoked by the data revolution requires new methods for **data-driven scientific discovery** and new algorithms for **data analytics** that are effective at very large scale, as part of the comprehensive broadening of the application fields of CSE to almost every field of science, technology, and society, in synergy with data science. Moreover, software itself is now broadly recognized as a key cross-cutting technology that connects advances in mathematics, computer science, and domain-specific science and engineering to achieve robust and efficient simulations on advanced computing systems. In order to deliver the comprehensive CSE promise, the role of **CSE software ecosystems** must be redefined—encapsulating advances in algorithms, methods, and implementations and thereby providing critical instruments to enable scientific progress.

These exciting research challenges and opportunities will be elaborated on in section 2 of this document.

1.5. The Broad CSE Community. The past two decades have seen tremendous growth in the CSE community, including a dramatic increase in both the size and breadth of intellectual perspectives and interests. The growth in community size can be seen, for example, through the membership of the SIAM Activity Group on CSE, which has steadily increased from approximately 1,000 members in 2005 to more than 2,500 in 2017. The biennial SIAM CSE Conference [43] is now SIAM’s largest conference, with growth from about 400 attendees in 2000 to over 1,700 attendees in 2017. The increased breadth of the community is evidenced in many ways: by the diversity of minisymposium topics at SIAM CSE conferences; through a new broader structure for the *SIAM Journal on Scientific Computing*, including a new journal section that focuses on computational methods in specific problems across science and engineering; and by the sharply increased use of CSE approaches in industry [37, 19].

As we envision the future of CSE, and in particular as we consider educational programs, we must keep in mind that such a large and diverse intellectual community has a correspondingly broad set of needs. Figure 3 presents one way to view the different aspects of the broad CSE community: (1) *CSE Core Researchers and Developers*—those engaged in the conception, analysis, development, and testing of CSE algorithms and software—and (2) *CSE Domain Scientists and Engineers*—those primarily engaged in developing and exploiting CSE methods for progress in particular science and engineering campaigns. The latter community can usefully be further categorized into those who interact with the core technologies at a developer level within their own applications, creating their own implementations and contributing to methodological/algorithmic improvements, and those who use state-of-the-art CSE technologies as products, combining them with their expert knowledge of an application area to push the boundaries of a particular application. Within the *CSE Core Researchers and Developers* group in Figure 3, we further identify two groups: those focused on broadly applicable methods and algorithms, and those focused on methods and algorithms motivated by a specific domain of application. This distinction is a

useful way to cast differences in desired outcomes for different types of CSE educational programs as they will be discussed in section 3. As with any such categorization, the dividing lines in Figure 3 are fuzzy, and in fact any single researcher might span multiple categories.




Fig. 3 One view of the different aspects of the broad CSE community. The part of the CSE community that focuses on developing new methods and algorithms is labeled CSE Core Researchers and Developers. This group may be driven by generally applicable methods or by methods developed for a specific application domain. CSE Domain Scientists and Engineers focus their work primarily in their scientific or engineering domain and make extensive use of CSE methods in their research or development work.

1.6. Organization of This Document. The remainder of this document is organized as follows. Section 2 presents challenges and opportunities in CSE research, organized into four main areas. First we discuss key advances in core CSE methods and algorithms, and the ever-increasing parallelism in computing hardware culminating in the drive toward extreme-scale applications. Next we describe how the ongoing data revolution offers tremendous opportunities for breakthrough advances in science and engineering by exploiting new techniques and approaches in synergy with data science, and we discuss the challenges in advancing CSE software given its key role as a crosscutting CSE technology. Section 3 discusses how major changes in the CSE landscape are affecting the needs and goals of CSE education and workforce development. Section 4 summarizes findings and formulates recommendations for CSE over the next decade.

2. Challenges and Opportunities in CSE Research. The field of CSE faces important challenges and opportunities for the next decade, following disruptive developments in extreme-scale computing and ubiquitous parallelism, the emergence of big data and data-driven discovery, and a comprehensive broadening of the application areas of CSE. This section highlights important emerging developments in CSE methods and algorithms, in HPC, in data-driven CSE, and in software.

2.1. Advances in CSE through Mathematical Methods and Algorithms. Algorithms (e.g., see [20]) occupy a central role in CSE. They all transform inputs to outputs, but they may differ in their generality, in their robustness and stability, and in their complexity—that is, in the way their costs in operations, memory, and data motion scale with the size of the input. Mathematical theories and methods are of fundamental importance for the algorithms developed and employed in CSE. The types of algorithms employed in CSE are diverse. They include geometric modeling, mesh generation and refinement, discretization, partitioning, load balancing, solution

of ordinary differential equations (ODEs) and differential algebraic equations, solution of partial differential equations (PDEs), solution of linear and nonlinear systems, eigenvalue computations, sensitivity analysis, error estimation and adaptivity, solution of integral equations, surrogate and reduced modeling, random number generation, upscaling and downscaling between models, multiphysics coupling, uncertainty quantification, numerical optimization, parameter identification, inverse problems, graph algorithms, discrete and combinatorial algorithms, graphical models, data compression, data mining, data visualization, and data analytics.

2.1.1. Impact of Algorithms in CSE. Compelling CSE success stories stem from breakthroughs in applied mathematics and computer science that have dramatically advanced simulation capabilities through better algorithms, as encapsulated in robust and reliable software. The growing importance of CSE in increasingly many application areas has paralleled the exponential growth in computing power according to “Moore’s law”—the observation that over the past five decades the density of transistors on a chip has doubled approximately every 18 months as a result of advances in lithography allowing miniaturization. Less appreciated but crucial for the success of CSE is the progress in algorithms in this time span. The advances in computing power have been matched or even exceeded by equivalent advances of the mathematics-based computational algorithms that lie at the heart of CSE. Indeed, the development of efficient new algorithms has been crucial to the effective use of advanced computing capabilities. And as the pace of advancement in Moore’s law slows,² advances in algorithms and software will become even more important. Single-processor clock speeds have stagnated, and further increase in computational power must come from increases in parallelism. CSE now faces the challenge of developing efficient methods and implementations in the context of ubiquitous parallelism (as discussed in section 2.2).

As problems scale in size and memory to address increasing needs for fidelity and resolution in grand-challenge simulations, the computational complexity must scale as close to linearly in the problem size as possible. Without this near-linear scaling, increasing memory and processing power in proportion—the way parallel computers are architected—the result will be computations that *slow down* in wall-clock time as they are scaled up. In practice, such *optimal algorithms* are allowed to have a complexity of $N(\log N)^p$, where N is the problem size and p is some small power, such as 1 or 2. Figure 4 illustrates the importance of algorithmic innovation since the beginnings of CSE. We contrast here the importance of algorithmic research with technological progress in computers by using the historical example of linear solvers for elliptic PDEs. Consider the problem of the Poisson equation on a cubical domain, discretized into n cells on a side, with a total problem size $N = n^3$. The total memory occupied is $O(n^3)$, and the time to read in the problem or to write out the solution is also $O(n^3)$. Based on the natural ordering, banded Gaussian elimination applied to this problem requires $O(n^7)$ arithmetic operations. Perhaps worse, the memory to store intermediate results bloats to $O(n^5)$ —highly nonoptimal, so that if we initially fill up the memory with the largest problem that fits, it overflows. Over a quarter of a century, from a paper by Von Neumann and Goldstine in 1947 to a paper by Brandt in 1974 describing optimal forms of multigrid, the complexity of both operations and storage was reduced, in a series of algorithmic breakthroughs, to an optimal $O(n^3)$ each. These advances are depicted graphically in a log-linear plot of effective

²as documented in the TOP 500 list, <https://www.top500.org>




Fig. 4 Left: *Moore's law for algorithms to solve the 3D Poisson equation* (black) plotted with *Moore's law for transistor density* (red), each showing 24 doublings (factor of approximately 16 million) in performance over an equivalent period. For algorithms, the factor can be made arbitrarily large by increasing the problem size $N = n^3$. Here $n = 64$, which is currently a modest resolution even on a single processor. Right: Increase in CSE model complexity and approximate computational cost over time, where the y-axis indicates a qualitative notion of complexity in the combination of models, algorithms, and data structures. Simulations have advanced from modestly sized forward simulations in simple geometries to incorporate complex domains, adaptivity, and feedback loops. The stage is set for new frontiers of work on advanced coupling, numerical optimization, stochastic models, and many other areas that will lead to truly predictive scientific simulations.

speedup over time on the left-hand side of Figure 4. During the same period, Moore's law accounted for approximately 24 doublings, or a factor of $2^{24} \approx 16$ million in arithmetic processing power per unit square centimeter of silicon, with approximately constant electrical power consumption. This same factor of 16 million was achieved by mathematical research on algorithms in the case that $n = 2^6$ in the example above. For grids finer than $64 \times 64 \times 64$, as we routinely use today, the progress of optimal algorithms overtakes the progress stemming from Moore's law, by an arbitrarily large factor. Remarkable progress in multigrid has been made since this graph was first drawn. Progress can be enumerated along two directions: extension of optimality to problems with challenging features not present in the original Poisson problem, and extension of optimal algorithms to the challenging environments of distributed memory, shared memory, and hybrid parallelism, pushing toward extreme scale.

Algorithmic advances of similar dramatic magnitudes across many areas continue to be the core of CSE research. These advances are often built on the development of new mathematical theories and methods. Each decade since Moore stated his law in 1965, computational mathematicians have produced new algorithms that have revolutionized computing. The impact of these algorithms in science and engineering, together with the technological advances following Moore's law, has led to the creation of CSE as a discipline and has enabled scientists to tackle problems with increasing realism and complexity, as shown on the right-hand side of Figure 4.

2.1.2. Challenges and Opportunities in CSE Methods and Algorithms. Without attempting to be exhaustive, we highlight here several areas of current interest where novel CSE algorithms have produced important advances. This often goes hand-in-hand with formulating new mathematical theories and their advancement. We also discuss challenges and opportunities for the next decade in these fields.

Linear, Nonlinear, and Timestepping Solvers. As exemplified by the pursuit of optimality for algorithms for elliptic PDEs described above, algebraic solvers re-

CSE Success Story: Lightning-Fast Solvers for the Computer Animation Industry

CSE researchers have teamed up with computer animators at Walt Disney Animation Studios Research to dramatically improve the efficiency in linear system solvers that lie at the heart of many computer animation codes.

Building on advanced multilevel methods originally developed for engineering simulations of elastic structures and electromagnetic systems, researchers showed that movie animations with cloth simulation on a fully dressed character discretized on an unstructured computational grid with 371,000 vertices could be accelerated by a factor of 6 to 8 over existing solution techniques.³ These improvements in computational speed enable greater productivity and faster turnaround times for feature film production with realistic resolutions. Another application is real-time virtual try-on of garments in e-commerce.



ceive extensive attention because they represent the dominant computational cost and dominant memory occupancy of many important CSE applications. In fact, five of the “top ten algorithms of the twentieth century” as described by the guest editors of the January 2000 issue of *Computing in Science & Engineering* [12] fall into the category of solvers. Important types of problems requiring solvers that operate in floating point include linear algebraic systems, nonlinear algebraic systems, and eigensystems. Timestepping algorithms for differential equations, after discretization, also rely on algebraic solvers, applying a forward operator for explicit techniques, an inverse operator for implicit techniques, or a combination for implicit-explicit approaches. Root-finding problems for nonlinear algebraic systems are conventionally handled with linearization and Newton-type iteration, focusing the main issue for progress in many CSE applications on linear solvers. Nevertheless, some recent algorithmic approaches directly work with nonlinear algebraic systems.

A key approach in the pursuit of linearly scaling methods—for example, for elliptic PDE operators—is to employ a hierarchy of resolution scales. The most classical algorithm of this kind is the fast Fourier transformation (FFT) that is applicable in many important special cases. Other prominent methods that rely on a hierarchy of scales are the multigrid, wavelet, multipole, and multilevel Monte Carlo methods, including their many extensions and descendants. Another fruitful approach is to exploit known structures and properties arising from the underlying physics, as, e.g., in physics-based preconditioning techniques and mimetic methods. Geometric multigrid methods iteratively form a hierarchy of problems derived from the original one on a

³See the video at https://youtu.be/_mkFBaqZULU and the paper by R. Tamstorf, T. Jones, and S. McCormick, ACM SIGGRAPH Asia 2015, at <https://www.disneyresearch.com/publication/smoothed-aggregation-multigrid/>.


succession of coarser scales and remove from each scale the components of the overall error most effectively represented on that scale. Challenging features common in applications include inhomogeneity, anisotropy, asymmetry, and indefiniteness. Geometric multigrid may lose its optimality on such challenging problems; however, algebraic multigrid methods have revolutionized many fields that were previously computationally intractable at finely resolved scales. Parallel preconditioners based on advanced domain decomposition approaches also contribute to robustly scalable linear solvers. Further progress in multigrid focuses, for example, on indefinite high-frequency wave problems and efficient performance and resilience for extreme-scale architectures.

In such environments, data motion represents a higher cost than does arithmetic computation, and global synchronization makes algorithms vulnerable to load and performance imbalance among millions or billions of participating processors. The fast multipole method possesses arithmetic intensity (the ratio of flops to bytes moved) up to two orders of magnitude greater, in some phases, than does the sparse matrix-vector multiply that is the core of many other solvers. In addition, fast multipole, being essentially a hierarchically organized fast summation, is less vulnerable to frequent synchronization. These properties have led fast multipole methods to be considered as a replacement whenever an analytically evaluated Green's function kernel is available.

Fast multipole is optimal because, for a given accuracy requirement, it compresses interactions at a distance into coarse representations, which can be translated at low cost and re-expanded locally, relying on the ability to represent the interactions with operators of low effective rank. Many relevant operators have hierarchical low-rank structure even when they do not admit a constructive Green's function expansion. This structure enables replacement of the dominant coupling represented in off-diagonal portions of a matrix by low-rank representations with controllable loss of accuracy and major gains in storage, arithmetic complexity, and communication complexity. Today, hierarchically low-rank or “rank-structured” methods of linear algebra are finding use in developing optimal solvers for an increasing class of challenging problems. Efficient approximate eigendecomposition methods are needed in order to generate low-rank approximations to off-diagonal blocks in hierarchical matrices, identifying the dominant subspace. Methods such as randomized singular value decomposition are of specific interest. While progress since [38] has been fruitful, the quest for powerful scalable solvers will likely always be at the heart of CSE.

Uncertainty Quantification. Recent years have seen increasing recognition of the critical role of uncertainty quantification (UQ) in all phases of CSE, from inference to prediction to optimization to decision-making. Just as the results of an experiment would not be meaningful unless accompanied by measures of the uncertainty in the experimental data, so too in CSE scientists need to know what confidence they can have in the predictions of models. This issue is becoming urgent as CSE models are increasingly used as a basis for decision-making about critical technological and societal systems. As one indication of the explosion of interest in UQ in the past few years, the recent 2016 SIAM UQ conference had more minisymposia than does the SIAM annual meeting. Moreover, several U.S. federal agency-commissioned reports focusing wholly or partially on status, opportunities, and challenges in UQ have appeared in recent years [1, 37].

The need to quantify uncertainties arises in three problem classes within CSE: (1) The *inverse problem*: Given a model, (possibly noisy) observational data, and any prior knowledge of model parameters (used in the broadest sense), infer unknown parameters and their uncertainties by solving a statistical inverse problem. (2) The



prediction (or forward) problem: Once model parameters and uncertainties have been estimated from the data, propagate the resulting probability distributions through the model to yield predictions of quantities of interest with quantified uncertainties.
 (3) The *optimization problem*: Given an objective function representing quantities of interest and decision variables (design or control) that can be manipulated to influence the objective, solve the optimization problem governed by the stochastic forward problem to produce optimal values of these variables.

These three classes can all be thought of as “outer problems,” since they entail repeated solution of the deterministic forward problem, namely, the “inner problem,” for different values of the stochastic parameters. However, viewing the stochastic inverse, forward, and optimization problems merely as drivers for repeated execution of the deterministic forward problem is prohibitive, especially when these problems involve large complex models (such as with PDEs) and high-dimensional stochastic parameter spaces (such as when parameters represent discretized fields). Fundamentally, what ties these three problems together is the need to explore a parameter space where each point entails a large-scale forward model solve. Randomly exploring this space with conventional Monte Carlo methods is intractable.

The key to overcoming the severe mathematical and computational challenges in bringing UQ to CSE models is to recognize that beneath the apparently high-

⁴Images from A. H. Dogru, “Giga-cell Simulation Improves Recovery from Giant Fields,” *World Oil*, 231 (2010), pp. 65–70, used by permission of Saudi Aramco.

dimensional inversion, prediction, and optimization problems lurk much lower-dimensional manifolds that capture the maps from (inversion/design/control) inputs to outputs of interest. Thus, these problems are characterized by their much smaller intrinsic dimensions. Black-box methods that are developed as generic tools are incapable of exploiting the low-dimensional structure of the operators underlying these problems. Intensive research is ongoing to develop UQ methods that exploit this structure, for example, by sparsity-capturing methods, reduced-order models, randomized algorithms, and high-order derivatives. This research integrates and cross-fertilizes ideas from statistics, computer science, numerical analysis, and applied mathematics, while exploiting the structure of the specific inverse, prediction, and optimal design and control operators in the context of target CSE problems. The new high-fidelity, truly predictive science that has emerged within the past decade and that addresses these issues can be referred to as *predictive CSE*. Ultimately, the ability to account for uncertainties in CSE models will be essential in order to bring the full power of modeling and simulation to bear on the complex decision-making problems facing society.

Optimization and Optimal Control. The past several decades have seen the development of theory and methods for optimizing systems governed by large-scale CSE models, typically involving ODEs or PDEs. Such problems usually take the form of optimal control, optimal design, or inverse problems. Among other reasons, these problems are challenging because, upon discretization, the ODEs or PDEs result in very high-dimensional nonlinear constraints for the optimization problem; exploiting the structure of these constraints is essential in order to make the solution of the differential equation-constrained optimization problem tractable. The optimization problems are made further challenging by additional inequality constraints, in the form of state or control constraints.


We identify five areas where research is needed. First, the successes of the methods mentioned above must be extended to more complex (multiscale/multiphysics) state equations. Second, methods must be developed that overcome the curse of dimensionality associated with discrete decision variables. Third, enhancing scalability of methods developed for nonsmooth objectives or constraints is critical for a number of large-scale applications. Fourth, the increasing interest in optimization of systems governed by stochastic ODEs or PDEs necessitates the creation of a new class of stochastic optimization methods that can handle problems with very high-dimensional constraints and random variables. This requires advancing mathematical models of optimal control under uncertainty and risk. Fifth, optimization methods are needed that can rigorously employ reduced models for much (or even all) of the optimization as surrogates for the underlying high-fidelity ODE/PDE models when the latter become particularly expensive to solve.

Highly Accurate Discretizations and Adaptive Grid Refinement. Complex simulations on realistic geometries challenge the capabilities of traditional single-scale methods that utilize quasi-equidistant grids and methods of fixed order. Furthermore, hardware developments favor methods with high arithmetic complexity and low memory footprint. The natural answer to these challenges is to focus on accurate discretizations, often of high or variable order, in combination with full spatial adaptivity; substantial developments have occurred in both of these key technologies.

Discontinuous Galerkin methods are a prominent example of a family of discretizations that have come to fruition as flexible and robust modeling tools. Challenges remain when strong discontinuities occur in the solution, and uniformly high-

CSE Success Story: Bayesian Inversion for the Antarctic Ice Sheet

The question of how one infers unknown parameters characterizing a given model of a physical system from observations of the outputs of that model is fundamentally an inverse problem. In order to address the intrinsic ill-posedness of many inverse problems, regularization is invoked to render the inverse solution unique. The



Bayesian formulation of the inverse problem seeks to infer all models, with associated uncertainty, in the model class that are consistent with the data and any prior knowledge. The figure illustrates the Bayesian solution of an inverse problem to infer friction at the base of the Antarctic ice sheet, from InSAR satellite observations of the surface ice flow velocity and a non-Newtonian model of the flow. The upper left image depicts the observed surface velocity field; the upper right image shows the inferred basal friction field. The upper row thus illustrates the classical regularization-based solution. The Bayesian solution contains additional information about uncertainty in the inverse solution, as illustrated in the lower right image of the variance of the inferred basal friction. The lower left image shows the predicted surface velocity field, using the inferred basal friction. In order to overcome the prohibitive nature of large-scale Bayesian inversion, the low-rank structure of the parameter-to-observable map is exploited.⁵

order accurate limiters are needed that remain robust for complex problems on complex grids. Another class of successful methods is the high-order accurate essentially nonoscillatory (ENO) schemes and weighted essentially nonoscillatory (WENO) schemes. Isogeometric methods, based on rational splines used in geometry descriptions, have positioned themselves as a powerful tool for fluid-structure problems and complex multiphysics problems. Another area of important advances is the development of mimetic finite-volume and finite-element methods. These methods aim to retain physically relevant geometric and conservation properties of the PDE operators on the discrete level, often leading to important advantages in terms of stability, accuracy, and convergence. Numerical methods for fractional and stochastic differential equations are further areas of current interest, along with meshless methods, boundary element methods, and radial basis function methods.

Solution-adaptive grid refinement is a key methodology for tackling problems with widely varying spatial scales. Diverse methods have been developed that may use block-based, patch-based, or cell-based approaches, with or without overlap. Research in error estimation has a long tradition, but the essential question in computa-

⁵Images courtesy of Omar Ghattas. Algorithms described in T. Isaac, N. Petra, G. Stadler, and O. Ghattas, *J. Comput. Phys.*, 296 (2015), pp. 348–368.

tional practice—how discretization and iteration error affect each other—remains an open problem. Other research topics include the dynamic coarsening and refinement on ever-increasing processor numbers as well as local timestepping for time-dependent problems. In order to ensure the usefulness of solution-adaptive simulations on future computers, dynamic load-balancing must be developed to work in scenarios with millions of processors.

The development of highly accurate methods during the past decade has addressed a number of key bottlenecks, and substantial advances have been made that enable the robust solution of large multiscale and multiphysics problems using advanced computing platforms. One central challenge that touches on all existing techniques is the development of robust and efficient linear and nonlinear solvers and preconditioning techniques in these more complex scenarios. The development significantly trails that of low-order solvers, and progress is needed to fully benefit from high-order methods in large-scale problems of scientific and industrial relevance.

Approximation: Simplified, Surrogate, and Reduced Models. A significant body of CSE research concerns the conception, analysis, scalable implementation, and application of approximation methods. These methods introduce systematic approximations to the computational model of the system at hand—thus reducing the computational cost of solving the model, while at the same time effecting rigorous control of the resulting error. While computational efficiency is important in all applications, it is a critical consideration in two particular settings. First is the *real-time* setting, which translates into (often severe) constraints on analysis time, and sometimes also constraints on memory and bandwidth. Real-time applications span many fields, such as process control, aircraft on-board decision-making, and visualization. Second is the *many-query* setting, in which an analysis (i.e., a forward simulation) must be conducted many times. Examples of many-query applications include optimization, uncertainty quantification, parameter studies, and inverse problems.

Approximation methods can take many forms. The power of multilevel approximations, such as hierarchies of spatial discretizations in a multigrid solver, has long been recognized as an elegant means for exploiting the mathematical structure of the problem and thus obtaining computational speedups. More recently, multilevel approximations have been shown to have similar benefits in uncertainty quantification, such as through the multilevel Monte Carlo method. Another class of approximation methods seeks to approximate the high-fidelity model of interest by deriving a surrogate model. This surrogate model may take many forms—by applying simplifying physical assumptions, through data-fit regression and interpolation approaches, or via projection of the high-fidelity model onto a low-dimensional subspace. Projection-based model reduction has become a widely used tool, particularly for generating efficient low-cost approximations of systems resulting from parameterized PDEs. Data-driven surrogate models, often drawing on the tools of machine learning, are also starting to see wider development within the CSE community. In the context of sampling and integration, quasi-Monte Carlo methods are explored as alternatives to Monte Carlo methods for high-dimensional problems. With the drive toward CSE applications of increasing complexity, ensuring the computational tractability of CSE methods and algorithms is becoming increasingly important but also increasingly more challenging. In this regard, an important area of future research involves extending rigorous approximation methods to problems with high dimensionality and with challenging nonlinear and multiphysics behavior.

Randomized Algorithms. The field of design and analysis of scalable randomized algorithms is experiencing rapid growth. In the context of science and engineering problems, randomized algorithms find applications in the numerical solution of PDEs, model reduction, optimization, inverse problems, UQ, machine learning, and network science.

Many classical sequential and parallel algorithms are based on randomization, for example, in discrete mathematics (sorting, hashing, searching, and graph analysis problems), computational geometry (convex hulls, triangulation, nearest-neighbors, clustering), and optimization and statistics (derivative-free solvers, sampling, random walks, and Monte Carlo methods). In the past two decades, however, significant developments have broadened the role of randomized algorithms by providing new theoretical insights and significant opportunities for research in CSE. A first example is compressive sensing, in which under certain conditions one can circumvent the Nyquist density sampling barrier by exploiting sparsity. A second example is the factorization of matrices and tensors by using probing, in which one exposes and exploits global or block-hierarchical low-rank structures that may exist in the target matrices and tensors. Such algorithms can be used for accelerating algebraic operations with tensors and matrices such as multiplication and factorization. A third example is randomized gradient descent (especially for nonsmooth problems) for large-scale optimization, which is popular in both large-scale inverse problems and machine learning applications. A fourth example is sampling for computational geometry and signal analysis, such as sparse FFTs and approximate nearest-neighbors.

Deep connections exist among these apparently different problems. Their analysis requires tools from functional and matrix analysis, high-dimensional geometry, numerical linear algebra, information theory, and probability theory. These algorithms achieve dimension reduction by exploiting sparsity and low-rank structures of the underlying mathematical objects and exposing these structures using ingenious sampling. Despite the success of these new algorithms, however, several challenges remain: extensions to nonlinear operators and tensors, algorithmic and parallel scalability for large-scale problems, and development of software libraries for high-performance computing systems.

Multibody Problems and Mesoscopic Methods. Simulating a large number of interacting objects is among the most important and computationally challenging problems in CSE. Applications range from simulations of very large objects such as stars and galaxies to very small objects such as atoms and molecules. In between is the human scale, dealing with moving objects such as pedestrians, or the mesoscopic scale, dealing with granular objects such as blood cells that are transported through microfluidic devices. Multibody and particle-based modeling, for example, in the form of the discrete element method, is rapidly gaining relevance since the models can capture behavior that cannot be represented by traditional PDE-based methods and since its high computational cost can now be accommodated by parallel supercomputers. When short-range interactions dominate, efficient parallel implementations can be constructed by suitable data structures and a dynamic partitioning of the computational domain. Long-range interactions (such as gravity or electrostatic forces) are even more challenging since they inevitably require a global data exchange that can be realized efficiently only by advanced parallel hierarchical algorithms such as multipole methods, FFTs, or multigrid methods.

Mesoscopic methods are based on a kinetic modeling paradigm, with the lattice Boltzmann method and smoothed particle hydrodynamics being particularly success-

ful representatives. Mesoscopic algorithms are derived in a nonclassical combination of model development and discretization using the principles of statistical physics. This results in an algorithmic structure that involves explicit timestepping and only nearest-neighbor communication, typically on simple grid structures. Kinetic methods are particularly successful when employed in a multiphysics context. Here the underlying particle paradigm and statistical physics nature enable new and powerful approaches to model interactions, as, for example, when using the so-called momentum exchange method for fluid-structure interaction. Challenges lie in improving the algorithms and their parallel implementation, in particular by improving stability, analyzing and controlling errors, reducing timestep restrictions, deriving better boundary conditions, developing novel multiphase models, and incorporating mesh adaptivity.

Multiscale and Multiphysics Models. Because of increasing demands that simulations capture all relevant influences on a system of interest, multiscale and multiphysics simulations are becoming essential for predictive science.

A multiscale model of a physical system finds use when important features and processes occur at multiple and widely varying physical scales within a problem. In many multiscale models, a solution to the behavior of the system as a whole is aided by computing the solution to a series of subproblems within a hierarchy of scales. At each level in the hierarchy, a subproblem focuses on a range of the physical domain appropriate to the scale at which it operates. Important advances have been made in this area, but challenges remain, such as atomistic-continuum coupling and problems without a separation of scales. The coupling of scales can also lead to powerful algorithms; we note that some of the most successful methods for simulating large systems, such as the multigrid method, owe their efficiency to using the interaction of multiple scales.

A multiphysics system consists of multiple coupled components, each component governed by its own principle(s) for evolution or equilibrium. Coupling individual simulations may introduce stability, accuracy, or robustness limitations that are more severe than the limitations imposed by the individual components. Coupling may occur in the bulk, over interfaces, or over a narrow buffer zone. In typical approaches one attempts to uncouple dynamics by asymptotics and multiscale analysis that eliminates stiffness from mechanisms that are dynamically irrelevant to the goals of the simulation. Numerical coupling strategies range from loosely coupled Gauss-Seidel and operator-splitting approaches to tightly coupled Newton-based techniques [28]. Recent progress includes aspects of problem formulation, multiphysics operator decomposition, discretization, meshing, multidomain interfaces, interpolation, partitioned timestepping, and operator-specific preconditioning.

Next-generation advances require further mathematical analysis and software design to ensure that splitting and coupling schemes are accurate, stable, robust, and consistent and are implemented correctly. Programming paradigms and mathematics both need to be revisited, with attention to less-synchronous algorithms employing work stealing, so that different physics components can complement each other in cycle and resource scavenging without interference.

2.2. CSE and High-Performance Computing – Ubiquitous Parallelism. The development of CSE and high-performance computing are closely interlinked. The rapid growth of available compute power drives CSE research toward ever more complex simulations in ever more disciplines. In turn, new paradigms in HPC present challenges and opportunities that drive future CSE research and education.

2.2.1. Symbiotic Relationship between CSE and HPC. HPC and CSE are intertwined in a symbiotic relationship: HPC technology enables breakthroughs in CSE research, and leading-edge CSE applications are the main drivers for the evolution of supercomputer systems [27, 39, 47, 48, 49, 40, 31]. Grand-challenge applications exercise computational technology at its limits and beyond. The emergence of CSE as a fundamental pillar of science has become possible because computer technology can deliver sufficient compute power to create effective computational models. Combined with the tremendous algorithmic advances (see Figure 4), these computational models can deliver predictive power and serve as a basis for important decisions.

On the other hand, the computational needs of CSE applications are a major impetus for HPC research. CSE applications often require closely interlinked systems, where not only is the aggregate instruction throughput essential, but also the tight interconnection between components: CSE often requires high-bandwidth and low-latency interconnects. These requirements differentiate scientific computing in CSE from other uses of information-processing systems. In particular, many CSE applications cannot be served efficiently by weakly coupled networks as in grid computing or generic cloud computing services.

2.2.2. Ubiquitous Parallelism: A Phase Change for CSE Research and Education. Parallelism is fundamental for extreme-scale computing, but the significance of parallelism goes much beyond the topics arising in supercomputing. All modern computer architectures are parallel, even those of moderate-sized systems and desktop machines. Since single-processor clock speeds have stagnated, any further increase in computational power can be achieved only by a further increase in parallelism, with ever more complex hierarchical and heterogeneous system designs. High-performance computing architectures already are incorporating large numbers of parallel threads, possibly reaching a billion by the year 2020.

Future mainstream computers for science and engineering will not be accelerated versions of current architectures but, instead, smaller versions of extreme-scale machines. In particular, they will inherit the node and core architecture from the larger machines. Although computer science research is making progress in developing techniques to make architectural features transparent to the application developer, doing so remains an ongoing research effort. Moreover, the technological challenges in miniaturization, clock rate, bandwidth limitations, and power consumption will require deep and disruptive innovations, dramatically increasing the complexity of software development.

Parallel computing in its full breadth thus has become a central and critical issue for CSE. Programming methodologies must be adapted, not only for the extreme scale but also for smaller parallel systems. Efficient and sustainable realizations of numerical libraries and frameworks must be designed. Furthermore, for high-end applications, the specifics of an architecture must be explicitly exploited in innovative algorithm designs. To meet these demands requires a dramatic phase change for both CSE research and education.

2.2.3. Emergent Topics in HPC-Related Research and Education.

Extending the Scope of CSE through HPC Technology. Low-cost computational power, becoming available through accelerator hardware such as graphic processing units (GPUs), increasingly is enabling nontraditional uses of HPC technology for CSE. One significant opportunity arises in real-time and embedded supercomputing. Figure 5 illustrates a selection of possible future development paths, many of




Fig. 5 Some emerging developments based on real-time or embedded HPC methodology for CSE applications.

which involve advanced interactive computational steering and/or real-time simulation. Once simulation software can be used in real time, it can also be used for training and education. A classical application is the flight simulator, but the methodology can be extended to many other situations where humans operate complex technical objects and where systematic training on a simulator may save time and money as well as increase preparedness for emergency situations. Further uses of fast, embedded CSE systems include the development of simulators for the modeling of predictive control systems and for patient-specific biomedical diagnosis. The development of these emerging CSE applications, shown in Figure 5, will require a focused investment in parallel computing research and education.

As another example, extreme-scale computing will enable mesoscale simulation to model the collection of cells that make up a human organ or a large collection of particles *directly*, without resorting to averaging approaches. The simulation of granular material has tremendous practical importance. The examples range from the transport and processing of bulk materials and powders in industry to the simulation of avalanches and landslides. The potential that arises with the advent of powerful supercomputers can be seen when realizing that exascale means 10^{18} but that a human has “only” around 10^{11} neurons and 10^{13} red blood cells, and that the 3D printing of a medical implant may require processing 10^8 individual grains of titanium alloy. Thus, extreme-scale computation may open the route to modeling techniques where each cell or grain is represented individually. This gives rise to research directions that are out of reach on conventional computer systems but that will exceed the predictive power of continuum models for such simulation scenarios. In order to exploit these opportunities, new simulation methods must be devised, new algorithms invented, and new modeling paradigms formulated. New techniques for validation and verification are needed. Fascinating opportunities in fundamental research arise that

go far beyond just developing new material laws and increasing the mesh resolution in continuum models.

Quantitative Performance Analysis of Algorithms and Software. The advent of exascale and other performance-critical applications requires that CSE research and education address the performance abyss between the traditional mathematical assessment of computational cost and the implementation of algorithms on current computer systems. The traditional cost metrics based on counting floating-point operations fail increasingly to correlate with the truly relevant cost factors, such as time to solution or energy consumption. Research is necessary in order to quantify more complex algorithmic characteristics, such as memory footprint and memory access structure (cache reuse, uniformity of access, utilization of block transfers, etc.), processor utilization, communication, and synchronization requirements. These effects must be built into better cost and complexity models.

Furthermore, the traditional approach to theory in numerical analysis provides only an insufficient basis to quantify the efficiency of algorithms and software, since many theorems are only qualitative and leave the constants unspecified. Such mathematical results, although themselves rigorous, permit only heuristic—and thus often misleading—predictions of real computational performance. Thus much of current numerical analysis research must be fundamentally extended to become better guiding principles for the design of efficient simulation methods in practice.

Performance Engineering and Co-design. In current CSE practice, performance models are used to analyze existing applications for current and future computer systems, but the potential of performance analysis techniques is rarely used as a systematic tool for designing, developing, and implementing CSE applications. In many cases an *a priori* analysis can be used to determine the computational resources that are required for executing a specific algorithm. Where available, such requirements (e.g., flops, memory, memory bandwidth, network bandwidth) should be treated as nonfunctional goals for the software design.

Required here is a fundamental shift from the current practice of treating performance as an *a posteriori* diagnostic assessment to recognizing performance as an *a priori* design goal. This step is essential because when performance criteria are considered too late in the design process, fundamental decisions (about data structures and algorithms) cannot be revised, and improvements are then often limited to an unsatisfactory code-tuning and tweaking. The idea of an *a priori* treatment of performance goals in scientific software engineering is related to the *co-design* paradigm and has become a new trend for developing next-generation algorithms and application software systems. The nations of the G-8 have instituted regular meetings to strategize about the formidable task of porting to emerging exascale architectures the vast quantity of software on which computational science and engineering depend. These co-design efforts were codified in the 2011 International Exascale Software Project Roadmap [10].

Ultrascalability. For the foreseeable future all growth in computing power will be delivered through increased parallelism. Thus, we must expect that high-end applications will reach degrees of parallelism of up to 10^9 within a decade. This situation poses a formidable challenge to the design and implementation of algorithms and software. Traditional paradigms of bulk-synchronous operation are likely to face significant performance obstacles. New communication-avoiding algorithms must be designed and analyzed. Many algorithms permit increased asynchronous executions

enabling processing to continue even if a small number of processors stay behind; but this is a wide-open area of research because it requires a new look at data dependencies, exploiting task-based parallelism, and possibly also nondeterministic execution schedules. Additionally, system software must be extended to permit the efficient and robust implementation of such asynchronous algorithms.

Power Wall. The increasing aggregate computing capacity in highly parallel computers, from desktop machines to supercomputers, promises to enable the simulation of problems with unprecedented size and resolution. However, electric power consumption per data element is not expected to drop at the same rate. This creates a *power wall*, and power consumption is emerging as one of the fundamental bottlenecks of large-scale computing. How dramatic this will be for computational science can be seen from the following simple example.

Assume that the movement of a single word of data can be estimated by 1 NJoule ($= 10^{-9}$ Joule) of energy [41]. If we now assume that a specific computation deals with $N = 10^9$ entities (such as mesh nodes or particles), then using an $O(N^2)$ algorithm to transfer $N \times N$ data items for an all-to-all interaction, such as computing a pairwise distance, will cause an energy dissipation of 10^{18} NJoule ≈ 277 kWh. Assuming a petaflop computer (which may become available to PC consumers in the coming decade), we could in theory execute the N^2 operations in 1000 seconds. However, a cost of 277 kWh for the naively implemented data movement will require more than 1 MW of sustained power intake. Clearly such power levels are neither feasible nor affordable in a standard environment.

The situation gets even more dramatic when we transition to *terascale* problems with $N = 10^{12}$ on supercomputers. Then the same all-to-all data exchange will dissipate an enormous 277 GWh, which is equivalent to the energy output of a medium-sized nuclear fusion explosion. Clearly, in application scenarios of such scale, a global data movement with $O(N^2)$ complexity must be classified as practically impossible. Only with suitable hierarchical algorithms that dramatically reduce the complexity can we hope to tackle computational problems of such size. This kind of bottleneck must be addressed in both research and education. In the context of CSE, the power wall becomes primarily a question of designing the most efficient algorithm in terms of operations *and also* the data movement. Additionally, more energy-efficient hardware systems need to be developed.

Fault Tolerance and Resilience. With increasing numbers of functional units and cores and with continued miniaturization, the potential for hardware failures rises. Fault tolerance on the level of a system can be reached only by redundancy, which drives the energy and investment cost. At this time many algorithms used in CSE are believed to have good potential for so-called algorithm-based fault tolerance. That is, the algorithm either is naturally tolerant against certain faults (e.g., still converges to the correct answer, but perhaps more slowly) or can be augmented to compensate for different types of failure (by exploiting specific features of the data structures and the algorithms, for example). Whenever there is hierarchy, different levels and presolutions can be used for error detection and circumvention. At present, many open research questions arise from these considerations, especially when the systems, algorithms, and applications are studied in combination.

2.3. CSE and the Data Revolution: The Synergy between Computational

Science and Data Science. The world is experiencing an explosion of digital data. Indeed, since 2003, new data has been growing at an annual rate that exceeds the

data contained in all previously created documents. The coming of extreme-scale computing and data acquisition from high-bandwidth experiments across the sciences is creating a phase change. The rapid development of networks of sensors and the increasing reach of the Internet and other digital networks in our connected society create new data-centric analysis applications in broad areas of science, commerce, and technology [2, 37, 22]. The massive amounts of data offer tremendous potential for generating new quantitative insight, not only in the natural sciences and engineering, where they enable new approaches such as data-driven scientific discovery and data-enabled uncertainty quantification, but also in almost all other areas of human activity. For example, biology and medicine have increasingly become quantitative sciences over the past two or three decades, aided by the generation of large data sets. Data-driven approaches are also starting to change the social sciences, which are becoming more quantitative [29].

2.3.1. CSE and the Data Revolution: The Paradigms of Scientific Discovery.

CSE has its roots in the third paradigm of scientific discovery, computational modeling, and it drives scientific and technological progress in conjunction with the first two paradigms, theory and experiment, making use of first-principles models that reflect the laws of nature. These models may, for example, include the PDEs of fluid mechanics and quantum physics or the laws governing particles in molecular dynamics. The advent of big data is sometimes seen as enabling a fourth paradigm of scientific discovery [18], in which the sheer amount of data combined with statistical models leads to new analysis methods in areas where first-principles models do not exist (yet) or are inadequate.

Massive amounts of data are indeed creating a sea change in scientific discovery. In third-paradigm CSE applications (that are based on first-principles models) big data leads to tremendous advances: it enables revolutionary methods of data-driven discovery, uncertainty quantification, data assimilation, optimal design and control, and, ultimately, truly predictive CSE. At the same time, in fourth-paradigm approaches big data makes the scientific method of quantitative, evidence-based analysis applicable to entirely new areas where, until recently, quantitative data and models were mostly nonexistent. The fourth paradigm also enables new approaches in the physical sciences and engineering, for example, for pattern finding in large amounts of observational data. Clearly, CSE methods and techniques have an essential role to play in all these quantitative endeavors enabled by big data.

2.3.2. The Role of Big Data in CSE Applications.

In core application areas of CSE [37], our ability to produce data is rapidly outstripping our ability to use it. With exascale data sets, we will be creating far more data than we can explore in a lifetime with current tools. Yet exploring these data sets is the essence of new paradigms of scientific discovery. Thus, one of the greatest challenges is to create new theories, techniques, and software that can be used to understand and make use of this rapidly growing data for new discoveries and advances in science and engineering. For example, the CSE focus area of uncertainty quantification aims at characterizing and managing the uncertainties inherent in the use of CSE models and data. To this end, new methods are being developed that build on statistical techniques such as Monte Carlo methods, Bayesian inference, and Markov decision processes. While these underlying techniques have broad applications in many areas of data science, CSE efforts tend to have a special focus on developing efficient structure-exploiting computational techniques at scale, with potential for broad applicability in other areas of data analytics and data science. Data assimilation methods have over several decades evolved

into crucial techniques that ingest large amounts of measured data into large-scale computational models for diverse geophysical applications such as weather prediction and hydrological forecasting. Large amounts of data are also a crucial component in other CSE focus areas, such as validation and verification, reduced-order modeling, and analysis of graphs and networks. Also, enormous potential lies in the emerging model-based interpretation of patient-specific data from medical imaging for diagnosis and therapy planning. CSE techniques to address the challenges of working with massive data sets include large-scale optimization, linear and nonlinear solvers, inverse problems, stochastic methods, scalable techniques for scientific visualization, and high-performance parallel implementation.

Exploiting large amounts of data is having a profound influence in many areas of CSE applications. The following paragraphs describe some striking examples.

Many **geoscience systems** are characterized by complex behavior coupling multiple physical, chemical, and/or biological processes over a wide range of length and time scales. Examples include earthquake rupture dynamics, climate change, multi-phase reactive subsurface flows, long-term crustal deformation, severe weather, and mantle convection. The uncertainties prevalent in the mathematical and computational models characterizing these systems have made high-reliability predictive modeling a challenge. However, the geosciences are at the cusp of a transformation from a largely descriptive to a largely predictive science. This is driven by continuing trends: the rapid expansion of our ability to instrument and observe the Earth system at high resolution, sustained improvements in computational models and algorithms for complex geoscience systems, and the tremendous growth in computing power.

The problem of how to estimate unknown parameters (e.g., initial conditions, boundary conditions, coefficients, sources) in complex geoscience models from large volumes of observational data is fundamentally an inverse problem. Great strides have been made in the past two decades in our ability to solve very large-scale geoscience inverse problems, and many efforts are under way to parlay these successes for deterministic inverse problems into algorithms for solution of Bayesian inverse problems, in which one combines possibly uncertain data and models to infer model parameters and their associated uncertainty. When the parameter space is large and the models are expensive to solve (as is the usual case in geoscience inverse problems), the Bayesian solution is prohibitive.


However, advances in large-scale UQ algorithms in recent years [1] are beginning to make feasible the use of Bayesian inversion and Markov chain Monte Carlo methods to infer parameters and their uncertainty in large-scale complex geoscience systems from large-scale satellite observational data. Two examples are global ocean modeling and continental ice sheet modeling. Continued advances in UQ algorithms, Earth observational systems, computational modeling, and HPC systems over the coming decades will lead to more sophisticated geoscience models capable of much greater fidelity. These in turn will lead to a better understanding of Earth dynamics as well as improved tools for simulation-based decision making for critical Earth systems.

Big data methods are revolutionizing the related fields of **chemistry** and **materials science**, in a transformation that is illustrative of those sweeping all of science, leading to a successful transition of basic science into practical tools for applied research and early engineering design. Chemistry and materials science are both mature computational disciplines that through advances in theory, algorithms, and computer technology are now capable of increasingly accurate predictions of the physical, chemical, and electronic properties of materials and systems. The equations of quantum

mechanics (including Schrödinger's, Dirac's, and density functional representations) describe the electronic structure of solids and molecules that controls many properties of interest, and statistical mechanics must be employed to incorporate the effects of finite temperature and entropy. These are forward methods—given a chemical composition and approximate structure, one can determine a nearby stable structure and compute its properties. To design new materials or chemical systems, however, one must solve the inverse problem—what is the system that has specific or optimal properties? Moreover, the system must be readily synthesized, inexpensive, and thermally and chemically stable under expected operating conditions. Breakthrough progress has recently been made in developing effective constrained search and optimization algorithms for precisely this purpose [7], with this process recognized in large funding initiatives such as the multiagency U.S. Materials Genome Initiative [14]. This success has radically changed the nature of computation in the field. Less than ten years ago most computations were generated and analyzed by a human, whereas now 99.9% of computations are machine generated and processed as part of automated searches that are generating vast databases with results of millions of calculations to correlate structure and function [32, 35]. In addition to opening important new challenges in robust and reliable computation, the tools and workflows of big data are now crucial to further progress.

CSE Success Story: Visual Analytics Brings Insight to Terabytes of Simulation Data

New techniques are being developed that allow scientists to sift through terabytes of simulation data in order to gain important new insights from science and engineering simulations on the world's largest supercomputers. The figure shows a visualization of a topological analysis and volume rendering of one timestep in a large-scale, multiterabyte combustion simulation. The topological analysis identifies important physical features (ignition and extinction events) within the simulation, while the volume rendering allows viewing the features within the spatial context of the combustion simulation.⁶



In **scientific visualization**, new techniques are being developed to give visual insight into the deluge of data that is transforming scientific research. Data analysis and visualization are key technologies for enabling advances in simulation and data-intensive science, as well as in several domains beyond the sciences. Specific big data visual analysis challenges and opportunities include *in situ* interactive analysis, user-driven data reduction, scalable and multilevel hierarchical algorithms, representation of evidence and uncertainty, heterogeneous data fusion, data summariza-

⁶Simulation by J. Chen, Sandia National Laboratories; visualization by the Scientific Computing and Imaging Institute, University of Utah.

tion and triage for interactive queries, and analysis of temporally evolved features [24, 25, 50].

Computation and big data also meet in **characterization of physical material samples** using techniques such as X-ray diffraction and adsorption, neutron scattering, ptychography, transmission electron, and atomic microscopes. Only for essentially perfect crystals or simple systems can one directly invert the experimental data and determine the structure from measurements. Most real systems, typically with nanoscale features and no long-range order, are highly underdetermined [4]. Reliable structure determination requires fusion of multiple experimental data sources (now reaching multiple terabytes in size) and computational approaches. Computation provides a forward simulation (e.g., given a structure, determine what spectrum or diffraction pattern results), and techniques from uncertainty quantification are among those proving successful in making progress.

2.3.3. Synergy between Computational Science and Data Science. Big data is transforming the fabric of society, in areas that go beyond research in the physical sciences and engineering [22]. Data analytics aims at extracting information from large amounts of data in areas as diverse as business intelligence, cybersecurity, social network recommendation, and government policy. Analysis of the data is often based on statistical and machine learning methods from data science. Similar to CSE, data science is built on fundamentals from mathematics and statistics, computer science, and domain knowledge, and hence it possesses an important synergy with CSE.

The paradigm of scalable algorithms and implementations that is central to CSE and HPC is also relevant to emerging trends in data analytics and data science. Data analytics is quickly moving in the direction of mathematically more sophisticated analysis algorithms and parallel implementations. CSE will play an important role in developing the next generation of parallel high-performance data analytics approaches that employ descriptions of the data based on physical or phenomenological models informed by first principles, with the promise of extracting valuable insight from the data that crucially goes beyond what can be recovered by statistical modeling alone. Important mathematical and algorithmic advances in areas such as optimization, randomized algorithms, and approximation are currently driven by problems in machine learning and deep learning.

HPC supercomputers and cloud data centers serve different needs and are optimized for applications that have fundamentally different characteristics. Nevertheless, they face challenges that have many commonalities in terms of extreme scalability, fault tolerance, cost of data movement, and power management. The advent of big data has spearheaded new large-scale distributed computing technologies and parallel programming models such as MapReduce, Hadoop, Spark, and Pregel, which offer innovative approaches to scalable high-throughput computing, with a focus on data locality and fault tolerance. These frameworks are finding applications in CSE problems, for example, in network science, and large-scale CSE methods, such as advanced distributed optimization algorithms, are increasingly being developed and implemented in these environments. In many applications, the need for distributed computing arises from the sheer volume of the data to be processed and analyzed, and, similar to the discussions on HPC in section 2.2, the growing levels of parallelism in computer architectures require software in distributed machine learning systems such as TensorFlow to be highly parallel. Extensive potential exists for cross-fertilization of ideas and approaches between extreme-scale HPC and large-scale computing for data

analysis. Economy-of-scale pressures will contribute to a convergence of technologies for computing at large scale.

Overall, the analysis of big data requires efficient and scalable mathematics-based algorithms executed on high-end computing infrastructure, which are core CSE competencies that translate directly to big data applications. CSE education and research must foster the important synergies with data analytics and data science that are apparent in a variety of emerging application areas.

2.4. CSE Software. CSE software ecosystems provide fundamental and pervasive technologies that connect advances in applied mathematics, computer science, and core disciplines of science and engineering for advanced modeling, simulation, discovery, and analysis. We discuss the importance and scope of CSE software, the increasing challenges in CSE software development and sustainability, and the future CSE software research agenda.

2.4.1. Importance and Scope of CSE Software. Software is an essential product of CSE research when complex models of reality are cast into algorithms; moreover, the development of efficient, robust, and sustainable software is at the core of CSE. The CSE agenda for research includes the systematic design and analysis of (parallel) software, its accuracy, and its computational complexity (see section 2.2). Beyond this, CSE research must deal with the assessment of computational cost on the relevant hardware platforms, as well as with criteria such as flexibility, usability, extensibility, and interoperability. Software that contributes to modeling, simulation, and analysis is only part of the software required in CSE. Equally important are operating systems, programming models, programming languages, compilers, debuggers, profilers, source-to-source translators, build systems, dynamic resource managers, messaging systems, I/O systems, workflow controllers, and other types of system software that support productive human-machine interaction. Software in this wider sense also includes the infrastructure necessary to support a CSE research ecosystem, such as version control, automatic tests for correctness and consistency, documentation, handbooks, and tutorials. All this software is essential for CSE to continue to migrate up computational scales, and it requires an interdisciplinary community to produce it and to ensure that it coheres.

While the volume and complexity of scientific software have grown substantially in recent decades [15], scientific software traditionally has not received the focused attention it so desperately needs in order to fulfill this key role as a cornerstone of long-term CSE collaboration and scientific progress [23, 16, 17]. Rather, “software has evolved organically and inconsistently, with its development and adoption coming largely as by-products of community responses to other targeted initiatives” [26].

2.4.2. Challenges of CSE Software. The community faces increasing challenges in CSE software design, development, and sustainability as a result of the confluence of disruptive changes in computing architectures and demands for more complex simulations. New architectures require fundamental algorithm and software refactoring, while at the same time enabling new ranges of modeling, simulation, and analysis.

New Science Frontiers: Increasing Software Demands. CSE’s continual push toward new capabilities that enable predictive science dramatically affects how codes are designed, developed, and used. Software that incorporates multiphysics and multiscale modeling, capabilities beyond interpretive simulations (such as UQ and design optimization), and coupled data analytics presents a host of difficulties not faced in traditional contexts, because of the compounded complexities of code in-

teractions [28, 16, 23]. A key challenge is enabling the introduction of new models, algorithms, and data structures over time—that is, balancing competing goals of interface stability and software reuse with the ability to innovate algorithmically and develop new approaches.

Programmability of Heterogeneous Architectures. Designing and developing CSE software to be sustainable are challenging software engineering tasks, not only in the extreme scale, but also in conventional applications that run on standard hardware. The best software architecture is often determined by performance considerations, and it is a high art to identify kernel routines that can serve as an internal interface to a software performance layer. While the optimization of the kernel routines inevitably requires detailed knowledge of a specific target machine, the design of the software architecture must support optimizations not only for current but also for future generations of computer systems. Such long-term sustainability of software is essential to amortize the high cost of developing complex CSE applications, but it requires a deep understanding of computer architecture and its interplay with algorithms.

All modern computers are hierarchically structured. This structure, in turn, creates the need to develop software with the hierarchy and the architecture in mind, often using a hybrid combination of different languages and tools. For example, a given application may utilize MPI on the system level, OpenMP on the node level, and special libraries or low-level intrinsics to exploit core-level vectorization. Newer techniques from computer science, such as automatic program generation, annotations, and domain-specific languages, may eventually help reduce the gap between real-life hardware structures and model complexity.

This complexity will need to be managed, and to some extent alleviated, in the future. For example, the development of new and improved unifying languages, combined with the tools to select appropriate algorithms for target architectures and to implement these algorithms automatically, may ease the burden on CSE software developers. Such tools are topics of current research and are therefore far from reaching the level of maturity required to support large-scale development. Consequently, CSE developers must currently rely on an approach that includes hardware-optimized libraries, or they must master the complexity—typically in larger teams where members can specialize—by undertaking explicitly hardware-aware development. This task is even more complex when accelerators, such as GPUs, are to be used.

Composability, Interoperability, Extensibility, Portability. As CSE applications increase in sophistication, no single person or team possesses the expertise and resources to address all aspects of a simulation. Interdisciplinary collaboration using software developed by independent groups becomes essential. CSE researchers face daunting challenges in developing, deploying, maintaining, extending, and effectively using libraries, frameworks, tools, and application-specific infrastructure.

Practical difficulties in collaborative research software stem from the need for composable and interoperable code with support for managing complexity and change as architectures, programming models, and applications continue to advance. Challenges include coordinating the interfaces between components that need to interoperate and ensuring that multiple components can be used side by side without conflicts between programming models and resources. Even more difficult challenges arise with the need to exchange or control data between components, where many issues center on ownership and structure of the data on which components act. Moreover, good software must be extensible, to meet not only requirements known at the time of

its design but also unanticipated needs that change over time. Software must also be portable across target architectures, including laptops, workstations, and moderately sized clusters for much of the CSE community. Even researchers who employ the full resources of emerging extreme-scale machines typically develop and test their code first on laptops and clusters, so that portability across this entire spectrum is essential.

CSE Success Story: Numerical Libraries Provide Computational Engines for Advanced CSE Applications

Community collaboration and support are essential in driving and transforming how large-scale, open-source software is developed, maintained, and used. Work is under way in developing the Extreme-scale Scientific Development Kit (xSDK),⁷ which is improving the interoperability, portability, and sustainability of CSE libraries and application components. The vision of the xSDK is to provide the foundation of an extensible scientific software ecosystem developed by diverse, independent teams throughout the community, in order to improve the quality, reduce the cost, and accelerate the development of CSE applications. The xSDK incorporates, for example, the high-performance numerical libraries hypre, PETSc, Sundials, SuperLU, and Trilinos, which are supported by the U.S. Department of Energy and encapsulate cutting-edge algorithmic advances to achieve robust, efficient, and scalable performance on high-performance architectures. These packages provide the computational engines for thousands of advanced CSE applications, such as hydrology and biogeochemical cycling simulations using PFLOTRAN and coupled 3D microscopic-macroscopic steel simulations (far left and far right images, respectively, in the “CSE Applications” box in the diagram). For example, this multiphase steel application, which uses nonlinear and linear FETI-DP domain decomposition methods (in PETSc) and algebraic multigrid (in hypre), demonstrates excellent performance on the entire Blue Gene/Q at the Jülich Supercomputing Centre (JUQUEEN, 458K cores) and the Argonne Leadership Computing Facility (Mira, 786K cores).

2.4.3. Software as a Research Agenda for CSE. CSE software ecosystems, which support scientific research in much the same way that a light source or telescope does, require a substantial investment of human and capital resources, as well as basic research on scientific software productivity so that the resulting software artifacts are fully up to the task of predictive simulations and decision support. Scientific software often has a much longer lifetime than does hardware; in fact, software frequently outlives the teams that originally create it. Traditionally, however, support for software

⁷Information on xSDK available via <https://xsdk.info>. PFLOTRAN simulations by G. Hammond (Sandia National Laboratories). Multiphase steel simulations described in A. Klawonn, M. Lanser, and O. Rheinbach, *SIAM J. Sci. Comput.*, 37 (2015), pp. C667–C696; image courtesy of Jörg Schröder, Universität Duisburg-Essen.

has generally been indirect, from funding sources focused on science or engineering outcomes, and not the software itself. This circumstance—sporadic, domain-specific funding that considers software only secondary to the actual science it helps achieve—has caused huge difficulties, not only for sustainable CSE software artifacts, but also for sustainable CSE software careers. This in turn has increasingly led to a mismanagement of research investment, since scientific software as an important CSE research outcome is rarely leveraged to its full potential.

Recent community reports express the imperative to firmly embrace the fundamental role of open-source CSE software as a valuable research product and cornerstone of CSE collaboration and thus to increase direct investment in the software itself, not just as a by-product of other research [3, 15, 16, 17, 23, 26]. The past decade has seen the development of many successful community-based open-source CSE software projects and community science codes. Aided by advances in supporting technology such as version control, bug tracking, and online collaboration, these projects leverage broad communities to develop free software with features at the leading edge of algorithmic research. Examples in the area of finite-element methods include the deal.II, Dune, and FEniCS projects, and similar efforts have made tremendous contributions in many other areas of CSE.

Reproducibility and Sustainability. CSE software often captures the essence of research results. It must therefore be considered equivalent to other scientific outcomes and must be subjected to equivalent quality assurance procedures. This requirement in turn means that criteria such as the reproducibility of results [44] must be given higher priority and that CSE software must be more rigorously subjected to critical evaluation by the scientific community. Whenever a research team is faced with increased expectations for independent review of computational results, the team's interest in improved software methodologies increases commensurately. In fact, it is not too strong to say that the affordability and feasibility of reproducible scientific research are directly proportional to the quality and sustainability of the software. Community efforts are beginning to address issues in software sustainability, or the ability to maintain the scientifically useful capability of a software product over its intended life span, including understanding and modifying a software product's behavior to reflect new and changing needs and technology [51, 16, 17]. Work is needed to determine value metrics for CSE software that fully acknowledge its key role in scientific progress; to increase rewards for developers of open-access, reliable, extensible, and sustainable software; and to expand career paths for expert CSE software developers.

Software Engineering and Productivity. The role of software ecosystems as foundations for CSE discoveries brings to the forefront issues of software engineering and productivity, which help address reproducibility and sustainability. Software productivity expresses the effort, time, and cost of developing, deploying, and maintaining a product with necessary software capabilities in a targeted scientific computing environment [16, 23]. Work on software productivity focuses on improving the quality, decreasing the cost, and accelerating the delivery of scientific applications, as a key aspect of improving overall scientific productivity. Software engineering, which can be defined as “the application of a systematic, disciplined, quantifiable approach to the development, operation, and maintenance of software” [21], is central to any effort to increase CSE software productivity.

While the scientific community has much to learn from the mainstream software engineering community, CSE needs and environments are in combination sufficiently

unique so as to require fundamental research specifically for scientific software. In particular, scientific software domains require extensive academic background in order to understand how software can be designed, written, and used for CSE investigations. Also, scientific software is used for discovery and insight, and hence requirements (and therefore all other phases of the software lifecycle) are frequently changing.

Consequently, CSE software ecosystems and processes urgently require focused research and substantial investment. Another pressing need is education on software engineering and productivity methodologies that are specifically tailored to address the unique aspects of CSE, in the contexts of both academic training and ongoing professional development (see section 3). With respect to many of these issues, CSE software research is still nascent, since these themes have been largely neglected in the evolution of the field to date. As stated in a recent NITRD report [16], “The time is upon us to address the growing challenge of software productivity, quality, and sustainability that imperils the whole endeavor of computation-enabled science and engineering.”

2.5. Emergence of Predictive Science. The advances in CSE modeling, algorithms, simulation, big data analytics, HPC, and scientific software summarized in this document all have the overarching goal of achieving truly predictive science capabilities. Scientific experimentation and theory, the classical paradigms of the scientific method, both strive to describe the physical world. However, high-fidelity predictive capabilities can be achieved only by employing numerical computation. Predictive science now lies at the core of the new CSE discipline.

CSE draws its predictive power from mathematics, statistics, and the natural sciences as they underlie model selection, model calibration, model validation, and model and code verification, all in the presence of uncertainties. Ultimately CSE must also include the propagation of uncertainties through the forward problem and the inverse problem, to quantify the uncertainties of the outputs that are the target goals of the simulation. When actual computer predictions are used for critical decisions, all of these sources of uncertainty must be taken into account.

Current algorithms and methods for coping with these issues have their roots in the mathematics and statistics of the past century and earlier. In order to deal with the complexities of predictive modeling, however, new models, algorithms, and methodologies are needed. Their development, analysis, and implementation constitute the new research agenda for CSE. Achieving these goals will require substantial research efforts and significant breakthroughs.

What predictive science, and therefore CSE, will eventually be is not yet fully understood. We may see the coastline of the “continent of predictive science” ahead of us, but we still have to explore the whole mass of land that lies behind this coastline. We can already clearly see, however, that CSE and the transition to predictive science will have a profound impact on education, on how scientific software is developed, on research methodologies, and on the design of tomorrow’s computers.

3. CSE Education and Workforce Development. With the many current and expanding opportunities for the CSE field, there is a growing demand for CSE graduates and a need to expand CSE educational offerings. This need includes CSE programs at both the undergraduate and graduate levels, as well as continuing education and professional development programs. In addition, the increased presence of digital educational technologies provides an exciting opportunity to rethink CSE pedagogy and modes of educational delivery.

3.1. Growing Demand for CSE Graduates. Industry, national laboratories, government, and broad areas of academic research are making more use than ever before of simulations, high-end computing, and simulation-based decision-making. This trend is apparent broadly across domains—for example, energy, manufacturing, finance, and transportation are all areas in which CSE is playing an increasingly significant role, with many more examples across science, engineering, business, and government. Research and innovation, both in academia and in the private sector, are increasingly driven by large-scale computational approaches. A National Council on Competitiveness report points out that high-end computing plays a “vital role in driving private-sector competitiveness” and that “all businesses that adopt HPC consider it indispensable for their ability to compete and survive” [8]. With this significant and increased use comes a demand for a workforce versed in technologies necessary for effective and efficient mathematics-based computational modeling and simulation. There is high demand for graduates with the interdisciplinary expertise needed to develop and/or utilize computational techniques and methods in order to advance the understanding of physical phenomena in a particular scientific, engineering, or business field and to support better decision-making [13].

As stated in a recent report on workforce development by the U.S. Department of Energy Advanced Scientific Computing Advisory Committee [46], “All large DOE national laboratories face workforce recruitment and retention challenges in the fields within Computing Sciences that are relevant to their mission. . . . There is a growing national demand for graduates in Advanced Scientific Computing Research-related Computing Sciences that far exceeds the supply from academic institutions. Future projections indicate an increasing workforce gap.” This finding was based on a number of reports, including one from the High End Computing Interagency Working Group [19] stating: “High end computing (HEC) plays an important role in the development and advanced capabilities of many of the products, services, and technologies that are part of our everyday life. The impact of HEC on the agencies of the federal government, on the quality of academic research, and on industrial competitiveness is substantial and well documented. However, adoption of HEC is not uniform, and to fully realize its potential benefits we must address one of the most often cited barriers: lack of HEC skills in the workforce.” Additional workforce and education issues are discussed in [16].

The U.S. Department of Energy has for 25 years been investing in the Computational Science Graduate Fellowship [9] program to prepare approximately 20 Ph.D. candidates per year for interdisciplinary roles in its laboratories and beyond. Fellows take at least two graduate courses in each of computer science, applied mathematics, and an application from science or engineering requiring large-scale computation, in addition to completing their degree requirements for a particular department. They also spend at least one summer at a DOE laboratory in a CSE internship and attend an annual meeting to network with their peers across other institutions. This program has been effective in creating a sense of community for CSE students that is often lacking on any individual traditionally organized academic campus.

In order to take advantage of the transformation that high-performance and data-centric computing offers to industry, the critical factor is a workforce versed in CSE and capable of developing the algorithms, exploiting the compute platforms, and designing the analytics that turn data with its associated information into knowledge to act. This is the case for large companies that have traditionally had in-house simulation capabilities and may have dedicated CSE-focused groups to support a wide range

of products; it is also increasingly the case for small- and medium-sized companies with more specialized products and a critical need for CSE to support their advances in research and development. In either case, exploiting emerging computational tools requires the critical thinking and the interdisciplinary background that is prevalent in CSE training [37]. The CSE practitioner has the expertise to apply computational tools in uncharted areas, often applying previous domain-specific understanding. The CSE practitioner also has the analytical skills to tease out the problems that often are encountered when commercial enterprises seek to design new products, develop new services, and create novel approaches from the wealth of data available. While often a member of a team of others from varying disciplines, the CSE practitioner is the catalyst driving the change that industry seeks in order not only to remain competitive but also to be first to market, providing the necessary advantage to thrive in a rapidly evolving technological ecosystem.

3.2. Future Landscape of CSE Educational Programs. CSE educational programs are needed in order to create professionals who meet this growing demand and who support the growing CSE research field. These include CSE programs at both the undergraduate and graduate levels, as well as continuing education and professional development programs. They also include programs that are “CSE focused” and those that follow more of a “CSE infusion” model. The former include programs that have CSE as their primary focus (e.g., B.S., M.S., or Ph.D. in computational science and engineering), while the latter include programs that embed CSE training within another degree structure (e.g., a minor, emphasis, or concentration in CSE complementing a major in mathematics, science, or engineering or a degree in a specific computational discipline such as computational finance or computational geosciences). In fact, interdisciplinary quantitative and computer modeling skills are quickly becoming indispensable for any university graduate, not only in the physical and life sciences, but also in the social sciences. Universities must equip their graduates with these skills. Information about a variety of CSE educational programs can be found online [42, 11].

Undergraduate Education. At the undergraduate level, the breadth and depth of topics covered in CSE degrees depends on the specific degree focus. However, the following high-level topics are important content for an undergraduate program:

1. Foundations in mathematics and statistics, including calculus, linear algebra, mathematical analysis, ordinary and partial differential equations, applied probability, stochastic processes, and discrete mathematics.
2. Simulation and modeling, including conceptual, data-based, and physics-based models, use of simulation tools, and assessment of computational models.
3. Computational methods and numerical analysis, including errors, solutions of systems of linear and nonlinear equations, Fourier analysis, interpolation, regression, curve fitting, optimization, numerical differentiation and integration, Monte Carlo methods, statistical inference, numerical methods for ODEs, and numerical methods for PDEs.
4. Computing skills, including compiled high-level languages, algorithms (numerical and nonnumerical), elementary data structures, analysis of algorithms and their implementation, parallel programming, scientific visualization, awareness of computational complexity and cost, and use of good software engineering practices including version control.

Feedback from the community has noted an increasing demand for CSE graduates trained at the bachelor's level, with particular note of the increased opportunities at small- and medium-sized companies. A report from the SIAM Working Group on CSE Undergraduate Education further develops foundations for directions in undergraduate CSE education [45].

Graduate Education. At the graduate level, again the breadth and depth of topics covered depends on the specific degree focus. In the next section, we make specific recommendations in terms of a set of learning outcomes desired for a CSE graduate program. We also note the growing importance of and demand for terminal master's degrees, which can play a large role in fulfilling the industry and national laboratory demand for graduates with advanced CSE skills. All CSE graduates should possess a solid foundation in mathematics; an understanding of probability and statistics; a grasp of modern computing, computer science, programming languages, principles of software engineering, and high-performance computing; and an understanding of foundations of modern science and engineering, including biology. These foundations should be complemented by deep knowledge in a specific area of science, engineering, mathematics and statistics, or computer science. CSE graduates should also possess skills in teamwork, multidisciplinary collaboration, and leadership. A valuable community project would be to collect resources to assist early-career researchers in advancing skills to support CSE collaboration and leadership.

Continuing and Professional Education. A third area of educational programs is that of continuing and professional education. Opportunities exist for SIAM or other institutions to engage with industry to create and offer short courses, including those that target general CSE skills for the non-CSE specialist as well as those that target more advanced skills in timely opportunity areas (such as parallel and extreme-scale computing, CSE-oriented software engineering, and computing with massive data). Often one assumes that much of the workforce for industry in CSE will come at the postgraduate level; increasingly, however, industry needs people who have an understanding of CSE even at the undergraduate level in order to realize the full potential growth in a rapidly expanding technological workplace. Future managers and leaders in business and industry must be able to appreciate the skill requirements for the CSE professional and the benefits that accrue from CSE. Continuing education can play a role in fulfilling this need. The demand for training in CSE-related topics exists broadly among graduate students and researchers in academic institutions and national laboratories, as evidenced by the growing number of summer schools worldwide, as well as short courses aimed at the research community. For example, the Argonne Training Program on Extreme-Scale Computing [33] covers key topics that CSE researchers must master in order to develop and use leading-edge applications on extreme-scale computers. The program targets early-career researchers to fill a gap in the training that most computational scientists receive and provides a more comprehensive program than do typical short courses.⁸ Continuing education also has an important role to play in addressing the challenge of changing computer architectures—skills developed around optimizing algorithms for today's machines might become obsolete within the lifetime of a student's professional career. Lastly, we note that the recent creation of the SIAM Activity Group on Applied Mathematics Education represents another opportunity

⁸Videos and slides of lectures are available online via the ATPESC website <http://extremecomputingtraining.anl.gov>.

for collaboration to pursue some of these ideas in continuing and professional education.

Institutional Structure. Because of CSE's intrinsically interdisciplinary nature and its research agenda reaching beyond the traditional disciplines, the development of CSE is often impeded by traditional institutional boundaries. CSE research and education have found great success over the past decade in those settings where CSE became a clearly articulated focus of entire university departments,⁹ faculties,¹⁰ or large interdisciplinary centers.¹¹ In many of the newer universities in the world, institutional structures often develop naturally in line with the CSE paradigm.¹² In other cases, institutional traditions and realities make it more natural for successful CSE programs to develop within existing departments¹³ or in cross-departmental¹⁴ or cross-faculty¹⁵ initiatives. Information about a variety of CSE educational programs can be found online [42, 11]. In any case, universities and research institutes will need to implement new multidisciplinary structures that enable more effective CSE research and education. One ingredient appears crucial for success, regardless of the particular institutional structure: It is critical to have both top-down support from the university administration and ground-up enthusiasm from the faculty. To fully realize its potential, the CSE endeavor requires its own academic structures, funding programs, and educational programs.

3.3. Graduate Program Learning Outcomes. A learning outcome is defined as what a student is expected to be able to do as a result of a learning activity. In this section, we describe a set of learning outcomes desired of a student graduating from a CSE Ph.D. program. We focus on outcomes because they describe the set of desirable competencies without attempting to prescribe any specific degree structure. These outcomes can be used as a guide to define a Ph.D. program that meets the needs of the modern CSE graduate; they can also play an important role in defining and distinguishing the CSE identity and in helping employers understand the skills and potential of CSE graduates.

In Table 1, we focus on the “CSE Core Researchers and Developers” category in Figure 3. We distinguish between a CSE Ph.D. with a broadly applicable CSE focus and a CSE Ph.D. with a domain-driven focus. An example of the former is a “Ph.D. in computational science and engineering,” while an example of the latter is a “Ph.D. in computational geosciences.” The listed outcomes relate primarily to those CSE-specific competencies that will be acquired through classes. Of course, the full competencies of the Ph.D. graduate must also include the more general Ph.D.-level

⁹For example, the School of Computational Science & Engineering at the Georgia Institute of Technology and the Department of Scientific Computing at Florida State University.

¹⁰For example, the Division of Computer, Electrical, and Mathematical Sciences and Engineering at the King Abdullah University of Science and Technology (KAUST).

¹¹For example, the Institute for Computational Engineering and Sciences at the University of Texas at Austin, the Scientific Computing and Imaging Institute at the University of Utah, the Cluster of Excellence in Simulation Technology at the University of Stuttgart, and CERFACS (Centre Européen de Recherche et de Formation Avancé en Calcul Scientifique) in Toulouse.

¹²KAUST is, again, a good example.

¹³For example, the master’s program in CSE at the Technische Universität München.

¹⁴For example, CSE graduate programs in engineering faculties at the University of Illinois at Urbana-Champaign, at the Massachusetts Institute of Technology, and at the Technische Universität Darmstadt

¹⁵For example, the School of Computational Science and Engineering at McMaster University, the Institute for Computational and Mathematical Engineering at Stanford University, and the master’s program in CSE at the École Polytechnique Fédérale de Lausanne.

Table I Learning outcomes desired of a student graduating from a CSE Ph.D. program. *Italicized* text denotes differences in learning outcomes for programs with a broadly applicable CSE focus (left) and a domain-driven focus in a particular field of science or engineering (right). Learning outcomes that are common to both types of Ph.D. programs span left and right columns.

CSE Ph.D. with Broadly Applicable CSE Focus	CSE Ph.D. with Domain-Driven Focus in Field X
Combine mathematical modeling, physical principles, and data to derive, analyze, and assess <i>models across a range of systems</i> (e.g., <i>statistical mechanics, continuum mechanics, quantum mechanics, molecular biology</i>).	Combine mathematical modeling, physical principles and data to derive, analyze, and assess a <i>range of models within field X</i> .
Demonstrate graduate-level depth in devising, analyzing, and evaluating new methods and algorithms for computational solution of mathematical models (including parallel, discrete, numerical, statistical approaches, and mathematical analysis).	
Demonstrate <i>mastery</i> in code development to exploit parallel and distributed computing architectures and other emerging modes of computation in algorithm implementation.	Demonstrate <i>proficiency</i> in code development to exploit parallel and distributed computing architectures and other emerging modes of computation in algorithm implementation.
Be aware of available tools and techniques from software engineering, their strengths, and their weaknesses; select and apply techniques and tools from software engineering to build robust, reliable, and maintainable software.	
Develop, select, and use tools and methods to represent and visualize computational results.	
Critically analyze and evaluate results using mathematical and data analysis, physical reasoning, and algorithm analysis, and understand the implications on models, algorithms, and implementations.	
Identify the sources of errors in a CSE simulation (such as modeling errors, code bugs, premature termination of solvers, discretization errors, roundoff errors, numerical instabilities), and understand how to diagnose them and work to reduce or eliminate them.	
Appreciate and explain the context of decision-making as the end use of many CSE simulations, and as appropriate be able to formulate, analyze, and solve CSE problems in control, design, optimization, or inverse problems.	Appreciate and explain the context of decision-making as the end use of many CSE simulations, and as appropriate be able to formulate, analyze and solve CSE problems in control, design, optimization or inverse problems <i>as relevant to field X</i> .
Understand data as a core asset in computational research, and demonstrate appropriate proficiencies in processing, managing, mining, and analyzing data throughout the CSE/simulation loop.	
Demonstrate the ability to develop, use, and analyze sophisticated computational algorithms in data science and engineering, and understand data science and engineering as a novel field of application of CSE.	
Demonstrate graduate-level <i>proficiency in one domain in science or engineering</i> .	Demonstrate graduate-level <i>depth in domain knowledge in field X</i> .
Communicate across disciplines and collaborate in a team.	

skills, such as engaging deeply in a research question, demonstrating awareness of research context and related work, and producing novel research contributions, many of which will be acquired through the doctoral dissertation. We note that it would be desirable for graduates of a CSE master's degree program to also achieve most (if not all) of the outcomes in Table 1. In particular, in educational systems with no substantial classwork component for the Ph.D., the learning outcomes of Table 1 would also apply to the master's or honors degree that may precede the Ph.D.


In the next two subsections, we elaborate on the interaction between CSE education and two areas that have seen considerable change since the design of many existing CSE programs: extreme-scale computing and computing with massive data.

CSE Success Story: Computational Modeling and Data Analytics Undergraduate Degree at Virginia Tech

The diagram illustrates the CMDA curriculum flowchart across four years:

- Freshman Year:** CS 1114 Intro to Software Design leads to either MATH 1225 Calculus of a Single Variable I or MATH 1226 Calculus of a Single Variable II.
- Sophomore Year:**
 - A dashed line labeled "weak prerequisite" connects CS 1114 to CS 2114 Software Design & Data Structures.
 - CS 2114 leads to either CMDA 2005 Integrated Quantitative Science I or CMDA 2006 Integrated Quantitative Science II.
 - CMDA 2005 and 2006 lead to either MATH 2114 Intro to Linear Algebra or MATH 2214 Intro to Differential Equations.
 - Students can take either the Integrated Path (CMDA 3634, 3635, 4654, 3605, 3606) or the Traditional Path (MATH 2225, 2226).
- Junior Year:** The Integrated Path leads to CMDA 3634 CS Foundations of CMDA, followed by CMDA 3635 Intro Data Analytics & Visualization, and then CMDA 4654 Intro Data Analytics & ML. The Traditional Path leads to MATH 2225 and MATH 2226.
- Senior Year:** The Integrated Path leads to CMDA 3605 Math Modeling I, followed by CMDA 3606 Math Modeling II. The Traditional Path leads to MATH 2214 Intro to Differential Equations.

Students take either the Integrated Path or the Traditional Path.



3.4. Education in Parallel Computing and Extreme-Scale Computing. Engi-

neers and scientists need to be better prepared for the age of ubiquitous parallelism (as addressed in section 2.2; see also [19, 39, 47, 46, 49]). Parallelism has become the basis for all computing technology and necessitates a shift in teaching even the basic concepts. Simulation algorithms and their properties have been at the core of CSE education, but now we must emphasize parallel algorithms. The focus used to be on abstract notions of accuracy of methods and the complexity of algorithms; today it must be shifted to the complexity of parallel algorithms and the real-life cost of solving a computational problem—a completely different notion. Additionally, the asymptotic complexity and thus algorithmic scalability become more important when the machines grow larger. At the same time, the traditional complexity metrics increasingly fail to give guidance about which methods, algorithms, and implementations are truly efficient. As elaborated in sections 2.2 and 2.4, designing simulation software has become a complex, multifaceted art. The education of future computational scientists must address these topics that arise from the disruptive technology that is dramatically changing the landscape of computing.

Extreme-scale computing also presents new challenges to education. Education in programming techniques needs to be augmented with parallel programming elements and a distinctive awareness of performance and computational cost. Additionally the current trends are characterized by a growing complexity in the design of computer ar-

chitectures, which are becoming hierarchical and heterogeneous. These architectures are reflected by complex and evolving programming models that should be addressed in a modern CSE education.

Today's extreme scale is tomorrow's desktop. An analogous statement holds for the size of the data that must be processed and that is generated through simulations. In education we need to distinguish between those whose research aims to simulate computationally demanding problems (see section 2.2 and Figure 5) and the wider class of people who are less driven by performance considerations. For example, many computational engineering problems exist in which the models are not extremely demanding computationally or in which model reduction techniques are used to create relatively cheap models.

In defining the educational needs in parallel and high-performance computing for CSE, we must distinguish between different intensities. Any broad education in CSE will benefit from an understanding of parallel computing, simply because sequential computers have ceased to exist. All students must be trained to understand concepts such as concurrency, algorithmic complexity, and its relation to scalability, elementary performance metrics, and systematic benchmarking methodologies. In more demanding applications, parallel computing expertise and performance awareness are necessary and must go significantly beyond the content of most current curricula. This requirement is equally true in those applications that may be only of moderate scale but that nevertheless have high-performance requirements, such as those in real-time applications or those that require interactivity; see Figure 5. Here, CSE education must include a fundamental understanding of computer architectures and the programming models that are necessary to exploit these architectures.

Besides classification according to scientific content and HPC intensity, educational structures in CSE must also address the wide spectrum of the CSE community that was described and analyzed in section 1.5 (see also Figure 3).

CSE Domain Scientists and Engineers: Method Users. Users of CSE technology typically employ dedicated supercomputer systems and specific software on these computers; they usually do not program HPC systems from scratch. Nevertheless, they need to understand the systems and the software they use, in order to achieve leading-edge scientific results. They must be capable of extending the existing applications, if needed, possibly in collaboration with CSE and HPC specialists.

An appropriate educational program for CSE users in HPC can be organized in courses and tutorials on specific topics such as are regularly offered by computing centers and other institutions. These courses are often taught in compact format (ranging from a few hours to a week) and are aimed at enabling participants to use specific methods and software or specific systems and tools. They naturally are of limited depth, but a wide spectrum of such courses is essential in order to widen the scope of CSE and HPC technology and to bring it to bear fruit as widely as possible.

CSE Domain Scientists and Engineers: Method Developers. Developers of CSE technology are often domain scientists or engineers who have specialized in using computational techniques in their original field. They often have decades of experience in computing and using HPC, and thus historically they are mostly self-taught. Regarding the next generation of scientists, students of the classical fields (such as physics, chemistry, or engineering) will increasingly want to put stronger emphasis on computing within their fields.

The more fundamental knowledge that will be needed to competently use the next generation of HPC systems thus cannot be adequately addressed by compact courses

as described above. A better integration of these topics into the university curriculum is necessary, by teaching the use of computational methods as part of existing courses or by offering dedicated HPC- and simulation-oriented courses (as electives) in the curriculum. An emphasis on CSE and HPC within a classical discipline may be taught in the form of a selection of courses that are offered as electives by CSE or HPC specialists, or—potentially especially attractive—by co-teaching of a CSE specialist jointly with a domain scientist.

CSE Core Researchers and Developers. Scientists who work at the core of CSE are classified in two groups according to Figure 3. *Domain-driven* CSE students as well as those focusing on *broadly applicable methods* should be expected to spend a significant amount of time learning about HPC and parallel computing topics. These elements must be well integrated into the CSE curriculum. Core courses from computer science (such as parallel programming, software engineering, and computer architecture) may present the knowledge that is needed also in CSE, and they can be integrated into a CSE curriculum. Often, however, dedicated courses that are especially designed for students in CSE will be significantly more effective, since such courses can be adapted to the special prerequisites of the student group and can better focus on the issues that are relevant for CSE. Again, in many cases co-teaching such courses, labs, or projects may be fruitful, especially when such courses cover several stages of the CSE cycle (see Figure 2).

CSE Success Story: Computer-Aided Engineering in the Automotive Industry

CSE-based simulation using computer-aided engineering (CAE) methods and tools has become an indispensable component of developing advanced products in industry. Based on mathematical models (e.g., differential equations and variational principles), CAE methods such as multibody simulation, finite elements, and computational fluid dynamics are essential for assessing the functional behavior of products early in the design cycle when physical prototypes are not yet available. The many advantages of virtual testing compared with physical testing include flexibility, speed, and cost. This figure¹⁶ shows selected application areas of CAE in the automotive industry. CSE provides widely applicable methods and tools. For example, drop tests of mobile phones are investigated by applying simulation methods that are also used in automotive crash analysis.

¹⁶Figure courtesy of AUDI AG.

These three levels of CSE education are naturally interdependent, but we emphasize that all three levels are relevant and important. In particular, the problem of educating the future generation of scientists in the competent use of computational techniques cannot be addressed solely by offering one-day courses on how to use the latest machine in the computing center.

3.5. CSE Education in Uncertainty Quantification and Data Science. The rising importance of massive data sets in application areas of science, engineering, and beyond has broadened the skillset that CSE graduates may require. For example, data-driven uncertainty quantification requires statistical approaches that may include tools such as Markov chain Monte Carlo methods and Bayesian inference. Analysis of large networks requires skills in discrete mathematics, graph theory, and combinatorial scientific computing. Similarly, many data-intensive problems require approaches from inverse problems, large-scale optimization, machine learning, and data stream and randomized algorithms.

The broad synergies between computational science and data science offer opportunities for educational programs. Many CSE competencies translate directly to the analysis of massive data sets at scale using high-end computing infrastructure. Computational science and data science are both rooted in solid foundations of mathematics and statistics, computer science, and domain knowledge; this common core may be exploited in educational programs that prepare the computational and data scientists of the future.

We are already beginning to see the emergence of such programs. For example, the new undergraduate major in “Computational Modeling and Data Analytics” at Virginia Tech¹⁷ includes deep integration among applied mathematics, statistics, computing, and science and engineering applications. This new degree program is intentionally designed *not* to be just a compilation of existing classes from each of the foundational areas; rather, it comprises mostly new classes with new perspectives emerging from the intersection of fields and is team-taught by faculty across departments. Another example is the Data Engineering and Science Initiative at Georgia Tech.¹⁸ Degree programs offered include a one-year M.S. in analytics, and M.S. and Ph.D. programs with a data focus on CSE and biotech fields. These programs are jointly offered by academic units drawn from the colleges of computing, engineering, and business. About a quarter of the courses are offered by the School of CSE, with the focus on computational algorithms and high-performance analytics. A similar picture is emerging around the world, with interdisciplinary programs that combine data analytics and mathematics-based high-end computing.¹⁹

3.6. Software Sustainability, Data Management, and Reproducibility. As discussed in section 2.4, simulation software is becoming increasingly complex and often involves many developers, who may be geographically distributed and who may enter or leave the project at different times. Education is needed on issues in software productivity and sustainability, including software engineering for CSE and tools for software project management. For example, code repositories that support version control are increasingly used as a management tool for projects of all sizes. Teaching students at all levels to routinely use version control will increase their productivity and allow them to participate in open-source software projects in addition to better preparing them for many jobs in large-scale CSE.


¹⁷<http://www.ais.science.vt.edu/programs/cmda.html>

¹⁸<http://bigdata.gatech.edu/>, <http://www.analytics.gatech.edu/>

¹⁹See, e.g., several of the programs listed at <http://www.kdnuggets.com/education/index.html>.

CSE Success Story: Simulation-Based Optimization of 3D Printing

CSE researchers have developed advanced models of 3D printing processes, where thin layers of metal powder are molten by a high-energy electron beam that welds the powder selectively to create complex 3D metal structures with an almost arbitrary geometry by repeating the process layer by layer. The two snapshots on the right visualize the effects of a simulated electron beam that scans over a powder bed in a sequence of parallel lines. Simulation can be used for designing the electron beam gun, developing the control system, and generating the powder layer, thereby accelerating the printing process in commercial manufacturing, for example, of patient-specific medical implants. The greatest simulation challenge is to develop numerical models for the complex 3D multiphysics welding process. A realistic simulation with physical resolution of a few microns requires millions of mesh cells and several hundreds of thousands of timesteps—computational complexity that can be tackled only with parallel supercomputers and sophisticated software.²⁰



The diagram illustrates the 3D printing setup. An electron beam gun is positioned above a vacuum build chamber. Two powder hoppers feed into a build tank, which sits atop a build platform. A rake is used to move powder from the build tank to the build platform. The printed object is placed on a start plate. Two grayscale images show cross-sections of the printing process, illustrating the scanning of the electron beam across a layer of metal powder to create a 3D structure.

Researchers in CSE fields (and from governments, funding agencies, and the public) also have experienced growing concern about the lack of reproducibility of many scientific results based on code and data that is not publicly available and often not properly archived in a manner that allows future confirmation of the results. Many agencies and journals are beginning to require open sharing of data and/or code. CSE education should include training in the techniques that support this trend, including data management and provenance, licensing of code and data, full specification of models and algorithms within publications, and archiving of code and data in repositories that issue permanent identifiers such as DOIs.

The important issues of ethics and privacy also come into play with an increased community focus on sharing data and codes. These topics are an essential part of CSE education—they should be covered as part of a class as well as reinforced through research process and mentoring.

3.7. Changing Educational Infrastructure. As we think about CSE educational programs, we must also consider the changing external context of education, particularly with regard to the advent of digital educational technologies and their associated impact on the delivery of education programs.

One clear impact is an increased presence of online digital materials, including digital textbooks, open educational resources, and massive open online courses (MOOCs). Recent years have already seen the development of online digital CSE re-

²⁰Simulation results from M. Markl, R. Ammer, U. Rüde, and C. Körner, *Internat. J. Advanced Manufacturing Technol.*, 78 (2015), pp. 239–247.

sources, as well as widespread availability of material in fields relevant to CSE, such as HPC, machine learning, and mathematical methods. An opportunity exists to make better community use of current materials, as well as to create new materials. There is also an opportunity to leverage other resources, such as Computational Science Graduate Fellowship essay contest winners²¹ and archived SIAM plenaries and other high-profile lectures. The time is right for establishing a SIAM working group that creates and curates a central repository linking to CSE digital materials and coordinates community development of new CSE online modules. This effort could also be coordinated with an effort to pursue opportunities in continuing education.

Digital educational technologies are also having an impact on the way university courses are structured and offered. For example, many universities are taking advantage of digital technologies and blended learning models to create “flipped classrooms,” where students watch video lectures or read interactive online lecture notes individually and then spend their face-to-face class time engaged in active learning activities and problem solving. Digital technologies are also offering opportunities to unbundle a traditional educational model—introducing more flexibility and more modularity to degree structures. Many of these opportunities are well suited for tackling the challenges of building educational programs for the highly interdisciplinary field of CSE.

4. Conclusions and Recommendations.

4.1. Summary. Over the past two decades, computational science and engineering has become tremendously successful and influential at driving progress and innovation in the sciences and technology. CSE is intrinsically interdisciplinary, and as such it often suffers from the entrapments created by disciplinary boundaries. While CSE and its paradigm of quantitative computational analysis and discovery are permeating increasingly many areas of science, engineering, and beyond, CSE has been most successful when realized as a clearly articulated focus within its own well-defined academic structures and its own targeted funding programs and aided by its own focused educational programs. The past decade has seen a comprehensive broadening of the application fields and methodologies of CSE. For example, mathematics-based computing is an important factor in the quantitative revolution that is sweeping through the life sciences and medicine, and powerful new methods for uncertainty quantification are being developed that build on advanced statistical techniques.

Quantitative and computational thinking is becoming ever more important in almost all areas of scientific endeavor. Hence, CSE skills and expertise must be included in curricula across the sciences, including the biomedical and social sciences. A well-balanced system of educational offerings is the basis for shaping the future of CSE. Creating a unique identity for CSE education is essential. Dedicated CSE programs have been created up to now only in a relatively small number of universities, mostly in the United States and Europe. More such undergraduate and graduate-level (master’s and Ph.D.) programs in CSE are necessary in order to train and prepare the future generation of CSE scientists to make new scientific and engineering discoveries. This core CSE education will require designing dedicated curricula, and where such programs already exist, continuous adaptation is needed to address the rapidly changing landscape of CSE.

²¹<https://www.krellinst.org/csgf/outreach/cyse-contest>

4.2. Central Findings.

- **F1: CSE as a discipline.** CSE has matured to be a discipline in its own right. It has its own unique research agenda, namely, to invent, analyze, and implement broadly applicable computational methods and algorithms that drive progress in science, engineering, and technology. A major current focus of CSE is to create truly predictive capability in science. Such CSE-based scientific predictions will increasingly become the foundation of technical, economic, societal, and public policy advances and decisions in the coming decades.
- **F2: Algorithms and software as research artifacts.** Innovations in mathematical methods and computational algorithms lie at the core of CSE advances. Scientific software, which codifies and organizes algorithmic models of reality, is the primary means of encapsulating CSE research to enable advances in scientific and engineering understanding. CSE algorithms and software can be created, understood, and properly employed only by using a unique synergy of knowledge that combines an understanding of mathematics, computer science, and target problem areas.
- **F3: CSE and the data revolution.** CSE methods and techniques are essential in order to capitalize on the rapidly growing ubiquitous availability of scientific and technological data, which is a major challenge that calls for the development of new numerical methods. In order to achieve deeper scientific benefit, data analytics must proceed beyond the exposition of correlations. CSE develops new statistical computing techniques that are efficient at scale, and it incorporates physical models informed by first principles to extract from the data insights that go far beyond what can be recovered by statistical modeling alone.

4.3. General Recommendations.

- **R1:** Universities and research institutions should **expand CSE to realize its broad potential for driving scientific and technological progress** in the 21st century. This requires removing disciplinary boundaries, engaging with new application areas, and developing new methodologies. Multidisciplinary research and education structures where CSE is a clearly articulated focus should be increasingly encouraged.
- **R2:** Funding agencies should **develop focused and sustained funding programs** that address the specific needs of research in CSE. These programs should acknowledge the multidisciplinary nature of CSE and account for specific research agendas of CSE, including CSE algorithms and software ecosystems as critical instruments of a novel kind of predictive science and access to leading high-performance computing facilities.

4.4. Recommendations for CSE Education.

- **E1:** Universities should **strengthen and broaden computational thinking in all relevant academic areas and on all levels**. This effort is vital for driving scientific, technological, and societal progress and needs to be addressed systematically at the university level as a crucial factor in workforce development for the 21st century.
- **E2: Dedicated CSE programs at all university degree levels should be created** to educate future core CSE researchers for jobs in the private and government sectors, in research laboratories, and in academia. New CSE-centric teaching materials are required to support such programs.

- **E3:** The common core of CSE and data science, as well as their synergy, should be exploited in educational programs that will prepare the computational and data scientists of the future. Aided by scientific visualization and interactive computational experiments, CSE is a powerful motivator for study in the STEM disciplines at pre-university levels. Outreach materials are required.

Acknowledgments. This report is an outcome of a workshop in August 2014 on *Future Directions in CSE Education and Research*, sponsored by the Society for Industrial and Applied Mathematics (<http://www.siam.org>) and the European Exascale Software Initiative [39]. We gratefully acknowledge La Joyce Clark and Cheryl Zidel of Argonne National Laboratory for workshop support. We also thank Jenny Radeck of Technische Universität München for assistance with graphics and Gail Pieper of Argonne National Laboratory for editing this document.

REFERENCES

- [1] M. ADAMS, D. HIGDON ET AL., *Report of the National Academies Committee on Mathematical Foundations of Verification, Validation, and Uncertainty Quantification*, National Academies Press, 2012, <http://www.nap.edu/catalog/13395/>. (Cited on pp. 719, 731)
- [2] S. BAKER ET AL., *Data-Enabled Science in the Mathematical and Physical Sciences*, National Science Foundation, 2010, <http://www.nsf.gov/mps/dms/documents/Data-EnabledScience.pdf>. (Cited on p. 730)
- [3] M. R. BENIOFF AND E. D. LAZOWSKI, PITAC Co-CHAIRS, *Computational Science: Ensuring America's Competitiveness: President's Information Technology Advisory Committee*, 2005, https://www.nitrd.gov/pitac/reports/20050609_computational/computational.pdf. (Cited on pp. 711, 737)
- [4] S. BILLINGE, *Viewpoint: The nanostructure problem*, Physics, 3 (2010), art. 25. (Cited on p. 733)
- [5] D. L. BROWN, J. BELL, D. ESTEP, W. GROPP, B. HENDRICKSON, S. KELLER-MCNULTY, D. KEYES, J. T. ODEN, L. PETZOLD, AND M. WRIGHT, *Applied Mathematics at the U.S. Department of Energy: Past, Present, and a View to the Future*, Office of Science, U.S. Department of Energy, 2008, http://science.energy.gov/~media/ascr/pdf/program-documents/docs/Brown_report_may_08.pdf. (Cited on p. 711)
- [6] D. BROWN, P. MESSINA ET AL., *Scientific Grand Challenges: Crosscutting Technologies for Computing at the Exascale*, Office of Science, U.S. Department of Energy, 2010, <http://science.energy.gov/~media/ascr/pdf/program-documents/docs/crosscutting-grand-challenges.pdf>. (Cited on p. 711)
- [7] G. CEDER AND K. PERSSON, *The stuff of dreams*, Scientific Amer., 309 (2013), pp. 36–40. (Cited on p. 732)
- [8] COUNCIL ON COMPETITIVENESS, *Advance: Benchmarking Industrial Use of High Performance Computing for Innovation*, 2008, [http://www.compete.org/storage/images/uploads/File/PDF%20Files/HPC_ADVANCE_FINAL0508\(1\).pdf](http://www.compete.org/storage/images/uploads/File/PDF%20Files/HPC_ADVANCE_FINAL0508(1).pdf). (Cited on p. 739)
- [9] DOE Computational Science Graduate Fellowship Program, <https://www.krellinst.org/csgf/>. (Cited on p. 739)
- [10] J. DONGARRA, P. BECKMAN, T. MOORE, P. AERTS, G. ALOISIO, J.-C. ANDRE, D. BARKAI, J.-Y. BERTHOU, T. BOKU, B. BRAUNSCHWEIG, F. CAPPELLO, B. CHAPMAN, X. CHI, A. CHOUDHARY, S. DOSANJH, T. DUNNING, S. FIORE, A. GEIST, W. D. GROPP, R. HARRISON, M. HERELD, M. HEROUX, A. HOISIE, K. HOTTA, Y. ISHIKAWA, Z. JIN, F. JOHNSON, S. KALE, R. KENWAY, D. KEYES, W. KRAMER, J. LABARTA, A. LICHNEWSKY, T. LIPPERT, R. LUCAS, B. MACCABE, S. MATSUOKA, P. MESSINA, P. MICHEELSE, B. MOHR, M. MUELLER, W. NAGEL, H. NAKASHIMA, M. E. PAPKA, D. REED, M. SATO, E. SEIDEL, J. SHALF, D. SKINNER, M. SNIR, T. STERLING, R. STEVENS, F. STREITZ, R. SUGAR, S. SUMIMOTO, W. TANG, J. TAYLOR, R. THAKUR, A. TREFETHEN, M. VALERO, A. VAN DER STEEN, J. VETTER, P. WILLIAMS, R. WISNIEWSKI, AND K. YELICK, *The international exascale software roadmap*, Internat. J. High Performance Comput. Appl., 25 (2011), pp. 3–60, <https://doi.org/10.1177/1094342010391989>. (Cited on p. 728)

- [11] J. DONGARRA, L. PETZOLD, AND V. VOEVODIN, *Survey of CSE Graduate Programs*, 2012, <https://www.siam.org/students/resources/pdf/Summary-of-CSE-Survey.pdf>. (Cited on pp. 740, 742)
- [12] J. DONGARRA AND F. SULLIVAN, *The top ten algorithms of the 20th century*, Comput. Sci. Engrg., 2 (2000), pp. 22–23, <https://doi.org/10.1109/MCISE.2000.814652>. (Cited on p. 718)
- [13] S. GLOTZER, S. KIM, P. T. CUMMINGS, A. DESHMUKH, M. HEAD-GORDON, G. KARNIADAKIS, L. PETZOLD, C. SAGUI, AND M. SHINOZUKA, *International Assessment of Research and Development in Simulation-Based Engineering and Science*, World Technologies Evaluation Center Panel Report, 2009, <http://www.wtec.org/sbes/SBES-GlobalFinalReport.pdf>. (Cited on pp. 711, 739)
- [14] P. GLYNN, *From Human Genome to Materials Genome*, 2014, <http://science.energy.gov/news/featured-articles/2014/127050>. (Cited on p. 732)
- [15] W. GROPP, R. HARRISON ET AL., *Future Directions for NSF Advanced Computing Infrastructure to Support U.S. Science and Engineering in 2017–2020*, National Academies Press, 2016, <http://www.nap.edu/catalog/21886/>. (Cited on pp. 734, 737)
- [16] M. HEROUX, G. ALLEN, ET AL., *Computational Science and Engineering Software Sustainability and Productivity Challenges (CSESSP) Workshop Report*, Networking and Information Technology Research and Development (NITRD) Program, Arlington, VA, 2016, <https://www.nitrd.gov/PUBS/CSESSPWorkshopReport.pdf>. (Cited on pp. 734, 735, 737, 738, 739)
- [17] S. HETTRICK, *Research Software Sustainability*, Report on a Knowledge Exchange Workshop, 2016, http://repository.jisc.ac.uk/6332/1/Research_Software-Sustainability_Report-on KE_Workshop_Feb_2016_FINAL.pdf. (Cited on pp. 734, 737)
- [18] A. J. HEY, S. TANSLEY, K. M. TOLLE ET AL., *The Fourth Paradigm: Data-Intensive Scientific Discovery*, Vol. 1, Microsoft Research Redmond, WA, 2009. (Cited on p. 730)
- [19] HIGH END COMPUTING INTERAGENCY WORKING GROUP (HEC-IWG), *Education and workforce development in the high end computing community*, National Coordination Office for Networking and Information Technology Research and Development, 2013, https://www.nitrd.gov/nitrdgroups/images/4/4f/HEC_Education_Initiative_Position_%28March_2013%29.pdf. (Cited on pp. 714, 739, 744)
- [20] N. J. HIGHAM, ED., *The Princeton Companion to Applied Mathematics*, Princeton University Press, Princeton, NJ, 2015. (Cited on p. 715)
- [21] IEEE Standard Glossary of Software Engineering Terminology, IEEE std 610.12-1990, IEEE, 1990. (Cited on p. 737)
- [22] F. JAHANIAN, *Next Generation Computing and Big Data Analytics: Testimony at Congressional Hearing on Big Data Analytics*, 2013, <http://www.nsf.gov/attachments/128791/public/JahanianBigDataTestimony4-24-13.pdf>. (Cited on pp. 730, 733)
- [23] H. JOHANSEN, L. C. MCINNES ET AL., *Software Productivity for Extreme-Scale Science*, Report on DOE Workshop, 2014, <http://www.orau.gov/swproductivity2014/SoftwareProductivityWorkshopReport2014.pdf>. (Cited on pp. 734, 735, 737)
- [24] C. JOHNSON, R. MOORHEAD, T. MUNZNER, H. PFISTER, P. RHEINGANS, AND T. S. YOO, *NIH/NSF Visualization Research Challenges Report*, IEEE Computing Society, Los Alamitos, CA, 2006, <http://tab.computer.org/vgtc/vrc/NIH-NSF-VRC-Report-Final.pdf>. (Cited on p. 733)
- [25] C. JOHNSON, R. ROSS, S. AHERN, J. AHRENS, W. BETHEL, K. MA, M. PAPKA, J. ROSENDALE, H. SHEN, AND J. THOMAS, *Visualization and Knowledge Discovery: Report from the DOE/ASCR Workshop on Visual Analysis and Data Exploration at Extreme Scale*, 2007, http://science.energy.gov/~/media/ascr/pdf/program-documents/docs/Doe-visualization_report_2007.pdf. (Cited on p. 733)
- [26] D. KEYES, V. TAYLOR, ET AL., *National Science Foundation Advisory Committee on CyberInfrastructure, Task Force on Software for Science and Engineering*, final report, 2011, http://www.nsf.gov/cise/aci/taskforces/TaskForceReport_Software.pdf. (Cited on pp. 734, 737)
- [27] D. E. KEYES, P. COLELLA, T. H. DUNNING, JR., AND W. D. GROPP, EDS., *A Science-Based Case for Large-Scale Simulation*, Office of Science, U.S. Department of Energy, 2003 http://www.pnl.gov/scales/docs/volume1_300dpi.pdf. (Cited on pp. 711, 726)
- [28] D. E. KEYES, L. C. MCINNES, C. WOODWARD, W. GROPP, E. MYRA, M. PERNICE, J. BELL, J. BROWN, A. CLO, J. CONNORS, E. CONSTANTINESCU, D. ESTEP, K. EVANS, C. FARHAT, A. HAKIM, G. HAMMOND, G. HANSEN, J. HILL, T. ISAAC, X. JIAO, K. JORDAN, D. KAUSHIK, E. KAXIRAS, A. KONIGES, K. LEE, A. LOTT, Q. LU, J. MAGERLEIN, R. MAXWELL, M. MCCOURT, M. MEHL, R. PAWLOWSKI, A. P. RANDLES, D. REYNOLDS, B. RIVIÈRE,

- U. RÜDE, T. SCHEIBE, J. SHADID, B. SHEEHAN, M. SHEPHARD, A. SIEGEL, B. SMITH, X. TANG, C. WILSON, AND B. WOHLMUTH, *Multiphysics simulations: Challenges and opportunities*, Internat. J. High Performance Comput. Appl., 27 (2013), pp. 4–83, <https://doi.org/10.1177/1094342012468181>. (Cited on pp. 711, 725, 735)
- [29] G. KING, *Restructuring the social sciences: Reflections from Harvard's Institute for Quantitative Social Science*, PS: Political Science & Politics, 47 (2014), pp. 165–172. (Cited on p. 730)
- [30] H. P. LANGTANGEN, U. RÜDE, AND A. TVEITO, *Scientific Computing*, Springer, Berlin, Heidelberg, 2015, pp. 1302–1310. (Cited on p. 711)
- [31] R. LUCAS ET AL., *The Top Ten Exascale Research Challenges*, Advanced Scientific Computing Advisory Committee (ASCAC) Subcommittee for the Top Ten Exascale Research Challenges, Office of Science, U.S. Department of Energy, 2014, <http://science.energy.gov/~/media/ascr/ascac/pdf/meetings/20140210/Top10reportFEB14.pdf>. (Cited on p. 726)
- [32] MATERIALS PROJECT, *The Materials Project*, 2014, <https://www.materialsproject.org>. (Cited on p. 732)
- [33] P. MESSINA ET AL., *Argonne Training Program on Extreme-Scale Computing (ATPESC)*, 2017, <http://extremecomputingtraining.anl.gov>. (Cited on p. 741)
- [34] A. MEZZACAPPA ET AL., *Breakthroughs: Report of the Panel on Recent Significant Advances in Computational Science*, 2008, http://science.energy.gov/~/media/ascr/pdf/program-documents/docs/Breakthroughs_2008.pdf. (Cited on p. 711)
- [35] *Molecular Space*, 2016, <http://www.molecularspace.org>. (Cited on p. 732)
- [36] J. T. ODEN, T. BELYTSCHKO, T. J. R. HUGHES, C. JOHNSON, D. KEYES, A. LAUB, L. PETZOLD, D. SROLOVITZ, AND S. YIP, *Revolutionizing Engineering Science through Simulation: A Report of the National Science Foundation Blue Ribbon Panel on Simulation-Based Engineering Science*, 2006, http://www.nsf.gov/pubs/reports/sbes_final_report.pdf. (Cited on p. 711)
- [37] J. T. ODEN, O. GHATTAS, J. L. KING ET AL., *Final Report of the Advisory Committee for Cyberinfrastructure Task Force on Grand Challenges*, National Science Foundation, 2011, http://www.nsf.gov/cise/aci/taskforces/TaskForceReport_GrandChallenges.pdf. (Cited on pp. 711, 714, 719, 730, 740)
- [38] L. PETZOLD ET AL., *Graduate education in computational science and engineering*, SIAM Rev., 43 (2001), pp. 163–177, <https://doi.org/10.1137/S0036144500379745>. (Cited on pp. 710, 711, 719)
- [39] P. RICOUX AND M. RAMALHO, *European Exascale Software Initiative*, 2017, <http://www.eesi-project.eu>. (Cited on pp. 726, 744, 751)
- [40] R. ROSNER ET AL., *The Opportunities and Challenges of Exascale Computing*, Advanced Scientific Computing Advisory Committee (ASCAC) Subcommittee on Exascale Computing, Office of Science, U.S. Department of Energy, 2010, http://science.energy.gov/~/media/ascr/ascac/pdf/reports/Exascale_subcommittee_report.pdf. (Cited on p. 726)
- [41] S. SACHS, K. YELICK ET AL., *ASCR Programming Challenges for Exascale Computing*, 2011, <http://science.energy.gov/~/media/ascr/pdf/program-documents/docs/ProgrammingChallengesWorkshopReport.pdf>. (Cited on p. 729)
- [42] SIAM ACTIVITY GROUP ON COMPUTATIONAL SCIENCE AND ENGINEERING (SIAG/CSE), *SIAG/CSE wiki*, 2017, <http://wiki.siam.org/siag-cse/>. (Cited on pp. 740, 742)
- [43] SIAM ACTIVITY GROUP ON COMPUTATIONAL SCIENCE AND ENGINEERING (SIAG/CSE), *SIAM CSE conference series*, 2017, <http://www.siam.org/meetings/archives.php#CS>. (Cited on p. 714)
- [44] V. STODDEN, D. H. BAILEY, J. BORWEIN, R. J. LEVEQUE, W. RIDER, AND W. STEIN, *Setting the Default to Reproducible: Reproducibility in Computational and Experimental Mathematics*, ICERM Workshop Report, 2013, https://icerm.brown.edu/topical_workshops/tw12-5-rcem/icerm_report.pdf. (Cited on p. 737)
- [45] P. TURNER ET AL., *Undergraduate computational science and engineering education*, SIAM Rev., 53 (2011), pp. 561–574, <https://doi.org/10.1137/07070406X>. (Cited on p. 741)
- [46] U.S. DEPARTMENT OF ENERGY ADVANCED SCIENTIFIC COMPUTING ADVISORY COMMITTEE, *ASCAC Workforce Subcommittee Letter*, 2014, http://science.energy.gov/~/media/ascr/ascac/pdf/charges/ASCAC_Workforce_Letter_Report.pdf. (Cited on pp. 739, 744)
- [47] U.S. Department of Energy Exascale Computing Project (ECP), 2017, <https://exascaleproject.org>. (Cited on pp. 726, 744)
- [48] WISSENSCHAFTSRAT, *Strategische Weiterentwicklung des Hoch- und Höchstleistungsrechnens in Deutschland — Positionspapier*, 2012, <http://www.wissenschaftsrat.de/download/archiv/1838-12.pdf>. (Cited on p. 726)

- [49] WISSENSCHAFTSRAT, *Bedeutung und Weiterentwicklung von Simulation in der Wissenschaft*, Positionspapier, 2014, <http://www.wissenschaftsrat.de/download/archiv/4032-14.pdf>. (Cited on pp. 726, 744)
- [50] P. C. WONG, H.-W. SHEN, C. R. JOHNSON, C. CHEN, AND R. B. ROSS, *The top 10 challenges in extreme-scale visual analytics*, IEEE Computer Graphics Appl., 32 (2012), pp. 63–67. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3907777/>. (Cited on p. 733)
- [51] *Working towards Sustainable Software for Science: Practice and Experiences*, <http://wssspe.researchcomputing.org.uk>. (Cited on p. 737)