
Index

- L^2 distance, 177
- l_2 -norm, 95, 96
- 3D AAM segmentation, 215
- 3D scanning systems, 244
- 3D segmentation, 214
- 4D analysis, 215

- AAM two-dimensional, 205
- absorbance, 295
- absorption, 173
- absorption coefficient, 291
 - linear, 279
- ACE, 187
- acoustic tracking, 247
- acquisition, 218
- active contour, 254
- adaptive target classification, 125
- adaptive thresholding, 262
- admissibility condition, 287
- affinity, 225
- algorithm
 - k -means, 290
 - 6D recognition, 50
 - crimmins, 41
 - flood-fill, 259
 - model construction, 47, 53
 - MTI object detection, 142
 - SAR recognition, 48
 - similarity-computation, 16
 - two-class classification, 116
- ambiguity function, 288
- angiography, 201
 - magnetic resonance, 215–227
 - x-ray, 216, 218
- apex slice, 206
- arteries and veins
 - separation, 217
- arteriovenous separation, 221
- artery
 - femoral, 221
 - iliac, 216, 221
- artery–vein separation, 218, 226
- articulated arms, 247
- articulation, 59, 82
- atherosclerotic plaque
 - assessment, 229
 - lesions, 228
- atmospheric transmission, 78
- attenuation, 293
- automatic target recognition, 115
- azimuth invariance, 42
- azimuthal variance, 61

- background projection matrix, 126
- background subtraction, 144
- barycentric coordinates, 208
- basal cell carcinoma, 296
- basis vectors, 122
- Bayesian statistical inference, 90
- beer-lambert law, 291
- best view, 147
- bifurcation detection, 216
- binary mask generation, 222
- binning, 89
- black-blood imaging, 197
- blackbody, 172
- Boltzmann’s constant, 172
- border detection, 230

- brachytherapy radioactive seeds, 256
- brachytherapy seed segmentation, 261
- bright-blood imaging, 198
- calibration, 171, 172
- cardiac
 - function, 198
 - imaging, 193
 - gating, 228
 - magnetic resonance, 203
 - segmentation, 204
 - ventricles, 206
- cardiovascular
 - image analysis, 193
 - MRI, 196
- centering matrix, 95
- centroid, 104
- CFAR, 116
- cholesky decomposition, 95
- cine MRI, 199
- clustering, 156, 252, 282, 289
- clutter, 1, 2, 7, 9
- clutter region, 9
- CND, 149
- coherent detection system, 274
- combined distortion, 9
- complex conjugate, 284
- compression, 141, 154, 289
- computer-aided design, 80
- concave weight function, 58
- conditional PDF, 20
- conflict resolution, 221, 224
- confusion matrix, 57
- connection cost, 220
- consistency region, 8
- contour
 - deformation, 256
 - editing, 256
- convex weight function, 59
- coordinate system
 - cylindrical, 209
 - polar, 72
 - rectilinear, 72
 - reference, 47
- core, 216, 217, 219
- coronary
 - angiograms, 216
 - arteries, 216
- coronary artery, 203
- covariance matrix, 126
- covariants, 102
- cross-correlation, 288
- CTA, 216
- cube view approach, 249
- data distortion models, 6, 8
- DDC, 254
- deformable ellipsoid model, 254
- deformable model, 205
- dentine, 295
- detection sensors
 - coherent, 74
 - direct, 74
- diffraction imaging, 273
- dilation
 - bounded space, 222
- distance metric, 149
- distortion group
 - real, 25
 - synthetic, 24
- distribution
 - binomial, 13
 - hypergeometric, 20
 - plank, 168
 - probability, 4, 19
 - spectral, 168
- dosimetric analysis, 261
- double inversion recovery, 228
- DPCM, 156
- dynamic programming 3D, 221
- echo time, 197
- echocardiographic, 249
- echocardiography, 243
- edge
 - detection, 253
 - enhancement and selection, 253
 - linking, 253
- edge-selection algorithm, 252
- effective clutter region, 9
- effective size, 14
- eigenfaces, 184
- eigenspace classification, 148
- eigenvalues, 124, 149
- eigenvectors, 117, 124, 149
- elastic deformation, 253
- electromagnetic reflectance, 116
- electromagnetic spectrum, 167

- electronic stabilization, 143
- emissivity, 168, 173, 181
- empirical performance estimation, 2
- enamel, 295
- entropy rate, 159
- equal-error-rate, 186
- equinox database, 170
- error function, 210
- Euclidean distance, 149
- Euclidean norm, 127
- evidence accrual, 90

- face recognition, 167
- Fast 3D GRE, 202
- fast spin echo imaging, 228
- feature vectors, 294
- features, 83
- fidelity, 82
- first bounce, 76
- Fisherfaces, 184
- FLIR, 116
- flow-based imaging, 201
- focus of expansion, 148
- fourier
 - coefficients, 283
 - decomposition, 279
 - methods
 - global, 283
 - local, 283
- Fourier transform
 - spectroscopy, 272
- frequency space decomposition, 280
- FSE, *see* spin-echo imaging
- FTIR spectroscopy, 282
- full generalized form, 98
- fundamental frequency, 283
- fuzzy connectivity, 225

- gadolinium contrast, 200
- gas identification, 278
- gaussian random noise, 119
- generalized cylinders, 84
- genetic algorithms, 90
- geometric hashing, 48, 88
- gradient descent optimization, 210
- gradient matrix, 211
- GRE, 198

- Haar transform, 159

- hanging togetherness, 225
- HARP, 200
- Helmert submatrix, 95
- high-level processes, 282
- high-pass filter, 159
- Hilbert–Schmidt estimator, 5
- histogram
 - all-similarity, 8, 16
 - model collision, 54
 - peak-similarity, 8, 16
- histopathological samples, 296
- Hough transform, 89
- HYDICE, 115
- hyperspace, 108
- hyperspectral cube, 130
- hyperspectral imaging, 115, 118
- hyperspectral sensor, 127

- ICA-based feature extraction, 122
- IFOV, 80
- illumination invariance, 175
- incoherent detection, 272
- independent component analysis, 115, 117, 120
- indexing, 108
- infrared imaging, 167
- initialization ellipsoid, 255
- insignificant coefficients, 157
- intensity projection, 251
- intensity ratio, 220
- interclass variance, 149
- interventional procedures, 242
- intraclass variance, 149
- invariance, 92
- invariant function, 102
- inversion recovery, 197
- iterative refinement, 211

- Kalman filter, 215
- Kirchoff’s law, 173
- knowledge-based segmentation, 221
- Kullback–Leibler divergence, 177

- ladar
 - 3D, 72
 - flash, *see* 3D ladar
 - FPA, 75
 - projecton
 - orthographic, 75
 - perspective, 75

- sensors, 74
- laser, 71
- laser radars, 71
- last bounce, 76
- learning process, 90
- likelihood-ratio test, 4
- linear discriminant analysis, 184
- linear distance, 220
- linear interpolation, 182
- linear motion, 244
- lipschitz signatures, 147
- local feature analysis, 184
- look-up table, 47, 272
- low-pass filter, 159
- LWIR, 168
- magnetic field tracking, 247
- magnetic resonance, 228
 - angiography, 215
- magnitude invariance, 45
- manual planimetry, 252
- Markov model, 159
- Markov random fields, 7
- matched filter, 86
- matching
 - image-based, 85
 - model-based
 - alignment-based, 87
 - voting-based, 87
 - pixel-level, 86
- maximum intensity projection, 217
- mean curvature, 217
- mean spectral curve, 130
- mean squared prediction error, 156
- mechanical assemblies, 244
- medial axis transform, 217
- medialness, 217, 219
- melanoma, 296
- memory, 163
- mixed-pixel, *see* subpixel
- model
 - objects, 1
 - set, 24
 - similarity, 52
- monostatic system, 75
- morphometrics, *see* statistical shape analysis
- mother function, 286
- MPR, 250
- MR wall imaging, 229
- MRA, 215
- MRI, 194, 204
- MSTAR, 3, 24, 41
- MTI, 142
- multiple-look-angle SAR, 62
- multiresolution, 155
- multivariate linear regression, 211
- MWIR, 168
- myocardial perfusion, 200
- myocardial tagging, 200
- navigator gating, 196
- needle insertion point, 258
- needle segmentation, 256
 - 2D, 259
 - 3D, 259
- needle vector, 260
- negative evidence, 90
- negative gain, 84
- NIST, 171
- nongaussian, 121
- nuclear magnetic resonance, 194
- NURBS, 84
- object detection, 142, 147
- object recognition
 - feature-based, 4
 - model-based, 1
- object similarity, 7, 9
- object-image relations, 100
- obscuration, 77, 81
- observations, 50
- occlusion, 1, 2, 7, 9, 60
- operating conditions, 72
- optical properties, 291
- optical rectification, 274
- optical spectroscopy, 274
- optimal vessel path, 223
- orthogonal projection, 257
 - matrix, 126
- orthogonal subspace projection, 126
- partial acquisition, 202
- PCR
 - lower bound, 21
 - upper bound, 22
- PDF, 17
- PDM, 204

- peak signal-to-noise ratio, 155
- penetration, 275
- performance bounds, 17
- performance–prediction method, 6
- persistence, 156
- PET, 242
- phantom test objects, 259
- phase-contrast imaging, 201
- Planck’s constant, 172
- plaque morphology, 229
- PMF, 44
- point cloud, 83
- point correspondence, 81, 99
- point distribution model
 - 2D, 205
 - 3D, 206
- positive evidence, 47
- postprocessing, 219
- prediction method, 3
- predictor coefficients, 156
- preimplant dose planning, 252
- principal component analysis , 117, 184
- principal components, 91
- priori, 257, 259
- probability of correct recognition(PCR),
 - 3
- probe, 185
- Procrustean metrics, 94
- Procrustes analysis, 206
- prostate brachytherapy, 251
- prostate mesh, 254
- quality control, 278
- quaternion, 207
 - transformation, 210
- radiofrequency, 194
- range image, 74
- range profile, 76
- Rayleigh scattering, 277
- RBR edge detector, 253
- real model, 49
- real-time imaging, 203
- reference pulse, 279
- reflectance, 77
- reflectance spectra, 117
- reflective sensor, 80
- refractive index, 290
 - broadband, 292
- resonance, 194
- respiratory triggering, 196
- responsivity, 174
- ROC curve, 4, 39, 50, 59, 64, 135, 145
- ROI, 40
- rotation, 80
- run-length coding, 157
- run-time, 163
- sampling lattice, 72
- sampling rate, 287
- scalar quantization, 155, 158
- scaling parameter, 286
- scanning
 - tilt approach, 245
 - tracked free-hand, 246
 - untracked free-hand, 248
- scatterer amplitude, 44
- scatterer location invariance, 44
- scattering centers, 40
- scintillation, 43, 77
- seed
 - candidate extraction, 264
 - identification, 264
 - implantation, 252
 - point, 219
- segmentation, 128
- semiconductor characterization, 278
- sensor model, 99
- sensor panning motion, 144
- shape
 - factor, 51
 - intensity vector, 210
 - metrics, 93
 - parameters, 210
 - recognition, 85
 - representations, 83
- signal compression, 293
- signal-to-noise ratio (SNR), 129
- signatures, 277
- similarity
 - function, 8
 - group, 94
 - histograms, 15
- singular value decomposition, 97
- size-based detection, 148
- smaller-aspect separation, 227
- snake contour, 254
- spatial distribution, 278

- spatial sampling degradation, 246
- spatial variance, 142
- speckle decorrelation, 247
- spectral
 - dissimilarity, 127
 - feature vector, 130
 - reflectance curves, 130
 - template, 136
 - variability, 123, 125, 130
- spectrometer, 118
- spin angular momentum, 194
- spin-echo imaging, 197
- statistical shape analysis, 93
- step wedge, 292
- STFT, 283
- subpixel, 118
- subspace
 - estimation, 133
 - modeling, 126
- superquadrics, 84
- surface
 - positioning errors, 214
 - resampling, 80
- synthetic aperture radar, 1, 24, 39

- target bias, 63
- target classification, 137
- template matching, 85, 126
- temporal variance, 142
- terahertz
 - frequency band, 271
 - pulsed imaging, 271, 274
 - radiation, 271
 - sensitivity, 276
 - transmission, 290
- test set, 24
- tetrahedron, 208
- threshold, 128
- tilt motion, 245
- time delay, 288
- time–frequency analysis, 279
- TOF, 202
- transducer, 243
- transesophageal, 245
- transfer functions, 259
- translation, 79
- translation space, 48
- translucency rendering, 251
- transmission responses, 279

- transrectal, 245
- tree
 - growing, 219
 - root, 220
 - vasculature, 220
 - vessel, 219
- tree construction, 220
- tree search, 91
- tree segmentation
 - venous, 226
 - vessel, 227
- tree-structure generation, 222
- triangular mesh, 83
- TRUS, 252
- two-point radiometric calibration, 175

- ultrafast infrared laser, 274
- ultrasonography, 241
- ultrasound imaging, 241
 - 2D, 242
 - 3D, 241, 243
 - 3D reconstruction, 248
 - feature-based, 249
 - voxel-based, 249
 - conventional, 242
- uncertain instance, 8
- uncertainty, 2, 6, 8, 257
- uncertainty principle, 285
- uniform similarity model, 13
- unknown objects, 82
- unoccluded confuser, 61, 65
- unsupervised segmentation, 133

- variance analysis, 142, 143
- vasculature assessment, 219
- vector quantization, 297
- ventricular segmentation, 206
- vessel
 - central axes, 217
 - segmentation, 216, 219
 - segment labeling, 223
- vitro applications, 277
- vivo applications, 278
- VLWIR, 168
- volume
 - cropping, 257, 262
 - rendering, 259
- volume rendering, 251
- vote process, 17

votes, 3, 47

warping, 208

wavelet, 155, 285

wavelet transform, 155

continuous, 286, 288

discrete, 287

WBCAF, 288

weight functions, 55

weighted voting, 55

window function, 284

zerotree, 156

coding and DPCM coding, 155