


Sizing-related root causes-Pants sizing

PANTS SIZING



⚠ **NOTE:** Priority rules when using measurements to check root causes:

- Guidelines to determine whether the customer's waist, hip, and inseam measurements are accurate. If any of the following apply, please ask the customer to confirm the measurements:
 - Hip - Waist > 15"
 - Waist - Hip > 5"
 - Inseam > 36"
- If the customer's measurement is a **decimal** number, **round up** the number. (E.g: 34.5 → 35)
- With feedback on **thigh, front rise, back rise, and crotch, etc.**, the root cause can be identified based on **waist or hip** measurements, as these attributes are considered to be related (confirmed by the SCE team). For example:
 - Complaint: Thigh too tight*

- Customer's selected size: W36/L30
- Customer's waist measurement: 36 inches

Rootcause: **Product-Technical_issue**

4. Check the type of size chart to define the rootcause. If the customer provides measurements without accompanying feedback, the measurements can still help determine the root cause based on logic.

- **Size chart with Usual size, Waist, Hip range & Inseam, but customer only needs to choose Waist & Inseam options Or Usual size (combination of waist+hip range) & Inseam options:** Choose the rootcause based on both waist & hip OR inseam, depending on customer's feedback

Example:

- Complaint: Waist too tight. Product: [TimelessFlex](#)
- Customer's waist measurement: 42 inches
- Customer's hip measurement: 43 inches
- Customer's selected size: 36/32 (Hip range 42-43 inches)

Rootcause: **Product-Technical_issue** (Customer's hip falls in the range of size 36/32)

- **Size chart with only Waist & Inseam and customer needs to choose Waist & Inseam options:** Choose the rootcause based on waist OR inseam, depending on customer's feedback

Example:

- Complaint: Hip too tight. Product: [Flexcamo](#)
- Customer's hip measurement: 38 inches
- Customer's selected size: W34/L34

Rootcause: Rootcause: **Undefined-Sizing** (Customer only had the waist & inseam options while purchasing so we can not use hip measurement to define the rootcause)

5. If the waist and hip measurements fall into different size categories, determine the fulfillment sizes using both measurements. Then, identify the root cause based on each fulfillment size and prioritize the **Product -Technical_issue** if applicable. For example:

- Complaint: Overall too tight
- Customer's selected size: 3XL StretchActive
- Customer's measurements:

Waist 43 inches matches 3XL range (fulfillment size 2XL) - Product-Technical_issue

Hips 55 inches matches 4XL range (fulfillment size 3XL) - Customer-Pick_wrong_size/color

Choose Rootcause: **Product-Technical_issue**

6. For **Shorts** (Icedactive, Icy Short, etc.), if the root cause is determined based on **length-related feedback** (e.g. too short/too long), with or without inseam/outseam measurements, and in non-defective cases, the Rootcause_type should always be **Technical_issue**

7. What's the usual size?

The usual size provided by the customer is accepted if it matches the sizing system used on the product's sellpage. For example:

The sizing format for Flexcamo is W34/L28. Acceptable usual sizes: W34, 34, W34/L28, etc.

The sizing format for StretchActive is XL. Acceptable usual sizes: XL, 2XL, etc.

Which attribute customer mentioned in their feedback?	Customer's inseam provided?	How to check?	Customer's feedback	Compared two inseams	Customer - Pick_wrong_size/color	Product - Technical_issue	Undefined-Sizing
Only inseam	Yes	Compare the inseam provided (c) with the inseam the customer purchased (a) to determine the root cause.	Too short	$c \leq a$		✓	
				$c > a$	✓		
			Too long	$c < a$	✓		
				$c \geq a$		✓	
			not fit	$c = a$		✓	
				$c \neq a$	✓		
	No						✓

Inseam AND other attributes such as waist, hip, leg, thigh, crotch, front rise, and back rise	Yes/No	Define the rootcause based on Waist/Hip measurements in the following table
---	--------	--

Scenario	Waist/hip measurements provided?	Usual size provided?	How do we check?	Customer feedback	Compared two fulfillment sizes	Product- Technical_issue	Customer-Pick_wrong_size/color	Undefined - Sizing
1	No	No	If the customer does not complain about the inseam					✓
			If the customer complains about both inseam and other attributes but only provides inseam measurement → Choose root cause based on inseam.					
2	Yes	No	- Step 1: Convert Customer's waist/hip measurements/ Customer's usual size into a fulfillment size (c) - Step 2: Compare the identified fulfillment size (c) with the fulfillment size the customer originally purchased (a) to	too small	c≤a	✓		
					c>a		✓	
				too big	c≥a	✓		
	No	Yes			c<a		✓	
				not fit	c=a	✓		

			determine the root		c≠a		✓	
3	Yes	Yes	cause. Check if the case falls under Product-Technical_issue . Otherwise, log it under Customer-Pick_wrong_size/color					