



Svetlana Avraakh
Designer



CROCHET | SKILL LEVEL: **EXPERIENCED**

MATERIALS

Patons® Canadiana™ (3.5 oz/100 g; 205 yds/187 m)

Sizes	XS/S	M	L	
Royal Blue (10134)	10	10	11	balls
	1870/1700	2050/1870	2255/2050	yds/m
Sizes	XL	2/3XL	4/5XL	
Royal Blue (10134)	12	13	14	balls
	2460/2236	2665/2423	2870/2609	yds/m

Size U.S. 7 (4.5 mm) Susan Bates® crochet hook **or size needed to obtain gauge.** Susan Bates® stitch markers. Susan Bates® yarn needle.

SIZES

To fit chest measurement

XS/S	28-34" [71-86.5 cm]
M	36-38" [91.5-96.5 cm]
L	40-42" [101.5-106.5 cm]
XL	44-46" [112-117 cm]
2/3XL	48-54" [122-137 cm]
4/5XL	56-62" [142-157.5 cm]

Finished chest

XS/S	42" [106.5 cm]
M	46" [117 cm]
L	52½" [133.5 cm]
XL	55½" [141 cm]
2/3XL	65" [165 cm]
4/5XL	68" [172.5 cm]

GAUGES

15 sc and 17 rows = 4" [10 cm].

18 sts and 10 rows = 4" [10 cm] in Faux Rib Pat.

Note: 20 rows of Cable Panel and 4 rows of Faux Rib Pat measures approx 2¾" [7 cm].



ABBREVIATIONS

Approx = Approximately

Beg = Beginning

Beg Slst2tog = Draw up a loop in first stitch. Draw up a loop in next stitch, then draw through both loops on hook

Ch = Chain

Cont = Continue(ity)

Dc = Double crochet

Dc3tog = (Yoh and draw up a loop in next stitch. Yoh and draw through 2 loops on hook) 3 times. Yoh and draw through all loops on hook

Pat = Pattern

PM = Place marker

Rem = Remain(ing)

Rep = Repeat

RS = Right side

Sc = Single crochet

Sl st = Slip stitch

Slst2tog = Draw up a loop in same space where last stitch was made. Draw up a loop in next stitch, then draw through both loops on hook

Sp(s) = Space(s)

St(s) = Stitch(es)

WS = Wrong side

Yoh = Yarn over hook

Yoh-sl st = Yoh and draw up a loop through next stitch, then draw through 2 loops on hook

INSTRUCTIONS

The instructions are written for **XS/S**. If changes are necessary for larger sizes the instructions will be written **XS/S (M-L-XL-2/3XL-4/5XL)**. Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Note: Front, Back and Sleeves are worked from side to side.

CABLE PANEL

Notes:

- Each cable twist will have set of 2 markers #1 and #2. Use different colored markers if desired to denote #1 and #2.
- Foundation row is considered last row (dc-row) of Faux Ribbing row.

Foundation row: (RS). Ch 3. 1 dc in back loop of each st to end of row. Turn.



1st row: (WS). Ch 1. 1 yoh-sl st in back loops of each of next 8 sts. **Turn.** Leave rem sts unworked.



2nd row: Ch 1. PM#1 on ch just made. 1 yoh-sl st in back loops of each of next 8 sts. **Turn.**



3rd row: Ch 1. 1 yoh-sl st in front horizontal bar of each of next 7 sts. **Turn.** Leave rem 1 st unworked.




4th row: Ch 1. PM#2 on ch just made. 1 yoh-sl st in back loops of each of next 7 sts. Turn.



5th row: Ch 1. 1 yoh-sl st in back loops of each of next 7 sts. Ch 2.



1 yoh-sl st in back loops of each of next unworked 8 sts of foundation row. **Turn.** Leave rem sts unworked.



6th row: Ch 1. PM#1 on ch just made. 1 yoh-sl st in back loops in each of next 17 sts, including back loops of ch-2. Turn.




7th row: Ch 1. 1 yoh-sl st in front horizontal bar of each of next 16 sts. **Turn.** Leave rem 1 st unworked.



8th row: Ch 1. PM#2 on ch just made. 1 yoh-sl st in back loops in each of next 7 sts.



Working behind sts of previous rows, sl st in same sp as marker #1. Turn.



9th row: Skip first sl st. 1 yoh-sl st in back loops in each of next 6 sts. Skip last st. Ch 2. 1 yoh-sl st in back loops of each of next unworked 8 sts of foundation row. **Turn.** Leave rem sts unworked.

10th row: Ch 1. PM#1 on ch just made. 1 yoh-sl st in back loops in each of next 16 sts, including back loops of ch-2. *Working behind sts of previous rows, sl st in same sp as marker #2. Turn.*

11th row: Skip first sl st. 1 yoh-sl st in front horizontal bar in each of next 15 sts. **Turn.** Leave rem 1 st unworked.

Rep 8th to 11th rows to last 8 sts of foundation row.

Proceed as follows:

12th row: (RS). As 8th row.

13th row: Skip first sl st. 1 yoh-sl st in back loops in each of next 6 sts. Skip last st. Ch 2. 1 yoh-sl st in back loops of each of last unworked 8 sts of foundation row. Turn.

14th row: Ch 1. 1 yoh-sl st in back loops in each of next 16 sts, including back loops of ch-2. *Working behind sts of previous rows, sl st in same sp as marker #2. Turn.*

15th row: Skip first sl st. 1 yoh-sl st in front horizontal bar in each of next 16 sts. Turn.

16th row: Ch 1. 1 yoh-sl st in back loops in each of next 8 sts. *Working behind sts of previous rows, sl st in same sp as marker #1. Turn.*

17th row: Skip first sl st. 1 yoh-sl st in back loops in each of next 8 sts. Turn.

18th row: Ch 1. 1 yoh-sl st in back loops in each of next 8 sts. *Working behind of sts of previous rows, sl st in same sp as marker #2. Turn.*

19th row: Skip first sl st. 1 yoh-sl st in front horizontal bar in each of next 8 sts. Turn.

Note: To keep correct amount of dc across joining row, work 8 dc across each Cable rep.

20th row: (RS. Joining row – worked across all sts). Ch 3. *Working in back loop only, 1 dc in each of next 7 sts of first cable. *1 dc in each of next 8 sts of next Cable. Rep from * to end of row. Turn.***

These 20 rows form Cable Panel.

BACK

****Beg at side edge, ch 60 (58-64-62-66-64).**

1st row: (RS). 1 dc in 4th ch from hook and each ch to end of chain. Turn. **58 (56-62-60-64-62)** sts.

2nd row: Ch 1. *Draw up a loop in first st. Draw up a loop in next st, then draw through both loops on hook – Beg Slst2tog made. *Draw up a loop in same sp where last st was made. Draw up a loop in next st, then draw through both loops on hook – next Slst2tog made. Rep from * to end of row. 1 sc in same st where last st was made. Turn. 58 (56-62-60-64-62) sts.*

3rd row: Ch 3. *Working in back loops only*, 1 dc in each st to end of row. Turn.

Rep 2nd and 3rd rows for Faux Rib Pat **0 (1-1-2-2-3)** time(s) more, then rep 2nd row once.



Shape left armhole: 1st row: (RS). Ch **40 (42-44-46-50-52)**. 1 dc in 4th ch from hook and each of next **36 (38-40-42-46-48)** ch. *Working in back loops only*, 1 dc in each of next **58 (56-62-60-64-62)** sts. Turn. **96 (96-104-104-112-112)** sts. Beg on a 2nd row (WS), work **2 (2-4-4-6-8)** rows in Faux Rib Pat.**

Beg on a WS row, (work 20 rows of Cable Panel and 4 rows in Faux Rib Pat) **6 (6-7-7-8-8)** times.

Shape right armhole: 1st row: (WS). Ch 1. Beg slst2tog.*Slst2tog. Rep from * to last **38 (40-42-44-48-50)** sts. 1 sc in same st where last st was made. **Turn.** Leave rem **38 (40-42-44-48-50)** sts unworked.

Cont on **58 (56-62-60-64-62)** sts as follows:

2nd row: Ch 3. *Working in back loops only*, 1 dc in each st to end of row. Turn. **58 (56-62-60-64-62)** sts.

3rd row: Ch 1. Beg slst2tog. *Slst2tog. Rep from * to end of row. 1 sc in same st where last st was made. Turn.

Rep 2nd and 3rd rows for Faux Rib Pat **1 (2-2-3-3-4)** time(s) more, then rep 2nd row once. Fasten off.

FRONT

Work from ** to ** as given for Back.

Beg on a WS row, (work 20 rows of Cable Panel, then 4 rows in Faux Rib Pat) **1 (1-1-1-2-2)** time(s), then rep 20 rows of Cable Panel across all sts once.

Shape left neck edge: 1st row: (WS). Ch 1. *Slst2tog. Rep from * to last 12 sts. 1 sc in same sp where last st was made. **Turn.** Leave rem sts unworked.

Cont on **84 (84-92-92-100-100)** sts as follows:

2nd row: Ch 3. *Working in back loops only*, Dc3tog. 1 dc in each st to end of row. Turn. **82 (82-90-90-98-98)** sts.

3rd row: Ch 1. *Slst2tog. Rep from * to end of row. 1 sc in same sp where last st was made. **Turn.** Leave rem st unworked. **82** (82-90-90-98-98) sts.

4th row: As 2nd row. **80** (80-88-88-96-96) sts.

Beg on a WS row, (work 20 rows of Cable Panel across all sts and 4 rows in Faux Rib Pat) **1** (1-2-2-1-1) time(s), then rep 19 rows of Cable Panel across all sts once.

Shape right neck edge: 1st row: (RS. Joining row - worked across all sts). Ch 3. *Working in back loops only*, 2 dc in first st. 1 dc in each of next 7 sts of first cable. *1 dc in each of next 8 sts of next Cable. Rep from * to end of row. Turn.

Cont on **82** (82-90-90-98-98) sts as follows:

2nd row: Ch 1. *Slst2tog. Rep from * to end of row. 1 sc in same st where last st was made. Turn.

3rd row: Ch 3. *Working in back loops only*, 2 dc in next st. 1 dc in each st to end of row. Turn.

4th row: As 2nd row. **84** (84-92-92-100-100) sts.

5th row: Ch 14. 1 dc in 4th ch from hook and each of next 10 ch. *Working in back loops only*, *1 dc in each st to end of row. Turn. **96** (96-104-104-112-112) dc.

Beg on a WS row, (work 20 rows of Cable Panel and 4 rows in Faux Rib Pat) **1** (1-2-2-3-3) time(s), then rep **20** (20-0-0-0-0) rows of Cable Panel once.

Work **2** (2-0-0-2-4) rows in Faux Rib Pat.

Shape right armhole: 1st row: (WS). Ch 1. *Slst2tog. Rep from * to last **38** (40-42-44-48-50) sts. 1 sc in same st where last st was made. Turn. **58** (56-62-60-64-62) sts.

2nd row: Ch 3. *Working in back loops only*, 1 dc in each st to end of row. Turn. **58** (56-62-60-64-62) sts.

3rd row: Ch 1. *Slst2tog. Rep from * to end of row. 1 sc in same st where last st was made. Turn.

Rep 2nd and 3rd rows for Faux Rib Pat **0** (1-1-2-2-3) time(s) more, then rep 2nd row once. Fasten off.

SLEEVES

Note: Sleeves are worked from side to side.

Shape Side: Ch 22.

1st row: (RS). 1 dc in 4th ch from hook and each ch to end of chain. Turn. 20 dc.

2nd row: (WS). Ch 1. *Slst2tog. Rep from * to end of row. 1 sc in same st where last st was made. Turn.

3rd row: Ch **22** (17-17-14-14-12). 1 dc in 4th ch from hook and each of next **18** (13-13-10-10-8) ch. *Working in back loops only*, 1 dc in each st to end of row. Turn. **40** (35-35-32-32-30) dc. Rep 2nd and 3rd rows **2** (3-3-4-4-5) times more. 80 sts.

Work 2 rows even in Faux Rib Pat.

Beg on a WS row, (work 20 rows of Cable Panel and 4 rows in Faux Rib Pat) 3 times, then work 20 rows of Cable Panel.

Work 2 rows in Faux Rib Pat.

Note: Decreases are shifted 5 sts on this side to reduce enhanced stepping when seams are sewn.

Shape side: 1st row: (WS). Ch 1. *Slst2tog. Rep from * to last 15 (10-10-7-7-5) sts. 1 sc in same st where last st was made. **Turn.** Leave rem sts unworked.

2nd row: Ch 3. *Working in back loops only*, 1 dc in each st to end of row. **Turn.**

3rd row: Ch 1. *Slst2tog. Rep from * to last 20 (15-15-12-12-10) sts. 1 sc in same st where last st was made. **Turn.** Leave rem sts unworked.

Rep 2nd and 3rd rows 1 (2-2-3-3-4) time(s) more, then rep 2nd row once. 25 sts rem. Fasten off.

FINISHING

Pin all pieces to measurements. Cover with a damp cloth leaving cloth to dry. Sew right shoulder seam.

Neckband: Ch 9.

1st row: (RS). 1 sl st in 2nd ch from hook and each ch to end of chain. **Turn.** 8 sl sts.

2nd row: Ch 1. 1 sl st in back loop of each st to end of row. **Turn.** Rep last row until work when slightly stretched measures length to fit around neck edge. Beg at left shoulder, sew in place as you work using mattress st.

Sew left shoulder and Neckband seam.

Cuff: Ch 15.

1st row: (RS). 1 sl st in 2nd ch from hook and each ch to end of chain. **Turn.** 14 sl sts.

2nd row: Ch 1. 1 sl st in back loop of each st to end of row. **Turn.** Rep last row until Cuff, when slightly stretched, measures 10" [25.5 cm]. Fasten off, leaving a long end to join to Sleeve. Sew Cuff to bottom edge of Sleeve using mattress st.

PM 1½ (2½-2½-3¼-3¼-4)" [4 (6.5-6.5-8.5-8.5-10) cm] on each side of Sleeve at wider part of Sleeve. Sew in Sleeves, placing rows above markers along armhole sts of Front and Back to create square armholes. Sew Sleeve and side seams.


Body Edging: Ch 15.

1st row: (RS). 1 sl st in 2nd ch from hook and each ch to end of chain. **Turn.** 14 sl sts.


2nd row: Ch 1. 1 sl st in back loop of each st to end of row. **Turn.**

Rep last row until Body Edging, when slightly stretched, measures 41 (45-51½-54½-64-67)" [104 (114.5-131-138.5-162.5-170.5) cm]. Beg at left side seam, sew in place as you work using mattress st. Fasten off.

Sew side seam of Body Edging



MATTRESS ST



FRONT



BACK