Dummy title

John Q. Public ⓘ ✉ ⌂

Dummy University Computing Laboratory, [optional: Address], Country

My second affiliation, Country

Joan R. Public ⓘ ✉

Department of Informatics, Dummy College, [optional: Address], Country

──────── **Abstract** ────────

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti.

1   Typesetting instructions – Summary

setting-summary⟩? This template is a fork of the official template used to for LIPIcs proceedings. LIPIcs is a series of open access high-quality conference proceedings across all fields in informatics established in cooperation with Schloss Dagstuhl.

Minimum requirements

- Use LuaLatex (or pdflatex) and an up-to-date LaTeX system. Highlighting of overfull `\hboxes` is available only in LuaLatex.
- Use further LaTeX packages and custom made macros carefully and only if required.
- Use the provided sectioning macros: `\section`, `\subsection`, `\subsubsection`, `\paragraph`, `\paragraph*`, and `\subparagraph*`.
- Provide suitable graphics of at least 300dpi (preferably in PDF format).
- Use BibTeX and keep the standard style (`plainurl`) for the bibliography.
- Please try to keep the warnings log as small as possible. Avoid overfull `\hboxes` and any kind of warnings/errors with the referenced BibTeX entries.
- Use a spellchecker to correct typos.

Mandatory metadata macros

Please set the values of the metadata macros carefully since the information parsed from these macros will be passed to publication servers, catalogues and search engines. Avoid placing macros inside the metadata macros. The following metadata macros/environments are mandatory:

- `\title` and, in case of long titles, `\titlerunning`.
- `\author`, one for each author, even if two or more authors have the same affiliation.
- `\authorrunning` (concatenated author names)
  The `\author` macros macro should contain full author names (especially with regard to the first name), while `\authorrunning` should contain abbreviated first names.
- `\begin{abstract}...\end{abstract}`.

  VestibulumsodalesdoloretduicursusiaculisNullamullamcorper purusvelturpislobortiseutempusloremsemper. Proin facilisis gravida rutrum. Etiam sed sollicitudin lorem. Proin pellentesque risus at elit hendrerit pharetra. Integer at turpis varius libero rhoncus fermentum vitae vitae metus.

  Vestibulum sodales dolor et dui cursus iaculis. Nullam ullamcorper purus vel turpis lobortis eu tempus lorem semper. Proin facilisis gravida rutrum. Etiam sed sollicitudin lorem. Proin pellentesque risus at elit hendrerit pharetra. Integer at turpis varius libero rhoncus fermentum vitae vitae metus.

$$a = \sum_{i=1} n a_i \tag{1}{?}$$

$$10b + 123c = 0 \tag{2}{?}$$

$$a = \begin{cases} 3, & a = 3 \\ 0, & a \neq 3. \end{cases} \tag{3}{?}$$

Test math $a + n = 1$.

?⟨list:8-6⟩? ■ **Listing 1.** Useless code

```
for i:=maxint to 0 do
begin
    j:=square(root(i));
end;
```

2 Lorem ipsum dolor sit amet

Lorem ipsum dolor sit amet, consectetur adipiscing elit [**?**]. Praesent convallis orci arcu, eu mollis dolor. Aliquam eleifend suscipit lacinia. Maecenas quam mi, porta ut lacinia sed, convallis ac dui. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Suspendisse potenti. Donec eget odio et magna ullamcorper vehicula ut vitae libero. Maecenas lectus nulla, auctor nec varius ac, ultricies et turpis. Pellentesque id ante erat. In hac habitasse platea dictumst. Curabitur a scelerisque odio. Pellentesque elit risus, posuere quis elementum at, pellentesque ut diam. Quisque aliquam libero id mi imperdiet quis convallis turpis eleifend.

?⟨lemma:lorem⟩? ■ **Lemma 1** (Lorem ipsum). *Vestibulum sodales dolor et dui cursus iaculis. Nullam ullamcorper purus vel turpis lobortis eu tempus lorem semper. Proin facilisis gravida rutrum. Etiam sed sollicitudin lorem. Proin pellentesque risus at elit hendrerit pharetra. Integer at turpis varius libero rhoncus fermentum vitae vitae metus.*

Proof. Cras purus lorem, pulvinar et fermentum sagittis, suscipit quis magna.

⌐ Claim 2. *content...*

Proof. content... ⌐

▪

⟨lemma:curabitur⟩ ■ **Corollary 3** (Curabitur pulvinar) [**?**]. *Nam liber tempor cum soluta nobis eleifend option congue nihil imperdiet doming id quod mazim placerat facer possim assum. Lorem ipsum dolor sit amet, consectetuer adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat.* ▪

⟨prop1⟩ ■ **Proposition 4.** *This is a proposition* ▪

Proposition 4 and Proposition 4 …

2.1 Curabitur dictum felis id sapien

Curabitur dictum Corollary 3 felis id sapien Corollary 3 mollis ut venenatis tortor feugiat. Curabitur sed velit diam. Integer aliquam, nunc ac egestas lacinia, nibh est vehicula nibh, ac auctor velit tellus non arcu. Vestibulum lacinia ipsum vitae nisi ultrices eget gravida turpis laoreet. Duis rutrum dapibus ornare. Nulla vehicula vulputate iaculis. Proin a consequat neque. Donec ut rutrum urna. Morbi scelerisque turpis sed elit sagittis eu scelerisque quam condimentum. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nec faucibus leo. Cras ut nisl odio, non tincidunt lorem. Integer purus ligula, venenatis et convallis lacinia, scelerisque at erat. Fusce risus libero, convallis at fermentum in, dignissim sed sem. Ut dapibus orci vitae nisl viverra nec adipiscing tortor condimentum [**?**]. Donec non suscipit lorem. Nam sit amet enim vitae nisl accumsan pretium.

Algorithm 1. Useless peudo code

---
1 $a \leftarrow 0$;
2 **while true do**
3   **return** 5;

2.2   Proin ac fermentum augue

Proin ac fermentum augue. Nullam bibendum enim sollicitudin tellus egestas lacinia euismod orci mollis. Nulla facilisi. Vivamus volutpat venenatis sapien, vitae feugiat arcu fringilla ac. Mauris sapien tortor, sagittis eget auctor at, vulputate pharetra magna. Sed congue, dui nec vulputate convallis, sem nunc adipiscing dui, vel venenatis mauris sem in dui. Praesent a pretium quam. Mauris non mauris sit amet eros rutrum aliquam id ut sapien. Nulla aliquet fringilla sagittis. Pellentesque eu metus posuere nunc tincidunt dignissim in tempor dolor. Nulla cursus aliquet enim. Cras sapien risus, accumsan eu cursus ut, commodo vel velit. Praesent aliquet consectetur ligula, vitae iaculis ligula interdum vel. Integer faucibus faucibus felis.

- Ut vitae diam augue.
- Integer lacus ante, pellentesque sed sollicitudin et, pulvinar adipiscing sem.
- Maecenas facilisis, leo quis tincidunt egestas, magna ipsum condimentum orci, vitae facilisis nibh turpis et elit.

Remark 5. content...

3   Pellentesque quis tortor

Nec urna malesuada sollicitudin. Nulla facilisi. Vivamus aliquam tempus ligula eget ornare. Praesent eget magna ut turpis mattis cursus. Aliquam vel condimentum orci. Nunc congue, libero in gravida convallis [?], orci nibh sodales quam, id egestas felis mi nec nisi. Suspendisse tincidunt, est ac vestibulum posuere, justo odio bibendum urna, rutrum bibendum dolor sem nec tellus.

Lemma 6 (Quisque blandit tempus nunc). *Sed interdum nisl pretium non. Mauris sodales consequat risus vel consectetur. Aliquam erat volutpat. Nunc sed sapien ligula. Proin faucibus sapien luctus nisl feugiat convallis faucibus elit cursus. Nunc vestibulum nunc ac massa pretium pharetra. Nulla facilisis turpis id augue venenatis blandit. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.*

Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.

A   Morbi eros magna

Morbi eros magna, vestibulum non posuere non, porta eu quam. Maecenas vitae orci risus, eget imperdiet mauris. Donec massa mauris, pellentesque vel lobortis eu, molestie ac turpis. Sed condimentum convallis dolor, a dignissim est ultrices eu. Donec consectetur volutpat eros, et ornare dui ultricies id. Vivamus eu augue eget dolor euismod ultrices et sit amet nisi. Vivamus malesuada leo ac leo ullamcorper tempor. Donec justo mi, tempor vitae aliquet non, faucibus eu lacus. Donec dictum gravida neque, non porta turpis imperdiet eget. Curabitur quis euismod ligula.

A   Styles of lists, enumerations, and descriptions

⟨sec:itemStyles⟩? List of different predefined enumeration styles:

- \begin{itemize}...\end{itemize}
- …
- …

1. \begin{enumerate}...\end{enumerate}
2. …
3. …

(a) \begin{alphaenumerate}...\end{alphaenumerate}
(b) …
(c) …

(i) \begin{romanenumerate}...\end{romanenumerate}
(ii) …
(iii) …

(1) \begin{bracketenumerate}...\end{bracketenumerate}
(2) …
(3) …

Description 1   \begin{description} \item[Description 1] ...\end{description}
Description 2   Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.
Description 3   …

Proposition 10 and Proposition 10 ...

B   Theorem-like environments

⟨em-environments⟩? List of different predefined enumeration styles:

⟨estenv-mtheorem⟩? **Main Theorem 1.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

⟨testenv-theorem⟩? **Theorem 7.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

?⟨testenv-lemma⟩? **Lemma 8.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

⟨stenv-corollary⟩? **Corollary 9.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

⟨env-proposition⟩ **Proposition 10.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

⟨estenv-exercise⟩? **Exercise 11.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

⟨tenv-definition⟩? **Definition 12.** *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

6 Dummy short title

⟨testenv-example⟩? **Example 13.** Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.

⟨testenv-remark⟩? **Remark 14.** Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.

?⟨testenv-claim⟩ Claim 15. *Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.*

Proof. Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.

Proof. Fusce eu leo nisi. Cras eget orci neque, eleifend dapibus felis. Duis et leo dui. Nam vulputate, velit et laoreet porttitor, quam arcu facilisis dui, sed malesuada risus massa sit amet neque.

Theorem 17. *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

Theorem 17. *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

⟨thmt@@rst@data⟩?
⟨thmt@@rst⟩ **Theorem 16.** *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

Theorem 17. *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

⟨thmt@@rst@data⟩?
⟨thmt@@rst⟩ **Theorem 17.** *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

Theorem 17. *Restatable theorems get an end symbol whenever used in their starred variant. Name and labels direct to the last un-starred occurrence.*

⟨prob:name⟩
___
Problem Name Name.

Input. Input

Output. Output
___

⟨prob:name2⟩
___
Problem Two Name Name.

Input. Input

Output. Output
___

Name Name
Two
The Name Name problem
the Name Name problem
The Two problem
the Two problem
the Name Name problem and Two problem

C   Special Symbols

D   Default Colors

Available via `color1` to `color5` and `c1` to `c5`.